ELSEVIER

Discrete Mathematics 227/228 (2001) 5–302

DISCRETE MATHEMATICS

Subject Index Volumes 1–200

(0, 1) linear programming matrix, 3438
(0, 1) matrix, *see* (0, 1)-matrix
(0, 1)-distributive lattice, 5732
(0, 1)-generalized Boolean function, 1768
(0, 1)-geometric graph, 1339
(0, 1)-graph, 825
(0, 1)-law, 1833
(0, 1)-matrix, 167, 311, 542, 548, 655, 657, 712, 760, 877, 894, 1001, 1107, 1301, 1358, 1404, 1432, 1655, 1735, 2277, 2443, 2475, 2748, 3339, 3350, 3538, 3558, 4255, 4310, 4421, 4452, 5141, 5375, 5648, 5872, 5893, *see also* zero-one matrix
  with zero permanent, 167
(0, 1)-optimization, 2130
(0, 1)-sequence, 381, 605, 943, 1161, 4177, 4178, 5626
(0, 1)-solution of linear inequalities, 4709
(0, 1)-stationary time series, 605
(0, 1, −1) skew symmetric matrix, *see* (0, 1, −1)-skew symmetric matrix
(0, 1, −1)-skew symmetric matrix, 3271
0, 1-matrix, *see* (0, 1)-matrix
0, 1-sublattice, 1479
(0, 2)-geometry, 1738
(0, 2)-graph, 4912, 5261, 5436
0, 2-graph, *see* (0, 2)-graph
(0, λ)-graph, 930, 2933
(0, ±1)-matrix, 5233
0,1 sequence, *see* (0, 1)-sequence
0/1 polytope, *see* (0, 1)-polytope
0/1 solutions of linear inequalities, *see* (0, 1)-solution of linear inequalities
0/1-matrix, *see* (0, 1)-matrix
0-1 inequality, *see* (0, 1)-inequality
0-1 law, *see* (0, 1)-law
0-1 optimisation, *see* (0, 1)-optimization
0-1 sequence, *see* (0, 1)-sequence
0-1 stationary time series, *see* (0, 1)-stationary time series
(0-1) matrix, *see* (0, 1)-matrix
(0-1)-inequality, 2130, *see* (0, 1)-inequality
(0-1)-polyhedron, 1096, *see* (0, 1)-polyhedron
0-1-matrix, *see* (0, 1)-matrix
0-1-polyhedron, *see* (0, 1)-polyhedron
0-1-sequence, *see* (0, 1)-sequence
0-chord extendable, 4318
0-covered, 397, *see also* zero-covered
0-dimensional, *see also* zero-dimensional
0-dual closure, 3604
0-extendable, 4762, *see also* zero-extendable
0-homogeneity, 1917, *see also* zero-homogeneity
0-homogeneous graph, 1917, *see also* zero-homogeneous graph
0-induced, 3392, *see also* zero-induced
0-preserving, *see also* zero-preserving
  join homomorphism, 1794
0-skeleton, *see also* zero-skeleton
  of a Platonic solid, 1672
1 element, *see also* one element
1 player, *see also* one player
  game, 4847
1 story building, 3485
1 way infinite arc, 418
  path, 3376
(1, 0) graph, *see* (0, 1)-graph
(1, 1)-factor in a digraph, 1929
(1, 2)-factorization, 2691, 2716
  of cardinality k, 2691
  of K_{2n}, 2691
(1, 2)-realizability, 4786
(1, 2)-realizable, 4786
  graph, 4786, 4786
(1, 2; 3, n, 1)-frame, 3807
(1, 2; 3, n, 3)-frame, 2911
(1, j, n)-sequencing, *see* (1, n, k)-sequencing

Elsevier Science B.V.

(1, n, k)-sequencing of the alternating group, 2211
(1, −1)-matrix, 902, 1534
1/2-transitive, 5622
  graph, 5622
1:2 rectangle, 4624
1-arc, *see also* one-arc
1-block, *see also* one-block
1-blocking, *see also* one-blocking
1-blocking set, 3092
1-cell, 3823, *see also* one-cell
1-chord, *see also* one-chord
  extendable, 4318
1-chromatic, *see also* one-chromatic
1-chromatic number, 5054, 5173
  of a surface, 5054
1-connected, 5377, *see also* one-connected
1-covered, 397
1-cut, *see also* one-cut
  edge, 3713
1-design, 1214, 1410, 4053, 4135, *see also* one-design
1-difactor, 715, *see also* one-difactor
1-dimensional, *see also* one-dimensional
  acyclic complexe, 1850
1-dipole, *see also* one-dipole
  move, 5430
1-embeddable, 3820, *see also* one-embeddable
1-ended, *see also* one-ended
  graph, 4410
1-error, *see also* one-error
1-error correcting, 1894
  code, 2985
  uniformly packed code, 2985
1-error-correcting, *see* 1-error correcting
1-excluded, *see also* one-excluded
1-excluded
  18-colouring, 5379
  property, 5379
1-extendable, 4060, *see also* one-extendable
  graph, 3972
1-extension, 4129, *see also* one-extension
1-factor, 46, 85, 449, 582, 597, 599, 796, 851, 894, 1059, 1125, 1281, 1371, 1445, 2107, 2339, 2515, 2577, 2913, 3025, 3026, 3238, 3240, 3246, 3256, 3798, 4060, 4146, 4201, 4531, 4649, 4885, 5326, 5775, 5918, 5934, 5935, *see also* one-factor
  of a graph, 46, 851, 3337
1-factorable, 1529, 1548, 3246, *see also* one-factorable
1-factorisable, *see* 1-factorizable
1-factorisation, *see* 1-factorization
1-factorising, *see* 1-factorizing
1-factorizable, 2479, *see also* one-factorizable
1-factorization, 599, 1125, 1155, 1268, 1529, 1882, 2691, 3026, 4782, 4991, 5286, *see also* one-factorization
  of a tree, 1125
1-factorizing regular graph, 2515
1-flat, 2575, 3092, *see also* one-flat
1-fold, *see also* one-fold
  covering, 3949
1-genus, *see also* one-genus
  of a graph, 5525
1-geodetic, 5384, *see also* one-geodetic
1-graph, 5333, *see also* one-graph
1-Hamiltonian, 1133, *see also* one-Hamiltonian
  graph, 1133
1-handle, 5006, *see also* one-handle
1-heavy, 5294, *see also* one-heavy
1-homogeneity, 1917, *see also* one-homogeneity
1-homogeneous, *see also* one-homogeneous
1-homogeneous graph, 1917
  of diameter 2, 1917
1-induced, 3392, *see also* one-induced
1-intersecting, *see also* one-intersecting
  family, 1784
1-maximal, 4560, *see also* one-maximal
  nearly perfect set, 4560
1-minimal, 4560, *see also* one-minimal
  nearly perfect set, 4560
1-minimality, 2855
1-node, *see also* one-node
1-packing, 486, *see also* one-packing
1-path, 1249, *see also* one-path
1-perfect, *see also* one-perfect
  code, 4191
1-permutation, 2150, *see also* one-permutation
1-pseudotree, 4322, *see also* one-pseudotree
1-reducible, 3599, *see also* one-reducible
1-regular, *see also* one-regular
  edge colouring, 4067
1-resolvable, 486, *see also* one-resolvable
1-rotational, 1522, 1925, 2583, *see also* one-rotational
  (15, 5, 4)-BIBD, 2583
  (15, 5, 4)-design, 2583
  (15, 5, 6)-design, 2583
  BIB design, 3719
  design, 1522, 1925
  Steiner triple system, 1098
  structure, 1925
1-shift graph, 2307
1-skeleton, 163, 1536, 1672, 1937, 4203, *see also* one-skeleton
1-skeleton of
  a cell decomposition, 1063
  the unit cube, 901
1-spread, 486, 3052, *see also* one-spread

1-structure, *see also* one-structure
1-sum, 5600, *see also* one-sum
1-tough, 146, 1015, 2631, 2970, 3851, 4713, 5077, *see also* one-tough
  cocomparability graph, 5077
  graph, 2639, 3831, 3851, 3903, 4419, 5294
  maximal planar graph, 2970, 4713
1-tough non-Hamiltonian
  graph, 3838
  maximal planar graph, 1015
1-traceable, *see also* one-traceable
1-traceable subgraph, 1265
1-transitivity, 3530, *see also* one-transitivity
1-transrotational Steiner triple system, 4106
1-TU, 2560
1-vertex, *see also* one-vertex
  neighbourhood in a graph, 3828
1-weak, *see also* one-weak
  order, 5493
1-width, 655, *see also* one-width
  of a (0,1)-matrix, 655
2 cut edge, *see* 2-cut edge
2 disjoint 11-cycles, *see* 2-disjoint 11-cycles
2 element, *see also* two element
2 fixed point property, 3602
2 line standard tableau, 2719
2 person game, 3105
2 row shape, 4489
2 state covering machine, 3419
2 step multidimensional circulant, 4720
2 way infinite path, 3127, 3130
(2, 1) graph, *see* (2, 1)-graph
(2, 1)-graph, 825
(2, 11) combinatorial groupoid, *see* (2, 11)-combinatorial groupoid
(2, 11)-combinatorial groupoid, 635
(2, 2)-split colouring, 6000
(2, 3)-metric, 5786
2D de Bruijn-Good graph, 2828
(2k + 1)-gonal inequality, *see* (2n + 1)-gonal inequality
$2K_2$-free
  graph, 5196
  graphs, 2699
$2K_n$, 3176
2k-cycle-free-graph, *see* 2n-cycle free graph
(2n + 1)-cycle system, 3741
(2n + 1)-gonal inequality, 4129
2n-cycle free graph, 5957
2n-edge-connected graph, 4136
2n-regular, 4136
2r-edge-connected graph, *see* 2n-edge-connected graph
2r-regular, *see* 2n-regular
2-(16, 8, 7)-design, 3463
2-(22, 8, 4)-design, 2581
2-(28, 4, 1) design, 2572
2-(46, 6, 3) design, 2879
2-(729, 8, 1) design, 3708
2-(8, 4, 3) design, 2590
2-(91, 6, 1) design, 3177
2-(γ,2)-critical graph, 4941
2-(t, 3, 2)-design, 2009
2-(t, n, 1)-design, 2278, 3708
2-(t, n, λ)-design, 4135
2-amalgam, 1867, *see also* two-amalgam
  of perfect graphs, 1867
2-arc, *see also* two-arc
2-arc coloured digraph, 5810
2-asummable, *see also* two-asummable
  Boolean function, 649, 878
2-bad, *see also* two-bad
  configuration, 5205
2-ball, 5782, *see also* two-ball
  hypergraph, 5782
2-biray, 5751, *see also* two-biray
2-block, *see also* two-block
  random graph, 3135
2-cactus, 3922, *see also* two-cactus
2-cell, 2602, 3823, *see also* two-cell
  complex, 2244
  embedded, 3527
2-cell embedding, 180, 4117, 4219, 4396
  of a graph, 4219
2-cell imbedding, 4391
2-chain, *see also* two-chain
  graph, 2504
2-chord, *see also* two-chord
  extendable, 4318
2-chromatic, *see also* two-chromatic
  SQS(22), 3183
2-clique, 3744, *see also* two-clique
2-cocircuit, 1715, *see also* two-cocircuit
2-code, *see also* two-code
2-colorable, *see* 2-colourable
  block design, *see* 2-colourable block design
2-colored, *see* 2-coloured
2-coloring, *see* 2-colouring
2-colourable, 2736, 2907, 2952, 5228, 5319, 5898
  block design, 2952, *see also* two-colourable
2-coloured, 2276, 3309, 4127, 4778, 5954, *see also* two-coloured
  F-partition, 4778
  generalized Frobenius partition, 4127
  ring, 3313
2-colouring, 940, 1696, 2124, 2724, 2736, 2907, 3586, 3673, 3759, 3931, 4508, 4719, 4892, 5919, *see also* two-colouring
2-colouring of
  the edges, 5765, 5901

2-colouring of the natural numbers, 3638
2-complex, 5751, *see also* two-complex
2-configuration, 3946, *see also* two-configuration
2-connected, 528, 825, 1475, 1752, 1947, 2437, 2631, 3133, 3857, 4057, 4277, 4396, 4943, 5009, 5262, 5334, 5335, 5377, 5611, 5930, 5976, *see also* two-connected
  (2, 3)-factor, 5774
  (n, n+2)-graph, 5334, 5335
  almost claw free graph, 5511
2-connected claw free, 6010
  graph, 4277, 4650, 5511
2-connected
  cubic bipartite planar non-Hamiltonian graph, 1238
  doubly toroidal graph, 4396
2-connected graph, 708, 825, 1106, 1238, 1566, 1872, 2145, 2205, 2360, 2835, 2935, 2965, 3087, 3272, 3275, 3382, 3401, 3626, 3693, 3830, 3831, 3852, 3905, 3994, 4057, 4258, 4306, 4396, 4682, 4722, 4799, 4949, 5009, 5113, 5144, 5262, 5346, 5511, 5817, 5906, 5966
  with claws, 5511
2-connected
  k-regular graph, *see* 2-connected n-regular graph
  locally semicomplete digraph, 4240
  matroid, 5761
  maximal planar bipartite, 5734
  mpb graph, 5734
  nonbipartite subgraph, 5697
2-connected non-Hamiltonian, 5806
  claw-free graph, 5119
2-connected
  n-regular graph, 2722
  oriented graph, 1971
  planar graph, 1561
  simple graph, 3364
  tournament, 1051
  trunk, 2360
2-convergent, *see also* two-convergent
  graph, 5540
2-cover, 2498, *see also* two-cover
2-cut, *see also* two-cut
  edge, 3713
2-cycle, 3397, *see also* two-cycle
2-cyclic, 2808, *see also* two-cyclic
2-D de Bruijn-Good graph, 2828
2-degenerate, 5898, *see also* two-degenerate graph, 4670
2-design, 237, 486, 967, 1252, 1430, 1552, *see also* two-design
2-diameter, *see also* two-diameter
  stable, 2962
2-dimensional, *see also* two-dimensional
  cell complex, 2027
  generic rigidity, 3485
  grid, 3083
  poset, 4013
  skeleton, 21
2-dipole, *see also* two-dipole
2-dipole move, 5430
2-diregular, 4240, *see also* two-diregular
2-disjoint, *see also* two-disjoint
  11-cycles, 3183
2-distant, *see also* two-distant
  colouring, 3795
2-dominated, 5511, *see also* two-dominated
2-edge, *see also* two-edge
  colourable subgraph, 5437
2-edge coloured complete
  graph, 5719
  multigraph, 5719, 5719
2-edge coloured graph, 5810
2-edge connected, 3683, 4612, 4693, 5080
  components, 3683
  graph, 2512, 2547, 3293, 4767, 5080
  simple graph, 3734, 5060, 5445
  spanning subgraph polytope, 5080
2-edge-connected, *see* 2-edge connected
2-embeddable, 3820, *see also* two-embeddable
2-error, *see also* two-error
2-error correcting
  BCH code, 1899
  code, 1697
  strongly uniformly packed code, 2985
2-error detecting, 1894
2-error-correcting, *see* 2-error correcting
2-error-detecting, *see* 2-error detecting
2-extendability, 2615, 3139, 4591, *see also* two-extendability
  in the plane, 4914
2-extendable, 3139, 3337, 3523, 4060, 4510, 4591, 4914, *see also* two-extendable
  Abelian Cayley graph, 4510
  graph, 1040, 4914
2-extension, 4129, *see also* two-extension
  of a hypermetric, 4129
2-factor, 19, 567, 2145, 2811, 3253, 3619, 4258, 4962, 5168, 5497, 5705, 5775, 5817, 5934, 5934, *see also* two-factor
2-factorisation, *see* 2-factorization
2-factorization, 2471, 2691, 5168, *see also* two-factorization
2-fold, *see also* two-fold
  branched covering, 2870
2-fold covering, 2068, 5589
  space, 2870
2-graph, 2100, *see also* two-graph

2-group, 2614, 3315
2-heavy, 5294, *see also* two-heavy
  graph, 5294
2-homogeneous, 5676, *see also* two-homogeneous
  bipartite distance regular graph, 5676
  chain, 1786
  property, 5676
2-interval, *see also* two-interval
  irreducible poset, 1180
2-irreducible, *see also* two-irreducible
  poset, 1180
2-isomorphism, *see also* two-isomorphism
2-isotoxal, *see also* two-isotoxal
  tiling, 2018
2-linkage, *see also* two-linkage
  problem, 1848, 5900
2-linked, 5900, *see also* two-linked
2-manifold, 21, 1353, *see also* two-manifold
2-matching, 963, 5640, *see also* two-matching
2-MLD-colourable, 4723, *see also*
    two-MLD-colourable
2-modular, *see also* two-modular
  Ferrers graph, 5899
  MacMahon diagram, 4154
2-monotone, *see also* two-monotone
2-neighbourly, *see also* two-neighbourly
  triangulation, 5006
2-node, *see also* two-node
2-node connected, 4612
  subgraph, 4612
2-node-connected, *see* 2-node connected
2-optimal, 2915, *see also* two-optimal
  path, 5231
2-orderable, *see also* two-orderable
  graph, 2915
2-orientation, 2130, *see also* two-orientation
2-packing, 4191, *see also* two-packing
  number, 4191
  of a graph, 4560
2-page, *see also* two-page
  embedding, 2934
2-pair, *see also* two-pair
  game, 3606
2-pancyclic, *see also* two-pancyclic
  Hamilton cycle, 3005
2-part, *see also* two-part
  Sperner family, 5007
2-partite, *see also* two-partite
  graph, 256
2-path, 1249, 2048, 5901, *see also* two-path
  extremal graph, 5901
2-perfect, 4226, *see also* two-perfect
  6-cycle system, 4610, 4662
  8-cycle system, 4610, 4662
  bowtie system, 4226
  decomposition, 4226
  m-cycle system, *see* 2-perfect n-cycle system
  n-cycle system, 3353, 5191, 5206, 5295
2-placement, 3837, *see also* two-placement
2-ply Hamiltonian, 2606
2-rank, 3416, *see also* two-rank
2-reducible, *see also* two-reducible
  cycle, 3599
  path, 3599
2-regular, *see also* two-regular
  digraph, 3670
  factor, 3184
  graph, 3073, 3184, 4236, 4889, 4965, 5027
  leave graph, 3619
2-representative, *see also* two-representative
  embedding, 3990
2-resolvable, 486, 923, *see also* two-resolvable
  Steiner system, 923
2-rotational, *see also* two-rotational
2-rotational Steiner triple system, 1098, 3160
  of order twenty five, 3160
2-selfcentered, *see also* two-selfcentered
  graph, 1973
2-sequencing, 2894, 4580, *see also* two-sequencing
2-simplicial, 921, *see also* two-simplicial
2-sphere, 2244, 2410, 2690, *see also* two-sphere
2-stack, *see also* two-stack
2-structure, 4066, *see also* two-structure
2-sum, 5600, *see also* two-sum
2-switching, *see also* two-switching
  equivalence of planar embeddings, 4706
2-symmetric, *see also* two-symmetric
  crystallization, 2870
2-symmetry, 2870, *see also* two-symmetry
2-tough, 2631, *see also* two-tough
  graph, 4908
2-transitive, 4993, *see also* two-transitive
  group, 599
  representation, 1252
2-transrotational, *see also* two-transrotational
  Steiner triple system, 4106
2-tree, 5788, *see also* two-tree
2-TU matrix, 2560
2-uniform, *see also* two-uniform
  hypergraph, 2000
2-universal, *see also* two-universal
  tiling, 1951
2-valent, *see also* two-valent
  vertex, 3250
2-variegated, *see also* two-variegated
  graph, 743
2-vertex, *see also* two-vertex
  neighbourhood in a graph, 3828
2-wheel, *see also* two-wheel
3 × n Latin rectangle, 1335

3 ball, *see* 3-ball
3 cell, *see* 3-cell
3 circuit, *see* 3-circuit
3 class, *see* 3-class
  association scheme, 1763, 4820
3 claw, *see* 3-claw
3 code, *see* 3-code
3 colour
  problem, 4831
  theorem, 5156
3 element
  circuit, 2986
  interval, 1206
  subset, 4084, 5188
3 gem, *see* 3-gem
3 HMOLS, *see* 3-HMOLS
3 level design, 59
3 size quasi-Steiner network, 4788
3 stage SRD M-logic, 2230
(3 + 1)-free poset, 4981
(3, 1, 6)-cycle regular graph, 2933
(3, 10)-cage, 1426
(3, 2)-transitive, 4415
  directed graph, 4415
(3, 5)-graph, 1013
(3, 9)-graph, 1013
(3, 9)-graph with
  58 vertices, 1013
  60 vertices, 1013
(3/2)-tough non-Hamiltonian graph, 146
3/2-approximation algorithm, 4647
3d distance theorem, 948
3n distance, *see* 3n distance
  conjecture, 948
3n + 1 problem, *see* (3n + 1)-problem
(3n + 1)-predecessor set, 4599
(3n + 1)-problem, 1846, 3761, 4599, *see also* Collatz (3n + 1)-problem *and* Syracuse problem
3x + 1 problem, *see* (3n + 1)-problem
3-(10, 4, 1)-design, 3056
3-(22, 6, 1) design, 1725
3-(γ,2)-critical graph, 4941
3-arrangement, 2014, *see also* three-arrangement
3-associate, *see also* three-associate
  PBIB design, 1740
3-bad, *see also* three-bad
  configuration, 5205
3-ball, 4988, *see also* three-ball
3-cell, 933, *see also* three-cell
3-choosable, 4536, 4821, 5898, *see also* three-choosable
3-chromatic, *see also* three-chromatic
  2-connected graph, 5346
  block, 5346
  graph, 1817, 5422
  hypergraph, 791, 5253
  interchange, 5537
  Steiner triple system, 5402
  STS, 5402
3-circuit, 255, 665, 5021, *see also* three-circuit
3-claw, 3906, *see also* three-claw
3-cluster, *see also* three-cluster
  of squarings, 5550
3-colorable, *see* 3-colourable
3-coloration, *see* 3-colouration
3-colored, *see* 3-coloured
3-coloring, *see* 3-colouring
3-colour, *see also* three-colour
  reducible, 4831
3-colourability, 5156, *see also* three-colourability
3-colourable, 3832, 5016, 5898, 6033, *see also* three-colourable
  elementary graph, 5252
  graph, 233, 3608, 5705
  planar graph, 665
3-colouration, 541, *see also* three-colouration
3-coloured, 900, *see also* three-coloured
  edge, 900
  F-partition, 4778
  generalized Frobenius partition, 4127, 4778
  triple, 563
3-colouring, 32, 235, 263, 563, 633, 2495, 2736, 3779, 3880, 4202, 4893, 5544, 5749, *see also* three-colouring
3-colouring of
  $E(K_n)$, 3779
  the natural numbers, 3638
  vertices, 506
3-complementary, *see also* three-complementary
  (1, 2; 3, n, 3) frame, 2911
  frame, 2911
3-complete, *see also* three-complete
3-complex, *see also* three-complex
3-connected, 42, 122, 575, 591, 1342, 1801, 2425, 2467, 2600, 2618, 2997, 3301, 3549, 3750, 3852, 4161, 4174, 4385, 4410, 4432, 4705, 4945, 5377, 5454, 5761, 6017, *see also* three-connected
  3-valent planar graph, 1197
  4-regular planar graph, 2600
3-connected binary
  matroid, 5172
  nonregular matroid, 2986
3-connected bipartite
  cubic graph, 1485
  planar cubic graph, 1755
3-connected
  claw free graph, 3582, 3956, 4705, 5702
  crossing critical graph, 1613, 2235

3-connected cubic graph, 3672, 4608, 4611
3-connected cubic planar
graph, 1292
non-Hamiltonian graph, 1238
3-connected
graph, 25, 122, 1106, 1444, 1696, 1730, 2136, 2289, 2378, 3260, 3693, 3801, 3878, 3988, 4174, 4306, 4432, 4682, 4948, 5084, 5454, 5693
matroid, 2467, 2723, 2986, 3338, 5057, 5450, 5454, 5761
minor, 5450
nonplanar graph, 2098
3-connected planar
cubic graph, 1755
graph, 219, 575, 879, 1444, 3530, 3990, 4268, 5608, 5808
3-connected
quadrangulation, 2600, 5347
regular planar graph, 1292
restriction, 5450
simple graph, 2360
ternary matroid, 4679
3-cordial, 3080, *see also* three-cordial
3-critical, 5919, *see also* three-critical
3-critical graph, 3239, 5177
of small even order, 5177
3-critical
hypergraph, 5919
multigraph, 866
3-cut, *see also* three-cut
metric, 5786
3-cycle, 188, 4536, 4657, 4724, 5928, 6011, *see also* three-cycle
system, 2582
3-degree, *see also* three-degree
sum, 3838
3-deltoid, 5531, *see also* three-deltoid
3-design, 469, 1490, 2501, 3137, 3912, 4315, 5834, *see also* three-design
3-diagram, 933, *see also* three-diagram
3-diameter, 4164, *see also* three-diameter
3-dichromatic, *see also* three-dichromatic
3-dichromatic tournament
of minimum order, 4252
of order, 7 4252
3-dimensional, *see also* three-dimensional
3-dimensional
affine space, 2797
box, 5205
convex polytope, 636, 1353
grid, 3083
linear section, 5973
polytope, 2337
3-edge, *see also* three-edge
coloured cubic graph, 5542
colouring bridgeless planar cubic graph, 2418
3-edge connected, 3683
component, 3683
3-edge cycle, 3338
3-edge-coloring, *see* 3-edge colouring
3-edge-coloured, *see* 3-edge coloured
3-edge-connected, *see* 3-edge connected
3-error, *see also* three-error
3-extendable, 4914, *see also* three-extendable
graph, 1040
3-flow, 3544, *see also* three-flow
3-fold, *see also* three-fold
simple covering, 4280
3-gem, 1937, 4302, 5430, *see also* three-gem
3-generalized, *see also* three-generalized
Fibonacci graph, 1146
3-graph, 900, 1708, *see also* three-graph
3-groupoid, 5515, *see also* three-groupoid
3-HMOLS, 4865, 5476, *see also* three-HMOLS
3-homogeneous, 5098, *see also* three-homogeneous
3-hypergraph, *see also* three-hypergraph
3-hypergraphic, 2880, *see also* three-hypergraphic
sequence, 2880
3-interval, *see also* three-interval
irreducible poset, 542, 1180
3-irreducible, *see also* three-irreducible
poset, 542, 560, 1180
3-king, 4771, 5314, 5631, *see also* three-king
3-manifold, 1913, 1937, 2735, 2870, 3319, 4302, 5430, 5589, *see also* three-manifold
crystallization, 1936
representation, 1913
3-matching, 2547, *see also* three-matching
3-monotone, *see also* three-monotone
3-near, *see also* three-near
Skolem sequence of order 5, 4015
3-pair, *see also* three-pair
game, 3606
3-partite, *see also* three-partite
graph, 256, 403
3-path, 5901, 5981, *see also* three-path
3-perfect, *see also* three-perfect
8-cycle system, 4610, 4662
3-polyhedral, *see also* three-polyhedral
graph, 2811
3-polystroma, *see also* three-polystroma
3-polytopal, *see also* three-polytopal
graph, 1993, 4276, 4901
3-polytope, 163, 186, 699, 1063, 1622, 2244, 2388, 2625, 2796, 2811, 3806, *see also* three-polytope
with 34 vertices, 2067
3-quasigroup, 530, 1275, *see also* three-quasigroup
3-regular, 1475, 3255, 5780, *see also* three-regular

3-regular (*cont.*)
bridgeless graph, 3246
connected graph, 5369
graph, 3246, 4062, 4164, 4630, 5326, 5369
simplicial graph, 4787
3-separator, 4948, *see also* three-separator
3-skein, *see also* three-skein
isomorphism theorem, 2136
3-solid sphere packing, 2149
3-space, 48, 3880, 4895, 5379, 5420, 6005
3-sphere, 1847, 2244, 4202, 4988, 5430, 5589, *see also* three-sphere
3-star, 5901, *see also* three-star
3-subset, *see also* three-subset
3-sun, *see also* three-sun
3-sun-free, *see* 3-sun free
3-sun free
chordal graph, 2093
graph, 2093
3-tree, 2657, *see also* three-tree
3-TU, 2560
3-uniform, *see also* three-uniform
hypergraph, 563, 3253, 3777, 3953, 4146, 5749
sumset hypergraph, 3953
3-universal, *see also* three-universal
tiling, 1951
3-valent, *see also* three-valent
3-connected planar graph, 879, 960
graph, 214
planar map, 308
vertex, 2818, 4276
3-valued, *see also* three-valued
function on the vertices of a graph, 5982
3-variegated, *see also* three-variegated
graph, 743
3-vertex, *see also* three-vertex
connected simplicial graph, 4693
3-vertex-connected, *see* 3-vertex connected
3-way regular, 5284, *see also* three-way regular
3-way regular tripartite graph, 5284
of degree four, 5284
3-wise, *see also* three-wise
balanced design, 3912
4×4 pandiagonal matrix, 1160
4 array, 2059
4 colour
conjecture, 163
problem, 468
theorem, 2562
4 crosscap embeddable graph, 5009
4 equally replicated treatments, 3958
4 odd vertices, 1803
4 parameter family of 3-manifolds, 1937
4 point condition, 4408
(4, 2)-digraph, 5947
(4, 3) graph, *see* (4, 3)-graph
(4, 3)-graph, 1269
${}_4\phi_3$ summation theorem, 4494
$(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$-BIBD, 3041
4-$(\gamma, 2)$-critical graph, 4941
4-arrangement, *see also* four-arrangement
4-ary Turán function, 2816
4-blocked, *see also* four-blocked
Hadamard 3-design, 5386
4-bridge, *see also* four-bridge
graph, 4232
4-burst, *see also* four-burst
4-chain, 2981, *see also* four-chain
4-choosable, 3815, 4821, *see also* four-choosable
4-chromatic, *see also* four-chromatic
graph, 4576
4-circuit, 5021, 5998, *see also* four-circuit
4-clique, 5797
4-color, *see* 4-colour
4-colorable, *see* 4-colourable
4-coloring, *see* 4-colouring
4-colourable, 522, 5898, *see also* four-colourable
3-polytope, 163
4-coloured, *see also* four-coloured
graph, 4280
4-colouring, 263, 1803, 2643, 2736, 4892, *see also* four-colouring
by edges, 4312
4-connected, 2818, 3143, 4914, 4945, *see also* four-connected
5-regular planar graph, 3523
binary matroid, 4527
contraction-critical graph, 2792
graph, 1641, 2888
line graph, 2937
matroid, 3013
maximal planar even graph, 3523
planar graph, 51, 214, 219
plane triangulation, 5802
polyhedra, 4996
triangulation, 5347
4-cordial, 3080, *see also* four-cordial
4-covalent, 3130
4-critical, *see also* four-critical
4-critical graph, 224, 4329
of order 18, 5177
of small even order, 5177
4-critical planar graph, 3204, 4163
4-cube, 1310, *see also* four-cube
4-cycle, 341, 776, 995, 1289, 1359, 3305, 3694, 4236, 4381, 4408, 5535, 5829, 5928, *see also* four-cycle
conjecture, 995
4-design, 285, 3435, 4547, *see also* four-design
4-dichromatic, *see also* four-dichromatic
circulant tournament, 5199

4-dichromatic tournament
of minimum order, 4252
of order 11, 4252
4-dimensional, *see also* four-dimensional
cube, 1310
space, 1960
4-edge, *see also* four-edge
colouring, 5437
4-edge connected, 1993
graph, 886, 2659
planar graph, 911
4-edge-connected, *see* 4-edge connected
4-factor, *see also* four-factor
4-flow, 4515, *see also* four-flow
4-fold, *see also* four-fold
4-gon, 2001
of type 3, 2001
4-group, 1087
4-HMOLS, 5476, *see also* four-HMOLS
4-isomorphism, *see also* four-isomorphism
of graphs, 1641
4-king, 4771, 5314, *see also* four-king
4-polytope, 21, 321, 933, *see also* four-polytope
4-realisable, *see* 4-realizable
4-realizable, 1004, *see also* four-realizable
4-regular, *see also* four-regular
bipartite graph, 2932
edge coloured graph, 1937
graph, 3251, 3255, 3356, 4062, 4938, 5666
plane graph, 3677
4-rotational, *see also* four-rotational
Steiner triple system, 1395
4-sphere, 5659, *see also* four-sphere
4-subset, *see also* four-subset
of a 13-set, 1512
4-tree, 2658, *see also* four-tree
4-valent, 3130, *see also* four-valent
3-polytope, 186
Eulerian digraph, 715
polytope, 1004
4-vertex, 4268, 5690, *see also* four-vertex
condition, 4056
4-way determinant, 2973, 3064, 3132
4-wheel, *see also* four-wheel
5 × 11 DYR, 3957
5 cage, *see* 5-cage
5 level design, 59
5-(24, 10, 36)-design, 5753
5-(32, 6, λ)-design, 5098
5-burst, *see also* five-burst
5-cage, *see also* five-cage
of valency six, 899
5-choosable, 3815, 4934, 5867, *see also*
five-choosable
5-chromatic, *see also* five-chromatic
5-chromatic graph, 5797
5-circuit, *see also* five-circuit
5-colorable, *see* 5-colourable
5-colourable, 3596, 5268, 5898, *see also*
five-colourable
5-connected, 5802, *see also* five-connected
even planar graph, 3523
graph, 4796
planar graph, 214
plane triangulation, 5802
5-cordial, 3080, *see also* five-cordial
5-cube, 1748, 2284, 2621, 3764, *see also* five-cube
5-cut, 4885, *see also* five-cut
5-cycle, *see also* five-cycle
double cover, 4767
system, 2582
5-cyclic, *see also* five-cyclic
Youden square of size 6 × 11, 5324
5-design, 80, 2974, 4022, *see also* five-design
on 32 points, 5098
5-gon, 1993, 2388, 3326
5-gonal, 5239
5-regular, *see also* five-regular
3-polytopal graph, 4901
graph, 4062
multitriangular polyhedral graph, 4921
5-valent, *see also* five-valent
3-connected planar graph, 1444, 1701
5-valued, *see also* five-valued
5-vertex, 4268, *see also* five-vertex
fan, 4408
6 × 11 DYR, 3957
(6, 4, 2, 4)-graph, 4591
(6, 6, 1)-PMD, 4369
6-c.c. graph, 3596
6-choosable, *see also* six-choosable
6-chromatic, *see also* six-chromatic
contraction critical graph, 3267
6-clique, *see also* six-clique
ring, 233
6-coloring, *see* 6-colouring
6-colouring, 3630, *see also* six-colouring
6-connected, *see also* six-connected
graph, 27
toroidal graph, 1463
6-cube, 3749, 3764, *see also* six-cube
6-edge, *see also* six-edge
6-edge connected, 4885
snark, 4957
6-edge-connected, *see* 6-edge connected
6-element, *see also* six-element
6-elementary, *see also* six-elementary
fence, 2928
6-HMOLS, 5476, *see also* six-HMOLS
6-regular, *see also* six-regular

6-regular (*cont.*)
connected Cayley graph on an Abelian group of odd order, 4755
torus graph, 1463
6-vertex, 3267, *see also* six-vertex
6-wheel, *see also* six-wheel
minor, 3801
7 × 7 Latin square, 4571
7 level design, 59
7-cluster, 5973, *see also* seven-cluster
7-connected, *see also* seven-connected
line graph, 2937
7-critical, *see also* seven-critical
graph, 3630
7-cube, 3907, *see also* seven-cube
7-dimensional, *see also* seven-dimensional
linear code, 1113
7-extendable, 5508, *see also* seven-extendable
7-gonal, 5239
7-gons, 4074
7-HMOLS, 5476, *see also* seven-HMOLS
8-coloring, *see* 8-colouring
8-colouring, 4892, *see also* eight-colouring
8-connected, 2420, *see also* eight-connected
8-cycle, *see also* eight-cycle
10 × 10 Graeco-Latin square, 4572
(10, 2; 3, 3)-minihyper, 3703
10/3-edge choosable, 5680
11-(24, 12, 6)-design, 1194
12-colouration, 3880
12-gon, 2388
15 schoolgirls problem, 282
(15, 5, 6)-BIBD, 2583
(15, 5, 6)-design, 2583
(15, 5, λ)-design, 2583
(15, 5, λ)-family of BIBDs, 2583
(15, 6, 8)-cyclic code, 2773
(16, 24, 9, 6, 3)-design, 2595
(16, 30, 15, 8, 7)-BIBD, 3041
(17, 13, 4)-code, 2772
(17, 4, 12)-code, 2772
(17, 8, 8)-code, 2772
(17, 9, 7)-code, 2772
(18, 9, 6)-code, 3457
(18, 9, 8)-quaternary code, 2772
18-colouring of 3-space, 5379
(20, 38, 19, 10, 9)-BIBD, 3041
(24, 46, 23, 12, 11)-BIBD, 3041
24-cell, 5239
(27, 21,3)-code, 4966
(27, 6, 12)-code, 4966
(28, 54, 27, 14, 13)-BIBD, 3041
(31, 5, 16)-simplex code, 1898
(32, 62, 31, 16, 15)-BIBD, 3041
(35, 29, 3)-code, 4966
(35, 6, 16)-code, 4966
(40, 20, 8)-code, 2749
(42, 21, 8)-binary self-dual code, 5764
(45, 12, 16)-code, 2773
(45, 13)-code, 2773
(49, 18, 12)-binary Abelian code, 3624
(56, 28, 12)-code, 2540
(61, 244, 40, 10, 6)-BIBD, 2571
(64, 32, 12) extremal doubly even selfdual code, 1220
64-chip VLSI decomposition, 3429
(66, 26, 10)-design, 5911
(70, 24, 8)-design, 3800
(71, 21, 6)-symmetric block design, 1877
(81, 20, 1, 6) strongly regular graph, 3415
(84, 6, 54) quasicyclic two-weight code, 4621
(98, 6, 63) quasicyclic two-weight code, 4621
120-cell, 5239
600-cell, 5239
(783, 69, 6)-difference set, 5471

A
(a, b)-alternating, *see* (n, k)-alternating
(a, b)-choosable, *see* (n, k)-choosable
(a, b)-universal, *see* (n, k)-universal
[a, b]-graph, *see* (n, k)-graph
(a, b)-universal, *see* (n, k)-universal
[a, b]-factor, *see* (n, k)-factor
a, b-cut, *see* (n, k)-cut
A_7, 5973
abab-free sequence, 5259
abba-free sequence, 5259
Abbott, 4371, 5118, 5494
ABD, *see also* associative block design
ABD(16, 6), 1966
ABD(k, w), 1966
Abel
characterization of the binomial theorem, 4825
formula, 2904
identity, 258
polynomial, 1478
Abel, H, 258, 3233, 4341, 4825
Abelian, 1822, 2141, 2614, 3153, 3168, 3356, 3952, 4101, 4134, 4272, 4343, 4363, 4477
(v, k, λ)-difference set, 5471
2-group, 4125
Abelian Cayley
digraph, 2755
graph, 1876, 2755
Abelian
code, 2773, 3624
DCIM-group, 5682
difference family, 3168
divisible difference set, 3153, 4343
function, 4961

Abelian group, 9, 69, 585, 800, 864, 898, 1328, 1450, 1515, 1525, 1802, 1816, 2009, 2455, 2589, 2614, 2652, 2731, 3080, 3315, 3343, 3351, 3821, 3913, 3950, 4125, 4510, 4587, 4720, 5001, 5911
alphabet, 5163
generated by two elements, 3670
of odd order, 2589
Abelian
p-group, 3315, 5728
subgroup, 1450, 2812
Abels, 5792
Abel-Gould identity, 4341
Abel-Rothe type identity, 4825
Abhyankar, S, 2629, 4702
absolute
algebraic connectivity, 3835
characteristic, 3835
diameter, 3835
invariant, 860
radius of a tree, 3835
absolute retract, 1919, 2093, 2316, 3314, 4101, 4206, 5785
of a reflexive split graph, 4206
of a split graph, 4206
of the class of all graphs, 4206
absolute retracts of an n-chromatic graph, 2316
absoluteness, 3119
absorbing
barrier, 545, 1009, 1322
state, 1009
vertex, 2053, 3865
absorption, 1322
probability, 1322
abstract algebraic
characterization, 2158
framework, 5727
abstract
complex, 5746
configuration, 245
convexity system, 2620
data type, 2984
dependence system, 2620
duality, 2355
graph, 2139
polytope, 2812
abundant submatrix, 654
accessible class, 3520
accretion of successive layers, 5174
Acharya, 3593
achievability of a circulant, 5625
achievement game, 4018
achromatic
index of a graph, 5356
indices, 4328, 5356
achromatic number, 509, 525, 1111, 1330, 3495, 5667, 5723
of a path, 525
of an irreducible graph, 1111
acircuitic
finite digraph, 2192
subgraph, 1025
Ackermann function, 3339, 6005
Ackermann-like function, 5188
Acketa, 2997
action of
a topological group, 1644
the automorphism group, 4103
the dihedral group, 5006, 5911
the hyperoctahedral group, 4492
action
on lines, 2278
reconstructible, 3556
transitive, 4961
activity, 622, 2830, 3247, 3904, 4235
analysis, 3142
of the brain, 727
acyclic, 141, 364, 467, 646, 783, 840, 1850, 1954, 1996, 2030, 2073, 2304, 2659, 3394, 3497, 3623, 3810, 4045, 4674, 5104, 5246, 5903
chromatic number, 5903
coloring, *see* acyclic colouring
acyclic colouring, 467, 840
of a planar graph, 840, 2999
acyclic
complex, 1850
connected graph, 2601
digraph, 1848, 1996, 3248, 3405, 3797, 4490, 4674, 4836, 5019, 5096, 5112, 5246, 5371, 5915, 6013
directed graph, 939, 1146
acyclic disconnection, 5965
of a digraph, 5965
acyclic
dominating set, 5053
forbidden minor, 4061
acyclic graph, 364, 570, 3589, 4176, 4909, 5231
colouring, 5660
acyclic graphoidal cover, 5750
of a graph, 5750
acyclic graphoidal covering number, 5750
acyclic
hypergraph, 3640, 5587
matrix of zeros and ones, 2030
acyclic orientation, 141, 1689, 2236, 2241, 3621, 3684, 4378, 4577, 4638, 4765, 5579, 5652, 5674
graph, 5652
of a graph, 141
of a signed graph, 1407

acyclic set, 4252
of arcs, 5965
acyclic
simplicial complex, 1850, 3810
subgraph, 4326
acyclicity
property of a graph, 2151
restriction, 3686
acycloid, 3584
acylic digraph, 1848
Adám, 607, 826, 5321, 5665
Adám conjecture, 3497, 5665
for circulant graphs, 5321
adamant digraph, 2329
Adams, 4610, 4662
operations, 1703
adapting to the intensity of interference, 5311
Adbel-Ghaffar, 5538
adding an edge, 2044, 4453, 4509
addition chain, 531, 756, 3875
for a positive integer, 531, 3875
addition game, 2290
addition of
a single edge, 4890
graphs, 1501
residue classes, 2686
addition
set, 778
theorem, 4285, 5087
additional constraint, 5514
addition-contraction tree, 3321
for a graph, 3321
addition-deletion formula, 1407
additive, 793, 1222, 2139, 2171, 2181, 2736, 3006, 3467, 4342, 4462, 5048, 5205, 5232, 5525
2-colouring, 2736
3-colouring, 2736
basis for the integers, 4400
character of a finite field, 4937
coloring, *see* additive colouring
colouring, 2736
additive compound
graph, 5695
matrix, 5695
additive decomposability of an irreducible, 2543
additive group, 800
of the rational numbers, 2043
additive
Hamming isometry, 2186
ideal, 38
irreducible set, 5205
K-colourable extensions, 2736
lexicode theorem, 2774
additive multiplicative
graph function, 2171
increasing graph function, 2785
additive
number theory, 2644
n-colouring, 2736
on compositions, 5587
additive partition
of a set of positive integers, 1199
of an integer, 729
additive permutation, 1222, 2788
additive property, 4462, 5815
of a general sequence, 4462
of a graph, 4929
additive set, 3006, 5205
additively decomposable, 2543
additivity, 5048
theorem, 680
addressable data graph, 268
Ademaj, E, 5520
adjacency, 1096, 1861, 2398, 4413, 4445, 4539, 5283, 5428, 5609, 5912, 5920
algebra, 5939
automorphism, 5609
criterion, 1096
graph, 4011
lemma, 5158
adjacency matrix, 275, 386, 1225, 2426, 2708, 3012, 3271, 3481, 3503, 3705, 3861, 3862, 4169, 4440, 4447, 4452, 4523, 4698, 5276, 5457, 5617, 5692, 5701, 5912, 5947, 6012
characterization of interval digraphs, 5457
of a circle graph, 2222
of a circuit, 386
of a graph, 3581, 3846, 4169
adjacency matrix of an orientation, 2426
of a graph, 2426
adjacency matrix
of the graph, 5238
partition, 2330
adjacency
of vertices, 1480, 1838, 5213
property, 954, 5820
relation, 5213
rule, 5235
spectrum of a graph, 6012
structure, 1702
adjacency transitive, 5609
graph, 5609
adjacency-pair, *see* adjacency pair
adjacent
edges, 1610, 2215, 2659, 3599
identical blocks, 943
adjacent interchange, 2370
algorithm, 2370
graph, 2370
adjacent lines, 835

adjacent vertices, 1944, 2115, 2142, 2325, 2421, 2488, 2641, 2820, 3290, 3768, 3795, 3865, 4058, 4230, 4239, 4279, 4439, 4944, 5229, 5257, 5342, 5614, 5619, 5662, 5707
of the same colour, 1696
adjoint
graph, 958
polynomial, 5151, 5340, 5341
situation, 3476
adjointly unique graph, 5348
adjugacy set, 5323
adjugate, 1640
adjunction, 4090
for automata, 41
property, 41
admissability theorem, 4292
admissibly coloured, 150
ADS, 3949, *see also* amalgamated direct sum
construction, 3419, 3949
AEE-graph, 5512
Af*.Af geometry, 4079
affine
3-(t, 4, λ)-design, 3798
circle geometry, 5398
Coxeter group, 4978
design, 3798
dimension, 4469
geometry, 1300, 3872, 4451, *see also* AG
affine group, 426, 2676, 4978
of permutations, 69
affine Helmslev, *see also* AH
plane, 4736
affine
hyperplane, 1124, 2462, 5639
invariant code, 2676
line, 4153, 4216, 4217
map, 4743
affine plane, 365, 399, 508, 872, 1482, 1531, 1673, 2106, 2380, 2555, 2578, 2664, 2769, 2797, 2831, 3408, 3714, 3757, 3872, 4079, 4726, 4971, 5323, 5593
of order 9, 5323
affine point, 4450, 5929
configuration, 5561
affine
polar space, 3378
projective, 5792
residual, 986
resolution class, 3052
resolvable design, 1331, 3052, 3052
space, 114, 285, 486, 724, 737, 1396, 1586, 2797, 3027, 3570, 4971
transformation, 133, 1889, 4479, 5269
translation plane, 1343
type, 4740
Weyl group, 4977
affinely
regular polygon, 2023
totally variant subset, 1139
AG, *see also* affine geometry
AG(2, q), 4451
AG(3, q), 4451
AG(n, q), 4451
age
inexhaustible, 3695
of a relational structure, 3112
Ageev, 5898
aggregation, 330
of equations, 330
Agor, 5061
Agrawal, 5969
agreement between two judges, 3029
Agur, 3100, 4177
AH, *see also* affine Helmslev
Aharoni, 4461, 4774
strongly maximal matching conjecture, 4963
Ahlswede, 1874, 2189
Ahlswede-Daykin inequality, 2189, 4455, 4652
AH-nearring, 4736
AH-ring, 4736
AIDS, 3034
symptom, 3034
Aigner, M, 1153, 1337, 2915, 3963
Ainouche, 3604, 3905
Ajoodani, 5927
Ajtai, 1967
Akempic triangulation, 1803
Aksionov, 663
AK-plane, 4736
Al Salam-Fields identity, 2833
Aladov, M S, 1399
Albertson, 695, 1996, 3630, 5625, 5875
Aldred, 5921
Aleksandrov, *see also* Alexandroff
Aleksandrov-Fenchel inequality, 1699
$\aleph_0$, 3170
$\aleph_0$-categoricity, 3112
$\aleph_1$-convex set, 1354
Alexander, 5485
theorem, 5485
Alexandroff point, 1777
Alexandrov, *see also* Alexandroff
algebra, 67, 325, 328, 336, 340, 378, 475, 546, 549, 570, 573, 883, 931, 974, 1170, 1173, 1362, 1427, 1479, 1621, 1650, 1746, 1785, 1870, 1906, 2045, 2385, 2638, 2718, 2896, 2966, 2984, 3088, 3146, 3637, 3959, 4101, 4358, 4680, 4795, 5221, 5507, 5732, 5762, 5846, 5902, 5939
automorphism, 1906

algebra characterization, 546
algebra of
differential operators, 5536
divided differences, 3226
formal Laurent series, 2966, 4159
free Abelian groups, 3959
full binomial type, 141
q-binomial generating functions, 4027
Schur functions, 4487
subsets of a free monoid, 43
tensors, 33
algebraic
algorithm, 1890
analysis, 516
approach to cutting-planes, 757
base, 1870
behaviour, 384
characteristic set, 2012, 2277
closure, 2181
coding theory, 82, 2769, 3149, 3449
cofactor, 5701
combinatorial characterization of the lattices L(X), 1651
combinatoric, 4859, 5564
conjugate, 5448, 5488
connectivity, 3135
algebraic curve, 3431, 4961
with marked points, 4961
algebraic
dependence over a field, 6024
duality, 1224
function, 1329, 3891
fundamental group, 3796
geometric code, 3450, 3754
geometry, 1380
graph theory, 1726, 1812
group, 6024
identification, 5570
integer, 4238
invariant, 3197
language, 4288
lattice, 4664
matroid, 2012, 6024
method, 880, 3461, 3570
model, 479
monoid, 2469
multiset, 4481
algebraic number, 3483
field, 1818
algebraic
plane curve, 1399
poset, 4664
algebraic property, 5031
of automata, 41
algebraic
p-polynomial representation, 6024
relation, 3637
algebraic representation, 479, 2012, 6024
of the Fano matroid, 6024
algebraic
set, 4231, 4481
singularity, 3671
structure, 9, 203, 570, 854, 2429, 3197, 3730, 4238, 5091, 5910
system, 974
algebraic theory, 3566
of brick packing, 1380, 1393
of graph colouring, 1337
of graph factorization, 1548
algebraic
topology, 1109, 2536, 4281, 5573
transportation problem, 731
variety, 4407, 4961, 5078
algebraically closed field, 6024
algebraically independent, 1870
transcendentals, 6024
algebraically representable, 2277
algebraic-geometric, *see* algebraic geometric
Algor, 4670
algorithm of Burns and Haff, 1605
algorithmic
characterization, 5249
complexity, 2192, 5814
proof, 4799, 5085
algorithmically unsolvable, 3491
aligned subsquare, 1989
all cycles
odd, 4568
of even length, 4568
all
degrees odd, 4311
edges positive, 5695
even Latin rectangle, 4982
minors matrix tree theorem, 5910
negative graph, 1407
all pairs
min cut, *see also* APMC
min-cut problem, 4589
all spanning trees nonisomorphic, 4721
all terminal
network reliability problem, 2241
reliability, 4235
Alladi, 1199, 4314
Allan, 1633, 3138, 3803, 5453
Allard, 1894
Allen, 3034
Allender, 1848
allowable
input-output pair of permutations, 5946
task performance sequence, 96

Alltop, 285, 5927
family of 5-designs, 2974
series of 4-designs, 6032
all-even, *see* all even
all-even Latin square, 4982
all-negative, *see* all negative
all-pairs, *see* all pairs
all-terminal, *see* all terminal
Almond, 2414
almost 4-connected, 4410
almost all, 1665, 2099, 2414, 2913, 4165, 5371
Cayley graphs, 5065
graphs, 2730, 3082, 3963, 4357
odd numbers, 6002
orbital regular graphs, 5602
polygons, 2839
quasigroups have rank 2, 3420
trees, 4165
almost
always intersecting in λ elements, 5270
arithmetic progression, 2206
canonical, 2518
caterpillar, 5731
almost claw free, 5511
graph, 4573, 5133, 5611
almost
complete bipartite graph, 5307
critical graph, 2420
almost free, 115
subsemigroup, 115
almost
irreducible graphic matroid, 1202
Moore, 5947
orthogonal resolution, 2757
pancyclic graph, 591
perfect matching, 5380
PV behavior, 4238
self complementary factor, 5307
almost simple, 5613
cubical polytope, 5613
almost Steiner
3-quasigroup, 530
system, 1012
almost
sure existence of a subgraph of a random graph with a given property, 2054
transitive, 4410
tree, 592
almost-free, *see* almost free
almost-transitive, *see* almost transitive
almost-tree *see* almost tree
Alon, 1884, 3253, 4137, 4253, 4323, 4670, 5061, 5155, 5370, 5660
Alon, N, 4323, 5037, 5112
Alpert, 3356
(α, β)-class of polar graphs, 2083
(α, β)-normal poset, 1618
(α, ω)-graph, 1269, 1710, 5447
α-covering of a graph, 5447
α-critical
graph, 4524
subgraph, 4524
α-fragment of a digraph, 1029
α-imperfect graph, 725
α-labeling, 4876
α-regular graph, 803
α-sequence of sets, 4640
α-stable set, 5248
α-valuation, 4236
α-word, 5424
alphabetical binary tree, 977
Alquaddoomi, 3085
Alspach, 769, 2577, 3184, 4109, 4431, 4755, 5472, 5480, 5622
conjecture, 2577
Alspach, B, 2064, 2471, 2577, 2841, 5095, 5737
alternate group problem, 757
alternately orientable graph, 3748
alternating, 5230, 5566, 5719, 5857
bilinear form, 3676
chain condition, 350
colours, 5322
alternating cycle, 912, 1557, 5230, 5719, 5810
problem, 5810
alternating
dicycle problem, 5810
directed cycle, 5810
elements, 5577
Eulerian trail, 1412, 3512
form graph, 3676
alternating group, 354, 498, 656, 2211, 4153, 4216, 4217
covering, 4217
alternating
inequality, 4140
matroid, 2650
alternating path, 2791, 5230
problem, 2791
alternating
permutation, 920
polynomial, 5305
rank, 4496
sequence, 553, 876
simple dicycle, 5810
subsequence, 4906
alternating subset, 398, 720
of integers, 664
with congruences, 720
alternating sum, 2252, 4860, 5885
of products of trinomials, 907

alternating sum of the Whitney numbers, 2252, 2642
alternating
  trail, 5719
  walk, 5857
  Whitney sum, 2252, 2642
alternation deficiency, 703
Altshuler, 1353
Al-Khnaifes, 3271
Al-Salam, 2833
amalgam
  of polyhedra, 4094
  operation, 1867, 4094
amalgamated direct sum, 3949, *see also* ADS
amalgamation, 1844, 2530, 3102, 3161, 4342, 4874
  of graphs, 4342
Amar, 3561, 4661
ambient isotopy of links, 3677
ambiguity, 4974
amenable
  graph, 2667
  n-critical graph, 2667
amenably n-colourable, 2667
Amitsur-Levitzki theorem, 4605
amorphous, 2536
A_n, 5843
analog, *see* analogue
analysis of
  patterns, 33
  variance, 3730, *see also* ANOVA
analytic
  function, 1230, 2561
  invariant, 3120
  method, 810, 4855
  prime number theory, 3432
  symmetrization, 5269
  variety, 4961
analytical methods, 2520
ancestral relationship, 2405
Anderson, 1759, 5446
André, 1484
  reflection proof, 1484
  tree, 1266
Andreae, 888, 922, 5800
  theorem, 888
Andreev-Koebe-Thurston circle packing theorem, 3750
Andrews, 2809, 4314
  identity, 2809
Andrews matrix
  formulation of the Bailey Transform, 5852
  inversion formulation of the Bailey transform, 4494
Andrews q-Dyson conjecture, 1825, 2441
Andrews, G, 1825, 4127
Andrews-Olsson partition identity, 4314
angle
  labeling, 2418
  sum relation, 5530
angular distribution of Gaussian integers, 6006
animal on a decorated
  square, 5563
  triangular lattices, 5563
annihilating
  polynomial, 4447
  uniqueness theorem, 4447
annihilatingly unique, 4447
annihilation operator, 1477
annihilator, 2663
  polynomial, 2663
annulus, 2337
ANOVA, 3730, *see also* analysis of variance
  hypothesis, 3729
  model, 3729
Anstee, 1814, 1916
anteriority relation, 4093
Anthonisse, 330
antiautomorphism, *see* anti-automorphism
antibalanced
  Cayley map, 3527, 3918
  map, 3918
  subgraph, 1769
antibody, 877
antichain, 5, 208, 245, 324, 349, 493, 511, 949, 1064, 1117, 1169, 1171, 1179, 1180, 1325, 1447, 1601, 1841, 1959, 2104, 2125, 2541, 2676, 2836, 3248, 3932, 4062, 4110, 4373, 4463, 4784, 5207, 5260, 5698, 5704
  cut set, 2948
  in a partially ordered set, 1988, 2836
  intersection number, 4062
  of maximal probability, 1781
anticlique
  finding, 4668
  partition of a graph, 5633
anticode, 1576
anticomparability, 4307
antidirected
  cycle, 781
antidirected Hamiltonian
  cycle, 1456
  path, 174, 1151
antidirected path, 715, 4521
antiexchange, *see* anti-exchange
antiflag, 4051
  of a projective plane, 4051
  type, 5393
antigen, 877
antihierarchic set of integers, 3645
antihole, 309
antihomeomorphism, 781

antijoin, 3793
  composition, 3793
  operation, 3793
antimatroid, 2452, 2620
antinomy of the lyer, 3129
antipodal, 1138, 1658, 3584, 4204, 4728
  2-cover, 5676
antipodal cover, 1645, 4204, 5593
  of a complete bipartite graph, 5593
  of a graph, 5593
antipodal distance regular graph, 3332
  of diameter three, 3332
antipodal extension, 3427
antipodal graph, 482, 1658, 1978, 2310, 3584, 4034
  of a graph, 1658
  of diameter 3, 2310
antipodal
  layer problem, 4029
  pair of vertices, 2024
antipodal set pair, 3569, *see also* ASP
antipodal
  system, 4728
  triple system, 4728
  vertices, 3007
antipode, 5536
antisymmetric, 2755
  digraph, 1368
  directed graph, 364
  graph, 364
  integral matrix, 2222
antisymmetry, 1783, 3008
antitony, 408
anti-automorphism, 183, 1643, 3486, 3970
anti-chain, *see* antichain
anti-clique, *see* anticlique
anti-comparability, *see* anticomparability
ANTI-core, 4784, 5355, 5528
anti-directed, *see* antidirected
anti-edge, 5265
anti-exchange, 4402
anti-flag, *see* antiflag
anti-Gallai graph, 4826
ANTI-good subset, 4784, 4785
anti-hole, *see* antihole
anti-join, *see* antijoin
ANTI-order, 4784, 4785, 5211, 5355, 5528
  for caccc posets, 4785
ANTI-perfect sequence, 4784, 4785, 5211, 5355, 5528
anti-Ramsey number, 1143
anti-symmetric, *see* antisymmetric
Anzahl theorem, 3898
an-Eulerian
  digraph, 715
  subdigraph, 715
Apartsin, 5548
aperiodic
  horizontal shifting cross correlation function, 3085
  tile set, 4837
  word, 4148
aperiodicity, 2536
apex graph, 5432
APMC, 4589, *see also* all pairs min cut problem, 4589
apolarity of binary forms, 2964
Appel, 3244
approximate
  algorithm, 3665
  n-colouring, 1134
  saddle point, 4488
  solution, 3665, 4471
approximately bipartite, 413
approximating
  a fixed point, 806
  convex set, 4465
  dissimilarity, 5781
approximation
  algorithm, 2923, 4466, 4647, 5117
  theory, 2040
approximative algorithm, 806
Arabia, 3226
Arasu, 4343
Arbib, 3198
ARBIBD, 1331
arbitrarily long
  arithmetic progression, 1575
  nonrepetitive word, 2896
arbitrarily
  many iterations, 217
  sparse, 2897
arbitrary varying channel, 3411, *see also* AVC
arborescence, 642, 783, 2733, 3784, 4100, 4479, 4492, 5091
  comparability graph, 2481
  game, 5256
  hyperquaternary, 4492, 4853
arborescence in
  a graph, 5091
  an oriented graph, 470
arboricity, 865, 1756, 2506, 3210, 4326
  of a graph, 4366
arc, 2270, 2379, 2406, 2412, 2574, 2883, 3063, 3163, 3173, 3389, 3405, 3459, 3497, 3507, 3689, 3962, 4045, 4095, 4320, 4676, 4732, 4756, 4964, 5021, 5200, 5236, 5246, 5279, 5389, 5404, 5410, 5438, 5616, 5900, 6025
arc 3-cyclic, 5166
  semicomplete digraph, 5166
arc, 5990

arc (*cont.*)
addition, 5246
chain formulation, 5264
connected digraph, 5200
arc connectivity, 3908, 4225, 5383
of a digraph of diameter 2, 1029
arc cyclic property, 2841
arc diagram, 2428
of a poset, 2132, 2428
of an interval order, 4647
representation of a poset, 4647
arc disjoint circuit, 1347
in a digraph, 1347
arc
in a Möbius plane, 5974
intersection model, 816
of a circle, 1859
on a circle, 885
orbit, 3296
orientation, 1513
arc pancyclic, 2841, 5310
local tournament, 5310
arc reversal, 2372, 5289
in a tournament, 2372
arc set, 903, 2841
arc transitive, 5596, 5622
digraph, 4551
Archdeacon, 5822
arc-pancyclic, *see* arc pancyclic
ARD, 1331
area, 4752, 4850, 4975, 5278, 5373, 5720, 5850
disjoint, 1918
generating function, 5563
area of
a lattice figure, 5757
a nondecreasing Dyck path, 5373
Arf invariant, 4217
arithmetic
code, 2946, 3445
curve, 4961
function, 4653
mean geometric mean inequality, 536
modulo q, 5833
arithmetic of
complete permutations, 2358
reversed positional games, 5280
arithmetic on n with probability $\mu = 1$, 1833
arithmetic progression, 925, 1225, 1575, 1770, 1998, 2206, 2323, 2940, 3308, 3309, 3674, 4562, 5187
in a permutation, 2323
arithmetic
property, 6008
sequence, 369, 1246, 2276
arithmetical set of powers of primes, 1796
Arnborg, 2658
aromatic hydrocarbon, 5276
Aronhold set, 4168
arrangement, 88, 275, 371, 386, 456, 486, 494, 595, 775, 833, 950, 984, 1154, 1360, 1884, 2014, 2019, 2103, 2332, 2462, 2706, 3179, 3208, 4131, 4895, 5004, 5141, 5843, 5971, 6029
graph, 4175
arrangement of
conferences, 494
curves, 1360
hyperplanes, 1407, 3208
lines, 833, 2960
n lines in the plane, 950
planes, 1154
points, 620
pseudohemispheres, 3644
pseudohyperplanes, 1323
pseudolines, 1060, 1323, 3575
segments, 5004
vertices, 5585
arrangement on a chessboard, 897
array, 2088, 4556, 4702, 4981, 5160, 5423, 5643, 5727, 5833, 6032
array of
binomials, 3059
distinct representatives, 5160
index unity, 4261
integers on a torus, 2356
large index, 4261
lattice points, 392
nonnegative integers, 165
zeros and ones, 691
array
stabilizer, 2794
with given row and column sums, 630
Arrow
dictator theorem, 5777
general possibility theorem, 2223
impossibility theorem, 5792
relation, 2258, 3091, 5266
arrow set, 1080
Arrow theorem, 5777
Arrow, K, 5777
Arrowian theorem, 5266
Arson, 975
art gallery theorem, 3595
artichain, 5
articulation set, 1006, 3350, 3539
of a graph, 1006
Artin
coloured braid group, 4869
group, 5034
pure braid group, 4869
relation, 3360
semigroup, 3358

Artin type relation, 3360
Artinian semigroup, 1791
Asano, 2986
ascending
  chain condition, 5390
  n-parameter word, 5328
  parameter word, 5328, 5945
  sequence in a permutation, 711
ascending subgraph decomposition, 2815, *see also* ASD
  problem, 2815
ASD, 2815, *see also* ascending subgraph decomposition
Ash, 6024
Ash, P, 3067
Askey chart, 2633
Askey, R A, 1825, 4472
ASP, 3569, *see also* antipodal set pair
Assaf, 2008, 3028
assigned colouring, 4324
assigning radio frequencies, 5327
assignment, 604, 815, 963, 1861, 3075, 3084, 3507, 3874, 4544, 4821, 4934, 4944, 5229, 5345, 5683, 5960
  in a bipartite graph, 108
assignment of
  colours, 5317, 5993
  weights, 2240, 2994
assignment problem, 406, 1091, 3667, 5327, 5727, 5922, 5922
Assmus, 3157
Assmus, E F, Jr., 5904
associate class, 265, 709
associated Stirling number, 1286
association
  matrix, 4775, 6029
  scheme, 709, 952, 1751, 1763, 2776, 2946, 3097, 3570, 3730, 4051, 4296, 4820, 4931, 5419, 5879, 5892, 5902, 5936, 5958, 6029
associative
  algebra, 5849
  block design, 1966, *see also* ABD
associative
  quasigroup, 317
  triple, 1473
associativity rule, 4187
Assouad, 5239
assymptotic behaviour, 5254
asteroidal triple, 3385
  characterization of interval graphs, 2954
Astié-Vidal, 3296
astral triple, 3385
asummable Boolean function, 649
asymmetric, 2412, 3125, 3225, 4401
  (0,1)-matrix, 4255
  digraph, 4045
  graph, 4401
  matrix, 4255
  structure, 3225
  travelling salesman polytope, 1132
asymmetrical part, 2006
asymmetrisable, *see* asymmetrizable
asymmetrisation, *see* asymmetrization
asymmetrising, *see* asymmetrizing
asymmetrizable, 3124
  tree, 3125
asymmetrization, 675
asymmetrization of
  a tree, 3524
  an infinite tree, 3125
asymmetrizing, 3124
asymmetrizing number, 3125, 3524
  of a tree, 3125
asymmetrizing set, 3124, 3125, 3524
  in a tree, 3124
asymmetry indicator
  polynomial, 3225
  series, 3225
asymptotic
  analysis, 2405
  approximation, 4488
  average number, 5882
  behavior, *see* asymptotic behaviour
  behaviour, 563, 980, 1348, 1358, 2065, 2107, 2666, 3066, 3135, 3817, 3841, 3925, 3982, 4110, 4488, 5276, 5362, 5632
  bound, 230, 987, 2019, 3411, 5061, 5624
  calculus, 4492
  density, 3441
  distribution, 1766
  enumeration, 4855, 5462
  equivalent, 983, 2714
  estimate, 373, 453, 611, 1393, 2004, 2221, 4677, 4855
asymptotic evaluation, 4503, 4675
  of the cycle index, 1533
asymptotic
  expansion, 1232, 1693, 4522, 4849
  expression, 296, 2183, 3891
  formula, 6, 199, 291, 319, 874, 1504, 1831, 2520, 3645, 3982, 4422, 4597, 6002
  growth, 3504
  independence number, 2554
asymptotic LCM
  basis, 2155
  nonbasis, 2155
asymptotic
  lower bound, 648, 4986
  methods of applied mathematics, 3982
asymptotic normality, 1831, 3841

asymptotic normality of subgraph counts, 2424
asymptotic
number, 6, 167, 322
n-th Ramsey number, 1370
partition number, 2554
Poisson convergence, 2424
asymptotic probability, 1309, 2734, 4850, 5959
of a property, 2209
asymptotic
property, 109, 2881, 4635
question, 4087
rate, 4522
result, 2902, 4411, 4675
shape, 4660
solution, 4891
theory in statistics, 2424
to mn/5, 5552
asymptotic union
basis, 1120
nonbasis, 1120
asymptotic
upper bound, 2768
value, 1389, 4144
version of a conjecture of Erdös, 4926
asymptotical
density, 1329
property, 4999
asymptotically, 3241, 3982, 4116, 4283, 4365, 4522, 4677, 5063, 5101, 5232, 5588
asymptotically equal, 1686, 3853, 4982
probability, 2761
asymptotically equally often, 3573
asymptotically good
even selfdual code, 3195
LCD code, 3446
asymptotically
normal, 1670, 1680
normally distributed, 2165
sufficient, 2573
tight, 2938
asymptotics, 322, 390, 706, 2438, 2913, 4365, 4958, 5061, 5462
atlas of linear spaces, 4076
atom, 1761, 2726, 2918, 4060, 4902, 5266, 5276, 5843
atom of
a graph, 2420
a set system, 4902
atomic
extension, 4259
species, 2653, 3225, 3697, 4479
atomistic, 4781
augmented
adjacency matrix, 4228
matrix, 1968
authentication
code, 5419
scheme, 3426, 3451
autocorrelation function, 3043, 3076, 4394
autohomeomorphism, 1463
automatic analysis, 4501
of algorithm, 4501
automatic
average case analysis, 4501
group, 2509, 4750, 4789
sequence, 3973
automaton, 259, 436, 938, 1114, 2160, 3973, 4101
automorphism, 58, 69, 301, 355, 802, 979, 1081, 1098, 1185, 1251, 1288, 1395, 1463, 1479, 1586, 1786, 1787, 1906, 1917, 2043, 2120, 2186, 2217, 2246, 2327, 2367, 2509, 2581, 2601, 2603, 2777, 2828, 2956, 3116, 3124, 3125, 3130, 3207, 3319, 3487, 3524, 3708, 3731, 3820, 3913, 4024, 4025, 4077, 4106, 4108, 4219, 4548, 4555, 4623, 4643, 4764, 4782, 4842, 4868, 4972, 4973, 4991, 5111, 5218, 5469, 5520, 5539, 5609, 5911, 5947, 5971
automorphism free, 1039
Latin square graph, 1039
Steiner triple system, 1039
automorphism group, 28, 44, 58, 69, 169, 191, 218, 227, 288, 340, 355, 390, 415, 426, 438, 440, 491, 581, 638, 736, 741, 758, 790, 802, 893, 1081, 1194, 1252, 1373, 1404, 1440, 1509, 1550, 1643, 1660, 1710, 1882, 1939, 2009, 2028, 2039, 2043, 2057, 2061, 2139, 2163, 2221, 2231, 2246, 2254, 2278, 2330, 2353, 2360, 2365, 2569, 2579, 2591, 2601, 2707, 2772, 2773, 2776, 2778, 2812, 2828, 2913, 2956, 3041, 3115, 3131, 3140, 3160, 3177, 3194, 3225, 3369, 3377, 3482, 3487, 3488, 3527, 3548, 3719, 3731, 3752, 3781, 3918, 3933, 3938, 3958, 4020, 4025, 4070, 4102, 4219, 4363, 4551, 4623, 4793, 4834, 4966, 4984, 4993, 5011, 5069, 5098, 5286, 5323, 5366, 5388, 5403, 5520, 5573, 5596, 5606, 5675, 5725, 5911, 5927, 5971, *see also* group of automorphisms
of a block design, 1911
of a code, 80
of a finite poset, 3377
of a graph, 227, 1981, 3115, 4782, 4991
automorphism group of a matroïd, 44
basis graph, 1081
automorphism group
of a partial order, 741
of a regular graph, 1373
automorphism of
a 2-homogenous chain, 1786

automorphism of a covering space, 5595
automorphism of a graph, 2740, 3116, 4108
  covering, 3207
automorphism of
  a matroid, 1081
  a planar graph, 58
  a polyhedral graph, 136
  a poset, 741
  a structure, 795
  a symmetric design, 4548
  an infinite graph, 5469
automorphism of order
  eleven, 3464
  fifteen, 5520
  five, 4025, 5911
  four, 2367, 4025
  seven, 3800, 5764
  thirteen, 4025
  three, 2579
  two of a graph, 1121
autonomous
  differential equation, 3697
  part, 3562
autotopism group, 4734
auto-orthogonal, 569
AVC, 3411, *see also* arbitrary varying channel
average
  1-width, 655
  area of all nondecreasing Dyck paths, 5373
  bond order, 5276
  cardinality, 1171
average case
  analysis, 4501, 4857
  complexity, 4501, 5010
average
  complexity, 4845
  degree, 1528, 3618
  depth of a prefix, 1193
  diameter, 4595
  distance, 4595, 5795
  distortion, 5795
  edge degree, 937
  element degree, 3398
  genus, 4342, 4787
  height, 1306
  leaf distance, 97
  length, 1112, 2520
  measure, 5789
average number
  of loops, 5563
  of regions, 4806
average
  orientable genus of graphs, 4342
  rank of LYM-sets, 4639
  running time, 5565
  size, 176, 5010
  storage, 5565
average time, 5565
  complexity, 4128
Avis, 4895
avoidable
  array, 4327
  claw, 5658
avoidance game, 4018
avoiding partial Latin squares, 5423
axial assignment problem, 5727
axiom of infinity, 3129
axiom system, 508
  for Brouwerian lattices, 673
  for distributive lattices, 673
axiomatic characterization, 2241
  of multilattices, 1103
  of the chromatic polynomial, 2241
axiomatization, 2527, 2984
axiomatization of
  matroids, 1162
  relation algebras, 1809
axioms for
  finite affine planes, 508
  linear orders, 2265
  matroids, 4254
  oriented matroids, 2210
  point reflection geometry, 4082
axioms of Peano arithmetic, 3129
axis, 2509, 3661, 4410, 4498
Ayel, 5122
a-adic tree, *see* n-adic tree
A-cordial graph, 3080
A-covering of a graph, 4623
a-Kempic triangulation, 1803
A-optimal
  design matrix, 1706
  weighing design, 4130
A-path, 3320, 4099
A-separator, 3320, 4099
A-trail, 3512, 5053

B

B array, *see* B-array
B graph, *see* B-graph
B matroid, *see* B-matroid
B sequence, *see* B-sequence
b(7, 3; v), 3655
$B_{1,3}$, 5940
B_1-orientable digraph, 4375
B_2-basis, 1967
B_2-orientable digraph, 4375
B_2-sequence, 1967
Baartmans, 2153
Babai, 4750, 4789

Babai, L, 2256
Bäbler, 1681
back diagonal, 1541
backtrack computer programming, 475
backtracking, 4728
  algorithm, 4647
  search, 3958
Baclawski, 1778, 4096
Baer
  involution, 5416
  subplane, 1745, 5416, 5929, 6021, 6029
  subset, 6029
Bagchi, B, 3194
Bagchi, S, 3194
Bailey, 2894, 3965, 4494
  lemma, 4494
  pair, 4494
  transform, 4494, 5852
Baire category, 3112
Baker, 103, 153, 173, 923, 1781, 3440, 3924, 4168
  characterization of the Sperner lemma, 17
Baker-Essam conjecture, 103
Balaban, 1013
balance, 4195, 5174
  equation, 5382, 5771
balance of
  an incomplete block design, 2297
  an isohedral tiling, 5174
balance scale, 1556
balanced, 5278, 5969, 5981, 6000
  (n, k)-colouring, 6000
  3-partite graph, 5470
  ${}_5F_4$ hypergeometric series, 5842
  6×6 design, 3958
balanced array, 3167, 3542, 3721, 3730, 4556
  of strength two, 3721
balanced association scheme, 3730
balanced bipartite
  block design, 3039
  design, 275, 456, *see also* BBD
  graph, 1943, 3834, 4947, 5497, 5934
balanced
  block design, 3002, 3722
  Cayley map, 3527, 3918
  circuit design, 386
  claw design, 1253
balanced clique
  incidence matrix, 5231
  node incidence matrix, 3539
balanced colouring, 2765
  of a complete graph, 6000
balanced
  complementation, 2538
  complete partite graph, 4155
  cycle, 3089, 5981
  design, 192, 606, 685, 841, 1274, 2538, 2592, *see also* BD
  directed cycle design, 3051
  expansion theorem, 1407
balanced fractional
  2^m factorial design, 3723
  design, 3720
  factorial design, 3730
balanced generalized handcuffed design, 3547, 4403
balanced graph, 2927, 3312, 5231
  design, 386
balanced handcuffed design, 4403, *see also* BHD
balanced
  Howell rotation, 2871
  hypergraph, 642, 1584, 1916
balanced incomplete
  array of strength two, 3167
  block design, 53, 72, 88, 265, 359, 685, 692, 709, 952, 979, 1418, 1493, 2003, 2595, 3054, 3152, 3155, 3178, 3299, 3328, 4010, 4556, 5971, *see also* BIBD
balanced independent
  set, 3834, 5497
  subset, 4947
balanced
  k-partite graph, *see* balanced n-partite graph
  labeled graph, 502
  lattice, 4781
  matrix, 4152, 5278
  nested design of strength t, 3167
  n-partite graph, 5470
  partite graph, 5470
  period, 4177
  polynomial, 1407
  P-design, 53
  Room square, 5923
  set, 1214
  signed graph, 2647
  starter, 2871, 5923
  superimposition, 3958, 4572
balanced ternary design, 1274, 3028, *see also* BTD
  with block size three, 1274, 3028
balanced tournament design, 2580, 2757, 3179, 4131, 4192, 5643, *see also* BTD
balanced two-colouring, 2439
balanced weighing
  matrix, 1453
  system, 1453
balancedness, 4808, 4863
balancing, 3717
  set, 2224
balancity, 3572
Balbes, 3571
Balinski, 4269
ball, 2439, 2690, 2696, 4977, 5782

ball (*cont.*)
around a node, 2226
complex, 1937
Helly graph, 4915
ring, 4516
ballot
candidate, 935
number, 1439
problem, 126, 935, 1022, 1484, 2161, 3983
sequence, 2719
bamboo shoot graph, 4377
Banach, 4927, 5975
contraction principle, 3198
density, 2669
space, 4470
Bandelt, H-J, 4303
bandwidth, 1126, 2044, 2516, 2557, 3334, 4340, 4367, 4563, 4923, 5495, 5518, 5558, 5731
for a block graph, 5731
bandwidth of
a composition of graphs, 5495
a convex triangulation mesh, 5518
a graph, 5731
a tree, 4923
a triangulated triangle, 4563, 5518
the composition of two graphs, 5495
bandwidth problem, 2044, 2919, 3334, 4367, 5731
Bang-Jensen, 5037, 5112, 5631, 5900
Bang-Jensen, J, 3242
Bankfalvi, 5719
Banks, 5716
Bannai, 2628
banyan network, 5883
bar
and joint framework, 2458
framework, 3483
of length two, 4875
Barahona, 2632
Baranga, 3198
Barcucci, 4845, 5373
Barefoot, 4256
Barlotti, A, 5628
Barnabei, 2462
Barnette, 163, 2659
Hamiltonicity conjecture, 1755
Barnette, D, 2811
Baron, 5320
Baróti, 291
Barrau, 724
barycentric coordinates, 2026
base
complement, 405
exchange property, 4527
factorization, 1449
base graph, 3207, 4623
of a simple matroid, 2303
base
orderable matroid, 4141
set, 1064, 1746, 3170
basic
acyclic graph, 570
algorithm, 4107
Bessel function, 3612, 4383
family of subset, 194
graph, 1119
basic hypergeometric
identity, 4266
series, 4266, 4424, 4494, 5560, 5852
basic
path, 538
system, 194
basin of attraction, 5536
basis
circuit matrix, 1002
complement, 194
conjecture, 4411
cut set matrix, 1002
exchange property, 5714
family of some matroid, 2312
for the integers, 4400
graph, 351, 1081
basis in
a combinatorial geometry, 808
a matroid, 613, 2830, 4426
basis
intersection, 215, 1829
number, 5716
basis of
a Boolean function, 1079
a code, 3540
a matroïd, 1540
a matroid, 368, 405, 3593, 4323, 4530, 4800, 5561
a weighted graph, 5352
cycle space, 5716
cycles, 911
the dual, 405
basis
pair graph, 2464
partition, 5555
Batbedat, 4459
Batten, 3757
Bauer, 3133, 3831, 3851, 4419, 4943, 5144
Baumgartner, J, 5706
Bauslaugh, 5290
Baxter permutation, 4976, 4990, 5566
Bayes Rule, 1231
Bayesian
analysis, 612
learning, 1231
prior, 1231

Bayesian (*cont.*)
revision problem, 1231
theory, 1231
bayonet, 1305
Bays, 724, 2619
Bays-Lambossy theorem, 2619
BBD, 275, 456, *see also* balanced bipartite design
BCD, 386, 1253
BCH code, 82, 3450, 4590, 4677
BCI, 4319, *see also* bounded circuit intersection
BD, 1550, *see also* balanced design
Beatty problem, 2026
Beatty sequence, 3057, 3578
of real numbers, 4837
Beauquier, 5249
Beck, 2439, 4508, 4719
Beckman-Quarles theorem, 5401
Bédard, 4291
Bednarek, 1086
Bedrossian, 5182
Bedrossian-Chen-Schelp condition, 5182
behavior, *see* behaviour
behaviour, 2252, 2743, 2838, 2985, 3200, 3394, 3982, 4060, 4128, 4711, 4835
behaviour of
an automaton, 436
the bandwidth, 5558
Behrend sequence, 6004
Behzad, 5232
Behzad, M, 2846
Beineke, 20, 514
Beineke-Harary theorem, 20
Bell
number, 1073, 1356, 2469, 4271, 5109
polynomial, 1286, 1819
belonging to
a q-polynomial, 3733
an exponent, 3733
Belyi
bijection, 4961
theorem, 4961
Benado, M, 1103
Bender, 993, 2209, 4682
Bender-Knuth correspondence, 993
Benhocine, 3693, 3921, 5445
Bennett, 5748
Bennett, G, 3716, 4248
bent
back, 592
function, 4522, 5730
Benzaken, C, 1470
Benzécri, 5782
benzenoid, 5276, 5779
molecule, 5276
system, 5779
Beran, 1787
Berge
conjecture, 54
duality theorem, 5192
equilibium hypergraph, 66
graph, 3748, 5085, 5106, 5153
perfect graph, 4105
Berge strong
path partition conjecture, 3632
perfect graph conjecture, 881, 1269, 1451, 3865, 5161, 5248
Berge theorem, 597
describing all hypergraphs with a given line graph, 4952
on matchings, 718
Berge, C, 54, 139, 597, 801, 1349, 1451, 1584, 1608, 1709, 1813, 2038, 2053, 2091, 2475, 2487, 2846, 2868, 2991, 3751, 3909, 3972, 4373, 4729, 4814, 4952, 5161, 5226, 5232, 5237, 5278, 5280, 5301
Bergeron, F, 2633
Bergman kernel, 304
Berlekamp, 82, 4217, 5280
decoding algorithm, 2964
game, 2496
switching game, 2496
Berman, 3253, 4097, 4680
Bermond, 1762, 1771, 2577, 2604, 2977, 4146, 4244, 4649, 4755, 4918, 5012, 5472, 5612
Bermond, J-C, 956, 988
Bermond-Kotzig-Turgeon inequality, *see also* BKT inequality
Bernoulli
density, 4485
number, 29, 123, 2966, 5003, 5035
polynomial, 370, 1246, 4159, 4313, 4507, 5035
Bernstein, 203, 6031
operator, 2040
type theorem, 4241
Bernstein-Gelfand-Gelfand, 3226
Berrachedi, 5261
Bertram, 473
Huppert, 2455
Bertram, E, 763
Bertrand, 1484
Bessel
function, 3612, 3707, 4505
polynomial, 4854
Bessenrodt, 4314
best
2 points, 5590
endomorphism, 24
extension, 171
location of service centers, 2864
n points, 5590
normal schedule, 5117

best (*cont.*)
packing of rods into a box, 4374
possible upper bound, 5458
single point, 5590
β-invariant, 4938
β-ring, 1703, 3769
Beth, 3170
better quasi-ordered, *see also* bqo
class, 1779
set, 3475
better quasi-ordering, 1779
Betti number, 3232, 4988
betweenness
in a modular lattice, 1878
relation, 5649
Beutelspacher, 1732
Beutelspacher, A, 4089
Bhargava, 1894
Bhaskar Rao design, 2442, 3930
Bhaskara Rao, 2908
Bhattacharya, 242
Bhat-Nayak, V N, 1086
BHD, 3547, *see also* balanced handcuffed design
Bialostocki, 3348, 3622, 4685, 4879
bias matroid, 3331
biased
game, 3546
graph, 3331
BIB, 2072, 3631
design, 365, 970, 1493, 2072, 2268, 2502, 3631, 3719
BIBD, 88, 265, 692, 996, 1449, 1453, 2059, 2088, 2570, 2571, 2576, 2583, 2595, 2757, 3041, 3054, 3155, 3179, 3299, 3655, 3807, 3901, 4131, 4556, 4603, 5892, 5971, *see also* balanced incomplete block design
bibliography on chromatic polynomials, 5350
Bichara, A, 5628
bichromatic, 207, 1214
dual, 5584
factor, 63, 98
hypergraph, 66, 207
bicircular
graph, 367
matroid, 614
biclaw free, 4509
connected graph, 4509
biclaw-free, *see* biclaw free
biclique partition, 3745
of a graph, 3745
bicolored, *see* bicoloured
bicoloured
cycle, 582
digraph grammar system, 838
graph, 111, 916, 2140
quaternary Ramsey number, 2805
triangle, 506
biconformability conjecture, 5614
biconnected, 2824, 3515, 3886
component, 3515
bicontractible pair, 4432
bicritical, 3956, 4060
bipartite graph, 1040
graph, 1158, 2425, 4060
bicubic graph, 19, 1342
bicycle space, 1095
bicyclic Steiner triple system, 4024, 5908
bidecomposition, 100
bideterminant, 5091, 5910
bifurcating cycle element, 5599
big component, 1766
Biggs, N, 536
Biggs, N L, 1078, 1388, 1645
bigraphic sequence, 5673
bijection on
Dyck paths, 5551, 5768
labeled forests, 3227
rooted forests, 3579
bijective
definition, 4500
derivation, 3219
encoding, 5618
language, 1718
linear transformation, 2632
proof, 1271, 1718, 1719, 1914, 1956, 2629, 2694, 2727, 2900, 4154, 4314, 4422, 4480, 4495, 4568, 4688, 4761, 4833, 4841, 4852, 4927, 4977, 5018, 5097, 5316, 5566, 5899, 6016
transformation, 2110, 2901
bilinear form, 2152, 3676, 5311, 5635, 5879
Billey, 5844
billiard
graph, 1587
path, 1587
property, 1587
Billington, 2983, 4015, 4610, 4662
bin packing problem, 4134
binarity, 1435
binary
2-paving matroid, 5763
7-dimensional linear code, 1113
affine cube, 4626
bracketing, 3571, 4187
call, 402
binary code, 71, 82, 860, 1332, 1874, 1899, 1910, 1941, 2707, 2770, 2771, 2812, 3092, 3108, 3165, 3195, 3416, 3568, 3949, 4158, 4229, 5360, 5449, 5650, 5795, 5955
of length 45, 2773
of length 9 and covering radius one, 5955

binary code (*cont.*)
of length n, 5650
with minimum distance four, 5650
binary composition, 317
operation, 3793
binary contraction, 1598
of a graph, 1598
binary covering code, 5449
binary cycle, 2047
of length n, 2047
binary cyclic code, 2174
of blocklength 63, 3410
binary
development, 212
even selfdual code, 2174
field, 3409
Golay code, 68, 382, 1056, 2838
image, 1220, 2174
invariant, 3270
binary linear
(18, 9, 6)-code, 3457
code, 3092
selfdual doubly even extremal code, 2779
span, 4073
binary
matroid, 239, 911, 921, 1053, 1095, 1435, 1540, 1733, 1923, 2224, 2806, 3647, 3786, 4119, 4527, 4626, 4960, 5653, 5714, 5763, 5881
nonlinear feedforward sequence, 1900
number, 79
operation, 9, 697, 1218, 1362, 2181, 2570
partition, 1799
paving matroid, 2347, 2997
binary perfect code, 482
theorem, 482
binary
picture, 5141
reflected Gray code, 5894
reflexive relation, 4101
relation, 670, 675, 938, 1374, 1705, 2158, 3345, 3616, 4101, 4113
relational structure, 3070
search tree, 97
binary selfdual
code, 76
doubly even code of length 64, 2778
binary selforthogonal code, 3369
binary sequence, 1316, 1724, 2230, 4570, 5626
of a fixed length, 1724
binary
set function, 2677
simplicial matroid, 510, 1646
single error perfect code, 1662
span n de Bruijn sequence, 4570
structure, 4220
superimposed code, 5015, 5163
transitive relation, 1785
tree, 561, 1074, 1112, 1499, 1720, 2183, 2531, 2719, 2727, 3306, 3325, 3736, 5545
binary vector, 5141
space, 1047, 2011
binding
function, 4511, 5063
number, 3023, 4124, 4531
Binet formula, 1956
Binet-Cauchy functional equation, 2908
binomial, 3059
array, 3059
binomial coefficient, 10, 270, 289, 345, 515, 545, 740, 810, 942, 1073, 1469, 2292, 2544, 2546, 2762, 3059, 3388, 3425, 4144, 4245, 4313, 4354, 4507, 4803, 4825, 5885, 5894, 6003, 6027
code, 3428
identity, 2674
binomial
enumeration, 193
formula, 2904
half ring, 2653
identity, 4313, 4354, 4472, 4507, 5885, 5897
lattice, 4027
like identity, 1227
matrix, 754
matroid, 740
moment, 4271
poset, 4027
probability distribution, 1766
series, 4159
binomial theorem, 4825
for integer exponents, 4877
binomial tree, 4909
binomial type, 193, 1704, 4825
formula, 4833
inversion, 3888
binomial Vandermonde convolution, 10
biological development, 185
biology, 2405, 4177
biorder, 5167
bipacking, 4185
pairs by quintuples, 4185
problem, 4185
bipancyclic, 3305, 3561
ordering, 3283, 5592
bipancyclicity, 5592
bipancyclism, 3561
bipartite, 1563, 1928, 1954, 1983, 2080, 2310, 2370, 2425, 2696, 2806, 2814, 2842, 3033, 3184, 3383, 3507, 3522, 3631, 3788, 3834, 3862, 3974, 4060, 4319, 4509, 4654, 5040, 5228, 5231, 5293, 5430, 5455, 5457, 5529, 5584,

bipartite (*cont.*), 5656, 5673, 5803, 5902, 5924, 5980, 6011, 6012
3-gem, 5430
antipodal distance regular graph, 5593
balanced biclaw free connected graph, 4509
biclaw free graph, 4509
bithreshold graph, 3788
block design, 3039
code, 2696
complement, 1084, 2216, 6012
complementing permutation, 1083
bipartite cubic graph, 1485, 3262, 4184, 4199
of diameter 5, 3678
bipartite cubic nonplanar graph, 5803
bipartite degree, 4871
of a graph, 4871
bipartite
design, 275, 456
digraph, 1021, 1317, 3942, 5096, 5230, 5383, 5473, 5924
dimension, 1147, 4871
directed graph, 5924
bipartite distance regular graph, 5100, 5676
of diameter 3, 5396
bipartite edge perfect graph, 4707
bipartite graph, 14, 108, 397, 413, 603, 620, 627, 734, 752, 766, 800, 809, 894, 916, 1034, 1040, 1095, 1238, 1268, 1600, 1636, 1727, 1744, 1851, 1855, 1862, 1976, 2080, 2146, 2398, 2402, 2426, 2534, 2550, 2604, 2647, 2843, 2867, 2873, 2893, 2930, 2932, 2987, 3078, 3098, 3283, 3305, 3314, 3372, 3507, 3517, 3561, 3617, 3631, 3661, 3663, 3755, 3788, 3825, 3834, 3837, 3853, 3858, 3862, 4029, 4129, 4141, 4220, 4221, 4332, 4446, 4509, 4544, 4577, 4689, 4692, 4696, 4707, 4876, 4882, 4908, 5070, 5139, 5185, 5195, 5301, 5361, 5383, 5455, 5497, 5654, 5656, 5686, 5918, 5921, 5932, 5934, 5981
tree Ramsey number, 2402
bipartite
graphicness, 3402
G-design, 3728
Hamiltonian graph, 1943
hypergraph, 2814
independence number, 3834, 4947
k-regular, *see* bipartite n-regular
matching polytope, 2453
multigraph, 439, 909, 5709
number, 1135, 4692
n-regular graph, 1342
of a graph, 4871
order, 5493
ordered set, 4145
bipartite planar, 4683
bipartite planar graph, 5249
with maximum degree 4, 1654
bipartite planar subgraph, 4683
bipartite
plane cubic map, 1207
polyhedron of inscribable type, 4996
poset, 4644
Ramsey number, 5656
reflective Kneser graph, 2398
regular graph, 1342, 1851
regulation number, 2080
bipartite selfcomplementary
graph, 1083, 1084, 5673
realization, 1259, 5673
bipartite Steinhaus graph, 1983, 4332, 5980
bipartite subgraph, 3268, 5284, 5496, 5827
of a graph, 5459
polytope, 3383, 3502
bipartite tetravalent graph, 315
bipartite tolerance, 4718
order, 4145
bipartite
tournament, 1928, 4525, 4629, 4771, 5202, 5735, 5976
undirected graph, 2853, 5383
well covered graph, 1397
bipartition, 994, 1943, 2426, 2876, 4929, 5228
into distinct parts, 4154
of the vertex set, 5827
bipartitional polynomial, 1135
bipath
hypergraph, 642
system, 642
bipermutation, 211, 2531
biplaceable, 5139
biplacement, 3837, 5139
biplane, 1214, 2357, 2367
(56, 11, 2), 2367
bipolarizable graph, 2688
bipolarized perfect order, 2688
biprefix code, 1201
biquadratic
qualified residue difference set, 5527
residue, 5527
Biray, 5751
Bird, 741
bireflection of a permutation, 472
biregular
graph, 2190
space, 4075, 5387
subgraph, 2190
Birkhof polynomial, 4499
Birkhoff, 173, 2925, 3060, 3571, 4499
chromatic polynomial for graphs, 1685

Birkhoff (*cont.*)
correspondence between ordered sets and distributive lattices, 2917
duality, 3565, 5913
theorem, 5390, 5939
Birkhoff-Lewis equations, 3060
bisecant, 5385
bisectable, 3657
subgraph, 3657
bisection of a tree, 3657
biset function, 4602
bishops graph, 1969
bistar, 1530
bistellar operation, 2690
bisubmodular, 4602
bitableau, 2973
bithreshold graph, 3788
bitolerance
graph, 5498
order, 5493, 5498
bivalent programming, 151, 347
bivariate generating function, 5563
bivariegated, 128
graph, 128
tree, 128
biweight
enumeration, 860
enumerator a of selforthogonal binary code, 860
Bixby, 1829
bi-3-connected, 4432
bi-algebra, *see* bialgebra
bi-colored, *see* bicoloured
bi-contractible, *see* bicontractible
bi-embedding, 2732
bi-Eulerian orientation, 5666
bi-pancyclic, *see* bipancyclic
bi-pancyclicity, *see* bipancyclicity
bi-partite, *see* bipartite
bi-path, *see* bipath
bi-placeable, *see* biplaceable
bi-placement, *see* biplacement
Björner, A., 1778, 2745, 4096, 4839, 6024
BKT inequality, 4244, *see also* Bermond-Kotzig-Turgeon inequality
black and white colouring, 5257
Blanchard, 3453
Bland, 2201
Blaschke, W., 4733
Blass, 5108
Blázsik, 4511
Blitch, 4941
block
cactus graph, 5684, 5868
code, 82, 2768, 2780
cutpoint graph, 1285
derived design, 986
block design, 53, 92, 301, 359, 709, 758, 1129, 1382, 1498, 1877, 1911, 2578, 2789, 2952, 3002, 3039, 3443, 3717, 3898, 4041, 4315, 5052, 5317, 5479, 5892, 5958, 5971
on a graph, 579
with repeated blocks, 3443
block Golay sequence, 3805
block graph, 3150, 5453, 5731
invariant, 2579
block in common, 1131, 2261
block intersection
graph, 3152, 4275
number, 1129, 1320, 1940, 2153, 2663
problem, 1462, 1961
size, 2771
Block lemma, 4077
block
length, 76, 110, 596
matrix, 4130
block of
a design, 2368
a graph, 5638
prime power size, 647
block orbit, 2061, 3933, 5184
block partition, 1297
for conversion matrices, 1297
block
residue, 5952
set, 3509, 4578, 4728
block size, 1552, 2008, 2088, 2153, 2521, 2637, 2952, 3328, 3930, 3968, 4185, 4250
4, 3168
at least 3, 3152
five, 4250, 4865, 5717
four, 2952, 3933, 4223, 4772, 5410, 5869
n, 5643, 5962
nine, 4547
seven, 2576, 3655, 5748
six, 3328, 4369
three, 2568, 3028, 3058, 3178, 3536
block
sizes three and four, 3011
sum, 1682
tactical decomposition, 3933
block transitive, 1911, 3760, 5926
2-(91, 6, 1)-design, 3177
automorphism group, 438
design, 5184
point imprimitive design, 3708
t-design, 3760
block
transitivity, 5184
type, 5983
valency, 2330
blocker, 3793, 5162

blocker map, 2944
blocking polyhedron, 2494
blocking set, 1745, 2569, 2575, 2578, 2952, 3092, 3586, 4085, 5385, 5399, 5475
  free configuration, 5253
  in a design, 5475
  in a projective space, 5399
  of minimum cardinality, 2578
  property, 5121
block-cactus, *see* block cactus
block-cutpoint, *see* block cutpoint
block-derived, *see* block derived
block-graph, *see* block graph
block-intersection, *see* block intersection
block-orbit, *see* block orbit
block-partition, *see* block partition
block-size, *see* block size
block-tactical, *see* block tactical
block-transitive, *see* block transitive
block-transitivity, *see* block transitivity
block-type, *see* block type
Blokhuis, A, 3439, 5414
blossom pair, 882
  generating subset, 882
blossom tree, 2010
blossom-pair, *see* blossom pair
blowing-up lemma, 1161
blow-up
  construction, 4407
  graph, 4605
BLT-set, 5403
  of W(3, q), 5403
Blumenthal, 4171
b_n, 5564
B_n, 4304, 4637, 4840, 4985, 5035, 5045, 5577, 5843
  analogues of the symmetric functions, 4637, 4840, 5045
  Stanley symmetric function, 4985
$B_n(k)$, 4644
Boesch, 2241, 4672
Bogart, 503, 4645, 5498
Bogart, K P, 4718
Bohr-Mollerup theorem, 4697
Boicescu, V, 1621
Boland, 3385
Bolker, 2458
Bollobás, 2846
  inequality, 2836
Bollobás, B, 695, 1219, 1346, 1348, 1535, 1633, 2424, 2526, 2743, 4751, 4891, 5370, 5453, 5641, 5997
Bond, 2604, 3678, 5966
bond, 823, 2360, 5276, 5966
  cleavage unit, 2360
  closed subgraph, 8
  lattice, 1886
  matroid of a graph, 823
  strength, 5276
bondage number, 2851, 2863, 3887, 4019, 5066, 5083, 5302, 5950
  of a graph, 2851, 4019, 5066, 5083
  one, 5083
Bonday, 608, 2374, 3905
Bondy, 155, 332, 834, 989, 1829, 2631, 2891, 2975, 3604, 3882, 3905, 4246, 4512, 4625, 5042, 5122, 5382
Bondy, J A, 1808, 2824, 2846
Bondy-Fan sufficient conditions for Hamiltonian graphs, 5042
Bonin, 5866
Bonnice, W, 164
book
  embedding, 5214, 5585
  of width n with $\lceil n/2 \rceil$ pages, 5585
  shape, 3230
Boole inequality, 2554
Boolean, 1886, 3668, 3893, 5142, 5574
  algebra, 203, 328, 329, 420, 549, 573, 576, 703, 1159, 1572, 1649, 1782, 1785, 2203, 2335, 2767, 2869, 2926, 3466, 3992, 4171, 4287, 4475, 4675, 5732, 6031
  algebra, primitive $\sim$, 1785
  algebraic operator, 4420
  closure, 533
  connective, 2761, 4522
  cube, 4522
  differential equation, 4420
Boolean distance, 1285
  for graphs, 1285
Boolean
  element, 2968, 4171
  equation, 87, 151, 244, 407, 408, 2648, 2968, 4287, 4475, 4663, 6031
  expression, 329, 777, 1079, 1142, 4171
  formula, 890, 2761
  formulation, 627
Boolean function, 407, 408, 420, 443, 450, 649, 751, 878, 1159, 1333, 1438, 1678, 1768, 2335, 2648, 2761, 3679, 3787, 4316, 4473, 4522, 5730, 6031
  decomposition, 1784
Boolean
  graph, 3668
  hyperalgebra, 4742
Boolean interval, 4171
  dimension, 4871
Boolean lattice, 557, 2126, 2189, 2457, 2920, 2981, 4029, 4110, 4247, 4613, 4640, 4656, 5463, 5502, 5659, 5704
Boolean matrix, 3893

Boolean matrix (*cont.*)
equation, 627
iteration, 627
Boolean
method, 212
minor, 4316, 4316
operation, 203
optimisation, *see* Boolean optimization
Boolean optimization, 2968
problem, 2968
Boolean
point, 2968
polynomial, 1469, 4420
programming, 2968
Boolean quadric, 5062
polytope, 2632, 5062
Boolean ring, 203, 6031
equation, 6031
Boolean space, 2968, 4171
Boolean sum, 335
operation, 335
Boolean
technique for matroidal decomposition, 1880
transformation, 3397
valued model of set theory, 427
variable, 3960
vector, 4409
weight, 2968
Boolean-quadric, *see* Boolean quadric
Booth, 1735
bootstrapping, 5188
border of a word, 857
bordered compact surface, 4203
Borel subgroup, 4860, 5357
Borodin, 776, 1383, 2143, 3244, 5013, 5880
Boros, 3037
Borowiecki, M, 5350
Borsuk covering, 3870
Borwein, P, 2675
Bose, 3168, 4368, 6029
equivalence, 3872
Bose, R C, 762
Bose-Chowla construction, 4518
Bose-Mesner algebra, 5936
Bose-Shrikhande-Parker construction for Latin squares, 1101
boson calculus on formal series, 5567
bottleneck, 4885
range, 634
version of CTSP, 5368
Bouchet, 3290, 4328, 5356, 5523
colouring, 4328
Bouchet, A, 2483
bound on
path connectivity, 1711
the achromatic number, 525
union and intersection, 1494
boundary characteristic, 2282, 5757
boundary complex, 2337, 2690
of a convex 4-polytope, 1847
boundary
component, 4203
graph, 5607
lattice point, 2026
boundary of
a 3-dimensional convex polytope, 2244
a face of an embedding, 1949
boundary
operator, 4478
path, 1707
point, 705
bounded
automorphism, 3131, 5469
bitolerance order, 5493, 5498
chromatic number, 3590
circuit intersection, *see also* BCI and NBCI
coloring, *see* bounded colouring
colouring, 3590
covalence, 4410
decomposition width order, 3589
bounded degree, 3569
bipartite graph, 5043
connected bipartite graph, 5043
tree, 5723
bounded
distributive lattice, 5221
genus, 3630
graph, 3114
growth rate, 1868
lattice, 16
modular lattice, 1794
nonorientable genus, 5598
path width, 4061
rank, 3690
semigroup, 1791
bounded tolerance
graph, 5498
order, 4145, 5498
bounded
tree width, 5825
truth table reducibility, 677
valency, 594
vertex colouring of a graph, 3590
bounded-degree, *see* bounded degree
bouquet, 2527
bouquet of
circles, 4623
geometric lattices, 2527
matroids, 2527
Bouwer, 5672
Bowen, 3034

bowtie, 4226
  system, 4226
box
  capacity, 589
  diagram, 1761
  game, 2184
  graph, 1859
box perfect, 2475
  graph, 2475
box
  perfection, 2475
  representation, 2147
  TDI, 2475, 3248
  threshold graph, 1714
boxes, 2439, 2706, 3004, 3661, 3822, 5171
boxicity, 945, 2147, 2706, 3661
  of a graph, 945
boxicity two, 3661
  graph, 2706
box-threshold, *see* box threshold
Boyce, 4411
bqo, 3475, *see also* better quasi-ordered
bracing cubic grid, 2458
bracket algebra, 4323
  of rank n, 4323
Bradley, 330
Brahana, 5672
braid, 4505
  group, 3358, 3360, 4869
branch, 4761, 6028
branch and bound
  method, 5236
  tree, 5236
branch
  of a strong digraph, 1593
  structure, 2285
  vertex, 2285
branche, 91
branched D_n-covering of a surface, 5485
branched covering, 2597, 5485
  of S^3, 2068
  of a surface, 3356, 4703
  of the projective plane, 5485
  of the sphere, 5485
branched
  over a link, 2068, 2870, 5589
  surface cover, 913
branching, 212, 868, 3069, 6013
  greedoid, 2728
  of a directed graph, 868
  polyhedron, 868
  program, 4469
Brand, N, 2246
Brandstädt, 5439
Brandstädt, A, 2868, 5736
Brauer, 2182, 4555
  tree, 2766
Brawley, 3733
breadth, 511
breadth first search, 5232, 5779
  tree, 5232
breadth
  of a lattice, 1602
  three, 2919, 4156
breadth-first, *see* breadth first
Brecht, 2397
Bressoud, 2655, 4980, 5852
brick, 2237, 2425, 4218, 4425, 4431
  packing, 1380, 1393
  product, 4431
brick-product, *see* brick product
bridge, 713, 2618, 3246, 3884, 4232, 5798
  graph, 4232
  in a graph, 713, 851
  of longest cycles, 2618
  tournament, 1287
bridged graph, 2227, 2465, 4936
bridgeless connected
  graph, 5509
  plane graph, 527
bridgeless
  cubic graph, 4682, 4885
  graph, 3250, 3603, 4391
  planar graph, 2418
Brigham, 1747, 2000
Brightwell, 4463
Brini, 2462
brittle
  distributive lattices, 1845
  graph, 3643
broadcast, 5036
  graph, 837, 4918
  network, 2861, 5905
  time, 837
broadcasting, 837
Broersma, 5294, 5511, 5611, 5702
Broersma, H J, 4650
broken circuit, 2874
  complex, 4800, 5722
broken
  link, 3447
  wheel, 3136
Brøndsted, 4269
Brooks, 572, 4326, 5013
  chromatic bound, 1383
  colouring theorem, 5013
  theorem, 572, 695, 776, 1383, 4326, 4799, 5013
Brousseau, 1154
  configuration, 4423
Brousseau, B U A, 4423

Brouwer, 1101, 1966, 2763, 2983
Brouwerian lattice, 673
Brown, 4839
  algorithm, 87
Brownian motion, 3521
Brualdi, 350, 1829, 3000, 4830, 4833, 5061, 5232, 5481, 5685, 5893
Brualdi, R A, 2426
Bruck, 709, 1732, 2150, 3614, 4082, 6029
  net, 3676
Bruen, 4414, 5742
  chain, 4414
Bruhat
  cell, 2469
  order, 5574, 5844
Brunel, 308
Bruns, 1787
Bruns, G, 2011
Bryant, 5191, 5206, 5295
Brylawski, 100, 2564, 3392, 4946
  decomposition, 100
Brylawski, T, 2998
BTD, 1274, 2580, *see also* balanced ternary design *and* balanced tournament design
  with block size 3, 1274
Bu, 5310
bubble sort, 4847
Buchberger algorithm, 4481
budget constraint, 2864
Buekenhout, 5405
Buekenhout-Metz unital, 4118
building, 1947, 5153, 5777, 5848
  block, 3429, 3676, 3801, 4101
building of
  rank one, 5777
  spherical type, 5777
building stone, 3102
bull, 3800
Bulman, 2373
Bulman-Fleming, S, 2686
Bumby, 995
Bumby, R T, 49
bump, 2566
bump number, 2566
  problem, 2566
bundle theorem, 5406
bundle-theorem, *see* bundle theorem
Buneman, 787, 2537
  construction, 2537
Burkill, 297
Burlet, 3384
Burns, R N, 1605
Burnside
  lemma, 462
  ring, 3769
Burosch, 4659
Burr, 517, 650, 1060, 5059, 5765
Burshtein, 2169
  conjecture, 2169
burst correcting, 5538
  code, 5538
burst correction capability, 3461
  of a Fire code, 3461
burst-correction, *see* burst correction
Butler, 205
Butler, L, 4587
Butson, 3315
butterfly, 5883
  network, 5883
Byleen, K, 310
byte-oriented information system, 1894
B-array, 4556
B-graph, 3972
b-matching polyhedron, 1096
B-matroid, 614, 3605
B-sequence, 1720
  of the tree, 1720

C

C*-algebra
  of bounded linear operators, 5330
  tensor product, 5330
C*-norms, 5330
c.p.o., 5213, *see also* complete pre-order
  polytope, 5213
C_{2n}, 5418
C_3-factorization, 5991
C_3-geometry, 3743
C_4, 4710, 5027, 5059, 5346, 5370, 5418, 5707, 5935, 5953
C_4-star Ramsey number, 5059
C_5, 5707, 5953, 5994
$C_5 \times C_5$, 5679
$C_5 \times C_7 \times C_7$, 5610
C_5-decompositions, 2377
C_5-free, 5247
C_6, 5258, 5935, 5940, 5953, 5957
C_6-free
  bipartite graph, 5254
  graph, 5940, 5957
C_7, 5953
C_8, 5953
C_9, 5953
C_{60}, 5276
CA, 5909, *see also* cellular automaton
$(C_a, C_b, \ldots, C_n)$-factor, 2427
cable, 1669
cacce, 4784, 5528
  poset, 4784, 4785, 5211, 5355, 5528
  property, 4784

Caccetta, 2212, 2423, 5232
Caccetta-Häggkvist conjecture, 5232
cactus, 3553, 4747, 5234
cage, 899, 954, 1330, 1426, 3259, 4032, 4260, 5232, 5465, 6017
  of valency n, 899
Cahit, 3747
Cai, 3784
Cairnie, 5723
Cairns, 1556
calculating individual plethysm coefficients, 5581
calculus of
  conversion matrices, 1297
  subsets of frames, 3476
Calderbank, 2931, 3137
Calkin, 5885
  binomial identity, 4803
Calkin, N J, 4803
Cameron, 1940, 2032, 3037, 3378, 3440, 3708, 4568, 5184, 5282, 5326, 5726, 5739
Cameron, P J, 4568
Camina, 5184
Camion, 451, 944, 3624
  method of binary developments, 212
Cammack, 3337
Campbell-Baker-Hausdorff formula, 1427
cancellable, 4795
cancellation, 4795
cancellative semigroup, 1200
canonical codification, 1007
  of maps, 1007
canonical
  colouring, 909, 2478
  cut, 347
canonical decomposition, 2425, 4409, 5051, 5249, 5490, 6025
  for a chain complete ordered set, 5490
  of a closure, 400
  of a graph, 4060
canonical
  disjunctive form, 1159, 1333
  double covering, 5473
canonical form, 244, 677, 1994, 5752, 6031
  for Golay sequences, 5752
canonical
  graph, 248, 1942, 5701
  idempotent, 4477
  n-colouring, 2478
  palindrome factorization, 5424
  partition relation, 5002
  product, 1183
  Ramsey theorem, 3016
  realization of an orthogonal Lie algebra, 5574
  representation, 4290, 5024
  string rewriting system, 3205
canonizing
  ordering theorem for combinatorial cubes, 2457
  Ramsey theorem, 1806
Cantor set, 3521
Cao, 6012
cap, 722, 1140, 1623, 5394
  of largest size, 722
  with weighted points, 1140
capacitated network, 5264
capacity, 82, 589, 3954, 4931, 5640
  constraint, 5264
capacity formula
  of Cohen et al., 5640
  of Gargano et al., 5640
capacity
  function, 2171
  of a graph, 4365, 4931, 5640
Capelli-type determinant, 5574
Capobianco, 1707
Carathéodory theorem, 1321
  for arrangements of pseudohyperplanes, 1323
carbon
  atom, 5276, 5780
  chemistry, 5276
  football, 5276
  tube, 5276
  tubule, 5276
Carbonara, 5848
card of a tournament, 4657
cardinal, 3124
  characteristic, 3478
  number of orbits, 1786
cardinality, 352, 380, 404, 454, 511, 577, 647, 706, 718, 736, 740, 749, 753, 783, 832, 850, 858, 871, 882, 921, 941, 965, 1024, 1028, 1030, 1050, 1118, 1122, 1142, 1161, 1173, 1174, 1185, 1248, 1251, 1277, 1280, 1300, 1301, 1313, 1345, 1354, 1397, 1450, 1469, 1494, 1544, 1602, 1605, 1622, 1680, 1692, 1698, 1749, 1789, 1823, 1874, 1932, 1941, 1958, 1987, 2019, 2111, 2200, 2209, 2374, 2379, 2568, 2625, 2629, 2653, 2691, 2764, 2783, 2789, 2796, 2824, 2851, 2855, 2857, 2867, 2947, 3000, 3091, 3092, 3125, 3133, 3170, 3225, 3257, 3308, 3316, 3320, 3325, 3342, 3380, 3460, 3469, 3478, 3494, 3508, 3573, 3577, 3622, 3645, 3713, 3781, 3786, 3799, 3815, 3998, 4093, 4172, 4197, 4241, 4385, 4421, 4524, 4536, 4542, 4557, 4607, 4639, 4685, 4691, 4762, 4773, 4792, 4839, 4896, 4963, 5046, 5104, 5115, 5248, 5260, 5278, 5376, 5475, 5520, 5522, 5637, 5642, 5655, 5735, 5747, 5763, 5766, 5826, 5871, 5950, 5960, 5975, 5996
  condition, 577

cardinality (*cont.*)
four, 5812
greater than four, 1887
cardinality of
a colour class, 5597
a critical covering, 1213
a finite topology, 1171
a matching, 1336
cardinality of a maximum
independent set of vertices, 2631
matching, 832, 941, 1216
cardinality of
a minimum sized cut set, 2126
a set of orbits, 3524
an intersection, 1930, 5714
cardinality restriction, 2237
Carlitz, 371, 664, 876, 3733, 4383, 4677, 4927, 4977, 5850, 5852
q-Catalan number, 5451
Carlitz, L, 887, 4829, 5003
Carlitz-Riordan number, 5850
Carlitz-Uchiyama bound, 4677
Caro, 4311, 4457, 4685, 5353
Carré, 2429
Cartesian
closed, 827
coordinate system, 3896
d-th power of the complete graph K_n, 5716
graph bundle, 5312
multiplication, 3102
ordering, 1777
plane, 230, 247
power of a graph, 4055, 5863
Cartesian product, 376, 660, 741, 805, 1270, 1443, 1606, 1798, 1979, 2352, 3102, 3256, 3304, 3514, 3522, 3529, 3936, 4012, 4060, 4453, 4567, 4600, 4720, 4735, 4903, 5494, 5619, 5637, 5679, 5756
graph, 4124, 4903, 5312
of a tree and a cycle, 1270
of Cayley digraphs, 1443
of complete graphs, 1979, 4868
of graphs, 2977, 2987, 3517, 3529, 4124, 5082, 5637, 5756
of partial orders, 1798
of paths cycles or trees, 5637
of posets, 2912
of three triangles, 1888
Cartesian product of two
cycles, 4755
graphs, 2987, 5127
posets, 2912
Cartesian sum, 1239, 4200
of graphs, 4200
of two odd cycles, 4200
Cartesian-product, *see* Cartesian product
Cartier, 1441
cartographic group, 4961, 5582
of a dessin, 5582
of a map, 5582
Carvallo, 562
Cassini
Fibonacci identity, 1956
identity, 6016
Castoral, 1787
Catalan
lattice path, 5580
number, 434, 619, 697, 739, 874, 914, 971, 1073, 2175, 2200, 2719, 3209, 3306, 3325, 3736, 4187, 4422, 4688, 5451, 5566, 5841, 5841, 5850, 5864
path statistics, 5580
series, 4159
set, 2200
triangle, 434, 848
catalogue of
graphs on 10 vertices, 2336
isonemal fabrics, 2021
catalytic feedback, 2511
loop, 2511
catalytic
formation, 2511
interaction, 2511
catch digraph, 2468
categorial investigation, 4656
categorical product, 53, 1827, 3656, 5619, 5765
of graphs, 3495, 4365
category, 659, 891, 1590, 1649, 1685, 1794, 2984, 3467, 3479, 3644, 3727, 3770, 4101, 4656, 4664, 5630, 5777
Mod-R, 5630
of closure spaces, 4090
category of combinatorial
geometries, 658
species, 3770
category of
complete lattices, 1590
distributive lattices, 1649
finite pregeometries, 658
finitely regular locales, 3473
frames, 3476
graphs, 4385
isotone functions, 4090
locales, 3473
modules, 234
polyspherical posets, 338
posets, 4664
pregeometries, 388, 658
Priestley spaces, 1649
Q-distributive lattices, 3146

category of relational
structures, 4656
systems and relational homomorphisms, 4101
category of
residual functions, 4090
sets, 234
sites, 3565
TC-spaces, 827
θ-valued Lukasiewicz algebras, 891, 991
three-valued Lukasiewicz-Moisil algebras, 1650
category, hyperoctahedral, 4478
caterpillar, 197, 1669, 1761, 4634, 4880, 5395, 5395, 5731, 5859
construction, 1761
Catlin, 695, 3087, 3543, 3921, 4326, 4366, 4866, 5437, 5594
extension of the Brooks theorem, 695
reduction technique, 3921
theorem, 3543
Cauchy
code, 2964
identity, 3228
matrix, 2689
causal functional, 5570
causality, 4100
Cayley, 1400, 2470, 2973, 3064, 3132, 3518, 3527, 4961
colour graph, 317
diagram, 1250, 2422, 3670
Cayley digraph, 1400, 1443, 1822, 2211, 2606, 2755, 3700, 4035, 4331, 4336, 4380, 4551, 4720, 4789, 5235, 5388, 5606, 5931
of a cyclic group, 4720
of a hyperbolic symmetry group, 4331
of a metacyclic group, 3700
on a group, 4336
on an Abelian group, 1876
Cayley
enumeration formula, 394
formula, 394, 2803, 2817, 2900
Cayley graph, 604, 1078, 1524, 1525, 1739, 2395, 2470, 2601, 2616, 2731, 2755, 2956, 3310, 3527, 3548, 3585, 3663, 3673, 3780, 3918, 4331, 4380, 4510, 4653, 4678, 4720, 4750, 4789, 4793, 4817, 4822, 4872, 4954, 5065, 5365, 5584, 5602, 5682
of a cyclic group, 4720
of a finite group, 735
of a group, 1525, 3486
of an Abelian group, 5682
of the group of integers, 5588
on an Abelian group, 4109, 4755
structure, 5588
Cayley
line digraph, 4551
map, 3527, 3918, 4793
permutation, 1609
table, 5925
tree, 1609
Cayley, A, 2817
Cayley-Hamilton theorem, 1441
CA-free graph, 5930
cbip, 2786, 4372, 4377, *see also* cycle basis interpolation property
CBTD, 4192, *see also* court balanced tournament design
CC, *see also* chain complete
CC-comparability invariance, 5490
CDC, 2512, *see also* cycle double cover
cds, 2987, 4600, *see also* chromatic difference sequence
of powers of a circulant graph, 2987
cd-index, 4496
of B_n, 4496
Ceccharini, 3819
Ceccherini, P V, 5628
Cech space, 827
cell, 230, 310, 360, 375, 436, 582, 587, 610, 877, 959, 1033, 1045, 1154, 1541, 1549, 1721, 2019, 2088, 2108, 2524, 2525, 2580, 2640, 3208, 3807, 3814, 4131, 4323, 4327, 4768, 4875, 5078, 5228, 5423, 5643
collapsing, 582
complex, 582, 2082
decomposition, 5391
growth problem, 360
of a graphic matroid, 610
partition, 1721
structure, 5078
cellular
algebra, 5939
automaton, 771, 2345, 4178, 5909, *see also* CA
complex, 3644, 5034
cellular decomposition, 4961, 4961
of a partition variety, 5078
cellular
embedding, 5758
network, 2861
orientation embedding, 3109
telephone network, 5987
cellularly embeddable, 3089
center, *see* centre
central
factorial number, 4159
involution, 3007
limit theorem, 1713, 1831
method, 2596
nonaxial automorphism, 1288
projection of a polytope, 2101
central ratio, 1240
of a graph, 1240

central
series, 1487, 5142
unit, 4734
centrality in a tree, 807
centralizer
algebra, 5939
of a matrix, 4699
centrally
irreducible, 1487, *see also* c-irreducible
reducible, *see also* c-reducible
symmetric 3-polytope, 1063
centrally symmetric convex
polytope, 148
tessellation, 148
centrally symmetric
polygon, 2839
polyhedra, 148
rectangle, 5354
with threshold c, 5354
central-method, *see* central method
centre of
a claw, 5133
a delta system, 2551
a graph, 1240, 4994
a hyperclaw, 2551
a tournament, 4182
an infinite graph, 4994
symmetry, 186
centre vertex, 1240
centroid, 807, 2026, 2149, 5487
centroid of
a tree, 807, 5487
all spanning trees, 5487
centroidal branch, 5487
Cenzer, 2636
certificate, 4292
chain, 118, 183, 210, 528, 696, 1119, 1293, 1325, 1403, 1447, 1589, 1626, 1727, 1778, 1792, 1810, 2119, 2132, 2133, 2136, 2147, 2348, 2468, 2624, 2836, 2921, 2925, 2948, 3099, 3401, 3593, 3799, 3976, 4115, 4247, 4414, 4494, 4526, 4613, 4664, 4829, 5102, 5207, 5257, 5412, 5425, 5507, 5698, 5704, 5742, 5985
algebra, 1230
between two vertices, 1164
by inclusion, 3508
chain complete, 4784, 5304, *see also* CC
ordered set, 5490
poset, 4784, 5304
chain
completeness, 5490
condition, 2718, 4386, 5219, 5390, 5435
chain decomposition, 2136
of a graph, 2136
chain
enumeration, 1036
generating polynomial, 3799
in a poset, 3248
of infinite length, 210
chain of length
at most n, 1756
four, 2981
n, 1699
chain
of type $\omega + 1$, 3146
order, 571
chain partition, 2408, 4641
property, 4641
chain property, 1572
chainability, 2081
chainable matrix, 384
chain-complete, *see* chain complete
chairman assignment, 1091, 4827
problem, 1091, 4827
chamber, 3574, 4971, 5561
chamfer
distance, 4594
metric, 4594
Chandra, 782
Chandra, A K, 1079
Chang, 1962, 2465, 2915
Choi, 1194
graph, 1339
change
generation algorithm, 5058
graph, 361
of basis matrix, 1227
change ringing, 4750, 4789
extent, 3876
change-graph, *see* change graph
change-ringing, *see* change ringing
channel, 3084
channel assignment, 5905
problem, 3084, 4944
channel coding, 2780
Chao, 3136
Chao, C Y, 1976
chaotic behaviour, 2110
character, 4477, 5854
character of
a symmetric group, 395
a wreath product, 395
the symmetric group, 689, 984, 1290, 2673
character ring, 480
of a hyperoctahedral group, 480
of a symmetric group, 480
character
sum, 1938
theory of the symmetric group, 1232

characterisation, *see* characterization
characteristic
  class, 2561
  equation, 3456
characteristic free resolution, 5839
  of a Weyl module, 5839
characteristic function, 245, 475, 1553, 5360
characteristic of
  a division ring, 114
  a field, 2277
  a simple graph, 3835
characteristic parameters of a t-(v, k, λ)-design, 466
characteristic polynomial, 77, 428, 601, 829, 1028, 1035, 1046, 1276, 1812, 1842, 3104, 3783, 3861, 3951, 4379, 4447, 4689, 5108, 5315, 5411, 5617, 5843, 5947
  of a bipartite graph, 4689
  of a graph, 829, 1684
  of a ladder, 1276
  of a wheel, 1276
characteristic sequence, 5424
characteristic series, 5916
  of a labeled path, 1073
characteristic set, 2012
  of matroids, 2277
characteristic
  triangulation of a curve, 4961
  two, 4153, 4216, 4217
characteristic vector, 3714
  of a circuit, 4073
characteristics polynomial, 1046
characteristic-free, *see* characteristic free
characterization, 85, 123, 128, 145, 175, 239, 268, 305, 355, 370, 374, 391, 401, 451, 503, 504, 542, 546, 560, 567, 573, 581, 636, 653, 677, 708, 738, 773, 799, 808, 853, 905, 912, 945, 982, 1046, 1063, 1100, 1103, 1127, 1165, 1211, 1212, 1237, 1302, 1367, 1374, 1388, 1431, 1502, 1547, 1553, 1567, 1648, 1695, 1704, 1733, 1734, 1735, 1761, 1764, 1783, 1803, 1850, 1856, 1857, 1878, 1879, 1885, 1919, 1921, 1970, 2007, 2079, 2085, 2101, 2148, 2153, 2245, 2284, 2291, 2302, 2314, 2317, 2329, 2355, 2387, 2490, 2620, 2621, 2723, 2790, 2820, 2878, 2912, 2944, 3006, 3065, 3089, 3124, 3150, 3174, 3352, 3385, 3387, 3527, 3546, 3598, 3621, 3631, 3647, 3681, 3700, 3703, 3717, 3725, 3757, 3787, 3793, 3810, 3862, 3884, 3906, 3941, 3972, 3975, 4033, 4042, 4079, 4121, 4156, 4167, 4221, 4228, 4273, 4289, 4320, 4334, 4344, 4360, 4391, 4406, 4415, 4513, 4519, 4543, 4623, 4645, 4648, 4655, 4674, 4687, 4746, 4766, 4792, 4793, 4824, 4864, 4883, 4912, 4941, 4944, 4954, 4986, 4994, 5013, 5050, 5053, 5083, 5088, 5104, 5178, 5202, 5210, 5221, 5235, 5266, 5267, 5289, 5310, 5333, 5408, 5415, 5455, 5461, 5463, 5469, 5481, 5503, 5666, 5667, 5676, 5697, 5705, 5713, 5740, 5750, 5754, 5788, 5793, 5801, 5836, 5843, 5852, 5951, 5980, 6024
characterization by
  a rewriting system, 5677
  forbidden subgraphs, 5801
characterization for, *see also* characterization of
  a semimodular lattice of finite length to be strong, 2726
characterization of
  (3, 2)-transitive semicomplete directed graphs, 4415
  (n, 1)-transitive semicomplete directed graphs
  2n-element posets of dimension n, 131
  2-asummable functions, 649
  2-monotone matroids, 3787
  2-variegated graphs, 743, 1086
  3-monotone matroids, 3787
  3-variegated graphs, 743
  4-connected graphs, 2792
  a ballot problem, 3983
  a connected matroid, 5220
  a semigroup of (0, 1)-matrices, 311
  absolute retracts of n-chromatic graphs, 1919, 2316
  addressable data graphs, 268
  adjacency, 868
  Alexandroff points, 1777
  almost irreducible graphic matroids, 1202
  an (n, k, m; q)-code, 2575
  and hereditary properties for partition graphs, 3642
  antipodal graphs, 4034
  arc diagrams of interval orders, 4647
  asymmetrizable trees without endpoints, 3124
  atomistic semilattices with tree diagrams, 4402
  basis partitions, 5555
  bias matroids, 3331
characterization of binary
  matroids, 239, 1053, 1237
  paving matroids, 2347
  simplicial matroids, 510, 1646
characterization of bipartite
  and split graphs, 4654
  antipodal distance regular graphs with odd diameter, 5593
  bithreshold graphs, 3788
  chordable graphs, 1095
  Steinhaus graphs, 5980
characterization of
  bisubmodular functions, 4602
  box diagrams, 1761

characterization of (*cont.*)
bridged graphs, 2227
circle graphs, 1838, 4307, 5523
circularly representable hypergraphs, 1735
classical Ramsey theory for graphs, 687
characterization of clique
gated graphs, 5000
separable graphs, 1560
characterization of
codes, 1906
common factor graphs, 2182
comparability graphs, 1180
characterization of complete
Boolean algebras, 1649
distributive lattices, 1649
graphs, 142
characterization of
congruent 2-cell embeddings, 4219
conjugation, 410
characterization of connected
line critical point determining graphs, 305
locally H graphs, 4210
characterization of contexts, 2134
characterization of continuous finite
Mendelsohn triple systems, 4561
Steiner triple systems, 4561
characterization of
contraction minimal locally cyclic triangulations of the projective plane, 3847
cordial graphs, 3705
critically indecomposable structures, 3646
cube hypergraphs, 4655
characterization of cubic
cyclically 4-edge connected planar graphs, 911
finite graphs, 421
lattice graphs, 105
characterization of
cycle vanishing graphs, 3394
cyclic GDDSs, 1277
cyclically n-partite strongly connected digraphs, 3550
de Bruijn cycles, 3537
de Morgan lattices, 1547
diagrams, 2130
characterization of digraphs, 1848
without paths of length two or three, 1955
characterization of direct sums of series parallel networks, 5714
characterization of directed
branching greedoids, 3069
vertex graphs, 5837
characterization of
disjoint covering systems, 369
distance regular graphs, 5593
endomorphisms, 1765
Eulerian simple graphs, 4538
exactly covering sequences, 370
Ferrers digraphs, 1242
characterization of finite
affine planes, 399
distributive planar lattices, 145
linear spaces, 3757
unions of arithmetic sequences, 1246
characterization of forbidden pairs, 5217
characterization of forcibly
chordal graphical sequences, 2148
interval graphical sequences, 2148
n-variegated degree sequences, 955
strongly chordal graphical sequences, 2148
trivially perfect graphical sequences, 2148
characterization of
f-vectors of finite acyclic simplicial complexes, 1850
Gallai graphs, 4826
characterization of generalized
arc pancyclic local tournaments, 5310
hypercubes, 3068
locally testable languages, 1695
staircases, 3223
characterization of
geometric spreads, 3156
graphic matroids, 1237, 2291, 2728, 4527
characterization of graphical
covers, 1924
sequences, 2148
characterization of graphs, 2481, 3941, 3955, 4437, 4633, 4967, 5816
admitting a 2-orientation, 2130
giving rise to join spaces, 3506
whose line graphs are interval graphs, 1743
with maximum number of spanning trees, 5489
characterization of grid graphs, 2878
characterization of Hamiltonian
digraphs with circulant, 5368
extended LSD, 5112
graphs of given chromatic number, 541
characterization of
hexagonal systems with forcing edges, 4309
hypercubes, 557, 1289, 3534, 4954
ideal 0-1 matrices, 3600
incidence algebras, 546
independence systems, 1058
infinite locally-finite planar 1-ended graphs, 4410
interchange graphs, 105, 256
intersection classes of graphs, 1861
characterization of intersection graphs, 3814
of halflines, 2216
of vertex disjoint paths in a tree, 4519
characterization of interval
catch digraphs, 2468

characterization of interval (*cont.*)
graphs, 1692, 2954, 3385
hypergraphs, 1414
characterization of
Kautz digraphs which are Cayley digraphs, 4551
labeled 2-structures, 4066
LCD codes, 3446
legitimate decks, 834
line geometries, 5408
characterization of local
regular languages, 5708, 5708
tournaments, 5289
characterization of locally testable events, 116
characterization of matroidal
families of multigraphs, 1753
systems of inequalities, 2314
characterization of
matroids, 2944
maximal plenary sets, 4940
maximum (g, f)-factors, 2991
median graphs, 799, 2537, 4355
Meyniel graphs, 3384
minihypers, 3725
minimally nonideal matrices, 3600
minor minimally connected matroids, 1715
monotonic Boolean functions, 4316
multilattices, 1103
multiply transitive subgroups of symmetric groups, 707
nonupperembeddable vertex transitive graphs, 2616
non-Hamiltonian graphs, 708
normal fraternally orientable, 5161
n-component graphs, 4967
n-critical graphs, 224
n-trees, 221, 3373
n-variegated graphs, 1086
optimal solutions of the gossip problem, 1302
outerplanar graphs, 853, 1734
pancyclic ordinary complete multipartite digraphs, 4320
pancyclicity, 4039
parity graphs, 3015
partial 3-trees, 2657
partially ordered sets, 893
partition graphs, 3642
path panconnected local tournaments, 5310
characterization of perfect
$(0, \pm 1)$-matrices, 5233
graphs, 881, 5161
characterization of
periodic words, 813
permutation matrices, 18
permuting Boolean functions, 420
characterization of planar
graphs, 542, 853, 911, 1095
lattices, 1180
sets with unique completion, 3870
characterization of
point determining and point distinguishing graphs, 305
posets with the fixed point property, 5178
characterization of potentially
bipartite self complementary bipartitioned sequence, 1259
generalized bipartite self complementary bi-graphic sequence, 5673
characterization of
products of trees and grids, 5201
projective flexibility, 5769
proper interval graphs, 3385
quasicubic graphs, 3955
quasimedian graphs, 3304
Ramsey theory, 1261
rank functions of closure spaces, 1648
reduced incidence algebras, 1144
regular elements in sandwich semigroups of binary relations, 1374
regularisable graphs, 752
root lattices, 4959
rotational tournaments, 2545
Schur functions, 2434
self complementary chordal graphs, 5743
selfcomplementary symmetric digraphs, 4955
characterization of semigroups of
symmetric binary relations, 2158
tolerance relations, 2158
characterization of
semisymmetric designs, 1467
sequences of binomial type, 1704
simplicial hypergraphs, 1646
snarks, 5705
square minimally nonideal zero-one matrices, 3600
stationary sets, 1777
strong unique independence graphs, 1935
characterization of strongly
chordal graphs, 1431, 5713
wellcovered graphs, 4161
characterization of
subdirectly irreducibles, 659
subgraphs of critical graphs, 862
substitutive sequences, 5484
systems of binary probabilities induced by unimodal linear orders, 3999
ternary transversal matroids, 2074
the Ahlswede-Daykin inequality, 4652
the Bailey transform, 4494
the canonical decomposition of a closure, 400
the Carathéodory theorem, 1321

characterization of (*cont.*)
the Cartesian product of complete graphs by convex subgraphs, 1979
the centroid of a tree, 807
the characteristic of a division ring, 114
the Chinese remainder theorem, 2245
the chromatic polynomial, 2241
the clique partition number, 3812
characterization of the degree sequences of
box threshold graphs, 1714
matrogenic graphs, 1714
characterization of
the Dirac theorem, 3382
the edges of connected graphs, 4305
the Erdös-Ginzburg-Ziv Theorem, 5001
the exclusion algorithm, 549
the extensions of symmetric designs, 1940
the f-vector of an acyclic simplicial complex, 3810
characterization of the graph of
the dodecahedron, 1688
the icosahedron, 1688
characterization of
the graphs with boxicity $\leqslant 2$, 2706
the Hamming graph, 3068
the Higman well quasi-order theorem, 1934
the hypercube, 3068
the Kaplansky game, 1381
the Legendre symbol, 898
the line graph of a finite affine plane, 365
the maximum genus, 5369
characterization of the minimum
(n, k)-factors, 2991
cycle mean in a digraph, 773
characterization of
the minor minimal clutters without the MFMC property, 3701
the n-cube, 1351
the odd graphs O_n, 1388
the path graph, 765
the perfect shuffle, 1596
the Poisson distribution, 401
the Pólya enumeration theorem, 1999
the Roberts inequality for boxicity, 945
the Rogers-Ramanujan indentities, 1128
the set of values $[n\alpha]$, 60
the Sylvester identity, 5018
the Turán theorem, 1075
characterization of threshold
graphs, 1242
matroids, 998
characterization of
time graphs, 1088
tope graphs of oriented matroids, 3584
characterization of totally
balanced hypergraphs, 1916
unimodular matrices, 451
characterization of
transitivity for digraphs, 2301
tree visibility orders, 5759
characterization of trees, 820, 3150
characterization of trees with
a 1-factor, 1125
bondage number 1, 5083
generalized 1-factorization, 1125
characterization of
triangulations of the torus, 2237
triple sum sets, 1697
T-chromatically unique graphs, 5440
unary developmental language, 185
undirected branching greedoids, 2728
unicyclic directed cacti, 5135
unidigraphic integer-pair sequences, 1212
characterization of uniform
imbeddings, 4391
sticky matroids, 2299
characterization of
unigraphic integer-pair sequences, 1212
unions of finite systems of residue classes, 1246
unique independence trees, 1935
characterization of uniquely
solvable Postian equations, 4628
vertex colourable graphs, 5993
Veronese varieties, 1623
vertex pancyclic ordinary complete multipartite digraphs, 4320
very well covered graphs, 1397, 4951
weakly transitive orientations, 3598
characterization of well covered
and n-extendable graphs, 3972
graphs, 4951
characterization problem, 1180, 3584
for 0-1 matrices, 542
for circular arc graphs, 542, 945
for comparability graphs, 542
characterization problem for interval
graphs, 542
orders, 542
characterization problem
for posets, 542, 945
for rectangle graphs, 945
for the Johnson graph, 1962
characterization result, 4449
characterization theorem, 1784, 3584, 3616, 3679, 4368, 5852
for 3-dimensional convex polytopes, 636
for circuit spaces, 590
for natural partial orders on Boolean lattices, 2457
for partial geometries, 3422
for perfectness, 809

characterization theorem (*cont.*)
for regular subsets, 573
for semipartial geometries, 3422
characterizing, *see* characterization of
Charles-Jordan formula, 1469
Charlier polynomial, 1073, 2633
charming graph, 3286
chart, 4961
Chartrand, 665, 745, 789, 1085, 1141, 1455, 1736, 2302, 2563, 3658, 3884, 5384, 5411
Chartrand, G, 1647, 2391, 2846, 3169
Chebychev, *see* Chebyshev
Chebyshev inequality, 4886
Chebyshev polynomial, 1073, 1152, 4843, 5305
identity, 1152
check
character system, 3186
digit, 1891
polynomial, 78, 554
checkerboard, 667
argument, 5049
Chein, 4259
chemical
graph, 5361
stability, 5276
chemically relevant polyhedra, 5780
chemistry, 3255, 3271, 5276
Chen, 2841, 3536, 3857, 4529, 4649, 4807, 5024, 5042, 5165, 5182, 5204, 5331, 5636, 5829, 5910, 5921
Chen, S-T, 2403
Cheng, 3002
Chen-Manalastas theorem, 4529
Chernoff, 5672
Chervonenkis, 3904, 5207
chess ending, 627
chessboard, 393, 1195, 1969, 2847, 2848, 3300, 5046, 5226
array, 4327
conjecture, 2017
domination problem, 2847
chessboard like
coloured, 5249
game board, 5452
chessboard square, 4327
chess-board, *see* chessboard
Chetwynd, 2479, 4754, 5025
Chetwynd, A G, 2164
Chevalley intersection formula, 5844
Chew, 4649
χ^*-extremal, 5663
χ-chromatic planar graph, 5347
χ-equivalence class, 4712
χ-equivalent graphs, 4032
χ-unique, 3098, 4032, 5113, 5654
graph, 4712
Chia, 5331, 5333, 5337
Chiang, 5356
Chin, 1809
Chinese remainder theorem, 2245
Chinn, 1126
chips game, 4847
chiral polytope, 4132
Chirality, 4132
Cho, 1251
choice number, 5252, 5418
choosability, 4324, 5013, 5229, 5867
of a planar graph, 3815, 4934
version of the Brooks theorem, 5013
choosable, 3815, 4536, 4821, 5229
choosing subsets from a colour set, 5814
Chopra, 3720
chord, 1350, 1413, 1730, 1838, 1864, 2269, 2291, 3384, 3940, 4318, 4873, 5686, 5713, 5804
configuration, 3736
extendable, 4318
chord in
a circle, 1859, 5523
a matroid, 610
chord
length, 4431
of a circuit, 610
chordable, 1095
graph, 1095, 1414
chordal, 4408, 4798, 4824, 4915, 5743
bipartite graph, 4776
characterization of graphic matroids, 2291
graph, 1431, 1807, 1838, 1958, 2038, 2226, 2227, 2383, 2517, 2822, 2852, 2857, 2866, 2954, 3640, 3641, 3919, 4028, 4033, 4069, 4123, 4607, 4632, 4798, 4824, 4997, 5063, 5104, 5106, 5143, 5710, 5713, 5743, 5800, 5837
power of a graph, 4798
proper circular arc graph, 4033
chordless
4-cycle, 725
cycle, 309, 3394, 5981
odd chain, 2280
chordless path, 2226, 2680, 3643, 4765, 4873, 5801
convexity, 1712
Chosen, S D, 2220
Choudum, 1460, 2000
Choudum, S A, 1086
Christofides, 3264, 3604, 3905
chromatic automorphism, 2672, 4023
chromatic class, 4057, 5334, 5335
of graphs, 5335
chromatic
coefficient, 978
complex, 1685

chromatic (*cont.*)
condition, 223
connected graph, 1919
chromatic difference sequence, 1044, 1817, 2987, 3656, 4600, 5437, 5625, *see also* cds
chromatic equivalence, 4173, 5338, 5343
class, 5039, 5343, 5359, 5440
chromatic
generating function, 2236
graph, 9, 157, 403, 811, 862, 999, 1006, 1919, 2316, 2476, 3656, 4176, 4348
chromatic index, 54, 121, 276, 287, 514, 839, 1258, 1392, 1571, 1759, 2737, 3909, 3917, 4574, 4885, 4909, 5433
chromatic index critical, 1566
graph, 1235, 1566
chromatic index
of a graph, 1571, 3261, 5025
of a multigraph, 5433
three, 1092
chromatic invariant, 4712
a of signed graph, 1407
chromatic number, 32, 129, 223, 246, 309, 471, 541, 552, 679, 776, 789, 791, 811, 836, 1005, 1006, 1163, 1177, 1233, 1328, 1346, 1365, 1370, 1496, 1565, 1634, 1667, 1694, 1800, 1804, 1813, 1858, 1859, 1984, 2142, 2477, 2486, 2487, 2492, 2529, 2532, 2562, 2627, 2641, 2643, 2667, 2736, 2741, 2987, 3033, 3189, 3199, 3265, 3274, 3292, 3318, 3342, 3406, 3517, 3590, 3630, 3709, 3817, 3865, 3867, 3979, 4004, 4200, 4326, 4371, 4398, 4418, 4429, 4456, 4536, 4558, 4567, 4574, 4640, 4646, 4668, 4673, 4735, 4826, 4935, 4944, 5013, 5020, 5063, 5081, 5118, 5123, 5194, 5240, 5252, 5268, 5455, 5547, 5667, 5765, 5807, 5812, 5813, 5898, 5903, 5956, 5987, 6015, 6033
five, 5067, 5797
n, 2142, 3239
of a graph, 309, 679, 716, 776, 1972, 2492, 2493, 2552, 3503, 3709, 3782, 4466, 4512, 4668, 4905
of a hypergraph, 1694
of a regular matroid, 1452
of a set system, 552
of an L-graph, 4673
seven, 3342
three, 3342, 5919
chromatic partition
of a graph, 2492
polynomial, 5579
chromatic polynomial, 141, 173, 774, 978, 1294, 1407, 1495, 1685, 2241, 2336, 2435, 2830, 2874, 3060, 3276, 3277, 3621, 3883, 3959, 4009, 4230, 4407, 4499, 4604, 4847, 4981, 5050, 5315, 5333, 5336, 5344, 5345, 5346, 5347, 5349, 5350, 5440, 5579, 5654, 5722, 5855, 6018
of a graph, 1953, 2241, 2435, 2721, 2874, 4009, 4057, 4235, 5343
of a q-tree, 2435
chromatic
Ramsey number, 1261, 5765
root, 964, 1495
scheduling, 5278
chromatic sum, 2798
equation, 2798
chromatic
theory, 5477
tiling, 2819
chromatic uniqueness, 774, 1976, 2336, 3098, 3101, 3136, 3362, 3829, 4032, 4412, 5027, 5113, 5337, 5338, 5340, 5348
of a graph, 5151, 5337
chromatically complete hypergraph, 1233
chromatically equivalent, 3829, 4057, 4173, 5343
graphs, 4057, 4173
chromatically unique, 896, 1355, 1728, 1976, 2336, 2721, 2738, 3098, 3101, 3362, 3567, 3756, 3829, 3883, 4057, 4412, 5027, 5333, 5340, 5351, 5358, 5654
bipartite graph, 5654
graph, 896, 2721, 3567, 3702, 3883, 4057, 5151, 5339, 5341, 5343, 5351, 5359, 5440
chromaticity, 3756, 3883, 4232, 4909, 5027, 5338, 5359, 5654
chromaticity of
a graph, 5359
a series parallel graph, 4712
a wheel, 1728, 2738, 4604
chromial, 173, 3060
Chrysippian endomorphism, 2385
Chung, 1261, 2526, 2882, 3992, 4340, 5566, 5585, 5668, 5679
Chung, F, 2640
Chung, R K, 1115
Church, 980
Church-Rosser, 1614
property, 1614
system, 1614
Chu-Vandermonde identity, 1200
Chvátal, 286, 332, 463, 477, 593, 785, 881, 989, 1014, 1133, 1608, 2184, 2192, 2423, 2481, 2490, 2662, 2683, 2891, 2975, 3561, 3604, 3643, 3905, 3909, 4335, 4351, 4356, 4729, 4765, 4908, 5232, 5247, 5248, 5636, 5775
conjecture, 785, 904, 1421, 1446, 1608, 2662
question, 1015
theorem, 250
Chvátal, V, 2680, 3286

Chvatalova, 3334
Chvátal-Erdös
condition, 726, 1929, 2205, 2379, 2808, 4661
sufficient condition for Hamiltonian graphs, 4351
theorem, 726
Chvátal-Las Vergnas condition, 477
Cieslik, 4359
Cignoli, 2385, 4247
cip, 4372
circle, 356, 406, 528, 816, 885, 1735, 1838, 2022, 2315, 2553, 3472, 3736, 5505, 5575, 6006
geometry, 5398
circle graph, 1451, 1838, 1859, 2222, 4307, 5063, 5523, 5523, 5898
characterization, 5523
of girth at least five, 5898
circle
in the plane, 2861, 5659
order, 5659
circle packing
algorithm, 3750
representation, 3750
circles containing a maximum number of points, 4430
circuit, 21, 51, 119, 172, 174, 205, 214, 261, 280, 366, 367, 368, 377, 386, 405, 449, 483, 510, 527, 534, 575, 590, 601, 610, 613, 614, 740, 800, 829, 899, 921, 1002, 1028, 1052, 1053, 1061, 1070, 1109, 1119, 1162, 1202, 1250, 1276, 1282, 1341, 1347, 1472, 1518, 1678, 2064, 2086, 2151, 2202, 2224, 2277, 2360, 2378, 2458, 2467, 2527, 2806, 2811, 2823, 2986, 3338, 3465, 3605, 3611, 3667, 3864, 3921, 4098, 4319, 4330, 4369, 4396, 4473, 4796, 4839, 5009, 5021, 5326, 5448, 5500, 5561, 5714, 5761, 5763, 5881, 5891
cover, 829, 5326
cut set duality, 1435
decomposition, 2319
design, 386
graph, 280, 5608
group of a graph, 172
in a finite group, 735
circuit in a graph, 829, 1061, 1700, 3455
embedded on the torus, 3455
circuit
in a tournament, 174
intersection in a graph, 4319
matrix, 4011
circuit matroid, 3399
of a graph, 3399
circuit of
a matroid, 367, 368, 781, 888, 1375
length less than three, 5232
odd length, 483
the dual matroid, 405
circuit polynomial, 829, 1257, 1276
of a graph, 1276
circuit space, 590
circuit through
five edges, 4796
specified edges, 1341
circulant, 2273, 3625, 4720, 5199, 5235, 5321, 5368
2-digraph, 5368
code, 1909
digraph, 826, 3670, 5235, 5368
distance matrix, 5368
generalized Hadamard matrix, 3625
circulant graph, 826, 2607, 2609, 2987, 3502, 3585, 3772, 4510, 4668, 5321, 5587, 5665
with square free number of vertices, 5665
circulant
matrix, 1629, 1909, 2273, 3372, 4177
tournament, 5199, 5965
traveling salesman problem, 5368, *see also* CTSP
circular, 4704, 5860, 5962
(α, ω)-graph, 1710
adjacency, 3864
circular arc, 4523
containment digraph, 4523
graph, 213, 1180, 1859, 3242, 3598, 3611, 5056, 5063
intersection digraph, 4523
circular
cellular automaton, 5909
configuration, 5909
covering design, 5962
critical graph, 1710
circular dimension, 961
of a graph, 816
circular
embedding, 3990
graph, 1710, 1735, 1795, 5466
map, 4704
matrix, 4130
circular nonsingular
threshold transformation, 3397
transformation, 4071
circular one's property, 1735
circular permutation, 354, 1401, 2630
graph, 3598
circular representable, 1735
hypergraph, 1735
circular
representation problem on a hypergraph, 1735
sequence, 1698
space, 5405
symmetry, 5466

circular-arc, *see* circular arc
circular-permutation, *see* circular permutation
circulating register of length n, 2047
circumference, 11, 2188, 3192, 4300, 4325, 4419, 4520, 4945, 5084, 5276, 5497, 5661, 5707, 5966, 5977
circumference of
  a circle, 2175
  a graph, 492
  a nonseparable graph, 11
circumscribed sphere, 4171
CI-subset, 5682
  of a group, 5606
C_k-critical graph, *see* C_n-critical graph
C_k-free, *see* C_n-free
C_k-saturated, *see* C_n-saturated
cladistic character, 516
Clar
  cover equivalence, 5349
  covering polynomial, 5349
Clark, 1917, 2255
Clarke, 3965
class field tower, 3195
class of
  algebraic curves with n marked points, 4961
  all finite graphs, 747
  branches, 91
  conjugacy, 1255
  countable graphs, 1844
  relations, 2984, 3971
  subsets of a set, 1124
class
  one, 5025
  sum, 5171
  uniformly resolvable pairwise balanced design, 3045
classical
  arc, 5389
  combinatorial quantity, 1356
  derangement, 4833
  Fodor theorem, 1777
  generalized quadrangle, 5403
  linear assignment problem, 5727
  plane, 3417
  Ramsey number, 687, 1261, 5992
  reflection group, 5434
  theorem of Helly, 885
  transportation problem, 731
  Weyl group, 4304
classification, 80, 238, 513, 1032, 1170, 1269, 1338, 2249, 2368, 2409, 3051, 3080, 3141, 3153, 3225, 3378, 3459, 3507, 3717, 3718, 3876, 4020, 4021, 4079, 4170, 4190, 4295, 4449, 4450, 4522, 4544, 4703, 5240, 5289, 5589, 6028, *see also* classifying
  method, 3732
classification of
  (0, 1)-matrices, 657
  (16, 6, 2)-designs, 1725
  (n, k)-graphs, 3141
  6-regular torus graphs, 1463
  affine invariant codes, 2676
  automata, 1114
  automorphism groups of finite interval orders, 3377
  bases in multiple valued logics, 4773
  codes meeting the Griesmer bound, 3436
  complete n-arcs, 3459
  cyclic divisible difference sets, 3153
  de Bruijn sequences, 4622
  designs, 5968
classification of distance
  regular graphs, 3676
  transitive antipodal covering graphs, 4204
classification of extremal double circulant
  selfdual codes of length up to sixty two, 5700
  Type II codes of length 24 over Z_4, 5753
classification of finite
  $(n-2, n-1)$-point biregular spaces, 5387
  $(n-2, n)$-biregular spaces, 4036, 4075
  projective planes, 2769
  simple groups, 4080
classification of forbidden subsequences of length four, 4170
classification of Hadamard matrices of order
  twenty eight, 4021, 4190
  twenty four and twenty eight, 4295
classification of
  hypergraphs, 751
  invariant edges, 1459
  locally semicomplete digraphs, 5289
  maxibrittle graphs, 2055
  multiplicative increasing graph functions, 1508, 2785
  orbit polynomial graphs, 2249
  pairs of affine points, 3570
  periodic homeomorphisms of the geometrical sphere, 4704
  pseudofree D_n-actions on a surface, 5485
  restricted linear spaces, 6021
classification of selfdual
  doubly circulant codes, 1909
  maps, 4651
  ternary codes of length 24, 4229
classification of
  selforthogonal codes, 80
  simplicial 3-spheres, 1032
  snarks, 5705
  superbrittle graphs, 2055
  translation planes, 2769

classification of (*cont.*)
two element algebraic systems, 974
weighing matrices of order thirteen and weight nine, 3718
classification problem, 2819, 3197
of selfdual conformal field theories, 4229
classification program, 4086
classification scheme, 1170, 2769
for ordered sets, 1170
classification
theorem, 4080
theory for graphs, 1436
classificatory problem, 280
classifying, *see also* classification
2-extendable generalized Petersen graphs, 3337
cluster methods, 678
graphs, 1436, 2180, 5982
nets, 5675
ovaloids, 722
patterns, 415
rings, 1793
class-sum, *see* class sum
class-uniformly, *see* class uniformly
claw, 3745, 3790, 3906, 4429, 4935, 5294, 5478, 5511, 5658, 5818, 5930, 5938, 5940
claw centre, 5262, 5511
independent graph, 5262
claw design, 1253
claw free, 1226, 1245, 3919, 4033, 5478, 5687, 5806, 6010
graph, 1030, 1226, 1990, 3830, 3956, 4107, 4650, 5119, 5133, 5227, 5252, 5294, 5422, 5478, 5611, 5687, 5702, 5873, 5921, 5930, 5940, 5977, 6010
Hamiltonian graph, 5977
perfect graph, 1226, 1245
claw
freedom, 4060
of degree n, 5658
claw-center, *see* claw centre
claw-free, *see* claw free
Clay, 2502
clean subdivision of $K_{3,3}$, 5803
cleavage unit, 2360
virtual edge decomposition, 2360
cleaving a planar graph, 2695
Clebsch, 3132
Clements, 1601, 2298
clepsydra, 5115
clique, 221, 461, 487, 624, 787, 881, 958, 1233, 1245, 1384, 1464, 1560, 1727, 1821, 1865, 1924, 1970, 2000, 2004, 2056, 2079, 2185, 2401, 2478, 2490, 2827, 2861, 2866, 2884, 3267, 3336, 3384, 3642, 3673, 3694, 3704, 3744, 3747, 3788, 3812, 4092, 4326, 4361, 4437, 4453, 4601, 4607, 4632, 4654, 4749, 4814, 4997, 5190, 5220, 5422, 5444, 5503, 5746, 5800, 5804, 5888, 5956
articulation, 3383, 3539
clique closed, 4047
class, 4047, 4361
graph, 4047
clique complete, 5540, 5540
graph, 5540
clique complex
of a complement, 5746
of a graph, 5746
clique convergence, 3336
clique cover, 1460, 2000, 2758, 3642, 4062, 5915
number, 1460, 1859
clique covering, 2401, 2758, 4952
number, 542, 1127, 2401, 5063
problem of Orlin, 1348
clique
cut set, 5094
divergence, 5956
divergent graph, 5956
gated graph, 5000, 5994
clique graph, 2079, 2752, 3336, 3641, 4047, 4361, 4633, 5540, 5956
of packed graph, 2079
clique
identification, 1867
join operation, 4094
mapping, 4361
minus a matching, 2401
neighbourhood, 5104
clique node
incidence matrix, 3350, 3539
matrix, 3539
clique number, 1710, 1858, 1859, 2185, 2324, 2330, 2476, 2884, 3346, 3406, 3865, 4303, 4466, 4826, 4936, 5060, 5363, 5467, 5743, 5987
of a graph, 2004
clique of finite a graph, 3009
clique pair, 5422
conjecture, 5422
clique partition, 2007, 2401, 3061, 5633
number, 2401, 2758, 3061
clique
polynomial, 3948
problem, 2490, 3704
reduction operation, 4105
ring, 233
separator, 1865, 3640
size, 3738
sum, 2705, 5242
clique transversal, 2907
number, 2907, 4632, 5800
set, 2907, 4632
cliques of order n, 5800

cliquewise connectedness, 5190
clique-articulation, *see* clique articulation
clique-closed, *see* clique closed
clique-complete, *see* clique complete
clique-cover, *see* clique cover
clique-cutset, *see* clique cut set
clique-gated, *see* clique gated
clique-node, *see* clique node
clique-pair, *see* clique pair
clique-reduction, *see* clique reduction
clique-sum, *see* clique sum
clique-transversal, *see* clique transversal
clone, 1746, 4097
  of term operations, 1746
close pairs of beads in a rosary, 2660
closed 2-cell embedding, 4396, 4682, 5009, 5964
  conjecture, 4396
  of a graph, 4396, 5009
  on a surface, 5964
closed
  alternating trail, 5719
  antidirected path, 715
  connected 3-manifold, 1913
  convex subset, 3526
  form expression, 3024
closed interval, 945, 1858, 2114
  graph, 2114
  of the real line, 1180, 4093, 4361
closed
  join space, 3506
  linear span, 893
closed neighbourhood, 690, 1118, 1584, 1659, 2227, 2476, 2548, 3035, 3642, 4542, 4549, 4686, 4780, 4812, 4815, 5291, 5678, 5982, 5984, 5995
  intersection multigraph, 4028
  matrix, 4780, 4812, 5692
  of a vertex, 1659, 2038
  sum, 4780, 4812, 5079
closed
  oriented surface, 5822
  PL n-manifold, 3319
  real interval, 1569, 1760
  set, 3467, 3616, 5870
closed set lattice, 2328, 2416
  of a finite graph, 2035
  of a tree, 2035, 4444
closed
  spanning trail, 447
  star, 5053
  surface, 3089, 3486, 3855, 4215, 4219, 4242, 5964
  trail, 3087
closed under
  categorical product, 5371
  congruences, 3686
  contraction, 4867
  division, 5722
closed under finite
  direct products, 931
  intersection, 1602
  union, 1602
closed under
  homeomorphism, 781
  homomorphic images, 931
  induced subgraphs, 3199
  parallel connection, 2312
  products, 738, 3009
  set system union, 2312
  subalgebras, 931
  subgraphs, 4337
  sums, 3009
  taking minors, 3605
closed-interval, *see* closed interval
closed-neighborhood, *see* closed neighbourhood
closed-set, *see* closed set
closest tree algorithm, 3134
closure, 120, 210, 378, 400, 533, 989, 1705, 2194, 3616, 3830, 4402, 4764, 5247, 5427, 5661, 5873, 6010
  concept, 3604, 3905, 5661
  inexhaustible, 3695
  lattice, 4763
closure of
  a cell, 5078
  a set of inequalities, 120
  graphs under substitution, 5427
closure operation, 2891, 3616, 5930, 6010
  on graphs, 2891
closure
  operator, 827, 1705, 2210, 2527, 4180, 4664, 5553
  phenomenon, 1705
  preserving operators, 5601
  space, 1648, 4090, 4763
  structure, 378, 380
  system of sublattices, 2929
  transitive, 143
closures, set of, 400
closure-inexhaustible, *see* closure inexhaustible
closure-preserving, *see* closure preserving
cloud antichain, 2836, 4116
cloud-antichain, *see* cloud antichain
clumsy packing of dominoes, 2369
cluster, 8, 637, 1327, 3732, 4233, 4459, 5973
  analysis, 678, 4459
  expansion, 8
  polyhedra, 5780
clustering, 3732
  algorithm, 5779

clustering (*cont.*)
of hypergraphs, 3732
problem, 2513, 5779
clutter, 2944, 3701, 3787, 3793, 5162, 5441
substitution decomposition, 1784
CML, 1487, *see also* commutative Moufang loop
C_n, 2427, 4304, 4688, 5027, 5277, 5451, 5592, 5638, 5756, 5780, 5875, 5935
c_n, 4976
$C_n \times C_k$, 5592
$C_n(q, p)$, 5451
C_n.L geometry, 5392
C_n-critical graph, 2420
C_n-factor, 2427
C_n-factorable, 2427
C_n-factorization, 5770
C_n-free unbalanced bipartite graph, 5254
C_n-geometry, 4741
C_n-graph, 1519
C_n-saturated, 4891
Co_3, 1252, *see also* Conway group
coalgebra, 307, 546, 2638, 3767
coalgebra of
multisets, 3767
sets, 3767
coalgebraic relation, 3767
coalition, 1214
coatomistic, *see* co-atomistic
cobivector, 2829
cobordant crystallisations, 1489
cobordism, 1489
coboundary group, 3372
Cochand, 5776
cochromatic index, 1034
of a graph, 1034
cocircuit, 1715, 2224, 2806, 3605, 5714, 5881
Cockayne, 1118, 1633, 2338, 2868, 4376, 5453, 5816
Cockayne, E J, 2868
cocktail party graph, 2007
coclosure, 388
cocomparability graph, 5056, 5077, 5231
cocoon of endpoints, 197
cocritical, 4838
graph of maximal degree, 4838
cocycle, 234, 2224
in a hypergraphe, 234
matroid of a graph, 823
polyhedra, 3793
cocyclic, 1691
vertex, 1691
code, 68, 72, 80, 110, 126, 174, 195, 196, 409, 547, 548, 554, 569, 574, 596, 643, 651, 693, 719, 722, 917, 928, 1007, 1016, 1018, 1113, 1201, 1220, 1256, 1404, 1531, 1657, 1662, 1697, 1891, 1892, 1894, 1898, 1903, 1905, 1906, 1907, 1909, 1910, 1938, 2045, 2105, 2170, 2174, 2193, 2387, 2444, 2531, 2540, 2565, 2635, 2676, 2696, 2707, 2710, 2749, 2763, 2772, 2774, 2776, 2777, 2778, 2779, 2780, 2781, 2795, 2900, 2905, 2946, 2985, 3050, 3065, 3092, 3157, 3195, 3307, 3352, 3409, 3411, 3419, 3421, 3428, 3430, 3431, 3436, 3446, 3447, 3448, 3454, 3457, 3461, 3462, 3540, 3566, 3568, 3570, 3624, 3725, 3726, 3752, 3771, 3863, 3975, 3995, 4010, 4273, 4364, 4386, 4497, 4513, 4584, 4590, 4621, 4627, 4966, 5052, 5176, 5219, 5238, 5311, 5360, 5395, 5400, 5435, 5461, 5556, 5626, 5700, 5763, 5764, 5795, 5892, 5904, 5958, 5967, 6023
associated with a cap, 722
avoiding, 3907
division multiple access fiber optical channel, 5626
in an algebra, 1907
length, 1657
code of
a planar map, 86
length hundred-twelve, 1910
order three, 2985
Reed-Müller type, 4134
code over
GF(2), 3428
GF(3), 4229
GF(q), 2045
code
pair, 5715
parameter, 2170, 4621
code with
an automorphism, 2777
prescribed distance, 3165
code word, 548, 554, 917, 3157, 4158
codeviation of a poset, 3202
codeword, 860, 1404, 1874, 2105, 2696, 2774, 3446, 3949, 5650, 5753, 5834, 5955, 5967
codeword of
odd weight, 3092
weights one and two, 3428
code-avoiding, *see* code avoiding
code-division, *see* code division
codimension one algebraic set, 4231
codimension-1, *see* codimension one
coding, 67, 75, 853, 1895, 2771, 2775, 2900, 3407, 3566, 4364, 5267
of rooted very well labeled trees, 1944
scheme, 1899
strategy, 3454
theoretic method, 1938
theorist, 4497

coding theory, 75, 79, 82, 84, 693, 908, 1889, 2775, 2889, 3043, 3407, 3440, 3945, 4231, 4319, 4584, 4845
coding-theoretical, *see* coding theoretic
coefficient of
a chromatic generating function, 2236
a Hilbert polynomial, 4702
an inverse matrix, 4775
coexistence of periods of endomorphisms, 3839
cofactor of a matrix, 4760
cofinal chain, 1626
cofinal subset, 1174, 1626
closed by supremum, 1777
cofinality of a partially ordered set, 1174
cofinite
event, 116
vertex, 1217
coflow
polyhedra, 3248
polyhedron theorem, 3248
cogenerated by a lattice, 5630
cogeneration property, 5630
Cogis, 2428, 3862
cognitive function, 3904
cograph, 3704
cographic, 823
matroid, 2224, 2464
regular matroid, 823
cogroup, 4746
Cohen, 1408, 2601
geometry, 1663
Cohen, A M, 1663
Cohen, P, 4961
Cohen-Macaulay, 5985
complex, 2410, 4499
ring, 2690
cohereditary property, 5627
coherency index, 5787
coherent configuration, 3097
coherent decomposition, 5787
of a metric, 5787
coherent orientation, 1070
cohesion of
a graph, 3989
a linear graph, 103
a vertex, 1543
cohesion stable graph, 3989
Cohn, 570
cohomology, 3159, 3232, 5034, 5078, 5357
group, 307, 4281
cohomology of
a partition lattice, 5856
an Artin group, 5034
an incidence coalgebra, 307
Grassmannians and flag manifolds, 5357
cohomology with compact supports, 4860
COILS, 2782, *see also* conjugate orthogonal idempotent Latin square
coin graph, 4212
coin tossing, 2793, 3716
game, 2793
coincidence
for random walks, 786
number, 1552
coinsertion, 2829
coin-tossing, *see* coin tossing
Colbourn, 2255, 2397, 3177, 4235, 4839, 5833
design, 3177
Colburn, 1251
Cole, 2414
collapsible, 5483
a unicoloured graph, 582
graph, 3087, 5483
subgraph, 3087
collapsing
a unicoloured graph, 582
an inequality, 4046
for the cut cone, 4046
Collatz, 2293, 3628
$(3n+1)$-problem, 1846, *see also* $(3n+1)$-problem
function, 3628
problem, 1846, 3628
Collatz-Hasse
conjecture, 2293
problem, 2293
collection of paths in a tree, 1857
collective behaviour of automata, 436
collectively compatible, 2304
collinear, 1428, 1568, 2001, 5403, 5415
points, 5744
set, 48
collineation, 486, 5403, 5416
group, 1991, 2139, 2661, 3027, 3044, 4993, 5974
Collins, 5625, 5875
Colomb ruler, 5197
coloop, 4800
coloop free
matroid, 4839
rank d matroid, 4839
coloop-free, *see* coloop free
color, *see* colour
colorability, *see* colourability
coloration, *see* colouration
colored, *see* coloured
coloring, *see* colouring
colorizable, *see* colourizable
color-critical, *see* colour critical
color-feasible, *see* colour feasible

color-graph, *see* colour graph
color-incidence, *see* colour incidence
color-pair, *see* colour pair
color-reversal, *see* colour-reversal
colour, 14, 38, 57, 235, 317, 522, 687, 712, 835, 909, 1134, 1328, 1385, 1412, 1479, 1557, 1606, 1866, 2055, 2062, 2110, 2239, 2474, 2478, 2483, 2529, 2724, 3244, 3263, 3290, 3295, 3590, 3622, 3698, 3745, 3759, 3779, 3795, 3865, 3874, 3931, 3979, 4230, 4283, 4326, 4433, 4536, 4640, 4821, 4893, 4909, 4928, 5007, 5081, 5231, 5257, 5268, 5278, 5342, 5345, 5395, 5428, 5614, 5807, 5829, 5901, 5980, 6000, 6034
  assignment, 1134
  class, 1365, 1370, 2346, 3199, 4326, 4433, 5194, 5231, 5278, 5322, 5376, 5473
colour cost, 5395
  of a caterpillar, 5395
colour critical, 5919
  graph, 224, 2491, 4371, 5591, 5813
colour feasible, 14
  sequence, 14, 909
colour
  group, 629
  incidence symbol, 2819
  interchange, 4769
  pair, 2488, 3083, 3768, 5342
  preserving automorphism, 629
  reversal, 2140
  scheme, 5013
colour set, 2529
  of vertices, 5362
colour symmetry, 1267
colourability, 525, 4176
  of a planar 4-regular graph, 1011
colourable, 1025, 1383, 2325, 2486, 2741, 3199, 3815, 5020
  graph, 2741, 3292, 3979, 5020, 5807
  partial graph, 1278
colouration, 342, 522, 637, 2486
  of a cube, 48
coloured, 48, 57, 150, 235, 522, 582, 687, 835, 1261, 1385, 1412, 1557, 1606, 1769, 1801, 1803, 2239, 2331, 2483, 2488, 2907, 3290, 3638, 3768, 3865, 3979, 4202, 4274, 4324, 4350, 4446, 4878, 4909, 5116, 5231, 5257, 5342, 5623, 5857, 5901
  biword, 4487
  complete graph, 835
  convolution tree, 3055
  design, 4554, 5116
  edge
  generalized Frobenius partition, 2715
  graph, 834, 1479, 2279, 2672, 3263, 4023, 4280, 4281, 5589
  Hamiltonian path, 1729
  hypergraph, 3985
  incidence structure, 2380
  knot, 4280
  Kruskal-Katona theorem, 3985
  matching, 5185
  online, 4907
  path, 5259, 5954
  permutation, 2885
  quadrangulation, 972
  tree, 5259, 5954
  vertex, 2406
colourful induced subgraph, 3263
colouring, 9, 32, 173, 235, 439, 505, 525, 558, 667, 695, 712, 804, 862, 900, 909, 1011, 1068, 1134, 1365, 1385, 1407, 1465, 1606, 1636, 1673, 1696, 1866, 2073, 2208, 2460, 2476, 2483, 2485, 2486, 2487, 2521, 2521, 2522, 2529, 2667, 2724, 2741, 2741, 2816, 2861, 2914, 2958, 3004, 3083, 3084, 3169, 3239, 3243, 3472, 3507, 3588, 3597, 3638, 3704, 3759, 3769, 3795, 3843, 3943, 3947, 3959, 4040, 4128, 4200, 4202, 4274, 4283, 4324, 4326, 4337, 4346, 4433, 4471, 4544, 4551, 4598, 4701, 4838, 4892, 4934, 5002, 5020, 5081, 5085, 5123, 5131, 5188, 5257, 5265, 5268, 5278, 5315, 5317, 5319, 5345, 5363, 5379, 5395, 5477, 5537, 5623, 5656, 5680, 5767, 5807, 5812, 5814, 5823, 5876, 5905, 5960, 5987, 5993, 6000, 6015, 6034
colouring a diagram of interval orders, 4640
colouring a finite plane, 1482
  of odd order, 1673
colouring a finite projective plane, 2113
colouring a graph, 505, 862, 1984, 2476, 2529, 2741, 3084, 3812, 4040, 4905, 5345, 5544
  optimally, 3759
  product, 4735
colouring a
  hypergraph, 4905
  matroid, 5237
colouring a perfect
  degenerate graph, 5085
  graph, 5537
colouring a
  planar graph, 2999
  polygon circle graph, 5063
  proximity graph, 5987
  signed graph, 1294
  tiling, 667
colouring algorithm, 2228, 4668, 4765
colouring an
  Abelian group, 1328, 1328

colouring an (*cont.*)
interval graph, 2923, 4642
outerplanar graph, 4598
colouring criterion, 1096
for tree like graphs, 6033
colouring
edges, 2483
enumeration problem, 4009
extension, 5156
graph, 5765
colouring number, 1859, 2627, 2915, 3858, 3874, 4819
of a graph, 509
colouring of
edges, 5623
lines, 2113
pairs, 38
colouring problem, 8, 909, 1181, 1859, 1912, 2208, 2483, 2490, 3251, 3507, 4040, 4474, 4544, 5667, 5877, 6033
in graph theory, 468
on matrices, 2062
colouring
the edges of a complete graph, 712
theorem, 5013, 5085
vertices and edges, 5614
colour-critical, *see* colour critical
column convex
polygon, 4752
polyomino, 4667, 5568
column
even, 4323
generation, 5917
inversion, 4323
Latin square, 2525
matroid, 5561
odd Latin square, 4323
permutation, 902, 3958
strict plane partition, 993, 3228
column sum, 165, 293, 322, 548, 578, 630, 1307, 5354
vector, 1301, 2050, 2274, 5893
column-convex, *see* column convex
column-strict, *see* column strict
column-sum, *see* column sum
combinatorial
3-manifold, 238, 513
algorithm, 2247, 4481, 4860, 4956, 5044, 5085
combinatorial analysis, 1652, 2400, 2561, 4829, 4961
identity, 1652
of patterns, 33
combinatorial
array, 587
basis, 4971
bijection, 1977
block design, 2789
category, 2163
combinatorial characterization, 1285, 2706, 3156, 3679, 4660
of hypercubes, 557
of simple polytopes, 510
of Veronese varieties, 1623
of weakly cyclic matrices, 1157
combinatorial
coding theory, 693
configuration, 182
cube, 2457, 2812, 5613
cycle, 2031
combinatorial decomposition, 994, 3810
theory, 1784, 1845
combinatorial
design, 182, 265, 855, 970, 1101, 2570, 2587, 2748, 2787, 2871, 3076, 3451, 4750, 4789
directional derivative, 2653
discrepancy theory, 2439
distribution, 1831
combinatorial dual, 122
of a graph, 122
combinatorial
duality, 694, 2355
enumeration, 390, 2520, 4855, 4990
equation, 3225
formula, 1230, 3897, 5744
game, 953, 2810, 4435, 4435
geometric problem, 2020
geometry, 215, 279, 388, 601, 625, 646, 658, 768, 808, 1035, 1312, 1399, 1496, 2194, 2744, 3027, 3489, 4461, 4841
groupoid, 635
handle, 1936
history, 4858
combinatorial identity, 33, 711, 1099, 1171, 1562, 1664, 1818, 2177, 2544, 2989, 3951
of Vietoris, 2177
combinatorial
inequality, 508
interpretation of a matrix algebra, 1883
invariant, 4281, 5694
line, 2522
combinatorial matrix, 384
algebra, 1883
combinatorial
model, 2633, 5573
multidesign, 3566
combinatorial number, 707, 929, 4958
theory, 2026, 2644
combinatorial
object, 5963
octopus, 2633
one player game, 4486

combinatorial optimization, 507, 686, 1505, 2527, 3519, 3601, 3679, 5688
problem, 686, 2121, 3407, 3438, 3704, 5255
combinatorial
orthogonality, 245
polarization, 864
polynomial, 4499
prebasis, 5561
problem, 120, 166, 392, 441, 544, 552, 654, 1192, 1263, 1281, 1580, 1687, 1724, 2414, 2508, 2593, 2612, 2660, 3149, 3422, 3449, 3451, 3489, 3674, 3727, 3746, 3789, 4064, 4065, 5325
programming, 694
combinatorial proof, 258, 410, 519, 697, 828, 1152, 1376, 1441, 1478, 1484, 1676, 1883, 1914, 2250, 2271, 2633, 2762, 2809, 2904, 3021, 3498, 3696, 4314, 4495, 4695, 4760, 4846, 5064, 5091, 5184, 5220, 5566, 5618, 5677, 5854, 5856, 5866, 5910
of the Jacobi identity, 290
combinatorial property, 1362, 1572, 1773, 1850, 2715, 3341, 3388, 3474, 3706, 3717, 3873, 4083, 4660, 4856, 4863, 5154, 5574, 5581, 5840, 5846
of Lyndon words, 4388
of partitions, 4808
combinatorial
resolution of system of differential equations, 2417
schema, 3671
Schlegel diagram, 3806
search theory, 2438, 4460
species, 3770
statistics, 4282
structure, 1186, 1231, 1284, 1683, 1996, 2386, 2452, 2570, 2602, 3537, 3566, 3671, 3946, 4370, 4556, 4599, 4665, 4726, 4730, 5462, 5482, 5499, 5621, 5946
sum, 2978, 4144, 5564
technique, 1109, 3079, 3907, 4463, 5589
theorem, 1326, 2397
theory, 542, 1075, 1170, 1441, 2417, 2469, 4166, 4738, 5599
topology, 2462, 4839
combinatorial type, 880, 2101, 2244
of stack polytopes, 1327
of three-dimensional polyhedra, 1363
of three-spheres, 2992
of tilings of the Euclidean plane, 2018
combinatorially
isomorphic, 459
regular dodecahedron of genus three, 2254
combinatorics, 345, 395, 545, 566, 824, 1022, 1135, 1231, 1585, 1685, 1926, 1930, 2036, 2057, 2169, 2209, 2410, 2444, 2527, 2634, 2762, 2835, 3027, 3134, 3255, 3485, 3489, 3521, 3566, 3727, 3888, 3904, 4040, 4122, 4170, 4282, 4461, 4468, 4474, 4665, 4833, 4854, 4857, 4859, 4976, 4979, 5243, 5338, 5573, 5621, 5839, 5870, 5983
combinatorics of
experimental design, 6028
Jacobi configurations, 2461
symmetric functions, 5045
the basic identities of Jacobi polynomials, 1926
transition matrices, 4637, 4840
words, 5708
combinatory
analysis, 519
interpolation theorem, 379
combining
randomly chosen Boolean functions, 4522
semibiplanes, 4578
comet, 5291, 5506
comlexity of searching, 3688
committee of a hypergraph, 1211
commodity graph, 5786
common ancestor, 1082
common basis, 194, 1505, 1685, 1829
of two matroids, 1505
common block, 4118, 4772
for Steiner quadruple systems, 1131
common factor
graph, 2182
of integers, 2182
property of sets of integers, 2182
common fixed
edge, 4915
end, 4108
vertex, 4915
common
multiple, 780, 3406
neighbour, 1229, 4650
order preserving selfmap, 4267
perfect elimination ordering, 4798, 5143
predecessor, 1082
common rise, 4383
index, 4383
common
root function, 3784
subexpression problem, 3686
transversal, 577, 1101, 1721, 1832, 2195
vertex set, 2406
communication, 891, 911, 972, 1237, 1251, 1254, 1270, 2222, 2429, 2825, 2947, 3287, 4354, 4411, 6033
combinatorial problem, 2775
engineering, 1889
line, 837

communication (*cont.*)
network, 837, 1118, 1659, 3451, 3871
paradigm, 2290
problem, 2290, 2775
process, 837
system, 80
commutation
in strings, 4758
relation, 2963, 5849
commutative
algebra, 1380, 2410
algebraic group, 6024
field, 2031
kinematic space, 4082, 5421
Latin square, 3741
linearly ordered group, 2698
Moufang loop, 1487, *see also* CML
q-binomial theorem, 4825
commutative ring, 2665
of a symmetric design, 2665
theory, 5722
with one, 5762
commutative semifield, 4734
plane, 4734
commutative
semigroup, 1791
semisimple ring, 75
step digraph, 5283
torsion free ring, 5315
unitary ring, 2326
commutative-step, *see* commutative step
commutativity condition, 2743
commutator, 1427
graph, 2613
of a group automorphism, 3528
subgroup, 5725
commuting
equivalence relations, 5516
family of contractions, 4915
indeterminates, 1676, 1825
quasi-order relations, 5543
compact
algebra, 5939
analytic variety, 4961
cellular algebra, 5939
code, 6023
connected metric space, 532
convex set, 1198
digraph, 5290
Frobenius group, 5939
graph, 5939
group, 5939
Hausdorff space, 1777
infinite metric space, 5789
interval of the real line, 3198
locale, 3473
metric space, 3198, 5789
compact orientable
2-manifold, 180
surface, 4961, 4961
compact
permutation group, 5939
set, 2702
subset, 3469
surface, 1007, 2602, 3630
topological space, 1649
zero-dimensional space, 1785
compactness, 2705, 5290
principle, 3345
result for perfect matchings, 2156
theorem, 5216
companion matrix, 1900
comparability, 1778, 1977, 4113, 4307
criteria, 4113
digraph, 4523
comparability graph, 143, 1112, 1180, 1244, 1415, 1595, 1686, 1783, 1977, 2490, 2862, 2922, 3248, 3335, 3557, 3738, 4092, 4307, 5231, 5481, 5490
of a tree, 1244
with constraint, 1783
comparability invariant, 2922, 4092, 5490
comparison of graphs, 528
compatibility, 678, 2304, 4093
graph, 3704
of subgraphs, 4947
relation, 589
tests, 516
compatible
equivalence relation on a poset, 1144
Euler tours, 2215
Eulerian trails, 3512
quadrilaterals, 3927
systems of representatives, 4141
topology, 1367
triangles, 3927
competition graph, 3791, 3792
of a tree, 3792
competitive
algorithm, 5033
constant, 5033
ratio, 5033
complement, 3871, 3974, 4031, 4120, 4171, 4366, 4376, 4410, 4429, 4432, 4440, 4523, 4537, 4557, 4582, 4649, 4675, 4687, 4731, 4753, 4777, 4935, 5027, 5258, 5340, 5348, 5351, 5467, 5502, 5503, 5533, 5558, 5604, 5845, 6012
free Sperner family, 2703
in a lattice, 1206, 1782

complement of
a 3-connected graph, 4432
a Baer subplane, 1745
a bithreshold graph, 3788
a circuit, 158
a comparability graph, 3598, 5231
a design, 5098
a fork, 5247
a friendship graph, 1667
a graph, 54, 713, 789, 1127, 1710, 1869, 2188, 2204, 2328, 2481, 2858, 2949, 2958, 2988, 3434, 3820
a line graph, 2907
a minimal blocking set, 1745
a monochromatic graph, 2214
a path, 4809
a point determining graph, 305
a product, 3854
a Singer difference set, 4537, 4582
a Steinhaus graph, 1225
a transitive relation, 35
a tree, 481, 2306, 4440
a weakly transitive orientable graph, 3598
a web, 391
an (n, k)-graph, 289
an oval, 192
paths and cycles, 5027
complement
operation, 1153
operator, 1705
phenomenon, 1705
complementarity, 216
in optimization, 216
complementary, 4202, 4816
acyclic matrices of zeros and ones, 2030
bases, 261
circulating register, 4413
cofactor, 4760
colouring, 4202
context, 5502
cycle, 4183, 4240
decomposition, 2587
dual, 3446, 4001
equivalence relations, 4816
graph, 631, 789, 1838, 4042, 4366, 4436, 4607, 5794
Hadamard design, 5396
hyperfactorization, 3037
induced subgraph, 2083
l_1-graph, 5794
lattice, 4816
map, 2944
minors in a matrix, 1640
orbits, 1509
pair of 2-designs, 3097
partial orders, 3636
pivot theory, 216
set, 2017
sets of designs, 5968
slackness theorem, 694
subgraph, 3664
summing register, 4413
tree, 500, 501
t-design, 4364
width, 4816
complementation, 675, 1240, 1384, 2538, 4816
formula, 1407
of a graph, 1501
complemented, 1206, 3571
distributive lattice, 3637
lattice, 976, 1206
complemented modular lattice, 1765
of finite rank, 1765
complemented variable, 1678
complementing permutation, 2330, 2712, 4044, 4436, 5279
complement-free, *see* complement free
complete
(n, k)-arc, 3063
3-uniform hypergraph, 4146
5-arc, 2579
arc, 2574, 2943, 3370, 5385, 5400
complete balanced
Howell rotation, 1287
n-partite graph, 3346
complete
basis of a Boolean function, 1079
binary tree, 2516, 3083, 3768, 5342
complete bipartite, 1636, 4545
factorization, 5318
complete bipartite graph, 42, 264, 275, 890, 915, 1059, 1366, 1679, 1845, 2095, 2326, 2431, 2559, 2560, 2750, 2803, 2876, 2915, 3082, 3098, 3101, 3105, 3141, 3184, 3412, 3651, 3745, 3772, 3997, 4032, 4214, 4339, 4469, 4577, 4933, 5068, 5090, 5185, 5195, 5307, 5318, 5376, 5438, 5480, 5593, 5709, 5798, 5935, 6030
without one edge, 5307
complete bipartite
multigraph, 1849, 3210
subgraph, 988, 1927, 3101, 3492, 4871
symmetric multidigraph, 1849
complete
biprefix code, 1201
Boolean algebra, 1649
cap, 5394
Cayley graph, 5588
characterization, 1132, 1229, 1864, 3489, 4387, 4561, 4647
chromatic graph, 1933

complete (*cont.*)
countably infinite subgraph, 6034
cycle, 2845
design, 4237
digraph, 1132, 1213, 5364
complete directed
graph, 3019
multigraph, 3051, 4369, 5021
complete
doubly directed graph, 4007
equibipartite graph, 3567
complete even
n-partite graph, 2687
symmetric bipartite graph, 2605
complete
family, 4659
gossiping, 4659
complete graph, 20, 57, 63, 98, 142, 158, 246, 256, 286, 289, 313, 341, 364, 367, 403, 528, 538, 572, 599, 621, 645, 650, 687, 751, 776, 835, 837, 865, 912, 1006, 1034, 1059, 1134, 1147, 1204, 1209, 1213, 1217, 1257, 1261, 1348, 1369, 1394, 1412, 1433, 1501, 1518, 1532, 1545, 1557, 1565, 1638, 1645, 1679, 1682, 1756, 1827, 1865, 1869, 1933, 2007, 2070, 2083, 2087, 2239, 2256, 2269, 2331, 2354, 2435, 2436, 2446, 2483, 2521, 2551, 2577, 2657, 2667, 2691, 2716, 2732, 2747, 2784, 2803, 2822, 2843, 3003, 3036, 3037, 3061, 3077, 3080, 3082, 3126, 3148, 3159, 3184, 3258, 3274, 3304, 3340, 3354, 3533, 3596, 3608, 3638, 3673, 3745, 3747, 3763, 3785, 3786, 3811, 3885, 3928, 3931, 3964, 3974, 4031, 4046, 4200, 4219, 4312, 4361, 4365, 4399, 4429, 4445, 4446, 4490, 4559, 4581, 4631, 4656, 4701, 4799, 4806, 4834, 4871, 4880, 4904, 4922, 4935, 4944, 4993, 5013, 5034, 5062, 5093, 5132, 5134, 5146, 5147, 5322, 5333, 5376, 5438, 5494, 5519, 5584, 5585, 5641, 5756, 5758, 5776, 5811, 5859, 5861, 5905, 6000, 6012, 6025, 6033
decomposition, 455
minus a matching, 3102
on nineteen vertices, 4581
T-colouring problem, 5905
complete
group, 3007
homogeneous symmetric function, 3228
homomorphic image, 379
hypergraph, 2551, 4558
infinite Latin square, 4832
invariant, 4385
isomorphism invariant, 4385
K_4-closure, 3830
Latin square, 2894, 4397
complete lattice, 210, 1590, 2134, 4090, 4096, 4816, 5502
of order ideals, 3993
complete
mapping, 2150, 5925, 5925
matching, 3819
modular sum-free set, 5739
multigraph, 875, 2599, 3026, 3176, 3210, 5168
multimap, 5823
complete multipartite, 4559
digraph, 5991
graph, 1075, 1253, 2421, 3877, 4239, 4320, 4328, 4672, 4874, 5884, 5959, 5990
subgraph, 3762
complete n-arc, 2229, 2943, 3370, 3459, 5385
in PG(2, q), 2229
complete
n-ary tree, 4340
n-clique, 6014
n-closure, 989
complete n-partite
graph, 105, 256, 1034, 1041, 1253, 1948, 2687, 4532, 4888, 4992, 5105, 5122, 5509
hypergraph, 600, 4558
complete
n-regular multipartite graph, 2697
n-simplicial geometry, 867
n-uniform hypergraph, 4558
ordered set, 1169
oriented 2-graph, 2100
pairing, 706
partite graph, 816, 961, 4155
complete partition, 1512, 5629
of a positive integer, 5629
complete permutation, 2358, 2788, 5028
of symmetric integral bases, 2358
with constraints, 2358
complete
plane multimap, 5823
preorder, 5213
pre-order, *see also* cpo and c.p.o.
reducibility, 800
complete regular multipartite
digraph, 5472
graph, 2697
complete
regular n-partite graph, 1948, 4012
regularity, 3752
replications, 456
complete set, 4206, 5323
of 9×9 pairwise orthogonal Latin squares, 5323
of frequency squares, 3872
of matrix representatives, 5635
of mutually equiorthogonal frequency hypercubes, 5646

complete set of mutually orthogonal
frequency squares, 2305, 3872
Latin squares, 3872
complete
signed graph, 4916
split graph, 4155
Steiner quadruple system, 334
strongly connected digraph, 4724
subdigraph, 5443
subdirect product of concept lattices, 2134
complete subgraph, 57, 84, 403, 712, 822, 1052, 1075, 1174, 1844, 1924, 1958, 1988, 2004, 2053, 2214, 2420, 2477, 2517, 2657, 2827, 2856, 3239, 3336, 3346, 3493, 3865, 4371, 4632, 5104, 5531, 5641, 5800
on three vertices, 4896
complete
subhypergraph, 2000
sublattice, 2134
complete symmetric digraph, 3173
of order four, 4095
complete symmetric
directed graph, 292, 483, 730
function, 1607, 3231
complete
transitively directed graph, 437
transitivity, 2707
trinary tree, 3768
complete tripartite, 3378, 4395
digraph, 5978
graph, 452, 1776, 4395, 5026, 5120, 5928
complete
truncation, 1748
undirected graph, 455, 1750, 2582
uniform hypergraph, 890, 1155
completely
connected, 624
monotone, 3787, 4241
monotonic function, 4316
ordered, 3197
partitionable into Steiner system, 923
completely positive, 3681
graph, 3681
completely regular, 1899, 2707, 3752
binary code, 3752
code, 1283, 2707, 2763, 2931, 2946, 3448, 4191
even binary code, 2763
completely separating
set system, 5514
system, 1611, 1634, 5514
completely transitive code, 2707
completeness, 2210, 5710
in an oriented matroid, 2210
completeness of
a theory, 544
an n-arc, 3459
completing a
partial Latin square, 2076
small partial triple system, 1500
completion
of a partial Latin square, 5284
time, 3746
complex, 3644, 4717, 4839, 4970, 5530, 5746, 5751
analysis, 4857
molecule, 2511
complex of
basic blocks, 5462
graphs, 5746
complex
on the 2-sphere, 2410
problem, 4501
sequence, 4937
complexification, 4869
complexity, 83, 511, 806, 1028, 1900, 1901, 1958, 2121, 2428, 2485, 2511, 2713, 2860, 2920, 2969, 3123, 3243, 3499, 3507, 3598, 3682, 3788, 3843, 3866, 3903, 4319, 4458, 4465, 4469, 4544, 4569, 4675, 4707, 4776, 4821, 4845, 5150, 5228, 5293, 5368, 5467, 5814, 5877
analysis, 1900, 2428
class NP, 4969
complexity of
a Hamiltonian circuit, 4776
a hypermap, 1401
a simple graph, 2308
a tile, 2343
an algorithm, 806
bounded vertex colouring, 3590
cells, 2019
computations, 4469
finding regular subgraphs, 1654
interval orders, 2118
lower envelopes, 4906
multicolouring, 2325
planar graph choosability, 4821
posets, 511
complexity of recognizing
perfectly orderable graphs, 2683
tough graphs, 3903
complexity of
reorientations, 2887
semiorders, 2118
shortest path algorithm, 320
the H-colouring problem, 4544
the max clique problem, 3500
the production of arbitrary posets, 1166
Toeplitz sequences, 5150
complexity
property, 2121, 4008

complexity (*cont.*)
question in graph theory, 2745
result, 2681, 2860
theory, 4469
component, 192, 214, 424, 613, 637, 668, 776, 829, 1225, 1273, 1379, 1383, 1480, 1616, 1766, 1952, 2427, 2520, 2697, 3074, 3133, 3376, 3632, 3657, 3709, 3840, 3917, 4050, 4300, 4325, 4440, 4727, 4904, 4914, 4943, 4967, 5036, 5192, 5227, 5288, 5381, 5592, 5608, 5856, 6030
component distribution
probability, 2209
problem, 2209
component matrix, 2890
component of
a vector, 23, 602
the graph D(n, q), 4986
component
ordering, 183
structure, 4635
sum, 23, 602, 1117
wise product, 4477
composed
addition, 2181
multiplication, 2181
composed product, 2181, 3733
for polynomials, 2181
composing graphs, 4094
composite
graph, 4233
parity check polynomial, 643
composition, 3383, 4012, 4233, 4501, 5234, 5499, 5572, 5851, 6024
for perfect graphs, 1867
graph, 2597, 5026, 5495
composition of
cyclic 2-designs, 1552
disjoint transpositions, 5279
functions, 4501
graphs, 4453
partial functions, 2469
polyhedra, 5234
polynomials, 3733
species, 3217
composition of two
graphs, 4367, 4794
transpositions, 306
composition operation, 5499
of graphs, 5247
composition theorem, 758
compositional, 3859
inverse formal powerseries, 3355
compound, 1002, 3675, 4699, 5276
circuit, 534
colouring, 1267
connection matrix, 1002
matrix, 609, 1900
of a matrix, 1002
compression operation on finite sets, 4660
Compton, K, 1833
compund operation, 675
computable
function, 436
in polynomial time, 3520
computation tree, 6018
computational
complexity, 1415, 1869, 2121, 3470, 3923, 4041, 4512, 5016, 5043, 5368, 5825
convexity, 4465
efficiency, 5236
geometry, 2861, 3470, 4675
model, 3281
computer aided tomography, 4974
computer algebra, 5562
system, 1890
computer
design, 4473
geometrist, 4906
graphics, 943, 4586
network, 2213
science, 2209, 4465, 4471, 4750, 4789, 5870
computer search, 919, 964, 1190, 1251, 1320, 1516, 2640, 2652, 2732, 3044, 3050, 3285, 3673, 5449, 5834, 5927
algorithm, 925
computer-aided, *see* computer aided
computing
convex sets, 4465
equivalence classes, 3505
Comtet, 291
concatenated
code, 3624
structure, 3624
concatenation, 409, 1415, 3624
of n bayonets, 1305
concave, 810, 3231, 4697
minimization, 267
concavity, 3231
concept, 4469, 4494, 4708, 4794, 4841, 4908, 4952, 5244, 5805
lattice, 2134, 2649, 4646, 5502
of congruence, 4720
conceptual structure, 4646
concomitant of a skew-symmetric tensor, 5839
concrete category, 3525
concurrent, 3413
lines, 2332
condition of Jordan-Dedekind, 210
conditional
(n, k)-diameter, 5305

conditional (*cont.*)
chromatic number, 6015
connectivity, 4050, 4727, 5288, 5871
conditional diameter, 5305
of a graph, 5305
conditional
edge connectivity, 4050
event, 4619
exact analysis, 3029
expression, 329
inference, 3029
conditional logic, 329
expression, 329
conditional probability law, 476
conditions for existence, 5604, 5748
Condorcet paradox, 5792
conductor, 1591
cone of positive functions, 2288
conference
call, 3639
matrix, 3042
problem, 494
configuration, 53, 92, 125, 192, 245, 436, 504, 771, 994, 1918, 2449, 2553, 2836, 2848, 2871, 3006, 3016, 3097, 3114, 3255, 3339, 3489, 3523, 3587, 3673, 3806, 3910, 3946, 4053, 4077, 4081, 4168, 4201, 4205, 4253, 4352, 4480, 4760, 4831, 4869, 5121, 5215, 5386, 5397, 5430, 5693, 5809, 5981
configuration in
a Euclidean space, 4464
a plane of order ten, 1516
configuration of
bitangents, 4168
labeled pseudolines, 4848
nonintersecting paths, 4480
points, 2020
queens, 2848
configuration
theorem, 2455
theory, 3587
conflict resolution, 2775
confluent
reduction, 2658
terminating presentation, 2509
conformal
field theory, 4229
hypergraph, 252
mapping, 4212
Conforti, 3785, 5233
congruence, 41, 1356, 1695, 1787, 2245, 2309, 2715, 2718, 3670, 4126, 4127, 4720, 5165, 5360, 5671, 5691
affine algebra, 4101
congruence class, 204, 583, 1173, 2087, 2925, 3775, 4219
of matrices, 3775
congruence
closure, 3686
condition, 5671
congruence for Bernoulli
numbers, 5035
polynomials, 5035
congruence
generated by a finite Thue system, 1614
in Z^n, 2245
congruence lattice, 1479, 4187, 5142
of finite algebras, 1479
congruence of
a tournament, 340
finite index, 116, 3686
congruence preservation, 5165
congruence preserving, 5165
function, 5165
congruence property, 5360
congruence relation, 1797, 2925
of a multialgebra, 1797
congruence set, 4314
congruent
circles, 2022, 4404, 5505
hyperbolas, 327
regular polygons, 5745
conjecture about
n bases in a rank n matroid, 4426
uniquely colourable perfect graphs, 5422
conjecture concerning
perfect graphs, 5153
the Ramsey theorem, 6034
conjecture in domination theory, 4353
conjecture of
Abbott and Katchalski, 5494
Adám, 3497, 5321
Agur, 4177
Aharoni, 4461, 4963
Albertson and Collins, 5625
Albertson Bollobás Tucker, 695
Allender, 1848
Alon and Berman, 3253
Alon and Tarsi
Alspach, 2577, 4109
Amar Fournier Germa, 4661
Anderson et al., 5446
Assmus and Key, 3157
Bang-Jensen, 4240
Bang-Jensen Huang Gutin, 5037
Barnette, 1755
Bauer Morgana Schmeichel Veldman, 4419
Bays-Lambossy, 2246
Beck and Fiala, 4508, 4719
Behzad et al.
Benhocine et al., 3734, 5445

conjecture of (*cont.*)
Berge, 54, 801, 1341, 1996, 3751, 4373, 4729
Berge and Duchet, 4814
Berge for digraphs, 3797
Bermond, 988
Bermond and Kotzig, 2977
Bermond et al., 5012
Bermond Germa Heydemann Sotteau, 1762
Bonday and Fan, 2374
Borodin and Kostochka, 1383
Broersma and Veldman, 4650
Brualdi and Massey, 5061
Bruns, 2011
Bulman Fleming Wang, 2373
Burr and Roberts, 517
Burr et al., 5765
Burr Grünbaum Sloane, 1060
Caccetta and Häggkvist, 2212, 5232
Cairns, 1556
Catlin, 3087, 4866
Cenzer, 2636
Chen, 3857
Chen and Rota, 4807
Chen et al., 5829
Chetwynd and Hilton, 2479
Chung, 1115
Chung et al., 3740
Chung Frankl Graham Shearer Faudree Schelp Sós, 5668
Chvátal, 1421, 1446, 1608, 4729, 5077, 5775
Cieslik, 4359
Clark Colbourn Erdös, 2255
Cook and Evans, 4348
Cunningham, 4119
Cusick, 5632
Dawes, 1633
Daykin and Daykin, 4526
Demetrovics Füredi Katona, 2918
Dinitz, 4323
Dirac, 4163
Dobson, 5275
Du et al., 4359
Duchet, 5466, 5548
Dumont, 4861
Edelsbrunner and Haussler, 3208
El-Zahar, 5943
Entringer, 4052
Entringer and Slater, 1377
Erdös, 1592, 1780, 1796, 2398, 3673, 4926, 4934, 5529, 6004
Erdös and Chinn, 1126
Erdös and Fajtlowicz, 1229
Erdös and Freiman, 3685
Erdös and Hajnal, 5519
Erdös and Oler, 5271
Erdös and Pósa, 4631
Erdös and Sós, 4925
Erdös and Szekeres, 4879
Erdös et al., 5529, 5888
Erdös Rubin Taylor, 3815
Erdös Sós Turán, 506
Everett, 2901
Faigle and Sands, 2122
Faudree et al., 4399
Faudree Gould Jacobson Schelp, 4945
Favaron, 4334, 5712
Fejes Tóth, 2017
Fink Jacobson Kinch Roberts, 3887
Fishburn, 2750
Foulds and Robinson, 3672
Fraenkel, 3057
Fraïssé, 813
Frankl, 3398, 5207, 5914
Frankl and Füredi, 5155
Fredman, 2348
Fürstenberg, 2189
Gallai, 3239, 4371
Garsia and Haiman, 5840
Gavril, 1560
Geller, 537, 815
George Andrews, 1825
Ghandi, 29
Gionfriddo and Lindner, 2261
Gosper, 2989
Graffiti, 2403, 3581, 4583, 5547
Graham, 5679
Grant, 1456
Grünbaum, 679, 840, 1360, 2027
Guo and Li, 5027
Gupta Kahn Robertson, 2935
Gyàrfàs and Lehel, 4673
Hadwiger, 3267, 3596
Häggkvist, 1519, 4258, 4418
Häggkvist Mitchem Schmeichel, 1563
Hahn, 1729
Hajós, 3273
Halin, 3127
Harary, 3943, 4880, 5859
Harary Robinson Wormald, 4395
Hartman, 4237, 4529, 5479
Heawood, 5823
Hedetniemi, 4656
Hedietniemi, 5765
Henning and Slater, 5299
Hertz and de Werra, 3748
Hibi, 4839
Hoàng, 3748, 4811
Holton, 1660
Holyer and Cockayne, 1118
Howorka, 2636
Hu, 977

conjecture of (*cont.*)
Jackson, 3857
Jeurissen, 812
Jha, 5666
Kahn, 4679
Kahn, 4679
Kainen, 4393
Karapetyan, 5067
Katchalski et al., 5858
Katona, 523
Komlos, 2460
Kotzig, 805, 1239, 1530, 4120, 4246, 4794
Kreweras, 2097
Kreweras on permutations, 1754
Laborde Payan Huang, 4618
Leroux, 6027
Li, 5304
Li and Whitehead Jr., 5039
Lindquester, 4943, 4949
Liu and Yu, 5775
Lovász, 1341
Lovász and Woodall, 4796
Mallows, 4660
Melnikov and Vizing, 5669
Mendelsohn, 2498
Meyniel, 1350, 1985
Mills and Robbins, 4480
Mouyart, 3203, 4345
Mulder, 4534, 5261
Nash-Williams, 1217
Nash-Williams and Plummer, 708
Pellegrino, 5394
Pósa, 5444
Proctor, 3222, 3223
Reed on Berge graphs, 3748
Reid, 1749, 1869, 2306
Robbins
Robertson and Thomas, 5598
Rosenfeld, 2835
Rota, 949, 4323, 4411, 4426
Sagan, 6027
Sampathkumar, 4353, 4898
Sands, 2742
Sane and Shrikhande, 3137
Sauer and Spencer, 4962
Schmeichel and Hakimi, 1189
Schützenberger, 4273
Sedlacek, 3953
Shapiro and Getu, 4422
Slater, 3811, 5554
Slater and Velez, 5224
Slater-Gibbs, 3078
Stanley, 3706, 4839, 5985
Stanley and Stembridge, 4981
Stein, 2901
Thomassen, 2937
Tison, 549
Tomescu, 5183
Traczyk, 3849
Tuza, 4349, 5889
two counterfeit coins, 4195
Ulam, 5014
van den Berg and Kesten, 3201
Walkup, 1232
West, 3289, 4846, 5677
Wild, 5714
Woodall, 1341
Zaks, 4609
conjecture on
bases of a matroid, 4323
Genocchi numbers, 162
Hamilton cycles, 2145
magic squares, 4037
partitioning the edges of a graph, 1364
the bondage number of a graph, 3887
the permanents of doubly stochastic matrices, 2089
conjugacy, 4388
conjugacy class, 473, 681, 913, 962, 1255, 1450, 2630, 3021, 3216, 3556, 3769, 3770, 4291, 4477, 5045, 5473
of B_n, 5577
of heaps, 4388
of subgroups, 1703
conjugacy complete, 4208
stabilizer, 4208
conjugacy matrix, 3556
conjugate cyclic subgroups, 3556
conjugate of
a Latin square, 1191
the rank partition of a matroid, 4530
conjugate orthogonal
arrays, 656
idempotent Latin square, *see also* COILS
idempotent Latin squares, 2168, 2782
identity, 2570
Latin squares, 2570
conjugate
partition, 1996, 2066, 4330, 4421
quasigroups, 2570
conjugation, 410, 2640, 4482, 4733, 5409, 5424, 5973
of quasisymmetric functions, 5851
subgroup, 656
conjunct, 777, 1079
conjunction, 244, 1400, 1678, 2952
conjunction of
Cayley digraphs, 1400
positive selfdual functions, 4409
conjunctive normal form, 3960
Conlan, 2684

connected (2, n)-factor, 5774
in a graph, 5774
connected
(n, n + 1)-factor, 5047
2-factor, 1982
3-manifold, 1913
Abelian Cayley digraph, 2755
balanced bipartite graph, 3561
bicoloured graph, 916
connected bipartite
graph, 916, 2437, 2604, 2713, 4446, 5043, 5301
selfcomplementary realization, 1259
connected
caccc poset, 4785, 5211, 5355, 5528
Cayley graph, 1525, 2731, 4109, 5365, 5609, 5725
connected Cayley graph on an Abelian group, 4755
of odd order, 4755
connected
chordal graph, 3641
common factor graph, 2182
connected component, 752, 768, 901, 913, 916, 1364, 1756, 1788, 2017, 2024, 2083, 2360, 2426, 2506, 3067, 3075, 3107, 3257, 3323, 3480, 3515, 3574, 3622, 3988, 4073, 4490, 4948, 4986, 5012, 5250, 5644, 5728, 5772, 5871, 5965, 6002
of a matroid, 613
connected configuration, 504
connected covering, 5696
graph, 2916
connected critical graph, 1044, 5858
connected cubic graph, 3324, 5103, 5299
without triangles, 2824
connected cut set
connectivity, 2333
of a graph, 2085
connected
digraph, 3559
dominating set, 2856, 2862, 3380
connected domination, 2861, 2862
number, 4805
connected edge
cut set connectivity, 2333
minimal kernel-less directed graph, 5466
connected extremal graph, 5816
connected finite
graph, 888, 1375
incidence structure, 4578
connected geometry, 601
connected graph, 2, 25, 27, 32, 51, 146, 180, 367, 474, 524, 536, 556, 631, 680, 695, 702, 713, 714, 774, 799, 818, 837, 930, 973, 1002, 1010, 1085, 1133, 1141, 1234, 1285, 1289, 1308, 1338, 1341, 1351, 1352, 1366, 1369, 1370, 1509, 1540, 1549, 1638, 1647, 1668, 1692, 1752, 1802, 1887, 1939, 1942, 1954, 1979, 1982, 2037, 2052, 2142, 2204, 2283, 2286, 2302, 2333, 2351, 2360, 2361, 2396, 2404, 2426, 2478, 2700, 2729, 2806, 2834, 2872, 2875, 3020, 3035, 3116, 3150, 3171, 3240, 3297, 3373, 3406, 3505, 3511, 3514, 3516, 3532, 3622, 3641, 3780, 3846, 3849, 3884, 3919, 3940, 3955, 4016, 4070, 4108, 4151, 4157, 4164, 4198, 4207, 4227, 4234, 4305, 4326, 4353, 4356, 4392, 4446, 4534, 4559, 4615, 4683, 4714, 4721, 4747, 4762, 4764, 4786, 4797, 4798, 4805, 4806, 4866, 4894, 4898, 4903, 4915, 5013, 5027, 5039, 5041, 5047, 5053, 5194, 5303, 5333, 5345, 5369, 5376, 5428, 5441, 5460, 5503, 5531, 5548, 5604, 5624, 5679, 5695, 5699, 5722, 5773, 5784, 5816, 5816, 5821, 5858, 5887, 5890, 5901, 5930, 5932, 5951, 5979, 5982, 5992
of genus g, 1509
on six vertices, 1684
with only one cycle, 5231
connected
incidence structure, 1100, 1467
induced subgraph, 3400, 5017, 5458
connected infinite
graph, 1981, 3376
locally finite graph, 3376
connected irreducible 3-edge-coloured cubic graph, 5542
connected K-regular, 3297
graph, 3297
connected line
critical point determining graph, 305
graph, 2907
connected
locally G_0-graph, 3847
matroid, 232, 1715, 3390, 4119, 5220, 5772
monochromatic spanning subgraph, 912
multigraph, 248
n-chromatic graph, 5194
n-factor, 1982
n-plex, 199
n-regular graph, 1619
n-uniform hypergraph, 2061, 5149
on-line 4-critical graph, 5428
optima, 2513
orbital graph, 5602
order on a connected graph, 2478
oriented graph, 1929, 2379
planar graph, 1509
plane graph, 527, 3866, 5123
poset, 62, 5031
proper interval graph, 4307, 5377

connected (*cont.*)
Ramsey number, 713
regular graph, 536, 3522
sequential colouring, 2478
simple graph, 3359, 3921, 4219
simplicial graph, 4787
connected spanning
n-edge subgraph, 5512, 5703
subgraph, 1412, 1647, 1647
connected
sparsely edged uniform hypergraph, 5149
splitting number, 5257
standard skew tableau, 1497
connected strongly
asymmetric, 4401
edge transitive graph, 4864
regular graph, 4591
connected
subgraph, 367, 474, 2283, 2360, 2478, 2486, 2516, 2521, 2547, 3171, 3492, 3964, 4157, 4768, 4943, 5227, 5242, 5521, 5808
sum of three copies of the projective plane, 5605
toroidal graph, 1509
total graph, 2339
triangle free graph, 5932
undirected graph, 5256
connected vertex
primitive digraph, 4035
symmetric graph, 1402, 2219
transitive graph, 1802, 5725
connectedness, 2214, 2324, 3492, 3717, 4344, 5296, 5695, 5965
property, 245
theorem, 5703
connecting set, 5518
connection digraph, 1296
connectionism, 3904
connective, 2761
connectivity, 1554
connectivity, 51, 55, 205, 266, 333, 397, 424, 433, 447, 463, 581, 669, 726, 798, 832, 851, 1123, 1207, 1272, 1282, 1318, 1554, 1823, 2109, 2205, 2232, 2333, 2470, 2622, 2747, 2755, 2808, 2937, 2995, 3130, 3323, 3335, 3390, 3662, 3834, 4045, 4050, 4119, 4150, 4197, 4234, 4270, 4337, 4432, 4609, 4635, 4661, 4693, 4708, 4727, 4768, 4938, 5032, 5144, 5288, 5305, 5308, 5332, 5383, 5384, 5428, 5512, 5652, 5751, 5774, 5871, 5883, 5900, 5931, 5937, 6017
bound on AO(G), 5652
condition, 5217
constraint, 3961
five, 2232
connectivity function, 4119
of a matroid, 4119
connectivity number, 5190
connectivity of
a geometry, 103
a graph, 424, 886, 941, 2303
a large subgraph, 1093
a linear graph, 103
a matroid, 613
a prime p, 4606
a random subset, 5907
a triangulation of a manifold, 1069
an acyclic orientation graph, 5652
an infinite graph, 5751
the line graph of a multipartite graph, 5105
connectivity
one, 55
problem, 3955
property, 2527, 4938
two, 1207, 2159, 3530, 3857, 5930, 6010
type, 5751
zero, 55, 1554
Connor, 841
coNP-complete, 4908, 5540
Conrad, 4940
consanguinity graph, 1082
of a digraph, 1082
consecutive
arcs, 1456
edges, 1557
independent elements, 2413
one's property, 1735, 4228
subsequence, 4942
subset sum, 5681
zeros, 81
consecutiveness, 4808, 4863
consecutive-d digraph, 5534
consensus property, 576
consistency of a system of linear Boolean equations, 1438
consistent
circuit, 1472
directed circuit, 4529
constant column sum, 5354
constant degree
clique, 3241
independent set, 4038
constant
diagonal, 1418
distance pair of codes, 5715
even sum, 4263
invariant, 2403
odd sum, 4017
row sum, 5354
sum, 2720, 4263
constant term identity, 5170
of Forrester-Zeilberger-Cooper, 5170

constant weight, 73, 3165
constant weight code, 73, 3165
over Z_k, 5052
Constantin, 4096
constraint
length, 81
matrix, 5278
network, 3593
constructability of a timetable, 2414
constructible, 5752
Golay sequence, 5752
hypergraph, 3009
constructing, *see also* construction of
a cycle of given length, 2626
a digraph, 170
algorithm of n variable codes, 1907
an (n, k)-cage, 1330
construction of, *see also* constructing
a balanced array, 3721
a cover, 913
a design, 3453
a fractional design, 3720
a reverse Steiner quasigroup, 218
a strong snark, 5326
Clay for BIB designs, 2502
Schensted, 550
Schensted and Robinson, 550
constructive
coding theory, 82
combinatorics, 5927
enumeration, 2585
implicit function theorem, 2561
proof, 3601
containment
for matrix, 414
ordering of subsets of a finite set, 2131
poset of sets, 4644
problem, 4465
containment relation, 5259
for sequences, 5259
containment representation, 2926
contaminated edge of a graph, 1860
context, 5502, 5909
context free
grammar, 819, 5586
language, 61, 632, 700, 1329, 2242, 4501
contextual behaviour, 495
context-free, *see* context free
contiguity, 4956, 5044
contingency table, 612, 3029
continued fraction, 1073, 1356, 5488
expansion, 60, 914, 1073, 1356, 1885, 5209, 5424
of Stieltjes-Jacobi type, 1073
continuity, 4561
theorem for characteristic functions, 3671
continuous
Beck-Fiala theorem, 4508, 4719
cardinality of a basis, 1030
distribution, 373
function, 806, 1415, 1777
lattice, 4664
limit, 3079
poset, 4664
real valued function, 1777
space, 3869
continuously distributed, 2029
continuum, 3124
hypothesis, 337
percolation theory, 3684
contour integration, 2520
contract a graph, 2486
contractable
deletion, 3981
order, 4096
contracted
edge, 1126
graph, 570
n-tessellation, 3855
contracted product, 91
of two ordered sets, 91
contractibility, 1133, 2745
number, 702
contractible, 1778, 2248, 2956, 3596, 3869, 4123, 4174, 4432, 4515, 5454
circuit, 5693
cycle in a graph, 5093
contractible edge, 3260, 4174, 5454
cover, 3260
contractible
element, 5454
gluing, 3981
poset, 1778
to a n-connected graph, 1126
contractible transformation, 3869, 3980, 3981, 4123, 4189, 4586
of a graph, 3980, 3981
contracting
an edge, 2044
operation, 4101
contraction, 227, 388, 823, 1133, 1262, 1590, 1598, 1715, 2486, 2527, 2547, 2900, 2944, 3390, 3538, 3595, 3959, 4101, 4174, 4203, 4432, 4757, 4867, 4868, 4915, 4946, 5172, 5273, 5454
contraction critical
finite graph, 2420
graph, 2486, 2792, 3267
contraction
for an orthogonal polygon, 3595

contraction (*cont.*)
map, 68
minimal locally cyclic triangulation of the projective plane, 3847
contraction of
a graph, 702
a selforthogonal code, 68
an edge, 3304
an oriented graph, 2176
contraction
principle, 3198
theorem, 1133
contraction-critical, *see* contraction critical
contractive mapping, 1326
in a power set, 1491
contraposition of a complete lattice, 5502
contravariant functor, 1590, 3993
conull polarity, 2368
convergence, 4522, 4939, 5917
convergence of a sequence, 4939
of graphs, 4615
of iterated jump graphs, 5075
convergence of
configurations, 771
iterated clique graphs, 3336
convergent
of a T-fraction, 4858
sequence, 4615
conversion matrix, 1297
convex
3-polytope, 37, 1130, 2796
4-dimensional polytope, 321
4-polytope, 513
4-valent polytope, 1004
analysis, 34, 694, 2345
base of cycles, 911
bipartite graph, 4776
body, 4461, 4465, 4738
characterization, 1688
coarsening, 307
combination, 3939, 4317, 4815
cone, 331, 2345
directed polyomino, 4975, 4975
function, 1501, 5793
geometry, 2312, 4465, 4763, 5486
convex hull, 404, 963, 1096, 1132, 1312, 1553, 1727, 1932, 2023, 2086, 2210, 2314, 2494, 2513, 2703, 3538, 3714, 3785, 3786, 4046, 4269, 4283, 5062, 5124, 5213
of incidence vectors, 3793
of the edges of a graph, 1553
convex
kernel, 1198
lattice polygon, 5688, 5744
matrix set, 2656
mean, 1946
n-gon, 3016, 4688, 4879, 5517
n-omino, 230, 247
n-polytope, 2101
optimization, 216
ordinal, 4646
partition, 5835
polygon, 56, 821, 849, 1353, 1922, 2315, 2702, 2791, 4298, 4688, 4752
convex polyhedron, 18, 206, 3765, 4298
of feasible solutions, 705
convex
polyomino, 2341, 4288, 4850, 4974, 5568
polytope, 163, 459, 636, 1130, 1353, 1432, 2017, 2462, 2690, 2764, 3287, 3477, 4269, 4496, 4738, 4971, 5613
segment, 3823
sequence, 4886
convex set, 331, 404, 760, 794, 1198, 1312, 1354, 1932, 2195, 2227, 2439, 2702, 3538, 3823, 4262, 4430, 4465, 5189, 5467
covering, 2702
functio, 331
of points in a graph, 1932
convex
subgraph, 1351, 1688, 1979, 5201
subsemilattice, 4402
subset, 677, 4506, 5267
triangulation mesh, 5518
weight function, 1605
weighting of a graph, 1605
convexification, 2017
convexity, 184, 2452, 3939, 4241, 4465
conditions, 5462
graph, 3939
in a graph, 2227
convexity of
a set, 379
an interval regular graph, 5261
convexity result
for coverings, 379
for coverings and packings, 379
for packings, 379
convex-ordinal, *see* convex ordinal
convolution, 1144, 1904, 4477, 5417
algorithm, 1904
convolution formula, 4877
of Hagen Rothe and Abel, 4877
convolution
identity, 3233
over a Galois field, 1904
polynomial, 4877
theorem, 5571
tree, 3055
convolutional, 77, 1903
code, 81, 3429

convolutional codeword, 81
Conway, 1252, 4059, 4229, 4593, 4660, 5249, 5280
  challenge problem, 4660
  group, 80, 374, *see also* Co_3
  recursive sequence, 4660
  theory of games, 4660
Conway, J H, 1194
Cook, 600, 3819, 4348
  theorem, 708
Cooper, 5170
cooperative structure, 2511
coordinate
  axis, 3661
  density, 797
  matrix, 3804
  representation of a graph, 3804
  ring, 5854
coordination polyhedra, 5780
coordinatisation, *see* coordinatization
coordinatised, *see* coordinatized
coordinatising, *see* coordinatizing
coordinatization, 114, 5988
coordinatization of
  a B-matroid, 3605
  a Steiner triple system, 4669
  affine space, 114
  projective space, 114
coordinatized by a rational matrix, 4292
coordinatizing
  skew-field, 6024
  the plane by a semifield, 4734
cop number, 5619
copair hypergraph, 2537
coplanar, 6024
  graph, 5467
coprimeness predicate, 1796
coprimes in blocks of successive integers, 4684
cops and robbers, 1437, 5619
cop-number, *see* cop number
corank, 2723, 3013
  of a matroid, 2303
cordial
  graph, 3080, 3705, 3747
  labeling, 5055
cordiality, 4453
  of path union, 4453
Cordovil, R, 921
core, 625, 2917, 3261, 3513, 4082, 4546, 4784, 4814, 4942, 5304
  extraction axiom, 625
  in a poset, 4092
  like property, 4546
core of
  a chain complete poset, 5304
  a game, 1214
  a graph, 3513
  a singular graph, 5491
coreflexive
  set, 5740
  vertex set, 5740
Cori, 5566
Cori, R, 1944
corner, 907
  slicing triangulation, 3764, 4792
Cornuejols, 5233
Cornuéjols, G, 3600
Corominas, 5777, 5792
Corominas, E, 1777, 1780, 1781, 1785, 1790, 1792, 1793, 1795, 1797, 1799, 5792
corona, 4233, 5174
  of a representative tile, 5174
Corrádi, 895
Corrádi, K, 1816
correlation, 3460, 4937
  inequality, 2348, 3391
  property, 4958, 5626
correspondence
  between partitions, 1128
  of Schützenberger, 993
corresponence of Robinson-Schensted, 4484
coset, 928, 1450, 1898, 1899, 2603, 2964, 3214, 3307, 3457, 3518, 3876, 3913, 4020, 4208, 4209, 4364, 4699
  coding, 1899, *see* coset coding
  diagram, 3610, 3986, 5448, 5488
  enumeration, 2422
  geometry, 5403
  graph, 5795
  leader, 928, 1697
coset of
  a binary code, 4364
  a Reed-Müller code, 4020
  highest weight, 1898
  PGL(2, q), 4209
coset of weight
  one, 4364
  thirteen, 1898
coset weight enumeration, 4102
cospectral, 5651, 5701
  digraph, 5651
  graph, 5701
  with its line digraph, 5651
cost array, 5727
cost chromatic number, 5081
  of a graph, 5081
cost
  function, 2211, 4569
  matrix, 3689, 5727
  of a colouring, 5395
Costas array, 3076

Costas array property, 3076
cost-array, *see* cost array
cost-chromatic, *see* cost chromatic
cost-matrix, *see* cost matrix
cotangency set, 3417
coterie, 4409
cotree, 1982
cotriangle, 3340
Coullard, 3013
countable
  chain condition, 5706
  connected graph, 5760
  distance homogeneous graph, 3311
  graph, 1844, 2114, 2383, 2636, 3122, 3123, 3311, 5760
  homogeneous structure, 3695, 4043
  infinite complete subgraph, 6034
  locally finite group, 1822
  sequenceable group, 775
  structure, 3112
  subalgebra of P(ω), 1782
  tree, 742, 1779
  triangle free homogeneous graph, 5623
  union of convex sets, 1354
  vertex set, 645
countably
  additive ideal, 38
countably infinite, 1822
  0-homogeneous graph, 1917
  antichain, 4784
  complete graph, 645
  graph, 2058
  group, 775, 4832
  number of vertices, 6034
  ordered free n-basis, 5762
  Steiner triple system, 3170
  tree, 2058
countably-infinite, *see* countably infinite
counter problem, 4770
counterfeit coin, 1556, 4195, 4588
  problem, 5033
counterfeit nickel, 4588
counting
  0-1 stationary time series, 605
  acyclic digraphs, 4836
  antichains, 1179
  argument, 5158, 5232
  binary strings, 3100
  colourings, 1407
  digraphs, 4490
  endpoint sequences, 3660
  forests, 2817
  formula, 426, 1389, 1690, 2925, 3207, 3233, 4290, 5024
  graphs, 4490
  H-free graphs, 4691
  irregular multigraphs, 5896
counting lattice points, 4497
  in pyramids, 4497
  in spheres, 4497
counting maximal cycles, 4960
counting of
  paths, 4702
  rooted maps, 4704
  unrooted planar maps, 4704
counting
  permutations, 1065
  planar embeddings, 3886
  polyominoes, 1195
  problem, 2161, 3684
  restricted lattice paths, 2694
  rooted near triangulations on the sphere, 3890
  series, 111
  sets of p-tuples of nonintersecting paths, 4702
  stable sets, 5637
  structures in the Möbius ladder, 5541
  Sturmian words, 4841
  system, 60
  tableaux, 4491
counting the
  column convex polyominoes by perimeter, 5568
  number of lattice paths, 1484
counting
  triangulations of the disk, 360
  two-dimensional posets, 4013
  unrooted planar maps, 1196
  words, 2743
coupling algorithm, 958
court balanced tournament design, 4192, *see also* CBTD
covalence, 4410
coveing by cliques, 1233
cover, 111, 149, 161, 369, 413, 715, 829, 839, 903, 913, 1214, 1348, 1747, 1958, 1998, 2733, 2760, 2767, 2811, 2827, 2859, 2942, 3047, 3110, 3150, 3210, 3474, 3623, 3642, 4204, 4630, 4871, 5590, 5966
cover index, 839
  of a graph, 839
cover of
  a graph, 804, 3159, 4871
  a hypergraph, 423
  an n-dimensional surface, 4586
  rank zero, 130
cover preserving, 3623
  embedding, 3623
cover, *see also* covering
  rank, 666
  relation of an order, 2130

covering, 161, 284, 413, 604, 679, 705, 769, 770, 789, 1019, 1080, 1099, 1213, 1638, 1859, 1893, 1912, 1998, 2008, 2094, 2133, 2868, 2870, 2883, 2930, 3031, 3095, 3217, 3340, 3391, 3404, 3407, 3419, 3438, 3474, 3784, 3845, 3949, 4187, 4214, 4216, 4280, 4623, 4703, 4871, 4888, 4896, 4992, 4994, 5019, 5096, 5595, 5640, 5694, 5696, 5741, 5816, 5891, 5948, 5962, 5966, *see also* cover
a box, 3822
a complete bipartite graph, 5593
covering a complete graph, 2843
by partitions, 2521
covering a
convex set, 2702
de Bruijn graph, 2942
graph, 5195
poset, 2384
sequence of consecutive integers, 2111
covering a set, 2702
by subsets, 2701
covering algebra, 4027
covering all cliques, 4632
of a graph, 2857
covering all pairs, 2498
covering by
cuts, 2284
minimal transversals, 770
covering
code, 3439
condition, 5360
congruence, 370
design, 2008, 3901, 5962
function, 2169
covering graph, 623, 2504, 2916, 3115, 3387, 4214, 4322, 4567, 4781, 5312, 5584
of a lattice, 623
covering
homomorphism, 203
machine, 3419
covering number, 183, 413, 631, 846, 3150, 4898, 5021, 5741, 5816, 5955
of a digraph, 5443
of a graph, 846, 3150
covering of a complete
digraph, 1213
directed multigraph, 5021
graph, 1213
covering of
a digraph, 2733
a graph, 85, 988, 1201, 4703
index one, 2585
order 2, 5590
pairs by quadruples, 2042
triangles, 4349
covering
pair, 2384
polygon circle graphs, 5063
polyhedra, 3793
polyhedron, 3600, 3793
poset, 2384
problem, 890, 1345, 1859, 1912, 2008, 4738
projection, 3207, 4210, 4363
property, 1827, 3473, 4699
covering radius, 2193, 2707, 2770, 2946, 2964, 3108, 3425, 3975, 5360, 5449, 5955
of a code, 2770, 3404
of a Reed-Solomon code, 3975
of an error correcting code, 5238
one, 3108, 5360
problem, 3404
covering
ramified in three points of the projective line, 4961
relation, 183, 5236
set, 1912, 5816
space, 913, 3847, 4201, 4210, 5595
step, 705
covering system, 123, 369, 1998, 3031
of congruences, 444
of residue sets, 2169
covering the
cliques of a graph, 3493
edge set of a directed graph with trees, 783
edges, 5891
vertex set of a graph, 679
vertices of a digraph by cycles of prescribed length, 2883
covering theorem, 2733
covering transformation, 4623
group, 4623, 5485
covering triangle, 5889
covering-step, *see* covering step
cover-index, *see* cover index
Cowen, R, 2143
Coxeter, 1013, 1672, 2365, 3358, 3360, 4168, 4961, 5672
arrangement, 5108
complex, 3232
graph, 2729, 4168
Coxeter group, 3222, 3456, 3571, 4043, 4486, 4978, 5034, 5853
of the tree, 4043
theory, 4486
Coxeter
hyperplane arrangement, 5108
matroid, 5482
regular skew polyhedron, 2028
Cozzens, 3266, 4944
co-algebra, *see* coalgebra

co-atomistic, 4781
co-closure, *see* coclosure
co-comparability, *see* cocomparability
co-critical, *see* cocritical
co-deviation, *see* codeviation
co-NP, *see* coNP
co-NP-complete, *see* coNP-complete
co-null, *see* conull
co-planar, *see* coplanar
CPC, 5422
cpo, *see also* complete pre-order
Crama, 2560
Crapo, 510, 2458, 3783, 4407
  invariant, 601, 4407
Crapo, H, 2830, 4938
creation operator, 1477
Cremona, 4358
CREW PRAM, 3682
crisscross space, 3896
critical, 4234, 4524, 4984, 5199, 5858, 5922
  behaviour, 2495
  component, 5447
  connectivity of a graph, 2420
  covering, 1213
  economical generalized tic tac-toe game, 3546
critical edge, 3292, 5447
  chromatic graph, 5159
critical exponent of a representable matroid, 1452
critical graph, 224, 287, 514, 862, 866, 937, 1006, 1044, 1104, 1219, 1235, 1349, 1710, 1764, 2667, 2854, 3239, 3261, 3278, 3292, 3776, 4371, 4941, 5428, 5554, 5813
  conjecture, 866
  with chromatic index 4, 287
critical lattice, 2149
  sphere packing, 2149
critical
  n-connected graph, 669
  path scheduling, 118
critical perfect system, 3282
  of difference sets, 2359, 4244
critical
  phenomenon, 2495
  poset, 376
  problem, 3783
  region, 4128
critical set, 5317
  of a back circulant Latin rectangle, 5317
  of a graph, 5447
  of Latin rectangles, 5317
critical
  subgraph, 224
  with respect to perfectness, 1349
critically (n, k)-unique graph, 1346
critically (n, n)-connected, 2204
  graph, 2204
critically 2-connected graph, 3401
critically 3-chromatic, 5919
  hypergraph, 5919
critically
  4-chromatic graph, 5332
  and minimally 2-connected graph, 3401
  chromatic graph, 5332
  connected matroid, 232
  indecomposable, 3646
critically n-connected
  graph, 1764, 3363
  simple graph, 1085
critically partitionable graph, 1346
cross, 1515
  bandwidth, 1126
  cloning, 2310
cross correlation, 3085
  function, 526, 772
cross
  cut, 16
  intersecting family, 3494
  number, 4899
  n-intersecting, 3494
  polytope, 2014
cross product, 4809
  of graphs, 4809
  of two Hamiltonian graphs, 5374
cross section method, 2768
Cross, L, 6021
crosscap embeddable, 5009
crossing, 1099, 4987, 5209
  arc theorem, 5166
  bonds, 296
crossing critical, 1613, 2235
  graph, 1613, 2235
crossing number, 158, 1613, 1664, 2235, 3374, 4393, 5600
  four, 3374
crossing
  of chords, 1838
  statistic, 4977
crossing-critica, *see* crossing critica
cross-bandwidth, *see* cross bandwidth
cross-cap, *see* crosscap
cross-cloning, *see* cross cloning
cross-correlation, *see* cross correlation
cross-cut, *see* cross cut
cross-intersecting, *see* cross intersecting
cross-polytope, *see* cross polytope
cross-section, *see* cross section
crown, 236, 376, 503, 1057, 1170, 1798
Cruse theorem, 3741
cryptocode, 6032
cryptographic design criterion, 5632

cryptography, 1889, 3451, 6032
cryptology, 3566
cryptomorphism, 625
crystal, 771
  physics, 3271
crystalline, 2536
crystallisation, 1936, 2870, 3319, *see* crystallization
crystallization, 1489, 1913, 1937, 2432, 2870, 4302
  theory, 1937
crystallographic group, 2819
Csima, 2414, 2893, 3000
Csima, J, 2893
CSQS, 1251, 2591, *see also* cyclic Steiner quadruple system
CSQS(32), 1251
CSQS(n), 1251
CSTS, *see also* cyclic Steiner triple system
CSTS(n), 2246
CTSP, 5368, *see also* circulant traveling salesman problem
cubature formula, 4470
cube, 17, 214, 310, 376, 441, 555, 905, 930, 954, 1310, 1351, 1515, 1549, 1882, 2248, 2439, 2621, 2684, 2843, 2845, 3531, 4179, 4428, 4626, 4792, 5082, 5413, 5508, 5613, 5885
  coordinates, 3804
cube free, 5738
  infinite (0, 1)-sequence, 1773
cube
  hypergraph, 4289
  like graph, 3342
  simplexity, 4188
  subgraph, 3907
  tiling, 2843
  vertex, 3804, 3869
cube-free, *see* cube free
cube-hypergraph, *see* cube hypergraph
cubic (n, k)-metacirculant graph, 4678
cubic 3-connected
  bipartite planar graph, 2659
  graph, 2659, 3672
cubic amply regular graph, 4191
cubic bent function, 5730
  in eight variables, 5730
cubic
  bicritical graph, 1158
  bipartite graph, 2627, 5803
  Cayley graph, 4431
  connected graph, 3272
  cycle, 5164
  cyclically 4-edge connected graph, 2659
  diagram, 2482
cubic graph, 19, 263, 361, 365, 1043, 1049, 1092, 1238, 1392, 1409, 1636, 1656, 1668, 1756, 2482, 2509, 2811, 2824, 3262, 3271, 3324, 3490, 3601, 3678, 3713, 4184, 4199, 4625, 4767, 4806, 4885, 5012, 5102, 5437, 5465, 5541, 5542, 5680, 6018
  of chromatic index three, 1092
  of diameter four, 3678
cubic
  grid, 2458
  irreducible graph, 421
cubic lattice, 105, 2536
  graph, 105
cubic
  map, 1207
  metacirculant graph, 4454
  multigraph, 3560
cubic planar
  graph, 1292
  map, 205
cubic
  polyhedral graph, 5820
  recursive sequence, 704
  σ-polynomial, 3545
cubic subgraph, 3996, 5043
  problem, 1654
cubical, 5530
  array of lattice points, 48
  complex, 5530
  determinant, 2973, 3064, 3132
  homology, 1114
  h-vector, 4717, 4970
  lattice, 1651, 4496
  polytope, 5613
  poset, 5048
cuboctahedron, 59
Cummings, 2908, 4112
Cunkle, 203
Cunningham, 1784, 1845, 3390, 3793, 4119, 5454
current
  assignment, 3356
  flow, 3245
current graph, 1019, 1520, 2070, 3356, 5758
  construction, 284
curvature, 3750
curve in a plane, 2222
curve, arithmetic $\sim$, 4961
Cusick, 5632
cut, 17, 148, 184, 214, 267, 498, 624, 636, 1080, 2284, 2527, 2626, 2632, 2647, 2823, 2887, 3257, 3647, 3785, 3786, 3895, 4046, 4064, 4065, 4264, 4360, 4445, 4589, 4885, 4910, 5255, 5496, 5786
  and patch tree method, 4995
  complex, 2621
  condition, 3647
  cone, 3427, 3785, 4046
  edge, 3399, 3921, 4866, 5858

cut inequality, 5080
cut number, 2621
  of the 4-cube, 2284
cut of order
  five, 4885
  three, 4885
cut
  point, 36, 5624
  polytope, 2632, 3502, 3786, 4046, 5062
  polytopes, 2632, 3786, 5062
  row, 217
  search procedure, 273
cut set, 230, 247, 828, 1475, 1733, 1959, 2126, 2224, 2333, 3732, 3738, 4641, 4822, 5250, 5698, 5704
  code, 3447
  connectivity, 2333
  of Boolean lattices, 2126
  of edges, 260
  size, 3738
  space, 3447
cut
  theorem, 761
  through Eulerian circuit, 4264
cut vertex, 1419, 1543, 2700, 2938, 3866, 4598, 5487
  deleted subgraph, 1419
  set, 3852
cut width, 2516
cutpoint, *see* cut point
cutset, *see* cut set
cutting centre, 2
  theorem, 2
cutting
  number, 2
  plane theory, 757
  procedure, 267
  rectangles in the plane, 1386
  up a polygon, 56
cutting-plane, *see* cutting plane
cutvertex, *see* cut vertex
cutwidth, *see* cut width
cut-complex, *see* cut complex
cut-condition, *see* cut condition
cut-edge, *see* cut edge
cut-number, *see* cut number
cut-search, *see* cut search
cut-set, *see* cut set
cut-vertex, *see* cut vertex
CW complex, *see* CW-complex
CW-complex, 582, 582, 5078, 5357
cycle, 11, 19, 31, 56, 155, 207, 234, 257, 262, 301, 306, 309, 364, 367, 368, 407, 408, 413, 471, 481, 485, 492, 525, 582, 584, 591, 637, 650, 707, 712, 714, 743, 763, 773, 800, 805, 835, 862, 912, 929, 946, 958, 962, 963, 1012, 1018, 1042, 1073, 1083, 1084, 1092, 1098, 1106, 1232, 1239, 1255, 1260, 1270, 1272, 1342, 1368, 1392, 1395, 1442, 1480, 1519, 1542, 1554, 1584, 1638, 1691, 1710, 1730, 1762, 1766, 1807, 1813, 1819, 1848, 1864, 1869, 1872, 1886, 1916, 1943, 1973, 2005, 2102, 2110, 2130, 2136, 2188, 2227, 2255, 2293, 2302, 2306, 2330, 2350, 2372, 2374, 2390, 2423, 2427, 2465, 2510, 2512, 2520, 2539, 2577, 2582, 2610, 2659, 2672, 2736, 2777, 2786, 2808, 2811, 2822, 2835, 2841, 2865, 2900, 2907, 2933, 2957, 3005, 3035, 3036, 3066, 3080, 3082, 3087, 3133, 3158, 3181, 3184, 3212, 3216, 3249, 3272, 3273, 3275, 3275, 3305, 3324, 3330, 3372, 3382, 3387, 3389, 3492, 3502, 3563, 3599, 3601, 3609, 3619, 3632, 3652, 3671, 3747, 3751, 3758, 3786, 3793, 3817, 3827, 3831, 3832, 3851, 3882, 3885, 3926, 3937, 3991, 4023, 4024, 4044, 4059, 4106, 4138, 4139, 4183, 4202, 4221, 4227, 4275, 4277, 4300, 4318, 4325, 4326, 4339, 4372, 4377, 4392, 4413, 4431, 4453, 4509, 4567, 4629, 4631, 4635, 4640, 4653, 4661, 4712, 4768, 4799, 4828, 4864, 4881, 4885, 4888, 4889, 4891, 4916, 4964, 4965, 4973, 4992, 5019, 5027, 5079, 5096, 5112, 5119, 5144, 5147, 5164, 5166, 5168, 5190, 5227, 5230, 5376, 5377, 5438, 5460, 5466, 5539, 5592, 5599, 5666, 5684, 5686, 5687, 5702, 5713, 5716, 5735, 5770, 5802, 5859, 5875, 5900, 5932, 5934, 5935, 5943, 5953, 5957, 5976, 5981, 6011
cycle basis, 2786, 3095, 4372, 4377
  interpolation property, 2786, 4372, 4377, *see also* cbip
  of a graph, 2786, 3095, 4377
cycle code, 4073
  of a graph, 4073
cycle
  complementary, 4240
  completable graph, 4824
  connected graphs, 3492
  cover, 2808, 3560, 3603
  decomposition of complete graphs, 1257
  distributed graphs, 2371
cycle dominable, 3851
  graph, 3851
cycle double cover, 2512, 3293, 4396, 4767, 5009, *see also* CDC
  conjecture, 3293, 4682
  of line graphs, 3293
cycle
  expanding, 3394
  extendability, 4318

cycle (*cont.*)
extendable, 2822, 5217
factor, 5943
factorable graph, 1548
factorization, 5770, 5991
cycle free
ordered set, 2120, 4643
orders, 4643
path, 538
cycle
graph, 1731, 2865, 3394, 3394
group, 3372, 3399
cycle in
a block, 1872, 2935
a digraph, 1042, 1368, 1762
a graph, 11, 257, 2808, 2822, 2865, 4048
a hypergraph, 234, 698
a random graph, 3212
a strong oriented graph, 1260
the complement of a tree, 1869
cycle index, 395, 584, 1440, 1533, 3769, 3900
of direct product of permutation groups, 3900
series, 3217
cycle indicator series, 3225
cycle interpolation property, 4372
of a graph, 4372
cycle
join algorithm, 4823
length, 2031, 3399, 3761, 3858, 4610, 4662, 6001
lengths in a graph, 3929, 6001
list, 1500
matroid, 614, 1923, 2602, 2728, 3338, 4626, 4708
mean, 773
number, 3827
cycle of
a permutation, 1819
given length, 2626
cycle of length, 3181, 3502, 3929, 3970, 5008, 5111, 5166, 5218, 5707, 5935
0 mod n, 3832
0 modulo four, 3832
2 (mod 3), 3272
2 modulo three, 3272
at least four, 1864
at most f(n), 1476
four or five, 1973
larger than four, 4408
m, 5209
n, 2427, 4891
six, 3184
three, 4724, 5114
two, 1000, 5273
cycle of
odd length, 3239
order n, 5756
prescribed length, 1335
short length, 2075
uniform length, 5592
cycle on
n vertices, 2435
six or more vertices, 5713
cycle packing, 4964
in a digraph, 4964
in a graph, 4964
cycle periodic, 3394
cycle permutation graph, 1190, 1736, 3387
with girth nine, 1190
cycle
product, 5770
Ramsey number, 155
rank, 299, 892, 4693, 4787, 5861
regular graph, 293
cycle resonant
graph, 4227
hexagonal system, 4227
cycle saturated graph, 4891
cycle space, 2085, 2731, 2955, 5599
of a binary matroid, 911
of a graph, 1949
of a planar graph, 1949
cycle structure, 707, 946, 1027, 1256, 4555, 5947
theorem, 6011
cycle
sub-Ramsey number, 2069
system, 2582, 2679, 3353, 3741, 4610, 5191, 5206, 5928
theorem, 6011
cycle through
a given vertex, 5122
n + 2 vertices, 1691
prescribed vertices, 1542, 4392
cycle
type, 3021, 3937, 5577
vanishing, 3394
with two crossing chords, 3756
without chords, 3003, 5494
cycles of
all lengths 3 through n, 1557
every length, 4661, 5977
lengths three and four, 5928
cycle-connected, *see* cycle connected
cycle-distributed, *see* cycle distributed
cycle-dominable, *see* cycle dominable
cycle-expanding, *see* cycle expanding
cycle-factorization, *see* cycle factorization
cycle-free, *see* cycle free
cycle-periodic, *see* cycle periodic
cycle-regular, *see* cycle regular
cycle-saturated, *see* cycle saturated

cycle-vanishing, *see* cycle vanishing
cyclic, *see also* cyclical, cyclically
(15, 5, 4)-BIBD, 2583
(61, 244, 40, 10, 6)-BIBD, 2571
2-(91, 6, 1)-design, 3177
2-design, 1552
3-quasigroup, 1275
cyclic affine plane, 1277, 2555, 3408
of even order, 2555
cyclic
algebra, 69
anti-automorphism, 3970
arc, 5404
cyclic automorphism, 3183
group, 2591
cyclic
balanced hyper-Graeco-Latin superimposition, 5969
behaviour, 2110
BIB design, 3719
binary string, 2362
block, 647, 3884
class, 119
cyclic code, 69, 75, 78, 409, 643, 651, 719, 1892, 1896, 1908, 2045, 2174, 3410, 3624, 4001, 4102, 4621, 5886
over a finite ring, 5461
cyclic
colour group, 629
colouring, 3244
combinatorial object, 2603, 5963
commutator subgroup, 5725
component, 4606
connectedness, 5190
cyclic connectivity, 205, 1554
number, 5190
cyclic
cut set, 3139
defect, 2766
design, 53, 647, 2009, 3924, 4552, 5942
cyclic difference
family, 3168, 4223
set, 3900
cyclic
direct factor, 6002
edge connectivity, 1392, 3617, 4938
equivalence, 2135
flat, 723, 1829
GDDS, 1277
generation, 5971
graph, 1636, 5321, 5665
cyclic group, 69, 75, 629, 1251, 1524, 1525, 1816, 1882, 2173, 2246, 2652, 2890, 3348, 3913, 4285, 4477, 4720, 5088, 5963
of automorphisms, 69
of prime order, 1525
cyclic
HTS, 5218
hybrid triple system, 5111, 5218
identity, 177
isomorphic t-(n, k, λ)-design, 2619
line connectivity number of a graph, 5190
linear code, 5461
cyclic near difference set, 3899
of type one, 3899
cyclic
object, 4700
of prime power order, 5725
order, 3008
orientation, 4728
permutation, 1447, 2240, 3397
polytope, 21
product, 800
projective plane, 3614
property, 2808
quasigroup, 177
q-ary code, 3731
relative difference set, 585
rotation, 2135
sequence, 4293
shift, 160, 2582
Singer group, 3038
SQS, 1251, *see also* cyclic Steiner quadruple system
cyclic Steiner
quadruple system, 1251, 3187, *see also* CSQS; cyclic SQS
triple system, 2246, 2943, 3038, 4015, *see also* CSTS; cyclic STS
cyclic
structure, 1925, 5907
STS, *see also* cyclic Steiner triple system
STS(33), 3464
STS(n), 2246
system, 2257
cyclic triple, 354, 792, 3173, 3970
system, 792
cyclic
triplewhist tournament, 4541
type, 3217
Wh(4n), 3924
whist tournament, 3924
word, 461
cyclical, *see also* cyclic, cyclically
Steiner triple system, 2588
cyclically, *see also* cyclic, cyclical
cyclically 4-edge connected, 1993, 5820
cubic graph, 1258, 2659
graph, 886
planar cubic graph, 5508

cyclically 4-edge connected trivalent bipartite graph, 1851
cyclically 5-edge connected, 5820
cyclically 6-edge connected
non Tait colourable cubic graph, 4885
snark of order 118, 4957
cyclically
connected, 214
n-complementary graphs, 4042, 4436
cyclically n-connected, 205
cubic graphs, 3324
cyclically
n-edge connected, 3617
n-partite, 3550
ordered 3-subset, 3155
symmetric plane partition, 2240
cyclicity, 364, 1908, 3008, 5587
cyclicity of
a generalized Goppa code, 1908
a hypergraph, 5587
cyclic-edge-connectivity, *see* cyclic edge connectivity
cyclomatic number, 892, 1119, 3400, 3593, 5453, 5458, 5587
of a graph, 5587
two, 1119
cyclotomic
class, 2571, 3322, 5869
field, 4272
identity, 4148
number, 75, 4823
polynomial, 779, 905
cyclotomy, 67, 2150, 2571, 4823, 5971
cylinder, 4739, 5637
cylindrical
benzenoid, 5276
connectivity, 433
grid, 5552
topology, 433
Czipszer, 650
c-approximation, *see* n-approximation
C-B-H formula, 1427
c-chromatic, *see* n-chromatic
c-circulant, *see* n-circulant
C-closed, 3467
c-coloured, *see* n-coloured
c-colouring, *see* n-colouring
C-compact, 3467
c-edge
matching, *see* n-edge matching
star, *see* n-edge star
c-elegant, *see* n-elegant
C-ind orderable, 2413
c-irreducibility, 1487
c-irreducible, 1487, *see also* centrally irreducible
c-matching, *see* n-matching
C-matroid, 3605
C-permutation, 1609
c-reducible, 1487, *see also* centrally reducible
c-reduction, *see* n-reduction

D

(d, l, v)-graph, *see* (n, l, k)-graph
(D, c)-colouring, *see* (n, k)-colouring
(d, g)-cage, *see* (n, k)-cage
(d, k)-digraph, *see* (n, k)-digraph
(d, k)-graph, *see* (n, k)-graph
(d, f)-arrangeable graph, *see* (n, k)-arrangeable graph
D0L
length set, 732
sequence, 222
system, 732, 975
D_1-cycle, 1480
D_1-graph, 4437
D_1-path, 1480, 4943
D_1-property, 4047
Dagan, 2922
Dahlhaus, 5689
Dai, S-S, 2150
Damaschke, 5453
Daniels inequality, 5791
Dantzig
algorithm, 313
inductive algorithm, 101
Darboux method, 2209
dart calculus, 1150
Das, 1488, 5719
data base, 987, 1747, 2868
relation, 880, 987
data
compression, 4974, 5795
context, 2134
graph, 268
protection, 1897
structure, 2531, 3683, 4473, 5565
transmission, 1897
database of graphs, 4583
Davenport, 3489, 4906, 5259, 5954, 6004
constant, 5001
Davenport, H, 1399
Davenport-Erdös theorem, 387
Davenport-Schinzel
sequence, 3489, 4906, 5259, 5618, 5954, *see also* DS-sequence
theory of matrices, 3339
Davey, 3637, 5777, 5792
Davis, 3950, 4096
Dawes, R, 1633
Dawson, 5179
Day, 4175

Daykin, 1601, 2033, 2189
Daykin, D E, 1687, 2104, 4526
Daykin, J W, 4526
DC, *see also* directed covering
DC(v, k, λ), 5717
dcd-polyomino, 4979, *see also* diagonally convex directed polyomino
DCIM-group, 5682
DCS, 2137, *see also* disjoint covering system
DCT-graph, 5611
DD, *see also* distinct distance set, *see* DD-set
DDOLS, 1541
DDS, 3153, 3154, 4343, 5724, *see also* divisible difference set
DD-set, 5197
de Bakker, 3198
de Bruijn, 349, 415, 764, 1027, 1568, 2233, 2380, 2748, 3429, 3575, 3992, 4009, 4425, 4676, 6026
  characterization of the Pólya theorem, 916
  cycle, 3537
  digraph, 4676, 5534
  graph, 2508, 2942, 3104, 3429
  method, 710
de Bruijn sequence, 1027, 1698, 4008, 4570, 4622, 4823, 5729
  of nonextremal weight, 5729
de Bruijn theorem, 4425
  for group reduced distributions, 291
de Bruijn, N G, 2536
de Bruijn-Good
  cyclic sequence, 2356
  graph, 2075, 2828
De Clerck, F, 1663
de Clerck-Dye-Thas partial geometry, 1663
de Concini, 3232
De Francesco, 5233
de Fraysseix, H, 1561
de Graaf, 5232
de Jongh, 1793
de Launey, 3625, 5833
de Luca, 4856
de Morgan
  algebra, 1799, 2203, 2718, 5732
  lattice, 1547
de Vries, J, 3255
de Vroedt, 3165
de Weck, 724
de Werra, 3748, 5877
De Werra, D, 1470
Dean, 3272
death process, 3034
decay rate, 5462
decidability, 1429, 1665
decidable, 115, 934, 1429, 1665, 3129, 5031, 5708
  problem, 559
  word problem, 1665
deciding the existence of an asymmetrizing set, 3124
decision
  algorithm, 5601
  function, 1899
decision problem, 269, 507, 2083, 2930, 3507, 3686, 4319, 4458, 4549, 4560
  for D0L sequences, 222
  of 10-colouring, 4128
  of 4-colouring, 4128
  of membership, 2083
decision
  procedure, 138, 138
  variables, 3689
deck of a graph, 1188
decoder circuit, 72
decoding, 77, 79, 1016, 1891, 2964, 3411, 3447, 3450, 4570, 5538
  a BCH code, 2663
  a Fire code, 3461
  algorithm, 1894, 3447, 3450, 3461, 5538
  method, 1891
decoding of
  a linear code, 79
  an optimum cyclic burst correcting code, 5538
decoding
  problem, 2964, 3446
  procedure, 1404
  region, 2696
  speed, 72
decomposability, 2180, 2272, 4273, 5390
  of finite maximal code, 4273
decomposable, 2196, 2543, 2599, 2717, 2932, 2977, 3383, 3672, 5112, 5472, 5532
  by a one node cut set, 5234
  digraph, 5112
  into Hamiltonian cycles, 805
  permutation, 763
decomposed
  into two disjoint trees, 4932
  network, 181
  polygon, 849
decomposing
  a complete tripartite graph, 5928
  a distance function into cuts, 2447
  a graph, 1865
  an independence system, 1880
  an infinite graph, 3113
decomposion of a graph, 20
decomposition, 18, 53, 63, 89, 100, 255, 362, 449, 455, 483, 621, 624, 677, 794, 849, 862, 865, 875, 1025, 1033, 1092, 1156, 1202, 1204, 1209, 1217, 1239, 1849, 1865, 1880, 1899,

decomposition (*cont.*), 1907, 2136, 2181, 2218, 2376, 2517, 2551, 2673, 2691, 2716, 2717, 2895, 2925, 2932, 3019, 3051, 3102, 3163, 3184, 3210, 3214, 3251, 3291, 3298, 3319, 3330, 3429, 3429, 3515, 3562, 3616, 3640, 3672, 3813, 3836, 4060, 4098, 4172, 4291, 4369, 4409, 4490, 4606, 4610, 4662, 4792, 4839, 4860, 4932, 4971, 5234, 5284, 5326, 5530, 5592, 5787, 5928, 5935
algorithm, 181
criterion, 3562
diameter, 2121
decomposition for
directed graphs, 2717
graphs, 4490
decomposition in connected components, 5536
decomposition into
circuits, 483
circuits and rays, 4098
cliques, 5270
decomposition into edge disjoint
n-stars, 1204
triangles, 5284
decomposition into
Hamiltonian cycles, 1209
stars, 875
trails, 1394
triangulations, 2085
decomposition
lemma, 2798
method, 225, 887
methods, 181, 887
of a closure, 400, 3616
decomposition of a complete
bipartite graph, 1952
graph, 63, 98, 865, 1394
hypergraph into stars, 2376
multigraph into stars, 875
decomposition of
a convex polygon, 849
a distributive lattice, 1845
decomposition of a graph, 53, 2425, 3113, 3515, 4469
into forests, 865, 3210
into stars, 1204
decomposition of a hypergraph, 2218
into hyperstars, 2218
decomposition of
a ladder, 1474
a lattice, 3616
a line graph, 865
a middle graph, 865
a permutation, 763
a polygon, 56
a positive selfdual Boolean function, 4409
a product graph, 1927
decomposition of a regular
bipartite graph, 2932
graph, 3406, 4382
tournament, 3562
decomposition of
an infinite Eulerian graph, 4098
an n-ary relation, 2717
circle, 3736
K_n, 5147
locally finite graphs, 3742
patterns, 1156
selfdual function, 4409
the edge set, 1948
decomposition
problem, 3184, 4040
property, 299, 570
structure, 2638
decomposition theorem, 570, 794, 1354, 1996, 2337, 2490, 2566, 4292, 5600
for Boolean functions, 677
decomposition theory, 2717, 3672, 3733
for graphs, 2425
decomposition, cellular $\sim$, 4961
decomposition, hyperoctahedral $\sim$, 4478
decompostion of a digraph, 4490
Décoste, 4844
decreasing chain of cacce subposets, 4784
Dedekind
completeness, 2210
completion, 1786
Dedekind-MacNeille completion, 2454
DEDS, 3197
deepest node, 2714
defect
n, 4015
set, 5642
defective
chromatic number sequence, 3979
colouring of a graph, 3979
defect-d, *see* defect-n
defect-m, *see* defect-n
defect-n matching, 397
in a graph, 1119
deficiency, 1331, 2096, 2503
deficient
n-generalized Fibonacci graph, 1146
set, 5833
definability of
a graph property, 1671
a property of finite graphs, 1671
defining inequality, 347
defining number, 5960
of a regular graph, 5960
defining relator for a finite group, 137

defining set, 5317, 5960, 5993
of a vertex colouring, 5317
of vertices, 347
definite event, 116
definition, field of ~, 4961
deformation, 3224, 3574
retract, 1778
degenerate Berge graph, 5085
degenerate Bernoulli
number, 5003
polynomial, 4313, 4507
degenerate
circuit, 2811
Hermitian variety, 3570
perfect graph, 5085
projective plane, 1396
quadric, 5435
Staudt-Clausen theorem, 5003
degenerate Stirling
number, 1915
polynomial, 4313, 4507
degenerate topology, 4162
degenerate weighted Stirling number, 1915
of the first and second kinds, 1915
of the first kind, 1915
of the second kind, 1915
degenerated topology, 4162
degree
bound for interval numbers, 2473
characterization of pancyclicity, 4039
condition, 2535, 3363, 3561, 3604, 4318, 4884, 5119, 5817, 5934, 5977
constrained subgraph problem, 3238
distribution, 4984
four, 5284, 5622
in a digraph, 1368
degree irregular, 4456
n-chromatic multigraph, 4398
degree multiplicity, 4751
degree of
a graph, 5245
a hypergraph, 454
a line, 464
a map, 2031
a node in a graph, 346, 5587
a point, 464
a polynomial, 2031
a vertex, 1216, 1519, 1982
an algebraic set, 4231
overlap, 4459
regularity, 4892
strong connectivity, 4888, 4992, 5019, 5096
degree parity, 1389, 5513
degree preserving vertex, 3753
in a spanning tree, 3753
degree
profile, 4514
realization problem, 4458
degree restricted
map, 3891
spanning tree, 3380
degree sequence, 198, 202, 248, 277, 567, 653, 834, 947, 955, 1038, 1093, 1459, 1502, 1694, 1714, 1717, 2308, 2370, 2645, 2800, 2900, 2980, 3033, 3303, 3344, 3846, 4054, 4335, 4347, 4458, 4573, 4634, 4874, 5129, 5340, 5888, 5896, 5901
condition, 834, *see also* DSC
of a random graph, 1093
of an infinite graph, 1273
degree set, 3259
degree sum, 477, 989, 1957, 2891, 2965, 3133, 3316, 3604, 3831, 3905, 4060, 4258, 4279, 5144, 5611, 5707
condition, 5470, 5483
of a pair of nonadjacent vertices, 3905
of adjacent vertices, 3921
of an independent triple, 3905
degree two, 5235
vertex, 5508
degree versus diameter property, 4175
degrees from prescribed intervals, 490
degree-1 reduction, 2658
degree-5 vertex, 522
degree-5-vertex, *see* degree-5 vertex
degree-constrained, *see* degree constrained
degree-preserving, *see* degree preserving
degree-sum, *see* degree sum
DeGroot, 1231
Dehn-Sommerville relation, 5530
Dekker, 4411
Delandtsheer, 3708, 3760
Delandtsheer-Doyen bound, 3760
Delaunay
realizability, 4996
triangulation, 4996
DeLaVina, 5547
Deléglise, M, 6007
Delest, 4667, 5373
delete contract theorem, 6018
deleted box, 2684
deleting
a chosen edge, 5256
an edge, 4948
deletion, 3390, 3538, 3907, 3928, 4045, 4050, 4727, 4946, 5257, 5288, 5413, 5616, 5871
of an edge, 4545
operation, 2944
Deligne, 3574, 3644
Delorme, 3678

Delsarte, 693, 1332, 1941, 2663, 2776, 3165, 3731, 5789, 5879, 5958
bound, 5958
decoding function, 1899
linear programming bound, 1332
t-design, 5879
upper bound, 2946
Delsarte-Goethals code, 2776
delta
matroid, 5499, 5499
operator equation, 3088
sum, 5499
delta system, 2551
decomposition of a graph, 5128
Δ edge colourable, 5272
Δ(k) system, 226, 551
(Δ, D)-graph, 3675
Δ-critical edge chromatic graph, 5159
Δ-matroid, 2602, 3710
representable by some skew symmetric matrix, 4528
with coefficients, 3710, 4528
Δ-regular
finite simple graph, 2480
simple graph, 5272
Δ-sum, 5600
Δ-system, 226, 551
Δ-Y
graph, 2658
reducible graph, 2658
delta-matroid, *see* delta matroid
delta-sum, *see* delta sum
delta-system, *see* delta system
delusion, 2254
Dembowski, 508, 1627, 1811, 4077, 6029
semiplane, 1627, 1811
Demetrovics, 2918
demidegree, 448
demiregular multidigraph, 4964
demi-degree, *see* demidegree
demontable order, 4096
Dempster, 2414
dendroide, 234
Denert, 4980
Denniston, 1732, 3188
denotational semantics, 3198
dense
expander, 2534
family, 3960, 5920
graph, 1821, 2109, 2994, 4962, 5943
dense packing
of a tree, 2436
of congruent circles in a circle, 5505
dense
subgroup, 2643
subset, 1777
denseness property, 5086
densest packing, 2542, 2813
density, 1615, 1821, 2047, 2079, 2293, 2669, 2752, 3398, 3895, 5165, 5563, 5731, 6002, 6004
condition, 1665
for block graphs, 5731
density of a graph, 1535, 5529
structure, 1615
density of
a lattice of convex bodies, 2017
a one dimensional gas model, 5563
a packing, 2029
density of a set of
divisors, 4253
vectors, 1544
density of B_2-bases, 1967
density
version of the Hales-Jewett theorem, 2522
zero, 6002
denumerable, 1785
ordinal, 3119
dependence, 4707, 5266, 5840
dependence graph, 613
for bases in a matroid, 613
dependence
of tree copy functions, 1870
polynomial, 2743, 3554
relation, 5266
dependence system, 4180
theory, 4180
dependent set, 625
of error positions, 3450
depletion of T-lymphocytes, 3034
depth first search, 3682, *see* DFS
tree, 5376
depth of
a graph, 2539
a matroid, 4330
a planar graph, 431
an inclusion exclusion identity, 4675
depth-first, *see* depth first
depth-first-search, *see* depth first search
dequesortable permutations, 4422
derandomizing a probabilistic proof, 4400
derangement, 3696, 4166, 4833, 5852
graph, 4193
number, 4166, 4807, 4833
on the n-cube, 3696
problem, 4271
derivable projective plane, 5929
derivated sequence, 5484
derivation, 2638, 4450, 4989, 5735
set, 4450

derivative
graph, 24, 24
operation, 3770
derivative, directional ∼, 2563
derived
design, 1288, 4315
graph, 3171
derived graph covering, 4070
of a graph, 4379
derived
nilpotent sloop, 5142
quasigroup, 530
sloop, 5142
subgraph, 3640
triple system, 540, 1251, 2746
Dershowitz, 1425
Desarguean partition, 1108
Desargues configuration, 4869
Desarguesian affine
plane, 1531
space, 114
Desarguesian
finite projective plane, 6029
net, 4734
partition, 1108
plane, 3413, 4051, 4450, 4725
Desarguesian projective
plane, 3038, 4083
space, 114, 1941
Désarménien, 2264, 3219
descending
chain condition, 1793, 5390
plane partition, 2240
descent, 4304, 5045
of permutation, 4160
set, 5577
type statistic, 5045
describing word of a threshold graph, 1690
descriptive
power, 4887
sufficiency, 2886
descriptively sufficient subcollection of flats in a matroid, 2886
design, 59, 192, 242, 275, 301, 310, 335, 359, 386, 456, 466, 504, 579, 606, 615, 634, 641, 647, 685, 692, 709, 748, 841, 872, 924, 959, 967, 970, 986, 996, 1101, 1129, 1136, 1194, 1208, 1224, 1252, 1253, 1267, 1288, 1320, 1331, 1382, 1410, 1440, 1467, 1490, 1493, 1498, 1521, 1522, 1550, 1582, 1596, 1725, 1740, 1852, 1877, 1925, 1931, 1940, 2007, 2008, 2009, 2072, 2112, 2153, 2199, 2268, 2297, 2305, 2327, 2345, 2412, 2442, 2444, 2451, 2538, 2568, 2571, 2579, 2580, 2581, 2583, 2586, 2592, 2593, 2595, 2619, 2663, 2691, 2707, 2716, 2771, 2778, 2789, 2879, 2952, 2974, 2982, 3002, 3011, 3022, 3028, 3039, 3041, 3045, 3047, 3050, 3051, 3052, 3053, 3056, 3058, 3097, 3153, 3160, 3166, 3167, 3173, 3177, 3178, 3188, 3191, 3196, 3329, 3351, 3370, 3429, 3435, 3451, 3453, 3536, 3547, 3566, 3631, 3655, 3660, 3717, 3720, 3721, 3723, 3728, 3760, 3901, 3912, 3958, 3968, 4015, 4022, 4025, 4041, 4081, 4130, 4205, 4223, 4237, 4250, 4364, 4368, 4403, 4451, 4471, 4554, 4607, 4740, 4772, 4834, 4865, 5098, 5116, 5184, 5413, 5415, 5419, 5475, 5520, 5643, 5741, 5753, 5789, 5860, 5879, 5908, 5911, 5926, 5927, 5958, 5962, 5968, 5969, 6028, 6032
extension, 4315
design in
a type II parent code, 4364
an Euclidean space, 4470
statistics, 1706
design like structure, 4053
design of
a cellular telephone network, 5987
an algorithm, 2860
efficient hardware, 4473
experiments, 4556
interconnection networks, 5883
large interconnection networks, 2508
planes, 486
points and hyperplanes, 4451
prime side, 924
screening procedures, 96
design
parameter, 301, 2663
symmetrical about the main diagonal, 3958
theory, 2789, 3151, 5287
design with block size
five and index four, 2637
four, 2952
design with
large automorphism group, 3051
no three mutually disjoint blocks, 1320
designation number, 151
dessin d'enfant, 4961, 5582, 5822
destroying positive circuits, 1689
det(A^TA), 312
determinant, 859, 1404, 1457, 1742, 1883, 1956, 2030, 2066, 2207, 2267, 2694, 3245, 3271, 3386, 3916, 3983, 3986, 4122, 4452, 4491, 4528, 4760, 5091, 5110, 5189, 5574, 5910, 5916
expansion, 3916
form, 859
determinant of
a symmetric form, 1607
an adjacency matrix, 4452

determinant of q-binomial numbers, 2066
determinant
over a finite field, 2178
zero, 2178
determinantal
condition, 841
expression for a Bessel polynomial, 4854
hypersurface, 2561
ideal, 4702
inequality, 3789
determination of
Hadamard equivalence, 902
the distance regular graphs without 3-claws, 5099
determination principle, 2385
determining
n distances, 4870
segment, 966
set, 966
deterministic
finite automaton, 3686, *see also* DFA
grammar, 535
scheduling problem, 151
Deuber, W, 1839
development, 5675, 5779
development of
a biological organism, 222
a graph, 366
developmental
language, 185
system, 185
deviation of
a poset, 3202, 3202
an ordered set, 1793
Dewdney, 4220
Deza, M, 548, 841, 2527, 3065, 3352, 3703, 3725, 3881, 4129
DF, 4553, *see also* difference family
DFA, 3686, *see also* deterministic finite automaton
DFS, 3682, *see also* depth first search
tree, 3682
df-arrangeable graph, 5636
Dhar correspondence, 5563
Dhurandhar, 3545
Di Francesco, P, 4961
Di Porto, 3046
Diaconis, P, 3224
diadic clutter, 3701
diagonal, 4979, 5443
axiom, 3422
brace, 2458
diagonal colouring, 3290
of a triangulation, 3290
diagonal
domination number, 5452
equivalence for matrices, 800
flip, 4242
free circuit, 25
diagonal harmonic
alternant, 5841
polynomial, 5840
diagonal hypergraph, 1107
of a matrix, 894
diagonal
map, 5777
multiple of a square matrix, 1184
point, 2001
similarity, 800
size Ramsey number, 3651, 5120
transformation, 106
diagonalization process, 1230
diagonally convex directed polyomino, 4979, *see also* dcd-polyomino
diagonal-free, *see* diagonal free
diagram, 4640, 4740, 5448, 5550, 5952
geometry, 1947
invariant, 2456
L-PG*, 5952
diagram of
a graded lattice, 623
a partially ordered set, 623
a semilattice, 4402
an interval order, 4640
an ordered set, 2127, 2129, 2456, 2742, 2887
diagram
orientation, 2916, 2927
problem, 2130
representation, 2527
diameter, 1084, 2465, 3678, 4171, 4672, 5238, 5588, 5956
diameter 2-critical, 2260
graph, 937, 2260
diameter, 99, 168, 262, 264, 302, 351, 512, 556, 623, 742, 930, 937, 979, 1084, 1123, 1138, 1225, 1339, 1467, 1468, 1600, 1653, 1658, 1726, 1737, 2060, 2109, 2188, 2213, 2239, 2260, 2262, 2263, 2306, 2449, 2465, 2508, 2516, 2622, 2712, 2962, 3078, 3150, 3287, 3297, 3368, 3378, 3492, 3563, 3585, 3588, 3591, 3631, 3663, 3670, 3675, 3830, 3856, 3870, 3908, 3942, 4142, 4164, 4220, 4283, 4296, 4440, 4539, 4545, 4550, 4595, 4597, 4633, 4676, 4727, 4779, 4912, 4941, 5056, 5100, 5213, 5248, 5283, 5288, 5305, 5307, 5383, 5384, 5388, 5413, 5509, 5607, 5676, 5688, 5744, 5756, 5871, 5883, 5893, 5902, 5912, 5920, 5924, 5941, 5947, 5956
at most three, 4069
condition, 5781, 5782
critical graph, 937

diameter (*cont.*)
diagram, 4740
five, 2962
four, 2962, 4440
less than five, 4440
lower bound, 3585
n-critical, 937
diameter of
a 3-connected cubic graph, 3672
a bridged graph, 2465
a chordal graph, 2465
a connected bipartite graph, 1084
diameter of a convex
hull, 4283
polytope, 3287
set, 5744
diameter of
a folded n-cube, 5413
a graph, 99, 2990, 5413, 5912
a network, 4595
a permutation, 2135
a polytope, 302, 3287
a regular graph, 5607
a self complementary graph, 1084
an interchange graph, 5893
an orientation of a complete multipartite graph, 4672, 5509
simple blocks, 1038
the c.p.o. polytope, 5213
the clique graph, 4633
diameter
one or two, 1506
remains constant, 2508
diameter stable, 2962
graph, 2962
diameter three, 2310, 3332, 4265, 4440, 5755
diameter two, 1692, 2260, 2888, 3591, 4053, 4545, 4723, 5065, 5998
graph, 2182, 4545
or three, 2962
diameter vulnerability, 4438, 4676
diameter-stable, *see* diameter stable
diameter-vulnerability, *see* diameter vulnerability
diametrical vertices, 4912
diamond, 4773, 5153, 5276
free, 5153
order, 4773
diamonded odd cycle free graph, 3535
diamond-free, *see* diamond free
dichotomous direct search procedure, 26
dichromatic
number, 1642, 2006, 2073, 4252, 5199, 5965
oriented graph, 2073
dichromatic polynomial, 3142
of a graph, 4235
dichromatic regular tournament, 1642
dichromatic sum
equation, 2798
function, 2798
Dichtl, 1787
Dickson, 4168, 5514
polynomial, 3046, 4677
diconnectivity, 798
dictionary order, 2634
dicut, 3538
in a graph, 3538
dicyclic group, 1443, 3816, 3966
Dierker, 3348, 3622, 4685
Dietrich, 3689
Dietz, 1787
difference
basis system, 2111
body, 59
cycle, 5006
equation, 1022, 1062, 1731, 2117, 3088
difference family, 758, 3168, 4223, 4553, *see also* DF
construction, 3168
difference
hypergraph, 560
Laplacian matrix, 3120
list, 4343
matrix, 1965, 5833
method, 3051
of elementary symmetric functions, 3984
operator, 443, 443, 897, 1585
permutation polynomial, 2664
difference set, 425, 585, 668, 1136, 1277, 1531, 1592, 1697, 1771, 1931, 2058, 2116, 2359, 2455, 2910, 3153, 3154, 3193, 3282, 3315, 3408, 3541, 3570, 3614, 3821, 3899, 3900, 3935, 3950, 3952, 4244, 4272, 4462, 4537, 4582, 4616, 5471
code, 72
of McFarland and Spence type, 4582
of McFarland type, 4537, 4582
of Spence type, 4537, 4582
difference triangle set, 3910
differentiable perturbation, 2149
differential, 4420
algebra, 5536
differential equation, 2417, 3088, 3489, 3770, 5840
for connectivity, 424
with forcing term, 2417
differential
form, 5571
half ring, 2653
ring, 3697
differentiating
power series, 3770
species, 3770

differentiation, 4420, 4501
digital convex
n-gon, 4913
polygon, 4913
digital
geometry, 4913, 5688
image processing, 4189
metric, 4243
plane, 5862
tree, 5565
digitalized data, 1897
digon, 308, 5268
free arrangement, 1360
digraph, 62, 170, 174, 198, 231, 299, 317, 470, 499, 534, 617, 628, 715, 769, 773, 781, 798, 826, 834, 979, 1132, 1167, 1185, 1212, 1296, 1317, 1347, 1350, 1400, 1413, 1456, 1472, 1488, 1502, 1513, 1555, 1559, 1573, 1604, 1615, 1634, 1642, 1677, 1775, 1822, 1848, 1955, 1985, 2006, 2064, 2073, 2151, 2176, 2192, 2202, 2301, 2329, 2375, 2406, 2412, 2423, 2468, 2487, 2733, 2751, 2790, 2799, 2808, 2826, 2846, 2967, 3090, 3103, 3242, 3248, 3269, 3389, 3497, 3507, 3512, 3550, 3583, 3613, 3632, 3637, 3670, 3712, 3784, 3797, 3862, 3908, 3942, 4035, 4045, 4150, 4167, 4175, 4182, 4225, 4228, 4252, 4320, 4375, 4447, 4490, 4523, 4529, 4539, 4544, 4551, 4629, 4635, 4676, 4690, 4724, 4750, 4890, 4947, 4955, 4964, 5019, 5037, 5064, 5096, 5112, 5135, 5138, 5140, 5213, 5232, 5246, 5253, 5268, 5279, 5283, 5290, 5293, 5310, 5364, 5368, 5371, 5384, 5388, 5443, 5473, 5509, 5534, 5616, 5651, 5740, 5756, 5872, 5900, 5931, 5933, 5941, 5947, 5965, 5976, 5990
determined by factor objects, 1167
extremal problem, 1615
digraph grammar
language, 838
system, 838
digraph language, 838
digraph of
a matrix, 2151
diameter two, 1029
Ferrers dimension two, 3862
digraph
on permutations, 5388
realization, 1502
with a potential, 1164
without paths of length two or three, 1955
digraphs with the same canonical double covering, 5473
dihedral
group, 169, 472, 1443, 2844, 3387, 3772, 3874, 3930, 4431, 4580, 4623, 5180, 5209, 5292, 5416, 5485
subgroup, 3518
dihypergraph, 1507
Dikranjan, 3467
dilatation, 2149
Dillencourt, 4533
Dilworth, 236, 824, 1781, 5390
completion, 3687
decomposition theorem, 493, 824, 1996
lattice of maximal antichains, 208
Dilworth number, 1470, 1854, 2708
at most three, 2481
of a graph, 2708
three or four, 1470
two, 1854
Dilworth
theorem, 208
truncation, 3392
dimension, 130, 234, 236, 432, 459, 474, 475, 478, 503, 511, 542, 548, 578, 620, 652, 705, 709, 722, 747, 760, 816, 917, 981, 1016, 1050, 1064, 1069, 1147, 1180, 1198, 1369, 1505, 1793, 1798, 1827, 1830, 1836, 1894, 1898, 2052, 2121, 2170, 2174, 2265, 2266, 2384, 2497, 2612, 2635, 2677, 2684, 2735, 2912, 2922, 2926, 2930, 2961, 3004, 3149, 3156, 3197, 3372, 3416, 3421, 3483, 3499, 3570, 3661, 3677, 3726, 3822, 3904, 3945, 4087, 4188, 4280, 4289, 4307, 4316, 4463, 4508, 4522, 4537, 4542, 4582, 4584, 4609, 4646, 4675, 4719, 4720, 4961, 5006, 5023, 5239, 5311, 5504, 5639, 5646, 5649, 5689, 5692, 5835, 5841
five, 4792
irreducible, 236
less or equal to four, 5675
dimension of
a Cartesian product, 1798
a digraph, 1243
a graph, 747
a partial order, 432
a partially ordered set, 474, 503, 747, 1172, 1180, 4463
a poset, 130, 236, 511, 1050, 4463
a sum of graphs, 1827
a tree, 1147
an intersection of compact convex sets, 1198
the space of measures on a hypergraph, 2287
dimension six, 4792
dimension theory, 3197
for posets, 560
of partially ordered sets, 1281

dimension
thirteen, 2773
two, 981
dimensionality of an ordinal structure, 4646
dimer, 595
covering, 3271
Ding, 3613, 5757
Dinitz, 2583, 4323, 4411
conjecture, 4411
problem, 2524
Dinitz, J, 4323
dioid, 817, 3197
of scalars, 3197
Diophantine
equation, 357, 507, 1037, 2774, 5055
inequality, 357
Diophantine problem, 2206
of Frobenius, 4917
Diophantine solution, 357
dipolar word, 3995
dipole move, 5430
Dirac, 1106, 1361, 1691, 3275, 3292, 3382, 3801, 4163, 4300, 4325, 5294, 5332, 5813
join operation, 2667
minimum degree condition, 5294
Dirac, G A, 1272, 2491, 3278, 3596
direct
decomposition, 6002
limit, 1785
direct product, 599, 747, 931, 1625, 1792, 1827, 2043, 2180, 2316, 2344, 2358, 2385, 2614, 2925, 3099, 3351, 3510, 3731, 3900, 4735, 5296, 5698
decomposition, 623, 3616, 4781
graph, 5107
of chains, 1178, 1635
of graphs, 5107
of quasigroups, 134, 177
of two skew chain orders, 889
direct sum of series parallel networks, 5714
directed acyclic
graph, 3589
multigraph, 6013
directed and convex polygon, 4752
directed animal, 5563
on a square lattice, 5563
on a triangular lattice, 5563
directed
asymmetric graph, 2100
bipartite graph, 4882
cactus, 5135
circuit, 2151, 3555, 5232, 5697
column convex polygon, 4752
directed complete
graph, 341, 4869
multigraph, 3163
directed covering, 5717, *see also* DC
design, 5717
cut, 1080
directed cycle, 1350, 1443, 1604, 2212, 2372, 2423, 2826, 3330, 3497, 4375, 4756, 4882, 5135, 5443, 5616, 5976, 5990
design, 3051
length, 2270
directed cycle of length
five, 5443
n, 1443, 5021, 5122, 5976
two, 5019, 5096
directed
edge, 1151
elementary path, 5231
directed Euler tour, 2162, 5032
graph, 2162
transformation graph, 5032
directed Eulerian
graph, 2162
path, 715
directed
face in a planar digraph, 682
graph, 292, 317, 364, 426, 437, 538, 623, 730, 783, 1042, 1075, 1080, 1109, 1213, 1250, 1291, 1358, 2002, 2032, 2053, 2192, 2212, 2487, 2494, 2790, 2853, 2971, 3069, 3111, 3330, 3357, 3429, 3487, 3497, 3507, 3525, 3550, 3555, 3682, 3712, 3751, 3844, 4095, 4101, 4307, 4415, 4458, 4544, 4595, 4606, 4618, 4779, 5169, 5231, 5232, 5273, 5456, 5466, 5728, 5855, 5891
directed Hamiltonian
cycle, 2211, 2372, 5472
path, 2211, 3790
directed
interconnection network, 4175
multigraph, 2319, 3163
multilattice, 2756
network, 5269
odd cycle, 5466
directed path, 292, 412, 437, 730, 1282, 1350, 1456, 1848, 2372, 3263, 4415, 4529, 5456, 5616, 5837, 5990
graph, 412
directed path of length
at most n, 5631
two or three, 1955
directed
planar map, 682
polyomino, 4975
quasi-ordered set, 1626
rooted tree, 4322
set, 1626
directed star, 3163

directed star (*cont.*)
arboricity, 5061
decomposition, 3163
directed
switching game, 5256
tree, 412, 448, 1188, 3559, 4674, 5658, 5837
triangle, 1985, 3555, 5443
vertex graph, 5837, *see also* DV-graph
directing the chosen edge, 5256
direction of
motion, 3526
steepest descent, 705
directional derivative, 2653, 3724
directions determined by n points in the plane, 1428
directly
indecomposable group, 6002
irreducible, 1173
diregular bipartite tournament, 4183
Dirichlet
boundary conditions, 1022
distribution, 1231
function, 5571
disc bundle, 5006
discharging method, 5767
discipline number of a graph, 2863
disconnected
factor, 5307
graph, 714, 3848
matroid, 232
spanning subgraph, 3919
disconnecting set of nodes, 3539
discrepancy, 2460, 4342, 4508, 4719, 6006
DISCRETA, 5926, 5927
discrete
analogue of the genus of an orientable surface, 2390
analytic function, 304
conditional distribution, 3029
discrete distribution, 3029
theory, 1387
discrete
dynamical system, 5536
event dynamical system, 3197
Fourier transform, 1889, 4477
function, 443
geometry, 138, 932, 1950, 2016
Green function, 304
group, 4961
isoperimetric problem, 3079
kernel function, 304
Markov process, 1230
mathematics, 1411, 1546, 2136, 2179, 2471, 4461, 4471, 5420, 5996
metric space, 4138
models of continuous space, 4586
modular lattice, 4781
optimization problem, 1629
ordering relation, 1411
probability distribution, 2304
discrete random
variable, 401
walk, 786
discrete
region, 304
set of uniqueness, 3006
space, 3467
structure, 4101
torus, 3856
weakly modular space, 4936
discreteness, 1411
discriminant, 569, 3062, 4217, 4238
disengagement algorithm, 549
disjoint
Baer subplanes, 5416
bases, 4406, 4648
chains, 493
circles inside a unit square, 4352
circuits, 3613
cliques, 1384, 3704
colour sets, 2325
convex polygons, 2077
disjoint covering
system, 2137, *see also* DCS
systems, 369, 2137, 2169, 2832, 3057, 3578
disjoint cycle
decomposition, 3937
form, 1335
disjoint
cycles, 3374, 4227, 5019, 5096
cyclic decomposition, 4024
directed cycles, 2883
edges, 1072, 1501, 4996
family of (0, 1)-sequences, 381
graphs, 458
ground sets, 5450
independent dominating sets in graphs, 487
intersection operation, 3201
intersections, 3201
disjoint matchings, 688, 5921
in trees, 688
disjoint
maximal independent sets of vertices, 1384
Mendelsohn triple systems, 3778
odd integer subsets, 4263
one way infinite paths, 742
disjoint paths, 442, 610, 820, 1948, 4822, 5231, 5941, 6013
in a graphs, 982
in a matroid, 610
of bounded length, 5941

disjoint
projective planes, 1512
residue classes, 1378, 3375
simple circuits, 2811
stable sets, 5231
Steiner triple systems, 190
subgraphs, 205, 588, 742, 973, 3278
subsets of integers, 2720
disjoint translates
of a parallelogram, 1386
of convex sets, 2195
disjoint triangles, 5284
disjoint union, 100, 249, 517, 2477, 2806, 2920, 2925, 3094, 4406, 4513, 5340, 5786, 6014
of arcs, 356
of bases, 4648
of chains, 4584
of complete bipartite graphs, 5195
of cycles, 4666
of graphs, 3495, 5315
of matchings, 3813
of paths, 4894
of two spanning trees, 5256
disjointness property, 4963
disjunctive
form, 244
normal form, 777, 1079, 1678, 5162, *see also* DNF
disk with holes, 4203
dismantlability, 1625, 4092
of a finite poset, 5031
dismantlable, 1625, 1778, 4092, 4303, 5031, 5304
graph, 4092
poset, 1778, 4092
dismantling, 2010, 5304
scheme, 5779
dispersed, 4764
arrangements of points, 620
dispersion free
state, 2353
stochastic function, 3009
dispersion-free, *see* dispersion free
disruption through deletion of edges, 3871
dissected into
congruent triangles, 4301
triangles, 4301
dissecting a square into rectangles of equal area, 1599
dissection, 2839
into 1:2 rectangles, 4624
dissection of
1:2 rectangles, 4624
a disc, 4704
an equilateral triangle into congruent triangles, 4301
dissimilarity, 2802, 4459, 5781, 5783, 5788
function, 5781, 5782
information, 4459
dissymmetry theorem for enriched trees, 4984
distance, 406
at least three, 5678
distance between
arbitrary graphs, 4790
graphs, 4790
distance between two
semi-orders, 5167
subgraphs, 5305
distance between vertices, 5352
of a polytope, 302
distance
biregular graphs, 4214
bitransitive graphs, 4214
centre, 807
distance connectivity, 3942
of a digraph, 3942
of a graph, 3942
distance dimension, 2497
distance distribution, 917
of homogeneous code, 917
distance
dominating cycle, 2374
edge connectivity, 3942
function, 818, 2447, 3015, 4243, 4410
geometry, 52
distance graph, 3189, 3323, 5240, 5812, 5905
clique problem, 5905
recognition problem, 5905
distance hereditary, 4408
graph, 2093, 4408
distance in a benzenoid, 5779
distance matrix, 70, 428, 2197, 2654, 3861, 4129, 5368, 5796
of a tree, 428
with two nonzero stripes, 5368
distance monotone graph, 3534
distance of
a code, 1220
Boolean points, 2968
distance
polynomial graph, 2249
problem, 2553, 5975
distance regular, 1373, 2249, 4214, 4534, 5593
antipodal cover, 3159
graph, 429, 1138, 1283, 1388, 1645, 1962, 2060, 2152, 2628, 2707, 3448, 3531, 3631, 3654, 3969, 4058, 4204, 4296, 4534, 5099, 5100, 5396, 5936
graph of diameter three, 1645
subgraph, 3531
distance sequence, 2231, 4520

distance
set, 3077, 5812, 5975
space, 5401
sum, 3102
theorem, 948
to a subset, 5238
transitive, 979, 2249, 4204
distance transitive antipodal, 3340
cover, 4204
distance transitive digraph, 979
distance transitive graph, 482, 5778
of prime order, 2249
of valency four, 315
distance transitivity, 1917
distance two
cycle, 5295
graph, 4226
distance, Hamming ∼, 195
distanced graph, 3311
distance-biregular, *see* distance biregular
distance-bitransitive, *see* distance bitransitive
distance-dominating, *see* distance dominating
distance-hereditary, *see* distance hereditary
distance-regular, *see* distance regular
distance-transitive, *see* distance transitive
distance-transitivity, *see* distance transitivity
distant colouring, 3795
distinct
adjacent edges, 1289
cycles, 1666, 1848, 4181, 5802
distinct distance set, 3078, 5197
in a graph, 5197
distinct
distance, *see also* DD
distances, 3580, 5197, 5215, 5828
eigenvalues, 5799
n-sums, 4518
odd parts, 5899
representatives, 3868
sum sets, 4616, 5212
distinguished
representatives, 4122
vertex, 5256
distributed system, 4409
distribution, 1766, 2635, 2714, 2725, 2734, 3066, 3224, 4487, 4492, 4846, 5076, 5485, 5551, 5566, 5640, 5679, 5959, 6004, 6006, 6012
distribution of
1-widths of (0, 1)-matrices, 655
arithmetic functions, 6004
coloured biwords, 4487
degrees of vertices, 3066
distances in finite sets, 1922
divisors, 6004
Euler-MacMahon, 4487
lattice points, 6006
leading digits, 3471
left right maxima, 1314
Legendre symbols, 1399
like objects on chessboards, 897
prime factors, 6004
regular branched prime fold covering of surfaces, 4703
distribution theory, 1387
distributive analogue of independent matchings, 3687
distributive lattice, 208, 376, 474, 549, 673, 696, 845, 931, 980, 1179, 1284, 1486, 1547, 1635, 1649, 1799, 1845, 2122, 2454, 2718, 2869, 2903, 2919, 2925, 2929, 3146, 3637, 4156, 4247, 4455, 4652, 5221, 5266, 5463, 5647, 5732, 5913
of breadth three, 4156
of submodules, 546
distributive
law, 5516
pseudocomplemented lattice, 3571
p-algebra, 3637
squag, 4669
sublattice, 3629
supermatroid, 3687
distributivity, 2756, 5390
condition, 2756
divergence of the sequence of iterated jump graphs, 5075
divergent generating function, 1356
diversion in a partially ordered set, 118
divide and conquer algorithm, 1865
divided difference, 1230, 3984, 4313, 4507
of a composite function, 1230
operator, 5844
divided differences, 3226
divide-and-conquer, *see* divide and conquer
dividing the plane into atoms, 1761
divisibility, 2781, 3086, 3827, 4578, 6003
condition, 2451, 2905, 4110
of binomial coefficients, 4245, 6003
property, 800, 3059, 4238, 4916
divisible by
every countable semigroup, 294
four, 3858, 4911
divisible design, 967, 1440, 3153, 3154, 3821, 5724
divisible difference set, 3821, 4343, 5724, *see also* DDS
divisible
semigroup, 294
subsequence, 2686
division
algebra, 5029
ring, 114

divisor function, 4810
divisor of
  a code of Reed-Müller type, 4134
  a number, 30, 523, 780, 1551
  an integer poset, 5048
divisor-of-an-integer, *see* divisor of an integer
Djokovic, 4289
  relation, 5738
Dλ-cycle, 1480, 4325
Dλ-path, 4943
D_n, 4304, 5006, 5180, 5224
d_n, 5853
DNA sequence, 3134
DNF, 5162, *see also* disjunctive normal form
DNR(n, 3, 2)-BIBD, 2911
D_n-building, 5952
Dobson, 5275
dodecahedron, 1688, 1840, 2254
Doignon, 5167
domatic number, 2854, 3936, 5684
  of a graph, 3936
  problem, 3936
domatic partition, 4155
domatically critical, 2854
  graph, 2854
domatically full, 2854, 5684
  block cactus graph, 5684
  graph, 2853, 2854, 5684
dominance, 183
  ordering, 1643
dominant, 3793, 5500
dominated
  by a metric, 5781
  end, 5760
dominating, 3851, 3921, 3940, 4251, 4509, 4600, 4780, 4812, 5816
dominating circuit, 3921
  in a graph, 3921
dominating
  clique, 2856, 2866, 4069, 4997, 5531
  cycle, 1442, 2255, 2374, 2631, 2865, 3301, 3851, 4509, 4722, 5144, 5460
  function, 4780, 4812, 5302, 5895, 5984
  number, 4191
  path, 1442
  radius, 5531
dominating set, 487, 957, 2800, 2851, 2854, 2856, 2859, 2860, 2866, 2867, 2875, 3850, 3936, 4191, 4305, 4353, 4560, 4731, 4898, 4997, 5053, 5066, 5234, 5303, 5684, 5805, 5816, 5951, 5995
  of a graph, 5301
  polytope, 5234
dominating subgraph, 4251
domination, 750, 1118, 1633, 1969, 2850, 2861, 2868, 3138, 3860, 4731, 4780, 4791, 4812, 4950, 5046, 5102, 5119, 5251, 5452, 5694, 5821, 5868, 5933, 5984
  alteration set in a graph, 1581
  balance, 4950
  balanced graph, 4950
  by queens, 5452
domination critical, 2850
  graph, 3887
domination in
  a cubic graph, 4681, 5299
  a digraph, 5933
  a graph, 1118, 2868, 4731, 5805, 5970
  a hypergraph, 5694
  a queens graph, 5046
domination number, 750, 1118, 1581, 2552, 2668, 2850, 2851, 2859, 2863, 2868, 2875, 2939, 3138, 3254, 3782, 3803, 4003, 4019, 4305, 4334, 4353, 4731, 4805, 4809, 4898, 4950, 5046, 5066, 5102, 5302, 5453, 5655, 5816, 5874, 5950, 5982, 5984
  of a graph, 2859, 5107, 5453, 5821
domination
  parameter, 1969, 2847, 2855, 2868, 3803, 4791, 5102, 5301, 5303
  perfect, 2850
  problem, 2861, 2864, 2866, 2868
  property, 3563
  related parameters, 4731
  theory, 4353, 5102
domination-critical, *see* domination critical
domination-related, *see* domination related
domino, 4284, 4408, 5249
  configuration, 595
  tableau, 3214
  tiling, 1062, 5711
dominoes on a chessboard, 2369
domishold graph, 957, 1702
Domke, 5951
Donald, 2401
Dong, F M, 5350
Dönges, F G, 2453
Dörfler, 3511
Dorninger, 1787
dot depth one, 116
dot product, 2748, 5504
  dimension, 5504
  representation of a graph, 5504
dots and boxes, 2364
dot-depth, *see* dot depth
Doubilet, 141, 1144, 3132
double
  adjacency pairs, 4413
  bond arrangement, 5276
double bound graph of a height one poset, 5503

double bound graph of a poset, 5503
double chain condition, 5219
double circulant, 5700
  selfdual code, 5700
double
  commutative step digraph, 3670
  coset, 201, 3387
double covering, 4623, 5473
  graph, 5455
  of a graph, 3310
double critical, 2142
  5-chromatic graph, 2142
  graph, 2142
double diagonal
  Latin square, 385
  orthogonal Latin squares, 209
double
  diagonally embedded, 385
  dominating set, 4731
  domination in a complementary graph, 4731
  dual representation, 5567
  error, 1894
  fall, 914
  labeling, 1838
  loop case, 5283
double loop network, 2213, 4539
  with minimum delay, 2213
double
  matroid game, 3606
  negation, 5502
  ray, 4410
  rise, 914
  selection problem, 2438
  star, 940, 1500, 2932, 4002
  structure of partial order and graph on a set, 3565
  total domination of a graph, 5251
  tree, 7
  Youden rectangle, 3938, 3957, 3965, 5324, *see also* DYR
doubled fixed point, 4166
double-bond, *see* double bond
double-circulant, *see* double circulant
double-critical, *see* double critical
double-diagonally, *see* double diagonally
double-dual, *see* double dual
double-matroid, *see* double matroid
double-star, *see* double star
doubling construction, 93, 1251
doubly
  circulant code, 1909
  diagonal orthogonal Latin squares, 1541
doubly diagonalized
  Latin square, 134
  orthogonal Latin squares, 134, 318
doubly divisible nearly Kirkman system, 587
doubly even
  (72, 36, 16)-code, 1256
  code, 2540, 2778, 2779
doubly even selfdual
  binary code, 1910
  code, 1220, 4627, 5657
doubly
  extended Reed-Solomon code, 3975
  infinite path, 2509
  irreducible element, 2454, 5463
doubly near resolvable, 2757, 3807
  $(n, 3, 2)$-BIBD, 2911, 3807
doubly
  nonnegative matrix, 3681
  periodic infinite graph, 1696
doubly regular
  asymmetric digraph, 2412, *see also* DRAD
  of double valency λ, 2412
doubly resolvable, 923, 2757
  design, 959, 2442
  Kirkman system, 996
doubly stochastic, 4169
  circulant, 3093
  circulant matrix, 3093
  matrix, 18, 404, 597, 1873, 2089, 3001, 4169, 5939
doubly transitive, 107, 438, 4077
  Steiner triple system, 4077
doubly-even, *see* doubly even
doubly-extended, *see* doubly extended
doubly-infinite, *see* doubly infinite
doubly-periodic, *see* doubly periodic
doubly-stochastic, *see* doubly stochastic
doubly-transitive, *see* doubly transitive
Douglas, 5281
Dowling, 388, 601, 3783, 5972
  geometry, 5057, 5972
  lattice, 3783, 4813, 4946
down up
  matching, 3118
  permutation, 1266
Downey, 3686
downset, 4253, 5022, 5086
down-set, *see* downset
down-up, *see* down up
Doyen, 3164, 3708, 3760
  construction, 3164
Doyen-Wilson theorem, 5442, 5535
DRAD, 2412, *see also* doubly regular asymmetric digraph
Dragan, 5439
Drake, 5593
  inequality, 5475
drawing a group, 5582

drawing an order with few slopes, 2742
drawing of
  a complete graph, 5811
  sets of cycles, 4023
drawing
  strategy, 2681
  without replacement, 154
Dress, 3575, 6024
  exponentiation of a virtual G-set, 4249
Drmota, 5320
Drouffe, J-M, 4961
DS sequence, *see* DS-sequence
DSC, 2137, *see also* degree sequence condition
DSV computed, *see* DSV-computed
DSV-computed, 5568
DS-sequence, 5618, 5954, *see also*
    Davenport-Schinzel sequence
DT0L
  language, 488
  sequence equivalence problem, 1429
  system, 488
Du, 4359, 4788, 5152, 5534
dual, 131, 263, 284, 405, 642, 761, 870, 891, 921, 991, 1100, 1162, 1686, 1755, 1937, 2070, 2353, 2380, 2475, 2499, 2597, 2635, 2776, 3060, 3200, 3201, 3338, 3356, 3416, 3422, 3438, 3459, 3484, 3543, 3568, 3750, 3793, 3962, 4025, 4072, 4079, 4104, 4135, 4626, 4646, 4688, 5074, 5426, 5516, 5630, 5772, 5780, 5852, 5864, 5971, 5988
dual affine, 2797
  plane, 4079
  point residue, 2797
dual
  BCH code, 4677
  binary code, 1910
  blocking set, 5385
  category, 3479
  cellular decomposition, 1937
  class of planar graphs, 2658
  closure, 3604
  code, 759, 2170, 2500, 3442, 3446, 4001, 4590, 4966, 5238
  degeneracy, 814
  degree sequence, 1694
  distance, 3404, 5795
  distances, 2931, 2985
  Ellentuck theorem, 2281
  equivalence, 1649, 3222, 3223
  evacuation, 4143
dual form, 1054
  of sliding, 4989
dual
  function, 2230
  G_2-hexagon, 5403
dual graph, 1803, 3356, 4688, 4706, 5779
  of the map, 522
dual
  grid, 5405
  hypergraph, 642, 4952, 5694
  hyperoval, 5393
  imbedding, 1019
  inductive definition, 2600
  integrality, 3248
  isomorphisms, 4025
  Knuth relation, 3222
  König property, 5074
  Krull dimension, 5630
  Kuratowski theorem, 1054
  line code, 3421
  Lüneburg plane, 4993
  map, 3750
  matroid, 405
dual minor, 4409
  function, 4409
dual monotone
  DNF, 5162
  irredundant disjunctive normal form, 5162
dual
  normed plane, 5152
  n-arc, 3962
dual of
  a 2-Steiner system, 1214
  a 3-connected planar graph, 1463
  a BCH code, 4677
  a connected linear graph, 1214
  a generalized interval order, 5759
  a graph, 122, 252
  a linear program, 3248
  a matroid, 2452
  a partial geometry, 1663
  a splitting, 2070
  a theorem due to Lovász, 766
  an affine plane, 2380
  the Melas code, 2635
  the point derivate of a residual design, 986
  t-design, 1214
dual pair, 1847, 2390, 5852
  of cellular decompositions, 1847
dual
  plane, 5152
  point residue, 5952
  poset, 131
  problem, 814, 1060, 5786
  question, 4093
  recurrence relation, 5852
  restriction, 1064
  result, 408
  rook polynomial, 5426
  theory, 1019

dual thin, 5902
module, 5902
dual
transportation problem, 705
tree, 4688
weight enumerators, 3568
duality, 8, 113, 613, 694, 1187, 1477, 1733, 2028, 2203, 2312, 2355, 2658, 3110, 3229, 3543, 3568, 3637, 4119, 4180, 4281, 4497, 5162, 5300, 5971
between arrays, 1187
for permutations, 2390
in a graph family, 3543
map, 2499
of T-fractions, 4858
on Lie algebras, 5567
principle, 1060, 1435, 1733, 3459
duality theorem, 694
of graph embedding, 2597
of linear programming, 694
dualization, 675
dually atomistic, 3071
lattice, 3071
dually chordal graph, 4997
dually isomorphic, 623, 5502
design, 4025, 5520
dual-degree, *see* dual degree
dual-minor, *see* dual minor
dual-thin, *see* dual thin
Duby, 332
Duchet, 1604, 1735, 4814, 5439, 5466, 5776
conjecture, 5548
kernel conjecture, 5466, 5548
type theorem, 5439
Duchet, P, 2144, 2826, 5161, 5439, 5548
Dudeney, 3036
round table problem, 3036
set, 3036
Duffin, R J, 5146
Duffus, 4092, 4781, 5304, 5704
Duffus, D, 1436, 1792
Duijvestijn, 3414
Duke
contiguity theorem, 3109
interpolation theorem, 4117
theorem, 3109
Dulmage, 108, 2150, 4779
Dulmage-Mendelsohn theorem, 4779
Dulucq, S, 4506
Dulucq-Sagan fundamental algorithm, 4506
dumbbell graph, 3387
dummy arc, 2428
Dumont, 1003, 1357, 4504, 4861
modified Ghandi polynomial, 920
polynomial, 1357
Dumont-Foata polynomial, 1003, 4504, 4861
Dunbar, 1090, 5895
duplex transmission, 1897
duplicate transmission, 2290
duplications of existing edge, 2154
Durfee square
identity, 1637
of a partition, 1637
Dushnik, 236, 503
Dushnik-Miller dimension of a partially ordered set, 747
Dutton, 1747, 2000
DV graph, *see* DV-graph
DV-graph, 5837, *see also* directed vertex graph
dwarf, 2237
dyadic tree, 4100
Dyck language, 942, 1193
with one type of bracket, 1193
Dyck
map, 2254
path, 2719, 4282, 5373, 5551, 5768
word, 1193, 2719
words, 1944
Dyck, W, 2254
Dyck-language, *see* Dyck language
Dye, R H, 1663
dynamic
programming, 225, 2860, 2864, 3665, 4956, 5044
Ramsey theory, 5945
storage allocation, 2923
dynamical system, 5536, 5909
dynamics, 2896
Dynkin diagram, 1947
DYR, 3957, 5324, *see also* double Youden rectangle
Dyson, 2655
conjecture, 1376
D-admissible extensions, 2508
d-arrangeable graph, *see* n-arrangeable graph
d-arrangement, *see* n-arrangement
d-ary, *see* n-ary
quasigroup, *see* n-ary quasigroup
D-class symmetric association scheme, 5902
d-cluster, *see* n-cluster
d-connected, *see* n-connected
d-connectedness, *see* n-connectedness
d-convex, *see* n-convex
d-convexity, *see* n-convexity
d-covered, *see* n-covered
d-critical, *see* n-critical
d-cube, *see* n-cube
D-cycle, 1442
d-dimensional, *see* n-dimensional
d-disjunct, *see* n-disjunct
d-distance, *see* n-distance

D-finiteness, 3216
D-graph, 4437
D-hypergroup, 4746
D-interval hypergraph, 560
d-isodecomposable, *see* n-isodecomposable
d-manifold, *see* n-manifold
D-module, 727
D-optimal design, 1931, 2910, 5110, 5860
  of order hundred fifty, 5860
  of order hundred two, 3285
D-optimal weighing design, 4130
D-path, 1442
d-polytope, *see* n-polytope
d-pure, *see* n-pure
d-regular, *see* n-regular
d-simplex, *see* n-simplex
d-space, *see* n-space
d-step, *see* n-step
d-uniform, *see* n-uniform
  hypergraph, *see* n-uniform hypergraph

E

(e, n, q)-code, *see* (n, k, q)-code
E^3, 2254
ear, 5361
  decomposition, 2010, 2312
  of a triangulation, 4688
earliest birthday, 5280
Eaton, 5636
Eberhard theorem, 186
Eberhard type
  problem, 1701
  theorem, 308
ECC, 370, *see also* exactly covering congruence
eccentric
  graph, 1879
  sequence, 524, 4041
eccentric set, 524
  in a graph, 524
eccentricity, 524, 4797
echelon form, 72
Ecker, A, 3186
Eckhoff, 3992
ECO method, 5576
economics, 3235
Edelberg, 1781
Edelman, 3222, 5652
Edelman, P, 4763
Edelman-Greene insertion, 4985
Edelsbrunner, 3208
Edelstein, M 2675M. Hall, M, 2058
edge, 7, 9, 25, 106, 129, 142, 148, 150, 157, 168, 169, 171, 174, 202, 205, 214, 223, 260, 262, 263, 266, 273, 280, 284, 286, 287, 289, 302, 309, 317, 321, 333, 341, 346, 358, 361, 364, 367, 368, 391, 397, 412, 431, 440, 441, 460, 501, 502, 518, 522, 528, 536, 552, 560, 597, 600, 618, 623, 636, 637, 640, 650, 663, 670, 679, 682, 687, 690, 705, 712, 715, 718, 734, 737, 743, 752, 753, 761, 769, 773, 798, 801, 818, 821, 822, 825, 831, 837, 863, 882, 894, 900, 903, 909, 912, 937, 939, 940, 963, 984, 1010, 1012, 1017, 1034, 1041, 1049, 1059, 1061, 1069, 1070, 1077, 1092, 1093, 1096, 1097, 1102, 1107, 1116, 1146, 1149, 1154, 1212, 1219, 1261, 1265, 1276, 1278, 1302, 1309, 1316, 1334, 1348, 1353, 1370, 1375, 1385, 1386, 1409, 1412, 1416, 1417, 1425, 1433, 1434, 1442, 1444, 1477, 1501, 1502, 1530, 1536, 1546, 1553, 1554, 1557, 1561, 1580, 1610, 1613, 1619, 1622, 1636, 1682, 1686, 1691, 1696, 1698, 1707, 1727, 1729, 1731, 1733, 1735, 1747, 1752, 1783, 1801, 1838, 1857, 1864, 1883, 1916, 1921, 1927, 1933, 1944, 1976, 1993, 1995, 1997, 2000, 2002, 2015, 2018, 2019, 2034, 2048, 2069, 2094, 2100, 2130, 2144, 2154, 2162, 2235, 2239, 2260, 2282, 2284, 2285, 2321, 2324, 2331, 2333, 2336, 2352, 2370, 2376, 2388, 2391, 2393, 2396, 2401, 2406, 2409, 2415, 2424, 2435, 2437, 2446, 2450, 2471, 2483, 2486, 2488, 2494, 2497, 2506, 2509, 2510, 2511, 2512, 2521, 2529, 2533, 2539, 2551, 2559, 2563, 2577, 2582, 2601, 2604, 2624, 2625, 2641, 2647, 2650, 2658, 2659, 2667, 2670, 2680, 2681, 2691, 2699, 2706, 2713, 2716, 2736, 2784, 2796, 2806, 2811, 2814, 2815, 2816, 2821, 2823, 2827, 2835, 2843, 2850, 2851, 2854, 2865, 2872, 2874, 2887, 2900, 2902, 2907, 2909, 2915, 2930, 2958, 2976, 2994, 2995, 3005, 3009, 3012, 3017, 3026, 3037, 3061, 3075, 3082, 3083, 3084, 3087, 3098, 3102, 3105, 3111, 3118, 3120, 3130, 3142, 3148, 3176, 3189, 3192, 3199, 3200, 3210, 3212, 3249, 3256, 3258, 3263, 3276, 3292, 3303, 3323, 3324, 3326, 3334, 3337, 3340, 3384, 3394, 3396, 3403, 3429, 3492, 3505, 3506, 3533, 3560, 3572, 3573, 3588, 3599, 3606, 3609, 3620, 3638, 3640, 3643, 3653, 3657, 3658, 3664, 3673, 3683, 3690, 3701, 3732, 3734, 3745, 3750, 3763, 3768, 3772, 3777, 3803, 3813, 3819, 3820, 3830, 3832, 3837, 3839, 3840, 3842, 3843, 3848, 3849, 3850, 3855, 3864, 3877, 3902, 3915, 3921, 3927, 3928, 3931, 3943, 3953, 3955, 3963, 3967, 3974, 3977, 3989, 4002, 4004, 4018, 4029, 4044, 4048, 4049, 4050, 4056, 4057, 4059, 4111, 4113, 4135, 4140, 4141, 4155, 4157, 4174, 4181, 4193, 4201, 4210, 4215, 4218, 4257, 4269, 4276, 4309, 4320, 4324, 4339, 4348, 4349, 4350, 4371,

edge (*cont.*), 4374, 4378, 4385, 4389, 4391, 4396, 4399, 4423, 4441, 4443, 4490, 4509, 4514, 4524, 4538, 4544, 4545, 4577, 4594, 4595, 4606, 4608, 4611, 4615, 4620, 4632, 4636, 4638, 4658, 4682, 4691, 4692, 4694, 4714, 4721, 4723, 4727, 4737, 4747, 4749, 4754, 4765, 4767, 4782, 4787, 4796, 4811, 4826, 4834, 4836, 4838, 4843, 4864, 4871, 4873, 4875, 4881, 4891, 4896, 4901, 4904, 4909, 4919, 4925, 4939, 4948, 4953, 4991, 4996, 5009, 5019, 5032, 5040, 5053, 5054, 5055, 5070, 5074, 5075, 5096, 5101, 5118, 5124, 5125, 5130, 5131, 5132, 5135, 5139, 5173, 5183, 5185, 5192, 5208, 5230, 5231, 5243, 5257, 5265, 5276, 5277, 5288, 5298, 5303, 5319, 5322, 5326, 5333, 5342, 5362, 5363, 5364, 5366, 5380, 5382, 5413, 5431, 5444, 5445, 5454, 5466, 5480, 5481, 5489, 5501, 5503, 5508, 5525, 5529, 5542, 5548, 5575, 5582, 5584, 5585, 5588, 5590, 5591, 5614, 5623, 5644, 5652, 5654, 5656, 5664, 5670, 5674, 5680, 5683, 5694, 5713, 5716, 5719, 5723, 5738, 5750, 5771, 5776, 5783, 5788, 5800, 5802, 5803, 5812, 5813, 5814, 5816, 5829, 5831, 5837, 5857, 5858, 5862, 5871, 5874, 5888, 5889, 5891, 5901, 5905, 5919, 5934, 5950, 5966, 5979, 5981, 5990, 6018, 6025, 6030, 6034
  3-colouring, 263, 2482, 3262
  achromatic number of a complete graph, 2483
  adding technique, 180
  arboricity, 4867
  bijection, 1641
edge chromatic, 4329
  4-critical graph, 4329
  automorphism group, 2672, 4023
  difference sequence, 5437
edge chromatic number, 129, 1619, 1759, 4574, 5669
  of a graph, 3265
edge clique cover, 2827
  number, 1127, 1747, 2827
edge
  clique covering, 2827
  coloration, *see* edge colouration
  colored, *see* edge coloured
  colouration theorem, 766
edge coloured, 4608, 4611
  complete graph, 912, 1518, 1557, 2214
  digraph, 5616
  directed graph, 5810
  graph, 629, 1489, 1937, 4302, 5230, 5430, 5589, 5719, 5857
  multigraph, 5230, 5719
  tournament, 2002, 4756
edge colouring, 14, 127, 361, 439, 514, 1033, 1235, 1268, 1696, 2087, 2479, 2484, 3490, 3745, 3964, 3974, 4067, 4769, 4782, 4909, 4954, 4991, 5158, 5272, 5510, 5669, 5680, 5776, 5857, 6000
  algorithm, 4769
  conjecture, 2069, 4769
  of a cubic graph, 361
  of a graph, 2164, 4067, 4346, 4819, 5767
  of a multigraph, 2484
  of a simple graph, 2479
  problem, 14, 1155
edge comlementary, 1553
edge connected, 397, 1097, 1993
  components, 3683
  graph, 886, 3297, 3544, 3653, 3766, 3846, 5080
  graphs, 479, 3599
edge connectivity, 121, 260, 266, 397, 745, 798, 947, 1158, 1216, 1346, 1392, 1711, 2109, 2159, 2333, 2378, 4050, 4867, 5025, 5263, 5384, 5620, 5683
  of a graph, 260
edge
  contraction, 227, 1054, 2657, 3543
  cosymmetric graph, 1071
  cover by paths, 769
  covering by cliques, 2827
edge covering number, 2188, 2396, 5074
  of a graph, 1278
edge covering theorem, 1278
edge critical, 3199
  multigraph, 1510
edge crossing, 2482
edge cut, 1392
  set, 2333, 4360
edge
  decomposable, 5592
  decomposition, 2895
edge degree, 1442, 4514
  condition, 5707
  profile, 4514
  sequence, 5378
edge
  deleted subgraph, 640, 5487
  deletion, 3067
edge density, 3961, 4620, 4759, 5429
  constraint, 2294
edge
  diconnectivity, 798
  direction preserving map, 174
edge disjoint, 449, 715, 812, 982, 1204, 1711, 2427, 2515, 2551, 2993, 3184, 5047, 5500, 5549, 5620, 5703, 5928
  1-factors, 4874
  circuits, 364

edge disjoint (*cont.*)
complete graphs, 5118
decomposition, 4226
edge disjoint directed
4-cycles, 341
cycles, 3051
edge disjoint factors, 3184
edge disjoint Hamilton
circuits, 449
cycles, 2005, 4339, 5666
edge disjoint
hypergraphs, 2376
isomorphic subgraphs, 3777
limbs, 4761
matching, 2005
maximal planar graphs, 5549
minimum weight connected spanning n-edge subgraphs, 5703
n-cycles, 2582
n-stars, 1204
one-factors, 4874
parallel classes, 5284
paths, 1711, 1987, 2820, 3599, 5500, 5786, 5891
pentagons, 1750, 4031
perfect matchings, 2993, 3105
placement, 4922, 5134
edge disjoint spanning
forests, 3572
trees, 2872, 4866, 5703
edge disjoint
subforests, 3210
subgraphs, 621, 1921, 1952, 1982, 5198
trails, 5147
trees, 457
triangles, 4226, 4349, 5889
union, 3657, 3742
edge domatic
number, 4155
partition, 4155
edge dominating
number, 3627
set, 3850, 4155
edge
domination, 4155
end, 1944
η-extraconnectivity, 5871
extraconnectivity, 5288
extraction, 2657
edge face
chromatic number, 4598
colouring of a plane graph, 4350
edge forwarding index, 4102
edge frame, 5431
of a graph, 5431
edge framing number, 5431
of a graph, 5431
edge gluing, 4712
of graphs, 4712
edge graph, 228, 1063, 1442, 1865, 5239, 5345, 5788
edge Hamiltonian, 1752, 2395, 2722, 5032
property, 2395, 2722
edge
homogeneously embedded, 5431
hypomorphism, 3919
identification complexity of a graph, 3963
independence number, 1460, 2396
induced subgraph, 3848, 5075
edge integrity, 3854, 3871, 3902
of a graph, 3871
edge intersection, 1857
graph of paths in a tree, 1864, *see also* EPT graph
of paths in a tree, 1857
edge isomorphic graphs, 1709
edge isomorphism, 1709, 1887, 5431
of graphs, 1709
edge jump, 5075
edge labeled
directed graph, 4066
skew hook, 984
edge labeling, 1682, 4198, 5055, 5366, 5824
of a graph, 4198
edge map of a graph, 2136
edge maximal, 3659, 4545
graph, 1619
edge minimal, 5951
kernel less connected digraphs, 5548
edge
monomorphism, 5147
move, 4790
multiplication, 752
multiplicity, 4398
neighbourhood, 4141
nucleus, 690
n-colouring, 6000
n-reduction, 5542
edge of
a cell, 4768
a complete graph, 2214, 6034
a finite graph, 921
a graph, 1553, 1860, 3481, 3505, 3843, 3848, 3981, 4474, 4707, 5136, 5251, 5966
a path, 2409
edge
operation, 4790
ordered graph, 1682
orientation, 1049
edge packing, 2397
an (n, k)-cut, 2397
an (n, k)-path, 2397

edge packing (*cont.*)
bounds, 2397
by network cut sets, 2397
edge packing by Steiner
cut sets, 2397
trees, 2397
edge packing
of a graph, 2397
problem, 2397
spanning trees, 2397
edge packings of an (n, k)-cut set, 2397
edge pancyclic, 3152, 4275
block intersection graph, 3152
edge partition, 2577, 5181, 5623
number, 809
system, 3512
edge
path hypergraph, 1414
perfectness, 4707
permutation, 4213
edge preserving
majority function, 3314
map, 2316
selfmap, 2248
vertex mapping, 5371
edge probability, 2419, 2730, 2739, 4357
threshold, 3391
edge
Ramsey class, 3268
reconstructability of a graph, 5382
reconstructibility, 803
reconstructible, 803, 4268, 4636, 5487
edge reconstruction, 4268
conjecture, 640, 3919
of an infinite graph, 3121
edge relation, 2209
edge removing game, 4443
of star type, 4443
edge search, 3690, 5010
edge set, 368, 734, 744, 783, 805, 826, 888, 903, 1034, 1075, 1375, 1529, 1542, 1565, 1610, 1795, 2038, 2300, 2328, 2376, 2395, 2415, 2416, 2604, 2617, 2647, 2691, 2806, 2815, 2827, 2906, 2915, 2987, 3273, 3502, 3560, 3840, 3927, 4360, 4429, 4474, 4896, 4935, 5012, 5041, 5055, 5128, 5195, 5622, 5738, 5749, 5921
of a directed graph, 781
of a graph, 367, 1034, 4963, 5181, 5312
edge
signed graph, 5455
signing, 3648, 5455
subgraph, 3745
subset, 5192
sum, 4367
symmetric, 1071
toughness, 3572, 5125
transfer, 5075
edge transitive, 3530, 3772, 3907, 5596
digraph, 4307
graph, 3530
orientation, 4307
planar strip, 3130
strip, 3130
edge
transitivity, 3284, 4307
valuation, 3835
weighted graph, 1605, 4589
edges
having one vertex in common, 753
of only two types, 1993, 3326, 4276, 4901
edge-3-colouring, *see* edge 3-colouring
edge-adding, *see* edge adding
edge-arboricity, *see* edge arboricity
edge-bijection, *see* edge bijection
edge-chromatic, *see* edge chromatic
edge-clique, *see* edge clique
covering number, 4365
edge-coloration, *see* edge colouration
edge-colored, *see* edge coloured
edge-colouration, 766, *see* edge colouration
edge-coloured, *see* edge coloured
edge-connected, *see* edge connected
edge-connectivity, *see* edge connectivity
edge-contraction, *see* edge contraction
edge-crossing, *see* edge crossing
edge-cut, *see* edge cut
set, *see* edge cut set
edge-cutset, *see* edge cut set
edge-decomposable, *see* edge decomposable
edge-decomposition, *see* edge decomposition
edge-deleted, *see* edge deleted
edge-deletion, 3543, *see* edge deletion
edge-density, *see* edge density
edge-diconnectivity, *see* edge diconnectivity
edge-direction-preserving, *see* edge direction preserving
edge-disjoint, *see* edge disjoint
edge-end, *see* edge end
edge-extraconnectivity, *see* edge extraconnectivity
edge-extraction, *see* edge extraction
edge-face, *see* edge face
edge-forwarding, *see* edge forwarding
index of a Frobenius graph, 5602
edge-gluing, *see* edge gluing
edge-graph, *see* edge graph
edge-Hamiltonian, *see* edge Hamiltonian
edge-induced, *see* edge induced
edge-integrity, *see* edge integrity
edge-isomorphic, *see* edge isomorphic
edge-isomorphism, *see* edge isomorphism

edge-labeled, *see* edge labeled
edge-map, *see* edge map
edge-minimal, *see* edge minimal
edge-multiplication, *see* edge multiplication
edge-ordered, *see* edge ordered
edge-packing, *see* edge packing
edge-pancyclic, *see* edge pancyclic
edge-partition, *see* edge partition
edge-path, *see* edge path
edge-permutation, *see* edge permutation
edge-preserving, *see* edge preserving
edge-probability, *see* edge probability
edge-Ramsey, *see* edge Ramsey
edge-reconstructible, *see* edge reconstructible
edge-reconstruction, *see* edge reconstruction
edge-removing game, *see* edge removing game
edge-set, *see* edge set
edge-signed, *see* edge signed
edge-toughness, *see* edge toughness
edge-transitive, *see* edge transitive
  graph, *see* edge transitive graph
edge-weighted, *see* edge weighted
Edmonds, 124, 283, 1080, 1565, 1784, 1845, 2314, 2425, 4060
  alternating tree, 2642
  blossom operation, 958
  coupling algorithm, 958
  covering theorem, 4141
  matching polytope, 283
  polytopes, 120
  problem, 1565
  technique, 180
  theory of matroid partition, 351
Edmonds, J, 1080
Edmonds-Giles
  basic theorem on TDI systems, 3248
  theorem, 3248
Edmonds-Johnson min-max relation, 3713
EDS, 5438, *see also* efficient dominating set
education, 3235
Edwards, 5459, 5723, 5827
Edwards-Erdös inequality, 5827
effective
  additive basis for the integers, 4400
  asymptotics, 4849
  determination of a regular expression, 700
effectiveness, 5117
effectivity function, 4814
efficiency, 1897, 3134, 3429, 5117, 5883
  of a graph, 5438
efficient
  algorithm, 412, 2414, 3689, 4539, 5766
  circuit, 3465
  colouring, 4909
  data structure, 4473
efficient dominating
  function, 4780, 4812
  set, 4560, 4780, 4812, 5438, *see also* EDS
efficient domination, 5438
  in a graph, 4780, 4812
efficient
  rearrangement of desks, 406
  strategy, 3667
  Y-dominating function, 4780, 4812
efficiently colourable, 3791
Egecioglu, 2900
Egerváry, 1640
Eggleton, 583
Eggleton, R B, 583
Egorychev, 4927
EGQ, 3159
Egyptian magic graph, 4198
Ehrart enumerative theory of polytopes, 4497
Ehrenfeucht, 5158
  conjecture, 1429
Ehrhart polynomial, 2764
  of a convex polytope, 2764
eiffel free graph, 6010
eigenspace, 5238
eigenvalue, 77, 374, 504, 762, 1373, 2060, 3258, 3519, 3581, 3669, 3720, 3732, 4014, 4129, 4711, 5238, 5305, 5382, 5489, 5529, 5607, 5676, 5771, 5798, 5799, 5912, 6012
  bound, 3576
  multiplicity, 1373
eigenvalue of
  a distance regular graph, 2628
  a finite graph, 3669
  a generalized Moore geometry, 2243
  a graph, 3012, 3669, 3892, 5607, 6012
  a matrix, 4711
  a random matrix, 140
  a tree, 4014
  an adjacency matrix, 536, 3892
eigenvalue property in graphs, 3581
eigenvector, 5305
eight
  connection graph, 5862
  edges, 2446
  treble bob minor method, 3876
eight-colouring, *see also* 8-colouring
eight-connected, *see also* 8-connected
eight-cycle, *see also* 8-cycle
Eilenberg, 306
EIP, 1780, *see also* Erdös intersection property
Eisenstein lattices, 4229
El Gamal, 1874
elation, 1991
  axis, 1991
  net, 1991

electoral system, 2223
electric network, 3245
electrical network, 3245, 5910
elegant graph, 3080
element regular, 5968
  design, 5962, 5968
element weighted matroid, 1605
elemental fragments, 4234
elementary Abelian group, 3315, 5602, 5728
  of order 64, 3548
elementary Abelian
  p-group, 5728
  Steiner system, 2141
elementary
  bipartite graph, 1040, 5361
  boundary operation, 2690
  chain, 2437
  contraction, 1262, 2486
  deformation, 3574
  edge operation, 4790
  map, 388, 723
  ordered set, 4259
elementary path, 1163, 2064, 4809
  of length n, 1466
elementary
  p^n-group, 383
  set, 4675
  strong map, 215
  substructure, 4468
elementary symmetric
  function, 3231, 4981
  polynomial, 2326
elementary topos, 827
element-regular, *see* element regular
element-weighted, *see* element weighted
Elgot, 306
Ellentuck, 2281
  space, 2281
  theorem, 2281, 3475
Elliot, 3315
Elliott, 203
elliptic
  curve, 583, 3754, 6024
  function, 1073
  hypermap, 4972
  quadric, 5415, 5621
  semiplane, 2579
Ellis, 4171
EL-labelable ranked lattice, 5434
El-Zahar, 5943
embeddability, 967, 1745, 1779, 1787, 5780
  problem, 4086
embeddable, 3820, 3991, 4078, 4129, 5029, 5279, 5767
  Fullerene, 5780
embeddable in
  a projective plane, 3991
  a surface, 5767
  a surface of low genus, 5767
embeddable
  modular lattice, 3623
  n-net of valency k, 899
  planar graph, 122
  Steiner system, 2569
  transversal design, 967
embedded
  dual, 3356
  graph, 3356, 5599
embedded in
  a manifold, 2082
  a Pappian plane, 4078
  a projective plane, 192, 1503, 1568, 2225, 3194, 3648
embedded unicycle, 1338
embeddibility in a Kirkman triple system, 1882
embedding, 64, 192, 385, 452, 518, 606, 615, 804, 1033, 1045, 1147, 1210, 1288, 1331, 1338, 1463, 1503, 1716, 1738, 1745, 2087, 2098, 2232, 2436, 2597, 2658, 2732, 2978, 3086, 3299, 3311, 3468, 3486, 3741, 3886, 3990, 3991, 4085, 4338, 4357, 4390, 4396, 4398, 4456, 4489, 4563, 4682, 4706, 4919, 5009, 5145, 5421, 5432, 5585, 5599, 5689, 5769, 5964, *see also* imbedding
  a, *see also* embedding of a
embedding in
  a book, 5585
  a projective plane, 4117
embedding of
  a $(0, \alpha)$-geometry in PG(n, q), 1738
  a complete graph, 5689
  a digraph, 5279
embedding of a finite
  linear space, 2225
  poset, 376
embedding of a graph, 452, 1338, 2436, 2611, 3920, 5758
  in a book, 5585
  in a surface, 2611
  in the plane, 1949
embedding of
  a linear space, 2342
  a manifold, 5078
  a maximal clique, 1970
  a metric space, 3198
embedding of a partial
  complete permutation, 2358
  extended triple system, 5367
  Mendelsohn triple system, 2187

embedding of a planar
graph, 4706
map in a grid, 2531
embedding of
a residual design, 1288
a set of rational points in lower dimension, 5790
a signed graph, 3089
a toroidal graph, 1463
a tree, 3886
a triangle free graph, 620
an apex graph, 5432
an incidence structure, 5421
an n-ary quasigroup, 1964
edges around an articulation point, 3886
K_n, 5689
embedding
problem, 5145
theorem, 396, 530, 606, 1275, 1331, 3161, 4368, 4427, 5406
embracing, 4987
emi-octahedron, 5405
empire, 1520, 5823, *see also* m-pire
empirical logarithmic
distribution law, 3471
law, 3471
empirical logic, 189
empty convex subset, 3477
empty graph, 3061, 3394, 3683
on n vertices, 2056
empty
invariance, 2650
triangle, 5811
vertex, 5208
word, 2546, 5492
emulsive, 5776
encoding, 72, 3232, 4288, 4881, 5006, 6032
rule, 6032
encounter problem, 4271
end
as an ideal point, 4099
block, 4714
faithful forest, 3128
end faithful spanning tree, 3127, 3128, 5760
conjecture, 3127
end faithfulness, 3128
end in
a digraph, 5456
a graph, 1265, 3116, 4108
a maximal order, 4100, 4764
a spanning tree, 3376
an infinite graph, 3320, 3376, 4099, 4994
an undirected graph, 5456
end
order of a digraph, 5456
orthodox graph, 4818
end preserving
spanning tree omitting some prescribed set of ends, 5760
tree, 5760
end regular, 4818
bipartite graphs, 4818
graphs, 4818
end respecting subdivision of the dyadic tree, 4764
end structure, 3247
of a graph, 3247
end vertex, 831, 4320, 4509, 4761, 5294, 5588
label, 3082
endocirculant digraph, 5931
endofunctor, 3770
endohomologous, 5746
endohomology, 5746
endomorphism, 340, 1765, 2638, 3487, 3508, 4915, 5931
class, 3508
monoid, 2203, 3508, 3637, 4818
endomorphism of
a graph, 24, 135, 992
a tree, 3839
endomorphism semigroup, 311, 992, 4736
endomorphism spectrum, 3508
of a graph, 3508
endomorphism type, 3508
zero mod two, 3508
endo-circulant, *see* endocirculant
endo-homologous, *see* endohomologous
endo-homology, *see* endohomology
endpoint, 5902
free tree, 3124
placement, 1856
sequence, 3660
endpoint-free, *see* endpoint free
end-block, *see* end block
end-faithful, *see* end faithful
end-orthodox, *see* end orthodox
end-preserving, *see* end preserving
end-respecting, *see* end respecting
end-vertex, *see* end vertex
energy, 5072
of a graph, 4016
Engel, 800
engineering design, 26
E_k^n, 1504
enlargement of a group, 3796
Enomoto, 5775
enriched
category, 2984
plethystic tree, 3859
species, 5204
tree, 3225
entire chromatic number, 4598

entire graph, 527, 5953
Entringer, 1377, 1764
  integer, 1266
Entringer, R, 2058, 4052
entropy function, 4569, 5010
enumerant, 240
enumerating
  arrays with given row and column sums, 630
  asymmetric structures, 3225
enumerating combinatorial
  classes, 2209
  objects, 5576
enumerating
  minimal coverings, 4801
  nonisomorphic planar maps, 4704
  n-plexes, 199
  orientations, 2924
  pairs of permutations, 1835
  patterns, 415
  phylogenetic trees with multiple labels, 2405
  polygonal clusters, 360
  polynomials, 920
  regular objects, 2163
  totally clean words, 2166
  uniform polyhedral surfaces, 4565
  Youden rectangles, 3938
enumerating, *see also* enumeration of
enumeration, 43, 56, 111, 319, 344, 445, 489, 578, 746, 854, 887, 958, 1099, 1322, 1327, 1363, 1477, 1717, 1789, 1819, 1920, 1944, 1999, 2018, 2160, 2330, 2405, 2629, 2749, 2819, 2887, 3225, 3255, 3612, 4400, 4480, 4623, 4715, 4752, 4761, 4844, 4966, 4976, 4984, 5045, 5563, 5566, 5613, 5735, 5983, *see also* enumerative
enumeration formula, 1046, 1108, 3577, 4975
  for Cayley trees, 1609
  for C-permutations, 1609
enumeration
  function, 578
  method, 1195
enumeration of, *see also* enumerating
  3-regular graphs, 3255
  5-cyclic Youden squares of size, 5324
  a species, 4844
  a symmetry class of plane partitions, 2240
  almost simple cubical d-polytopes, 5613
enumeration of alternating
  sequences, 664
  subsets, 398, 720
enumeration of
  animals according to area, 5563
  arborescences, 143
  arrays, 578, 612
  Baxter permutations, 5566
  bicoloured plane trees, 4984
  bipartite graphs, 916
  bipartitions, 3588
  caterpillars, 197
  column convex polyominoes, 4667
  combinatorial 3-manifolds, 513
  configurations, 720
  convex directed polyominos, 4975
  cosets in a group, 3800
  designs, 5968
  digraphs, 2967
  dimer and domino configurations, 595
  elementary paths in a graph, 854
  extremal doubly even (40, 20, 8)-codes, 2749
  finite field labels on graphs, 5366
  four-dimensional polytopes, 2992
  functions, 1999
  generalized alternating subsets, 720
  graph embeddings, 4219
  Hamiltonian polygons, 179
  higher dimensional paths, 859
  hypergraphs, 1507
  injective partial transformations, 2469
  integral matrices, 746
  intersecting families, 1603
  isomorphism classes of regular graph coverings, 4623
  isonemal fabrics, 2021
enumeration of labeled
  acyclic digraphs, 141
  graphs, 5624
  multigraphs, 1389
enumeration of
  ladder graphs, 296
  Latin squares, 344, 3577
  lattice paths, 859
  linear extensions, 907
  maps of a set into itself, 258
  matrogenic graphs, 1717
enumeration of mixed
  selfcomplementary digraphs, 462
  selfconverse digraphs, 462
enumeration of mosaics, 5983
enumeration of negative
  cycles, 4916
  subgraphs, 4916
enumeration of
  NOHO-graphs, 1302, 1316, 1334
  noncrossing trees on a circle, 5575
  n-complete partitions, 5629
  n-trees, 15
enumeration of ordered pairs, 345
  of subsets, 345
enumeration of ordered trees, 1017

enumeration of
packed graphs, 2752
packings and coverings of index one, 2585
pairs of permutations, 445
parallelogram polyominos, 3707
partition graphs, 3650
enumeration of partitions, 56
of minimal diameter, 3588
paths, 843
permutations, 489, 843, 984, 1192, 1266, 1314, 1819
phylogenetic trees, 2405
planar maps, 43, 86, 3894
Platonic maps on the torus, 2036
polyhedra, 1363
presentations of an Abelian group, 1362
projective planar embeddings of graphs, 2098
rectangular arrays of zeros and ones, 691
reduced words in a finite group action, 2160
enumeration of regular
graphs, 3255
maps on the torus, 113
enumeration of
relations, 1099
rises and falls, 132
enumeration of rooted
planar hypermaps, 1944
trees, 1362
enumeration of self complementary
relations, 319
strongly regular graphs, 2330
enumeration of
semi-Latin squares, 5287
sequences, 240, 371, 994
sets with automorphisms, 415
simple paths in a graph, 854
simplicial clusters, 1327
stack polytopes, 1327
standard tableaux, 843
tableaux of bounded height, 4503
tiered orders, 1789
time graphs, 1088
tone rows, 5325
transitive self complementary digraphs, 1573
transversals, 5925
trees, 3579, 4761
unicoloured plane trees, 4984
unlabeled graphs, 289, 5513
up down sequences, 117
valid sequences, 140
vertex primitive tournaments, 426
words, 1137
enumeration polynomial, 630
enumeration problem, 664, 1017, 1065, 1362, 2160, 2759, 3959, 5651
for graphs, 1477
for matrices, 887
for similarity relations, 873
on graphs, 3684
enumeration
result, 1193, 5870
theorem, 33
theory of Latin squares, 3577
enumeration under
a finite group action, 5983
a group action, 33, 1999
enumerational result, 2311
enumerative, *see also* enumeration
aspect, 3112
enumerative combinatorics, 1999, 4027
of Young tableaux, 4702
enumerative
formula, 914
invariant, 4839
problem, 2469, 5575, 5618
property, 5097
result, 4623, 5259, 5563
technique, 4990
enumerator for
the inversion index, 3227
the major index, 3227
enumerator of selforthogonal binary codes, 860
enveloping algebra, 5567
EPA, 996, *see also* equidistant permutation array
epireflective subcategory, 3467
Eplett, 1187
Eplett identity, 1187
for renewal arrays, 1187
epsilontics, 4660
ε-pseudo-Behrend sequence, 6004
EPT graph, 1857, 1864, *see also* edge intersection graph of paths in a tree
equal
domination and covering number, 5816
ranking, 453
replication, 5148
sized holes, 5071, 5476
subspace arrangement, 5108
equally
coloured, 5588
spaced strands, 2021
equally-spaced, *see* equally spaced
equal-sized, *see* equal sized
equation in
a free monoid, 1624
the theory of Q-distributive lattices, 5221
equational
class, 974, 1173
theory, 379

equationally
definition of an extended cycle system, 5191, 5206
defined, 5191, 5206
equator of a sphere, 4895
equibipartite graph, 5614, 5829
equicardinal linear forests, 2906
equicoloured
graph, 1134
K_n, 1134
vertex, 1134
equicut polytope, 3785
equidissection, 2839
of polygons, 2839
equidistant, 5892, 6005
binary code, 547
code, 195, 196, 547, 548, 841
cyclic code, 554
equidistant permutation
array, 996, *see also* EPA
arrays, 996
equidominating graphs, 957
equilateral triangle, 235, 667, 2465, 2553, 4301, 4404, 5271
equinumerate, 5946
equipartite graphs, 5641
equipartition, 1408, 3017
of a graph, 3017
problem, 1408, 3017
equireplicate balanced block design, 2268
equistable, 957
graphs, 957
equitable, 4067
chromatic number, 4446
equitable colouring, 4446
conjecture, 4446
equitable
edge colouring, 439, 1033, 4067
n-colouring, 439
equitably coloured, 4446
equitiling of the plane, 3280
equivalence class, 80, 670, 1142, 1479, 4671, 5205, 5339, 5352, 5456, 5729, 5752
of Golay sequences, 5752
of subsets, 3900
equivalence of
codes, 2777
coverings, 2057
infinite digraphs, 5290
two linear codes, 2186
equivalence problem for
deterministic finite automata, 3686
dfa's, 3686
finite tree automata, 3686
tree automata, 3686
equivalence relation, 670, 1144, 1992, 3146, 3444, 4057, 4585, 4671, 4816, 4839, 5205, 5312, 5343, 5456, 5516, 5543, 5792, 6023
equivalent
cyclic objects, 4700
finite subsystem, 1429
marriage graphs, 4593
objects, 5404
orders, 1977
partitions, 6007
single constraint problem, 4
under a sequence of reversals, 2372
vertices, 2827
Y-dominating functions, 4780, 4812
equivariant
cohomology, 3226
homotopy theory, 1644
singularities, 3226
tilings, 2018
equi-orthogonal frequency hypercubes, 5646
equi-partite, *see* equipartite
erasing rules, 222
Erdös, 11, 38, 202, 220, 226, 235, 337, 349, 363, 650, 717, 1021, 1111, 1126, 1133, 1199, 1279, 1303, 1359, 1412, 1544, 1568, 1602, 1747, 1780, 1781, 1796, 1823, 1967, 1998, 2184, 2233, 2255, 2307, 2371, 2380, 2424, 2507, 2510, 2604, 2730, 2748, 2783, 2784, 2884, 2915, 2950, 3014, 3016, 3268, 3295, 3391, 3402, 3533, 3546, 3579, 3685, 3777, 3815, 3881, 3882, 4172, 4274, 4351, 4356, 4384, 4400, 4471, 4631, 4665, 4685, 4751, 4859, 4895, 4925, 4926, 4963, 5007, 5013, 5059, 5073, 5193, 5254, 5271, 5370, 5519, 5529, 5590, 5641, 5827, 5828, 5879, 5888, 5932, 5975, 5997, 6001, 6004, 6021, 6026
conjecture, 11, 2398, 3673, 6004
diameter of set, 4926
intersection property, 1780, *see also* EIP
Erdös Neveu Renyi Zybrzycki inequality, 717
Erdös, P, 220, 235, 552, 668, 1229, 1496, 1592, 1839, 2026, 2256, 2553, 2784, 3251, 4471, 4545, 5459, 6001, 6007, 6009
Erdös-diameter, *see* Erdös diameter
Erdös-Gallai
condition, 2880, 4874
inequality, 3402
theorem, 202, 3402
Erdös-Ginsburg-Ziv theorem, 3533
Erdös-Ginzburg-Ziv theorem, 4283, 4665, 4685, 5001
Erdös-Hajnal problem, 337
Erdös-Kac type theorem, 6008
Erdös-Ko-Rado bound, 363
Erdös-Ko-Rado theorem, 363, 2152, 5879

Erdös-Ko-Rado theorem for multisets, 2298
Erdös-Ko-Rado type results, 5879
Erdös-Landau theorem, 387
Erdös-Rado
  theorem, 1279
  type canonizing theorem, 1806
Erdös-Sós conjecture, 4925
Erdös-Szekeres
  conjecture, 4879
  theorem, 3016
erection, 372, 2312, 2886
ergodic theorem, 850
erratic sequence, 3875
error, 362, 2780, 3450, 3454, 3759
  correcting, 3454
error correcting code, 72, 73, 569, 860, 1047, 1697, 1724, 1891, 1897, 1963, 2387, 2696, 3065, 3351, 3454, 3566, 4677, 5163, 5311, 5556
  theory, 569
error correcting strategy, 3454
error detecting, 3566
  code, 3186
error
  location, 3450
  position, 3450
error protection, 1894
  code, 2677
error
  rate, 82, 1897
  trapping decoding, 1896
error-correcting, *see* error correcting
error-detecting, *see* error detecting
error-trapping, *see* error trapping
ESAC, 834, *see also* extended symmetric array condition
Escher like repeating pattern, 4750, 4789
Escher-like, *see* Escher like
Escott, 5171
Essam, 103
essential
  arity, 4680
  component, 5447
  flat, 2886
  independent set, 5042
  inequality, 18
  isoperimetric number, 3120
  maximum degree, 3120
  nullity, 723
  spectrum, 3120
essentially nonsingular rectangular matrix, 666
estimating growth of coefficients, 2209
η-extraconnectivity, 5871
Euclidean, 2001, 2643, 4065, 4171, 4464, 4470, 4520, 4788, 4851, 4878
  2-sphere, 2013
  3-dimensional space, 2149
  3-space, 1672, 2028, 3677, 6005
  4-space, 1847
Euclidean arrangement, 1020
  of lines, 1020
Euclidean diameter, 5744
Euclidean dimension, 2421
  of a graph, 2421
Euclidean
  distance, 2736, 3532, 5987
  distances, 2724, 3483, 3732
  n-gon, 2001
  n-space, 965, 1980, 2421, 2706
  plane, 204, 821, 849, 1360, 1922, 2018, 2253, 2542, 2823, 2968, 3072, 3455, 4733, 4788, 4928, 5401
Euclidean Ramsey
  theorem, 3880
  theory, 4464
Euclidean representation, 3732, 4064
  of a hypergraph, 3732
Euclidean
  space, 220, 620, 965, 1020, 1761, 2025, 2052, 2101, 2513, 3007, 3506, 3804, 3822, 3869, 4123, 4129, 4149, 5779, 5790
  sphere, 4497, 5789
  Steiner tree problem, 2071
  tessellation, 4520
Euclidian geometry, 3002
Eugeni, F, 5628
Euler, 914, 1073, 4154, 5018, *see also* Eulerian
Euler characteristic, 338, 1477, 1888, 3290, 3869, 3981, 4068, 4117, 4123, 4189, 4586, 5054, 5173, 5757
  of a graph, 3869, 4068
  of an intersection graph, 4123
Euler
  cycle, 5147
  finite difference tableau, 4166
  formula, 20, 522, 671, 4264, 4384
  function, 2689
  generalized polyhedral formula, 2070
Euler identity, 1200, 4154
  for partitions, 5018
Euler
  nonmaximal sequence, 1189
  number, 876, 914, 1073
  polynomial, 370
  recurrence, 5187
  relation, 206
  theorem, 290
  totient function, 3585
  tour, 2215, 2955, 5032, 5222, 5322, *see also* Eulerian tour
  trails, 4690, 5064

Euler (*cont.*)
tranform, 4853
type formula for median graphs, 5738
Eulerian, 447, 865, 1016, 1314, 1536, 1733, 2806, 3512, 4264, 4867, 5979, *see also* Euler
(n, k)-graph, 3074
binary matroid, 4960, 5653
bipartite characterization, 2806
circuit, 5891
closed path, 455
differential operator, 1192
digraph, 715
graph, 1733, 2215, 3141, 4605, 5222
multigraph, 5032
number, 984, 1008, 1073, 2236, 3218, 3219, 3232
orientation, 2482
path, 715, 1536, 5891
plane graph, 5053
Eulerian polynomial, 5579
identity, 4605
Eulerian
poset, 1016
simple graph, 4257, 4538
subgraph, 2224, 3921, 5445
tour, 3104, *see also* Euler tour
trace identity, 4605
trail, 3512
type condition, 5786
Eulerian-bipartite, *see* Eulerian bipartite
Eulerian-type, *see* Eulerian type
Euler-MacMaho distribution on words, 4487
Euler-MacMahon distribution, 4487
Euler-Poincaré characteristic, 4096
Euler-type, *see* Euler type
evacuation of
a labeled graph, 4143
the recording tableau, 4985
evader, 3602
evaluation
functional, 3088
homomorphism, 3959
evaluation of
noncommutative rational fractions, 5571
rational series, 5571
Evans, 1013, 2150, 4348, 6024
Evans, T, 2570
even
characteristic, 5403
code, 3195, 5763
even cut, 3786
polytope, 3786
even cycle, 367, 1145, 1475, 2402, 3531, 3772, 3817, 5418, 5810
graphic matroid, 1407
with prescribed chords, 1475
even dicycle, 5253
problem, 5810
even
directed circuit, 5697
doubly stochastic, 1873
Hamming spheres, 2078
index, 1157
labeled vertex, 4044
even length, 5455
cycle, 3492
property, 5455
even number
of edges, 1529, 1733, 5244
of vertices, 2300, 3653, 4914, 5272, 5803
even order, 4510, 4734, 4755, 5026, 5634, 5887
even pair, 2201, 3384, 3748, 4687, 5244
lemma, 4873
even
permutation, 763, 1232
polyhedral decomposition, 1092
power, 4408, 5969
selforthogonal code, 3195
subdivision, 4524
tournament, 4442
evenly distributed
differences, 4553
subhypergraphs, 3573
event frequency, 1231
eventually periodic sequence modulo any integer, 1356
even-cycle, *see* even cycle
even-labeled, *see* even labeled
even-length, *see* even length
Everett, 22, 2901
everywhere
dense, 3580
growing DT0L language, 488
evolution, 2511, 2747, 4635
evolution of
a preference relation, 5167
an interval graph, 2747
life, 2511
evolutionary
history, 516, 3134
tree, 280, 2405, 3134
evolving graph, 2520
exact
(n, k, m)-Latin rectangle, 1045
algebraic identification, 5570
algorithm, 154
covering of the integers, 1998
gossiping problem, 5036
homology sequence, 4281
n-colouring, 6034
n-valency, 2385

exact (*cont.*)
perfect matching problem, 2453
Ramsey number, 2446
exactly covering
congruence, 123, 370, *see also* ECC
system, 444
exactly
n-coloured, 6034
n-valued Moisil algebra, 2385
exception graph, 2381
exceptional
code, 69
graph, 3283, 5687
vertex, 2766
excess
of a Hadamard matrix, 2251, 2274, 2959, 3042
one, 1223
exchange
axiom, 5408
axioms for matroids, 5482
of information, 3639
exchange property, 1372, 2010, 4180, 4323, 4527, 5482, 5714
of a matroid, 4426
exchange system, 2312
excluded
edge, 5612
induced minor, 4515
excluded minor, 3787, 4883, 5508
class of matroids, 2723
theorem, 2517, 2705
excluded
subgeometry, 703
subgraph, 3095, 3735
substructure, 4043
topological minor, 4694
excluded-minor, *see* excluded minor
exhaustive
graph, 4378, 4638
search, 68, 96, 2273, 3264, 5700
existence
and uniqueness theorem for bases, 3197
condition for arrays, 3542
criterion, 2842
existence of
(n, k)-digraphs, 5947
a 2-sequencing, 4580
a circuit, 5907
a coloured design, 4554
a cube, 3565
a Dλ-cycle, 1480
a factor, 2662
a hypergraph of prescribed edge degree profile, 4514
a kernel, 3550
a k-factor, 5775
a large submatrix, 654
a projective plane, 5590
an affine design, 3798
node voltages, 4344
perfect Mendelsohn designs, 5748
existence problem
for Hadamard matrices, 4465
for Latin squares, 529
existence theorem, 3601, 3881, 4022, 4703, 5313
for regular n-nets, 899
for simple convex polyhedra, 206
for t-designs, 4022
expander, 2526
expansion closed, 3995
expansion of
a Kronecker product, 3230
a resolvable incidence structure, 1440
the chromatic polynomial, 173
expansion procedure, 799
expansion-closed, *see* expansion closed
expectation of the number of knots having property P, 4853
expected
average degree, 3618
degree, 5959
hitting time, 2037
expected length, 1115
of a walk, 1009
of the first cycle, 2520
expected
number of components, 2209
order, 4881
time, 2533
value, 1537, 1766, 4569
experimental
design, 59, 634, 3724, 6028
layout, 6028
explicit representation for an umbral operator, 3826
exponent, 3315, 4911, 5135, 5698
exponent of
primitivity, 4779
the error probability, 3411
exponent
set problem, 3893
system, 2629
exponential
Bell polynomial, 1286
formula, 1314, 4983
function, 370, 1796
exponential generating function, 825, 920, 1819, 4933, 5003, 5639
of labeled blocks, 825
exponential
generating series, 5577
growth, 2956, 5034

exponential lower bound, 1531
exponential of
a formal Lie series, 5572
the adjoint representation, 5567
exponential
polynomial, 1831
sized family of n-independent sets, 1963
solution of the Yang-Baxter equation, 4848
sum, 4677, 5023
tail, 3671
upper bound, 4879
exponentially
decaying autocorrelation function, 4394
small, 5438
exponentiation, 4092
exponentiation of
a G-set, 4249
a virtual G-set, 4249
expressive power of an OBDD, 4473
extendability, 3972, 4060, 4759
number of a graph, 3256
extendability of
a cycle, 2822
an embedding, 804
extendable, 2615, 2822, 3128, 3256, 3617, 4060, 4318, 4531, 4847, 5887
graph, 1040, 3256
shellability, 4147
extended
circuit, 5561
claw, 4873
code, 3752
cycle system, 5191, 5206
extended cyclic
code, 1892, 2676
triple system, 792
extended
design, 3566
digraph, 5112
frame, 3476
grid, 5405
Hamming code, 68
locally semicomplete digraph, 5112
LSD, 5112
multiset, 2640
n-cycle system, 5191, 5206
odd graph, 1369, 4912
orthogonal group, 3898
quadratic residue code of length eighteen, 3457
Reed-Solomon code, 2964, 3195
set of hook lengths, 644
Skolem sequence, 1222, 4015, 5908
symmetric array condition, *see also* ESAC
symplectic group, 3898
truth vector, 443
unitary group, 3898
extendible
design, 615
graph, 5017
extending a
fixed vertex colouring, 5468
function on a graph, 171
extending a matching, 3523, 3956, 4060, 4914
in a graph, 4060
extending a
partial projective plane, 1503
subpermutation matrix, 2076
extending design, 4364
extension, 625, 1008, 1097, 1291, 1391, 1480, 2058, 2242, 2299, 2304, 2475, 2508, 2522, 2580, 2710, 2744, 2879, 3111, 3386, 3797, 4129, 4487, 4488, 4506, 4537, 4582, 4825, 4903, 5144, 5270, 5278, 5477, 5599, 5733, 5792, 5838
field, 75, 2528
extension of
a finite field, 710
a homomorphism, 1291
a multiply transitive group, 4745
a network, 2508
a symmetric design, 1940
an ordered set, 1959
the Eulerian number, 1008
the structure of frame, 3476
extension
operation for cuts, 3427
theorem for Steiner systems, 4315
extensive set function, 4180
exterior
design, 3453
points, 3063
external
activity 0, 5722
distance, 2707, 2946
element, 5051
externally
active element in a matroid, 5051
related subsets, 1211
extraconnectivity, 5288, 5871
of a graph, 4050, 4727, 5288
extracted word, 2275
extremal
$(2t+1)$-design, 2663
(t, λ)-design, 748
3-connected graph, 2289
antichain, 2104
extremal code, 2778, 2779
of length fourty two, 5764
extremal colouring problem, 2062
on a matrix, 3295

extremal
configuration, 4496, 4926, 5407, 5828
connectivity result, 1361
critically connected matroid, 232
density, 1615
design, 748, 1320
diameter of 3-connected cubic graphs, 3672
extremal double circulant
selfdual code, 5700
Type II code, 5753
extremal doubly even
(72, 36, 16)-code, 1256
code, 1220
extremal doubly even code of length
fifty six, 2540
fourty, 2749
sixty four, 2778
extremal doubly even selfdual code, 1220, 5657
of length n, 3984, 5657
extremal
edge problem for graphs, 440
exhaustive graph, 4378, 4638
extremal family, 1313, 5207
of boxes, 1761
extremal function, 4906, 5259, 5954
for sequences, 4906
extremal graph, 223, 895, 1075, 1466, 1821, 2286, 2526, 2604, 2699, 2820, 2875, 2935, 3192, 3622, 3661, 3702, 3926, 3927, 3979, 4381, 4894, 5243, 5299, 5308, 5346, 5438, 5458, 5667, 5874, 5932, 5937, 5970
for weights, 5997
theorem, 2517
theory, 157, 342, 2874, 5901
extremal
intersection number, 1382
minimally n-edge connected graphs, 2820
non-Hamiltonian graph, 2381
number, 2604, 4048, 5807
perfect system of difference sets, 2358
extremal point, 760
of a polytope, 94, 133
extremal problem, 1, 253, 702, 889, 1075, 1281, 1580, 2155, 2185, 2392, 2604, 2816, 2822, 2836, 3249, 3481, 3977, 4048, 4496, 4804, 4894, 5119, 5124, 5558, 5671, 5685, 5715, 5833, 5888, 5920, 5954
for antichains of subsets of a multiset, 2104
for coloured trees, 5954
extremal problem for interval
graphs, 1856
orders, 1856
extremal problem
in a geodetic graph, 1653
in geometry, 220
in Hamming space, 1632
of orthants, 4149
of Turán type, 1615
on permutations, 2135
extremal
property, 195, 1724, 2949, 4724, 4816, 5541
quaternary (24, 12, 10)-code, 1256
regular graph, 1330
selfdual code, 2772, 3552, 5700
sequence, 5671
extremal set
of subsets, 253
system, 104
theoretic conjecture, 5668
theory, 4253, 5514
extremal solution of a Boolean equation, 407, 408
extremal theorem, 2527
on divisors of a number, 1551
extremal theory, 2402
extremal Type II
code, 5753
double circulant code of length thirty two, 5753
extremal
value of the interval number of a graph, 915
weight enumerator polynomial, 5657
extremality, 331
extreme
convex set function, 331, 4241
facet, 267
function, 4241
graph, 5243
extreme point, 159, 267, 404, 963, 1505, 2314, 2656, 2703, 4593, 5124
mathematical programming problem, 159
programming, 159
extreme problem, 2841
extremely slowly growing function, 6005
extremum problem, 5789
e-closed, *see* n-closed
e-code, *see* n-code
E-design, 92
E-minimal graph, 586
e-perfect, *see* n-perfect
e-realizable, *see* n-realizable
e-realization, *see* n-realization

F

(f, m; t, q)-minihyper, *see* (n, k; m, q)-minihyper
F_2, 2230
Faber, 4175, 5118
Faber-Moore digraph, 4175
fabric, 1928, 2021
face, 1154, 1292, 1363, 1407, 1444, 1515, 2036, 2499, 2823, 2865, 3060, 3290, 3403, 3765,

face (*cont.*), 3991, 4074, 4264, 4324, 4350, 4563, 4565, 4593, 4932, 5123, 5549, 5820
degree, 3891
disjoint subcomplexes, 2337
extension, 5508
face lattice, 2462, 4496
of a convex polytope, 2649, 4496
face
number, 4970
of low weight, 5690
vector, 3765
face width, 5432
three, 5432
facet, 34, 267, 273, 302, 391, 933, 963, 1132, 1327, 1353, 1958, 2017, 2019, 2077, 2244, 2992, 3208, 3502, 3785, 3786, 3914, 4046, 4132, 5124, 5234, 5613
adjacency graph, 5675
cut, 267
defining inequality, 2086, 3793
producing graph, 391
facet-adjacency, *see* facet adjacency
facet-defining, *see* facet defining
face-disjoint, *see* face disjoint
face-width, *see* face width
facial
cycle, 5802
structure, 2086, 3785, 3786
triangle, 3744, 4215
walk, 4682, 5599
factor, 170, 231, 355, 533, 561, 646, 710, 768, 918, 1041, 1081, 1379, 1521, 1548, 1574, 1638, 1773, 1816, 1907, 1982, 2134, 2169, 2182, 2283, 2300, 2379, 2385, 2427, 2546, 2599, 2670, 2678, 2834, 2842, 2858, 2868, 2968, 2991, 3017, 3184, 3185, 3196, 3238, 3516, 3517, 3609, 3615, 3618, 3838, 3859, 3861, 4059, 4077, 4133, 4201, 4439, 4592, 4841, 4874, 4888, 4992, 5004, 5026, 5040, 5047, 5119, 5148, 5307, 5328, 5424, 5461, 5480, 5584, 5612, 5620, 5642, 5774, 5943, 6030
factor chain, 3875
method, 3875
factor
complement partition, 5328
critical, 3240
factor domination
in a graph, 2858
number, 2858
factor
graph, 2671
group, 1081, 1343, 3986
modulo p, 1901
monoid, 2309
object, 738, 1167
factor of a
characteristic sequence, 5424
digraph, 4888, 4992
graph, 1379, 2427
polynomial, 1901
tree, 4133
factor
spectrum, 5620
theorem for graphs, 3211
with given components, 1379
factorability, 2427
factorial, 1356, 2966, 3388, 4159
design, 2305, 3720
experiment, 3196
number, 3355, 4159
of linear forms, 4222
representation of a balanced labeled graph, 502
factoring, 2858, 5784
factoring a
connected graph, 3514
distance matrix polynomial, 3861
graph into nonisomorphic paths, 1102
polynomial, 1901
strong map, 388
factoring
algorithm, 3667
on a matroid, 3667
factorisation, *see* factorization
factorised, *see* factorized
factorization, 215, 388, 723, 1433, 1816, 2354, 2431, 2463, 3026, 3151, 3175, 3652, 3997, 4211, 4389, 4489, 5592, 5709, 5770, 5884, 5978, 5991, 6030
algorithm, 5882
factorization conjecture, 3863
on codes, 3863
factorization into
elementary maps, 723
transpositions, 3652
two palindromes, 1329
factorization of
a cycle, 3652
a finite Abelian group, 1515, 1816
a graph, 231, 1445, 3236
a monoid, 4388
factorization of a permutation, 1232
into transpositions, 2463
into two cycles, 946
factorization of a regular
bipartite graph, 2893
graph, 3237, 3246, 5644
factorization of
an ascending parameter word, 5945
the Pieri rules, 4489

factorization
property, 2561
result, 4313, 4507
theorem, 231, 1200
factorized colouring, 5315
factors
completely, 2181
modulo n, 1901
factor-complement, *see* factor complement
factor-critical, *see* factor critical
factor-spectrum, *see* factor spectrum
Faigle, 2726
Faigle, U, 2122
failure
of the reconstruction conjecture, 834
probability, 96
faithful
module, 546
representation, 137
faithfully embeddable, 1463
in a torus, 1463
faithfulness, 1463
Fajtlowicz, 3581, 4054, 5547
Fajtlowicz, S, 1229
falling factoral powers, 2966
falls and rises, 842
Falmagne, 5167
family of
3-subsets, 1708
affine subspaces, 4774
arcs on a circle, 1866
arithmetical relations and functions, 1796
biregular graphs, 2190
chains of a poset, 5260
chambers, 3574
circular discs of unit radius, 2016
closed unit cubes, 3869
connected graphs, 368, 1753
cycles, 2224
dense digraphs, 5920
disjoint convex sets, 1832
finite sets, 780, 858, 1494, 2644, 3091, 4461
frames, 2389
graphs, 189, 391, 624, 825, 3266, 3340, 3682, 3772, 3906, 4061, 4328, 4629, 4683, 4867, 5039, 5050, 5359, 5427, 5654
infinite subsets of nonnegative integers, 1770
interval orders, 1856
labeled graphs, 5588
languages, 61, 5492
maximal sets, 1605
maximum cardinality of pairwise intersecting members, 1608
multisets, 780
n disjoint stable sets, 2474
n subsets, 2233
n-extendable graphs, 2425
one-factors, 3037
ordered pairs of sets, 3862
overlapping arcs, 213
pairwise intersecting n-sets, 4749
pointed intervals, 2468
real intervals, 1862
regular planar graphs, 1292
separating subsets, 1565
family of sets, 542, 885, 1862, 1946, 2677, 2920, 3000, 3320, 3484, 3824, 4675, 4944, 4963, 5115, 5118
with prescribed intersections, 2612
family of subsets, 543, 607, 1142, 1946, 2313, 3494, 4496, 5627
of a finite set, 1142, 1784
of a ground set, 2224
family of subtrees, 5263
of a tree, 2383
family of
transition systems, 3927
trees, 2107, 5320
triples, 3008
weak orders, 1783
Fan, 2374, 3626, 3693, 4943, 5042, 5294
fan, 3747, 4453
argument, 5158
Fan condition, 5906
for Hamiltonicity, 3693
fan sequence, 1759
Fan type condition, 3838
Fano
matroid, 6024
plane, 3907
subplane, 2579
far ring, 4564
Farber, 1584, 5703
Farkas lemma, 5141
Farmakis, 3042
Farmakis, N, 2959
faro shuffle, 498
Farrell, E J, 5350
Farvolden, 5264
Fáry, I, 2123
Faßbender, 3831
Fassbender, *see* Faßbender
fast
growing function, 3129
Hensel lifting, 1901
Langrange inversion, 3355
fat shadow, 5749
Fauci, 3034
Faudree, 2510, 3133, 3268, 3825, 3852, 4399, 4945, 5059, 5294, 5668, 5817

fault
  detection in networks, 3447
  diameter, 5941
  tolerance, 5413
fault tolerant
  linear array, 2393
  network, 3662, 5941
fault-detection, *see* fault detection
fault-diameter, *see* fault diameter
fault-tolerant, *see* fault tolerant
Favaron, 2338, 3096, 4054, 4334, 5712, 5805
feasibility condition for a distance regular graph, 2060
feasible
  region, 267, 507
  schedule, 3746
  spectrum of a connected regular graph, 5799
Federico, 3414
feedback, 1900, 2430, 2775, 4011
feedback arc set, 5711
  problem for digraphs, 5236
feedback
  free composition, 4101
  function, 4011
  logic, 1027, 2230
  loop, 2511
  polynomial, 1900
feedback set, 4625
  problem, 2430
feedback shift register, 4008
  sequence, 2230
feedback vertex set, 4625
feedback-free, *see* feedback free
feedforward sequence, 1900, 3889
Feinberg, 961
Fejes Tóth sausage conjecture, 1950
Fejes Tóth, L, 990, 1950, 2017
felicitous
  graph, 3082
  labeling, 3082
Feller, 545, 1469, 2882
fence, 1057, 1170, 5211, 5355, 5528, 5698
Fenton, 2528
Ferrers board, 4483, 4695, 5357, 5426
Ferrers diagram, 298, 843, 3612, 4975, 5850
  of monomials, 4481
Ferrers digraph, 1242, 3862
Ferrers dimension, 2, 1243, 3862, 4523
  of a digraph, 1243
Ferrers graph, 2240, 5899
Ferri, 1937, 3319
few
  distance set, 5975
  intersection numbers, 2982, 3174
  slopes without collinearity, 2023
  vertices, 532, 4384
few-distance, *see* few distance
fg-langage, 4845
Fiala, 4508, 4719
fiber, 4567
Fibonacci
  graph, 1146
  infinite word, 4592
  maximum path graph, 939, 1146
  number, 545, 561, 874, 918, 1152, 1956, 2546, 3055, 4592, 5276, 5373, 6016
Fibonacci pseudoprime, 3046
  of the 1st kind, 3046
  test, 3046
Fibonacci
  semigroup, 3873
  square, 1152
  type sequence, 303
  word, 4592, 4999, 5424
fibre of a partially ordered set, 5698, 5704
Fichet, 5782
Fiebig, 3201
Fiedler algebraic connectivity, 3135
field, 3465, 4460, 4677, 4679, 5276, 5386, 5488, 6024
  addition, 2181
  multiplication, 2181
field of
  characteristic zero, 475, 2528
  complex numbers, 5571
  definition, 4961
  q elements, 722, 3945
  rational functions, 4961
Fields, 2833
Filaseta, 3983
Filipponi, 3046
filling
  of a 2n-gon with rhombi, 3575
  with rhombi, 3575
fill-in, 4607
  of a graph, 4607
filter, 3845
  lattice, 2917
final segment, 1793, 5785
finding the maximum, 702
  diameter, 4352
  sized stable set, 4107
Fine sequence, 619
fine structure of a triple system, 3030
finitary basis, 5762
finite Abelian group, 127, 225, 485, 898, 1218, 1524, 1816, 2245, 2606, 2652, 2801, 3343, 4109, 4363, 4653, 4755, 4899, 5832, 5931
  algebra, 1905, 1906
finite affine plane, 365, 508, 1482, 3027, 3714

finite affine space, 1396, 1572
finite
algebra, 1173, 3607, 4680
algebraic representation, 1479
automaton, 3441, 5708
finite basis, 3040
for a set of equations, 974
property, 5870
finite
carbon molecule, 5276
chain, 2033
chart, 4961
Church-Rosser system, 1614
closure structure, 380
C_n-geometry, 4741
finite cofinite
languages, 533
subalgebra of P(ω), 1782
finite
commutative ring, 4609
completion, 574
complex, 5746
cut set property, 1959
cyclic group, 5087
finite difference, 4313, 4507
calculus, 1469
finite dimensional vector space, 1765
finite distributive
lattice, 4156, 4766, 5463
squag, 4669
finite
equation, 4287, 4475
equivalence of infinite digraphs, 5290
finite field, 75, 676, 693, 710, 1056, 1399, 1404, 1742, 1894, 1905, 1906, 2178, 2181, 2267, 2543, 2588, 2617, 2664, 2689, 2710, 2828, 2945, 3149, 3168, 3386, 3439, 3615, 3733, 3775, 3798, 3898, 4070, 4102, 4134, 4363, 4552, 4553, 4564, 4584, 4609, 4711, 5366, 5419, 5435, 5448, 5635, 5882
of q elements, 2181, 2617
transform, 1891
finite
Fourier transform, 2801
free generating set, 5732
function space, 415, 2287
Galois field, 359
geometry, 409, 508, 658, 952, 1214, 1894, 2380, 2527, 2664, 2797, 4053, 5386, 5621
finite group, 475, 480, 485, 616, 735, 775, 1450, 1661, 1751, 2043, 2745, 2766, 2894, 3020, 3111, 3214, 3333, 3351, 3377, 3556, 3769, 3874, 3952, 3998, 4379, 4477, 4627, 4665, 4961, 4978, 5069, 5180, 5208, 5365
generated by reflections, 860
finite
highly transitive dimensional linear space, 4080
homogeneous space, 736
hypercube, 1289
hypergraph, 1795, 4514, 5378
incidence structure, 5397
index, 3361
inversive plane, 5415
language, 3695, 5030
lattice, 1176, 1479, 1635, 2035, 2128, 2454, 2917, 2948, 5266, 5502, 5913
finite length, 1206, 5304, 5545
chain, 4072
finite linear
function space, 2288
space, 1568, 1757, 2001, 2225, 3691, 3757, 4077, 4078, 4088, 4089, 5029
finite manual, 3009
finite metric, 5786
space, 4138, 5082, 5789
finite
miniaturization of the Kruskal theorem, 3498
model, 2272
module, 1136
net, 709
operator calculus, 1704
ordered graph, 1186
π-space, 1396
finite planar
set, 4920, 5215
space, 1396, 2179
finite
plane, 2139, 5385
point set, 2013
polarized partition relation, 3295
poset, 376, 824, 1179, 1306, 1778, 1996, 2033, 2348, 2384, 2504, 3377, 3687, 3799, 4526, 5031, 5074, 5086, 5304, 5306, 5647
prefix code, 5492
pregeometry, 658
projective geometry, 468, 952, 2387, 2575, 3065, 3703, 3725, 5952
finite projective plane, 615, 1340, 1396, 1482, 1745, 1902, 2113, 2498, 3027, 3044, 3413, 4051, 4078, 5029, 6021, 6025, 6029, *see also* FPP
of order nine, 3044
finite
projective space, 1090, 1382, 1830, 3092, 3421, 5400
pseudocomplemented lattice, 3571
quasigroup, 1473
finite rank, 378, 767, 1648, 1765
3 geometry, 2797
finite regular skew polyhedron, 2028

finite
representation, 1479
ring, 5461
rooted graph, 592
semimetric, 4129
finite set, 4829, 4963, 5030, 5124, 5160, 5187, 5561, 6015
of shoots, 4961
system, 1578, 2530, 4063, 4902, 5573
finite
similarity type, 974
space, 4732
special string rewriting system, 3205
string, 5030
subplane, 4078
subset algebra, 311
system of residue classes, 1246
T_0-space, 1644
three-complete poset, 4526
topology, 352, 599, 607, 2638
finite tree, 2634, 3124, 5944
automaton, 3686
finite type, 2509
graph, 1974
property of graphs, 1974
finite
unary algebra, 4795
union of arithmetic sequences, 1246
universal, 3081
upper half plane, 5023
finite vector space, 1023, 1572, 5486
over finite field, 4363
finitely additive, 3471
measure, 3471
finitely determined, 966
functionals, 966
finitely generated, 2956, 4782, 4856
algebra, 336
by products and subobjects, 738
finitely generated free
monoid, 1934
tetravalent modal algebra, 1523
finitely generated
group, 4782, 4991
infinite Abelian group, 2606
semigroup, 4856
variety, 3607, 3637
finitely many predecessors, 1602
finitely presented
group, 565
partially ordered Abelian group, 5216
finitely
productive closure operator, 3467
separated, 4764
finitely-determined, *see* finitely determined
finitely-generated, *see* finitely generated
finiteness
assumption, 5777
condition, 4856
property, 3571
resuls, 3257
finite-cofinite, *see* finite cofinite
finite-difference, *see* finite difference
Finizio, 3924
Fink, 2863, 3887, 5083, 5667
Fiorini, 3374
Fire code, 3461
first and last passage decomposition method, 887
first cycle, 2511
in an evolving graph, 2520
first
digit phenomenon, 3471
drop flat, 2987
first fit, 4642, 4944
algorithm, 2529, 4944
first moment, 1231
first order
concatenated code, 3624
definable, 1796
difference equation, 3088
differential equation, 3088
formula, 1786, 1796
logic, 3129
Peano arithmetic, 3129
Reed-Müller code, 3307
sentence, 1671
theory, 3311
first
passage decomposition method, 887
Rogers-Ramanujan identity, 1271
first-drop, *see* first drop
first-fit, *see* first fit
first-order, *see* first order
Fischer, 3984
fish, 2478
Fishburn, 3313, 4516, 5498
conjecture, 2750
interval order theorem, 3774
representation theorem, 3774
Fisher, 3029, 5831, 6026
inequality, 692, 2233, 2451, 2972, 5270, 6026
type inequality, 969
Fisk, 4271
Fitting, 724
fitting frames, 5298
fitting of
objects in a box, 589
tree dissimilarities, 5788
five
independent edges, 4796
level design, 59

five (*cont.*)
mutually orthogonal starters, 383
vertices, 2446, 3384, 3931, 4873
five-burst, *see also* 5-burst
correcting code, 5538
five-cage, *see also* 5-cage
five-choosable, *see also* 5-choosable
five-chromatic, *see also* 5-chromatic
five-circuit, *see also* 5-circuit
five-colourable, *see also* 5-colourable
five-connected, *see also* 5-connected
five-cordial, *see also* 5-cordial
five-cube, *see also* 5-cube
five-cut, *see also* 5-cut
five-cycle, *see also* 5-cycle
five-cyclic, *see also* 5-cyclic
five-design, *see also* 5-design
five-element line, 5057
five-regular, *see also* 5-regular
five-valent, *see also* 5-valent
five-valued, *see also* 5-valued
five-vertex, *see also* 5-vertex
fixed
area, 4850
autotopism triangle, 4734
box theorem, 5082
clique property, 4092
cube theorem, 2248
fixed edge, 4100, 4636
degree, 5533
theorem, 2248
fixed
element, 4100
number of pairwise unions, 4902
perimeter, 4850
fixed point, 28, 126, 301, 416, 473, 607, 828, 976, 1000, 1083, 1098, 1210, 1232, 1777, 1778, 1799, 2043, 2110, 2345, 2362, 3397, 3839, 3970, 4000, 4106, 4177, 4548, 4728, 4749, 4842, 5111, 5178, 5218, 5279, 5539, 5909
attractor, 5909
enumerator, 3217
fixed point free, 3800, 4784, 5211, *see also* FPF
element, 3423
involutory permutation, 1913
fixed point problem, 806
in a poset, 1778
fixed point property, 828, 976, 1057, 1625, 1778, 3602, 4096, 4101, 4784, 5211, 5490, 5777, *see also* FPP
in a poset, 1625
of a relation, 1411
fixed point
set, 4092
theorem, 828, 1778, 3198
theory, 216
fixed
rank, 4156
set, 4108
simplex theorem, 1114
subgraph property, 4915
under inversion, 3153
vertex, 2601, 4100
fixed-point, *see* fixed point
fixed-point-free, *see* fixed point free
fixing
block, 1810
group, 878
FKB conjecture, 3201
FKG inequality, 3099
flag, 3747, 4860, 6029
consisting of a line and a hyperplane, 5578
in a plane, 6029
manifold, 3226, 5078, 5357, 5844
flag transitive, 3130, 3743, 3760, 5392, 5393
automorphism group, 2112
$C_2 \cdot L_n$ geometry, 5392
C_3-geometry, 3743
extended grid, 5405
flag
transitivity, 2112
type, 5393
flag-transitive, *see* flag transitive
Flajolet, 5565
Flandrin, 3831, 3852, 4356, 4509, 5977
Flandrin, E, 4351
flat, 215, 808, 1198, 2363, 2527, 2675, 2886, 3092, 4513, 4741, 4924, 5220, 5405
cluster method, 678
extended grid, 5405
flag transitive extended grid, 5405
flat of
a matroid, 723
small rank, 5972
flat
part, 3225
surface, 4739
torus, 4739
Fleck, 259
Fleischner, 708, 2659, 5653
theorem, 146, 3849
Fleischner, H, 3279
Fleming, 2373
flexible, 5769
triangulation of the projective plane, 5769
unit bar framework, 3483
flipping
coins, 3808
diagonals, 4242
flip-flop, 5502
construction, 603

flock, 5415, 5621
of a quadratic cone, 5415
floor function, 3024
Florentine row, 3085
Flotow, 4632, 5800
flow, 436, 538, 2607, 4292, 4499, 5264
diagram, 592
graph, 538, 3704
in a circulant graph, 2607
lattice, 366
on a graph, 800, 1244
polynomial, 3262, 4499
theory, 366
flow-diagram, *see* flow diagram
Floyd, 5174
flux, 1244
Foata, D, 371, 861, 1003, 1152, 1441, 1883, 2264, 2461, 2633, 2833, 3219, 4504, 4760
focal graph, 2713
focality, 2713
Fodor
point, 1777
theorem, 1777
folded n-cube, 5413
Foldes, S, 4655
Folkman, 14
theorem, 3086
Folkman-Fulkerson condition, 14
Fω, 5304
Fomin, S, 4506
Fonlupt, 3384, 5244, 5422
forbidded substructure, 3598
forbidden
arc, 3689
Boolean minor, 4316
forbidden circuit, 4228
characterization of digraphs, 4228
forbidden colour, 2485, 3843
forbidden configuration, 1024, 1696, 1844, 3171, 3350, 4105, 5247, 5427
theorem, 4253
forbidden graph, 2535, 4864, 4871
characterization, 1024
on 6 nodes, 2478
forbidden induced subgraph, 600, 957, 2237, 2688, 2800, 3788, 4151, 4334, 4408, 4871, 5294, 5754
characterization, 1431
forbidden
isometric subgraph, 3015, 5143
limb, 4761
minor, 2657, 2658, 2728, 3647, 4061, 4316
forbidden minor characterization of
ideal (0, 1)-matrices, 3600
matroids, 2944
forbidden
pair, 5217
pattern, 4422
rectangle, 4310
restriction, 4406, 4648
structure, 4228, 4251
subdigraph, 1848
subgrap of a graph uniquely Hamiltonian connected from a vertex, 5670
subgraph, 36, 542, 1024, 1398, 1692, 1734, 2055, 2216, 2852, 2856, 4334, 4559, 4894, 5119, 5217, 5427, 5699, 5837, 5930, 6010
forbidden subgraph characterization, 1180, 1854, 2856, 5837
of comparability graphs, 1180
forbidden subgraph condition, 5806
for Hamiltonicity, 5906
forbidden
subgraph problem, 1180
submatrix, 451, 2092
suborder, 4645
forbidden subposet, 3377
characterization, 503
forbidden subsequence, 4170, 4846, 4990
of length four, 4170
forbidden substructure, 542, 4043
forbidden triple
characterization of digraphs, 4228
of subgraphs, 5699
of vertices, 4228
forbidden word, 3489
Forcade, 1151
forced edge, 2909, 5612
forced unilateral orientation number, 5683
of a graph, 5683
forced win, 2681, 2810
forcibly connected, 3145
graphic sequence, 3145
forcibly
hereditary P-graphical sequence, 2148
non-Hamiltonian degree sequence, 653
pancyclic degree sequence, 653
P_n-graphic, 5888
forcing
edge, 4309
matching, 5711
forcing number, 5711
of a matching, 5711
of a perfect matching, 5711
forcing
problem, 5711
term, 2417
Ford, 694, 3563
Ford-Fulkerson theorem, 694

forest, 249, 865, 1116, 1147, 1241, 1364, 1409, 1478, 1756, 1869, 1886, 2360, 2506, 2915, 2932, 2957, 3210, 3657, 4165, 4235, 4326, 4694, 5012, 5050, 5058, 5134, 5315, 5340, 5644, 5859, 5910, 5932, 6033
forest decomposition, 1474, 3210
of a ladder, 1474
forest
enumeration, 1477
matroid, 232
forest of
rooted trees, 5536
size n, 3657
forest splitting, 5257
fork, 5247, 5501
formal
B-series, 5762
concept analysis, 2929, 4187
dual, 2776
duality, 3568
generating function, 5701, 5762
formal group
law, 5315, 5573
theory, 5573
formal language, 43, 50, 306, 2954, 4881, 5708
theory, 185, 2242, 2896
formal
Laurent series, 2966
logic, 2293
model, 3601
power series, 1693, 1831, 2561, 2653, 3088, 3697, 3859, 4500, 4758, 4859, 5567
product, 5701
formal series, 43, 306, 4159, 5567
in noncommutative indeterminates, 43, 306
formal variable, 3916
formally
selfdual code, 5904
undecidable proposition, 3129
formula for the number of Latin squares, 3558
formula of
Erdelyi and Etherington, 697
Kreweras and Poupard, 4852
Lagrange, 410
Touchard-Riordan, 4495
Forreger, 1239
Forrester, 5170
forward edge, 2494
Foster, 2302
Foster, R M, 1013
Foulis, 189
Foulkes, 415, 876
Fouquet, 3290, 5225, 5250
four colour
conjecture, 163
problem, 468, 522
theorem, 522, 2418, 2562, 4826, 5823
four
cycle, 4059
distinct eigenvalues, 5799
eigenvalues, 5799
parameter family of 3-manifolds, 1937
point condition, 4408
Fourier transform, 3214, 4477, 4522, 4987
Fourier-Krawtchouk coefficient, 3404
Fournier, 4096, 4661, 5144, 5249
fourth root of unity, 5110
four-arrangement, *see also* 4-arrangement
four-blocked, *see also* 4-blocked
four-bridge, *see also* 4-bridge
four-burst, *see also* 4-burst
correcting code, 5538
four-chain, *see also* 4-chain
four-choosable, *see also* 4-choosable
four-chromatic, *see also* 4-chromatic
graphs, 4418
four-circuit, *see also* 4-circuit
four-colourable, 522, *see also* 4-colourable
four-coloured, *see also* 4-coloured
four-colouring, 2643, *see also* 4-colouring
four-connected, *see also* 4-connected
four-connection graph, 5862
four-cordial, *see also* 4-cordial
four-critical, *see also* 4-critical
four-cube, *see also* 4-cube
four-cycle, 4004, 5592, *see also* 4-cycle
free, 3517
theorem, 4387, 4659
four-design, *see also* 4-design
four-dichromatic, *see also* 4-dichromatic
four-dimensional, *see also* 4-dimensional
four-edge, *see also* 4-edge
four-element line, 5057
four-factor, *see also* 4-factor
four-flow, *see also* 4-flow
four-fold, *see also* 4-fold
four-group, 1087
four-HMOLS, *see also* 4-HMOLS
four-isomorphism, *see also* 4-isomorphism
four-king, *see also* 4-king
four-polytope, *see also* 4-polytope
four-realizable, *see also* 4-realizable
four-regular, *see also* 4-regular
planar graph, 1011
four-rotational, *see also* 4-rotational
four-sphere, *see also* 4-sphere
four-subset, *see also* 4-subset
four-tree, *see also* 4-tree
four-valent, *see also* 4-valent

four-valued Lukasiewicz
algebra, 2385
propositional calculus, 2385
four-vertex, *see also* 4-vertex
four-wheel, *see also* 4-wheel
F_p, 1399
FPF, 4784, 5211, *see also* fixed point free
FPP, 1902, 4784, 5211, *see also* finite projective plane *and* fixed point property
F_q, 4584, 5448
fractal picture, 4564
fractional arboricity, 4366
of a graph, 4366
fractional
chromatic number, 4668, 5229, 5663
clique number, 5363
cover, 423
design, 3720
fractional dimension, 4463
of a poset, 4463
fractional domination, 5302
number, 5302
fractional
factorial design, 3720, 3730
invariance, 5141
fractional isomorphism, 4169
of graphs, 4169
fractional matching, 4053, 5590
theory, 2521
fractional
multicommodity flow, 2447
order, 4958
packing problem of Lovász, 863
part, 1885
Ramsey number, 5363
subgraph, 5612
version, 2814
vertex, 4445
viewpoint, 5529
fractionally invariant, 5141
Fraenkel, 1885, 3057, 3100
fragment, 2420, 3811, 3986, 4234, 5554
fragment of
a connected graph, 4234
a digraph, 1029
a graph, 2420
Fraissé, 3834, 3851, 4351, 4356
sufficient condition for a Hamiltonian graph, 4351
Fraïssé, R, 813
Fraïssé-Ehrenfeucht game, 1671
frame, 274, 842, 1215, 1718, 2198, 2345, 2389, 2911, 3476, 3807, 5298
construction, 2911
idempotent Schröder quasigroup, 5071
frame of
a discrete dynamical system, 5536
order v, 1215
frame resolvable group divisible design, 2568
framework, 570, 657, 854, 909, 1058, 2728, 3129, 3270, 3483, 4808, 4863, 5315, 5569
Frame-Robinson-Thrall hook length formula, 1718
Frank, 1707, 2488, 3768, 3797, 4319
Frank, A, 2386
Frankl, 1570, 1767, 2527, 2945, 3398, 3985, 4111, 5155, 5207, 5668, 5914
Franklin proof of the Euler theorem, 290
Frankl-Füredi theorem, 1767
Frank-Füredi type approach, 2078
Fray, 478
Fraysseix-Pollack algorithm, 2531
Fréchet, 1469
Fredman, 2348
Fredricksen, 4008
free
5-choosable, 4934
Abelian group, 3959
algebra, 5732
CML, 1487
construction, 4077
distributive lattice, 980, 1799, 2925, 2929, 5463
end, 3376
est product, 1183
family, 3543
generating set, 5732
generator, 1523
geometry, 215
group, 1994, 2601, 3319
groupoid, 177, 635
k-choosable, 4934
lattice, 5266
Lie algebra, 2549, 4478, 5572, 5856
matroid, 3392, 4839
modular lattice, 336, 2925
monoid, 43, 116, 211, 410, 495, 700, 1263, 1429, 1624, 1758, 2546
partially commutative monoid, 4388, 4766
free product, 1785, 3510
of quasiprimitive Boolean algebras, 1785
free semigroup, 115, 908, 5492
free simplicial
geometry, 372
pregeometry, 372
free
submonoid, 5492
subsemigroup, 115, 908
Freiman, 3685
frequency, 1835, 5162
frequency assignment, 5327, 5922
problem, 5327, 5922

frequency
cube, 2311
of intersection numbers, 1129
partition, 653
square, 2305, 3577, 3872
vector, 2311
frequent variable, 5162
Friedlander, 4125
friendship
graph, 1667
theorem, 1667
frieze group, 3874
Frink, 203, 3571
Frobenius, 1484, 3386, 5602
action, 5023
characteristic, 3230
formula for the irreducible ordinary characters of a symmetric group, 395
graph, 5602
group, 599, 2003, 2502, 5602
map, 3214, 3230
partition, 2715, 4127
problem, 5681
subgroup, 5409
Frobenius, G, 2206
Frolík, 3494
Frolík, Z, 3471, 3476, 3479, 3485, 3490, 3492, 3493, 3504
front diagonal, 1541
frozen accident hypothesis, 2511
Frucht, 1013, 3545, 3781
diagram, 3668
Fu, 4649, 5356
Fulkerson, 14, 18, 54, 694, 2475, 2656
characterization of permutation matrices, 18, 362
property, 3793
symmetric supply demand theorem, 1448
Fulkerson-Gross connection, 1735
Fulkerson-McAndrew-Hoffman theory, 752
full
algebraic matroid, 6024
automorphism group, 5520, 5606
binary tree, 5545
colouring, 5231
combinatorial multidesign, 3566
difference set, 4244
dimensional, 4930
duplex transmission, 1897
embedding, 804
group, 4782, 4991
k-ary tree, *see* full n-ary tree
limit closed subcategory, 3479
nestedness, 4808, 4863
n-ary tree, 3861
n-simplicial matroid, 921
rank coset, 1898
set of dispersion free states, 2353
simplicial matroid, 921
state space, 2353
Steiner minimal tree, 1492, 2071
subcategory, 827, 4090
subgraph, 804
topology, 4162
Fullerene, 5276, 5780
analogue, 5780
fully
extended selfavoiding polygon, 4930
indecomposable rectangular matrix, 666
function, 1227, 1333, 1508, 1648, 1721, 1836, 2135, 2189, 2283, 2293, 2335, 2396, 2403, 2648, 2831, 2848, 2908, 3006, 3096, 3117, 3129, 3309, 3371, 3679, 3939, 3951, 4011, 4112, 4241, 4290, 4316, 4333, 4394, 4409, 4455, 4473, 4488, 4505, 4522, 4628, 4652, 4667, 4815, 5024, 5076, 5291, 5627, 5632, 5851, 5946, 6000
composition, 4501
diagram, 1415
graph, 1415
of binomial type, 193
satisfying SAC, 5632
space, 415, 2287
functional, 966, 2511, 3489, 4113, 4561, 5536, 5640, 5757
composition, 1314
equation, 143, 2798, 2908, 3894, 4752, 5373, 5576
transversal number, 753
functor, 234
functorial composition of species, 3217
fundamental circuit, 1053
fundamental group, 913, 2735, 3319, 3644, 3796, 4869
of the projective line minus three points, 4961
fundamental
groupoid, 3644
n-arc, 2509
solution, 5175
tetrahedron, 2026
trace identity, 2319, 4605
transversal matroid, 608
unit, 3062
Füredi, 1767, 1814, 2918, 2945, 3985, 3992, 4545, 5155
Furst, 4623
Fürstenberg, 2189
furthest neighbours in space, 4895
fusion, 2134
of data contexts, 2134
f-diagram, 1415, *see* n-diagram

f-domination, *see* n-domination
f-factor, *see* n-factor
F-forbidden, 4864
F-free, 5699
f-geodetic, *see* n-geodetic
f-graph, 1415, 4890, *see* n-graph
F-Hamiltonian graph, 5918
f-optimal, *see* n-optimal
F-packable, 4864
F-saturated, 2902
F-structure, 4844
f-vector of
  a flag complex, 5855
  an acyclic simplicial complex, 3810

G

g cage, *see* n-cage
g net, *see* n-net
G q-binomial, *see* G-q-binomial
G q-Dougall, *see* G-q-Dougall
G q-Gauss, *see* G-q-Gauss
G q-Whipple, *see* G-q-Whipple
G terminating, *see* G-terminating
(g, f)-factor, *see* (n, k)-factor
(g, f)-parity, *see* (n, k)-parity
$G_2(2)$ hexagon, 5988
GA(m, 2), 4020
Gabriel, 1793
Gács, 5414
Gaddum, 789, 3274, 3694, 4731
Gagliardi, 1936, 3319, 5896
  handle recognition theorem, 1936
Gal(Q), 4961
Gale, 293, 1540, 4593
  diagram, 459, 2101
Galeana, 2322
Galeana-Sanchez-Neuman-Lara Theorem, 3712
Gallai, 202, 539, 769, 1681, 2375, 2396, 2425, 3239, 3278, 3402, 4060, 4371, 4529, 4631, 5013, 5231, 5499, 5813, 5915
  colouring theorem, 5013
  forbidden subgraph characterization of comparability graphs, 1180
  formula, 789
  graph, 4826
  theorem, 2396, 2522
Gallai type
  equality, 5805
  theorem, 2855, 5301
Gallai, T, 2491, 2857, 3239, 3278, 4371
Gallai-Edmonds
  matching decomposition, 2642
  structure theorem, 5192
Gallai-Milgram
  linial property, 5915
  property, 3111
  theorem, 470, 2375, 3111, 3248, 4529, 5231
Gallai-Roy theorem, 2375
gallery, 3574
Gallian, 4750, 4789
Galois
  action, 4961
  connection, 3993
  field, 195, 359, 468, 647, 1399, 1904, 1941, 2230
  geometry, 4087, 5391
Galois group, 1319, 4153, 4216, 4217, 4961
  of an equation, 4217
Galois
  normal form, 450
  projective space, 5391
  space, 1623
  theory, 3379, 5582
Galton-Watson process, 1781
Galvin, 1800, 2281, 5804
  tree, 1779
Galvin-Prikry theorem, 2281
Galvin-Ramsey property, 747
gambler ruin problem, 971, 1009
game, 45, 83, 446, 561, 627, 1381, 1437, 2184, 2364, 2409, 2558, 2681, 2774, 2793, 2810, 2976, 3105, 3546, 3620, 3712, 3716, 4018, 4339, 4443, 4486, 4814, 4847, 4971, 5280, 5619, 5674, 5903
game chromatic number, 5903
  of a graph, 5903
game form, 4814
game of classical
  Kayles, 4443
  Nim, 4443
game of
  cops and robbers, 5619
  dots and boxes, 2364
  Kayles, 4443
  Nim, 4443
  questions, 561
game on
  a graph, 446, 5674
  a matroid, 2409
game
  theoretic model, 4593
  theory, 441
game with
  dominoes, 5322
  perfect information, 627
  recursive rules, 83
  the earliest birthday, 5280
gamma function, 4697
$\Gamma\Delta$-regular graph, 1339, 2450
  on 28 vertices, 1339
γ-compatible partition, 5357

γ-compatible rook
length polynomial, 5357
placements, 5357
γ-critical, 1006
γ-rook placements on a Ferrers board, 5357
Gandhi, 29, 162
conjecture, 29
Gangopadhyay, 956
Ganley, M J, 2220
gap
in optimal value, 814
of a binary code, 5795
Garcia-Rao modular distance, 3445
Gardiner, 1917, 4204, 5593
Gardner, 1709
Gardy, 5618
Garey, 1011
Gargano, 4365
Garsia, 1271, 1719, 1883, 3021, 4477, 4695, 5841, 5853
Garsia, A, 3228, 5839, 5840, 5841, 5842, 5843, 5844, 5845, 5846, 5847, 5848, 5849, 5850, 5851, 5852, 5853, 5854, 5855, 5856
Garsia-Remmel
polynomial, 4483
problem of rook equivalence, 4695
q-rook polynomial, 4695
gated subgraph, 3304
Gauss
problem on selfintersecting curves in a plane, 2222
sum, 2890
Gaussian
approximation, 5462
binomial coefficient, 2544
elimination, 2010, 4152, 4465
integer, 290
law, 6004
limit distribution, 3671
polynomial, 1200, 3215, 3231
Gavril conjecture, 1560
GBRD, 3930
GBTD, *see also* generalized balanced tournament design
GBTD(n, k), 4131
gcd, 5224
GDD, 3901, 5869, 5892
GDDS, 1277
Gegenbauer polynomial, 1152, 2633
Gelfand, 4434, 5482
pair, 3214
Geller, 665, 5356
Geller, P D, 815
GEM, 2432
gems, 2432
general chromatic
index, 3917
number, 2492, 3709
general
computational problem, 806
independence system, 806
general linear
group, 1108, 4699, 5357, 5730
nonhomogeneous group, 3731
general
metric, 4101
oriented matroid, 4292
packings, 2436
position, 1020, 2015, 2692, 2791, 3477, 3580, 4919
general reproductive solution, 4475, 5175
of a finite equation, 4287
general
solution, 4287, 4475, 4663
solutions of a Boolean equation, 4663
Steiner problem, 2968, 3896
strategy, 5256
generalisation, *see* generalization
generalised, *see* generalized
generalization, *see also* generalized
generalized, *see also* generalization
1-factorization, 1125
activity, 2830, 3142, 4235
alternating subset, 398, 720
arc pancyclic, 5310
balanced tournament design, 3179, 4131, 5643, *see also* GBTD
Bhaskar Rao design, 2442, 3930
binomial coefficient, 515
bipartite multigraphs, 439
Boolean function, 1159, 1333, 1768, 2335
Brouwerian lattices, 673
Bruhat cell, 2469
butterfly, 3523, 4914
generalized Cartesian product, 5127, 5138
of graphs, 5127
generalized Catalan
number, 697, 2175
series, 4159
generalized Cayley graph, 3310
generalized chromatic
number of a graph, 3709
polynomial, 1685
generalized
combinatorial cube, 2812
concatenated code, 3624
connectivity, 5937
generalized cycle, 4551, 5931, 5941
index, 395

generalized
Davenport-Schinzel sequence, 3489, 5954
de Bruijn graph, 3104
deck of a graph, 1188
generalized degree, 4048
condition, 3316
generalized
Desargues configuration, 4869
design, 5052
determinantal ideal, 4702
deviation of a poset, 3202
digon, 5952
Dilworth decomposition theorem, 1996
generalized domination, 4780, 4812
in a graph, 5805
parameter, 3803
generalized Durfee square identity, 1637
generalized Dyck
language, 942
path, 2719
generalized
Erdös-Szekeres conjecture, 4879
factorial, 1585
faro shuffle, 498
generalized Fibonacci
graph, 1146
maximum path graph, 1146
number, 874
generalized
Fisher inequality, 2451
friendship graph, 1667
Frobenius partition, 2715, 4127
Goppa code, 1908
graph, 220
Grillet theorem, 4373
Hadamard matrix, 3351, 3625
Hamming weight, 4590
handcuffed design, 3547
harmonic number, 5154
Hasse diagram, 1411
generalized hexagon, 3424, 5988
of even order, 3424
generalized
homomorphism graph function, 2785
hypercube, 5261
h-factorial polynomial, 4927
idempotent H-permutable 3-groupoid, 5515
generalized independence
in a graph, 5805
number of a graph, 3709
generalized independent degree, 4048
generalized inverse, 357
of a matrix, 676
generalized
Kerdock code, 3440
Kirkman system, 5971
Langford problem, 919
Latin rectangle, 1033, 1045, 2399
generalized Latin square, 2399, 4370
on a torus, 782
generalized lexicographical product, 5138
generalized line
critical graph, 1010
graph, 1598
generalized
locally testable language, 1695
Lucas number, 3046
Macaulay theorem, 23, 104, 602, 2313
marriage problem, 1203
matrix tree theorem, 3916
matroid, 2386
ménage number, 2117
Menger theorem, 5200
generalized minimal
basis, 3881
domination parameter, 2855
generalized
minterm, 1438
mixed Ramsey number, 4429, 4935
Moore geometry, 1726, 1737, 1975, 2084, 2243, 2262, 2263, 2556
generalized n-free, 3589
graph, 3589
generalized
order matrix, 626
parallel connection, 2986
generalized partial
Latin rectangle, 2399
order, 414
generalized partially balanced incomplete block design, 2268
generalized partition
semilattice, 5639
variety, 5357
generalized
path, 1151
paths in tournament, 1151
Petersen graph, 2353, 2615, 3082, 3337, 3374, 4678
generalized polygon, 5988
tree, 4173, 5343
generalized
Preparata code, 3568
product, 5138
generalized projective
geometry, 1100
space, 1757
generalized p-cycle, 5941
generalized quadrangle, 1214, 1645, 3049, 3159, 3378, 4077, 5392, 5403
dual, 5392

generalized quadrangle (*cont.*)
of order (4, 2), 2879
U(4, q), 3416
generalized quaternion group, 2890, 3930
generalized quaternion type, 2890
of order twenty four, 2890
generalized quotient, 1218
for finite Abelian groups, 1218
generalized q-binomial
coefficient, 4587
Vandermonde convolution, 1637
generalized Ramsey number, 95, 286, 713
generalized Ramsey theory, 178, 2258
for graphs, 940, 1801, 2258
generalized
Reed-Müller code, 2710, 3731
relative derangement, 4833
Robinson-Schensted correspondence, 4186
generalized Room square, 375, 652, 684
of dimension nine, 652
generalized
Schensted insertion, 4989
Schläfli symbols, 2018
secretary packet problem, 4271
set packing polytope, 5233
shuffle, 1596
simplicial lower bound conjecture, 1612
staircase, 3223
star, 5501
Steiner system, 5052
Stirling number, 4159
subdivided graph, 5381
S-graph, 4265
tableau, 3055
θ-graph, 774, 5337
generalized threshold
decoding, 1896
function, 1000
generalized tic-tac-toe game, 3546
generalized transitive tournament, 4830
matrix, 4830, 5481
polytope, 5481
generalized
tree, 2435
Turan problem, 4111
valuation, 3594
weight spectrum, 5435
Whitney cycle isomorphism theorem, 2136
Wythoff array, 3978
generally defined graph, 5352
generated by
a lattice, 5630
two elements, 3468
generating, *see also* generation of
convex polyominoes at random, 4850
finite Sturmian words at random, 4841
generating function, 29, 86, 117, 123, 132, 141, 143, 240, 291, 398, 578, 630, 681, 697, 852, 916, 919, 994, 1003, 1062, 1065, 1135, 1137, 1152, 1192, 1284, 1314, 1334, 1356, 1357, 1439, 1458, 1474, 1537, 1585, 1587, 1731, 1774, 1914, 2166, 2240, 2264, 2461, 2469, 2709, 2719, 2743, 2759, 2900, 2913, 2967, 3228, 3405, 3612, 3671, 3696, 3707, 3817, 3982, 4027, 4122, 4126, 4144, 4288, 4309, 4383, 4424, 4485, 4490, 4491, 4497, 4502, 4504, 4505, 4532, 4634, 4667, 4752, 4760, 4813, 4857, 4858, 4881, 5049, 5209, 5320, 5373, 5513, 5555, 5563, 5576, 5618, 5624, 5637, 5701, 5720, 5762, 5986, 6016
for dihypergraphs, 1507
for hypergraphs, 1507
for oriented hypergraphs, 1507
generating function for selfcomplementary
directed hypergraphs, 1507
hypergraphs, 1507
generating function
for tableaux, 4491
for the Catalan numbers, 971
for the irreducible elements, 1152
of convex polyominoes, 4288
of Dyck paths, 4282
of the divisor function, 4810
of weighted permutations, 4760
of Whitworth runs, 1731
generating
monomials, 5536
planar graphs, 214
generating polynomial, 4123
of a graph, 4123
generating
series, 43, 86, 914, 2209, 4758, 5571, 5577
set, 378, 981, 1400, 2211, 2956, 3637, 3700, 4109, 4331, 4336, 4380, 5732, 5856
stable permutations, 2091
generating string, 4332
for bipartite Steinhaus graphs, 4332
generating
topologies, 352
tree, 4846, 5677
trees, 4422, 4990
generation, 1027, 1720, 2110
generation of, *see also* generating
finite posets, 5647
test patterns, 4473
words, 4845
generation property, 5630
generator
matrix, 596, 759, 4513, 5764
polynomial, 2045, 4001, 5886
generators and defining relations, 3486

generic
enumeration of a species, 4844
formal power series, 4844
q-series, 4844
genetic
code, 2511
information processing, 2362
Genocchi number, 29, 162, 914, 1003, 4166, 4504, 4861
of the first kind, 4166
of the second kind, 4166
genoid, 1030
Gensheimer, 1787
genuine nickel, 4588
genus, 21, 51, 180, 284, 452, 671, 832, 1353, 1401, 1444, 1509, 1888, 2611, 2614, 2735, 3630, 3991, 4060, 4117, 4201, 4215, 4342, 4357, 4627, 4972, 5203, 5308, 5432, 5584, 5605
genus distribution, 4385
of graphs, 4026
genus
embedding, 452, 2597
g oriented surface, 5203
imbedding, 5026
genus of
a 2-manifold, 21
a composition of graphs, 5026
a graph, 671, 832, 2611, 4357, 5525
a join of graphs, 5026
a manifold, 2735
a random graph, 4357
an orientable surface, 2390, 5525
genus
one modular quotient group, 5672
problem, 2614
result, 5584
seven, 1888
genus strong embedding
conjecture, 4682
property, 4682
genus two, 4393
crossing number, 4393
embedding, 4393
genus zero, 5599
geodesic, 1932, 2682, 3506, 3565, 3819, 4594, 5862
convexity, 2226, 2227, 4303, 4936
domes, 5780
line convex drawings, 3750
geodesically convex, 2226, 2227
set, 2227
geodetic, 5862
block, 1653
digraph, 5384
geodetic graph, 1653, 2682, 3631, 5384, 5862
of diameter two, 1692
geodetic metrisation of a graph, 5862
Geoffroy, 690
geometric
characterization, 114
combinatorial problem, 5649
cone relation, 5530
convexity, 4738
design, 504, 4470
geometric dual, 2353, 2955
of a graph, 122
geometric
graph, 2015, 3458
invariant, 3120
lattice, 44, 307, 601, 1067, 1168, 1405, 2039, 2194, 2299, 2726, 2917, 3071, 3783, 5266
matrix, 2748
median, 3470
n-spread, 1830, 3156
geometric permutation, 1832, 2195
for convex sets, 1832
geometric
Ramsey theorem, 3880
rank function, 703
realization, 16, 1778, 4988, 5718
representation, 2861, 3049
sequence, 4498
spread, 3156
strong map, 388, 723
structure, 2963, 4743
geometrical basis, 5561
geometrical dimension, 4086
of a graph, 2961
geometrical
dual, 122
embedding of a graph, 2497
framework, 1836
interpretation of the Hungarian method, 705
sphere, 4704
type sequence, 2206
geometrically
distributed random variables, 4857
embeddable, 21
geometrization, 658
geometry, 392, 601, 625, 646, 703, 762, 808, 867, 952, 1028, 1035, 1037, 1100, 1160, 1300, 1337, 1340, 1486, 1506, 1722, 1726, 1737, 1738, 1894, 1947, 1975, 2084, 2169, 2194, 2233, 2243, 2262, 2263, 2556, 2744, 2797, 3059, 3234, 3302, 3332, 3422, 3676, 3743, 3872, 3898, 4025, 4079, 4082, 4171, 4402, 4407, 4740, 4741, 5392, 5393, 5844, 5952, 5957, 5972, 5988, 6024
geometry of
a Boolean space, 4171
a Galois space, 4087

geometry of (*cont.*)
diameter four, 1506
Hamming space, 543
numbers, 4358, 5189
packing, 3010
selfdual polyhedra, 4708
geometry of the classical groups, 5419
over a finite field, 5419
Germa, 1762, 4661
Gessel, 1137, 2694, 4981, 4983, 4987, 5851
q-analogue of the Lagrange inversion formula, 4979
Getu, 4422
GF(2), 759, 2139, 3428, 5523
$GF(2)^n$, 5730
$GF(2^n)$, 1344, 2964
GF(3), 4679
GF(4), 864, 2772, 2773, 3945
GF(4)-representable matroid, 2723
GF(p), 3036
$GF(p^2)$, 6024
GF(q), 759, 1662, 1890, 2045, 2150, 2181, 2617, 2689, 2753, 2945, 2964, 3975, 4609, 4711
$GF(q^n)$, 759, 1531, 2753, 3731
Ghandi polynomial, 920
Ghandi-polynomial, *see* Ghandi polynomial
Giakoumakis, 5250
giant component, 2419
Gibbs, 3078
Gibson, 5704
Gilbert, 2845
bound, 67
Giles, 1080
Giles, R, 1080
Ginsburg, 306
Ginzburg, 3533, 4665, 4685
Gionfriddo, 2261, 3368
girth, 121, 125, 262, 264, 332, 512, 811, 899, 1013, 1138, 1190, 1223, 1346, 1373, 1409, 1426, 1656, 1848, 1855, 2109, 2127, 2188, 2562, 3259, 3265, 3324, 3531, 3780, 3908, 3941, 4032, 4073, 4150, 4260, 4536, 4727, 4759, 4925, 4986, 5232, 5268, 5275, 5288, 5383, 5384, 5465, 5707, 5721, 5827, 5861, 5871, 5898, 5924, 6001, 6017
at least four, 5707, 5898
eight or more, 3941
five, 5334, 5335
four, 2824, 4696, 5308
of a cycle permutation graph, 1190
girth of a graph, 3942, 5861
with polynomial growth, 3780
girth of
a tactical configuration, 125
an infinite graph, 3780
girth pair, 5465
of a graph, 5465
Giudici, 3545, 5333
Giudici, R E, 5350
Giuli, 3467
GL(4, 2), 5973
GL(n), 3226
character, 4266
GL(n, 2), 4020, 5730
GL(n, 2)-orbit, 4699
GL(n, q), 1343, 5973
$GL_2(F_q)$, 3775
Gleason, 9, 2779
Gleason-Prange theorem, 1404
Glivenko, 3571
global
behaviour, 3120
dual Krull dimension, 5630
fixed point attractor, 5909
indecomposability, 3434
injectivity, 407
insertion, 5611
Krull dimension, 5630
majority, 2046, 4516
global optimization, 4465
problem, 5793
global property, 408
of partitions, 4808, 4863
global
proportionality, 3313
representation, 408
separation, 2390
globally semilinear, 2186
Glover, 594, 733
gluing construction, 5405
Glynn, 3421
Gödel, K, 1796, 3129
Godowski, 1787
Godsil, C, 1670, 2450, 5939
Godsil, C D, 1339
Goethals, 65, 1899, 2776, 2931, 3731
code, 2707
Goethals-Seidel type, 65, 585
Gol'dberg, 1759
Golay, 5752
(11, 6, 6)-code, 3452
code, 68, 69, 80, 382, 1056, 1697, 2838, 3452, 5904
parameter, 382
Golay sequence, 3043, 3805, 5752
of length n, 5752
Goldberg, 5255
Goldberg, E L, 2206
Goldblatt, 1787
golden ratio, 561, 1345, 3262, 4592, 5296

golden rhombohedron, 2536
Goldsmith, 4225
Göllnitz
  big theorem, 5899
  theorem, 5899
Golomb ruler, 3078, 3946
  problem, 3077
Golumbic, 1824, 2922
  characterization, 4221
Golumbic, M Ch, 1824
Gomory, 225, 4589
  linear inequality characterization, 757
gonality diagram, 4740
Gondran, 3197
González-Acuña, 5322
Good, 1376
good algorithm in the sense of Edmonds, 124
good colouring, 999, 1984
  for an SBC, 5441
good
  covering, 1893
  edge colouring, 439
Good generalization of the Lagrange inversion formula, 830
good minimal colouring, 1729
Goodearl, 3202
Goodman, 1747, 1884, 5294
Goodstein sequence, 3498
Goppa code, 1908
Goralcikova, 3589
Gordan, 3132
Gordon, 485, 3221, 4125, 4314
Gorenstein complex, 2410
Gosper, 2674, 2989, 4211
  algorithm, 4211
gossip, 49, 102, 1527, 5036
  problem, 49, 102, 995, 1302, 1316, 1334, 2290, 2872, 3639
gossip scheme, 4387
  on a simple graph, 4387
gossiping, 4007, 4614
  by telephone, 4659
  old ladies, 1527
  problem, 4614, 5036
gossips and telephones, 402
Gotlieb, 2414
Gould, 3884, 4321, 4341, 4945, 5699, 5702, 5852
Goulden, 1137, 4015
Goupil, 4291
Gouyou-Beauchamps, 5618
go-moku, 953
graceful, 3081, 4236, 5524
  2-regular graph, 3073
  countably infinite graph, 2058
  graph, 1149, 4236
  labeling, 5055
  numbering, 956, 2058, 3073
  tree, 831, 1048, 5524
  valuation, 4236, 4889, 4965
gracefully labeling of a countably infinite graph, 2058
gracefulness, 4382
gracious embedding, 3288
gradability, 62
  of a poset, 62
graded
  graph, 4506
  lattice, 623, 4781
  poset, 4641, 5985
  ring of scalars, 5573
grading number, 1635
Graeco-Latin
  balanced incomplete block design, 5971
  design, 3965
  square, 4571, 4572
Graffiti, 2403, 3033, 3581, 4054, 4583
  conjectures, 4583
Graffiti, G G, 5547
Graham, 1532, 1679, 2281, 2526, 3080, 3992, 4289, 5193, 5328, 5668, 5679
  conjecture, 5679
Graham, R, 1839
Graham-Rothschild theorem, 2281, 5328
grammar, 535, 819
grammatical tree, 819
Grant, D D, 1456
graph, 1, 2, 8, 11, 12, 19, 24, 27, 36, 42, 46, 47, 55, 62, 85, 101, 105, 106, 119, 120, 121, 122, 128, 129, 135, 137, 141, 142, 145, 146, 152, 155, 157, 158, 163, 168, 169, 170, 171, 172, 173, 180, 189, 197, 198, 201, 202, 205, 213, 214, 219, 223, 224, 227, 228, 231, 233, 241, 243, 246, 248, 249, 252, 254, 256, 260, 262, 264, 265, 266, 268, 271, 272, 277, 280, 286, 287, 289, 292, 296, 305, 309, 313, 317, 326, 332, 333, 346, 351, 354, 356, 358, 364, 365, 367, 368, 379, 391, 397, 412, 413, 418, 419, 421, 424, 435, 440, 442, 446, 447, 452, 458, 461, 463, 471, 474, 477, 479, 482, 487, 490, 499, 500, 501, 502, 505, 509, 512, 514, 522, 524, 525, 527, 528, 536, 538, 539, 541, 542, 552, 555, 556, 567, 570, 581, 582, 588, 590, 593, 594, 598, 599, 600, 603, 604, 607, 613, 614, 618, 620, 623, 624, 631, 633, 640, 650, 659, 661, 663, 665, 669, 670, 671, 679, 687, 690, 695, 702, 708, 713, 714, 725, 728, 733, 738, 742, 743, 744, 745, 747, 750, 753, 761, 762, 765, 766, 768, 770, 774, 787, 789, 790, 796, 798, 800, 804, 805, 809, 811, 812, 816, 817, 818, 820, 822, 825, 829, 832, 834, 837,

graph (*cont.*), 839, 846, 853, 854, 865, 866, 870, 881, 882, 888, 895, 896, 902, 903, 904, 915, 916, 930, 937, 939, 940, 944, 945, 947, 951, 954, 956, 957, 958, 960, 961, 963, 968, 973, 978, 982, 988, 989, 992, 1009, 1011, 1012, 1013, 1014, 1015, 1018, 1019, 1024, 1033, 1034, 1038, 1039, 1040, 1041, 1043, 1044, 1049, 1050, 1052, 1059, 1061, 1063, 1069, 1070, 1071, 1072, 1075, 1078, 1082, 1083, 1084, 1086, 1088, 1093, 1095, 1096, 1097, 1102, 1105, 1106, 1111, 1119, 1123, 1126, 1127, 1130, 1133, 1134, 1146, 1148, 1149, 1153, 1157, 1158, 1167, 1168, 1174, 1186, 1188, 1197, 1204, 1211, 1212, 1213, 1219, 1226, 1229, 1235, 1238, 1240, 1242, 1245, 1261, 1265, 1269, 1272, 1276, 1278, 1281, 1292, 1293, 1294, 1295, 1302, 1308, 1309, 1316, 1318, 1334, 1337, 1338, 1342, 1346, 1349, 1351, 1352, 1355, 1359, 1361, 1368, 1370, 1371, 1375, 1379, 1383, 1384, 1385, 1388, 1392, 1397, 1398, 1407, 1409, 1415, 1417, 1426, 1431, 1434, 1435, 1437, 1442, 1445, 1450, 1455, 1459, 1463, 1466, 1471, 1474, 1477, 1480, 1483, 1486, 1495, 1501, 1502, 1508, 1509, 1510, 1513, 1519, 1526, 1530, 1535, 1536, 1537, 1538, 1543, 1548, 1549, 1553, 1554, 1557, 1565, 1566, 1571, 1574, 1578, 1580, 1581, 1584, 1587, 1595, 1598, 1600, 1610, 1613, 1615, 1619, 1620, 1633, 1634, 1638, 1639, 1645, 1649, 1654, 1656, 1658, 1659, 1660, 1667, 1670, 1672, 1674, 1684, 1688, 1689, 1691, 1692, 1693, 1702, 1707, 1710, 1711, 1712, 1727, 1731, 1734, 1743, 1744, 1747, 1752, 1753, 1756, 1764, 1769, 1775, 1795, 1801, 1802, 1804, 1806, 1807, 1813, 1815, 1817, 1821, 1827, 1833, 1834, 1840, 1844, 1853, 1854, 1855, 1857, 1858, 1859, 1860, 1861, 1862, 1864, 1865, 1867, 1869, 1879, 1880, 1886, 1887, 1919, 1921, 1923, 1924, 1927, 1932, 1935, 1939, 1942, 1952, 1958, 1969, 1972, 1976, 1978, 1984, 1987, 1990, 1993, 1997, 2000, 2004, 2005, 2034, 2037, 2038, 2044, 2048, 2053, 2055, 2056, 2058, 2079, 2082, 2083, 2085, 2091, 2093, 2094, 2095, 2098, 2100, 2109, 2114, 2130, 2132, 2136, 2138, 2139, 2147, 2150, 2151, 2159, 2165, 2171, 2180, 2182, 2185, 2191, 2204, 2214, 2216, 2226, 2227, 2231, 2232, 2235, 2236, 2237, 2239, 2241, 2248, 2255, 2259, 2260, 2285, 2289, 2300, 2302, 2303, 2307, 2308, 2316, 2317, 2320, 2321, 2324, 2325, 2328, 2330, 2331, 2333, 2336, 2344, 2346, 2351, 2352, 2360, 2361, 2364, 2365, 2370, 2371, 2374, 2381, 2382, 2383, 2392, 2393, 2395, 2396, 2397, 2398, 2401, 2402, 2403, 2406, 2409, 2411, 2416, 2420, 2424, 2425, 2426, 2427, 2430, 2432, 2436, 2437, 2446, 2450, 2465, 2468, 2473, 2474, 2475, 2477, 2478, 2481, 2484, 2485, 2486, 2489, 2497, 2505, 2506, 2507, 2508, 2509, 2510, 2512, 2516, 2518, 2520, 2523, 2526, 2529, 2533, 2534, 2535, 2537, 2539, 2548, 2559, 2560, 2562, 2563, 2564, 2570, 2577, 2597, 2598, 2601, 2602, 2604, 2608, 2610, 2612, 2613, 2615, 2617, 2618, 2620, 2624, 2626, 2627, 2631, 2639, 2641, 2645, 2650, 2658, 2662, 2667, 2668, 2670, 2671, 2672, 2680, 2681, 2682, 2687, 2688, 2697, 2699, 2700, 2706, 2708, 2711, 2712, 2713, 2721, 2722, 2725, 2728, 2729, 2730, 2731, 2732, 2736, 2738, 2740, 2741, 2743, 2747, 2752, 2758, 2766, 2784, 2785, 2786, 2800, 2806, 2808, 2811, 2815, 2821, 2822, 2824, 2827, 2834, 2837, 2842, 2843, 2846, 2847, 2849, 2850, 2851, 2852, 2855, 2856, 2858, 2859, 2861, 2863, 2867, 2868, 2872, 2873, 2874, 2875, 2876, 2884, 2888, 2891, 2895, 2896, 2898, 2902, 2907, 2909, 2915, 2916, 2920, 2927, 2930, 2933, 2936, 2938, 2939, 2949, 2955, 2957, 2958, 2961, 2962, 2969, 2971, 2975, 2976, 2977, 2980, 2987, 2990, 2991, 2993, 2994, 2995, 2996, 3005, 3015, 3023, 3025, 3033, 3035, 3061, 3066, 3068, 3074, 3075, 3077, 3078, 3080, 3081, 3082, 3083, 3084, 3087, 3089, 3094, 3095, 3098, 3101, 3102, 3104, 3111, 3114, 3115, 3118, 3120, 3123, 3126, 3130, 3131, 3133, 3136, 3138, 3141, 3142, 3147, 3148, 3151, 3158, 3169, 3181, 3185, 3189, 3199, 3206, 3212, 3217, 3238, 3239, 3240, 3246, 3247, 3248, 3249, 3254, 3255, 3256, 3257, 3260, 3263, 3264, 3265, 3266, 3268, 3270, 3272, 3274, 3278, 3284, 3291, 3292, 3293, 3294, 3297, 3303, 3304, 3311, 3313, 3314, 3316, 3318, 3321, 3323, 3332, 3334, 3335, 3336, 3337, 3340, 3342, 3345, 3346, 3347, 3350, 3356, 3363, 3364, 3368, 3372, 3373, 3376, 3382, 3383, 3384, 3391, 3394, 3397, 3399, 3400, 3401, 3406, 3412, 3415, 3429, 3434, 3447, 3458, 3490, 3491, 3492, 3495, 3499, 3500, 3501, 3502, 3506, 3508, 3510, 3513, 3515, 3518, 3519, 3521, 3531, 3532, 3534, 3535, 3538, 3539, 3545, 3560, 3561, 3563, 3567, 3569, 3572, 3573, 3576, 3584, 3585, 3587, 3589, 3590, 3593, 3596, 3598, 3599, 3602, 3603, 3606, 3609, 3611, 3617, 3619, 3620, 3621, 3626, 3630, 3631, 3633, 3637, 3640, 3642, 3643, 3646, 3648, 3653, 3656, 3657, 3659, 3661, 3664, 3668, 3669, 3671, 3673, 3675, 3676, 3678, 3681, 3682, 3683,

graph (*cont.*), 3686, 3690, 3694, 3696, 3702, 3704, 3705, 3709, 3712, 3734, 3735, 3738, 3739, 3742, 3744, 3745, 3747, 3755, 3756, 3758, 3759, 3762, 3766, 3772, 3776, 3780, 3788, 3792, 3793, 3798, 3801, 3803, 3804, 3809, 3811, 3812, 3815, 3819, 3820, 3828, 3829, 3830, 3831, 3832, 3833, 3834, 3836, 3846, 3847, 3848, 3849, 3850, 3851, 3852, 3854, 3856, 3857, 3858, 3860, 3861, 3865, 3867, 3869, 3871, 3879, 3883, 3884, 3885, 3887, 3902, 3903, 3906, 3907, 3908, 3911, 3913, 3914, 3915, 3917, 3919, 3921, 3926, 3927, 3928, 3929, 3931, 3936, 3939, 3940, 3941, 3942, 3943, 3947, 3948, 3956, 3963, 3967, 3972, 3977, 3979, 3980, 3981, 3987, 3988, 3989, 3991, 3994, 4002, 4003, 4004, 4005, 4011, 4012, 4018, 4019, 4023, 4026, 4032, 4038, 4039, 4041, 4042, 4043, 4046, 4047, 4048, 4049, 4050, 4052, 4053, 4054, 4056, 4057, 4059, 4060, 4061, 4062, 4068, 4071, 4073, 4092, 4093, 4094, 4097, 4098, 4101, 4102, 4105, 4107, 4113, 4115, 4117, 4120, 4121, 4123, 4133, 4136, 4137, 4138, 4145, 4150, 4151, 4155, 4161, 4166, 4169, 4173, 4174, 4176, 4181, 4182, 4189, 4191, 4193, 4196, 4200, 4201, 4209, 4210, 4219, 4225, 4227, 4232, 4233, 4234, 4236, 4239, 4243, 4246, 4251, 4260, 4265, 4269, 4270, 4278, 4286, 4289, 4297, 4300, 4303, 4305, 4306, 4307, 4317, 4318, 4319, 4321, 4325, 4334, 4335, 4337, 4338, 4339, 4342, 4344, 4347, 4349, 4353, 4355, 4360, 4361, 4363, 4365, 4366, 4367, 4371, 4372, 4373, 4378, 4382, 4385, 4389, 4391, 4394, 4395, 4396, 4399, 4401, 4407, 4412, 4415, 4429, 4432, 4435, 4436, 4437, 4439, 4440, 4443, 4445, 4452, 4453, 4454, 4457, 4458, 4471, 4490, 4510, 4511, 4515, 4523, 4524, 4531, 4536, 4542, 4544, 4546, 4549, 4554, 4557, 4559, 4560, 4573, 4574, 4575, 4577, 4583, 4586, 4593, 4594, 4597, 4600, 4604, 4606, 4607, 4608, 4609, 4611, 4612, 4615, 4620, 4623, 4631, 4632, 4638, 4649, 4654, 4656, 4666, 4668, 4670, 4672, 4678, 4681, 4682, 4686, 4687, 4693, 4694, 4710, 4712, 4714, 4720, 4721, 4722, 4723, 4731, 4737, 4750, 4751, 4754, 4759, 4762, 4765, 4767, 4768, 4780, 4786, 4789, 4791, 4797, 4798, 4802, 4805, 4811, 4812, 4818, 4819, 4821, 4824, 4838, 4864, 4866, 4867, 4873, 4876, 4880, 4890, 4891, 4896, 4897, 4898, 4904, 4907, 4908, 4910, 4912, 4914, 4916, 4925, 4934, 4935, 4936, 4939, 4941, 4943, 4944, 4948, 4949, 4950, 4953, 4954, 4962, 4967, 4981, 4986, 4997, 5009, 5011, 5016, 5017, 5020, 5023, 5026, 5027, 5039, 5040, 5042, 5047, 5050, 5054, 5055, 5063, 5066, 5075, 5079, 5080, 5081, 5083, 5091, 5092, 5094, 5101, 5104, 5106, 5107, 5113, 5114, 5115, 5116, 5121, 5125, 5126, 5128, 5130, 5133, 5136, 5137, 5138, 5143, 5153, 5161, 5169, 5172, 5173, 5177, 5181, 5182, 5186, 5192, 5194, 5195, 5197, 5198, 5208, 5217, 5227, 5228, 5229, 5231, 5232, 5234, 5239, 5240, 5243, 5244, 5245, 5247, 5248, 5250, 5252, 5256, 5261, 5262, 5263, 5268, 5273, 5274, 5275, 5276, 5286, 5288, 5291, 5293, 5294, 5299, 5300, 5301, 5302, 5303, 5305, 5307, 5312, 5315, 5317, 5321, 5332, 5333, 5336, 5338, 5343, 5344, 5345, 5346, 5347, 5348, 5349, 5351, 5352, 5359, 5366, 5368, 5372, 5381, 5382, 5384, 5395, 5411, 5413, 5422, 5427, 5428, 5431, 5432, 5438, 5439, 5440, 5444, 5445, 5453, 5454, 5466, 5468, 5469, 5477, 5478, 5480, 5481, 5483, 5489, 5491, 5495, 5497, 5498, 5500, 5501, 5504, 5506, 5510, 5511, 5512, 5513, 5518, 5519, 5521, 5525, 5531, 5532, 5533, 5536, 5540, 5544, 5547, 5548, 5549, 5554, 5558, 5582, 5584, 5585, 5587, 5588, 5594, 5600, 5602, 5604, 5607, 5609, 5611, 5612, 5613, 5614, 5619, 5622, 5627, 5633, 5634, 5636, 5637, 5638, 5640, 5642, 5645, 5652, 5654, 5660, 5662, 5663, 5666, 5670, 5674, 5678, 5680, 5683, 5684, 5685, 5687, 5692, 5695, 5697, 5699, 5701, 5703, 5707, 5710, 5711, 5712, 5716, 5721, 5722, 5725, 5731, 5734, 5746, 5750, 5751, 5754, 5755, 5756, 5758, 5761, 5765, 5767, 5769, 5771, 5774, 5776, 5778, 5784, 5785, 5788, 5792, 5797, 5798, 5799, 5800, 5801, 5803, 5806, 5807, 5812, 5813, 5814, 5815, 5818, 5819, 5820, 5825, 5826, 5827, 5829, 5836, 5837, 5855, 5857, 5859, 5862, 5867, 5868, 5871, 5874, 5877, 5881, 5887, 5888, 5889, 5891, 5893, 5895, 5898, 5901, 5903, 5905, 5910, 5912, 5918, 5921, 5924, 5926, 5930, 5932, 5937, 5938, 5940, 5943, 5950, 5951, 5956, 5957, 5960, 5961, 5965, 5970, 5977, 5979, 5982, 5987, 5989, 5992, 5993, 5994, 5995, 5997, 5998, 6002, 6010, 6011, 6012, 6017, 6018, 6025, 6030, 6033

*-graph, 4830, 5481

graph
- algorithm, 3505, 3682, 5865
- as an algebra, 570
- automorphism, 4219

graph bundle, 4567, 5312
- over a cycle, 4567

graph capacity, 4365

graph
characterization, 105
class, 3704
graph colouring, 8, 1337, 1407, 1865, 1953, 2529, 2667, 3345, 4128, 4407, 5013, 5855, 5922
problem, 2414, 5776
theory, 2491
graph
connectivity, 740, 1923
containing infinitely many isomorphic copies of itself, 2285
copy function, 1870
graph covering, 604, 4070, 4379, 4623
construction, 1201
projections, 4363
graph data, 2406
graph decomposition, 53, 5191, 5206, 5307, 5770, 5928
modulo n, 5181
with constraints on the minimum degree, 2294
graph defined
by edge transfers, 5075
on the natural numbers, 5519
graph
dependent, 3344
design, 386
determined by factor objects, 1167
graph driven
BDD, 4473
binary decision diagram, 4473
graph edge sum problem, 4367
graph embedded
in higher surfaces, 3920
in the projective plane, 2955
in topological space, 3920
on the torus, 3455
graph embedding, 2036, 2057, 2725, 3356, 5261, 5585, 5769, *see also* graph imbedding
problem, 5431
graph encoded
3-manifold, 1937
manifold, 2432
graph
endomorphism, 992
enumeration problem, 1477
epimorphism, 570
graph equation, 419, 1153, 1240, 1583, 1610
for line graphs, 1610
for n-th power graphs, 1153
graph
equations for line graphs, 1153
evolution, 1537
factor, 3211
factorization, 1548, 3236, 3270, 3577
function, 1508
homomorphism, 1817, 3266, 3633, 4600
imbedded in the Klein bottle, 3291
graph imbedding, 284, *see also* graph embedding
theory, 604
graph in
books, 5585
which every block is a clique, 5731
graph invariant, 1460, 2241, 4239, 4583, 5600
graph isomorphism, 9, 902, 2328, 2713, 4169, 4781
algorithm, 902
problem, 2713
testing, 4385
graph labeling, 201, 4198, 5728, 5857
problem, 201
graph
labelling, *see* graph labeling
like combinatorial structure, 4205
minor, 5600, 5964
model, 4357
not contractible onto K_5, 2085
graph of
a group, 137
a matrix, 2151
a poset, 5231
a semiregular polyhedron, 1980
a torus, 4068
a triangulation of the torus, 2232
*-graph of a vertex, 5481
graph of
all homomorphisms, 4092
all linear extensions of a poset, 4115
an n-polytope, 4269
graph of bounded
degree, 4038, 5636
degrees, 5183
treewidth, 5825
graph of
cardinality κ, 633
complements, 91
convex polytopes, 1130
diameter two, 2888, 4053, 5998
Dilworth number two, 1854
external weights, 5997
graph of girth
at least five, 4925
five, 4925
four, 264
n, 899
six, 2127
graph of large chromatic number, 1005
graph of maximum
degree, 3569
diameter, 3297
graph of
minimal order, 99
negative type, 1598

graph of (*cont.*)
nullity one, 5491
simplicial 3-polytopes, 1622
small diameter, 2526
spheres, 4068
subsets, 1018
threshold dimension two, 3788
*-graph of vertices, 5481
graph on
10 vertices, 2336
a surface, 4357
the Klein bottle, 951
the projective plane, 4706
graph
operation, 1974, 2743, 3495, 3936, 4790
parameter, 1330, 1853, 2936, 4060
partition, 5826
polynomial, 85
power, 4055
problem, 1865
process, 1707
product, 3642, 5312, 5625, 5770
property, 2920, 3199
realization, 1502
graph reconstruction, 834
conjecture, 1188
graph
representation, 3869
represented by a family of nonempty sets, 2114
self complementary in K_n-e, 2712
selfduality, 4708
spectrum, 4559, 4897
split cover, 2930
structure, 570, 1009, 4071
substitution decomposition, 1784
graph theoretic, 8, 52, 353, 479, 663, 729, 2123, 2319, 2432, 2475, 2843, 2939, 3270, 3271, 3587, 3642, 4212, 4402, 4600, 5076, 5835
condition, 2208
duality, 1435
information, 3919
lemma of Laue, 4605
graph theoretic model, 2861, 5117
for cluster analysis, 678
graph theoretic
parameter, 3860, 4429, 4935, 5992
problem, 2861, 5254
property, 2535, 2954, 4050
realization, 3080
term, 2405
terminology, 317, 3904
tool, 4281
graph theoretical
characterization of the order complexes on the 2-sphere, 2410
condition, 4996
conjecture, 2403
explanation, 2422
framework, 1405
invariant, 2403
language, 5809
problem, 5276
graph
theory, 8, 52, 145, 272, 458, 477, 544, 650, 834, 892, 1174, 1181, 1450, 1647, 1808, 2057, 2400, 2517, 2601, 2835, 2846, 2868, 2919, 3151, 3237, 3238, 3246, 3271, 3519, 3521, 3576, 3583, 3587, 4040, 4461, 5013, 5016, 5118, 5161, 5276, 5278, 5287, 5601, 5809, 5910
to hypergraph transformation, 3199
transformation, 12
tree Ramsey number, 2404
uniquely determined by its chromatic polynomial, 5336
universal for isometric embeddings, 3123
valuation, 4382
variety, 1436
which contains each tree of given size, 5275
whose maximal subgraphs have at most two orbits, 1234
graph with
38 vertices, 3678
a bounded treewidth, 3243
a perfect matching, 5634
a spanning closed trail, 4867
a unique 1-factor, 851
all degrees odd, 4137
at least n edge disjoint spanning trees, 4867
graph with at most
four edges, 3967
one cycle, 5932
graph with
bounded degree, 5636
degree sequence (1, 1, 1, 3, 3, 3), 5906
Dilworth number three or four, 1470
exactly two orbits, 1509
few circuits, 3276
five triangles, 3883
forbidden induced subgraphs, 2822
girth four, 2437
Hamiltonian squares, 708
high symmetry, 3663
hypertree structure, 4997
long tails, 1365
graph with maximum degree, 5767
at most four, 4257, 4538
graph with
odd degree, 5274
polynomial growth, 3115, 5645
prescribed size, 2259

graph with (*cont.*)
rayless blocks, 3114
regular neighbourhoods, 1339
the odd cycle property, 3609
three eigenvalues, 5798
graph without
4-cycles, 1359
G_{12} minors, 5600
K_5 minors, 5600
loops, 1392, 4452
short cycles, 862
graphic, *see also* graphical
bipartitioned sequence, 1259, 5673
geometry, 1414
matroid, 610, 911, 1202, 1237, 1923, 2224, 2291, 2464, 3392, 3396, 4527, 5220, 5668
sequence, 202, 2880, 3145, 5673, 5888
vertex, 4445
graphical, *see also* graphic
BD, 1550
containment, 4138
cover, 1924
decomposition, 3961
design, 5926
distance, 3078
Eulerian number, 2236
incomplete t-(v, k, λ)-design, 5926
invariant, 2557, 5703
matrix property, 3357, 5872
partitions, 593
graphical property, 881, 4048
of matrices, 3357, 5872
graphical
reconstruction, 85
regular representation, 638
representation, 1099, 5899
sequence, 198, 231, 2148, 2382
t-design, 3011, 5926
t-wise balanced design, 1550, 4834
graphicness of the degree sequence, 3402
graphite, 5276
graph-property, *see* graph property
Grassmann, *see also* Graßmann
identity, 4528
manifold, 5078, 5357
space, 736
variety, 5391
Graßmann, *see also* Grassmann
variety, 4254
Grassmannian, 5408
of lines of a linear space, 5408
Grätzer, 203, 570, 3571, 4680
Gray code, 1018, 1424, 3864, 5894
with restricted density, 1616
greater hyperoperation, 4748
greatest common
divisor, 578, 630, 780, 1378
subgrap, 3977
greatest
eigenvalue, 3581
prime divisor, 444
vertex, 1266
Greechie, 1787
graph, 1787
representation, 2353
greedoid, 2010, 2312, 2386, 2452, 2620, 2728, 3069, 4486
exchange property, 2010
greedy, 4944
algorithm, 806, 927, 2428, 3438, 3689, 4054, 4944, 5671
chain, 2132, 2428
dimension, 2129
linear extension, 2129
lower bound, 4913
nature, 3490
vertex colouring algorithm, 3817, 3925
Green, 2242
function, 304
relations, 311, 938
Greene, 1035, 1718, 1781, 1996, 2298, 3222, 3797
theorem, 1996
Greene-Kleitman theorem, 3797, 5231
Greenwell, 4878
Greenwood, 9
Greenwood-Gleason colouring, 9
Gregory-Newton expansion, 1469
Greibach, 306, 535
form, 535
normal form, 535
grid, 1449, 1549, 2364, 3580, 3661, 3814, 3856, 3906, 4913, 5022, 5049, 5201, 5637
dimension of a graph, 3661
graph, 2861, 2878, 3856
intersection graph, 2873, 3661
representation, 2873
Griesmer bound, 1898, 2387, 2575, 3065, 3352, 3436, 3725, 3726, 4513
Griffiths second inequality, 3
Griggs, 1781, 2676, 2981, 4239, 4384
Grigolia, R, 5507
Grillet, 4373
Grillet theorem, 4373
on maximal stable sets, 4373
Grinberg, 205, 3497
24-face map, 205
Grinstead, 2981
Gröbner basis, 4481, 5722
Groemer, 4172
Gronau, 3295
Grønwald, J, 4733

Gropp, 4205
Gross, 452, 604, 3356, 4623
Grothendieck, 4961, 5582, 5630
  dessin, 4961, 5582, 5822
  polynomial, 3226, 5849
Grothendieck, A, 4843
Grötsch, 2130
  graph, 2130
Grötzsch, 4831
ground set, 4839, 4902, 5354
group, 5, 44, 69, 80, 136, 137, 172, 227, 254, 317, 387, 415, 425, 438, 485, 565, 599, 616, 629, 638, 649, 721, 735, 736, 779, 790, 800, 860, 878, 913, 916, 967, 1081, 1101, 1194, 1250, 1251, 1256, 1277, 1362, 1404, 1407, 1473, 1786, 1791, 1822, 1888, 1902, 1965, 1991, 1994, 1999, 2028, 2045, 2137, 2150, 2163, 2175, 2238, 2242, 2395, 2509, 2513, 2568, 2579, 2601, 2613, 2614, 2616, 2652, 2672, 2736, 2772, 2794, 2894, 2956, 3007, 3051, 3111, 3115, 3154, 3177, 3205, 3315, 3319, 3333, 3343, 3351, 3360, 3377, 3379, 3486, 3487, 3510, 3536, 3625, 3708, 3731, 3781, 3796, 3800, 3816, 3821, 3874, 3935, 3944, 3998, 4023, 4043, 4108, 4125, 4132, 4134, 4168, 4215, 4219, 4283, 4304, 4336, 4363, 4416, 4434, 4477, 4494, 4537, 4582, 4606, 4622, 4623, 4720, 4733, 4748, 4750, 4782, 4789, 4822, 4887, 4940, 4942, 4954, 4991, 5098, 5180, 5403, 5582, 5682, 5725, 5729, 5839, 5910, 5925, 5939, 5972, 5974, 6002, 6032
  acting on a graph, 2956
group action, 33, 395, 415, 1999, 2009, 3225, 4009, 5595, 5927, 5983
  on a finite space, 1644
  on a graph, 2398
group algebra, 69, 75, 1056, 2174, 2630, 3214, 4134, 4477
  of the symmetric group, 681, 3226
group
  automorphism, 4817
  character, 3386
  code, 74
group defined by
  generators and relations, 2422
  one relator, 2238
group divisible, 5892
  association scheme, 5892
  design, 641, 1101, 1224, 2568, 3154, 3188, 3536, 3912, 4261
  difference set, 1277
  partially balanced bipartite block design, 3039
  PBIB, 2072
  structure, 1224
group
  element, 4416
  enlargement, 3796
  extension, 3796
group generated by
  reflections, 860
  two elements, 5488
group
  generator, 2245
  graph, 2427
  homomorphism, 2736
  identity, 2736
  invariant theory, 3386
  isomorphism, 4653
group of
  a code, 409, 1256, 5763
  a graph, 1188
  a knot, 3528
  a polyhedral graph, 136
  affinities of the real plane, 4733
group of automorphisms, 58, 69, 340, 736, 741, 802, 1252, 2601, 3482, 4070, 4219, 4551, 4623, 5573, *see also* automorphism group
  of a graph, 3207
group of colour
  permuting automorphisms, 4551
  preserving automorphisms, 4551, 4782, 4991
group of
  elements, 553
  integers, 2137
  isometries, 4565
group of order
  automorphisms, 2043
  eight, 5925
group of
  oriented positions of tiles, 5208
  permutations, 5, 69, 649, 741
  prime squared order, 4336
group of primitive
  automorphisms, 4103
  permutations, 426
group of
  proper automorphisms, 1994
  rotations, 136
  skew automorphisms, 5209
  symmetries, 2672, 4023
  transformations, 1160
  units, 779, 2045
group
  operation, 498, 4733
  order, 1256
  presentation, 1362
  problem, 225, 757
  reduced distribution, 291
  relation, 565

group (*cont.*)
ring, 2890
structure, 946
group testing, 2915
problem, 2915
group theoretic, 201, 3422
construction, 5296
group theoretical, 1267, 2843, 5209
method, 2367, 4025, 5520
result, 1567
technique, 2360
group theory, 1267, 2469, 3027, 3486, 4770, 5287
group with
graphical regular representation, 638
polynomial growth, 3780
sign structure, 3486, 3918
groupoid, 317, 635
operation, 4552
groupoids, 3040
growing binary trees, 97
growth, 3120, 4506, 5174
degree, 2956
function, 3780, 4675
growth of
the maximal girth, 811
transitive graphs, 2448
growth rate, 4465, 5174, 5259, 5296
GRS(4, 24), 652
Grünbaum, 205, 463, 467, 575, 885, 1060, 1151, 1360, 1672, 2499, 2819, 3204, 4384, 4831, 5174
3 colourtheorem, 5156
conjecture, 51
gap conjecture, 2332
theorem, 4264, 5156
Grünbaum, B, 37, 51, 198, 636, 679, 2014, 3765
Grünbaum-Havel 3 colourproblem, 4831
Grünbaum-Motzkin theorem, 885
Grützer, 203
GTT, 5481
matrix, 4830, 5481
guaranteed worst case bound, 1954
guard problem, 5377
in spiral polygons, 5377
guard visibility, 5377
GUB structure, 5264
Guelzow, 5142
Guichard, 2373
Guilbaud formula, 5791
Gumm operation, 5031
Gunson, 1376
Guo, 5027, 5032
Gupta, 509, 664, 2935
Gupta, H, 5555
Gurvich, 3679
Gustedt, 5030
Gutin, 4525, 5037, 5112, 5122, 5509
Gutman, 4689
problem, 4689
Guy, R K, 2443, 2445
Gyárfás, 2307, 2510, 3822, 4673, 4907, 5067, 5590
Gyárfás, A, 4511
Gyori, 1884
Györi, E, 5243
G-$_4\phi_3$ sears transformation, 4494
G-Bailey, *see* G Bailey
chain, 4494
lemma, 4494
pair, 4494
transform, 4494
g-cage, *see* n-cage
G-clique, 3336
G-decomposable graph, 3406
G-decomposition, 621, 2376
G-design, 3728
G-equivariant bijection, 4249
G-factor, 1638, 3023
G-free, 5228
colourability, 5228
G-inversion, 4494
-G-k-colouring, 5477
g-net, *see* n-net
G-optimal design, 1521
G-orbit, 5098
G-packing, 1638
G-q-binomial theorem, 4494
G-q-Dougall summation, 4494
G-q-Gauss summation, 4494
G-q-Whipple transformation, 4494
G-relative difference set, 3351
G-set, 4249
G-terminating
balanced $_3\phi_2$ summation, 4494
very well poised $_6\phi_5$ summation theorem, 4494
G-trivial language, 1695

H

H(3, q^2), 5403
(h, J)-distinct sum set, 5212
Habib, 2428, 4259
Habsieger, 2655
Habsieger-Kadell q-Morris identity, 2655
Hadamard
3-design, 5386
conjecture, 312
design, 2153, 3047, 3052, 5386, 5971
equivalence, 902
equivalent, 902
graph, 930
invertibility, 4498
invertible, 4498

Hadamard matrix, 65, 312, 585, 1418, 1453, 1521, 2251, 2273, 2274, 2540, 2612, 2749, 2840, 2890, 2910, 2959, 3042, 3043, 3351, 3625, 3805, 4021, 4190, 4295, 5089, 5646
of maximal excess, 2959, 3042
Hadamard matrix of order
twenty, 2749
twenty eight, 2540, 4190
Hadamard
parameter, 979
system, 1453
tournament, 4442
Hadjiat, 5255
Hadwiger
characterization theorem, 5486
conjecture, 112, 951, 2486, 3596
number, 702, 2138, 3274
Haemers, 1722, 5798
partial geometry, 1722
Haemers, W, 1663, 5798
Haff, C F, 1605
Hagauer, 5994
Hager, 3467
Häggkvist, 1519, 1687, 2212, 2423, 3184, 3275, 4327, 5112, 5232
Häggkvist, R, 1563, 1687
Haglund, 4977
Hahn polynomial, 1664, 2633
Hahn, G, 1729
Hahn-Banach theorem, 2363
Haigh, 521, 1680
Haiman, 5840, 5841, 5844, 5853
Hajnal, 38, 49, 337, 552, 895, 1150, 1303, 1602, 2307, 2507, 2915, 4274, 5519, 5706
Hajnal-Rothschild theorem, 4063
Hajós
conjecture, 3273
construction, 2667
like theorem, 5068
theorem, 5068
Hajós, G, 2491
Haken, 3244
Hakimi, 202, 1189, 1488
Halder, 1408
Hale, 3084
Hales, 2281, 2522, 5328
Hales, A W, 1362
Hales-Jewett theorem, 2281, 2522, 5328
half cube, 4912, 5239
embeddings, 5780
half
dihedron, 907
dimension, 67, 68
integral vertex, 4445
space, 3714, 3824
transitive graph, 5596
transitivity, 5622
half-cube, *see* half cube
half-plane, *see* half plane
Halin, 458, 1361, 1590, 2383, 3127, 3376, 5760
graph, 2865, 4607, 4612
Halin lattice, 1590
in a graph, 1590
of rooted trees, 1590
Halin, R, 742, 973
Hall, 301, 2150, 2583, 2981, 4021, 4450
condition, 577
marriage theorem, 5892
plane, 1343, 4450, 5929
set, 4021, 4190
space, 1396
Hall theorem, 2326, 2814
on the existence of a transversal, 608
Hall triple system, 1487
Hall, D W, 5172
Hall, J I, 3412
Hall-Littlewood polynomial, 3228, 3229, 5847
Halpern, 2281
Halpern-Läuchli theorem, 2281
halving a
complete design, 4237
Steiner triple system, 3509
Hamacher, 4292
Hamada, 2387, 2575, 3065, 3352, 3703, 3725
formula, 3421
Hamidoune, 1455
Hamilton
biconnected, 3834
circuit, 158, 449, 1433, *see also* Hamiltonian circuit
Hamilton connected, 2808, 4175, *see also* Hamiltonian connected
derangement graph, 4193
Hamilton
connectedness, 4175
cycle, 628, 726, 2162, 2398, 2598, 2605, 2607, 2731, 2808, 2977, 3005, 3036, 3133, 3264, 3365, 3549, 3668, 3921, 4115, 4635, 4872, 5032, 5077, 5294, 5666, 5725, 5770, 5817, *see also* Hamiltonian cycle
decomposable graph, 2790
decomposition, 1433, 2977, 4146
equations, 5567
graph, 4181
path, 2069, 2533, 2808, 3143, 3176, 3700, 4175, 4193, 4239
space, 2731
Hamilton surface, 2605
decomposition, 2605
of a graph, 2605

Hamilton, *see also* Hamiltonian *and* Hamiltonicity
Hamiltonian, 51, 146, 205, 250, 442, 447, 477, 527, 603, 708, 805, 1106, 1132, 1133, 1141, 1207, 1302, 1398, 1417, 1524, 1525, 1639, 1752, 1971, 2067, 2145, 2219, 2302, 2381, 2395, 2398, 2631, 2639, 2659, 2722, 2822, 2891, 2937, 2941, 2998, 3133, 3301, 3305, 3382, 3389, 3549, 3561, 3582, 3626, 3830, 3834, 3849, 3857, 3884, 3885, 3905, 3921, 4029, 4035, 4175, 4183, 4193, 4197, 4258, 4300, 4306, 4325, 4335, 4351, 4356, 4392, 4431, 4509, 4575, 4650, 4657, 4705, 4724, 4762, 4888, 4908, 4947, 4992, 5042, 5077, 5135, 5140, 5217, 5262, 5445, 5470, 5497, 5511, 5567, 5611, 5666, 5707, 5725, 5817, 5818, 5873, 5906, 5918, 5930, 5934, 5977, 6010, *see also* Hamilton *and* Hamiltonicity
  3-polytope, 1105
  alternating cycle, 5719
  arc, 250, 418
  biconnected, 4947
  bipartite graph, 3305, 3561
  bypass, 1051
  chain, 944
Hamiltonian circuit, 21, 27, 42, 51, 113, 146, 163, 205, 460, 555, 599, 699, 735, 1063, 1132, 1250, 1347, 1400, 1443, 1524, 1982, 2067, 2388, 3251, 3864, 4776, *see also* Hamilton circuit
  in a Cayley diagram, 1250
  in a graph, 2947
  in a prism, 699
  problem, 4776
Hamiltonian claw free graph, 3582
Hamiltonian connected, 1133, 1639, 2381, 2563, 2937, 3389, 3693, 3852, 4044, 4543, 5377, 5873, *see also* Hamilton connected
  from a vertex, 2563
  graph, 1133, 5873
  graphs, 5217
  self complementary graphs, 4044
Hamiltonian connectedness, 3693
  exponent, 5135
Hamiltonian connectivity, 3852, 5873
Hamiltonian cycle, 805, 946, 1018, 1051, 1207, 1209, 1239, 1270, 1417, 1442, 1456, 1480, 1513, 1529, 1739, 1802, 1805, 1948, 2034, 2173, 2219, 2659, 2784, 2822, 2845, 2909, 3305, 3561, 3601, 3763, 3849, 4109, 4351, 4356, 4657, 4705, 4750, 4755, 4789, 5037, 5250, 5368, 5377, 5470, 5478, 5802, 5818, 5865, 5918, 6011, *see also* Hamilton cycle
  in a Cayley graph, 2173
  in a tournament, 1051
Hamiltonian
  decomposition, 805, 1948, 3019, 4109, 4755, 5472
  degree condition, 4335
  digraph, 5534
  directed graph, 292
  extended LSD, 5112
  game, 4339
Hamiltonian graph, 51, 143, 146, 442, 541, 708, 1563, 1671, 1698, 2941, 2947, 3294, 3604, 3626, 4197, 4300, 4325, 4351, 4356, 4575, 4828, 5144, 5294, 5374, 5707, 6011
  theory, 1133, 1480, 3133, 3830
Hamiltonian group, 2614
Hamiltonian index, 1141, 2302, 3884, 4207, 5594
  of a graph, 3884, 4207
Hamiltonian laceable, 4431
  3-regular graph, 4431
Hamiltonian
  line graph, 2937, 4575, 5445
  maximal planar graph, 1318
  n-partite tournament, 5976
  pancyclic graph, 1563
Hamiltonian path, 174, 188, 411, 869, 939, 1083, 1146, 1151, 1250, 1400, 1402, 1420, 1442, 1472, 1480, 1639, 1729, 1802, 1822, 2034, 2563, 2606, 2909, 3019, 3254, 3294, 3389, 3611, 3852, 3864, 3974, 4048, 4351, 4356, 4380, 4431, 4543, 4640, 4828, 4943, 4947, 5037, 5049, 5112, 5250, 5371, 5377, 5478, 5670
  graph, 3294
  problem, 3795, 4776
  structure of a graph, 5429
Hamiltonian
  polygon, 179
  polytope, 2388
Hamiltonian property, 477, 2671, 4197, 4828, 4947, 5217, 5497
  of graphs, 1398, 3133
Hamiltonian
  result, 3382
  self complementary graph, 4044
  split graph, 1805
  square, 708
  subgraph, 4996
  threshold graph, 4221
  tour, 869
  tournament, 4657, 4724
  type property in graphs, 5217
Hamiltonian-connected, *see* Hamiltonian connected
Hamiltonicity, 1752, 2671, 3693, 4256, 4650, 4908, 5119, 5135, 5182, 5250, 5262, 5368, 5374, 5377, 5478, 5511, 5611, 5817, 5930, 6010, *see also* Hamilton *and* Hamiltonian

Hamiltonicity exponent, 5135, 5140
Hamiltonicity of
a graph, 4306
the cross product, 5374
Hamiltonism, 2965
Hammer, 2560, 2632
Hammer, P, 2868
Hammer, P L, 1470
Hamming
association scheme, 3570
bound, 2780
code, 68, 568, 1899, 2193
Hamming distance, 73, 195, 548, 844, 996, 1047, 1161, 1724, 1874, 1912, 2677, 3165, 3949, 5689, 5715
function, 1632
Hamming
graph, 3068, 3304, 4868, 5082
scheme, 4775, 5939
semimetric, 4129
space, 1632, 1893, 3975
sphere, 1161, 1724, 1826, 2078
Hamming weight, 4590, 5753
distribution, 643
Han, 4504, 4980
Hanani, 242, 724, 2261, 2568, 2583, 3168, 3655
Hanani, H, 2568, 2569, 2571, 2573, 2574, 2577, 2578, 2579, 2581, 2583, 2588, 2589, 2590, 2591, 2594
handcuffed
block, 579
design, 3547, 4403
Handcuffed design, 579
handcuffed
element, 579
prisoner, 53
to its neighbours, 579
handle, 4977
recognition theorem, 1936
Hanf, 1785
Hankel determinant, 4861
Hanlon, 2209
Hanlon, P, 1856
Hansel, 890
Hansen, P, 2799
Hanson, 5118, 5797
Harary, 20, 111, 199, 286, 379, 509, 663, 1151, 1219, 1385, 1419, 1736, 2259, 2488, 3768, 3921, 4028, 4050, 4395, 4967, 5411, 5501, 5859
Harary conjecture, 1419
on integral sum graphs, 4880
Harary, F, 1478, 2080, 2846, 3169, 4395
hard, 686, 1013, 2121, 2658, 3746, 4544
graph, 2411
particle gas model, 5563
hard to colour, 3147, 5126
graph, 3147, *see also* HC graph
hardware configurations, 3704
Harer, 4961
harmonic
analysis, 4477
mean formula, 2554
measure, 3521
number, 5154
primes, 3018
sequence, 5691
sum, 3018
harmonious, 2876, 3080, 3082, 3083, 3816
harmonious chromatic number, 2488, 3768, 5147, 5342
of a graph, 2488, 3768, 5342
harmonious colouring
number, 3083
of a graph, 3083
problem, 3083
harmonious graph, 3080
conjecture, 1532
harmoniousness, 3816
Harper, 521, 1161, 1724
isoperimetric theorem, 2541
theorem, 1161
type lower bound, 5495
Harries, 1013
Harris, 5699
Harrison, 934
homology, 4478
Hart, 3489
Hartman, 2962, 3028, 4529, 5442, 5479
Hartman, A, 2591
Hartmanis, 4753
Hartnett, W, 827
Harvey hypermap, 4972
Harvey-Wiman hypermap, 4972
Hashiguchi, 4856
Hasse diagram, 145, 557, 1411, 1845, 2963, 3598, 3895, 5352
of a distributive lattice, 2537
orientation, 3598
Hasse, H, 2293
Hasse-Weil upper bound, 3431
Hausdorff
series, 5572
space, 1777, 3469
Haussler, 3208
Havel, 202
Havel-Hakimi
residue, 4054
theorem, 4054
Haviland, 3347, 5712

Hayman, 2209
Haynes, 5816
HC, 5126
  graph, *see also* hard to colour graph
HD0L sequence equivalence problem, 1429
heap, 4388
heap of
  pieces, 4388
  sticks, 4505
Hearne, 784
Heawood, 522, 2418
heawood colouring, 4202
Heawood
  conjecture, 5823
  empire problem, 5823
  m-pire formula, 1520
  theorem, 2418
Heawood, P J, 5823
Hecke, 2809
  algebra, 3214, 4860, 5846
Hecke-Rogers identity, 2809
Hedayat, 2305, 3443
Hedetniemi, 259, 379, 509, 750, 2868, 3803, 4656, 4805, 5294, 5816
  conjecture, 4656, 5765
  type problem, 4656
Hedman, 2079
Hedrlin, 3508
Heegaard genus, 2735, 2870
height, 1846, 4975, 5944
  function, 62
height of the first peak, 5551
  of a Dyck path, 5551
height on
  a graph, 62
  a poset, 62
height one order, 5759
heights method, 5249
Heilbronn triangle problem, 1918
Heinrich, 2577
Heise, 1408
Hélène Décoste, 4844
Hell, 3507, 3508, 4512, 5293
Helleseth, 3352
Helly, 885, 4047, 4997
  family, 4063
  graph, 4997
  hypergraph, 818
  number, 1712, 4303, 4936
  property, 698, 801, 1236, 4047, 4063
Helly theorem, 4303, 4936, 5486
  for convexity in graphs, 1712
  for oriented matroids, 2363
Helly type
  conditions, 4408
  property, 1236
  theorem, 1059, 1198
hemispheric, 4728
Hemminger, 834, 2783
Hendry, 3294
Hendry, G, 5429
Henkin, 1804
Henning, 5103, 5299
Hensel
  lemma, 1901
  method, 1901
Hercules versus Hydra game, 3498
hereditarily hard, 4544
  digraph, 4544
hereditary, 2800, 3642
  closure, 1553
  family, 1421, 1446
  hypergraph, 1608
hereditary property, 4559, 5627, 5815, 6015
  of graphs, 4929, 5805
  of partition graphs, 3642
hereditary
  pseudodomishold graph, 2800, *see also* HP-graph
  P-graphical sequence, 2148
  system, 1421
  tree structure, 785
Herman, J, 2640
Hermite, 2633
  polynomial, 1073, 1152, 2633
Hermitian
  curve, 3417
  form, 3174
hermitian form, 3676
Hermitian
  unital, 3157
  variety, 3570
hermitian variety, 4087
Hermitian variety, 4732
Herrmann, 1787
Herscovici, D, 2774
Hertz, 3384, 3748
Herz, 332
Herzog, M, 763
Hestenes, 4056
heterochromatic edge, 5749
Hetyei, 2425
heuristic, 2529, 3588, 3628, 4599, 5612, 5796, 5922
  algorithm, 5922
  embedding, 4489
  method, 2213, 5327
  optimization, 4621
Heuristic search, 5098
  technique, 4621
heuristic solution, 5922

Heuvers, 2908, 4112
hexaboard, 2369
hexagon, 206, 241, 308, 667, 833, 2036, 2437, 3424, 4550, 5276, 5686, 5780, 5988
  of even order, 3424
hexagonal, 5276
  cell, 5452
  coordinate system, 2071
  lattice, 2282, 5072
hexagonal planar
  map, 3403
  mosaic graph, 755
hexagonal system, 2437, 3866, 4309, 5276, 5349, 5617
  with forcing edges, 4309
Heydemann, 1762
Heyting algebra, 2718, 4101, 5785
HHD-free, 5439
  graph, 5439
Hibi, 4839
hidden
  Cayley graph structure, 5588
  set, 5004
hiding a point, 5004
hierarchical
  classification scheme, 4569
  clustering, 4459
  structure of nested sequences, 4344
hierarchy, 120, 2560, 4129
hierarchy of
  formal languages, 50
  length set families, 732
  metrics, 4129
Higgs, 388, 614
  factorization, 388, 723
  lift, 723
  major, 388
high degree, 4754
  of approximation, 5276
high
  edge density, 3204
  girth, 4759
  maximum degree, 5025
  order differences of the plane partition function, 3982
  peak of a Dyck path, 5551
high rank, 4058
  high cardinality matroid, 1749
high
  representativity triangulation, 5203
  speed computer, 72
  valency subgraph of a cube, 901
higher
  Catalan number, 1439
  dimensional matrix, 2973, 3132
  moment, 2714
higher order
  edge toughness of a graph, 3572
  imbedding distribution data, 4385
  recurrences, 4211
  transformations, 2110
higher weight Dowling lattice, 3783
highly connected
  graph, 3544
  tournament, 5900
highly imperfect power, 3368
highly irregular, 2392, 3559, 5129, 5130
  digraph, 3559
  graph, 2392, 5129, 5130
  n-chromatic graph, 2392
highly
  symmetric graph, 1373, 1804, 4394
  symmetrical embedding, 3486
  transitive dimensional linear space, 4080
Higman, 1934, 4056
  order, 4613
  ordering, 5785
  well quasi-order theorem, 1934
Higman-Sims graph, 5529
Hilbert, 3236, 4471, 4910, 5841
  basis, 4910
  finite basis theorem, 3270
Hilbert polynomial, 4702
  of a determinantal ideal, 4702
Hilbert
  scheme, 5850
  series, 5841
Hilbert space, 5330
  of discrete analytic functions, 304
Hilbert tenth problem, 507
Hilbertian graph, 4355
hill climbing, 4728
  algorithm, 2354
Hilton, 2479, 2737, 4649, 5025
  construction, 1964
Hilton-Milner theorem, 4063
Hindman, 2281
  theorem, 2281
Hiraguchi
  inequality, 503
  theorem, 130, 130
Hirota bilinear equation, 3897
Hirsch, 89
  conjecture, 5605
Hirschfeld, 1303, 4274
histocompatibility
  experiment, 877
  model, 877
history of configurations, 5121
hit polynomial, 126

Hitchcock, 731
  transportation problem, 731
HIV infectivity, 3034
Hjelmslev plane, 4736
HMOLS, 5476
Hoàng, 3748, 4811, 5250
  graph, 4811
Hobbs, 20
Hobby, 3607
Hochberg, 89, 5518
Hochschild
  boundary operator, 4478
  homology, 4478
Hochstättler, 5250, 6024
Hodge number, 4860
Hoeffding, 847
Hoffman, 451, 3689, 3715, 5620
  theorem, 694
Hoffman, D, 2196
Hoffman-Singleton graph, 1722
Hofmeister, 4623
Hofstadter sequence, 3395
Hoggatt, 1199
Holden, H, 2684
hole, 5071, 5249, 5447, 5476
hole in
  a bipartite graph, 5981
  a random graph, 3618
hole of odd length, 4777
holey
  mutually orthogonal Latin squares, 5476
  Schröder design, 5071
  selforthogonal Latin square with symmetric orthogonal mates, 4783
  self-orthogonal Latin squares with symmetric orthogonal mates, *see also* HSOLSSOM
Holroyd, 4885
Holton, 3284, 3617
Holton, D A, 1660
Holyer, 1118
homeochromatic, 2819
  class, 2819
  types, 2819
homeometric type, 2018
homeomorph, 518, 904, 1641, 3756, 4349, 5338
homeomorphic, 367, 518, 532, 594, 733, 1308, 2658, 2690, 3648, 3994, 4738, 4988, 5334, 5335
  embedding, 518
  graphs, 367
  subgraphs, 3672
homeomorphism, 2462
  of the sphere, 1196
  type, 4203
HOMFLY polynomial, 3262
homogeneity, 3112, 3311
  requirement, 2897
homogeneous, 4696, 5188, 5572, 5676
  code, 917
  distance enumerator, 693
  function, 4222
  graph, 4696, 5623
  linear n-dimensional recurrence, 4978
  set, 4710
  space, 736, 1108
  structure, 3695
  subset, 1068
  subspace, 5840
  synchronized automaton, 1201
  tensor, 475
  Thue system, 1614
  tiling, 5174
homogeneously representable interval graph, 1863
homogeneously traceable, 1141, 1398, 3294, 5873
  graph, 3294, 5873
homogenous linear inequality, 4920
homological property, 5412
homologous
  DNA sequence, 3134
  RNA sequence, 3134
homology, 16, 338, 582, 1114, 3109, 4478, 5599, 5746, 5856
homology group, 1850, 1937, 3980, 3981, 4189, 4586
  of a graph, 3980
homology module, 5412
homology of
  a lattice, 16
  a partition lattice, 5856
  a product, 338
homology sphere, 532
homology theory, 1114, 4281
  of automata, 1114
homomorphic compactness, 5290
homomorphic equivalence, 4546, 5290
  class, 5290
homomorphic image, 546, 592, 931, 1188, 1635, 1817, 2785, 3513, 3629, 3656, 5411
  of a distributive lattice, 1635
  of a graph, 5411
homomorphism, 340, 525, 913, 1291, 1479, 1508, 1807, 1817, 2785, 2828, 3507, 3513, 3602, 3633, 3656, 3986, 4113, 4167, 4600, 4656, 5045, 5268, 5293, 5371, 5721, 5746
  basis, 1844
homomorphism between
  directed graphs, 1291
  strongly connected graphs, 1291
homomorphism
  for multialgebras, 1797

homomorphism graph function, 2785
homomorphism of
3-chromatic graphs, 1817
a graph, 24
digraphs, 299
finite automata, 299
graphs, 3508
tournaments, 340
homomorphism
order of a 3-chromatic graph, 1817
property of cores, 3513
homothety, 4465, 4743
homotopic, 4586
homotopy, 16, 582, 1807, 3981
class, 3981
complementation formula, 5845
equivalence, 2745, 3993
equivalent, 16
group, 3644
inverse, 3993
theorem, 3574
theory, 1644, 3644
homotopy type, 1778, 2462, 3993, 5845
of a poset, 3993
hom-regularity, 4600
honest, 3854
graph, 3854, 3871
honesty of a graph complement, 3854
honeycomb, 1683, 3403
system, 5276
Hong, 4623
Hong, Y, 5350
hook, 4489, 5848
difference, 1128
hook length, 644, 2640
bijection, 1718
formula, 1718
hook number, 842, 2640
of a node, 842
hook Schur function, 2264
hooked Langford sequence, 1454
hooked near Skolem sequence, 4015
of order n and defect k, 4015
hooked
n-extended Skolem sequence, 5908
n-near-Skolem sequence, 4015
sequence, 1454
Skolem sequence, 4015
Hopcroft, 306, 2488, 3083, 3686, 3768
Hopf algebra, 3767, 3859, 3959, 5573
of functional graphs, 5536
of set systems, 5573
Hopf algebraic structure, 5536
Horn, 3571
formula, 5474
sentence, 5474
house, 4408, 5531
free, 2093
Howell design, 924, 1208, 1882, 2871, 5286
of odd side, 924
of prime side, 924, 1208
Howell rotation, 1287, 2871
Howorka, 2636
HP-graph, 2800, *see also* hereditary pseudodomishold graph
Hrushovski, 6024
HSD, 5071
HSOLSSOM, 4783, *see also* holey self-orthogonal Latin squares with symmetric orthogonal mates
Hsu, 2171, 5534, 5852
HTD, 3173
HTS, 5111, 5218
Hu, 225, 2157, 4589, 5033
conjecture concerning binary trees, 977
two-commodity flow theorem, 761
Huang, 2201, 5037, 5289, 5631, 5900
Huang, N H, 4618
Huck, 4767
Hückel parameters, 5276
Hückel, E, 5276
Huffman, 4700, 6023
code, 5967, 6023
tree, 1074
Hughes, 301, 2572, 3378
plane of order nine, 2572
Huguet, 1899
Huisgen, 3202
hull number of a graph, 1932
human brain, 3904
Huneke, 594, 733
Hungarian method, 705, 731
Hurwitz, 2904, 3233, 4703
bound, 4972
formula, 2904
Hurwitz like
classification theorem, 4703
existence theorem, 4703
Hurwitz quaternions, 4358
Husimi
rooted tree, 4482
unrooted tree, 4482
Hussain chain, 2357
H_v-group, 4748, 5417
H_v-ring, 4744, 5417
Hwang, 1774, 2915, 3313, 4830, 5033, 5481, 5534
hybrid tableau, 2673
hybrid triple
design, 3173
system, 5111, 5218

hydrocarbon, 5276
hyperaffine
  plane, 4743
  translation plane, 4743
hyperarithmetical, 83
  hierarchy, 83
  winning strategy, 83
hyperbolic
  plane, 1922, 4750, 4789, 5174
  quadric, 5621
  symmetry group, 4331, 4380
  tessellation, 4520
  trigonometric function, 4497
hyperclaw, 2551
hyperconvex, 4101
  ultrametric, 4101
hyperconvexity, 4101
hypercube, 151, 347, 351, 557, 1289, 1369, 1960, 2508, 2767, 2933, 3068, 3737, 3753, 3842, 4111, 4224, 4864, 4912, 4954, 5261, 5637, 5646, 5689, 5780
hypercubic lattice structure, 2208
hyperdual, 1401
hyperedge, 5010, 5300
  replacement grammar, 5586
hyperfactorisation, *see* hyperfactorization
hyperfactorization, 3037
hypergeometric
  coefficient, 4222
  distribution, 847
  extension, 4487
  function, 4472
  identity, 2674
  nature of the binomial identity, 4472
  orthogonal polynomial, 2633
  series, 345, 1926, 4266, 4424, 5842
  type function, 5571
hypergraph, 54, 66, 153, 207, 252, 342, 454, 491, 560, 600, 642, 657, 698, 718, 737, 751, 753, 801, 818, 836, 863, 890, 892, 894, 1012, 1107, 1139, 1163, 1211, 1233, 1507, 1608, 1646, 1694, 1709, 1735, 1784, 1795, 1800, 1806, 1824, 1875, 1916, 1930, 2000, 2218, 2228, 2287, 2376, 2396, 2415, 2521, 2537, 2814, 2846, 2877, 3009, 3110, 3123, 3199, 3253, 3347, 3504, 3573, 3593, 3622, 3639, 3690, 3732, 3909, 4040, 4063, 4093, 4111, 4135, 4140, 4200, 4456, 4512, 4514, 4646, 4655, 4801, 4961, 5010, 5013, 5041, 5074, 5092, 5162, 5253, 5265, 5300, 5319, 5378, 5587, 5627, 5694, 5782, 5809, 5855, 5919, 6025
  2-colouring, 5319
  characterization, 1041
  chromatic theory, 3199
  colouring, 3199, 3345, 4905, 5319
  cycle, 698
  cyclicity, 3593
  extremal problem, 1615
  invariant, 3504
hypergraph of
  a family of subtrees of a tree, 698
  chains of vertices of a tree, 1414
  complements of vertices, 252
  prescribed edge degree profile, 4514
hypergraph theory, 892, 5092
hypergraph with
  few edges, 5591
  no cycles of length 5 or shorter, 5591
hypergroup, 5417
  algebra, 5417
hyperline, 1947
hypermap, 1401, 4842, 4972
hypermetric, 4129
  inequality, 3786
hyperoctahedral
  category, 4478
  decomposition, 4478
  group, 440, 480, 4478, 5045, 5577
  space, 4478
hyperoperation, 4748
hyperoval, 4083, 4725, 5393
  in a Desarguesian plane of even order, 4725
hyperplane, 17, 760, 808, 917, 1168, 1382, 1775, 1836, 2387, 2575, 2621, 3065, 3208, 3570, 3574, 3703, 3714, 3725, 3824, 3983, 4079, 4451, 4732, 4883, 5399
  arrangement, 2462, 5639
  reconstruction of the Tutte polynomial, 1168
hyperquadric, 409
  of a finite geometry, 409
hyperquaternary
  arborescence, 4492
  search arborescence, 4853
hyperresolution, 3188
hyperring, 4743
hypersphere, 314
hyperstar, 2218
  decomposition, 2218
hyperstructure, 5417
hypertree, 1401, 3396
  structure, 4997
hyper-octahedral, *see* hyperoctahedral
hypomorphic, 2415
hypomorphism, 4286
hypotraceable graph, 271, 463
hypo-Hamiltonian, 603, 2729
  digraph, 1132
  facet, 1132

hypo-Hamiltonian graph, 271, 332, 411, 463, 603
of girth, 3 603
H-adjacent, 4791
H-biregular, 4036
H-colouring, 3507
of a graph, 4544
problem, 4544
h-colouring, *see* n-colouring
h-connected, *see* n-connected
H-decomposition, 1921
H-design, 5116
h-dimensional character, *see* n-dimensional character
H-dominating set, 4791
H-domination number, 4791
H-equivalent matrices, 2032
h-factorability, *see* n-factorability
h-factorial, *see* n-factorial
polynomial, *see* n-factorial polynomial
h-family, *see* n-family
h-fold basis, *see* n-fold basis
H-free graph, 4691
h-hypertree, *see* n-hypertree
H-independent dominating
number, 4791
set, 4791
h-kernel, *see* n-kernel
H-line graph, 4615, 5979
H-nearring, 4736
h-partite, *see* n-partite
h-perfect graph, *see* n-perfect graph
H-permutable, 5515
3-groupoid, 5515
H-point biregular, 5387
H-ring, 4736
h-uniform hypergraph, *see* n-uniform hypergraph
h-vector, 4839
h-vector for
a cubical polytope, 4717, 4970
a simplicial polytope, 4717, 4970
h-vector of a matroid, 4800, 4839

I

(i, δ), *see* (n, δ)
Ibaraki, 649, 2560
ICOILS, 2782
icosahedral
group, 1672
symmetry, 2536, 5780
ideal, 69, 75, 1809, 1905, 2045, 2125, 2326, 2756, 2773, 3600, 3687, 3845, 3873, 3984, 4253, 4481, 4664, 4988, 5914
generated by symmetric polynomials, 3984
in a modular algebra, 2676
line, 4450
ideal of
an ordered integer half dihedron, 907
nonstationary subsets, 1777
ideal point, 3320
ideals as points, 1809
idempotent, 792, 893, 938, 3214, 4180, 4477, 4715, 4942, 5031, 5777, 5792
commutative Latin squares, 3741
H-permutable 3-groupoid, 5515
Latin square, 1191, 2168, 2782
law, 5191, 5206
morphism, 5777
n-ary quasigroup, 1964
quasigroup, 4552
Schröder quasigroup, 5071
identical twin, 5309
STS, 5309
identification, 5501
of semiorders, 2118
identities in
combinatorial analysis, 1652
combinatorics, 1664
identity matrix, 92, 5692, 5916
identity of
Abel-Rothe type, 4825
Banach, 4927
Carlitz, 4977
Hecke-Rogers, 2809
identity of Jacobi, 519
polynomials, 1926
identity of
MacMahon, 519
Muir, 4417
Rothe-Abel-Schläfli-Hurwitz type, 3233
identity permutation, 884, 5727
Ihringer, T, 1599
Ikeda, 2414
illegitimate deck, 834
illuminating line segments in the plane, 4262
image of
a conic under derivation, 4450
a cut polytope, 2632
a homomorphism, 234
image processing, 4974
Imase-Itoh digraph, 5534
imbedded dimension of a graph, 3804
imbedding, 2804, 4026, 4201, 4391, 5026, 5584, *see also* embedding
of a graph, 284, 1019, 4385
of a tensor product of graphs, 5584
surface, 4026
system, 4385
technique, 5584
theorem, 4162

immediate predecessor, 1602
immersion order, 5601
immortal configuration, 138
impartial game, 2774
imperfect, 4777
  critically strongly imperfect graph, 4777
  graph, 725, 1710, 4777
  information, 1231
imperfection, 881
implicant, 1079, 1678
implication base, 3616
implicative, 2756
  propositional calculus, 580
implicit function theorem, 2561
impossibility theorem, 2223
imprimitive, 3708
  group, 4745
Imrich, 3511
in a multipartite tournament, 5314
incidence, 3858, 4733, 6029
  algebra, 325, 546, 1144, 1230, 2638, 3769
  coalgebra, 307, 2638
incidence code, 1016
  of a poset, 1016
incidence colouring, 5061
  number, 3858, 5061
incidence
  embedding, 1338
  function, 4333
  geometry, 2797, 4088
  graph, 582, 1467, 1757, 5396
  Hopf algebra, 3959
incidence matrix, 72, 92, 239, 263, 322, 504, 654, 1002, 1902, 2072, 3044, 3421, 3538, 4089, 4421, 4508, 4572, 4719, 4971, 5561
  for a labeled digraph, 322
  of a digraph, 3298
incidence
  relation, 192, 1090, 1100, 5520, 5561
  structure, 192, 1100, 1252, 1440, 1627, 1811, 1940, 2368, 2380, 2797, 3451, 4555
  test, 3963
  vector, 670, 868, 1096, 1132, 2314, 3409, 3785, 3786, 4046, 4445, 5213
incident edge, 3885, 3927, 4046, 4346, 5041, 5362, 5614
included edge, 5612
inclusion
  and exclusion, 371, 584, 4833
  condition, 5781, 5782
  equivalence, 577
inclusion exclusion, 33, 291, 4675
  formula, 1154, 1469, 2161
  identity, 4675
  on a semilattice, 696, 1403
inclusion exclusion (*cont.*)
  principle, 1719, 3349
  technique, 2554
inclusion
  map, 5412
  matrix of a combinatorial structure, 3566
  of a chamber in a simplex, 5561
  order, 1795
  preserving matching, 2981
  problem, 1429
  relation, 89, 3141
  transformation, 3141
inclusionwise comparable, 2329
inclusion-exclusion, *see* inclusion exclusion
incomparability
  criterion, 4113
  graph, 4981, 5498
incomparable, 2285, 4322, 4526, 4766, 4784
  centers, 2767
  pairs, 3381
  sets, 2944
incomplete
  (3, 2, 1)-conjugate orthogonal idempotent Latin squares, 2782
  array, 1989
incomplete block design, 760, 2297, 6029
  code, 72
incomplete
  COILS, 2782
  conjugate orthogonal idempotent Latin squares, 2168
  double diagonal Latin square, 385
  Latin square, 1716, 2953
  n-cycle system, 5145
  Room square, 1588
  selforthogonal Latin square, 2899
  transversal design, 4250
  U-statistic, 2424
  U-statistics method, 2424
incorrect plane diagram of a 3-dimensional polyhedron, 2101
increasing
  diagonally closed subset, 1651
  edge, 2900
  family of finite subgraphs, 4994
  length, 2546
  path, 1302, 1316, 1334, 1682
increasing sequence, 1682
  of positive integers, 2276, 2629, 2829, 3309
  of real numbers, 4194
increasing subsequence, 4968
  of length three, 4968
incremental construction, 4066
indecomposability of cyclic code, 5886

indecomposable, 2196, 2599, 2717, 3026, 3155, 3434, 3634, 3646, 4716, 5169, 5532, 5785, 5886
1-factorization, 3026
distributive lattice, 1845
factorization of a multigraph, 2599
graph, 5169, 5532
group, 6002
n-regular 3-uniform hypergraph, 3253
one-factorization, 2599
partially ordered set, 3646
poset, 2121
indecomposable pure
Mendelsohn triple system, 3155
MTS, 3155
indecomposable
rectangular matrix, 666
regular graph, 3253
simple (t, 3, λ)-BIBD, 4716
substructure, 3646
triple system, 242, 3634
twofold triple system, 2196
t-design, 242
indecomposables, 2181, 3646
indefinite
form, 4851
hypergeometric summation, 2674
nondegenerate symmetric bilinear form, 4851
indegree, 457, 1347, 1502, 2379, 3555, 4690, 4964
zero, 3213
independence, 38, 590, 1118, 1935, 2320, 2338, 2396, 2852, 3197, 3709, 3824, 3860, 4054, 4055, 4297, 4347, 4896, 5119, 5916, 6024
complex, 5746
independence in
a graph, 2320, 5805
graph, 1118, 5805
independence number, 726, 789, 882, 1028, 1118, 1483, 1528, 1710, 1929, 2205, 2379, 2704, 2751, 2808, 2852, 3014, 3316, 3389, 3559, 3626, 3822, 3834, 3879, 3943, 4054, 4197, 4347, 4378, 4573, 4638, 4661, 4675, 4751, 4762, 4805, 5063, 5074, 5102, 5144, 5245, 5301, 5452, 5483, 5610, 5754, 5766, 5858, 5887
of a graph, 882, 1460, 3709, 3879, 4457, 5766
of a random graph, 2704
of a triangle free graph, 1528
three, 4161
two, 2375, 4161
independence
oracle, 4709
property, 3197
ratio, 4055, 4297, 4620
relation, 5916
independence (*cont.*)
space, 590, 614
structure, 44
independence system, 806, 927, 1030, 1058, 1605, 1880, 2086, 4709
of a matroid, 5241
independency tree, 5376
independent
absorbing subset, 2053
β-set, 1010
branchings, 6013
circuits, 1700
claw centers, 5133, 5818
closures, 420
cycles, 367, 1943, 4631
degree, 4048
deletion of each edge, 5132
independent dominating
set, 487
subset, 1985
independent domination, 750, 1633, 2861, 4376, 4557, 5102
independent domination number, 750, 1118, 1969, 2320, 2850, 2996, 3096, 3138, 4376, 4557, 4805, 5301, 5425, 5712
of a graph, 2988, 4376, 5712
independent edges, 1341, 1519, 2547, 2615, 3123, 3324, 3987, 4510, 4914, 5133
in a cubic graph, 1409
in a graph, 4631
independent family of
rectangles, 3824
simplices, 3824
independent
finite sums, 5519
generalized degrees, 3316
ideals, 3687
lines, 1040
matching, 3687
n-element sets, 1028
pair of edges, 2699
perfect neighbourhood set, 5940
independent random
sequence, 850
subsets, 2881
variables, 373, 4428
independent set, 5, 42, 47, 120, 187, 215, 454, 734, 770, 808, 871, 957, 1111, 1133, 1229, 1248, 1384, 1727, 1865, 2210, 2374, 2507, 2527, 2550, 2861, 3111, 3400, 3480, 3694, 3704, 3735, 3762, 3831, 3850, 3972, 4054, 4121, 4157, 4197, 4351, 4356, 4446, 4457, 4618, 4620, 4654, 4751, 5019, 5042, 5073, 5084, 5096, 5112, 5243, 5245, 5369, 5370, 5381, 5460, 5483, 5503, 5633, 5805, 5932

independent set (*cont.*)
in a matroid, 613
of a matroid, 2314, 3392
of edges, 3567
of error positions, 3450
of hypergraphs, 454
of nodes, 2252
of vertices, 904, 1030, 1604, 2659, 3133, 3738, 3831, 5443
partition, 5050, 5359
independent set polynomial, 3948
of a graph, 3948
independent set
problem, 2430
with good arithmetic properties, 5519
independent
subcollection, 3824
subset, 128, 663, 882, 1605, 2349, 2924, 3629, 4121, 5708, 5805
system of distinct representatives, 767
transversal, 5370
triples, 3905
independent vertex
set, 5766
subset, 4557
independent vertices, 2965, 3852, 4038, 4048, 4258, 4392, 5458, 5611
independently prescribable sets, 1698
index
2 current graph, 5758
3 current graph, 5758
condition, 4702
even, 5717
five, 3328
λ, 5643
of primitivity, 3844
index set problem, 3893
for Boolean matrices, 3893
or nonnegative matrices, 3893
indexable graph, 4953
indexed
hierarchy, 5782
monomials, 2973
pseudohierarchy, 5782
quasihierarchy, 5782
indicator, 475, 1704
function, 919, 2522
indifference graph, 1309
indiscernibility, 1111
indivisibility, 3086
induced
$2K_2$, 3694
5-circuit, 2237
automorphism, 4842
bull, 4650, 5702
C_4, 3694, 4511
circuit, 645
claw, 5818
complete bipartite graph, 2095
induced cycle, 2054, 5093
of six vertices, 4251
induced edge labeling, 5366
induced forest, 1656
in a cubic graph, 1656
induced
group, 1790
$K_{1,3}$, 5817
induced matching, 2604, 3825
in a graph, 5196
induced modified claw, 5818
induced n-star packing, 5192
in a graph, 5192
induced n-vertex subgraph, 2283
induced odd
cycle, 2969
path, 2969
induced
P_4, 5817, 5906
partial ordering, 2472
induced path, 3643, 3940, 4251, 5244
of six vertices, 4251
on five vertices, 3286
on four vertices, 4811, 5250
induced
Ramsey theorem, 1839
star, 5192
subdigraph, 1350, 1604, 1985, 3103, 5976
induced subgraph, 391, 603, 787, 809, 945, 992, 1005, 1052, 1383, 1542, 1553, 1598, 1710, 1813, 1827, 1917, 1958, 1995, 2038, 2053, 2083, 2182, 2269, 2283, 2294, 2415, 2450, 2507, 2518, 2526, 2699, 2800, 2850, 3033, 3123, 3181, 3206, 3210, 3272, 3286, 3384, 3400, 3563, 3573, 3643, 3694, 3735, 3804, 3830, 3865, 3934, 4046, 4137, 4151, 4311, 4334, 4385, 4398, 4408, 4458, 4509, 4515, 4586, 4714, 4721, 4750, 4789, 4797, 4873, 4894, 5017, 5169, 5192, 5227, 5247, 5273, 5294, 5353, 5428, 5491, 5529, 5532, 5540, 5687, 5699, 5754, 5801, 5806, 5815, 5817, 5818, 5868, 5875, 5906
of a tree, 3934
of large maximum degree, 4802
of order three, 2406
with odd degrees, 4137
induced
suborder, 2922
subset, 1150

induced (*cont.*)
subtree, 1005
tree, 1538
triangle, 5713
inducing isomorphic hypergraphs, 3509
inductive
extension, 5942
method, 5232
PA, 6032
$PA_\lambda(t, k, v)$, 6032
inductive perpendicular
array, 6032
t-array, 6032
inequality, 357, 511, 670, 692, 717, 760, 789, 895, 912, 1004, 1035, 1117, 1118, 1281, 1307, 1447, 1457, 1460, 1469, 1569, 1607, 1618, 1744, 1747, 1771, 1798, 1874, 1885, 1922, 2011, 2033, 2129, 2130, 2137, 2138, 2189, 2317, 2348, 2389, 2465, 2475, 2547, 2552, 2748, 2770, 2793, 2801, 2946, 3001, 3099, 3248, 3276, 3344, 3365, 3402, 3532, 3581, 3633, 3661, 3717, 3747, 3786, 3789, 3909, 4022, 4046, 4194, 4244, 4248, 4296, 4453, 4455, 4556, 4612, 4652, 4697, 4731, 4800, 4805, 4809, 4839, 4898, 4899, 4956, 5044, 5056, 5080, 5102, 5104, 5179, 5189, 5316, 5425, 5453, 5664, 5676, 5816, 5851, 5874, 5899, 5933, 6033
between symmetric functions, 6027
chain, 5425
inequality for
a balanced incomplete block design, 692
a perfect system, 4244
an increasing sequence, 4194
h-vectors, 4800
the gamma function, 4697
inequality in probability, 717
inequality of
Bennett, 4248
Connor, 92
Erdös Neven Renyi Zubrzycki
inequality
relation, 5216
system, 1723, 3248
inequicut cone, 3785
inequivalent
representation, 4679
tiling, 4179
inexhaustible, 3695
homogeneous structure, 3695
inf semilattice, *see* inf-semilattice
inference network, 2429
infimum irreducible, 183
infinistic concept, 4101
infinitary combinatorics, 4468
infinite (0, 1)-sequence, 943, 1773
infinite, 5273, 5308, 5318, 5778
Abelian group, 2606
antichain, 1169, 2125, 5304
arborescence, 4100
arithmetic progression, 1770
ascending sequence, 3257
binary sequence, 381
bipartite graph, 4104
block, 4915
cardinal, 633, 795, 1174, 3126, 3170, 3469
chain, 62, 493, 981, 5304
characteristic set, 2012
checker board, 4284
infinite chromatic, 999
graph, 999
number, 2307
triangle free graph, 2307
infinite class, 6024
of 3-manifolds, 5589
of cohesion stable graphs, 3989
of semibiplanes, 5393
of trees, 1492
infinite complete graph, 645, 2214, 6034
infinite connected
graph, 346, 2825, 4764
locally finite graph, 2956
infinite
Coxeter group, 5034
crown, 236
cubic tree, 2509
infinite cyclic
group, 2043, 3510
monoid, 4887
infinite
degree, 1445
design, 5184
digraph, 5290
dimensional metric space, 3474
distance transitive graph, 5778
distributive law, 4101
infinite Eulerian
graph, 4098
tessellation, 1536
infinite
expander, 3131
face, 4410
infinite family, 5610, 5705, 5741, 5759, 5780, 5834, 5927, 5942, 5957, 6032
of 3-connected crossing critical graphs, 2235
of algebraic monoids, 2469
of BIBDs, 1453
of convex sets, 4303
of cyclic Wh(4n), 3924
of graphs, 5308
of integral graphs, 1776

infinite
fence, 5211, 5355, 5528
Fibonacci word, 3873
infinite full
grid, 5836
plane Latin square, 4832
infinite
generalized friendship graph, 1667
infinite graph, 266, 346, 411, 458, 588, 614, 633, 640, 725, 742, 755, 803, 973, 992, 1265, 1273, 1696, 1800, 1887, 1974, 1984, 2285, 2324, 2636, 2705, 2825, 3110, 3111, 3120, 3122, 3123, 3128, 3131, 3171, 3320, 3376, 3530, 3738, 4099, 4103, 4108, 4410, 4546, 4764, 4994, 5751, 5836
theory, 2517, 3247
infinite
group, 2470
half grid, 5836
Hamiltonian path, 411, 1822, 4331, 4380
hierarchy of length set families, 732
infinite homogeneous
bipartite graph, 4696
set, 2897
infinite
hypotraceable graph, 463
hypo-Hamiltonian, 463
independent set, 3111
integer sequence, 6004
interval, 4915
irreducible extension, 1810
length, 210
infinite linear
class of twin STS, 5309
linear space, 4077
infinite locally finite
connected graph, 3130
vertex symmetric graph, 3131
infinite lower triangular
array, 5564
matrix, 5852
infinite
Markov chain, 77
matching theory, 3110
matroid, 734
minor, 3126
multipartite graph, 1988
node connectivity, 266
infinite nonrepetitive
walk, 2896
word, 2896
infinite
orbit, 795
partially ordered set, 828
infinite (*cont.*)
path, 3638, 4868, 4915
permutation, 2323
planar graph, 637, 3530
plane graph, 3271
point set with a metric, 2272
poset, 1625, 1781, 2348, 5086
quarter plane Latin square, 4832
quasimedian graph, 4868
regular tessellations, 4520
selfcomplementary graph, 418
selfsimilar word, 4999
infinite sequence, 4856, 5822
infinite sequence of
$\Gamma\Delta$-regular graphs, 2450
regular maps, 5822
infinite series, 1427, 2890, 3819, 4132, 4677
infinite series of
configurations, 3910
double Youden rectangles, 3965
matroidal families, 888
resolution III.2 designs, 3196
surfaces, 5173
infinite set
of symbols, 5030
system, 2156
infinite
Steiner system, 3170
strip, 4423
structure, 4546
support, 1567
symmetric group, 1567
infinite system of
disjoint rays, 3114
equations, 1429
infinite
transitive graph, 1981
tree, 1217, 2601, 4100
triangulated graph, 725, 1052
t-design, 3170
valence, 2790
vertex transitive graph, 581
word, 2546, 4592, 4856
infinitely
connected graph, 3127
many variables, 3859
often, 5671, 5980
∞-connected, 2790
graph, 2790
inflexible digraph, 2329
information
flow, 995, 3639
matrix, 3720

information (*cont.*)
processing, 2362
rate, 2768
information set, 1404
for a code, 1404
information symbol, 1657, 2780
information theoretic
bound, 5010
dialogue, 3454
lower bound, 2915
monologue, 3454
information theory, 1161, 3432
inf-semilattice, 549, 1046
Ingleton, 2074, 6024
Ingleton-Main lemma, 6024
inherently ambiguous, 1329
initial
abstract data type, 3971
algebra, 2984, 3971
configuration, 5174
distribution of rings, 3680
segment, 1810, 1937, 2125, 2182
vertex, 730, 742
winner, 229
injective
Boolean function, 407
injective envelope, 4101, 5785
of a graph, 5785
injective
integer labeling s, 4923
mapping, 5728
partial selfmap, 2469
proof, 2292
relation, 2984
word, 2275
injectivity, 407, 408, 3311, 4101
inner product, 2612, 2961
group, 746
input graph, 5293
inscribability, 4996
inscribable type, 4996
inscribed sphere, 4171
inseparability graph, 5146
of a matroid, 5146
inseparable algebraic extension of exponent one, 6024
insertion tableau, 4985
insolvable by radicals, 1812
integer, *see also* integral
distance graph, 5812
integer domination, 5984
in a graph, 5984
integer
half dihedron, 907
integer (*cont.*)
invariant, 1405
lattice, 4358, 4930
integer linear
program, 2863
programming problem, 4, 120
integer
matrix, 6, 2207, 2559
minimization, 520
n-tuple, 2110, 2901
optimal solution, 5786
pair sequence, 499, 1212, 1488, 1502
part, 3057
partition, 1914
polygon, 3455
polynomial,, 212
positive definite quadratic form, 569
problem, 4
program, 4, 184, 217, 757, 814
integer programming, 34, 217, 225, 273, 330, 507, 566, 1920
formulation, 507
problem, 4, 2494
integer
rounding, 1723
sequence, 1334, 1820, 1868, 3441, 3551, 4599, 4660, 5437
solution, 2585, 5189
space, 786
stochastic matrix, 6
tilability of a torus, 3004
tiling, 3004
integer valued
function, 2670, 4389
graph function, 5821
linear programming, 54
optimum solution, 3248
random variable, 5076
weight, 2823
integer
weighted graphs, 5496
with missing digits, 6008
integers realizable by a tree, 1591
integer-pair, *see* integer pair
integral, *see also* integer
4-packing, 4360
circulant matrix, 5283
complete tripartite graph, 1776
cover, 423
integral domain, 893, 1434
of polynomials, 2181
integral
graph, 1776
invariance, 5141

integral (*cont.*)
lexicode, 2774
lexicographic code, 2774
matrix, 330, 1459, 1723, 2245, 4720
matroid polyhedron, 2314
max-min relation, 4524
packing, 2494
polymatroid, 2314
product quotient, 4222
representation, 4958
integral
solution to an inequality system, 1723
spectrum, 3819
square lattice, 1322, 1439
integral sum
graph, 3911, 4880, 5501, 5859
number, 3911, 4880, 5859
integral
triangle, 204
triple diagonal matrix, 3325
weighting, 2494
integrality
cone, 4222
constraint, 120
result, 1264
integrated circuit partitioning, 5601
integration of rational functions, 1652
interacting particle system, 2495
interchange
graph, 256, 263, 5893
theorem, 1459
interconnection, 4102, 4428, 4676
network, 5413
intergraph, 3593
interior
edge, 3862, 4203
face, 3866, 4768
lattice point, 2026
point, 2026, 3063
interlacement graph, 1095
interlocking sublattices, 4243
intermediate
feedback, 3437
value theorem, 2426
interminable
path, 266
trail, 266
intermodulation interference, 5212
internal
activity, 5722
adjacency, 4413
binary operation, 549
edge, 3429
element, 5051
internal (*cont.*)
node, 3325, 5576
path length, 5576
vertex, 1593, 2302, 4337, 5750
internally
active element in a matroid, 5051
vertex disjoint paths, 3809
interpolating
function, 5821
theorem, 5703
interpolation, 5108
method, 3888
problem of graphs, 4256
property, 2786, 4101
theorem, 378, 1647, 4256, 5821
interpolation theorem for
graphs, 5627
hypergraphs, 5627
matroids, 5627
intersectable graph, 598
intersecting
all edges, 636
clutters, 5441
designs, 4053
intersecting family of
edges, 1608
subsets, 5155
intersecting
hypergraphs, 5590
line pairs, 2972
multihypergraphs, 5590
set system, 5668
tetrahedra, 932, 2692
intersection, 61, 184, 213, 226, 236, 280, 330, 503, 543, 551, 598, 608, 765, 845, 969, 979, 981, 986, 1024, 1041, 1046, 1050, 1083, 1148, 1313, 1353, 1472, 1494, 1505, 1578, 1602, 1845, 1861, 2115, 2266, 2416, 2509, 2513, 2551, 2623, 2746, 2839, 2867, 2918, 2922, 2960, 2984, 3052, 3072, 3162, 3367, 3372, 3538, 3714, 3718, 3735, 3788, 4063, 4322, 4437, 4540, 4657, 4675, 4738, 4784, 4860, 4885, 4951, 5104, 5124, 5287, 5422, 5467, 5475, 5639, 5710, 5782, 5843, 5881, 6025
array, 3654, 3969
class, 1861, 5710
intersection critical, 4749
n-clique, 4749
intersection
cut, 34
diagram, 4058
digraph, 3862, 4674, 5457, 5740
dimension, 363

intersection graph, 280, 412, 447, 765, 915, 1024, 1177, 1296, 1415, 1610, 1795, 1857, 1858, 1859, 1861, 1862, 1864, 1980, 2147, 2383, 2706, 2861, 2865, 2881, 3496, 3500, 3526, 3598, 3641, 3642, 3650, 3661, 3804, 3814, 3822, 4123, 4189, 4275, 4519, 4586, 4673, 4967, 5056, 5063, 5115, 5523, 5540, 5837, 5956
characterization, 3598
of arcs on a circle, 5063
of chords on a circle, 5063
of convex sets, 5467
of curves in the plane, 3598
Intersection graph of halflines and halfplanes, 2216
intersection graph of halfplanes, 2216
intersection graph of paths in
a planar graph, 3598
tree, 765
intersection graph
of straight line segments, 5467
on multifamilies, 4062
intersection
matrix, 979, 4690
model, 213, 765, 816
multigraph, 5115
intersection number, 598, 1129, 1382, 1483, 1962, 2060, 2451, 2663, 2982, 3137, 3153, 3299, 4062, 4296, 4365, 5100, 5115, 5676
intersection of
a circuit and a cocircuit, 5881
axes of translations, 2509
circuits and cocircuits, 5881
compact convex sets, 1198
consistent linear extensions, 2266
edges, 2015
interval graphs, 1041
matroïds, 1030
matroids, 2452
principal transversal matroids, 1829
ring families, 3538
Schubert cells, 4860
Steiner systems, 2746
intersection pattern, 4408
intersection problem, 3162, 5546
for codes, 2795
for Steiner systems, 2261
intersection product, 4407
intersection property, 1780, 2363, 2954, 4118, 4749
of graphs, 2954, 3534
of line graphs, 5115
intersection rank of a graph, 3372
intersection representation, 5467
of a graph, 5710
intersection size, 3097, 3162, 3367
intersection theorem, 363, 523, 1277, 5668
intersection union
family, 1820
theorem, 1820
intersectional property, 885
interspersion, 3978
interval, 1177, 1369, 1547, 1569, 1735, 1760, 1777, 1799, 1863, 1946, 2010, 2115, 2148, 2194, 2926, 2950, 3277, 3791, 3802, 3839, 3862, 3896, 4093, 4177, 4355, 4362, 4523, 4534, 4850, 5169, 5347, 5457, 5498, 5532, 5574, 5681, 5845, 5985, 6004
colouring, 2485, 3843
competition graph, 3791
interval containment
digraph, 4523
poset, 4523
interval
digraph, 3862, 4523, 5457
dimension, 503, 511, 542, 1180, 2922, 4645
edge colouring of a graph, 3843
family, 1859
graph, 280, 822, 1041, 1112, 1180, 1309, 1595, 1735, 1743, 1795, 1853, 1854, 1856, 1858, 1860, 1863, 1864, 2038, 2517, 2954, 3243, 3385, 3557, 3598, 3611, 3660, 3792, 4093, 4145, 4361, 4523, 4642, 5377, 5579, 5710
greedoid, 2010
hypergraph, 560, 5694
interval in
a graph, 351
a matroid basis graph, 351
interval
inclusion number, 2926
irreducible, 1180
lengths for interval orders, 1569
line graph, 1743
matroid, 911
model, 3611
monotone, 3773
motonicity, 3773
interval number, 1855, 1862, 2473, 2730, 2926, 4644
of a graph, 915, 1855
interval of
a graph, 5532
ordered sets, 1177
interval of rank, 3 5985
levels, 3992
interval on
a tree, 1236
the real line, 3016
interval order, 542, 1064, 1325, 1569, 1760, 1783, 1856, 2118, 2922, 2926, 3660, 3746, 3774,

interval order (*cont.*), 4145, 4640, 4645, 4647, 5074, 5167, 5267, 5759, 5878
based on a weak order, 4645
of magnitude m, 1569
theorem, 3774
interval property, 2010, 4936
interval regular, 4534
graph, 1369, 1692, 3773, 4534
Interval regular graph of diameter two, 1692
interval
regularity, 3773
representable hypergraph, 1735
interval representation, 1569, 1856, 1863, 4645
of depth two, 2473
interval
structure, 4093
supergraph, 1860
system, 911
thickness of a graph, 1860
vertex colouring of a graph, 2485
interwoven polygonal frames, 5298
intractibility, 4471
intricacy, 1687, 5423
intricacy of
avoiding partial Latin squares, 5423
combinatorial construction problems, 1687
Latin squares, 1687
intrinsic
geometric criterion, 2101
semilattice order, 1486
invariable generation, 3379
invariance, 842, 1977, 5141
graph, 2650
property, 5946
invariant, 69, 80, 649, 656, 702, 1182, 1275, 1343, 1747, 2248, 2390, 2403, 2456, 2591, 2676, 3038, 3120, 3197, 3236, 3262, 3270, 3319, 3642, 3677, 3944, 4041, 4173, 4407, 4408, 4458, 4482, 4546, 4572, 4712, 4764, 4839, 4868, 4896, 4915, 4938, 4986, 5006, 5034, 5119, 5146, 5409, 5486, 5512, 5573, 5730, 5965
invariant conjugation
group, 1087
subgroup, 656
invariant
embedding, 893
Hamming graph, 4868
Husimi tree, 4482
hypergraph, 252
invariant of
a family of interval orders, 1856
a graph, 1127
binary forms, 3270
digraphs, 1488, 5965
graphs, 1488
locally equivalent graphs, 3664
undirected graphs, 1747
invariant
pair, 2650
position, 1459, 5141
sequence of graphs, 1488
set, 4764
simplex, 2248
spanning tree, 2740
system of a graph, 3892
theorist, 3132, 3270
theory, 2561, 4122, 4323, 4527, 5839
under any automorphism, 4764
inventory, 3769
inverse
Ackermann function, 3489, 6005
adjacency matrix, 4698
Charlier polynomial, 1073
Chebyshev polynomial, 1073
correspondence, 4186
inverse descent, 4160
of a permutation, 4160
inverse
digraph, 2329
Fermat equation, 3444
graph, 1104
Hermite polynomial, 1073
infinite lower triangular matrix, 5852
Kostka number, 5581
Laguerre polynomial, 1073
Laplace transform, 1652
lexicographical order, 4481
inverse of
a circulant matrix, 1629
a matrix, 676
a sequence of delta series, 3859
the Ackermann function, 3489, 6005
inverse
operation of modular decomposition, 5247
plane, 4118
problem, 5870
relation, 3888, 5852
inverse semigroup, 2469
theory, 2469
inverse
series relations, 3888
shellings, 2690
t-Kostka matrix, 5847
inversion, 489, 1314, 2181, 2531, 2887, 3888, 4101, 4323, 4494
enumerator for a tree, 4490, 5946
formula, 697, 1073, 2181, 4333, 5157
method, 5157
number, 2271, 4383, 4980

inversion of
a steep Dyck word, 5720
a tree, 4490
combinatorial sums, 5564
inversion
problem, 5852
relation, 4112
technique, 2978
inversive plane, 5415
of small order, 5415
invertable 3-diagram, 933
invertible, 2734, 3355, 3480, 3792, 5091
matrix, 2734
residue class, 6004
invisible permutation, 4483
involutary automorphism, 39
involution, 28, 191, 218, 1271, 2250, 2466, 2809, 3007, 3219, 3228, 3736, 3859, 4143, 4486, 4495, 4728, 4981, 5058, 5473, 5785, 5851, 5854
involution in
a projective plane, 4578
a symmetric group, 5409
involution principle, 2466
of Garsia and Milne, 2673, 5316
involutive order automorphism, 4101
involutory
automorphism, 186, 416, 2355, 4434
element, 4082
selfduality map, 2499
in-degree, *see* indegree
in-domination, 5933
number, 5933
in-order, 2531
IP, 507
formulation, 507
problem, 507
ipotriangular, 2154
graph, 2154
IRN, 4940
irrational number, 1885, 3978, 5424
irreducibility, 5233
in a lattice, 3197
of square matrix, 1184
irreducible, 1792, 2181, 2543, 2832, 3733, 4203, 5304, 5390, 5843, 5902
BIBD, 2296
binary sequence, 1810
building, 5777
chain, 1792
irreducible character, 689, 4477
of a symmetric group, 298, 1290, 2673
of a wreath product, 395
irreducible
code, 4823
conic, 3063
constituent, 4434
irreducible covering, 1233
by edges, 4532, 4933
irreducible crown, 236
irreducible cyclic
(n, k)-code, 4590
code, 409, 596, 651, 759, 4823
irreducible
design, 748
disjoint covering system, 2832
irreducible element, 1152, 2454, 5502
of a lattice, 5266
irreducible element of length
one, 1152
two, 1152
irreducible factor, 1907, 3386, 3615, 5882
of a polynomial, 3615, 5882
irreducible
for edge contractions, 1054
generalized S-graph of diameter three, 4265
irreducible graph, 525, 1111, 4831
for the projective plane, 733
irreducible
graphic matroid, 1202
isometric triangulation, 4203
Markov chain, 119
matrix, 3357
object, 3525
$\vee$-semilattices of finite width, 1792
ordinary character of a symmetric group, 395
pairing, 706
point determining graph, 525
polynomial, 554, 1900, 1907
poset, 1180
irreducible representation, 3230, 4477
of a symmetric group, 3141, 5171
irreducible
set, 5205
T-module, 5902
word, 1810
irredundance, 1633, 2338, 3860, 5747, 5940
in a graph, 1118, 2320
in a grid, 5552
in a queens graph, 5046
in cubic graph, 5299
irredundance
number, 1659, 2939, 3833, 4334, 4805, 5102, 5301, 5453
perfect graph, 4334
irredundancy, 2115, 2385
irredundant, 378, 2385, 2548, 5510, 5940
base, 378, 380

irredundant basis, 380
of a closure structure, 378
irredundant
family of linear extensions, 845
multiple interval representation, 2115
neighbourhood set, 5747
n-valued Moisil algebra, 2385
Ramsey number, 5510
representation, 2115
irredundant set, 2548, 5747
of axioms, 379
of vertices, 5046
irredundant union, 2011
irreflexive, 3646
absolute retract, 2093
binary relational structure, 3646
complement, 4871
irregular, 4904, 5896
assignment, 3075, 4904
colouring number, 4346
critical perfect system of difference sets, 3282, 3541
degree, 5824
embedding, 4398, 4456
irregular
lattice tiling, 1515
map, 5822
multigraph, 5896
network, 2559
structure, 4205
weighting of a 1-design, 4135
irregularity, 1773
cost, 4904
of a distribution, 2439
irregularity strength, 2391, 2994, 3094, 3658, 4399, 4904, 5277, 5824
of a graph, 2559, 3658
of a toroidal grid, 5277
of a tree, 5824
irrepresentability by multiple intersection, 1862
Irving, 2325
Isaacs
flower snark, 4885
graph, 2729
Isaacs, R, 1392
Isaak, 5498
isconnected graph, 1416
Ishii, 3467
Ising
ferromagnet, 3
model, 3
partition function, 3923
problem, 8
spin model, 3
isodecomposable, 5307
almost complete bipartite graph, 5307
isohedral tiling, 5174
isolate, 2859, 5933
isolated
edge, 4819
memory, 3666
node, 2000, 3911, 4880, 5859
point, 152, 870
vertex, 789, 1072, 1397, 1542, 2188, 2236, 2747, 2827, 2907, 3250, 3267, 3363, 3492, 3943, 3967, 4003, 4321, 4819, 4898, 4951, 5728, 6002, 6030
isolation
game, 2681, 3620
heuristic, 5689
ISOLS, 2899
isomer, 248
isometric, 1057, 2052, 2465, 4203, 4358, 5531, 5994
boundary, 4203
circuit, 2093
embedding, 2316, 3123, 3311, 3531, 4101, 4289, 4470, 5239, 5785
infinite paths, 4868
spanning fence, 1057
subgraph, 5531
isometrically embeddable, 4289, 5780
in some hypercube, 3584
isometrically embedded, 4129
isometry, 5401
group, 5675
isomorph rejection, 475
isomorphic
ANTI-cores, 5355, 5528
as triangulations, 2232
isomorphic by a multiplier, 1925
map, 2619
isomorphic
combinatorial objects, 2603
contractions, 4757
copies of themselves, 2285
covering posets, 2384
deletions, 4757
designs, 1925, 5911
factorization, 2300, 4042, 4395, 4436
factors, 5307
orbital structure, 5520
permutation graphs, 1736
planes, 2179
posets of meet irreducible elements, 5647
semimetric spaces, 2052
spanning tree, 4714, 4721
subgraphs, 3777, 4395
subgroup, 4623

isomorphic to
a contraction, 3499
a subdivision, 3499
a subgraph, 3499
an induced subgraph, 3499
isomorphically embeddable, 5216
isomorphism, 203, 826, 1089, 1107, 1338, 1404, 1483, 1531, 1559, 1641, 1651, 1663, 1725, 1785, 1887, 2246, 2284, 2285, 2307, 2366, 2603, 2727, 2908, 3086, 3207, 3387, 3399, 3487, 3513, 3697, 3708, 4041, 4042, 4051, 4070, 4169, 4252, 4361, 4363, 4387, 4436, 4479, 4623, 4699, 4728, 4744, 4782, 4784, 4991, 5131, 5235, 5300, 5304, 5365, 5403, 5473, 5487, 5520, 5572, 5606, 5682, 5746, 5971
isomorphism between
covering projections, 3207
two maps, 1007
isomorphism class, 1785, 2098, 2163, 2346, 2653, 3207, 3387, 3553, 3922, 4070, 4363, 4623, 5287, 5304, 5366, 5621, 5902
isomorphism class of
algebraic curves with n marked points, 4961
graphs, 4790
reduced Latin cubes, 1089
isomorphism
complete, 2121
extension property, 4623
isomorphism of
bipartite graphs, 4169
caterpillars, 4634
Cohen Haemers van Lint, 1663
digraphs, 826
graphs, 1007, 4169
partial trees, 3499
isomorphism problem, 2121, 4454, 4817, 5682, 5963
isomorphism problem for
Cayley digraphs, 4336
incidence algebras, 2638
isomorphism test, 5939
isomorphism testing, 853, 3044, 4454
of designs, 4041
isomorphism type, 1782, 1785, 2209, 2507, 4696
of subgraphs, 241
isonemal, 2021
fabric, 2021
isoperimetric
lemma, 3107
number, 3120
problem, 3079
property, 5645
theorem, 2541
isosahedron, 1688
isotone, 408, 549, 1173, 1625, 3993, 4459, 4773
function, 1625, 4090
map, 3993
relation, 1625
selfmap, 4643
isotony, 407, 408
isotopic, 3528
classification, 2311
isotopy class, 3577, 4571
of reduced Latin cubes, 1089
isotropic, 5403
isotropic discrepancy, 343
of a point set, 343
isotropic
flag manifold, 5844
random field, 4394
system, 4938
isotypic
Eulerian number, 3232
refnement, 3232
iterated
automaton, 4501
Cartesian product of the Petersen graph, 1817
clique graph, 3336, 5956
commutator, 1427
cycle graph, 3394
difference, 5028
exponential, 2921
floor function, 3024
H-line graph, 4615, 5979
jump graph, 5075
iterated line
digraph, 4142, 4676, 5941
graph, 1352
iterated
morphism, 975
shuffle, 1934
suspension of the real projective plane, 5718
transformation, 2110
triangular line graph, 4939
iterating conditional, 4619
iteration, 12, 217, 975, 1271, 2110, 2345, 2546, 2901, 3761, 4477
iteration of linear
mappings, 2110
transformations, 2110
iteration
of maps, 3973
property, 4856
iterative
Bailey chain, 4494
behaviour, 2345

iterative (*cont.*)
decoding, 79
process, 4522
Ito, 2628, 2890
Iturrioz, 1787
Ivashchenko, 5746
i-structure, *see* n-structure
i-triangulated, *see* n-triangulated

J

Jack symmetric function, 3224, 3706
Jackson, 1137, 2659, 3275, 3857, 4383, 4825, 5019, 5096, 5608, 5644, 5823
Jackson, B, 2722
Jacob, 306
Jacobi, 519, 1073, 1883, 1926, 2466, 2633, 4760
configuration, 2461
Jacobi equality, 4760
on the cofactors of a matrix, 4760
Jacobi
generating function, 2461
identity, 290, 519, 1640, 2466
matrix, 3325
Jacobi polynomial, 1926, 2461, 2633, 6022
generating function, 6022
Jacobi
sum, 3322
table, 2571
theta function, 4497
Jacobi triple product, 5986
identity, 1271
Jacobi-Trudi identity, 4489
Jacobson, 2863, 3887, 4217, 4945, 5083, 5702
Jacobsthal, E, 1399
Jaeger, 4866
Jakobsen, 514
Jakubík, 623, 4781
Jamison, 5356
Jamison, R, 4763
Janson, 3391
Jardine, 678, 5782
Jawhari, 4101
Jean, M, 802
Jech, 3129
Jendrol, 1993, 5822, 5953
Jennings, 4566
Jensen, 3624
jeu de taquin, 1497, 3222, 4847
Jeurissen, 812
Jewett, 2281, 2522, 5328
Jha, 5666
Jin, 5641
Jing, 3229, 4489
Jirásek, 3497
Johnson, 1011, 2150, 3165, 4878, 5782
2-colouring, 2724
bound, 71
geometry, 3378
Johnson graph, 1576, 1962, 5382, 5771
J(2n, n), 3819
Johnson scheme, 1388, 5939
Johnson, D, 2488, 3768, 5342
Johnson, P D, Jr, 2164, 2724
Johnson-Walker plane, 1343
join, 1867, 2307, 3278, 3713, 3793, 3936, 4094, 4233, 4382, 4412, 4423, 5020, 5026, 5440, 5500
core, 2917
endomorphism, 1765
graph, 5587
join irreducible, 2128, 2726
element, 845, 1372, 1799, 2718, 4766, 5266, 5502
join meet distributive lattice, 2917
join of
a clique and a stable set, 5153
a stable set and a cycle, 471
finitely many elements, 2903
graphs, 4559
many graphs, 1674
triangulated graphs, 2216
two graphs, 139, 4239
join
prime element, 5266
semilattice, 696, 1602, 1794, 4101
space, 3506
joins of reflexive relations, 338
jointless Dowling geometry, 5972
Jolivet, 3290
theorem, 1029
Jones, R P, 892
Jónsson, 1809, 5516
operation, 5031
Jordan, 2601
curve, 2390
inequality, 4140
totient function, 1999
Jordan, Ch, 4140
Jordan-Dedekind condition, 210
Jósefiak, 4489
Joyal
code, 2900
rule of signs in combinatorics, 4249
Joyal, A, 3225, 3770
Joyce homogeneous quandle construction, 3528
juggling pattern, 4977
jump
constraint, 5264
distance, 5075

jump graph, 5075
jump number, 2928, 3345, 4387
  problem, 2121, 2132, 2428, 4647
  scheduling problem, 2129
jump system, 5499
Jung, 1981, 2639, 3851, 4193, 5250
  theorem, 2639
Junge, 5330
Junger, M, 4150
Jungerman, 2888
Jungnickel, 3037, 3170, 3315, 4343, 5724
Justesen, 4631
JW-16, 1343

K

k to 1 mapping, *see* n to 1 mapping
K(1, m)-free, *see* $K_{1,n}$-free
K(p, q), *see* $K_{n,k}$
K(s, s + 1), *see* $K_{n,n+1}$
K(t, t) subgraph, *see* $K_{n,n}$-subgraph
(k, 2)-rounded, *see* (n, 2)-rounded
(k, 3)-colourable, *see* (n, 3)-colourable
(k, 4)-colourable, *see* (n, 4)-colourable
(k, d)-colourable, *see* (n, k)-colourable
(k, g)-cage, *see* (n, k)-cage
(k, g)-graph, *see* (n, k)-graph
(k, k)-connected, *see* (n, n)-connected
(k, k + 1)-factor, *see* (n, n + 1)-factor, *see* (n, n + 1)-factor
(k, l)-critical, *see* (n, k)-critical
(k, l)-kernel, *see* (n, k)-kernel
(k, l)-unique, *see* (n, k)-unique
  graph, *see* (n, k)-unique graph
(k, m)-colouring, *see* (n, k)-colouring
(k, n)-extendible, *see* (n, k)-extendible
(k, n)-path-connected, *see* (n, k)-path connected
(k, n; f)-cap, *see* (n, k; m)-cap
(k, g)-graph, *see* (n, k)-graph
K_1, 36, 940, 1379, 1638, 3075, 3148, 3201, 3820, 4904, 5113, 5155, 5483, 5540
$K_1 + K_2$, 2339
$K_{1,n}$, 5704
$K_{1,n+3}$-free graph, 5133
$K_{1,n}$-factorization, 5318
$K_{1,n}$-free graph, 4573, 5133, 5245, 5634
$K_{1,3}$, 1510, 1972, 2484, 2626, 5201, 5294, 5478, 5687, 5817, 5906, 5938, 5940
  subgraph, 5099
$K_{1,3}$-factorization, 5318
$K_{1,3}$-free graph, 1451, 2626, 3138, 5245, 5634
$K_{1,4}$-free graph, 5818
$K_{1,5}$, 36
$K_{1,n}$, 809, 1379, 1539, 3745, 3997
$K_{1,n}$-factorization, 3997
$K_{1,n}$-free graph, 3316
K_{1,p^2}, -factorization, 5709
K_{13}, 3291
K_{13}-free graph, 1553
K_{15}, 5131
K_1-factor, 1638
K_2, 36, 232, 260, 671, 870, 1729, 2171, 2691, 2716, 3074, 3075, 3148, 3391, 3734, 3803, 3988, 4904, 5228, 5638, 5666, 5786, 5955
$K_2(9, 1)$, 5955
$K_{2,3}$, 2346, 4515, 5411
$K_{2,3}$-e, 5201
$K_{2,n}$, 2547, 3745
K_{23}, 2130
K_{2n}, 599, 1059, 1729, 2605, 2641, 2691, 3026, 3037, 3175, 3974
$K_{2n,2n}$, 2605
K_2-cover, 1958
K_2-free, 5228
K_3, 1337, 2691, 3074, 4939, 5348, 5588, 5756, 5786, 5819
$K_{3,3}$, 36, 145, 594, 733, 823, 3272, 3412, 3648, 3658, 5803
$K_{3,3}$-free graph, 4349
$K_{3,3}$-minor, 5172
K_{33}, 2130
K_{36}, 2354
K_3-connected graph, 3803
K_3-cover polytope, 1958
K_3-free chordal, 5104
K_3-isolated vertex, 3803
K_4, 904, 1337, 1641, 1803, 2321, 2755, 3272, 3673, 3756, 3830, 3994, 4591, 4710, 4751, 4787, 4948, 5334, 5335, 5338, 5544, 5661, 5693, 5861, 6033
  homeomorph, 5338
K_4-closure, 3830, 5661
K_4-e, 2958, 3830, 4710, 5115
  free graph, 3535
K_4-free
  chordal, 5104
  graph, 2321, 2743, 4347, 4751, 5831
K_4-pair, 3830
K_5, 145, 594, 733, 1972, 2136, 2142, 2446, 3383, 3648, 3988, 4910, 5172, 5693, 5947
K_5-minor, 4910, 5172, 5242
  graph, 5867
K_6, 951, 3596, 4910
K_8, 3037
K_9, 4393
Kabatyanskii, 5556
Kac, 3226
Kadell, 2655, 4980
Kageyama, 970
Kahn, 2348, 2935, 3013, 4679
Kahn, J, 2745, 4323, 5118

Kainen, P, 4393
Kalai, 3810, 3985
Kalbfleisch, 9
Kalbfleisch-Stanton colouring, 9
Kampen, 5734
Kamps, 3439
Kanamori, 3129
Kannan, 5249
Kannelakis, 3686
Kano, 5047, 5612, 5774
  conjecture, 5774
Kantor construction, 3424, 5403
Kantor, W, 1663
Kaplansky, 3349
  game, 45, 1381
(κ, λ)-bipartite graph, 4696
κ-absorption, 3512
κ-detachment, 3512
κ-transformation, 3512
Karapetyan, 5067
Kari, 4835
Karonski, 2424
Karp, 320, 708, 1823, 3686
Karpovsky, 1544
Kárteszi, 1515
Kasami, 69, 3731
  code, 4386
Kasteleyn, 3271
  formula, 3271
Kasteleyn, P, 46
Katchalski, 5494, 5858
Katerinis, 2283
Katona, 23, 228, 349, 363, 571, 936, 1161, 1565, 1630, 2918, 3079, 5007
  problem, 1565
Katona, G, 104, 2438
Katsura model, 5780
Katz, 2536
Kaugars, 1085, 1455
Kautz, 4676
  digraph, 4438, 4676, 5534
  graph, 2508, 3662
  network, 3662
Kawanaka, 4434
Kayles, game of, 4443
Kazhdan, 5578, 5846
  property (T), 3120
Kazhdan-Lusztig
  polynomial, 5578, 5846
  theory, 4860
Keedwell, 2894
Kekulé
  count, 5276
  pattern, 3271, 5276
Kekule valence bond model, 5276
Keller conjecture, 2843
Kelley algorithm, 5917
Kelly, 388, 1180
  conjecture for graphs, 243
Kelly, D, 1180
Kelly, L M, 164
Kelly, P J, 243
Kelly-Ulam conjecture, 1188
Kempe, 522
  chain, 522
  equivalent, 1803
  path, 695
  proof, 522, 5823
Kendall, 5791
  metric, 5791
  tau, 5791
Kennedy, 538
Kenyon, 5249
Kepler-Poinsot solid, 2254
Kerber, 746, 3225
Kerber-Tappe result, 746
Kerdock code, 3440, 3568
Kern, 6024
kernel, 234, 570, 650, 1104, 1350, 1413, 1604, 1985, 1991, 2003, 2006, 2053, 2192, 2661, 2739, 2799, 2826, 2849, 2898, 2971, 3270, 4182, 4375, 4387, 4814, 5094, 5138, 5289, 5412, 5443, 5466, 5548, 5616, 5804
  by monochromatic paths, 5616
  conjecture, 5466
  critical graph, 1104
kernel in
  a directed graph, 2849, 3712
  a graph, 5094
  a n-triangulated graph, 2053
  a random graph, 2739
kernel of
  a bipartite graph, 627
  a compact starshaped set, 1198
  a digraph, 1604
  a star, 1578
  an n-star, 1578
  the graph, 4593
kernel perfect, 2006, 2053, 3712, 3776, 5161, 5804
kernel perfect critical, 3776
  digraph, 2006, 3103
  graph, 1350, 2322, 3776
kernel perfect
  digraph, 2898, 3103, 5804
  graph, 1104, 1350, 1985, 2322, 3776
  orientation, 5804
kernel
  perfectness, 2053
  poset, 4387
  problem, 2849

kernel solvability, 5548
kernel solvable, 4814, 5548
  graph, 4814
kernel theory, 2898, 4375
kernel-less, *see* kernel less
Kestenband arc, 5416
Ketonen, 3129
key, 3157
  distribution pattern, 3451
  in a sample set, 5565
  management, 3451
  storage, 3451
Kharaghani, 3042
Kimble, 503, 1180
Kimura, 4021, 4190, 4295
Kinch, 2863, 3887, 5083
kinematic
  formula, 5486
  line mapping, 4733
  mapping, 4733
  space, 4082
king a in an n-partite tournament, 3213
king in
  a bipartite tournament, 5202
  a multipartite tournament, 4525
  a quasitransitive digraph, 5631
  a tournament, 1249, 5631
Kingman subadditive ergodic theorem, 850
Kirchberger theorem for arrangements of pseudolines, 1323
Kirchgassner, 2414
Kirchoff spectrum of a graph, 1501
Kirkman, 147, 296, 724, 959, 996, 1741, 1772, 3058
  cube, 1882
  frame, 3058
  school project, 5297
  schoolgirl problem, 255, 5297
Kirkman square, 1852, 1882, 5643
  of order 51 and block size three, 1852
  with index λ, 2088
Kirkman system, 587, 3058, 5971
  with holes, 2198
Kirkman triple system, 959, 1882, 2198, 2943, 3058
  of order 33, 3464
  with subsystem, 2198, 2587
Kirkman, T P, 1772
Kisielewicz, 4680
kissing number, 3430, 5526, 5745
  of a regular polygon, 5745
kite graph, 2786
Klamkin, 5745
Klavzar, 5994
Klee, 124
Kleene fixed point theorem, 3198
Klein, 3100, 3236, 4079, 4168
  4-group, 1087
  bottle, 951, 2337, 2562, 3291, 3613, 4391, 4586, 4739, 5605
  curve, 4168
  four-group, 1087
  quadric, 4079
Kleinschmidt, 4969
Kleitman, 349, 523, 538, 1780, 1781, 1963, 1996, 2298, 2382, 2541, 3079, 3797, 4639
  conditional probability law, 476
  conjecture, 160
  theorem, 476
Kleitman, D, 160
Kleitman-Rothschild model of random posets, 4644
Kloosterman code, 2635
Klossek, S, 4669
K_m, *see* K_n
$K_{m,n}$, *see* $K_{n,k}$
K_n, 518, 621, 671, 751, 835, 837, 912, 1102, 1134, 1394, 1412, 1532, 1638, 1682, 1750, 1869, 1933, 1979, 2069, 2070, 2142, 2214, 2239, 2264, 2269, 2436, 2483, 2551, 2577, 2582, 2691, 2712, 2716, 2803, 2816, 2858, 3077, 3082, 3184, 3201, 3288, 3353, 3365, 3608, 3745, 3763, 3785, 3786, 3812, 3820, 3885, 3943, 4348, 4791, 4834, 4871, 4922, 4935, 5034, 5055, 5134, 5183, 5222, 5333, 5363, 5372, 5535, 5584, 5585, 5620, 5652, 5663, 5685, 5689, 5716, 5756, 5758, 5884, 6000
$K_{n,k}$, 3098, 5318, 5652, 5654, 5935, 6030
$K_{n,k,m}$, 5928
$K_{n,k}$-factorization, 5318
$K_{n,n}$, 1059, 2391, 3105, 3184, 3651, 5318, 5829, 5890, 5935
$K_{n,n+1}$, 42
$K_{n,n}$-free bipartite graph, 1855
$K_{n,n}$-subgraph, 2095
knapsack, 4, 225
knapsack solvable, 2666
  in linear time, 2666
Knaster, 4096
Kneser, 5662
  graph, 2398, 4196, 5662
knight move square, 2108
Knödel, 494
knot, 3923, 4280
  polynomial, 3923
  theoretic meaning, 3677
  theory, 3677, 4319
Knuth, D E, 40, 534, 683, 993, 1484, 2629, 3064, 4186, 4422, 4877, 5565
K_n-connected graph, 3803
K_n-connectivity, 3803
K_n-cover, 1958
  of a graph, 1958

K_n-cover polytope, 1958
K_n-domination number, 3803
Ko, 363, 5058, 5879
Kochol, 4767
Koester, 4163
Koh, 5050, 5314, 5331, 5338, 5339, 5509, 5524
Koh, K M, 5350
Köhler, 3166, 3798
Köhler, E, 3151, 3152, 3153, 3154, 3155, 3156, 3157, 3158, 3159, 3160, 3161, 3162, 3163, 3164, 3165, 3166, 3167, 3168, 3169, 3170, 3171, 3172, 3173, 3174, 3176, 3177, 3178, 3179, 3180, 3181, 3182, 3183, 3184, 3185, 3186, 3187, 3188, 3189, 3190, 3191
Kolb, 4736
Kolitsch, L, 4127
Kolmós, 1967
Komjáth, 3489
Komlos conjecture, 2460
Konheim, 126
König, 766, 1640, 1744, 2868, 5809
  duality theorem, 4104
Konig equality, 413
König
  infinitary lemma, 1174
  lemma, 1174
  property, 5074, 5092
  theorem, 752, 1744
König, D, 2846, 3238, 5809
König-Egerváry theorem, 882, 1640
Kontsevich, 4961
Korec, I, 2832
Körner, 1826
Korsunov, 1417
Korte, 2386
Korte, B, 3069
Kosaraju, 1848
Kostant, 3226
  partition function, 2963
Kostant-PBW ordering, 2963
Kostka
  character, 689
  matrix, 5847
  number, 984, 5581
Kostochka, 776, 1383, 1535, 2143, 5067, 5898
Kotzig, 455, 805, 1239, 1433, 1444, 1771, 2425, 2977, 4060, 4244, 4246, 4755, 5880
  conjecture for graphs with regular path connectedness, 4246
  factorization, 1433
  theorem on the minimal weight of edges in plane graphs, 4324
Kotzig, A, 1444, 1530, 1808, 4889, 4965
Koubek, 3589
Koukouvinos, 3711
Kounias, 3042, 3711
Kounias, S, 2959
Koutas, 2157
Kozen, 3686
  lower bound, 3686
$K_{p,q}$, *see* $K_{n,k}$
KPC digraph, 2006
K_q, *see* K_n
$K_{r,s,t}$, *see* $K_{n,k,m}$
Kramer, 5926, 5927
Kramer-Mesner matrix, 5926
Krasikov, 5382, 5771
Kraskiewicz, 4985
Kraskiewicz insertion, 4985
  algorithm, 4985
Kratochvil, 3598
Kratsch, 5865
Krattenthaler, 5852
Krauss, 1917
Krausz, 4952
  global characterization of line graphs, 4952
Krawtchouk, 2633
  polynomial, 2633
Krein parameter, 5676
Kreweras, 1036, 3233, 4852, 5028
  condition, 892
  determinant formula, 2694
Kreweras, G, 1754
Krichevskii, 890
Krishnamoorthy, 2488, 3083, 3768
Krogdahl dependence graph, 1540
Krol, 3363
Kronecker coefficient, 3230
Kronecker product, 3230, 5089, 5592
  construction, 5646
  of graphs, 5592
  of paths and cycles, 5592
Kronecker symbol, 5520
Kronk, 4326, 4350, 5356
Kroto, H, 5276
Krull, 1793
  dimension, 1793, 5630
Kruskal, 23, 451, 1630, 3079
Kruskal-Katona
  algorithm, 5615
  poset, 4613
  theorem, 1630, 3985, 5615
$KS_2(v; \mu, \lambda)$, 5643
$KS_k(v; \mu, \lambda)$, 5643
K_t, *see* K_n
KTS(33), 3464
Kubale, 3843
Kuhn, 1787
Kumar, 3226
Kundu, 2382

Kundu n-factor theorem, 2382
Kung, 1901
Kuperberg, W, 5420
Kupitz, 4696
Kuratowski, 421, 594, 733
  characterization of planar graphs, 542, 733
  planarity criterion, 1730
  space, 827
  theorem, 377, 1054, 2136
Kuriki, 3542
Kuwada, 3720
Kwak, 4623, 5485
Kwiatowski, 538
k-algebra, 5762
k-alternating, *see* n-alternating
k-arboricity, *see* n-arboricity
k-arc, *see* n-arc
k-ary, *see* n-ary
  tree, *see* n-ary tree
k-asummable, *see* n-asummable
k-basis, *see* n-basis
k-c.c. graph, *see* n-c.c. graph
k-chain, *see* n-chain
k-choosable, *see* n-choosable
k-chord, *see* n-chord
k-chromatic, *see* n-chromatic
k-circuit, *see* n-circuit
k-clique, *see* n-clique
k-closure, *see* n-closure
k-colorable, *see* n-colourable
k-colour, *see* n-colour
k-colourability, *see* n-colourability
k-colourable, *see* n-colourable
k-coloured, *see* n-coloured
k-colouring, *see* n-colouring
k-comparable, *see* n-comparable
k-complementary, *see* n-complementary
k-complementing, *see* n-complementing
k-complete, *see* n-complete
K-connected, 3297
  graph, 3492
k-connected, *see* n-connected
k-connectivity, 1823, *see* k-connectivity
k-cordial, *see* n-cordial
k-core, *see* n-core
k-critical, *see* n-critical
k-cycle, *see* n-cycle
k-cyclic, *see* n-cyclic
k-deck, *see* n-deck
k-decomposable, *see* n-decomposable
k-defective, *see* n-defective
k-diameter, *see* n-diameter
k-dimensional., *see* n-dimensional
k-distance, *see* n-distance
k-divergent, *see* n-divergent
k-dominating, *see* n-dominating
k-domination, *see* n-domination
  number, 5655
k-dot, *see* n-dot
K-edge connected graph, 3297
k-edge, *see* n-edge
  hypomorphic, *see* n-edge hypomorphic
  subgraph, *see* n-edge subgraph
k-edge-connected, *see* n-edge connected
k-edge-c-cut, *see* n-edge k-cut
k-element, *see* n-element
  set, *see* n-element set
k-emulsive, *see* n-emulsive
k-equal, *see* n-equal
k-equipartition, *see* n-equipartition
k-extendable, *see* n-extendable
k-extended Skolem sequence, *see* n-extended Skolem sequence
k-extension, *see* n-extension
k-factor, *see* n-factor
k-factorable, *see* n-factorable
k-family, *see* n-family
k-fixed point, *see* n-fixed point
k-forest, *see* n-forest
(k-γ)-critical, *see* (n-γ)-critical
(k-γ, d)-critical, *see* (n-γ, d)-critical
k-generalized, *see* n-generalized
k-gon, *see* n-gon
k-gonal, *see* n-gonal
k-graceful, *see* n-graceful
k-graph, *see* n-graph
k-hypomorphic, *see* n-hypomorphic
k-hypomorphism, *see* n-hypomorphism
k-independent, *see* n-independent
k-index, *see* n-index
k-indexer, *see* n-indexer
k-induced, *see* n-induced
k-isohedral, *see* n-isohedral
k-kernel, *see* n-kernel
k-king, *see* n-king
k-letter, *see* n-letter
k-line graph, *see* n-line graph
k-linear, *see* n-linear
k-matching, *see* n-matching
K-matrix, 4190, 5724
k-means, *see* n-means
k-minimal, *see* n-minimal
k-minimally, *see* n-minimally
k-MLD-colourable, *see* n-MLD-colourable
k-monotone, *see* n-monotone
k-monotonic, *see* n-monotonic
k-optimal, *see* n-optimal
k-orientation, *see* n-orientation
k-pancyclic, *see* n-pancyclic
K-parity matroid problem, 686

k-partite, *see* n-partite
  graph, *see* n-partite graph
  tournament, *see* n-partite tournament
k-partition, *see* n-partition
k-party conference, *see* n-party conference
k-path Hamiltonian, *see* n-path Hamiltonian
k-pattern, *see* n-pattern
k-paving, 5763, *see* n-paving
k-permutation, *see* n-permutation
k-polytope, *see* n-polytope
k-pseudotree, *see* n-pseudotree
K-regular graph, 3297
k-regular, *see* n-regular
K-restrained, 3297
  graph, 3297
k-rotational, *see* n-rotational
k-SAT, *see* n-SAT
k-satisfiability, *see* n-satisfiability
k-sequential, *see* n-sequential
k-set, *see* n-set
k-simplicial matroid, *see* n-simplicial matroid
k-SMT, *see* n-SMT
k-spectrum, *see* n-spectrum
k-spoked, *see* n-spoked
k-stacked, *see* n-stacked
k-strong, *see* n-strong
k-strongly connected, *see* n-strongly connected
k-subdominating, *see* n-subdominating
k-subdomination, *see* n-subdomination
k-subset, *see* n-subset
k-superuniversal, *see* n-superuniversal
k-τ-saturated graph, 5020
K-terminal, *see* n-terminal
K-terminal chromatic polynomial, 3142
K-terminal reliability, 3142
  problem, 2241
k-tessellation, *see* n-tessellation
k-testable, *see* n-testable
k-th, *see* n-th
  best spanning tree, 1605
  largest distance, 2253
  Whitney number, 2252, 2642
K-theory, 3226
k-tough, *see* n-tough
k-tournament, *see* n-tournament
k-transitive, *see* n-transitive
k-transversal, *see* n-transversal
k-tree, *see* n-tree
k-tuple, *see* n-tuple
k-uniform, *see* n-uniform
  hypergraph, *see* n-uniform hypergraph
K-universal, 5721
k-valent, *see* n-valent
k-variegated, *see* n-variegated
k-vertex, *see* n-vertex
K-W problem, 3079
k-weak, *see* n-weak
k-weight, *see* n-weight

L

(l, d)-graph, *see* (n, k)-graph
(l, k)-linear, *see* (n, k)-linear
L·L*-geometry, 5952
L^1-distance, 4497
L^1-embeddable, 4129
  semimetric, 4129
  system, 3584
l_1-graph, 5794
L^1-hierarchy, 4129
L_2-coloured graph, 2279
Labahn, 3295
label connected, 2872
  graph, 2872, 4659
labeled, 289, 296, 501, 502, 670, 825, 831, 905, 972, 984, 1225, 1682, 2405, 2531, 2537, 2822, 3181, 3283, 4215, 4691, 4984, 5296
  (n, k)-multigraph, 1389
  $2K_2$-free connected bipartite graph, 5196
  2-structure, 4066
  acyclic digraph, 3405, 4836
  binary tree, 920
  consecutively, 2531
  digraph, 322, 2967
  Dyck path, 4858
  edge, 1550
  enumeration, 4844
  forest, 1478, 3227
  graph, 502, 3181, 4143, 5875
  inseparability graph, 5146
  poset, 3381
  pregeometry, 388
  reaction matrix, 877
  reflexible regular map, 5822
  spanning tree, 2803
  structure, 2209
  symmetric graph, 254
  tree, 390, 497, 1944, 2405, 2913, 3233, 3652, 5575, 5946
labeled vertex, 1077, 1309, 2424, 2995
  transitive digraph, 1559
labeling, 197, 358, 502, 877, 1605, 1838, 2391, 3077, 3181, 3334, 3403, 3976, 4052, 4230, 4239, 4321, 4876, 5246, 5501, 5731, 5823, 5890
  a rectangular array, 571
  an n cube, 905
labeling of
  cells, 877
  edges, 1434, 5366
  sera, 877

labeling of vertices, 5366, 5875
labeling
  problem, 201
  set, 2405
  the angles of planar graph, 2418
  tree, 2803
  vertices, 2418, 5008
  with a constant index, 1416
labelled, *see* labeled
labelling, *see* labeling
Laborde, 4912
Laborde, J M, 4618
Laborde-Mulder graph, 4912
laceability, 4431
laceable, 4431
  graph, 4431
Lachlan, 1917
lacunary polynomial, 5385
ladder, 296, 1474, 4447, 4995
  digraph, 4447
  graph, 296
Lagarias, 5249
Lagrange
  formula, 410
  interpolation polynomial, 1908
Lagrange inversion, 1693, 3355
  formula, 739, 830, 2561, 4979
Lagrange Inversion Theorem, 2209
Lagrange-Good formula, 830
Laguerre, 2633
  extension, 1811
  n-structure, 1627
  polynomial, 1073, 1152, 1704, 2469, 2633
Lah number, 4829
Lai, H-J, 3884
Lake, 588
Lam, 3439
λ number, *see* λ-number
(λ; t, k, v)-design, 4237
λ-claw, 5227
  free, 5227
λ-design, 182
λ-extendible property of graphs, 1954
λ-labeling, 4239
λ-number, 4239
λ-operation, 1703
λ-ring, 1703
λ-valuation of a graph, 2876
Lambossy, 2619
Lamken, 5643
Landau, 4358
Lander, 2565
Lane, 3034
Länger, 1787
Langford
  (2, m, 3m)-sequence, 2788
  (4, n)-sequence, 919
  (n, k)-sequence, 919
  problem, 919
  sequence, 1454, 2788, 3578, 5908
Langley, 5498
LANGUAGE, 4096, 4097
language, 50, 188, 495, 533, 537, 700, 942, 1329, 1429, 1796, 2221, 3232, 3306, 4090, 4091, 4092, 4093, 4095, 4103, 4166, 4222, 4656, 4845, 5474, 5708
  closed under insertion, 3995
  of legal play, 4486
  S^2, 1329
  theory, 306
languages generated by a finite prefix code, 779
Laplace eigenvalue, 5604
  of a graph, 3519
Laplace expansion, 4122
  of a determinant, 4122
Laplace
  inversion, 4241
  method for estimating integrals, 2209
  operator, 5574
  transform, 1652, 3671
Laplacian, 4065, 5912
Laplacian matrix, 1600, 2049, 3020, 3120, 5912
  of a tree, 1600, 2049
Laplacian of
  a graph, 3020
  weighted graph, 4064
Laplacian ratio of a tree, 2049
Laplacian spectrum, 5305
  of a graph, 6012
Lara, 2322
large
  (Δ, D)-graph, 3675
  $2P_3$-free graph, 4894
large bipartite
  acyclic subgraph, 1954
  balanced subgraph, 1954
  digraph, 5383
large cardinal
  assumption, 337
  principle, 3479
large
  cardinality subgraph, 3501
  chromatic number, 1005
large cycle, 11, 2005, 2350
  in graph, 5182
large degree sum, 2631, 4392
large deviation
  estimate, 5462
  phenomenon, 2016

large
digraph, 3908
disjoint union of graphs, 2361
distance in a planar set, 2253
eigenvalue, 762
empty convex subset, 3477
family of n-element sets, 1780
Galois field, 1890
generalized cycle, 5941
large girth, 1346, 1656, 3265, 4050, 4378, 4638
oriented planar graph, 5268
large
graph, 3908, 5272, 5383
grid dimension, 3661
independent set, 3118
index theorem, 4294
induced subgraph, 4311, 5353
Isaacs graph, 2729
lower density, 2669
matching, 2005
matrix, 2429
maximum degree, 1571, 2164, 3739
large minimum
degree, 5093, 5288
kissing number, 5526
large
neighbourhood union, 3133, 4943, 4949
network, 3451
number of nonisomorphic designs, 2879
odd girth, 4576
outdegree, 1677
power of a function, 4488
restrained domination number, 5951
large scale network, 2429
analysis, 2429
large scale optimization problem, 5917
large set of
disjoint group divisible designs, 3536
neighbours, 2534
pairwise disjoint transitive triple systems, 2172
pairwise disjoint TTSs, 2172
pseudosimilar edges, 4737
pseudosimilar vertices, 4737
t-designs, 5927
large
star, 1875
submatrix, 166, 654
sum number, 4321
S-representable set system, 3868
unlabeled tree, 390
largest antichain, 2122
largest bipartite subgraph, 5459
of a graph, 5827
largest block size, 1680
largest circuit, 960
in a graph, 2998
largest
clique, 1821, 2185, 2476, 4673, 5247
common divisor, 1255
complete subgraph, 716
component, 3840, 4894, 5487, 5569
connected component, 1580
degree of a vertex, 2980
distance, 4920
eigenvalue, 1358, 2208
element, 2438
first algorithm, 3147
hole in a random graph, 3618
largest induced
cycle, 3618, 4224
forest, 1656
largest
intersecting family, 785
matching, 2049, 4221
number of coloured vertices, 2474
path, 960
perimeter, 3327
planar graph of diameter two and fixed maximum degree, 3591
real zero, 5347
largest root, 3554
of the matching polynomial, 3554
largest
semi-antichain, 2133
stable set, 4524, 5247
strong components, 3090
Larose, S D, 5031
Larson, 4498
Las Vergnas, 54, 477, 3593, 5294, 5612
Las Vergnas, M, 921, 2144
Lascoux, 4848, 5844
Laskar, 709, 1090, 1633, 3138, 3803, 4805, 5453, 5816
last
passage decomposition method, 887
player winning game, 627
latent vertex, 2537
lateral set, 5975
Latin
cube, 1089
n-cube, 4428
quarter, 251
rectangle, 344, 1033, 1045, 1247, 1335, 2399, 2524, 4982, 5317
Latin square, 72, 134, 209, 251, 278, 318, 344, 385, 485, 529, 662, 782, 1076, 1087, 1101, 1191, 1298, 1636, 1687, 1716, 1965, 2076, 2086, 2106, 2108, 2168, 2399, 2525, 2567, 2570, 2782, 2831, 2894, 2899, 2911, 2953, 3019, 3044, 3161, 3186, 3386, 3426, 3558, 3577, 3676, 3692, 3741, 3872, 4299, 4323, 4327,

Latin square (*cont.*), 4370, 4397, 4428, 4564, 4571, 4617, 4832, 4982, 5286, 5287, 5317, 5323, 5423, 5476, 5829, 5830, 5925
conjecture, 4411
determinant, 3386
graph, 1039
on a torus, 782
orthogonal to its transpose, 1087
with restricted support, 2525
Latin subsquare, 529
Latinicity, 2088, 5643
lattice, 8, 16, 31, 41, 44, 62, 145, 183, 236, 338, 340, 366, 432, 443, 474, 478, 542, 595, 599, 623, 808, 965, 976, 981, 1173, 1176, 1284, 1359, 1372, 1405, 1479, 1515, 1547, 1572, 1597, 1602, 1643, 1649, 1651, 1786, 1787, 1794, 1999, 2035, 2125, 2134, 2266, 2282, 2353, 2416, 2649, 2726, 2742, 2756, 2948, 3006, 3099, 3209, 3538, 3571, 3616, 3783, 3799, 3976, 3993, 4072, 4091, 4096, 4187, 4229, 4247, 4496, 4497, 4585, 4593, 4656, 4658, 4664, 4702, 4763, 4766, 4781, 4940, 4959, 5209, 5215, 5266, 5390, 5463, 5502, 5553, 5630, 5843, 5845
array, 4423
automorphism, 1643
lattice basis reduction, 4851
algorithm, 4851
lattice
complexity, 5219
consensus problem, 5266
diameter, 5744
figure, 5757
generated by orbits of subspaces, 5419
graph, 3906, 5645
homomorphism, 1590
identity, 4247
lattice in
a graph, 5645
Euclidean space, 4358
lattice
isomorphism, 2328
matrix, 3538
lattice of all
connected subraphs, 8
equivalence relations, 1479
subgraphs of a graph, 474
lattice of
antichain cut sets, 2948
binary bracketings, 3571
closed sets, 3616
closure operators, 5553
commuting equivalence relations, 5516
lattice of congruences, 570
of a tournament, 340
lattice of
dimension two, 981
divisors, 4253
equational classes, 3146
equivalence relations, 4816, 5516
faces, 2649, 4496
lattice of finite
length, 976, 1206, 1372, 3071
width, 1178, 1792
lattice of
flats, 1028
ideals, 2756
integer partitions, 183
maximal antichains, 2928
Moore families of subsets, 5553
lattice of noncrossing
partitions, 3209, 3976, 5209
set partitions, 5434
lattice of order ideals, 1284
lattice of partitions, 5, 1643, 5579
of a set, 5
lattice of
periods, 1999
permutations, 3571
prefixes, 4766
stable marriages, 4593
subalgebras, 1782
subautomata, 41
subsets, 4096
subspaces of a vector space, 3992
triangular type, 1046
unrestricted set partitions, 3976
lattice operation, 1845
lattice ordered
algebra, 2718
group, 4940
lattice
orientation, 623
parallelotope, 2169
lattice path, 478, 1439, 1458, 1707, 3983, 5850
combinatorics, 2434
enumeration problem, 887
with diagonal steps, 478
lattice point, 279, 588, 965, 1707, 2208, 2282, 2445, 2765, 4172, 5189, 5757
counting method, 5108
of the positive quadrant, 2307
simplex, 2026
triangle, 2026
vertex, 2026
lattice
polygon, 5688
polyhedron, 3538, 5757
lattice primal, 1173
algebra, 931

lattice
square diagram, 4489
structure, 2020, 2265
tensor product, 1794
lattice theoretic, 1180, 4402
analogue, 4940
characterization, 4766
extension, 4940
lattice
theory, 1170, 2527, 2925, 3197, 5283, 5838
tiling, 1515, 4179
tree, 4259
valuation, 3594
latticial consensus problem, 5266
Lau, 3202
Läuchli, 2281
Läuchli, H, 4588
Laudau theorem, 4222
about integral product quotients of factorials of linear forms, 4222
Laue, 4605
lemma, 4605
Laurent, 2527, 2966
polynomial, 1825
series, 2966, 4159, 5733
Laver, 2281
Laver, R, 1779
law of
a class of groupoids, 3040
large numbers, 5462
Lawler, 708
Lawrence, 776, 2143, 2843, 3034, 4720
layout problem, 5585
Lazard elimination theorem, 5572
LCD code, 3446, 4001, *see also* linear code with complementary dual
LCM, *see also* least common multiple
leader code, 1898
leaf, 5932
distance, 97
leafless tree, 3742
learning, 3904
least
chromatic coefficient, 5345
common multiple, 1551, 2155, 4917, *see also* LCM
dominating set, 2859, 4353
least domination
in a graph, 4898
number, 2859, 4353, 4898
least eigenvalue, 2060, 5529
least number of
3-cycles, 4724
common bases, 1505
least point cover, 2859
least point covering, 2859
number, 2859, 4898
least
quadratic nonresidue modulo p, 1399
upper bound, 675
leave
graph, 3619
of a packing, 5535
Lebesgue, 4154, 5880
identity, 4154
partition identity, 4154
Leclerc, 474, 5559
Lee, 2946, 3181, 3313, 4623, 5426
distance, 2946
metric, 2946
Leeb, 1326
Leech lattice, 4497
Lefschetz number, 4096
Lefschetz-Zariski theorem, 4869
left
factor Motzkin word, 4845
inversion, 5564
neofield, 3692
left part
grammar, 819
theorem, 819
left right
dynamic programming, 2864
path, 2955
shifted permutation matrix, 3085
left
subtree, 2531
to right maxima, 4857
legal bracketing, 5097
Legendre
character, 5023
polynomial, 1152
symbol, 898, 2555, 3062
legitimate deck, 834
Lehel, 3822, 4673, 4907, 5067
Lehman, 3600, 3701, 5269
theorem, 3701
Lehman, A, 239, 3600
Lekkerkerker, 3385
lemma of Kleitman, 523
Lemonnier, 3202
Lempel, 4570
Lenfant, 1596
length, 511, 623, 644, 645, 650, 651, 675, 696, 701, 711, 712, 764, 772, 835, 850, 862, 869, 899, 920, 944, 949, 953, 976, 1052, 1057, 1084, 1092, 1093, 1102, 1106, 1152, 1164, 1179, 1193, 1260, 1304, 1311, 1317, 1325, 1329, 1347, 1364, 1368, 1372, 1403, 1406, 1424, 1443, 1609, 1669, 1710, 1727, 1760, 1762,

length (*cont.*), 1773, 1810, 1813, 1849, 1864, 1874, 1886, 1894, 1909, 1912, 1973, 2035, 2048, 2093, 2105, 2110, 2114, 2149, 2151, 2157, 2170, 2174, 2182, 2193, 2202, 2212, 2227, 2289, 2301, 2302, 2372, 2407, 2422, 2423, 2509, 2510, 2522, 2539, 2546, 2577, 2591, 2610, 2618, 2624, 2635, 2646, 2676, 2677, 2681, 2779, 2786, 2811, 2822, 2823, 2841, 2883, 2901, 2925, 2928, 2940, 2946, 2964, 2969, 3004, 3005, 3043, 3052, 3078, 3087, 3092, 3094, 3106, 3133, 3143, 3149, 3158, 3165, 3184, 3246, 3249, 3272, 3289, 3305, 3307, 3330, 3333, 3334, 3357, 3360, 3425, 3426, 3452, 3489, 3492, 3538, 3555, 3568, 3588, 3603, 3619, 3674, 3696, 3726, 3799, 3805, 3809, 3831, 3851, 3854, 3880, 3882, 3937, 3940, 3949, 4001, 4093, 4106, 4148, 4177, 4183, 4221, 4224, 4229, 4246, 4247, 4277, 4300, 4325, 4359, 4372, 4377, 4408, 4422, 4438, 4476, 4483, 4562, 4563, 4579, 4584, 4613, 4629, 4634, 4640, 4685, 4712, 4756, 4841, 4847, 4906, 4942, 5040, 5141, 5152, 5166, 5219, 5223, 5232, 5259, 5276, 5304, 5311, 5338, 5355, 5360, 5373, 5384, 5389, 5424, 5425, 5449, 5455, 5460, 5461, 5494, 5498, 5508, 5528, 5539, 5626, 5700, 5744, 5752, 5832, 5862, 5866, 5894, 5904, 5907, 5947, 5954, 5955, 5967, 5973, 5976, 5979, 5981
length at least
five, 2378
four, 5687
length at most
four, 5616
k, *see* length at most n
length
conjecture, 5304
five, 5443
four, 5210
function, 2783, 3399
greater than three, 2465
k, *see* length n
m, *see* length n
n, 2829
length of
a chain, 210
a cloud antichain, 4116
a cycle basis, 4377
length of a longest
alternating cycle, 5719
closed alternating trail, 5719
length of a longest cycle, 1106, 2631, 3851, 4221, 4888, 4945, 4992, 5608, 5977
in a graph, 4258
length of
a longest snake, 2269, 3003
a maximum cycle, 1197
a node sequence, 538
a perfect sequence, 5304
a poset, 511
length of a shortest
cycle cover, 3603
odd cycle, 1834, 4200
path, 3505, 4943
postman tour, 3603
prefix string, 2157
length of
an inversion, 3564
cycles mod k, 650
finitely generated algebra, 336
the code, 1016
length of the longest
block, 2592
cycle, 4635
segment, 5744
length of the perfect sequence, 5304
length of the shortest
codeword, 5967
odd cycles, 5827
length preserving group isomorphism, 3399
length set, 732
of polynomially bounded D0L system, 732
length
spectrum, 5023
three, 1955, 4521, 4968, 5440
twenty four, 5753
two, 2837
width inequality, 694
lengthening of a covering code, 3439
lengths of paths and cycles, 1106
lens space, 1937
Lenstra, 693
Lenstra, A K, 4851
Lenstra, H W, 4851
Lentin, 1624
Lenz, 2591, 3170
Lenz-Barlotti classification, 2769, 5029
Leroux, 2461, 3697, 6027
Lesanovsky, 3484
Lesniak, 1133, 2302
Lesniak-Foster, L, 2846
letterplace algebra, 4417
level number sequence, 2183
for a tree, 2183
level
of a tree, 2183
polynomial, 980
reduction, 59
set, 4156
six group of Newman, 5672

levels and rises, 371
Levitt, 1885
Lewis, 3060
LexBFS-ordering, 5143
lexicode theorem, 2774
lexicographic
  code, 2774
  composition, 2926
  compositions, 2047
  cross section, 5916
  enumeration, 2407
  list of necklaces of length n, 764
  order, 602, 741, 2407, 2774, 2921, 4800
lexicographic product, 355, 4200, 4336, 4668, 4735, 4818, 5663
  of graphs, 4200, 5663
lexicographic sum, 2121, 5490
lexicographical
  ordering, 5520
  product, 5138
lexicographically first reduced word, 4585
  of a permutation, 4585
lexicographically
  increasing sequence of vectors, 1682
  ordered, 2666, 4388
Li, 2336, 3362, 3582, 5027, 5039, 5211, 5232, 5304, 5331, 5511, 5528, 5611
Li, N-Z, 5350
Lick, 1085, 1455
Lickorish, 5430
Lick-White vertex partition number, 572, 1219
Lie
  algebra, 1427, 5567, 5572, 5574
  character, 4266
  polynomial, 2549
  series transformation, 5572
  theory, 1427, 2963
Lieb, 173
Liebler, 5726
lift, 2312, 4537, 4582
  of an automorphism, 5595
lifting, 1901, 2598, 3526, 4046, 4842, 5916
lifting a
  Hamilton cycle, 2598
  spanning tree, 2601
lifting
  automorphism, 5595
  for the cut cone, 4046
  of an automorphism, 3207
  process, 1901
light
  cycle, 5953
  source, 3281, 4262
  subgraph, 5953
  triangle, 5953
likelihood, 605
Lim, 4437
limb, 4761
limit
  closed subcategory, 3479
  distribution, 1417, 3671
  formula, 2633, 4000
  graph, 4615
  of iterated H-line graphs, 5979
  shape, 5688
limiting
  behaviour, 4055
  distribution, 140, 2350
  mean, 2725
  probabilities, 584
  ratios, 2110
Lin, 2915, 3731
Lindenmayer system, 269
Lindner, 923, 2261, 4610, 4662, 5191, 5206, 5295
Lindner, C C, 1772
Lindquester, 4943, 4949
Lindström, 1452, 2277
Lindström, B, 23
line arrangement, 4869
line closed, 2194, 2744
  combinatorial geometry, 2194, 2744
  geometry, 2194, 2744
  graphic geometry, 2194
line closure, 2194
line connectivity, 1481, 5534
  number of a graph, 5190
line covering, 789
  number, 789
  of a graph, 152
line critical
  graph, 305, 1010
  point determining graph, 305
line digraph, 1296, 4142, 4551, 5651, 5740, 5924, 5947
line disjoint
  paths of bounded length, 1481
  spanning forests, 865
line
  distinguishing colouring, 4723
  geometry, 5408
line graph, 36, 365, 419, 447, 600, 750, 1012, 1141, 1153, 1265, 1338, 1352, 1529, 1553, 1583, 1598, 1610, 1731, 1743, 2205, 2482, 2758, 2834, 2907, 3022, 3293, 3593, 3829, 3850, 3921, 4151, 4575, 4939, 4952, 5105, 5115, 5190, 5445, 5557, 5593, 5707, 5804, 5979
  of a finite affine plane, 365
line
  hypergraph, 4952
  independence number, 789

line of
a design, 3052
symmetry, 186
line orbit, 5520
representative, 5520
line
polytope, 3714
primitive group of small rank, 2278
residue, 5952
segment, 4441
spread, 5415
structure of a design, 3052
transitive, 3027
linear (n, k)-code, 1404
linear algebra, 881, 2444, 3197, 4064, 4209
over a semiring, 5091
linear
algorithm, 688, 1096, 2867, 3866, 4520, 4560, 5247
arboricity, 1364, 2906, 3210
arrangement, 371, 1152
linear Boolean
equations, 1438
function, 4522
linear
cell space, 436
characteristic set, 2277
chromatic number, 5660
clique node incidence matrix, 3539
linear code, 69, 70, 79, 82, 110, 596, 643, 759, 864, 917, 1113, 1531, 1657, 1662, 1881, 1893, 1894, 2170, 2186, 2677, 2812, 3149, 3419, 3442, 3446, 3450, 3462, 3540, 3726, 3945, 4001, 4584, 5461, 5763
over <of>Z<ZZof><INF>4<ZZINF>, 5834
linear code with
a complementary dual, 3446, 4001
complementary dual, *see also* LCD code
linear
coding theory, 3783
collineation group, 5974
linear colouring, 5660
of a graph, 5660
linear combination with integer coefficients, 4910
linear combination with nonnegative
coefficients, 4910
integer coefficients, 4910
linear
combinations, 1889, 4981, 5028
complementarity, 216
constraint, 267
covering code, 5449
dependence, 2277, 6024
Desarguean partition, 1108
linear Diophantine
equation, 357, 1968
inequality, 357
linear Diophantine problem, 2206
of Frobenius, 5681
linear equation, 357, 994, 1968, 5141, 5949
in a Boolean ring, 6031
system, 5141
linear expected time algorithm, 2533
linear extension, 236, 503, 845, 907, 1699, 1754, 1793, 1977, 2033, 2120, 2129, 2266, 2348, 2566, 3381, 3932, 4115, 4387
of a partial order, 236
of a poset, 5058
of a semiorder, 3317
of an infinite poset, 2348
of an ordered set, 2120
linear factor, 3386
linear forest, 249, 517, 1364, 2433, 2906, 2999, 4433, 5644, 5992
array, 1869
partition, 5992
linear
form, 1591, 2110
fractional isomorphism, 4169
function, 1415, 3248, 4522
functional, 33
graph, 1214
group, 4208
growth, 2448, 3115, 5956
homogeneous q-difference equation, 5560
hypergraph, 5300
independence, 3132, 3196, 4971
inequality, 347, 357, 1922, 2475, 3248, 4094
intersecting codes, 1881
Latin square, 782
mapping, 2151
nonsingular subautomaton, 721
n-arboricity, 1756, 5012
n-forest, 1756
linear operator, 3357, 5872
theory, 1230
linear order, 626, 981, 1050, 1540, 2100, 2236, 2265, 2438, 2457, 2877, 2915, 3643, 3999, 4323, 4765, 5236, 5791, 5792
of preference, 4593
linear
ordering, 1302, 1334, 2247, 3070, 3111
partition, 1108
perfect matrix, 3350, 3539
polynomial over finite field, 2305
probabilistic algorithm, 4841
program, 5, 175, 1254, 2475, 5264
linear programming, 79, 566, 568, 1332, 2086, 2768, 3460, 3726, 4053, 4792, 5231, 5498, 5905
bound, 1332

linear programming (*cont.*)
framework, 5917
problem, 4188
relaxation, 814, 2494
linear
quasi-order, 353
recognition algorithm, 5247
linear recurrence, 4849
integer sequence, 729
relation, 918
sequence, 918
linear
regular uniform hypergraph, 5809
relaxation, 4524
representation, 4249
section, 5973
linear space, 147, 245, 330, 464, 736, 1396, 1568, 1586, 1745, 1757, 2342, 2889, 2945, 2972, 3691, 4036, 4075, 4076, 4077, 4078, 4079, 4080, 4085, 5029, 5387, 5406, 5408, 6021
of square order, 465
with few lines, 6021
linear
spaces as building blocks, 4076
species, 4148
subspace, 4171, 5973
linear time, 2658, 2666, 4221, 4476, 4579, 4841, 5600
algorithm, 1717, 1854, 2800, 3281, 3682, 4069, 4607, 4658, 4875, 4909, 4997, 5827
complexity, 3589
optimization algorithm, 2489
probabilistic algorithm, 4850
solvable, 4776
linear
topological space, 1198
transformation, 1883, 2151, 2889
UEP code, 2780
upper bound, 5636
vector space, 1883
linearly
dependent rows of the adjacency matrix, 5491
indecomposable modular lattice, 2128
independent, 19, 1968, 2973, 3064, 3132, 3556, 5089
linearly ordered, 2100, 2469, 3118, 4303
additive group, 842
monoid, 5352
set, 339, 2877, 4645, 5051
linearly recursive
relation, 4498
sequence, 4498
linearly representable, 2277
lines and intersections, 2960
line-critical, *see* line critical
L_∞-diameter, 5688
linial, 2236, 3359, 3797, 5231, 5915
property, 5915
link, 356, 413, 726, 3262, 3533, 3677, 4210, 4385, 4858
invariant, 3677
minor, 3648
link of a vertex, 4210
in a graph, 356
linkage in a locally semicomplete digraph, 5900
linked
diagrams, 706
symmetric designs, 3097
linking, 5900
linking of
a graph, 5499
matroids by a linking system, 2386
Lins, 3319
Lins-Mandel
4-coloured graph, 4302
crystallization, 1913, 2870
graph, 4302
manifold, 2068
Lions, 2414
Liskovets problem, 2978
list
chromatic number, 2480, 5068
colourable, 3815, 4934
list colouring, 3815, 5068, 5680, 5867
of a graph, 4323
problem, 5877
list
decoding, 3411
edge chromatic number, 3265
list edge colouring, 5680
of a graph, 5680
list T-colouring, 5418
literal, 2403, 3960
little Paul, 2403
Littlewood, 1607, 3229, 5848
plethysm, 4500
Littlewood-Richardson
coefficient, 3214
rule, 2434, 2673, 5849, 5854
Liu, 1261, 2783, 3582, 5734, 5775
Liu, R-Y, 5350
Livercy, 3198
LLL algorithm, 4851
Lloyd
polynomial, 482
theorem, 74, 482, 693, 3448
LM_3 algebra, 5507
LM_4 algebra, 5507
LM_n
algebra, 5507
pre-algebra, 5507

LMTS(v), 2979
local
action, 5985
antitony, 408
behaviour, 4808, 4863
local colouring of
a graph, 5132
a hypergraph, 3345
local comparability graph, 4307
of dimension one, 4307
local
complementation, 1095, 2140, 3664
condition, 5887
local connectivity, 333, 5294
condition, 5119
local convergence property, 4847
local convexity
condition, 2226
in graph, 2226
local
criterion, 3373
data structure, 4459
local density, 3504, 5529
condition, 4049
of a graph, 5529
of a triangle free graph, 5529
local diameter at a point, 5744
local distance, 4594
direction, 4594
local distinguishing
labeling, 5875
number, 5875
local edge
colouring, 3927
connectivity, 333
domination critical graph, 4941
local
graph, 3412
indecomposability, 3434
independence number, 5887
information, 3313
injectivity, 407
isotony, 407
kernel, 3712
Kostant-PBW ordering, 2963
language, 5708
lattice diameter, 5744
limit theorem, 1680
majority, 2046, 4516
n-colouring, 1984
optimality, 2149
optimum, 5793
parameter, 4451
local property, 408, 1582, 2452
of a Boolean function, 407, 408
local
proportionality, 3313
reductive elimination, 4607
re-embedding, 4706
rotation, 3527, 3918
search, 3407, 4621, 5827
separation, 2390
sparseness, 3504
strict antitony, 408
structure, 3676
switching search algorithm, 5827
symmetry property, 5588
tournament, 4033, 5310
transformation, 3575, 4658, 5964
locale, 3473
localisation, 4808
to a subpartition, 4863
localizing combinatorial property, 4808, 4863
locally a
cube, 1549
dodecahedron, 1840
locally
connected, 4914, 5873
cyclic triangulation of the projective plane, 3847
Δ-graph, 4550
determined, 3504
disconnected graph, 3848
edge transitive digraph, 4307
locally equivalent, 3664
graph, 3664
locally finite, 4103, 4410, 5273, 5392
2-complex, 5751
connected graph, 3048, 3114
countable graph, 3123
geometry, 4740
graph, 418, 2192, 2346, 2956, 3171, 3742, 5751
group, 1822
infinite graph, 3120, 5469
inf-semilattice, 1046
partial order, 118
partially ordered set, 307
PG·PG*-geometry, 5952
planar graph, 4410
poset, 5157
spanning tree, 3376
thick PG·PG*-geometry, 5952
transitive graph, 2956, 3115
vertex symmetric graph, 3131
locally
finitely determined functional, 966
G_0, 3847
locally geodesic
at a vertex, 1973
cycle, 1973

locally
geometric, 3434
H, 4210
locally homogeneous, 3847, 4210
graph, 3847, 4210
locally
$K_{3,3}$ graph, 3412
maximal sum free subset, 1450
n-connected, 333
n-critically k-connected graph, 3811
n-edge connected, 333
locally optimal, 2149, 5827
for any small perturbation, 2149
locally perfect, 2476
colouring, 2476
order, 2481
locally
Petersen graph, 3412
presentable category, 3479
locally projective, 5406
planar space, 5406
locally
pseudoconvex algebra, 3468
regular digraph, 5305
locally semicomplete
digraph, 3242, 4240, 5019, 5096, 5112, 5289, 5900, *see also* LSD
oriented digraph, 5273
locally sparse graph, 5519
locally testable, 116, 4758
events, 116
language, 1695
languages, 1695
locally
trivial t-design, 2594
unipathic subgraph, 1075
locating a
cubic subgraph, 5043
service centre, 2864
location problem, 2868, 5917
Loeb, 5028
Loeb, D, 3388
Loeb, J, 3341
Loeb, M, 3388
Loeb, R, 3341
log concave, 1699, 2292, 4639
sequence, 3099
log concavity, 1699, 2292
of the Whitney numbers, 2025
results, 6027
log supermodular function, 3099
Logan, 644
logarithm of the Fourier transform, 4987
logarithmic algebra, 3088
logarithmic concave, 1504, 1618
Whitney number, 1618
logarithmic
concavity, 109, 515, 1618
density, 6004
distribution of leading digits, 3471
singularity, 3671
logarithmically
asymptotic, 1746
concave, 810
convex, 2231
logic, 378, 544, 1900, 1917, 2230, 2634
logical
dual, 1162
problem, 1422
synthesis, 4473
logspace complete, 3686
long adjacent identical blocks, 943
long cycle, 3158, 3831, 4115, 4629, 4640
in a graph, 2510, 2631, 4258, 4300, 4325
long
dominating cycle in a graph, 5460
Hamilton cycle, 4258, 5661
induced cycle, 5439
interval, 2920
long path, 1365
connectivity, 3143
long
range order, 2536
suspended path, 1308
long time behaviour, 5909
of a CA, 5909
long unimodal subsequence, 1115
longest
ascending subsequence, 373, 711
common subsequence, 850
longest cycle, 2618, 2631, 3301, 3851, 4174, 4221, 4277, 4509, 4722, 5037, 5084, 5112, 5122, 5144
in a graph, 4945
length, 3192
problem, 5112
longest
decreasing subsequence, 843
descending subsequence, 373
longest directed
cycle length, 2270
path, 4618, 5990
longest dominating cycle, 3851
in graph, 3851
longest
increasing subsequence, 339, 843
interval, 351
monotonic subsequence, 373
longest path, 4618, 5020, 5037, 5112, 5231, 5990
formulation, 4956, 5044
in a bipartite digraph, 1317

longest path problem, 5112
longest paths and cycles, 5037
longest proper unbordered
left segment, 857
right segment, 857
longest run
down, 373
up, 373
longest
snake, 5494
Sturmian prefix, 4841
look
ahead algorithm, 5131
up table, 4570
loop, 4477, 5283
free, 3480
network, 4595, 5920
loopless
digraph, 5384
graph, 1634
matroid, 1248, 4535
multigraph, 4769, 5896
plane triangulation, 2482
Loos, R., 1890
Lorentz transformations, 22
Lorimer-Rahilly plane, 1343
Lotspeich, 4685
Louck, 3233
Loupekine, 4885
Lovász, 350, 648, 863, 1097, 1158, 1481, 1508, 1630, 1710, 1747, 1813, 2192, 2386, 2425, 2439, 2475, 2842, 2961, 2981, 4060, 4326, 4576, 4769, 4796, 5118, 5382, 5805, 6024
(n, k)-factor theorem, 3211
characterization of perfect graphs, 881
condition, 4133
local lemma, 5319, 5833
normal hypergraph, 66
packing problem, 863
result, 5771
Lovász, L., 552, 815, 1802, 2142, 3069, 4851
low
discrepancy point set in a unit cube, 3449
edge forwarding property, 4102
maximum degree, 3868
periodic, 4937
rank, 2614
weight words, 3462
Löwenbeim theorem, 87
Löwenheim method, 562
lower and upper bounds, 2485, 2874, 3425, 3639, 3843, 3977, 5251, 5361
lower bound, 11, 17, 47, 51, 57, 62, 81, 155, 164, 183, 226, 313, 402, 403, 411, 424, 430, 433, 454, 466, 492, 494, 538, 549, 601, 648, 665, 671, 672, 692, 712, 736, 737, 806, 832, 839, 850, 856, 890, 930, 941, 1013, 1034, 1068, 1158, 1216, 1235, 1278, 1301, 1303, 1346, 1373, 1384, 1466, 1535, 1556, 1568, 1716, 1778, 1798, 1938, 1987, 2050, 2056, 2070, 2105, 2157, 2169, 2171, 2206, 2213, 2259, 2276, 2303, 2332, 2377, 2438, 2465, 2477, 2483, 2503, 2505, 2532, 2541, 2563, 2574, 2583, 2595, 2642, 2660, 2742, 2743, 2789, 2805, 2824, 2827, 2854, 2958, 2960, 2980, 2996, 3003, 3078, 3193, 3386, 3401, 3423, 3425, 3489, 3495, 3553, 3585, 3594, 3617, 3670, 3688, 3726, 3759, 3761, 3780, 3824, 3851, 3875, 3879, 4014, 4038, 4121, 4135, 4188, 4196, 4274, 4276, 4297, 4359, 4384, 4405, 4457, 4469, 4539, 4563, 4601, 4608, 4611, 4616, 4620, 4681, 4787, 4888, 4911, 4918, 4945, 4974, 4992, 5010, 5022, 5032, 5083, 5084, 5100, 5152, 5159, 5171, 5179, 5203, 5232, 5236, 5291, 5317, 5327, 5360, 5385, 5418, 5433, 5437, 5454, 5495, 5510, 5512, 5608, 5610, 5632, 5667, 5683, 5766, 5795, 5800, 5827, 5861, 5880, 5888, 5895, 5914, 5922, 5941, 5955, 5957, 5958, 5967, 5980, 6001, 6003
conjecture, 1612
for a connected geometry, 601
of the weights of all paths between two vertices, 5352
on the connectivity of a matroid base graph, 2303
on the toughness of a graph, 5308
lower
cover, 1372, 1778
density, 2669
distributive semilattice, 3594
domination number, 3860, 5452
finite quasi-ordered set, 546
independence number, 3860
lower irredundance number, 1118, 3833, 3860, 5552
of a graph, 5425
lower
length, 1635, 2035, 4444, 4444
open packing number, 5678
order ideal, 3992, 4496
lower packing number, 5678
of a tree, 5678
lower Ramsey number, 2996
lower residue, 5392
of a plane, 5392
lower semicontinuous function, 2345
lower semimodular, 62
poset, 62
lower
semi-k-regular factor, 5642

lower (*cont.*)
set, 2125
triangular matrix, 4494
LP
duality, 904
problem, 568
L_{PA}, 5474
LR(0)
grammar, 535
language, 535
LR-16, 1343
LSD, 5112, *see also* locally semicomplete digraph
Lubell, 1781
Lubiw, A, 1121
Lucas
number, 3046, 6016
pseudoprime, 3046
theorem for binomial coefficients, 4245
Luce, 534
Luck, J-M, 4961
Lueker, 1735
Lui, 3034
Lukasiewicz, 410, 580, 1621, 1650
algebra, 891, 991, 1094, 1110, 2385, 5732
language, 410
Lukasiewicz propositional
calculi, 2385
calculus, 2385
Lukasiewicz Space, 991
Lukasiewicz-Moisil algebra, 1621, 5507
Lüneburg plane, 4993
Lusztig, 5578, 5846
LYM, 2963
inequality, 1447
poset, 2344, 4641
type inequality, 4639
Lyndon
finite basis theorem, 974
heap, 4388
word, 4388
Lyndon, R C, 974
Lyubich, 4470
l-arc connectivity, *see* n-arc connectivity
L-colouring, 5013, 5877
l-connectivity, 5937, *see* n-connectivity
l-degenerate, *see* n-degenerate
l-edge, *see* n-edge
l-extendable, *see* n-extendable
l-group, 4940
L-ind-orderable, 2413
L-list colouring, 4536
L-product species, 4492
l-regular, *see* n-regular
l-representation of a number, 2298
L-shaped tiles, 3670
L-species, 3697

M
$M(K_{3,3})$-minor, 5172
$M(K_5)$, 5172
$M(K_5)$-minor, 5172
$M^*(K_{3,3})$-minor, 5172
(m, 1)-transitive, *see* (n, 1)-transitive
$(m, k)^\tau$-colouring, *see* $(n, k)^\tau$-colouring
(m, k)-colorable, *see* (n, k)-colourable
(m, k)-transitivity, *see* (n, k)-transitivity
(m, n) cage, *see* (n, k)-cage
(m, n)-metacirculant, *see* (n, k)-metacirculant
(m, n)-transitive, *see* (n, k)-transitive
(m, n; u, v; c)-system, *see* (n, k; m, v; c)-system
(m, p, c)-set, *see* (n, k, m)-set
(m, p, c)-system, *see* (n, k, m)-system
M. Pouzet, 1988
M_{11}, 3610
M_{12}, 3610, 3969
M_{22}, 3610
M_{23}, 1252, 3610
M_{24}, 3610
Macaulay theorem, 23, 104, 602, 2313
Macdonald, 3224, 3228, 3229, 4489
polynomial, 4489, 5850
symmetric function, 3228
MacLane, S, 2984, 5716, 6024
MacMahon, 519, 876, 1192, 1484, 3577, 4487, 5205
diagram, 4154
generating function, 1022
major index, 3983
master theorem, 1883, 2160, 3888
solution of the Newcomb problem, 984
statistics, 3227, 3349, 4980
Macris, 5064
MacWilliams, 69, 1909, 3731, 4497, 4677, 5657, 6029
formula, 4497
lower bound, 2946
MacWilliams, F J, 860
Madaras, 5953
Maddux, 1809
Mader, 650, 1366, 1535, 3366, 3583, 5761
Mader, W, 3252
Maehara, 2961
Maghout, 4182
magic components, 1416
magic cube, 1960
of order three, 1960
magic
hypercube of order three, 1960
labeling, 1416, 3403
rectangle, 5354
square, 1564, 4037, 4617
magicity of a disconnected mixed graph, 1416

magnitude, 1856, 3978
n interval order, 1569
Mahler equation, 4485
Mahmoodian, 5960
Mahonian statistics, 3227, 3349, 4980
Maier-Tenenbaum theorem, 6004
main
conjecture for MDS codes, 5400
diagonal, 674, 1564, 3958, 4476, 4579, 5850
maintenance, 3683
major index, 2271, 2709, 4807, 4980
enumerator, 3021
polynomial, 3021
major of a factorization, 388
majority, 3594
decodable code, 72
dominating function, 4549
majority domination
in graph, 4549
number, 4549, 4681
majority
function, 3314, 5291
index, 5291
logic method, 1016
operator, 4178
rule, 2362, 3594, 4178
majority vote
action, 4177
operator, 4177
majorization, 3845
majorization of
a character of the symmetric group, 1290
a distribution, 200
a probability vector, 200
majorization
on the spectrum of a graph, 1501
relation, 3845
theorem, 200
Majumdar, K N, 1382
Makanin, 1624
making graphs bipartite, 5529
Malkevitch, 308
Malkevitch, J, 308
Mallows, 2779, 4660
formula, 5566
Maltby, 5704
Manalastas Jr, 4529
Manara, 4082
Manes, 3198
Manhattan lattice, 2449
manifold, 21, 238, 532, 1069, 1353, 1937, 2690, 2735, 3319, 4202, 5006, 5589
with few vertices, 532
Mann, 2150, 3998
inequality, 92
manual, 3009
Manvel, 241
many
candidate ballot problem, 1484
nonnegative differences, 4241
odd components, 4258
small lines, 4085
map, 2602, 2838, 2944, 3060, 3357, 3487, 3527, 3710, 3918, 3970, 3973, 3993, 4101, 4653, 4704, 4843, 4846, 5412, 5777, 5792, 5872, 5878, 5973
automorphism group, 4651
colour theorem, 4338
enumeration, 3894
map of
an empire, 1520
an m-pire, 1520
map on
a projective plane, 1520
a torus, 27, 4739
a two-dimensional surface, 4843
clutters, 2944
map
selfduality, 4708
with a given cartographic group, 5582
mapping
class group, 1994
cylinders, 2527
maps, canonical codification of $\sim$, 1007
Marchi, 4082
Marcu, D, 6024
Marcus, 50, 495
marginal, 5141
Margolick, 3034
Margulis, 1161
Marica-Schönheim theorem on set differences, 1655
marked
graph, 870
sequence, 3232
Markov, 77
chain, 77, 119, 3224
process, 605, 1230, 5076
Markovian (0, 1)-sequence, 605
Markowski, G, 1079
marriage
market graph, 4593
number, 2117
problem, 1203, 4593
theorem, 5216, 6032
Marshall, 2656
Martin axiom, 725, 1782
Martin, P, 4938
Marus, 5622
Marus, D, 5603
Marusic, D, 5583, 5603, 5622

Mason, 3392
Massey, 5061
matched
  asymptotic expansions, 3982
  bridge, 851
matching, 350, 397, 413, 688, 718, 734, 753, 812, 832, 882, 941, 963, 1021, 1072, 1096, 1116, 1119, 1158, 1209, 1336, 1407, 1409, 1600, 1640, 1670, 2005, 2041, 2049, 2128, 2156, 2425, 2471, 2536, 2547, 2604, 2815, 2924, 2981, 2993, 3000, 3110, 3118, 3238, 3256, 3382, 3391, 3400, 3533, 3617, 3687, 3758, 3779, 3813, 3819, 3911, 3928, 3956, 4053, 4060, 4260, 4389, 4531, 4641, 4759, 4762, 5047, 5070, 5119, 5192, 5361, 5380, 5478, 5480, 5499, 5590, 5611, 5617, 5634, 5640, 5652
  a deck of cards, 126
  coefficient, 2949
  conditions, 2536
  decomposition, 2642
  delta-matroids, 5499
  extendability, 4060
matching extension, 3956, 4531, 5070, 5133, 5634, 5921
  in graph, 2425
matching game, 3105
matching in
  a bipartite graph, 1996
  a graph, 350, 397, 1030, 3118
  a polyhedron of inscribable type, 4996
  a regular graph, 1158
  a tree, 688, 2252, 2642
  an ordinary graph, 1407
matching matroid, 1775
  theorem, 5192
matching
  number, 413, 631, 5074
  orthogonal to a 2-factorization, 2471
  polyhedron, 1096
matching polynomial, 1119, 1684, 2949, 3554, 4260
  of a graph, 4260
matching
  polytope, 283, 2453
  poset matroids, 3687
matching problem, 5192
  with side conditions, 963
matching
  system, 734
  theorem, 5041
  theory, 2521, 3238, 3271, 4220, 4769
  unique, 4260
  uniqueness, 4260
mathematical
  logic, 1804
  model of a neuron, 727
  programming, 159, 4465
Mathieu group, 80, 1194, 3610
Mathon, 1763, 2571, 3037, 3194, 4025, 4223
mating rule, 2110
matricial equations for conversion matrices, 1297
matrix
  algebra, 1883
  analogue of the transversal problem, 1281
  characterization of cyclic GDDSs, 1277
  completion problem, 4824
  equation, 92, 855, 1655, 3456
  identity, 1883
matrix inversion, 5852
  by cofactors, 4760
matrix iteration, 627
matrix of
  maximal cliques, 2475
  type p, 4480
  Williamson type, 2273
  zeros and ones, 188, 293, 1694, 2030, 3144, 5648
matrix
  problem of Harrison, 934
  product, 1883, 5637
  q-hypergeometric series, 4424
matrix representation, 3556, 5571
  of a linear order, 626
matrix
  representative, 5635
  Riccati equation, 1192
  space modulo a parabolic subgroup, 5357
  tree theorem, 1883, 3916, 5091, 5910
  type optimality calculation, 181
matrix with
  alternating signs, 4480
  forbidden subconfigurations, 1814
  isomorphic diagonal hypergraphs, 1107
  nonnegative entries, 4508, 4719
  total support, 1107
matrogenic graph, 1714, 1717, 5241
matrogenicity, 1714
matroid, 232, 239, 261, 351, 367, 368, 389, 405, 510, 590, 601, 608, 610, 613, 614, 723, 734, 740, 781, 790, 823, 911, 921, 998, 1028, 1053, 1081, 1095, 1162, 1168, 1183, 1202, 1248, 1361, 1391, 1505, 1540, 1605, 1646, 1689, 1715, 1749, 1829, 2012, 2074, 2224, 2277, 2347, 2386, 2413, 2452, 2458, 2459, 2464, 2527, 2528, 2602, 2620, 2723, 2830, 2886, 2944, 2986, 2997, 3013, 3331, 3338, 3361, 3390, 3392, 3480, 3593, 3605, 3647, 3667, 3735, 3787, 3845, 3923, 4119, 4141, 4254, 4256, 4330, 4406, 4407, 4426, 4527, 4528, 4530, 4589, 4648, 4709, 4839, 4869,

matroid (*cont.*), 4883, 4938, 4946, 5029, 5051, 5057, 5146, 5172, 5220, 5241, 5454, 5482, 5499, 5561, 5627, 5714, 5763, 5772, 5881, 5972, 6024
automorphism, 1081
basis, 4406, 4648
characterization, 108
matroid complex, 4800, 4839
of rank three, 4147
matroid
connectivity, 740, 4535
dual, 1162
duality, 2620
equation, 1202
identity, 1452
inequality, 1028, 4839
intersection algorithm, 2459
matroid of
a directed graph, 781
a graph, 823, 5561
a regular independence system, 4709
bounded width, 3520
finite character, 734, 767
rank three, 2077
matroid
optimization problem, 2459, 4589
parity problem, 2430
matroid partition, 351
algorithm, 2458
matroid
polynomial, 3923
polytope property of Gelfand and Serganova, 5482
matroid problem, 686
of Knuth, 683
matroid
property, 1678
reconstruction, 4946
representation, 2528
selfduality, 4708
structure, 389
sum, 610
terminology, 823
theoretic framework, 5668
theory, 2527, 2806, 3710, 5668, 5714
tree graph, 4256
with coefficients, 4528
matroidal characterization, 1428
matroidal family, 367, 781, 888, 922, 1375, 1753
of digraphs, 781
of graphs, 922, 1375
matroidal
graph, 670
number, 1880, 3735
system of inequalities, 2314
matroidally connected graph, 1070
Matsuyama, 4434
Matthews, 5511
Matula, 572, 4900
number, 4900
Maurer, 1050, 3955, 4259, 4672
Maurras, 5255
Mavron, 2831
max balanced, 4292
flow, 4292
max clique problem, 3500
max cut, 3502
problem, 3383, 3502, 3576
max flow min cut, 5269
theorem, 1448, 1459, 5269
maxhyper, 3726
maxibrittle graph, 2055
maximal, *see also* maximum
3-diameter, 4164
antichain, 1117, 2928, 5086, 5698, 5704
antihierarchic set, 3645
any-two-set-intersecting subsystem, 1446
arc, 2569, 3027, 3188
arrangement, 950
maximal asymptotic
LCM basis, 2155
union nonbasis, 1120
maximal cardinality, 736, 1142, 1278, 1544, 3368, 4156
of an antichain, 1117
maximal chain, 210, 245, 1057, 1778, 1959, 2035, 2126, 3976, 4373, 4444, 5260, 5698, 5704, 5985
in a partially ordered set, 118
maximal chains have the same length, 1789
maximal clique, 246, 1970, 2907, 2996, 3738, 4373, 5540
separator, 4519
maximal
code, 3863
commutative subfield, 5398
complete subgraph, 1821, 1924, 2185, 2857, 5956
configuration, 994
congruence, 41
convex set, 2210
maximal covering
index, 5593
number, 183
maximal curve, 3431
maximal cycle
basis, 4377
in a graph, 3192
maximal degree, 811, 1093, 2480, 3265, 4207, 4324, 5370
of lines, 464

maximal degree of points, 464
maximal
difference matrix, 1965
dimension of a linear code, 2193
dimensional partially ordered set, 131, 503
distributive sublattice, 3629
maximal edge, 5587
set, 3953
maximal
excess, 3042
expected reward, 96
family of subsets of a finite set, 1142
forest, 4235
fractional matching, 4053
frequency of equivalences, 749
graph, 32
Hamiltonian cycle, 3849
Helly hypergraph, 818
imprimitive subgroup, 3760
maximal independent set, 871, 957, 1397, 2286, 2852, 3642, 3694, 3941, 4161, 4951, 5932
of edges, 3953
of vertices, 1118, 1384, 3096, 3650, 4376
maximal independent
subset, 1605
vertex subset, 4557
maximal
induced tree, 2054, 2419
infinite planar graph, 637
maximal intersecting
family, 1603
system, 1421
maximal
intersection critical family of finite sets, 4749
interval, 5074
irredundant set, 2852, 5747, 5940
maximal length, 3052, 4116
function, 2783
linear sequence, 772
of a path consisting of 4 vertices, 5690
maximal
level set, 4156
linear sequence, 526
maximal matching, 4762, 4963
of a graph, 152
maximal
monome, 576
nonbasis of the integers, 3881
non-Hamiltonian graph, 1295
maximal number of
clique coverings, 1233
collinear points, 5744
colourings, 541
edges, 2284, 3927
hypergraph colourings, 836
induced complete bipartite graphs, 2095
interconnecting edges, 441
maximal
n-extendable graph, 5634
open packing, 5678
order of cyclicity, 364
orthogonal subset, 274
outerplanar graph, 55, 241, 3919, 4372
maximal packing, 4284, 4815, 5021, 5678
function, 4815
maximal partial
flock, 5621
solution, 1182
spread, 2096, 2503, 3802, 4362
Steiner triple system, 4031
maximal planar, 4038, 5734
bipartite, 5734
graph, 180, 263, 457, 1015, 1318, 2970, 3744, 4533, 4713, 5549
subgraph, 4683
maximal
plane graph, 106
point degree, 2225
possible symmetry group, 2254
prime subgraph, 3640
maximal rectangle, 3595, 3814
of a polyomino, 3814
maximal sequence of functions, 1836
maximal set of
given diameter, 3856
mutually orthogonal Latin squares, 5830
permutations, 844
vertices having no redundancies, 1659
maximal
simplex, 199
size of a graph, 2820
sized antichain, 208, 349, 824
maximal stable
hypergraph, 252
set, 1397
maximal
subconfigurations, 994
subgraph, 1234, 5333
maximal subgroup, 311, 5926
of a symmetric group, 5926
maximal
sublattice, 5913
subplane, 6029
subspace, 2210
sum free set, 1319
s-system, 89
maximal TC
clone, 4097
clones, 1746

maximal
torus graph, 106
total matching, 5136
maximal triangle free, 4545
graph, 4545
maximal
twofold Schubert polynomial, 3226
under inclusion, 3493, 4632, 5800
valence, 2037
vertex, 2481
volume enclosed by plates, 2017
maximal weight, 5729
chain, 118
maximality condition, 5425
maximally arc connected, 5924
maximally connected, 2109, 3942, 5384
dense graph, 2109
digraph, 5924
graph, 2109, 4050
maximally
critical, 2328
independent vertices, 2942
non-Hamilton connected, 2729
non-Hamiltonian graph, 3838
saturated graph, 1355
maximisation, *see* maximization
maximise, *see* maximize
maximising, *see* maximizing
maximization, 806
maximization problem, 3317
over a general independence system, 806
maximizes the sum of unsimilarities, 2513
maximizing
determinants, 312
Möbius function, 3992
the number of distinct paths, 1146
maximum, *see also* maximal
(0, λ)-graph, 2933
(n, k)-factor, 2991
2-part Sperner family, 5007
bandwidth of a graph, 5558
bandwith of the complement of a graph, 5558
bipartite subgraph, 3576
broadcast time, 837
capacitated (n, k)-flow problem, 5269
capacity route problem, 181
maximum cardinality, 1118, 1578, 2252, 2854, 3165, 3411, 3685, 4045, 4322, 4560, 4947, 5678, 5684, 5995
basis problem, 1030
clique, 1226
of a matching, 812
of an edge disjoint packing of a t-cut, 2146
of matchings, 1336
search, 4798
maximum chromatic
number, 5054, 5173
polynomial, 5346
maximum
circuit size, 5772
circular dimension, 816, 961
maximum clique, 309, 624, 1226, 1710, 1712, 2411
number, 2617
problem, 2411
size, 1958, 5422
maximum
correlation, 3460
critically n-connected graph, 1764
crossing, 4059
cut, 3502, 3576, 5827
maximum cycle
distributed graph, 2371, 3364, 3994, *see also* MCD graph
length, 3357
maximum degree, 14, 323, 423, 514, 695, 716, 753, 776, 1077, 1126, 1225, 1270, 1571, 1619, 1659, 1759, 2055, 2080, 2109, 2392, 2393, 2497, 2508, 2516, 2534, 2604, 2699, 2815, 3210, 3261, 3380, 3490, 3590, 3591, 3825, 3858, 3908, 3909, 4003, 4019, 4257, 4326, 4463, 4608, 4611, 4747, 4894, 4925, 4962, 5013, 5025, 5123, 5301, 5383, 5433, 5468, 5614, 5660, 5669, 5723, 5767, 5829
maximum degree at most
four, 4538
three, 3490, 5669
two, 2650
maximum degree
five, 4862, 5005
four, 4862, 5005, 5016
of a graph, 1659, 4884, 5025
of a random graph, 1077
of vertices, 4598
three, 3380, 4620
two, 3261
maximum density, 4310
of a graph, 1535
maximum
determinant, 2030
diameter configuration, 2449
difference across an edge, 3334
maximum distance, 4595
point, 1526
maximum distance separable, 3754, 5400
code, 596, 2964, 5400
maximum eccentricity, 4797
maximum edge
connectivity, 5274
count, 3297
multiplicity, 4398

maximum excess, 2251, 2840, 2910, 2959
of a Hadamard matrix, 2274
of an Hadamard matrix, 2840
maximum extraconnectivity, 5288
maximum genus, 180, 680, 2616, 2888, 4693, 4787, 5369, 5755, 5861
of a graph, 680, 886, 2888, 5755, 5861
maximum incidence colouring number of a graph, 5061
maximum independent set, 695, 882, 1710, 1935, 2642, 3972, 4161
of vertices, 3850
maximum induced
forest, 2824, 4326
matching in a graph, 5196
maximum
integral flow, 1459
intersection union family, 1820
irredundant set, 2338
maximum length, 1682, 3489, 4906
cycle packing, 4964
of the unbordered segments of a word, 1311
maximum likelihood, 3446
maximum matching, 152, 350, 413, 941, 1216, 1409, 1744, 2252, 2396, 2425, 2991, 4060, 5437, 5557
in a graph, 832
number, 2396
of line graphs, 5557
problem, 1675
maximum
minimal cut, 3895
multiflow problem, 5786
multijoin, 5500
multiplicity, 1759
nonseparating independent set, 5369
non-Hamiltonian tough graph, 3148
maximum number of arcs, 1762
of a strong digraph, 1762
maximum number of
cliques, 1233, 1384, 1821, 2185
cutvertices, 2700
maximum number of cycles, 2306
in the complement of a tree, 2306
maximum number of
degree preserving vertices, 3753
diagonals, 1061, 1872, 2935
maximum number of edges, 1012, 2038, 2366, 2426, 2699, 2875, 3622, 3926, 4631, 4894, 5437
having one vertex in common, 753
in a graph, 2604, 3241, 3882, 5533, 5685
maximum number of
independent sets, 1384
irreducible coverings, 1233
odd circuits, 812
open chains of length three, 944
oriented hyperedges, 1615
pairs of oppositely oriented edges, 1049
pendant vertices, 1668
quadrilaterals, 3393
spanning tree, 5489
three-coloured triangles, 506
triangles, 5831
varieties, 748
maximum number of vertices, 1668, 2987, 3591, 3678, 3865, 4600, 5192, 5231, 5920
in a clique, 679
maximum n-matching, 2991
maximum packing, 3715, 4139, 4360, 5535
design, 3328
of K_n with 4-cycles, 5535
of triples, 3715, 4390
with triples, 5442
maximum
partial system, 2087
path graph, 939, 1146
planar set, 4870
possible edge integrity, 3871
maximum size of
a graph, 3363
a matching, 2641
a partial matching, 1640
a stable set, 4524
maximum sized antichain, 2122
maximum stable set, 413, 2487, 4524
problem, 4107
maximum sum of
degrees above a threshold, 5186
the degrees of vertices, 5186
maximum
term rank, 5375
toughness of a graph of small genus, 5308
valency 3, 3812
maximum vertex degree, 3597
of a graph, 679
maximum weight union, 3248
maximum-sized, *see* maximum sized
Maxwell, 4269
max-min optimization, 4352
Max-SNP hard problem, 4466
McAloon, 3129
McCalla, 3177
design, 3177
McCulloch, 727
McCulloch-Pitts neuron, 727
MCD, 3994
graph, *see also* maximum cycle distributed graph
McDiarmid, 5660, 6023
McFarland, 2150, 4537, 5724
type, 4537

McKay, 2450, 2783
McKay, B D, 1339, 5603
McKee, 2806
McKenzie, 3511, 3607, 4097
McMullen, 1950
McNulty, 1787
MCS, 5143
MCS-ordering, 5143
MDF, 3939, *see also* minimal dominating function
MDS
  constant weight code, 5052
  elliptic code, 3754
MDS-code, 5052, 5400
Mealy machine, 4837
mean chromatic number, 3817, 3925
  of a graph, 3817, 3925
mean distance, 556, 5912
  in a graph, 5912
mean
  number of factors, 3615
  of the counts of blocks, 5462
  squared error, 3724
measurable chromatic number, 2532
measure, 446, 1787, 3112, 3732, 5306, 5607, 5795, 5883
  morphism, 2287
measure of
  agreement, 3029
  complexity, 2135
  connectivity, 5384
  disconnectedness, 2
measure of effectiveness, 5827
  of a vertex bipartition, 5827
measure of
  sensitivity, 3723
  thickness for family of sets, 1946
measure on
  a hypergraph, 2288
  hypergraph, 2287
  $P(\Omega)$, 1403
measure
  over a finitely generated Boolean algebra, 4140
  theoretic discrepancy, 2439
measuring a convex set, 4465
mechanism, 3034, 5425
medial graph, 2955, 3356
median, 3470, 3594, 4355, 4797, 5201
  algebra, 1486
median graph, 799, 818, 2093, 2248, 2537, 3102, 3506, 3565, 4355, 5738
  with latent vertices, 2537
median
  in a finite semilattice, 3594
  interval structure, 818
  join space model, 3506
  operation, 1486, 2537
  operator, 5441
  order, 5236
  segment, 818
  semilattice, 2903
  triangle, 2093
  vertex, 2093, 3506
mediate graph, 1476
meet core, 2917
meet irreducible, 5647
  element, 5502
meet semilattice, 2869, 4101
MEFH, 5646
Mehler, 1152
Mehlhorn, 3589
Meixner, 2633, 5405
  polynomial, 1073, 2633
Meixner-Pollaczek polynomial, 2633
Melas
  code, 2500, 2635
  cyclic code, 2500
Mellendorf, 5685
Mellin
  expansion of an algebraic function, 3233
  integral transform, 4881
Melnikov, 5669, 5767
Melnikov-Vizing conjecture, 5669
Melter, 4243, 4594
Melter-Tomescu path generated metric, 4594
memory with defects, 2775
Mena, 5798
ménage number, 2117
Mendelsohn, 108, 2087, 2150, 2588, 3028, 4552, 4561, 4779, 5442, 5515
  design, 2570, 3329, 3330, 3635, 4552, 5748
  quadruple system, 5515
  triple system, 2187, 2918, 2979, 3155, 3778, 3970, 4561, 4728, 5539, *see also* MTS
Mendelsohn, N S, 177
Mendelsohn-Dulmage theorem, 108
Menger theorem, 610, 982, 1481, 5200
  for infinite graphs, 3110
Menger type theorem, 1468, 3809
Mengerian theorem, 1481
Menger-Whitney type theorem, 5751
Menon, 3935
  difference set, 3154, 3821, 3935, 3950
Menon-Hadamard difference set, 4537, 4582
merging
  network, 2685
  vertices, 2044
mesh, 25, 2963
Meshalkin, 89
meshed juxtaposition, 1200
Meshulam, 2380

Mesner, 1691, 3570, 5926, 5927, 6029
Mesner, D, 310
message originator, 837
metabelian, *see also* meta-Abelian
  subgroup, 2956
metacirculant, 2609, 5622
  graph, 4454
metacyclic group, 284, 3700
meta-Abelian, *see also* metabelian
  subgroup, 2956
method of
  identification, 5501
  Löwenheim, 562
method of successive
  elimination, 562
  eliminations, 2648
metric, 406, 2020, 2272, 2601, 3529, 3594, 4129, 4203, 4243, 4594, 4790, 5023, 5075, 5542, 5649, 5786, 5787, 5791, *see also* metrical
  ball, 5789
metric characterization of
  a poset, 1175
  parity graphs, 3015
metric
  extension, 4129
  geometric problem, 2020
  hierarchy, 4129
  interval, 4936
  on a partially ordered set, 1175
  polytope, 4445
  scheme, 2946
  space, 52, 1161, 3198, 3474, 3529, 4101, 4138, 4359, 4726, 4936, 5023, 5082, 5152, 5649, 5785, 5789, 5975
  subgraph, 4594
  topology, 5783
metric transform, 2052
  of a finite space, 2052
metrical, *see also* metric
  hemisphere complex, 3644
  property of a network, 2272
  regularity, 1757
metrizability of a free monoid, 495
Metropolis algorithm, 3224
Meyniel, 769, 1604, 2201, 3384, 4095, 4375, 4873, 5244
  condition, 1957
  graph, 3384, 3940, 4094
  theorem, 628
Meyniel, H, 1350, 1985, 2144, 2176, 2280
Mezei, 306
MFMC property, 3701
MGD(4, 1, m, mn), 5869
MH-colouring, 5396
MH-complex, 3644
Michigan graph, 107
middle graph, 447, 750, 1610
  of a graph, 447
middle nucleus, 4734
Mignosi formula, 4841
Miley, 2981
Milgram, 594, 733, 769, 2375, 4529, 5915
Milici, 3368
Miller, 236, 503, 552, 4125, 5672
Milliken, 5945
Mills, 2042, 2845, 3177, 4480, 5590
  design, 3177
Mills-Robbins-Rumsey determinant, 5842
Milman, 1544
Milne, 1271, 1719, 3229
  polynomial, 3229
Milner, 1793, 4639, 5304, 5528
Milner, E, 1988
Milnor, 485
MIMM, 520
  representability, 520
min
  cut, 4589
  hyper, 2575
  mean cost residual cut problem, 5255
Minc, 3093
minihyper, 2575, 3065, 3352, 3703, 3725, 3726, 4513
minimal
  (n, k)-chromatic graph, 3979
  2-connected non-Hamiltonian claw free graph, 5806
  2-edge connected graph, 2270
  3-connectedness, 3338
  acyclic forbidden minor, 4061
  addition chain, 3875
  arc colouring, 1866
  area of a nondegenerate triangle, 1312
  asymptotic basis, 2644
  balanced set, 1214
minimal basis, 3881
  of the integers, 3881
minimal
  blocking set, 1745
  Boolean transformation, 3397
  broadcast graph, 837
  canonical decomposition, 4409
minimal cardinality, 1565, 1912, 5360
  of a completely separating system, 1634
minimal
  chain, 183
  change generation algorithm, 5058
minimal clique
  cover, 2758
  partition, 2056, 2758

minimal
cocycle, 234
cofinal subset, 1626
completely separating system, 1611
configuration, 5491
connected graph, 1010, 5352
counter example, 1269
minimal cover, 149
of a graph, 152
minimal covering, 5021
of uniform hypergraph, 4801
minimal cut, 3895
set, 2806
minimal
cycle basis, 4377
defining set, 5993
minimal degree, 650, 1346, 2402, 2821, 2995
of a graph, 246
sum, 5690
minimal determining
segment, 966
set, 966
minimal diameter, 4913
2 graph, 4545
two, 4545
minimal distance, 2710, 4677, 4831
sixteen, 2773
minimal dominating, 3939
minimal dominating function, 3939, *see also* MDF
of a tree, 3939
minimal
dominating set, 957, 1118, 2852, 2855, 5046, 5995
domination parameter, 2855
elementary bipartite graph, 5361
end separator, 2825
equivalent digraph, 5352
even pair free, 4687
expected cost, 96
flat, 723
minimal forbidden
minor, 4061, 4316
poset, 5878
subgraph, 4519
suborder, 5759
minimal
forced win, 2810
free resolution of the Stanley-Reisner ring, 4988
F-forbidden graph, 4864
minimal generating
set, 2395, 2606, 4109, 4822
subset, 5682
minimal generator, 1900
minimal graph, 586, 629, 1240, 2159, 3259, 3981, 4348, 5540, 5806
of diameter two, 4545
of homotopy classes, 3981
of valency 3 and odd girth, 1834
minimal
ideal, 75
idempotent, 3214
imperfect graph, 855, 881, 2201, 4873, 5244, 5248
minimal imperfection, 881
property, 1269
minimal indecomposable
graph, 5532
poset, 5532
symmetric graph, 5532
tournament, 5532
minimal
inequality, 793
lattice path, 1439, 1458
minimal length
T_1 network, 4788
vector, 4959
minimal
L_∞-diameter, 5688
matrix representation, 5571
member, 2224
multiplicative cover of an integer, 784
neighbourhood connected graph, 3035
nonperfectly orderable graph, 3206
minimal nontransitive
equivariant tiling, 2018
tiling, 2018
minimal non-R-digraph, 1604
minimal number of
arc orbits, 3296
comparisons, 1390
disjoint cycles, 1244
edges, 4048
offending edges, 1134
minimal n-covering, 5741
minimal order, 4387
of a bipartite graph, 3853
minimal
ordinal number, 1626
outdegree, 2212
pairwise balanced design, 2592
path condition, 62
π-character, 3466
π-sequence, 353
point disconnecting set, 3988, 4948
polynomial, 2262, 3889
positive set, 2288
realiser of a partial order, 1050
reducible bound, 4929
minimal reduction
index, 316
of a graph, 316

minimal
representation, 3781
representative, 3981
minimal separating
set, 1052
system, 484, 936
minimal sequence in a semigroup, 353
minimal set, 4885, 5115, 5171
of braces, 2458
minimal
singular, 5491
spanning tree, 1540, 1954, 4788
strong digraph, 2270
strongly connected digraph, 534
subset, 392, 5788
superior ultrametric, 2802
system of derived subgraphs, 3640
T_1 network, 4788
total dominating function, *see also* MTDF
transversal, 252, 3009
minimal tree, 2221
of given search number, 2221
minimal triangulation, 1310
minimal trivalent
cycle permutation graph, 1190
graph, 1834
minimal
upper bound, 1403
valency, 1010
valid inequality, 793
minimal vertex cover, 5961
set, 5961
minimal vertex separator, 5104
minimal weight, 5729
codeword, 2772
minimality condition, 5425
minimally
2-connected graph, 3401
2-edge connected graph, 3603
3-connected matroid, 5454
4-edge #-connected graph, 3955
connected matroid, 1361, 1715, 5772
critical, 2328
n-connected graph, 1025, 1361, 1366
minimally n-edge connected
graph, 3366
simple graph, 3366
minimally
projectively embeddable Steiner system, 2569
strong subdigraph, 2366
strongly n-connected digraph, 1025
minimax
arc, 3063
dichotomous direct search procedure, 26
equality, 2474
lemma, 3484
number of questions, 561
problem for graphs, 3835
relation, 2474, 5500
theorem, 642, 3320, 4099
minimisation, *see* minimization
minimise, *see* minimize
minimising, *see* minimizing
minimization, 104, *see also* minimizing
minimization of
a pseudoBoolean function, 212
Schur convex functions, 1501
total cost, 756
minimization problem, 1330, 1569
over a general independence system, 806
minimization process, 1109
minimizing, *see also* minimization
bumps in an ordered set, 2566
minimizing the
jump number, 2132
number of tardy jobs, 3746
minimum
(n, 1, k)-graph, 1123
arc disconnecting set, 3908, 5924
block cardinality, 4275
boundary, 1724, 2078
broadcast graph, 837, 4918
capacity cut, 1775
minimum cardinality, 1118, 1659, 2111, 2333, 2851, 2859, 2862, 2907, 3096, 3240, 3667, 3942, 4019, 4050, 4353, 4376, 4560, 4607, 4632, 4727, 4791, 4792, 4898, 4950, 5066, 5092, 5144, 5288, 5301, 5302, 5399, 5410, 5449, 5678, 5683, 5750, 5800, 5871, 5874, 5933, 5940, 5951, 5955, 5960, 5970
clique cover, 1226
decomposition of the cube, 4792
dominating set problem, 2860
minimum cardinality of
a cover, 4871
a n-join, 2146
a partition, 1464
a path partition, 5750
a set of verticles meeting every edge, 812
minimum cardinality
Steiner tree, 2862
triangulation, 3764, 4792
minimum
chromatic number, 1769
clique number, 1860
colouring, 624, 2914
component, 1 5305
minimum cost
circulation problem, 5255
colouring, 5081

minimum cost (*cont.*)
partition of a rectangle, 1205
tension problem, 5255
minimum cover, 152, 3047
minimum covering, 1744
by cliques, 1226
problem, 1675
minimum cut, 4234
set of edges, 260
minimum
cycle mean, 773
cyclomatic number, 3400, 5458
defining set, 5960
minimum degree, 260, 323, 567, 745, 839, 871, 895, 941, 947, 1014, 1289, 1700, 1872, 2109, 2145, 2204, 2215, 2289, 2294, 2320, 2333, 2338, 2535, 2700, 2821, 2935, 2938, 2941, 2994, 3096, 3158, 3272, 3297, 3316, 3359, 3582, 3755, 3758, 3832, 3834, 3903, 3908, 3929, 4018, 4161, 4176, 4225, 4300, 4325, 4419, 4575, 4768, 4925, 4947, 5047, 5070, 5093, 5144, 5275, 5288, 5299, 5301, 5383, 5497, 5511, 5512, 5652, 5684, 5686, 5712, 5826, 5871, 5934, 5938, 5943, 5951, 5977, 6001
at least three, 5702, 5861
condition, 4318, 5294
constraint, 3312, 5826
five, 4636, 5953
four or five, 3359
minimum degree game, 4018
for graphs, 4018
minimum degree
of a graph, 2333, 4884, 5938
of an n-extendable graph, 5070
one, 4636
two, 3955, 5026
minimum
diameter, 2295, 3588, 3670, 4539, 4926, 5283
disconnecting set, 3908, 5924
minimum distance, 1016, 1113, 1657, 2013, 2170, 2193, 2964, 3092, 3149, 3410, 3580, 3726, 3945, 3975, 4584, 4797, 5222, 5311
four, 3369
lexicographic code, 2774
n, 5650
of the code, 1898
six, 3369
minimum dominating
clique problem, 2866
set, 1581, 2867
minimum eccentricity, 4797
minimum edge
cover by paths, 769
dominating set, 3850
minimum
element, 4766
feedback set problem, 5711
minimum fill-in, 4607
problem, 4607
minimum genus
embedding, 4682
surface, 4682
minimum
graph, 989, 2622
half degree, 1762
hooked Skolem, 3181
indegree, 1456
independent generalized t-degree, 5245
intersection, 2867
Lee weight codeword, 5834
length of a quaternary linear code of dimension five, 5176
makespan, 5117
minimum maximal independent set, 2338
of a graph, 3096
minimum
mean cost residual cut, 5255
norm bounded truth table reduction, 677
minimum number of
blocks in a DC(n, k, λ), 5717
cliques, 1384, 1747, 2000, 2007, 2827
directions determined by n points, 1428
edge jumps, 5075
minimum number of edges, 1929, 2426, 2872, 2902, 3158, 3200, 3583, 4802, 4891, 5114, 5285
in graph, 1466
minimum number of
forests, 3210, 5644
independent sets, 1248, 1384
nodes, 2622
n-simplices, 1315
open chains of length three, 944
pages, 5585
points that block a design, 5386
slopes, 2023
spanning trees, 3922
vertices, 1370, 1554, 2038, 2080, 4045, 4048, 4713, 5797, 5937, 5950
weighings, 4195
minimum order, 1123, 2492, 3406, 3709, 3917, 4252, 4897, 5197, 5721, 5816
of a (n, 1, k)-graph, 1123
minimum
outdegree, 1051, 2423
partial meet subsemilattice, 2917
permanent, 3093
point degree, 3074
minimum polynomial, 2500
of compound matrix, 1900

minimum
possible tree number, 5263, 5274
proper interval graph, 4361
range sequence, 634
rank, 4720
ratio, 5229
recognizing finite automaton, 5916
resolvable covering, 5948
minimum set of
lines, 1581
representatives, 882
minimum size
gossip scheme, 4387
of a graph, 2563
of a separating set, 1640
of a vertex pancyclic graph, 5114
minimum
Skolem labeled graph, 3181
span, 4701, 4944
minimum spanning tree, 4359, 5152
algorithm, 3438
minimum
Steiner tree, 4359, 5152
strong l-arc connectivity, 4045
sum, 3902
threshold spanning subgraph, 3588
toughness of a graph of small genus, 5308
unichain covering problem, 2133
valence, 157, 4385, 4787
valency, 4 4268, 1061, 2159, 4268, 5105
valued cover, 4524
vertex cover by paths, 769
weakness, 661
minimum weight, 68, 76, 1841, 4360, 4549, 4595, 4686, 5079, 5487, 5703, 5895, 5904
(T, d)-join, 5500
basis, 2459
circuit, 2224
cocircuit, 2224
codeword, 3731
dominating set, 1431
Hamiltonian cycle, 5368
independent dominating set, 1431
of a minus dominating function, 5982
vector, 3409
word, 1941
minimum weighted
(n, k)-cut problem, 5269
clique cover problem, 1245
path, 1175
set of arcs, 5236
value of a cover of nodes, 4524
minimum
width, 5585
word distance, 1903
Minkowski
2^n theorem, 5189
plane, 4359
space, 5975
minor, 823, 1030, 1715, 1749, 1968, 2312, 2657, 2723, 2973, 2986, 3013, 3064, 3126, 3132, 3144, 3801, 3847, 3876, 3988, 4095, 4316, 4626, 4702, 4910, 4946, 5057, 5091, 5220, 5242, 5772, 5836, 5964
minor characterization, 1924, 2728, 2944, 3600
of graphic matroids, 2728
of undirected branching greedoids, 2728
minor closed, 4061, 4883
class, 4883
set of graphs, 5586
minor equivalence, 5836
class, 5836
minor
equivalent, 5836
excluded class of graphs, 5600
maximal, 2997
method, 3876
minor minimal, 5220
clutter, 3701
connected matroid, 5772
minor minimally connected, 1715
matroid, 1715
minor
monotone graph parameter, 5242
of a quasi 4-connected graph, 3988
minors matrix tree theorem, 5910
minor-minimal, *see* minor minimal
minor-minimally-connected, *see* minor minimally connected
Minoux, 3197, 5910
minterm, 1438
Minty, 124, 958
characterization, 4221
lemma, 694, 2363
selfdual axiomatization of matroids, 1162
theorem, 8
minus dominating function, 4686, 5982
minus domination, 4686, 5102
in a graph, 5982
minus domination number, 4681, 4686, 5102, 5982
of a graph, 5982
minus G
k-colourable graph, 5477
k-colouring, 5477
minus n-subdomination, 5079, 5506
number, 5506
min-cost residual cut problem, 5255
min-max
equality, 2475
formula, 5499
relation, 2475, 3248

min-max theorem, 3248
Miquelian inversive plane, 4118
Mirsky, 297, 1873, 2086
Mirsky, L, 1873
misère
  Shannon switching game, 2409
  version, 2409
Misfeld, J, 5408
missing
  subquasigroup, 5071
  subsquare, 1588, 4617
  sub-MOLS, 1461
mistiling ratio, 4284
mistilings with dominoes, 4284
Mitchell, 750
Mitchem, 3561, 3768, 4326
Mitchem, J, 1563
Mitchen, 4350
mixed
  Diophantine solution, 357
  graph, 1416, 1434
  Hodge structure, 4860
  hypergraph, 5265
mixed integer
  minimization model, 520
  program, 622, 793, 814
  system, 357
mixed
  multigraph, 5669
  Ramsey number, 2523, 4429, 4935, 5992
  selfcomplementary digraph, 462
  selfconverse digraph, 462
  tree, 4761
  volume, 1699
mixing
  algebra of formal power series in noncommuting indeterminates, 5571
  paths, 3611
mixture of order matrices, 626
MLD-colourable, 4723, 5396
  graph, 4723
MLD-colouring, 5396
Mnukhin, 5412
Möbius, 31, 594, 1210, 1811
  band, 4739
  category, 2638
  extension, 1811
Mobius function, 2472
Möbius function, 8, 31, 183, 1028, 1035, 2075, 3799, 3992, 4496, 5916
  of a subposet, 2472
  of a subset, 2472
Möbius inversion, 8, 1999, 3225, 3976, 4241, 4500, 5157
  formula, 4333, 5157
Möbius
  ladder, 1834, 4948, 5541
  number, 3799
  plane, 1210, 5974
  polynomial species, 5204
  transforms, 4241
mod 2 sum of 2-factors, 19
mod sum
  graph, 5890
  labeling, 5890
modal algebra, 1523
model, 1833, 2414, 2747, 2766, 3034, 3119, 3311, 3659, 3684, 3723, 4101, 4168, 4175, 4177, 4357, 4460, 4474, 4635, 4691, 5357, 5380, 5565
  completeness, 2210
  completion, 3311
model of
  a random order, 3932
  an overlap representation, 4523
  Erdös and Rényi, 2747
  geometry, 5988
  repulsion, 2495
  set theory, 427
model theoretic
  condition, 3311
  consequence, 337
model
  theory, 6024
  vulnerability of a graph, 3989
modified
  claw, 5818
  consecutive-d digraph, 5534
  GDD, 5869
  Ghandi polynomial, 920
  group divisible design, 5869
  Kautz graph, 3662
  n-deck of a graph, 5382, 5771
modular, 1886, 1906, 2110, 2299, 2917, 2946, 3300, 3783, 3802, 5843, 6024
  algebra, 336, 1892
  binomial lattice, 4027, 4829
  chessboard, 4517
  complement, 1067, 3783
  cut, 388
  decomposition, 5247, 5250
  distance, 2946, 3445
  element, 3783, 5843
  filter, 723
  form of half integer weight, 5986
  group, 5448, 5488
  inclusion map, 5412
modular lattice, 570, 623, 981, 1794, 1878, 2128, 2726, 3623, 3629
  of finite length, 3071, 3629

modular lattice (*cont.*)
of length two, 1479
reduct, 336
modular
law, 5516
line, 1428
matroid, 1391
net, 727
n-queen problem, 639, 1182, 3300, 4362, 4517
operation, 2110
quotient group, 5672
reduction from a graph, 5588
modularity, 1035
condition, 1602
modularly complemented geometric lattice, 1067
module, 860, 1890, 5427, 5630, 5902
polynomial over finite field, 3733
theoretic approach, 2766
moduli space, 4961
of algebraic curves, 4961
modulo 2 linear program, 79
moduloid, 3197
modulus of an arithmetic progression, 1998
Mohanty, 3233, 4877
Mohar, 4026
Mohar, B, 5583
Moise, 1937
Moisil, 827, 1110, 1621, 1650
algebra, 2385
resemblance relation, 827
Moisil, G C, 891, 1094, 2385
molecular
genetics, 118
graph, 5276
orbital model, 5276
space, 3869, 4123, 4189, 4586
molecule, 248, 5276
Molien series, 3386
Mollard, 5261
Molnár, 1515, 5589
MOLS, 1298, 1461, 2567, 2794, 3692, *see also* mutually orthoganal Latin squares
MOLS of order
fourteen, 3692
twenty, 3692
MOLS with holes, 1461, 1837
moment, 5076
sequence, 2793
monadic
Boolean algebra, 1621
logic, 1833
quantification, 1833
second order sentence, 1671
sentence, 1833
structure, 3686
three-valued Lukasiewicz-Moisil algebra, 1621, 1650
Monge array, 5727
Monge property, 2698, 5727
of matrices, 2698
Monge sequence, 3689, 5727
monic
antibody, 877
antigen, 877
monic irreducible
factor, 4001
polynomial, 710
monic polynomial, 4447, 5882
Monk, 1804
monochromatic, 1385, 2119, 2521, 2522, 2660, 2675, 2958, 3295, 3309, 3638, 3673, 3964, 4283, 4892, 5319, 5407, 5477, 5616, 5765, 6000
beads, 2660
monochromatic block, 5265, 5597
number, 5265
monochromatic
connected subgraph, 3964
copy, 2124, 3472, 5132
covering, 3964
cycle, 4756
monochromatic directed
cycle, 1642, 2073
path, 2002, 4756, 5616
monochromatic
entry, 2062
flat, 2675
graph, 2214
indegree, 5810
infinite path, 3638
maximal clique, 2907
maximum independent set, 695
path, 4756, 5616, 5954
rectangle, 5715
sequence of length n, 2276
set of vertices, 1669
solution, 4892, 5949
subgraph, 2214, 5901
submatrix, 3295
triangle, 9, 1933, 2907, 4312, 4838, 5131
vertex, 3880
monocoloured, 2741
monogenic e-closed language, 3995
monohedral, 3072
periodic tiling, 3072
tiling, 2343, 3072
monohedrally knotted tiling, 5420
monoid, 306, 340, 573, 700, 779, 1695, 2203, 3205, 4887, 4942, 5916

monoid of
endomorphisms, 340
languages, 5492
monoid
presentation, 2309
system, 268
monoidal
cap, 1140
category, 2984, 3971
monomial, 576, 2549, 2629, 2973, 4677, 4702, 5513, 5722
group, 3731
linear basis, 4481
matrix, 3731
monomorphism, 3487
monomorphism threshold, 2081
for tournaments, 2081
monophonic convexity, 2226
monophonically convex, 2226
monotone, *see also* monotonic
asymmetric travelling salesman polytope, 1132
Boolean function, 4409, 5162
clutter, 3787
decreasing function, 3297
function, 677, 1953
increasing, 3001
operator, 2345
projective on a lattice, 1597
set function, 4180
monotonic, 2877, 3395, 5081, 5437, *see also* monotone
monotonic function, 751
of partial orders, 2033
monotonic
optimization, 26
subsequence, 297, 373, 1112
triad, 297
triangle, 4480
monotonicity, 26, 3001, 5625
monovalency vertex, 2437
Monteiro, A, 1621
Montenegro, 5434
Mönting, 1787
Montpetit, 5886
Moon, 2321, 3561, 5932, 5934, 5976
tournament, 4657
Moore, 262, 724, 1180, 1506, 2262, 3924, 4175
(n, k)-graph, 262
bipartite graph, 3675
bound, 3678, 3908, 5947
Moore family, 4664
of subsets, 5553
Moore geometry, 1726, 1737, 1975, 2084, 2243, 2263, 2556
of diameter 4, 1506
Moore geometry of type
GM_6 (n, k, k + 1), 1975
GM_7 (n, k, k + 1), 1975
Moore
graph, 262, 512, 4260
hypergraph, 6025
more than one counterfeit coin, 4588
Morgan number, 4958
of a fractional order, 4958
Morgana, 4419
Morgenstern, 3776
morphism, 975, 1429, 1785, 1794, 2287, 2288, 2546, 5777
between QO systems, 1785
morphism of
linear spaces, 4076
ordered sets, 40
partial n-trees, 3499
Morris, 2655
Morse code, 6016
Morton, 3137
mosaic, 5983
Moser, 782, 2321, 3561, 4961, 5932, 5934
most
efficient packing, 1393
frequently occurring variable, 5162
most reliable route, 181
problem, 181
Moszkowski, 3652
motif, 3874
motion planning, 3281
Motzkin, 885, 4384
number, 874, 5720
path, 4282, 4861
word, 4845
Moufang loop, 1487
Mouyart conjecture, 3203
mp graph, 5734
mpb graph, 5734
MPF, 4815
MPQ-tree, 3660
MPT, 2087, 3715, 4390, 5442
MPT(n, 2), 3715
MPT(n, λ), 4390
MTDF, 4317, *see also* minimal total dominating function
MTP, 5402
MTS, 3155, *see also* Mendelsohn triple system
μ-fold covering, 3949
μ-graph, 3906
μ-ordered
cycle, 3396
n-hypertree, 3396
path, 3396
Muir identity, 4417
Muirhead theorem, 3

Mulder, 2537, 3238, 4303, 4534, 4912, 5261
Mulder, H M, 2933, 3773
Mull, 4219, 4623
Mullen, 3872
Muller, 3409
Müller result on the edge reconstructability of graphs, 5382
Mullin, 193, 383, 1101, 2588, 2831, 5315
Mullin-Nemeth strong starter, 383
multibasic hypergeometric extensions, 4487
multichain, 1324, 3799
  generating series, 3799
multichromatic number, 5662
  of a graph, 446
multicolour Ramsey number, 1308, 2377
multicoloured
  edge, 2214
  line, 2380
  permutation, 2759
  sequence, 2759
  tableau, 2759
multicolouring, 446
  of a graph, 712
multicommodity flow, 2447, 5786
  problem, 2447, 5264, 5786
multicommodity network flow, 5264
multicomplete graph, 53
multiconnected loop network, 4595
multicover ucycle, 4293
multidesign, 3566
multidigraph, 1842, 1849, 3497
multidimensional
  (0, 1)-matrix, 760
  circulant, 4720
  cube, 3688
  lattice path, 2370
  stochastic matrix, 760
  tree, 394
  vector quantization, 4497
multifamily, 4062
multiflow in matroid, 3647
multigraph, 558, 597, 650, 752, 1216, 1510, 1615, 1753, 1759, 2334, 2406, 2484, 2599, 2737, 2977, 3210, 3253, 3560, 4028, 4398, 4862, 4964, 5005, 5036, 5158, 5168, 5433, 5669, 5719, 5804, 5896
  of strength n, 1389
  on two vertices, 2539
  version of the Vizing theorem, 5158
multihypergraph, 5378
multijoin, 5500
multilattice, 1103, 2756
  group, 2756
  ideal, 2756
multilevel error correcting, 2780
  capabilities, 2780
multilinear
  algebra, 33
  structure, 475
  trace identity, 4605
multiloop
  digraph, 5920
  network, 3585, 5283
multimap, 5823
multimatrix, 3064, 3132
multiminor, 3064, 3132
multimonomial, 2973, 3064
multinomial
  convolution polynomial, 4877
  identity, 4927
  matrix, 2040
  type, 4112
multipartite
  digraph, 5991
  graph, 2697, 3107, 4328, 4672
  G-design, 3728
  hypergraph, 4801
  n-uniform hypergraph, 3622
  tournament, 4525, 4543, 4888, 4992, 5122, 5735, 5976, 5990
  Turán problem, 3622
multipath algorithm, 3264
multipattern, 3874
  in the plane, 3874
multipermutation, 4160
  graph, 3169
multiphase queue, 4958
multiple access
  channel, 2775
  fiber optical channel, 5626
multiple
  arc, 500
  basic hypergeometric series, 4494
  box graph, 1859
  boxes, 1859
  choice problem, 184
  covering property, 3419
  difference set, 3193, 4616
  distinct sums set, 4616
  edge, 170, 202, 277, 309, 364, 470, 501, 524, 680, 839, 882, 1309, 1747, 2185, 2486, 2604, 2991, 3130, 3560, 3599, 4452, 4514, 5798, 5964
  eigenvalue, 1184
  graph, 2991
  integral, 4492
multiple interval
  graph, 1858, 1859
  intersection representation of a graph, 2115
  representation, 2115, 3766

multiple
intervals, 1859
lines, 3238
minimality, 798
oriented edge, 1615
permanental root, 1184
valued logic, 4773
vertex labels, 2405
multiple-access, *see* multiple access
multiple-valued, *see* multiple valued
multiplication
algorithm, 3214
formula, 746
group, 3420
of graphs, 1501
table, 2570
theorem, 2652, 3282
multiplicative, 2171, 2785, 2908, 3365, 4333, 4606, 4653, 4656, 5371
arithmetic property, 4653
character, 1938, 4937
cost, 756
design, 182
factor, 4488
graph function conjecture, 1508
multiplicative group, 3731
of units modulo n, 4653
multiplicative hyperring, 4743
multiplicative increasing
function, 1508
graph function, 2171, 2785
multiplicative
lexicode theorem, 2774
magic square, 1564
property of polynomial values, 6004
semigroup, 5882
structure in a category, 4656
subgroup, 3036
submodularity, 1457
symmetry, 4518
multiplicativity of an acyclic digraph, 5371
multiplicity, 1615, 2060, 2169, 2766, 3173, 3176, 3615, 3877, 4001, 4370, 5333, 5828
multiplicity free, 4434
permutation character, 4434
multiplicity of
a 1-factor, 2339
a disjoint covering system, 2169
a factor, 4911
a representation, 3230
an edge, 5378
the maximal moduli in a system of residue sets, 2169
the two smallest distances, 5828
multiplicity one, 4434
multiplier, 1251, 2246, 2619, 3154, 3614, 4343, 4700
automorphism, 2246, 3177
equivalent, 1925, 4700
map, 2619
multiply
Golay sequence, 5752
transitive subgroup, 707
multiplying in GF(2^n), 3465
multirelation, 3070, 3971
multisection of a series, 398
multiset, 291, 1117, 1194, 1285, 1601, 1680, 2104, 2298, 2313, 2640, 3767, 5048, 5946, 5985
action, 5985
design, 3028
enumeration, 291
n-family, 2313
multiset of
all subsequences, 5223
colours, 4346
hook numbers, 2640
hyperplanes, 4946
nonnegative integers, 1664
primes, 780
multiset permutation, 2271, 2370
multislit spectrometry, 3043
multistage switching network, 634
multitableau, 2973, 3064
multiterminal channel, 1724
multithreshold function, 2345
multivalued
logic, 26
system, 4744
multivariable
monotonic optimization, 26
polynomial, 1135
multivariate
generating function, 2520, 4485
Lagrange inversion, 4984
polynomial sequence of binomial type, 861
multiway cut problem, 5689
multiweak order, 1783
multi-indexed partitional, 861
multi-partite, *see* multipartite
Murnaghan-Nakayama
formula, 2673
rule, 5849
Murphy, 3879
Murty, 3882, 4246, 5772
Murty, U S R, 1808, 2846
music
theoretical investigation, 5983
theory, 5325, 5983
mutual
exclusion, 4409

mutual placement of bipartite graphs, 3837
mutually adjacent vertices, 2435
mutually balanced nested
  designs, 3167
  subdesigns, 3721
mutually blocking block designs, 2578
mutually complementary
  equivalence relations, 4816
  partial orders, 3636
mutually disjoint
  families of 0-1 sequences, 381
  three sets, 2881
  triple systems, 396
mutually
  divisible semigroup, 294
  edge disjoint, 449
  equi-orthogonal frequency hypercubes, 5646
  orthoganal Latin squares, *see also* MOLS
mutually orthogonal
  1-factorizations, 5286
  frequency squares, 2305
  Latin squares, 278, 662, 1076, 1101, 1298, 1461, 1965, 2106, 2567, 2831, 3676, 3692, 4299, 5476, 5830
  quasifrequency squares, 3676
  selforthogonal Latin squares, 1449
  sets of Latin squares, 2150
  tables, 2794
mutually
  resonant, 4227
  skew n-dimensional subspaces, 1830
  uncomparable vertices, 1815
  visible points, 5004
MV_4 algebra, 5507
MV_n algebra, 5507
Mycielski, 2130
  graph, 2130, 3517, 4576
  inequality, 2137
Mynhardt, 4376
M-alternating cycle, 4227
m-ary, *see* n-ary
m-ASP, *see* n-ASP
m-centre, *see* n-centre
m-chain, *see* n-chain
m-chromatic graph, *see* n-chromatic graph
m-clique, *see* n-clique
m-coloured, *see* m-coloured, *see* n-coloured
m-complex, *see* n-complex
m-composed, *see* n-composed
m-connected, *see* n-connected
m-convex, *see* n-convex
M-cover, 4630
m-cube, *see* n-cube
m-cycle, *see* n-cycle
  system, *see* n-cycle system
m-degenerated, *see* n-degenerated
m-dichromatic, *see* n-dichromatic
m-dominating, *see* n-dominating
M-dual graph, 870
m-eccentric, *see* n-eccentric
m-element, *see* n-element
m-equidissection, *see* n-equidissection
m-factor, *see* n-factor
m-flat, *see* n-flat
M-free graph, 2898
m-harmonic, *see* n-harmonic
M-logic, 2230
m-near Skolem sequence, *see* n-near Skolem sequence
m-near-Skolem, *see* n-near Skolem
m-out, *see* n-out
m-partite, *see* n-partite
  graph, *see* n-partite graph
M-partition, 4630
m-pire, 1520, *see also* empire
m-placed, *see* n-placed
m-polygon, *see* n-polygon
m-selfpacking, *see* n-selfpacking
m-separator, *see* n-separator
M-sequence, 2230
m-sequence, *see* n-sequence
m-space, *see* n-space
m-star, *see* n-star
m-system, *see* n-system
m-transversal, *see* n-transversal

N

n disjoint connecting paths problem, 3499
n selfpacking, *see* n-selfpacking
n stage, *see* n-stage
n to 1 mapping between graphs, 4698
N(3, 3, 3, 3; 2), 4312
$(n+1)K_2$-free graph, 5196
(n, 1)-design, 615, 4081, 4205
(n, 1)-transitive, 4415
  tournament, 2301
(n, 2)-rounded matroid, 3013
(n, 3)-colourable graph, 5807
(n, 4)-colourable graph, 5807
(n, 4, 1)-DF, 4553
(n, 5, 1)-DF, 4553
(n, 5, 1)-PMD, 3330
(n, α)-jumbled, 2526
(n, δ)-partition, 3312
$(n, k)^r$-colouring of a graph, 5020
(n, k)-alternating subset of integers, 664
(n, k)-arrangeable graph, 5636
(n, k)-cage, 5232, 6017
(n, k)-choosable, 5229
(n, k)-colourable, 2325, 3979, 5807

(n, k)-colouring, 2521, 2741, 4512
(n, k)-critical
  graph, 1219, 5554
  graphs, 1346
(n, k)-cut, 2397, 3257
(n, k)-digraph, 5947
(n, k)-extendible, 5017
(n, k)-factor, 1574, 2283, 2842, 3609, 4133, 4439, 5612
  of a graph, 1574
  problem for trees, 4133
(n, k)-graph, 289, 1013, 1574, 3141
  with respect to edges, 2962
(n, k)-kernel, 2826, 5138
(n, k)-linear arborific, 5644
(n, k)-multigraph, 1389
(n, k)-parity factor, 3609
(n, k)-path, 2397
  connected, 1987
(n, k)-separator, 5514
(n, k)-split colouring, 6000
(n, k)-transitive, 2301
  digraph, 2301
(n, k)-transitivity, 4415
(n, k)-unique graph, 1346
(n, k)-universal, 2443
(n, k, 1)-Mendelsohn design, 3330
(n, k, 1)-PMD, 3330
(n, k, d; 3)-code, *see* (n, k, m; 3)-code
(n, k, d; q)-code, *see* (n, k, m; q)-code
(n, k, m) covering system, 3031
(n, k, m)-covering set, 1912
(n, k, m)-set, 5002
(n, k, m)-system, 5002
(n, k, m; 3)-code, 3352
(n, k, m; q)-code, 1657, 3065, 3725, 3726, 4513
(n, k, s; q)-code, *see* (n, k, m; q)-code
(n, k; m)-cap of type (0, f), 1140
(n, k; m, q)-minihyper, 3703, 3725
(n, k; m, v; c)-system, 3282, 3541
(n, m)-colourable, *see* (n, k)-colourable
(n, m)-graph, *see* (n, k)-graph
(n, n + 1)-factor, 5047
(n, n + 2)-graph, 5334, 5335
(n, n − 2)-tree decomposition, 5734
(n, q) graph, *see* (n, k)-graph
n_2-locally disconnected, 3848
Naddef, 3287
Nagell-Lutz theorem, 583
Nagle, 173
Naik, R N, 1086
Naji, 5523
  orientation, 2222
Namini, 5927
nanotube, 5276
Narayana distribution, 5551, 5580
Narayani, 3453
Nash-Williams, 708, 734, 1442, 1677, 2631, 3210, 3275, 3919, 3921
  formula, 3210
  partition theorem, 3117
  theorem, 108, 1279, 3919
Nash-Williams, C St J A, 264, 3110
Nathanson, 3881
natural
  index, 3910
  labeling, 1225
  partial order on a Boolean lattice, 2457
  spanning tree, 2065
naturally labeled poset, 4143
NBCI, 4319
NBP, 1553, *see also* near bipartite
NC^2, 3686
ND coterie, 4409
near bipartite, *see also* NBP
  graph, 1553
near
  Boolean algebra, 328
  generalized balanced tournament design, 3179, *see also* NGBTD
  homogeneous tournament, 3296
  maximum connectivity, 5534
  minimum diameter, 5534
  one-factor, 1433
  one-factorization, 1433
  pencil, 1568, 2342, 2380, 3757, 6021
  resolution, 2579
near resolvable
  (t, 3, 2)-BIBD, 2757
  Steiner system, 3910
near
  ring, 4736
  sequenceable, 1661
  Skolem sequence, 4015
  subgroup, 3913, 4416
  unanimity function, 5031
near uniform, 1829
  matroid, 1829
near, *see also* nearly
nearest neighbour, 3446
nearly, *see also* near
  bipartite, 5040
  chordal graph, 5104
  complete simple graph, 2737
nearly Kirkman
  system, 587
  triple system, 959, 3058
nearly perfect, 4560
  binary code, 71
  code, 429, 1283

nearly perfect set in a graph, 4560
nearly regular
  cocritical graph, 4838
  graph, 1681, 2559
nearly resolvable Steiner triple system, 4729
nearly selfconjugate, 4421
  partition of a finite set, 4421
nearly
  triply regular, 4451, *see also* NTR
  uniquely colourable graph, 4604
near-triangulation, *see* near triangulation
necklace, 710, 2047
necklace of beads, 764, 2047
  of length n in two colours, 2047
NECS, 444
Negami, 2564, 4682
  polynomial invariant for graphs, 2564
negation of a complete lattice, 5502
negative
  brick, 1393
  edge, 1769, 1866
  eigenvalue, 1942
  natural isomorphism, 3387
  n-chain, 4916
  n-cycle, 4916
  pole, 825
  subgraph, 4916
  type, 4129
neighborhood, *see* neighbourhood
neighbour
  configuration of 6 vertices, 2486
  set, 1147
  subgraph, 3267
neighbourhood, 333, 532, 1111, 1198, 1777, 1984, 2038, 2993, 3762, 4068, 4356, 5818, 5932, 5940
  condition, 2535, 2993, 3762, 4005, 4060, 5119, 5497, 5818, 5874
  connected, 3035
  hypergraph, 1584
  intersection, 2965, 3626, 4351, 4356
  line graph, 3022
neighbourhood of
  a convex set, 2226
  the second type, 3848
neighbourhood ordering of vertices, 3828
neighbourhood perfect, 2038
  graph, 2038
neighbourhood
  regular graph, 2450
  set, 2535, 4351
  subgraph, 356, 2038, 3596
neighbourhood union, 3133, 3316, 3382, 3831, 3857, 3905, 4197, 4306, 4351, 4356, 4943, 4945, 5460, 5497
  condition, 5497
neighbourhood union of pairs of
  nonadjacent vertices, 3316
  vertices, 3382
neighbourhoods of
  a vertex, 3989
  vertex, 1840
neighbourly 3-manifold, 238
neighbours in space, 4895
Nelson, 3686
Nemeth, 383, 2588
Nemhauser, 2465
Nenov, 5797
neofield, 2150, 3692
NEPS
  graph, 3705
  operation, 3705
Nerode characterization theorem of regular subsets of a monoid, 573
nerve of a set from a prespecified family, 1861
nervous cell, 727
Nesetril, 2604, 3507, 3511, 3598, 5293, 5945
nested
  balanced incomplete block designs, 4010
  BIB designs, 3719
  chain decomposition, 1284
  columns, 3002
  designs, 3167, 3168
  iterated substitution, 61
  linear codes, 2776
  rows, 3002
  saturation property, 2133
  sequence of families of bicritical graphs, 4060
  Steiner triple systems, 4603
nestedness, 4808, 4863
nesting
  of cycle systems, 2582
  partial Steiner triple systems, 3619
net, 304, 709, 870, 2150, 3422, 3433, 3676, 4079
  free, 4033
net of dimension
  three, 709
  two, 709
net structure, 899
Netto-MacMahon type generating function, 1200
network, 313, 601, 825, 837, 854, 1448, 1459, 1580, 1866, 2429, 2508, 2559, 2685, 2864, 3245, 3447, 3871, 4102, 4175, 4359, 4595, 4676, 5152, 5246, 5883
network flow, 1459, 2981, 3248
  condition, 1307
  model, 1744
  problem, 2414
  theory, 5231

network
information theory, 3454
problem on graph, 2658
reliability, 2241, 2397, 3621, 4839, 5883
networklike
metric space, 2272
space, 2272
Neufeld, 2414
Neumaier, 2539, 3022, 4368
Neumann, 2322
boundary conditions, 1022
Neumann-Lara, 1481, 5199
neurobiologist, 727
neuron, 727
neutral element, 1878
neutrality in modular lattices, 1878
Neveu, 717
Newcomb
problem, 240, 984, 1022, 2759
solution, 984
Newcomb, S, 371, 984, 3471
Newman, 4660
Newman-Znám type lower bound, 2169
Newton
divided difference, 3226
forward interpolation formula, 3321
identity, 1676
interpolation formula, 1230
NGBTD, 3179, *see also* near generalized balanced tournament design
nice graph, 5436
Nickel, 3708
Nicolai, 5439
Nicolas, J-L, 6007
Niederreiter, 2305, 4584
Niemeier lattice, 4229
Nieminen, 5805
Niessen, 5025
Nijenhuis, 485, 1718
nilpotence class, 5142
nilpotent, 1906, 2956, 5142
by finite, 2956
conjugacy classes of matrices, 5854
group, 1802, 2956
nilpotent sloop, 5142
of class n, 5142
nilpotent
SQS-skein, 5142
squag, 4669
nil-Coxeter algebra, 4848
Nim, game of, 4443
Nishimura, 5017, 5232
Nishizeki, 2986
NISPOC software package, 5610
Nivat, M, 306
Niven, 876, 3992
Niven, I, 3010
NLS, 6021
nntropy, 5640
no hole
2-distant colouring, 3795
colouring, 3795
no
three in line for seventeen and nineteen, 2445
two cycles have the same length, 2371, 3364, 3882, 3994
vertex degree exceeding three, 2430
node
arc formulation of the problem, 5264
clique cover number, 1127, 1460
colouring problem, 5278
condensation, 119
connectivity, 266
covering by edges and odd cycles, 4524
disjoint cycle decomposition, 1257
independence number, 1460
isomorphism, 1709
of minimum degree, 2055
packing, 670
search number, 1860
sequence, 538
voltage, 4344
weighted game, 4486
NOHO-graph, 1302, 1316, 1334
noisy
channel, 1897
communication link, 79
nominal scale agreement, 3029
non
2-extendable planar graph, 3523
5-connected plane triangulation, 5802
finitely completable finite code, 574
interval greedoid, 2010
κ-critical vertex in graph, 1455
n-intersecting family, 2945
prime power unitals, 3194
q-gonal face, 5820
square free number, 5603
star component, 1241
tree realizable distance matrix, 2654
non upperembeddable, 2616
Cayley graph, 2616
non vertex transitive graph, 3772
nonadaptive group testing, 5015, 5163
nonadditivity, 5525
nonadjacent points, 142
nonadjacent vertices, 628, 989, 1442, 1519, 1610, 1669, 1957, 2237, 2421, 2618, 2639, 2891, 3316, 3626, 3809, 3838, 3857, 3905, 4039, 4058, 4258, 4873, 4932, 4941, 5047, 5144, 5244, 5470, 5533, 5687, 6011

nonadjacent vertices of odd degree, 5827
nonalgebraic matroid, 6024
  of rank 3, 6024
nonapproximability of the clique number, 4466
nonassociative, 317
  division algebra, 5029
  quasigroup, 317, 1473
  triple, 1473
nonattacking, 2848
  queens, 2848
nonbasis, 2155
nonbijective transformation, 2110
nonbinary
  block code, 2768
  Hamming space, 1893
  Johnson scheme, 2768
  linear code, 2170
nonbipartite, 4545, 4762, 5293
nonbipartite graph, 1145, 1365, 2941, 4060, 4200, 5293, 5784
  of girth, 4 264
nonbipartite
  minimal diameter 2 graph, 4545
  n-regular graph, 3143
  polyhedron, 4996
  slim graph, 3384
noncentered system of subsets of ω, 3478
noncentral axial automorphism, 1288
noncentral Stirling number, 1387, 2440
  of the first kind, 1387
  of the second kind, 1387
nonchain, 1403
noncircular Ehlich D-optimal design, 5860
nonclassical
  10-arc, 1986
  logic, 336, 4006
noncofinal subset, 1777
noncollinearity graph, 3332
noncommutative, 800, 4760
  entries, 4760
  generating series, 5570
  group, 3998
  indeterminates, 43, 306, 1073
  polynomial, 5536
  Schur function, 5849
  semigroup, 1791
  symmetric q-Abel identity, 4825
  variables, 43, 5567
noncommuting
  elements, 1450
  variables, 1427, 5849
noncomparability graph, 5481
noncomplemented lattice, 1778
noncomplete (n, k)-graph, 3811
nonconsecutive vertices of the cycle, 1864
noncontractible, 3383
  to the four-wheel, 3793
nonconvex vertex, 1353
noncovering graph, 2927
  of girth six, 2127
noncritical vertex, 1455
noncrossed partition, 31, 56
noncrossing, 4788
  chords, 2053
  diagonals, 5517
  Euler tours, 2955
noncrossing partition, 1036, 1324, 2090, 4282, 5434
  lattice, 1036, 1324
noncrossing
  partitions, 1546, 3209
  paths, 4760
  set partitions, 3976, 5434
noncut vertex, 474
noncyclic
  Abelian 2-group, 4125
  group of order, 8 5925
nondecreasing diameter, 4283
nondecreasing Dyck path, 5373
  recursive description, 5373
nondecreasing Dyck paths generating function, 5373
nondecreasing
  path, 1322, 1439
  sequence of integers, 2266
  subsequence, 2646
nondegeneracy, 331
nondegenerate
  conic, 4450
  cyclic code, 5795
  Hermitian variety, 3570
  linear space, 6021
nondenumerable graph, 633
nondominated coterie, 4409
nondrop flat, 2987
nonelementary Abelian forbidden subgroup, 5724
nonembeddable
  (16, 24, 9, 6, 3)-design, 2595
  2-(15, 7, 6)-design, 3463
  2-(16, 8, 7)-design, 3463
nonembedding, 3194
nonempty
  graph, 3491
  intersection, 1861, 2706, 5639
  set of parallel edges, 752
  word, 2546, 4592, 5708
nonequilateral triangle, 4301
nonevasiveness, 2745
nonexhaustive graph, 4378, 4638
nonexistence of
  a homomorphism, 4167
  a nontrivial perfect code, 564

nonexistence of (*cont.*)
a perfect array, 3935
a projective plane, 5590
an extremal doubly even selfdual code with large length, 5657
nonexistence theorem, 2451, 3899, 5475
nonexistent arc, 101
nonexpanding map, 5082
nonextendable cycle in a graph, 2822
nonextremal
pairs, 4816
weights, 5729
nonfacial triangle, 4996
nonforced pair, 2912
nonhamiltonian, *see* non-Hamiltonian
nonhomogeneous spectrum of numbers, 1165
nonidempotent, 792
element, 4942
nonincreasing theorem for powers of graph, 2987
nonincreasingness, 4241
nonintegral MDF of a tree, 3939
noninterpolation of polyhedral maps, 4117
nonintersecting
lattice paths, 4491, 4852
paths, 434, 2434
noninvolutory selfduality, 2499
nonisometric triangulation, 4203
nonisomorphic
induced subgraph, 2518
resolutions, 2442
spanning trees, 4714
triangulations, 4581
nonlinear
algebra, 3914
algebraic matroid, 2012
code, 82, 110, 2776, 3568
complementarity, 216
constraint, 4, 159
feedback function, 4011
feedforward sequence, 3889
hypergraph, 5300
inequality, 3914
product quotient, 4222
nonmaximal planar graphical sequence, 1189
nonmodular, 4763
lattice, 1794
nonmodular subvariety, 1794
of semimodular lattices, 1794
nonmodular variety, 1794
nonmonadic structure, 3686
nonmonotonic chromatic difference sequence, 1817, 5625
nonmultiplicative, 5371
nonnatural DCS, 2137
nonnegative cost function, 4569
nonnegative difference of
first order, 4241
second order, 4241
zero-th order, 4241
nonnegative edge valuation, 3835
nonnegative integer, 893, 1301, 1774, 1796, 1825, 2033, 2206, 4944, 5155, 5345
matrix, 322
nonnegative
integral vector, 2494
linear form, 4917
matrix, 666, 2656, 4779, 4830, 5481
network, 313
partial sum, 160
quadrant, 1322, 1439
real, 2189, 4101
weight, 5037
nonnegativity, 4241, 4587
nonnormal Cayley digraph, 5606
nonnull subgroup, 3333
nonoptimal colouring, 3147, 5126
nonorientable, 4219, 5006
closed surface, 3867
embedding, 3356, 5598
genus, 4357, 5605
imbedding, 4026
manifold, 2735, 4117
quadrangular embedding, 2687
nonorientable surface, 1888, 3891, 4357, 5203, 5432, 5485, 5605
of genus eight, 5173
of n crosscaps, 5009
nonorientable triangular embedding, 4338
nonorientably embedded, 452
nonoverlapping
circular caps, 2013
clustering, 4459
polygons, 2702
vertex to vertex unit triangles, 3172
nonperfect graph, 4814
nonperfectly
2-edge connected, 5080
orderable graph, 3206
nonperiodic
autocorrelation function, 3043, 5752
tiling, 2536
nonplanar
3-connected graph, 1730
bicoloured digraph grammar language, 838
difference set, 3614
finite graph, 421
graph, 2835
realizations, 593
nonpolytopal, 513
diagram, 1847
sphere, 1032, 1847

nonpolytopal three-sphere, 2992
nonpolytope, 1032
nonpreemptive schedule, 5117
nonprincipal countably additive ideal, 38
nonquantitative biology, 2110
nonreconstructible, 1555, 2415
  3-hypergraph, 2415
  digraph, 1555
  hypergraph, 2415
nonregular
  claw free graph, 3582
  connected graph, 5798
  graph, 5912
  simplicial matroid, 921
nonrepeated, 2196
nonrepetitive, 2896
  sequence, 975, 1424
  word, 2896
nonrevisiting path, 5605
nonrevisiting path conjecture, 5605
  for polytopes, 5605
nonrevisiting path property, 5605
nonsecant diagonal, 56
nonsemirigid set of diamonds, 4773
nonseparable
  cubic graph, 3827
  graph, 11
nonseparable planar
  map, 2798, 4846, 4976
  rooted map, 4846
nonseparating
  circuit, 25
  cycle of a graph, 2136
nonseparating independent set, 5369
  problem, 2430
nonsimilar triangles, 4301
nonsimple design, 6032
nonsimplicial graph, 4787
nonsingular, 4440
  complement, 4440
  feedback, 2230
  graph, 4440
  linear transformations, 2139
  matrix, 5701
  quadric, 5415
  similarity relation, 619
  subautomaton, 721
  subspace, 5403
  threshold transformation, 3397, 4071
  transformation, 4071
  tree, 4440
nonsingularity, 4440
nonskew
  orthogonal matrix, 1418
  symmetric orthogonal matrix, 1418
nonsolvable by radicals, 1812
nonspanning circuit, 1829
nonspherical surface, 3990
nonstandard
  dice, 905
  graph, 5798
  model of set theory, 427
nonstrict BCI, 4319
nonsymmetric
  3 class association schemes, 4820
  configuration, 3910, 5253
  design, 4451
  nearly triply regular design, 4451
  random (0, 1)-matrix, 1358
  threshold function, 2345
nonsymmetrical BIBD, 692
nonsymmetry, 692
  of a design, 692
nontransitive equivariant tiling, 2018
nontrivial
  collapsible subgraph, 5483
  cycle, 1916
  cyclic orbit, 3761
  design, 4740
  orbit, 2003
  subvariety, 1794
  t-design, 2199, 2594
  vertex, 2480
nonuniform Fisher inequality, 2233
nonuniformity, 2439
nonunit meet irreducible, 2128
nonwinnable, 2976, 3620
nonzero
  integer solution, 5189
  stripe, 5368
non-Abelian, 3315
  difference set, 3614
non-Abelian group, 2894, 3614, 3930, 4518
  of odd order, 2894
  of order pq, 1228
non-Abelian
  sequenceable group, 2894
  set, 4518
non-Cayley
  graph, 5603
  invariant Cayley graph, 3548
  number, 5603
  vertex transitive graph, 3518
non-Fano matroid, 6024
non-Grinbergian graph, 575
non-Hamiltonian, 960, 1105, 1197, 1292, 1342, 3264, 4300, 4325, 4533, 4713, 4901, 4921, 5140, 5820
non-Hamiltonian 3-connected
  bicubic graph on 92 vertices, 1342

non-Hamiltonian 3-connected graph, 4174
non-Hamiltonian
bipartite plane cubic map, 1207
claw free graph, 5661
cubic planar map, 205
cycle, 2822, 4318
degree sequence, 653
five-regular multitriangular polyhedral graph, 4921
graph, 1238, 1485, 2618, 4174, 4276, 5820
line graph, 5661
map, 205
non-Grinbergian graph, 575
polyhedral graph, 3649
simple 3-polytope, 960, 1197
split graph, 4908
square, 708
tough graph, 3838
non-Hamiltonicity, 3649
non-Mahonian distribution, 4980
non-Pappian projective geometry, 6024
non-Pappus matroid, 6024
non-Schur scheme, 4051
non-Schurian, 4051
non-separable, *see* nonseparable
non-singular, *see* nonsingular
non-Tait colourable, 4885
cubic graph, 4885
NOP, 906
Nordhaus, 789, 2563, 3274, 3694, 4731
Nordhaus-Gaddum
inequality, 4731, 5667
problem, 2188
result, 4731
theory for edge integrity, 3854
Nordhaus-Gaddum type, 3274
of inequality, 4366
problem, 4557
result, 3871
normal
Cayley digraph, 5606
convergence, 2424
cyclic subgroup, 1525
distribution, 1670
normal form, 106, 450, 622, 1079, 2984
of Boolean function, 450
normal
forms of a deterministic grammar, 535
fraternal orientation, 5161
fraternally orientable graph, 3865
Hamiltonian circuit, 113
homogeneous tiling, 5174
hypergraph, 54
integer, 3875
linear space, 5408
map on the sphere, 150, 4350
orientation, 5161
poset, 1618
normal product, 809
of graphs, 161
normal
rational curve, 1986, 3962, 3975
schedule, 5117
simple quotient, 4657
subgroup, 1277, 2163, 3796
subset, 2217
tournament, 4657
tree, 2634
normality, 3949, 4020
normality of
Cayley digraph, 5606
multiple covering code, 3949
normalization, 5023
normalized
7-cluster, 5973
chromatic difference sequence, 3656, 4600
conjugate Bell polynomial, 5315
generalized inverse, 676
polygons, 5688
profile vector, 4639
sequence of length k, 5618
version, 5791
normally geodetic, 5862
normed
factorization, 1816
plane, 5152
space, 70
not
3-choosable planar graph, 4536
locally testable, 4758
strongly sensitive, 2416
notched cube, 4179
tile, 2684
nowhere zero
3-flow, 3544
4-flow, 4515, 4767, 5060
Nowitz, 5622
NP, 1121, 1638, 4969
NP = PCP(log n, 1), 4466
NP-complete, 708, 1011, 1030, 1121, 1134, 1565, 1634, 1638, 1654, 1864, 1866, 1958, 2083, 2121, 2325, 2397, 2485, 2683, 2861, 2866, 2872, 2926, 2969, 3061, 3083, 3380, 3491, 3499, 3507, 3513, 3598, 3704, 3794, 3960, 3996, 4093, 4191, 4307, 4319, 4544, 4549, 4560, 4670, 4701, 4776, 4826, 5016, 5043, 5074, 5160, 5185, 5228, 5293, 5531, 5731, 5810, 5814, 5877
class, 1011
in the strong sense, 5905

NP-complete problem, 1769, 1857, 2411, 2488, 2495, 2868, 2872, 3768, 5053, 5160, 5293, 5922
NP-completeness, 1121, 1654, 1958, 2861, 2862, 2868, 2930, 3380, 3491, 3500, 4776, 5016
NP-equivalent, 2083
NP-hard, 1431, 2627, 2864, 2867, 2930, 3017, 3903, 3915, 4544, 4770, 4821, 5053, 5236, 5303, 5342, 5467, 5600, 5723
in the strong sense, 5117
problem, 3588
NP-hardness, 3598, 5905
NSW number, 5866
NTR, 4451, *see also* nearly triply regular
design, 4451
nucleus, 435, 690, 796, 5414
nucleus of
a graph, 435
a point set, 5414
the conic, 4450
null homotopic graph, 2085, 2144
null homotopy, 2144
of a graph, 2144
null
polarity, 2368
term rank, 926
nullity, 601
nullity of
a combinatorial geometry, 601
a matrix, 2678
Nullstellensatz, 4411
number
desk, 1788
distribution, 5202
number of
(0, 1)-matrices, 5648
3-circuits, 665
3-subsets, 3024
4-kings, 4771, 5314
alternating Baxter permutations, 5566
antichains, 1171
arcs, 3389, 3589, 5236, 5264
arrangements, 984
automorphisms of structure, 795
Baer subplanes, 6029
bases, 1028, 1421
blocks, 5624
cells, 1154
chains, 1036, 1403
circuits, 1684
classes, 5209
colourings, 1006
common neighbours, 5294
complementary trees, 500
number of components, 1542, 1912, 2209, 2381, 3142, 3671, 4366, 4606, 5652
of an infinite graph, 1273
number of
convex polyominos, 2341, 4850, 4974
corners, 4975
counterfeits, 5033
cut vertices, 2700, 2938
number of cycles, 3224, 4181, 4413
of length n in a graph, 4032
of short length, 2075
number of cyclic binary strings, 2362
of length n, 2362
number of
Davenport-Schinzel sequences, 5618
decompositions, 1982, 4291
defect-d matchings, 1119
degree restricted maps, 3891
number of disjoint
odd cycles, 413
simple circuits, 2811
systems, 444
number of edges, 650, 804, 937, 989, 1007, 1050, 1075, 1093, 1116, 1134, 1154, 1278, 1302, 1466, 1535, 1543, 1672, 1734, 1828, 2294, 2371, 2520, 2526, 2557, 2563, 2863, 2875, 2906, 2920, 2980, 3078, 3107, 3142, 3364, 3373, 3429, 3492, 3502, 3504, 3593, 3747, 3801, 3902, 4067, 4121, 4157, 4210, 4305, 4357, 4446, 4514, 4986, 5130, 5196, 5285, 5322, 5384, 5437, 5438, 5544, 5670, 5711, 5937, 5957
of a graph, 2557, 4631
number of
elections, 3983
equivalence classes of n-subsets, 3900
Euler trails, 4690, 5064
exterior pairs, 4282
faces, 1154, 1360, 5823
finite relational structures, 611
fixed point free elements, 3423
flats spanned by a set of points, 4924
forests, 2817
generalized inverses, 676
geometric permutations, 1832
graphs of small diameter, 4597
groups defined by one relator, 2238
number of Hamiltonian
cycles, 1051
paths, 174, 5049
number of
high peaks, 5551
hypo-Hamiltonian graphs, 603
H-equivalence classes of matrices, 2032
incident edges, 1536
number of independent
cycles, 3020

number of independent (*cont.*)
n-element sets, 1028
sets, 1384, 2550, 4839
number of induced subgraphs, 2165, 5320
of a random graph, 2165
of a tree, 5320
number of
intersecting line pairs, 2972
inversions, 1200, 2135
involutions, 2250
irregular assignments, 3075
isomorphism classes, 3553
kings in a multipartite tournament, 5314
number of labeled
acyclic digraphs, 3405
graphs, 5624
symmetric graphs, 254
number of
Latin squares, 3558, 3577
lattice points, 2282
lattices on n elements, 1359
leaves, 5576
linear extensions, 1977, 2121, 2131, 3317, 3932
lines determined by a polygon, 821
loopless planar maps, 1828
number of matchings, 5617
of low order, 5617
number of
maximal dependencies, 987
minimal cycles, 4260
mistakes, 1137
morphisms, 1685
necklaces, 710
nets, 5675
nodes, 1017, 1425, 1573, 2183, 2252, 2475, 2642, 2858, 3683, 4100, 4702, 5489
number of nonisomorphic
semimetric spaces, 2052
transitive S(2, 4, 49), 2141
number of
n-cubes, 3841
n-cycles, 1869, 2582
n-node subtrees of a tree, 2252
n-stage selfreverse dual M-logics, 2230
number of orbits, 929, 1790, 2099, 2678, 4844
under restriction, 3556
number of
pairings, 706
pairs of oppositely oriented edges, 1049
number of partitions, 290, 291, 949, 2519, 4715, 4973, 5109, 5316, 5517, 5825, 5899, 6007
of a multiset, 1680
of a positive integer, 5899
of an integer, 5187
of n, 2519
number of paths in higher dimension, 859
number of permutations, 4968, 5517, 5864
of given signature, 2275
with n descents, 984
number of
prime implicants, 777
rational points, 3431, 4231
regular configurations, 2208
repeated blocks, 3028
representations of a permutation, 962
restricted crossings, 5209
number of returns, 5551
of Dyck paths, 5551
number of
rises, 5566
Sheffer functions, 674
spanning trees, 528, 536, 1474, 1501, 2308, 2803, 2955, 3104, 5164, 5722, 5959
stable sets, 5637
subgraphs, 437
subwords, 488
tiered posets, 2097
total preorders, 983
trees, 1017, 2107, 4761, 5183, 5263, 5274
number of triangles, 2027, 2321, 2336, 2743, 2949, 3829, 4120, 5050, 5359
in a graph and its complement, 5664
number of
triangular regions, 833
triangulations, 4688
triples, 1514, 3030
two-stack sortable permutations, 5677
unicyclic multipartite tournaments, 5735
unlabeled acyclic multipartite tournaments, 5735
vertically contractible elements, 5454
number of vertices, 650, 866, 882, 899, 900, 904, 941, 1013, 1043, 1044, 1134, 1197, 1216, 1368, 1392, 1535, 1559, 1638, 1656, 1769, 1802, 1821, 2079, 2109, 2138, 2185, 2338, 2370, 2535, 2548, 2695, 2811, 2875, 2907, 2967, 2980, 2996, 3066, 3090, 3206, 3212, 3249, 3303, 3366, 3490, 3675, 3694, 3734, 3855, 4064, 4065, 4068, 4073, 4151, 4203, 4242, 4346, 4348, 4514, 4539, 4577, 4620, 4632, 4640, 4676, 4720, 4747, 4761, 4896, 4909, 4955, 5000, 5025, 5055, 5257, 5283, 5291, 5321, 5438, 5470, 5487, 5525, 5544, 5588, 5652, 5688, 5712, 5825, 5827, 5831, 5874, 5926, 6017
of a graph, 832, 2752, 5321, 5665
of degree n, 832
of maximum degree, 4747
number of words, 1329, 2166, 3462, 5866
of length n, 1329

number
of Young tableaux, 2250
sequence, 3888
number theoretic
function, 2293
identity, 4333
problem, 5254
number
theorist, 4497
theory, 735, 1037, 2036, 2439, 4461, 5157
with missing digits, 6008
numbered graph, 1149
numbers game, 4486
of Mozes, 4486
numerical
approximation, 3521
invariant, 894, 4681
polynomial, 395
taxonomy, 516
n-(k, m, λ)-design, *see* t-(v, k, λ)-design
n-adic tree, 2285
n-alternating polynomial, 5305, 5607
n-alternation deficiency function, 703
n-apart, 3635
n-approximation problem, 5905
n-arboricity, 5012
n-arc, 3962
connected digraph, 5200
cyclic property, 2841
n-arrangeable graph, 5636
n-arrangement, 2103
n-array, *see* t-array
n-ary
contracting operation, 4101
cyclic code, 78
de Bruijn sequence, 764
infinite sequence, 381
operation on an infinite graph, 1974
quasigroup, 1964
relation, 3217
tree, 1499
n-ASP, 3569
n-asummable function, 4316
n-bridge graph, 4232
n-c.c. graph, 3596
n-cage, 899
n-cell, 532
n-centre, 3940
n-chain, 4916
n-chain graph, 2504
of a poset, 2504
n-choosable, 4536, 4821, 4934
n-chord extendable, 4318
n-chromatic, 836
contraction critical graph, 3596
graph, 157, 403, 811, 2392, 3292, 3596, 3622
index of a graph, 3812
multigraph, 4398
tilings, 2819
n-circuit, 1109, 5021
n-circulant digraph, 5235
n-clan, 5403
n-clique, 461, 2741, 4749, 5800, 6014
n-closed, 3995
n-closure, 477, 2891
of a graph, 989
n-coherent, 1070
orientation, 1070
n-colour critical graph, 5013
n-colourability, 4128
problem, 5016
n-colourable, 815, 1383, 3588, 5016, 5194, 5477
finite hypergraph, 2667
graph, 2667
subgraph, 1044, 2987, 4600
n-colouration, 836
n-coloured, 1134, 2113, 6034
digraph, 5616
tournament, 4756, 5616
n-colouring, 32, 439, 695, 900, 1011, 1069, 2002, 2119, 2478, 3751, 5132, 5194, 5949
n-colouring of
a graph, 5807
a tiling, 667
n-comparable function, 4316
n-complementary frame, 2911
n-complementation, 2538
n-complementing permutation, 4436
n-complete
partition, 5629
subgraph, 1669, 2743
n-component graph of a graph, 4967
n-composed graph, 4176
n-conformity of a hypergraph, 4459
n-connected, 42, 214, 447, 669, 1764, 2980, 2995, 3035, 3139, 4269, *see* k-connected
component, 3515
digraph, 1929, 2379
graph, 669, 851, 1106, 1272, 1366, 1691, 2610, 3515, 4270, 4351, 4392, 4535, 4607, 5093, 5801, 5932
k-regular graph, 3617
λ-claw free graph, 5227
matroid, 3013
n-connectedness, 4269
n-convergent, 5540
n-convex, 794
set, 4936
subgraph, 5312
n-convexity, 4936
n-cordial, 3080

n-core, 4847
of a random graph, 2995
n-cover ucycle, 4293
n-covered
connected bipartite graph, 397
graph, 397
n-critical, 5813
graph, 224, 669, 3239, 4371, 5813
k-connected graph, 669
n-critically k-connected graph, 1377, 3811
n-cube, 17, 441, 518, 555, 930, 956, 1315, 1580, 1651, 2024, 2295, 2621, 2845, 3256, 3428, 3737, 3764, 3841, 3842, 4188, 4792, 5413, 5770, 5863
n-cycle, 1766, 2463, 3066, 3840, 4300, 4325, 4881, 5122, 5531, 5941, 6011
n-cycle resonant, 4227
graph, 4227
n-cycle system, 2582, 2679, 3353, 3741, 5145, 5191, 5206
n-cyclic, 5019, 5096
digraph, 5019, 5096
semicomplete multipartite digraph, 5019
n-decomposable, 3499
n-decomposition, 89
n-defective chromatic number, 3979
n-degenerate, 1346
graph, 572
n-degenerated, 4176
graph, 4176
n-depth of a matroid, 4330
n-design, *see* t-design
n-diagonal, 1184
n-diagram, 3668
n-diameter, 4164
n-dichromatic, 4252
n-digraph, 3103
n-dimensional
array, 3950
axial assignment problem, 5727
box, 1859
character, 4087
continuous space, 4189
cross, 1515
n-dimensional cube, 1351, 1515, 2621, 2843, 3083, 3256, 3688, 3696
tiling, 2843
n-dimensional
cuboctahedron, 59
Euclidean space, 4149
flat, 5790
hypercube, 347, 3753, 4655, 5716
intersection of convex sets, 1198
line digraph, 4142
point lattice, 4172
rational space, 2324
recurrence, 4978
regular honeycomb, 1683
set, 4269
Steiner tableau, 310
subspace, 1830
torus, 5006
volume, 5062
weak Monge arrays, 5727
n-disjunct matrix, 5015
n-distance
face chromatic number, 5123
set, 5975
n-divergent graph, 5956
n-dominating, 2374
clique, 4997, 5531
set, 4997
subgraph, 3563
n-domination number, 5655
of a graph, 3254, 5655
n-dot product graph, 5504
N-dual graph, 870
n-eccentric point, 4005
n-edge colourable subgraph, 5437
n-edge connected, 3583
graph, 4867
n-edge
deck, 5382, 5771
Hamiltonian, 1752
hypomorphism, 3919
k-cut, 1392
matching, 5128
star, 5128
n-edged rooted map, 3891
n-element
clique, 5633
irredundant subset, 5510
n-emulsive, 5776
n-equal subspace arrangement, 5108
n-equidissection, 2839
n-equipartition, 3017
n-extendability, 5017
n-extendability of
a bipartite graph, 2425
a regular graph, 3617
n-extendable, 2425, 3256, 3617, 3956, 3972, 4060, 4531, 4762, 4914, 5070, 5133, 5508, 5634
graph, 1040, 3256, 3972, 4060, 4762, 5017, 5070, 5508, 5887
n-extended Skolem sequence, 5908
n-extension, 3427
of a semimetric, 4129
n-factor, 170, 1982, 2283, 2662, 3025, 3238, 3653, 4133, 4136, 4874, 5620, 5642, 5775
conjecture, 198

n-factor theorem, 277
n-factorability, 1548
n-factorable degree sequence, 2382
n-factorial polynomial, 4927
n-fault diameter, 5883
n-fixed point property, 3602
n-flat, 1941, 2675
n-fold
  basis, 5716
  covering, 1803
  graph covering, 4623
  regular covering, 2351
n-free graph, 3589
N-free
  graph, 5296
  poset, 2121, 2132, 2428
(n-γ)-critical, 4941
(n-γ, d)-critical, 4941
n-generating closure, 420
n-geodetic, 3631, 3819, 5384
  digraph, 5384, 5871
  graph, 5871
n-gon, 206, 360, 575, 879, 960, 1105, 1701, 1993, 2001, 2435, 3326
  of a linear space, 2001
n-gon tree, 2435
  theorem, 4712
n-gonal face, 37
n-graceful, 2058
n-graph, 47, 753, 1024, 2100, 2432, 3573
n-grid kernel, 4387
n-group, 1902
n-Hamiltonian, 1752
  graph, 442
n-harmonic sequence, 5038
n-hole, 3477
n-homogeneous
  graph, 1917
  set of injective mappings, 6032
  structure, 1917
n-independent, 4121
  set, 187, 2349, 4121
n-index, 12
  of a graph, 12
n-induced, 3392
  matroid, 3392
n-initial set, 3266
n-integral harmonic sums, 3018
n-intersecting, 3494
  family, 3494
n-interval irreducible, 1180
n-invariant GH-matrix, 3351
n-irreducible, 1180
n-isodecomposable, 5307
n-kernel, 2202, 2826, 3550
  in a directed graph, 3550
n-king, 4525, 5202
  in a digraph, 5631
n-letter words, 4518
n-line graph, 600
n-linear
  arboricity of a graph, 5644
  forests, 5012
  form, 1615
n-manifold, 5006
n-matching, 753
n-means clustering algorithm, 5779
n-minimal
  graph, 2159
  parameters, 2855
  P-set, 2855
n-minimally k-edge connected graph, 798
n-MLD-colourable, 4723
n-monotone, 3787
n-monotonic function, 4316
n-multihypergraph, 5378
n-near Skolem sequence, 4015
n-net, 899
n-noded binary tree, 1112
n-octahedron, 4496
n-omino, 230, 247
n-optimal, 5489
  factor, 3122
  graph, 5489
  path partition, 5231
n-ordered partition, 5838
n-orientation, 2130
n-out, 3090
  digraph, 3090
n-pair game, 3606
n-pancyclic, 3005
n-partite, 1083
  complementing permutation, 1083
  graph, 256, 449, 3525, 5370, 5470, 5641
  n-graph, 2814
  self complementary graph, 1084
  tournament, 3213, 4525, 5122, 5314, 5976
n-partition, 1084
n-party conference call, 995, 3639
n-path
  Hamiltonian maximal planar graph, 1318
  signed graph, 2048
n-pattern, 4391
n-paving matroid, 5763
n-perfect, 3914
  graph, 1727, 3914
  subset, 1576
n-permutation, 5388
  containing every permutation of every t elements, 4804

n-person game, 1214
n-placed relations, 319
n-plex, 199
n-point, 3478
  interval order, 1325
  semi-order, 1325
n-polygon, 5239
n-polytope, 4269, 5613
n-positive, 4981
n-Post algebra, 5474
n-prism, 671
n-pseudotree, 4322
n-quasisymmetry, 1129
n-quasitransversal, 4530
n-queen problem, 393, 639, 3802
n-queens problem, 4517
n-Rabin number, 5883
n-realizable, 4002
n-realization, 4002
N-reconstructibility, 1555
n-reducible, 3599
n-regular, 3139, 3406, 4164, 5232, 5259, 5642, 5924
n-regular bipartite
  graph, 2932, 3915
  supergraph, 2080
  tournament, 4183
n-regular
  claw free graph, 4277, 4705
  cut, 3502
  digraph, 4551, 5232
  factor, 5642
  graph, 1330, 2300, 2559, 2906, 3301, 3658, 5644, 6017
  n-chromatic graph, 5960
  n-connected graph, 4164
  planar graph, 3139
  rotation, 645
  simple graph, 3549
n-rotational, 5539
n-SAT, 3960
n-satisfiability problem, 3960
n-selfpacking graph, 5638
n-separator, 3988, 4948
n-sequence, 2230, 2646, 3889
n-sequential graph, 1149
n-set, 3685, 4749
  in the plane, 1884
n-simplicial matroid, 921
n-SMT, 4726
n-spectrum, 4897, 5620
n-splitting set, 2789
n-spoked wheel graph, 3801
n-spread, 3156
n-stacked polytope, 1612
n-stage feedback shift register, 4008
  sequence, 2230
n-stage
  M-logic, 2230
  self reverse dual M-logic, 2230
  SRD M-logic, 2230
n-star, 1204
  design, 5546
n-step conjecture, 3287
n-Stirling number, 1666
  of the first and second kind, 1666
  of the first kind, 1666
  of the second kind, 1666
n-strong
  digraph, 5019, 5096
  quasitransitive digraph, 5019, 5096
  SMD, 5019, 5096
n-strongly connected orientation, 1282
n-subdominating function, 5079
n-subdomination number, 5079
n-subset, 5098
  of a set, 634
n-sum generator, 3343
n-superuniversal graph, 804
n-system of representatives, 3361
n-terminal reliability, 4235
n-tessellation, 3855
n-testable event, 116
n-th
  additive compound graph, 5695
  and k-th largest elements, 2438
  Cartesian power of a graph, 5863
  eigenvalue of a tree, 4014
  iterated H-line graph, 4615
  largest positive eigenvalue, 4014
  multichromatic number, 5662
n-th order
  difference, 1585
  line digraph, 5740
n-th
  power graph, 1153
  root of unity, 647
  upper Stirling number of the second kind, 4715
n-tough, 3903, 4335
  graph, 4300, 4325, 5775
n-tournament, 2545, 3790, 5069
n-transversal, 3361
n-tree, 15, 221, 1669, 2657, 2658, 3373, 4028, 5109, 5788
n-tuple colouring, 505
n-tuple of
  nonintersecting paths, 4702
  permutations, 4383
n-tuplet on a line, 885
n-uniform cube hypergraph, 4289
  of dimension k, 4655

n-uniform
Helly family, 4063
hypergraph, 718, 737, 753, 1024, 2000, 2061, 2100, 2376, 3200, 3573, 4289, 4655, 5149
k-partite hypergraph, 4456
matroid of rank k, 3361
n-universal
graph of radius, 1 3804
group, 2613
n-valent vertex, 37, 4276
transitive graph of girth g, 2616
n-valued
finite Moisil algebra, 2385
Lukasiewicz algebra, 2385
Lukasiewicz-Moisil algebra, 5507
n-variable polynomial code, 1905
n-variegated, 743, 955, 1086
graph, 1086
n-vector, *see also* h-vector
n-vertex
colouring, 4723
complete graph, 3943
connected induced subgraph, 2283
graph, 2988
HP-graph, 2800
hypo-Hamiltonian graph of girth three, 603
Steinhaus graph, 1225
subgraph, 2283, 4897
switching reconstruction problem, 4884
tournament, 5658
triangulation, 5203
n-way determinant, 2973, 3064, 3132
n-weak order, 5493
n-weights of a combinatorial geometry, 103
n-wheel, 3066
n-wide diameter, 5883
n-wise balanced design, 1550, 2538, 4834
n-zonogon, 3575

O

O'Connor, 5632
O'Dúnlaing, 1614
O'Keefe, 1426, 4015
O'Neil, 6
OBDD, 4473, *see also* ordered binary decision diagram
Oberly, 5294
Oberschelp, 199
Oberwolfach problem, 906, 3151, 3184, 5168
objective function, 26, 1954, 2919
obligatory sublattice, 2917
observability of
a graph, 5362
Q_n, 5362
observable, 1787
observation, 1521, 3417, 3659, 3722, 3723, 4839
obstruction, 3281, 3526, 4765, 5586
graph, 3648
to embedding graph in surfaces, 2611
occupancy problem, 1387, 1999, 2869
octad, 2838
octagon, 575
octahedral group, 1672
octahedron, 34, 273, 3277, 4496
octogon, 2254
odd
Abelian group, 2652
antihole, 309, 1226, 4873
balanced tournament design, 2757
characteristic, 3431
chordless cycle of length at least five, 1710
circuit, 1350, 1413
component, 4258, 4787
cut, 3786
odd cycle, 231, 413, 539, 572, 695, 776, 1383, 1813, 2053, 2843, 2907, 3249, 3318, 3384, 3535, 4139, 4446, 4524, 4544, 4765, 4873, 5013, 5040, 5092, 5466, 5592, 5634
free graph, 3535
length, 3318
odd cycle of length
at least five, 3681, 3940
greater than four, 3681, 3940
odd cycle property, 3609
odd degree, 4137
edge disjoint stars, 5827
odd
diameter, 5593
dimensional cube, 3531
directed cycle, 1604, 1985, 5548
elementary cycle, 1145
even colouring, 4892
girth, 1834
odd graph, 1388, 4912, 5413
theory, 1078
odd
group, 2652
Hamming spheres, 2078
hole, 309, 391, 1226, 1727, 2969, 3350, 5548
indegree, 2967
index, 1157
integer subset, 4017
invertex, 2967
Latin square, 4323
length, 2582, 2679, 2826, 4375
nondirected chordless cycle of length 5 or more, 5548
odd number of
circuits, 1733, 2806, 4960
edges, 1598, 5697

odd number of (*cont.*)
maximal cycles, 4960
vertices, 3362
odd
order, 1673, 2581, 2607, 2614, 2652, 2890, 2894, 3240, 3646, 4012, 4136, 4240, 4434, 4754, 5047, 5147, 5974
orthogonal tableau, 4998
outdegree, 2967
outvertex, 2967
odd pair, 5244
conjecture, 4873
odd
path, 2969
power, 4408, 5969
prime power, 2787, 2831, 3458, 4955, 5023
regular graph, 1530
set quotient, 5433
value of the partition function, 5187
wheel inequality, 4612
Oehmke, 259
offending edge, 1134
Ohmori, 4021, 4190
Okamura, 2067, 3599
Olariu, 4873
Olaru, 539
Oler, 5271
Olkin, 2656
Olsson, 4314
OL-langage, 559
OL-system, 559
ω-clique, 5248
ω-colouring, 5085
algorithm, 5106
ω-iteration property, 4856
OMEP, 5148
omitted end, 5760
on cycle, 5977
one
class of orientations, 5146
cycle of each length, 1997
one edge
in common, 3176
short, 4866
one element, *see also* 1 element
greedoid, 2312
subalgebra, 4795
one player, *see also* 1 player
game, 4847
one point
extension property, 4101
stabilizer, 4993
tetrahedron, 2026
one
positive eigenvalue, 4129
relation monoid, 2309
relator group, 2309
rule Thue system, 1665
step majority decodable code, 72
story building, 2458, 3485
third integral vertex, 4445
to one function, 4093
type of face, 4074
variable basic hypergeometric series, 4494
way infinite arc, 418
one way infinite directed
Hamiltonian path, 4331
path, 5456
one way infinite
fence, 4785, 5211, 5304, 5355, 5528
Hamiltonian path, 1822, 2606
path, 973, 3376, 5456
one-arc, *see also* 1-arc
one-block, *see also* 1-block
one-blocking, *see also* 1-blocking
one-cell, *see also* 1-cell
one-chord, *see also* 1-chord
one-chromatic, *see also* 1-chromatic
one-connected, *see also* 1-connected
one-cut, *see also* 1-cut
one-design, *see also* 1-design
one-difactor, *see also* 1-difactor
one-dimensional, *see also* 1-dimensional, *see* one dimensional
character, 4304
compact analytic variety, 4961
growth, 4506
random walk, 1322
one-dipole, *see also* 1-dipole
one-embeddable, *see also* 1-embeddable
one-ended, *see also* 1-ended
one-error, *see also* 1-error
corecting code, 5650
one-excluded, *see also* 1-excluded
one-extendable, *see also* 1-extendable
one-extension, *see also* 1-extension
one-factor, 2256, 3025, 3037, 3185, 3798, 4993, *see also* 1-factor
in a random graph, 1371
one-factorable, *see also* 1-factorable
one-factorizable, *see also* 1-factorizable
one-factorization, 2256, 2599, 3365, 4993, *see also* 1-factorization
one-factorization of
regular graph, 4012
the complete graph, 2256
one-flat, *see also* 1-flat
one-fold, *see also* 1-fold
one-genus, *see also* 1-genus
one-geodetic, *see also* 1-geodetic
one-graph, *see also* 1-graph

one-Hamiltonian, *see also* 1-Hamiltonian
one-handle, *see also* 1-handle
one-heavy, *see also* 1-heavy
one-homogeneity, *see also* 1-homogeneity
one-homogeneous, *see also* 1-homogeneous
one-induced, *see also* 1-induced
one-intersecting, *see also* 1-intersecting
one-maximal, *see also* 1-maximal
one-minimal, *see also* 1-minimal
one-node, *see also* 1-node
  cut set, 5234
one-packing, *see also* 1-packing
one-path, *see also* 1-path
one-perfect, *see also* 1-perfect
one-permutation, *see also* 1-permutation
one-player, *see* one player
one-pseudotree, *see also* 1-pseudotree
one-reducible, *see also* 1-reducible
one-regular, *see also* 1-regular
one-resolvable, *see also* 1-resolvable
one-rotational, *see also* 1-rotational
one-skeleton, *see also* 1-skeleton
one-spread, *see also* 1-spread
one-structure, *see also* 1-structure
one-sum, *see also* 1-sum
one-tough, *see also* 1-tough
one-traceable, *see also* 1-traceable
one-transitivity, *see also* 1-transitivity
one-vertex, 4903, *see also* 1-vertex
  graph, 799, 5540
one-weak, *see also* 1-weak
one-width, *see also* 1-width
onion like metallic cluster, 5780
online
  3-chromatic graph, 4907, 5428
  algorithm, 2529, 2923, 4841
online chromatic number, 4907
  of a graph, 5428
online colouring
  algorithm, 2529
  of a graph, 5428
online
  graph colouring algorithm, 2529, 4642
  model, 2529
  n-critical, 5428
Onn, 4969
Opatrny, 3334
open
  2-cell imbedding, 4391
  chains of length three, 944
  domination, 4731
open interval, 3001
  graph, 2114
open packing, 5678
open packing number, 5678
  of a tree, 5678
open
  topological cell, 2462
  unit ball, 5526
operation on
  binary relations, 675
  graphs, 2044
  OBDDs, 4473
operation, *see also* operator
operations research, 1170, 5264
operator, *see also* operation
  approach, 1477
  calculus, 1704, 5567
  image exchange property, 4180
  on a set, 4180
  semigroup, 3357
  theoretic, 415
opinion function, 5291
  on tree, 5291
Oppen, 3686
Oppenheim, A, 220
opposite element, 2210
oppositely oriented edges, 1049
optical orthogonal codes, 5626
optimal (n, k)-universal, 2443
  tiling, 2443
optimal
  (n, k, 1) optical orthogonal codes, 5626
  algorithm, 2118
  almost uniform alphabetical binary tree, 977
  alphabetical binary tree, 977
  assignment, 406
  bandwidth labeling for a graph, 5731
  basis, 1254
  bound, 2342
  code, 4621
  colour assignment, 1134
  colouring, 1669, 2487, 2724, 3759, 4909, 5247, 5597
  constant weight code, 5052
  containment, 4465
optimal convex lattice
  n-gon, 5688
  polygon, 5688
optimal
  correlation magnitude, 4386
  decomposition, 3640
optimal design, 1931, 2251, 2810, 2910, 3042, 3285, 5110
  in statistics, 1706
optimal
  diameter, 4539
  distribution, 5264
  double loop network, 4539
  embedding theorem, 5406

optimal (*cont.*)
error correcting code, 3437, 5556
factor of an infinite graph, 3122
family, 858, 5920
optimal fractional
cover, 423
transversal, 752
optimal full topology, 4162
optimal graph realizations, 2654
of distance matrix, 2654
optimal
integral cover, 423
labeling, 358
optimal linear
code, 3726, 3945
extension, 2132, 4647
optimal
n-dimensional representative, 4064
n-equipartition, 3017
objective value, 4188
orientation, 5756
packing, 5192
partition, 2513, 4064, 4808, 4863
optimal path, 2429
partition, 3632, 3751, 3797
optimal pebbling number, 5863
optimal pile, 5271
in the plane, 5271
optimal
polygons, 5688
polynomial, 3404
random drawing, 154
rate for writing, 3666
realization, 2654
representation, 2961
schedule, 3746
solutions to the gossip problem, 1302, 1316
optimal stopping, 5545
problem, 154
optimal
strength of graph labeling, 5857
structure of recovering set pairs, 4072
supervisible code, 3540
task sequencing, 96
optimal ternary
formally selfdual code, 5904
two weight code, 4621
optimal transversals, 5092
optimality
of experimental design, 3724
problem, 181
optimally
coloured, 3263
pebbling a hypercube, 5863
optimisation, *see* optimization
optimization, 216, 2345, 5244
algorithm, 96
problem, 806, 2386
theory, 108, 216
optimum
colouring, 2055
common root function, 3784
cyclic burst correcting code, 5538
embedding of complete graph in a book, 5585
linear coding solution, 3446
objective function value, 2494
oracle, 806
algorithm, 806
machine, 966
orbit, 5, 962, 1043, 1185, 1194, 1234, 1251, 1252, 1404, 1509, 1790, 1939, 2018, 2061, 2099, 2220, 2247, 2591, 2678, 2956, 3130, 4168, 4551, 5098, 5184, 5448, 5488, 5520, 5973, 5983
harmonics, 5853
method, 2149
orbit of
a given character, 1786
an infinite block design, 5184
asymmetrizing sets, 3125
continuous real valued functions, 2247
ordered pairs of distinct vertices, 4102
partitions, 5983
the Frobenius action, 5023
the modular group, 5448
upper triangular matrices, 2469
vertices and edges of a finite graph, 1939
orbit
polynomial graph, 2249
representative, 475
structure, 2045
theorem, 3933, 4077
orbital graph, 4209
orbital regular, 4102, 5795
graph, 4102, 5602
orbital structure, 5520
orbitoid, 135
orchard experiment, 3965
Ordaz, 5019, 5096
order
3-star, 2985
automorphisms, 2217
compatible topology, 1367
order complex, 2745
on the 2-sphere, 2410
order
consecutiveness, 4808, 4863
constraint, 2802
order decreasing injective partial
map, 2469
selfmap, 2469

order
dimension, 1243, 1977, 4387, 4645
distance, 5783
embeddable, 5502, 5647
filter, 625
order ideal, 543, 893, 1016, 1284, 2903, 3845, 3992
of monomials, 5722
order
interval hypergraph, 5074
inverting involution, 2203
matrix, 626
n de Bruijn sequence, 4008
order of
a graph, 1397, 4357, 4681, 5194, 5938
a largest remaining component, 3902
a Steiner system, 1514
cyclicity, 364
magnitude, 2229, 3504, 4522
the largest component, 4881
vector summation, 4596
order
on the set of graphs, 5352
polynomial, 4499
order preserving, 5792
order preserving assignment, 4956, 5044
problem, 4956, 5044
order preserving
inverse, 355
map, 1699, 1778, 3993, 5178
maps of partial order, 1699
permutation, 355
self map, 4267
order relation, 5, 1609, 1781, 2209, 4093, 4773, 5463
order reversing
involution, 3209
map, 1778, 3993
order
statistical investigation, 3564
statistics, 2885
structure, 5216
order theoretic
condition, 976
framework, 4459
model, 678
order
theoretical property, 2456
variety, 1178, 1792
orderable graph, 2915
ordered binary
decision diagram, 4473, *see also* OBDD
relation, 3687
ordered by
inclusion, 1124, 1793, 3783, 4644
subgraphs, 4337
ordered colouring, 4337, 5858
of a graph, 4337
of a tree, 4337
ordered
compact space, 1649
distance graph, 5905
hypergraph, 1806
ideal, 2125
induced subgraph, 3573
integer half dihedron, 907
matroid, 4709
monoid, 4101
n-colouring of a graph, 4337
n-hypertree, 3396
n-tournament, 2063
pair, 2807, 3054, 3155, 3329, 3330, 3635, 3970, 5167, 5438, 5514, 5717
partition, 1749, 3671, 5838
projective space, 164
rooted tree, 1609
ordered set, 40, 91, 100, 130, 210, 325, 345, 400, 907, 909, 1169, 1170, 1390, 1436, 1784, 1792, 1793, 1959, 1977, 2123, 2124, 2125, 2126, 2129, 2203, 2454, 2922, 2924, 2925, 2928, 3198, 3281, 3314, 3526, 3746, 3932, 4093, 4096, 4101, 4110, 4259, 4459, 4645, 4709, 5463, 5493
having the finite cut set property, 1959
sorting, 1664
ordered
Stone space, 991
structure of partitions, 298
topological space, 891, 991
tree, 1017, 1425, 1546, 1992, 2090, 2370, 2714, 2719, 2727
ordering, 7, 208, 634, 675, 677, 1064, 1095, 1302, 1390, 1661, 2055, 2247, 2413, 2529, 2634, 3095, 3317, 3817, 3828, 3839, 3925, 4798, 4892, 5322, 5561
vertices, 1146
orderly algorithm, 5621
ordinal
data, 4646
dimension, 4646
dissimilarity, 5783
monotonicity property, 5791
number, 1626
product, 3799
property, 5783
structure, 4646
topology, 5783
type, 3117
valued function, 3117
ordinally indecomposable poset, 3381

ordinary
character of a symmetric group, 395
complete multipartite digraph, 4320
dice, 905
difference family, 758
differential equation, 2417
multipartite tournament, 4543
plane, 164
Ore, 473, 702, 1243, 1265, 1681, 1759, 1887, 2868, 3133, 3244, 3852, 4351, 4356, 5294, 5516, 5816
construction, 6024
sufficient condition, 2822
theorem, 726, 3857
Ore type
condition, 617, 5774
sufficient condition, 3283
Ore, O, 2846
organic
chemistry, 4900, 5276
molecule, 248
orientability, 452, 913, 2597
orientable, 2597, 2687, 3008, 3356, 3710, 3867, 3891, 4117, 4219, 4357, 5006, 5430
2-cell embedding of a graph, 2390
3-manifold, 2870, 4280, 5430
closed surface, 3867
Δ-matroid, 3710
embedding, 2597, 4806
orientable genus of
a graph, 4357, 5598
a randomly selected graph, 4357
orientable
graph, 3598
imbedding, 4385
manifold, 4117
matroid, 5146
quadrangular embedding, 2687
quadrilateral embedding, 3522
rotation system, 5599
orientable surface, 1019, 1444, 1888, 2390, 2732, 3527, 3891, 3918, 3991, 4201, 4219, 4357, 4581, 4961, 5485, 5605, 5822
of genus, 20 4581
orientation, 188, 263, 273, 623, 1070, 1082, 1686, 1838, 2130, 2426, 2527, 2887, 2898, 2924, 3263, 3598, 3865, 3907, 4672, 4728, 4888, 4992, 5122, 5146, 5208, 5231, 5438, 5599, 5652, 5683, 5697, 5804
number, 5683
of a chord, 1838
orientation of a complete
graph, 5976
multipartite graph, 4672, 5735, 5976
orientation of
a graph, 2426, 2898, 3270, 5438
an n-cube, 2295
any large girth planar graph, 5268
planar graph, 5721
orientation preserving
cycle, 3089
polygons, 3648
orientation
reversing, 4704
with diameter n, 2295
orientations of an undirected planar graph, 5268
oriented 3-circuit, 255
oriented bipartite
cubic graph embedded in 3-space, 3262
digraph, 1317
oriented
cartographic group, 4961
chromatic number, 5721
complete graph, 255
complex, 1109
congruence of a graph, 4219
oriented cycle, 5674
game, 5674
oriented
Δ-matroid, 4528
flag, 4961
geometry, 646
oriented graph, 869, 1413, 1971, 3335, 4033, 4381, 4521, 5721
without circuits, 366
oriented hypergraph, 1163, 1507
oriented matroid, 1428, 1689, 2027, 2210, 2363, 2650, 3574, 3575, 3584, 3644, 4254, 4292, 4869, 5146, 5242, 5482, 5696
of rank three, 1428, 2077
series parallel network, 5146
theory, 3574
oriented
odd cycle, 5804
path, 4167
perspective pair of geometries, 646
planar graph, 5268
series parallel network, 5146
surface, 4202
tile, 5208
tree, 1244, 2913
two-dimensional circuit, 1109
orienting
a planar graph, 457
cycle elements, 5599
origin of life, 2511
original Steiner system, 1741
Orlin, 1348, 1866, 1883, 2758
shortest path network, 1866
orphan, 4020
structure, 3307

orthant, 4149
orthocentre, 4171
orthogonal
(n, k)-factorizations in graphs, 4389
9 × 9 Latin squares, 5323
actions of a group, 4704
orthogonal array, 656, 1087, 1275, 2199, 2444, 2570, 3449, 3453, 3570, 4261, 4294, 4556, 5323, 5958
with permutation property, 1827
with strength n, 4261
orthogonal
art gallery theorem, 3595
circulant matrix, 1909
code, 5626
complement, 245
design, 1521, 3043
diagonal Latin squares, 4617
frequency squares, 2305, 3872
function, 4394
geometry, 3898
group, 409, 3898
idempotent Latin squares, 2168, 2782
idempotents, 4477
orthogonal Latin
square codes, 72
squares, 134, 209, 278, 318, 662, 782, 1101, 1191, 1298, 1541, 1628, 1965, 1989, 2106, 2567, 2831, 3676, 3692, 3872, 5284, 5476, 5646, 5830
orthogonal Latin squares of order
forty, 4299
twenty four, 4299
orthogonal
Lie algebra, 5574
line segments in the plane, 3794
matchings, 5480
mate, 4783
matrix, 1418
minimax regression, 4465
near resolutions, 2579
orthomorphisms, 2150, 5292
pair, 3386
pairs, 2588
partitioned incomplete Latin squares, 1837, 2911, 2953
polygon, 3595, 3814
polynomials, 75, 2633, 4854, 5789
projection, 4774, 4974, 5189
quasi frequency squares, 3676
rational representation, 2961
real representation, 2961
representation of a graph, 2961
orthogonal resolution, 1340, 2442, 2757, 3188
of a Kirkman system, 3058
of lines, 1340
orthogonal
Sheffer polynomials, 1704
squares, 278
starters, 2652
orthogonal Steiner
system, 1031
triple system, 2588
orthogonal
STS, 2588
subcategory, 3479
subset, 274
subsquares, 1628
system of polynomials over finite field, 2305
tableaux, 4998
tables, 2794
orthogonality, 1787
of Milne polynomials, 3229
orthogonality relation, 1585, 5564
on vector space, 2355
orthomodular lattice, 1787
with finitely many blocks, 1787
orthomodular poset, 274, 2353
orthomorphism, 2106, 5292, 5925
orthomorphism graph, 2150
of group, 2150
of Z_p, 2150
orthomorphism of
a cyclic group, 2150
an Abelian group, 2150
$GF(q)^+$, 2106
Z_p, 2150
orthonormality, 1438
orthotheory, 1787
oscillating
function, 4881
left tableau, 4484
oscillation, 2016
oscillatory region, 3982
OSS, 1741
Osterweil, 5011
Ostrom, 2769
Ottens, 4411
out branching, 5631
out domination, 5933
number, 5933
set, 5933
out
neighbourhood, 3559
of phase periodic autocorrelation coefficient, 3950
outconnectivity, 2470
outdegree, 1347, 1456, 1513, 1677, 2379, 2423, 2755, 3090, 3555, 3559, 4322, 4690, 5810

outer
boundary, 1724
product, 3307
valence, 1822
outerplanar, 4683, 4929
graph, 55, 241, 853, 1734, 1997, 2433, 3766, 4377, 4598, 4688, 4929, 5063, 5411
subgraph, 4683
outerplanarity testing, 853, 1734
outline
Latin square, 3161
symmetric Latin square, 3161
outvalence, 1591
oval, 1516, 1725, 2455, 2579, 2778, 2964, 4734, 4993
oval configuration, 5409
of involutions, 5409
oval partition, 4734
ovaloid, 722
overgraph, 4401, 5701
overlap
graph, 1858, 1859
lattice of traces, 4766
matrix, 4026
of traces, 4766
representation, 4523
overlapping
chords and edges, 2136
clustering, 4459
edges
ovoid, 5415
ovoid in
PG(3, 2), 5415
PG(3, q), 4449, 5415
Q(4, q), 5415
ovoid of a nonsingular quadric, 5415
Oxley, 2467, 3013, 3338, 3801, 5057, 5761, 5881
Oxley, J, 2998
Oyama, T, 3706, 4021
O-array, 4556

P

P = NP, 4461
p vertex, *see* n-vertex
P(10, 3), 3374
P(8, 3), 3374
P(ω), 1782
(p, 4, 1)-DF, *see* (n, 4, 1)-DF
(p, α)-jumbled, *see* (n, α)-jumbled
(p, q)-graph, *see* (n, k)-graph
(p, q)-multigraph, *see* (n, k)-multigraph
(p, q, x)-Latin rectangle, *see* (n, k, m)-Latin rectangle
p.c.i. pattern system, 1156
(P_1, P_2, ..., P_n)-partition of a graph, 5815
P_2-graph, 5734
P_3-factorization, 2431
P_3-graph, 5734
P_4, 36, 545, 2055, 2490, 2932, 3206
P_4(13), 1512
P_4-chain, 5801
P_4-comparability graphs, 2490
P_4-connected, 5801
component, 5801
graph, 5801
P_4-free, 3919
graph, 5250
P_4-sparse graph, 5247, 5250
P_4-structure, 5258, 5801
P_5, 4511, 4873, 5247
(P_5, $\bar{P}_5$)-free graph, 3836
P_5-free graph, 4511
P_7-free, 6010
PA, 3140, 6032, *see also* Peano arithmetic
$PA_1(4, 5, 2^n)$, 6032
Pach, 1884, 3777, 4461, 4895
packable, 3928, 4864
by bases, 4406, 4648
graph, 4864
subgraph, 4864
packed graph, 2079, 2752, 2784
packing, 73, 281, 486, 856, 1280, 1380, 1393, 1638, 2008, 2149, 2436, 2542, 2585, 2637, 2684, 2733, 2784, 2813, 2823, 3010, 3150, 3407, 3744, 3845, 3901, 4031, 4139, 4185, 4349, 4360, 4404, 4406, 4425, 4648, 5021, 5134, 5505, 5526, 5535, 5638, 5678
$1 \times 2 \times 4$ bricks, 4218
16, 17 or 18 circles in an equilateral triangle, 4404
3-connected restrictions, 5450
packing a
bipartite graph, 5139
disjoint directed circuit, 3613
graph in its complement, 5638
region of n-dimensional space, 1380, 1393
tree, 1545, 2239, 2750, 5090
packing
algorithm, 5505
and covering problem with block size, 4 2008
by cliques, 1638
circles in an equilateral triangle, 4404
constants, 4270
density, 5072
design, 2008, 2637, 3328, 3901, 3968, 4185
function of a graph, 4815
in a tree, 5678
lines, 3737
minors, 5772
packing number, 1280, 1859, 3150, 5021, 5678
of a tree, 5678

packing of
a complete directed multigraph, 5021
a graph, 2436
congruent copies, 4461
ellipses, 2029
equal circles in a square, 2813, 4352
pairs, 2983
rods into boxes, 4374
squares and rectangles, 4566
ten equal circles in a square, 2542
the unit ball, 1950
packing of three
forests, 5134
trees, 4922
packing of
triangles, 4349
two graphs, 2436
packing
pairs by quintuples, 3968
paths perfectly, 2837
pentagons into a complete graph, 4031
packing problem, 722, 863, 1638, 2008, 2436, 2637, 3328, 3407, 3438, 3968, 4073, 4185, 5464
of Lovász, 863
packing
rectangles in a rectangle, 856
smaller graphs into a graph, 2505
theorem, 2733
three trees, 4922
triangles, 5889
Padberg, 881, 1710, 2632, 5269
condition, 881
pagenumber, 5214
pagewidth, 2934
Paige, 2150
pair
covering problem, 1345
degree, 3909
pair of
consecutive integers of the same height, 1846
cycles, 326
dependent hyperedges, 5041
generators, 3610
graphs, 1116
inverse infinite lower triangular matrices, 5852
mutually opposite arcs, 5990
pair of nonadjacent
edges, 2659
vertices, 3604, 5817
pair of
oppositely oriented edges, 1049
orders, 4267
paths, 326
permutations, 445, 4383
Steiner quadruple systems, 1131
vertices, 2990, 3015, 3026, 3143, 3257, 3382, 3384, 4193, 4246, 4415, 4873, 5194, 5352, 5503, 5609, 5807, 5862, 5906, 5941
pair symmetric, 3340
graph, 3340
paired comparison experiment, 1287
pairwise balanced
block design, 647
design, 192, 606, 841, 1215, 2056, 2268, 2389, 2570, 2573, 2592, 2787, 2807, 3045, 3912, 4275
pairwise
compatible, 2304, 4141
complementary partial orders, 3636
difference, 1967
pairwise disjoint, 2513, 2542, 3111, 3320, 3375, 3533, 3778, 3811, 4099, 5456, 5526, 5678, 6030
blocks, 3180
dominating sets, 3936
odd cycles, 5092
paths, 3111, 5456
pairwise disjoint sets, 2184, 2702, 4099, 4461, 5734
of edges, 5466
pairwise
independent, 1836
openly disjoint, 6013
orthogonal conjugates, 1191
remote, 5227
Paley
difference set, 3408, 4537, 4582
graph, 2609, 4102
matrix, 4190
Paley type
1 matrix, 2890
difference set, 3408
Paley-Hadamard difference set, 3153
Pálfy, 4700
palindrome, 1329, 4485
palindromic, 5174
Palmer, 2209
Panchenko, 5556
panconnected, 5217
pancyclic, 617, 653, 1398, 1563, 1957, 2205, 2626, 2808, 2841, 2941, 3005, 3693, 4039, 4320, 4575, 5217, 5707, 5818, 5977, 6011
claw free graph, 5702
degree sequence, 653
digraph, 617
graph, 591, 4335, 4575, 6011
Hamilton cycle, 3005
line graph, 2205
locally semicomplete digraph, 5289
ordering, 2822

pancyclicity, 3693, 4039, 4575, 5818, 5977, *see also* pancyclism
pancyclism, 1957, 2941, *see also* pancyclicity
pandiagonal matrix, 1160
Pang, 1874
Pappian plane, 4078
parabolic subgroup, 4122, 5357, 5843
paracompact
  Hausdorff space, 3467
  locale, 3473
parallel
  algorithm, 3682, 5249
  class, 2579, 3045, 3190, 5593, 5948
  computation, 1895
  computing, 1580
  connection, 601, 2986
  decision tree model, 3688
  directed edges, 1677
  half strip, 4926
  implementation, 3682
  lines, 1439, 1458, 2425
  minor, 823
  network, 5883
  processing, 72, 1596
  projection of a polytope, 2101
  realization of a permutation, 1293
  searching, 3688
  sorting algorithm, 2526
parallelepiped, 1761, 2706
parallelism, 465, 1155, 1440, 1732, 1991, 3180, 3565
parallelogram, 1386, 4975
  polygon, 4752
  polyomino with border, 3707
parallelotope, 2169
parameter dependent program, 175
parameter of
  a code, 2946
  a graph, 2188, 2936
  a symmetric design, 2167
parameter
  set, 1839, 2281, 2368, 2879, 3413, 5148, 5604, 5926, 5927
  space, 5023
  system, 1186
parameterized equipartition problem, 3017
parametric
  minimum weight edge disjoint T-paths problem, 5500
  Möbius inversion formula, 5157
parametric solution, 87, 2648
  of a Boolean equation, 87, 2648
parenthesis
  system, 1944
  word, 5864
  words, 5864
Parikh, 1793
  semilinear theorem, 61
  theorem, 61, 632
parity check
  algebra, 2045
  matrix, 72, 928, 2677, 3092
  polynomial, 554, 643, 2045
  symbol, 2780
parity
  condition, 4161
  difference, 2370, 5058
parity dimension, 5692
  for a graph, 5692
  for a random graph, 5692
  for a tree, 5692
parity
  function, 4316
  graph, 2478, 2624, 3015, 3384, 5231
parity of
  cycles, 1145
  distinguished coset representatives, 4122
  Hamming distances, 5715
parity vector, 1846
parity-check, *see* parity check
Parker, 4572, 6031
parking function, 126, 5946
  conjecture, 5840
  module, 5840
parsimonious edge colouring, 4608, 4611
Parsons, 2961
Parsons graph, 2617, 4609
  of a matrix, 2617, 4609
Parsons, T D, 2598, 2604, 2611, 2613, 2614, 2617
Parthasarathy, 1460, 2000
partial
  1-spread, 2892
  3-quasigroup, 530, 1275
  3-tree, 2657, 2658
  5-colouring, 3596
  almost Steiner 3-quasigroup, 530
  automorphism, 4696
  balanced incomplete block design, 72
  Cayley graph, 3663
  characterization, 5493
  colour symmetry, 1267
  column Latin square, 2525
  cycle system, 2679
partial difference
  equation, 1022
  set, 1751, 2985, 3153, 3952
partial
  differential equations, 4471
  differentiation, 825
  extended triple system, 5367

partial flock, 5621
partial fraction, 1652
  decomposition, 1901
  technique, 3228
partial
  function, 966, 2984
  geometric design, 504, 685, 5726
  geometry, 762, 1090, 1214, 1663, 1722, 3458
  gossiping problem, 4614
  graph, 292, 1278
  hypergraph, 54, 600, 642
  idemponent n-ary quasigroup, 1964
  idempotent commutative Latin squares, 3741
  isomorphism, 557
partial Latin
  rectangle, 2399
  square, 2076, 4323, 5423
partial
  line graph, 3593
  Mendelsohn triple system, 2187, 3970
partial n-colouring, 2474, 3632, 5231
  of a graph, 2474, 2475
partial
  n-cycle system, 2679
  n-spread, 1830
  n-tree, 2657, 3499, 5903
partial order, 5, 14, 118, 295, 307, 325, 388, 414, 741, 877, 981, 1166, 1367, 1686, 1783, 1798, 1988, 2133, 2265, 3636, 3738, 4292, 4763, 5167, 5267, 5290, 5456, 5698, 5704, 5791, 5870
  analogue of the secretary problem, 5545
  dimension, 1415
  intersection, 5791
  relation, 118
partial
  ordered set, 4526
  ordering, 503, 845, 1144, 1597, 1760, 2247, 3564, 3824, 4093
  packing, 1393, 4406, 4648
  pairwise balanced design, 606
partial parallel class, 788, 1514, *see also* PPC
  of blocks, 788
partial
  plane, 758, 5029
  product, 485, 1661, 5180
  projective plane, 548, 1503
  quadruple system, 334
  recursive functional, 966
  rotation link of largest cardinality, 3977
  score, 1484
  semi-order, 1783
partial spread, 2096, 2501, 2503, 2892, 3156, 3802, 4158, 4362
  code, 4158
partial Steiner
  quadruple system, 334
  triple system, 396, 3619, 4031, 4512
partial
  syndrome, 1899
  system of distinct representatives, 3000
  three-space, 1090
  totally symmetric quasigroup, 5367
  triple system, 396, 1500, 2087
  weak Steiner n-cycle system, 2679
partially 2-edge coloured, 5857
  graph, 5857
partially balanced, 2051, 2072, *see also* PB
partially balanced array
  of type 1, 2051
  with 2 symbols, 2051
partially balanced
  association scheme, 3730
  bipartite block design, 3039
  design, *see also* PBD
  incomplete block design, 265, 709, 952, 2268, 6029, *see also* PBIB design *and* PBIBD
  n-ary design, 2072
  ternary design, 2072
  Youden square, 1136
partially
  commutative monoid, 4388, 4766
  directed graph, 5891
  labeled tree, 497, 2537
  order relation, 1649
partially ordered, 1795, 2384, 5615
  Abelian group, 5216
  free monoids, 700
  integral domain, 893
partially ordered set, 5, 118, 130, 131, 208, 307, 355, 474, 511, 542, 623, 747, 769, 828, 893, 927, 945, 976, 981, 997, 1016, 1057, 1064, 1075, 1171, 1172, 1174, 1175, 1179, 1180, 1306, 1403, 1569, 1589, 1618, 1699, 1760, 1781, 1988, 1996, 1999, 2043, 2132, 2265, 2384, 2472, 2566, 2926, 2948, 2963, 3198, 3317, 3345, 3381, 3646, 3845, 4116, 4373, 4459, 4463, 4500, 4506, 4584, 4757, 5014, 5216, 5267, 5304, 5352, 5639, 5647, 5698, 5704, 5759
  of functionals, 4113
partially pre-ordered, 1540
partially well ordered, 1793
  set, 1793
particular solution, 562, 4475
partionable balanced starter, 2871
partite
  construction, 2530
  graph, 449, 1948, 2421, 2687, 4155, 5370, 5470
  hypergraph, 4456

partite (*cont.*)
lemma, 2530
set, 5122
partition, 9, 32, 56, 127, 217, 255, 261, 281, 291, 292, 298, 341, 486, 487, 493, 521, 593, 637, 653, 663, 667, 727, 755, 852, 881, 882, 925, 949, 972, 1023, 1034, 1036, 1047, 1083, 1095, 1108, 1128, 1135, 1166, 1176, 1199, 1255, 1279, 1290, 1340, 1346, 1408, 1482, 1512, 1530, 1546, 1562, 1607, 1643, 1679, 1680, 1703, 1721, 1750, 1756, 1769, 1773, 1774, 1914, 1943, 1982, 1983, 1999, 2073, 2083, 2169, 2218, 2294, 2307, 2376, 2401, 2433, 2462, 2469, 2477, 2480, 2492, 2513, 2519, 2568, 2574, 2582, 2594, 2608, 2634, 2640, 2691, 2693, 2696, 2715, 2716, 2741, 2758, 2804, 2867, 2918, 2943, 3017, 3052, 3086, 3107, 3119, 3156, 3163, 3164, 3171, 3173, 3209, 3221, 3228, 3273, 3312, 3321, 3370, 3537, 3550, 3553, 3588, 3632, 3637, 3642, 3650, 3665, 3709, 3732, 3751, 3788, 3812, 3845, 3917, 3922, 3961, 3978, 3981, 4015, 4065, 4110, 4126, 4206, 4235, 4237, 4244, 4314, 4344, 4421, 4464, 4526, 4630, 4694, 4808, 4839, 4844, 4863, 4882, 4973, 5018, 5028, 5041, 5078, 5109, 5128, 5209, 5231, 5237, 5263, 5274, 5315, 5316, 5357, 5391, 5443, 5520, 5555, 5574, 5579, 5639, 5644, 5801, 5805, 5815, 5826, 5835, 5850, 5872, 5899, 5945, 5983, 5996, 6007, 6015, 6025, 6030, *see also* partitioning
calculus, 5706
conjugation, 183, 1643
formula, 1154, 2608
function, 3228, 5187
graph, 509, 3642, 3650
partition identity, 1562, 4314
of Hwang and Wei, 1774
partition
induced natural duality, 3637
inequality, 4612
partition into
paths, 3611
relatively prime parts, 2693
partition lattice, 1324, 1405, 1572, 1597, 2918, 3623, 5856
on a lattice, 1597
partition
matrix sequence, 3846
modulo two, 5316
number, 291, 809, 1680, 2554
partition of
a complete subgraph, 1839
a digraph into paths or circuits, 2064
a finite set, 1721
a free semigroup, 1773
partition of a graph, 4654
into independent sets and cliques, 4654
into trees, 744
partition of
a large Boolean lattice, 4110
a lattice point parallelotope, 2169
a multiset, 291, 1680
a natural number, 2634
a poset into chains, 2408
a positive integer, 4154
a rectangle, 1205
a set of matrices, 414
a vector space, 1023, 2951
partition of a vertex set, 1014, 2854, 2867, 3744, 5020, 5633, 5684
into paths, 2487
partition of
an edge set, 2551
an integer, 183, 1562, 2709
infinite subset, 1839
n, 2519, 2693
planar set into small triangles, 1918
points, 2692
the fixed rank partitions of a finite set, 5945
the integers, 290, 2561, 2809
the natural numbers, 1575
the positive integers, 5996
the set of 3-subsets, 1464
partition
pattern, 5983
property, 1176, 1186
relation, 3119, 5706
representations of lattices, 1405
statistics, 3220
partition system, 5315
with group action, 5315
partition the integers, 3057
partition theorem, 883, 1186, 1279, 1355, 5945
of Erdös Dushnik and Miller, 1793
of Göllnitz, 5899
partition
theory, 1176
variety, 5078, 5357
partitionable
3-perfect 8-cycle system, 4610, 4662
digraph, 3507
graph, 881, 1451, 2201
perfect cycle system, 4610, 4662
simplicial complex, 4969
starter, 2871
partitional of Foata and Schützenberger, 861
partitioned
generalized balanced tournament design, 5643
incomplete Latin square, 2953

partitioning, 430, 486, 577, 1205, 2064, 2590, 2958, 3063, 3514, 4015, 4433, 5264, 5980, *see also* partition
partitioning a
7×7 Graeco-Latin square, 4571
cubic graph, 4191
disk, 2804
graph, 2401, 4344
multiset, 3665
power set, 2914
random graph, 2350
rectangle, 3327
regular graph, 2906
set of quadruples into designs, 2590, 3056
Steiner triple system, 2943
twofold triple system, 3370
unit square, 3327
partitioning
an edge set, 2007, 2056, 3745
family, 577
in cycles, 1244
partitioning into
4-chains, 2981
cliques, 3704
partitioning of a bipartite graph into cycles, 3755
partitioning the
arcs of a digraph, 2064
edges, 1927, 1952, 2697
partitive hypergraph, 1211
partly closed set, 1375
Pascal
array modulo a prime, 3059
triangle, 434, 739, 4660, 5894
Pascal-Lucas-Turner triangle, 3055
Pasch
axiom, 1100
configuration, 5309
Pasini, 3378, 5393, 5405
passing through order, 5304
patch, 2343
Paterson, 2033
path, 2, 12, 62, 168, 188, 197, 219, 221, 266, 302, 326, 358, 411, 412, 428, 478, 512, 517, 527, 538, 572, 575, 642, 650, 713, 715, 735, 742, 761, 765, 769, 774, 799, 820, 842, 854, 903, 939, 982, 1009, 1042, 1083, 1102, 1106, 1141, 1151, 1174, 1285, 1291, 1302, 1316, 1317, 1318, 1364, 1368, 1369, 1442, 1480, 1536, 1593, 1707, 1711, 1802, 1849, 1857, 1864, 1869, 1883, 2048, 2055, 2069, 2082, 2226, 2289, 2301, 2302, 2306, 2494, 2509, 2523, 2533, 2539, 2642, 2719, 2751, 2790, 2808, 2811, 2855, 2872, 2900, 2932, 2954, 2955, 2969, 3015, 3066, 3094, 3111, 3133, 3143, 3176, 3181, 3320, 3334, 3357, 3376, 3382, 3492, 3563, 3599, 3606, 3611, 3632, 3638, 3641, 3700, 3751, 3797, 3809, 3817, 3842, 3854, 3864, 3884, 3911, 3928, 3940, 4092, 4099, 4207, 4232, 4243, 4246, 4337, 4344, 4429, 4441, 4443, 4569, 4595, 4634, 4635, 4702, 4750, 4789, 4888, 4935, 4943, 4992, 5027, 5039, 5049, 5112, 5119, 5200, 5230, 5231, 5264, 5338, 5373, 5384, 5438, 5440, 5488, 5500, 5501, 5592, 5656, 5658, 5683, 5695, 5750, 5756, 5808, 5850, 5877, 5891, 5901, 5932, 5954, 6013, 6030
algebra, 5091
chromatic number, 4433
path chromatically unique, 4433
graph, 4433
path
collection, 1864
complete bipartite Ramsey number, 2523
compression algorithm, 3489
connected, 1987
path connectivity, 1711, 1987, 5310
in a graph, 1987
path cover, 2808
number, 5077
path covering, 4239
number, 4239
of the vertices of a tree, 820
path cycle
pair, 326
Ramsey number, 326
path
design, 5410
entropy function, 4569
enumeration problem, 887
extremal graph, 5901
factorization, 3877, 5884
path graph, 765, 939, 1857, 2866
of length n, 3456
path in
a Cayley graph, 4789
a digraph, 1042
a directed graph, 2487
a finite group, 735
a graph, 353, 4943
a tournament, 174
a tree, 1857, 1864
an interval graph, 3611
path intersection model, 765
path length, 168, 623, 1074
distribution, 168
path
like 2-tree, 3102
meeting each colour class exactly once, 2487
number, 4634, 5020

path of
bounded length, 1481
cliques, 5731
path of length
at most n, 5012, 5644
n, 2301, 2393
three, 6033
two, 1750, 1955, 3036, 5346, 5901
path on
five vertices, 3286
six vertices, 3286
three vertices, 5113
path parity, 5244
path partition, 5231, 5750
conjecture, 5231
in a graph, 5750
number, 5137, 5750, 5992
path perfect, 1102
graph, 1102
path
problem, 817, 854
reversal, 188
separation property, 4410
sequential labeling of cycle, 5008
space, 854
structure in a graph, 366
sub-Ramsey number, 2069
traversability, 219
union, 4453
width, 4061
with 3 edges, 6033
zero graph, 3456
pathlike factorization, 3184
paths of length one and two, 2300
pathwise homomorphism of finite automata, 299
path-union, *see* path union
path-width, *see* path width
Patrinos, 1488
pattern, 33, 667, 1001, 1156, 1325, 1594, 1846, 2030, 2247, 2819, 3019, 3418, 3718, 4391, 4758, 4977, 5210, 5276, 5675, 5864, 5954
Pattern, 5864
pattern graph, 2378
of a matrix, 800
pattern of
an orbit, 2247
small size, 2247
pattern
on a finite set, 1156
recognition, 4974
with distinct differences, 3019
Pauling bond order, 5276
Pauling, L, 5276
Paulraja, 3087
paving matroid, 2347, 2997, 5763
Payan, 2338, 5231, 5816
Payan, Ch, 4618
PB, *see also* partially balanced
n-ary design, 2072
PB1-array, 2051
PB2-array of strength n, 2051
PBD, 606, 1215, 2570, 2787, 2807, 5869, *see also* partially balanced design
closure, 1101
of index one, 1215
PBD-closed, 1215, 2584
set, 2584
PBIB, 1136, 2072
PBIB design, 952, 1136, 2072, 2268, 6029, *see also* partially balanced incomplete block design
with two associate classes, 1751
PBIBD, 265, *see also* partially balanced incomplete block design
PBT design, 2072
PBW ordering, 2963
PBYS, 1136
PD0L
length set, 732
system, 732
peak, 914, 4875
Peano arithmetic, 3129, *see also* PA
pebbling, 5679
move on a graph, 5679
number, 5679, 5863
Peck poset, 2344
Peled, U, 3600
Pellegrino, 5394
Pellian equation, 4537
Peltesohn, 2246
pencil, 5726
of curves, 3174
pendant
edge, 367
path, 4408
vertex, 1647, 2360, 2405, 5824
Peng, 5343
Peng, Y-H, 5350
Penner, 4961
Penrose number, 2482
of a cubic diagram, 2482
Penrose
pattern, 3418
piece, 2536
tiling, 2536, 3575
pentagon, 575, 833, 960, 1292, 1750, 2582, 4031, 5243, 5276, 5780
free, 4031
incident with four 3-vertices, 4831
system, 2582, 2583
pentagonal, 5239
3-polytopal graph, 4276

pentagonal (*cont.*)
packing, 4031
prism, 214
penultimate, 2909
perceptron order, 433
percolation
problem, 8, 5645
theory, 637, 903, 3201, 3684
type process, 4474
perfect, 3361, 3414, 3539, 3635, 3744, 3865, 3874, 3914, 4244, 4370, 4560, 4765, 4777, 4811, 4814, 4873, 5161, 5244, 5278, 5304, 5754, 5876, 5940, 5971, 5995, 6032
(0, 1)-matrix, 5233
(0, ±1)-matrix, 5233
(n, k, q)-code, 564
1-factorization, 599
2-colouring of a square tiling, 667
3-code, 1662
3-error correcting Golay code, 1697
4-fold secrecy, 6032
addition set, 778
and uniformly packed code, 2707
arithmetic code, 3445
array, 3935
binary array, 3935, 3950
Cartesian product, 660
code, 71, 74, 429, 482, 564, 693, 1283, 2696, 2985, 3445, 3448, 3771, 4191
colouring, 667, 3874
constant weight code, 1576
covering, 2760
cycle system, 4610
cyclic design, 647
design, 2807, 3330, 5962
perfect elimination
graph, 221
ordering, 4798
perfect
error correcting code, 1047
Graeco-Latin balanced incomplete block design, 5971
perfect graph, 54, 660, 670, 725, 787, 881, 1226, 1245, 1465, 1595, 1710, 1727, 1813, 1867, 1880, 2038, 2475, 2490, 2624, 2680, 2860, 2969, 2971, 3350, 3384, 3539, 3748, 3828, 3914, 4094, 4334, 4814, 4826, 4873, 5153, 5161, 5231, 5233, 5244, 5247, 5258, 5278, 5427, 5447, 5537, 5548, 5754, 5800, 5837, 5876
conjecture, 54, 309, 539, 855, 881, 1269, 1349, 1451, 1465, 1813, 2053, 2680, 2849, 3865, 4105, 4687
in the chromatic sense, 2850
theorem, 309, 1226, 1813
perfect
group code, 74
Hamming code, 3907
Hoàng graph, 4811
information, 627, 1231, 5619
Langford sequence, 1454
Latin square, 4370
line graph, 5106
perfect matching, 1040, 1138, 1209, 1348, 1511, 1530, 2007, 2156, 2425, 2437, 2615, 2647, 2993, 3238, 3256, 3271, 3391, 3617, 3713, 3866, 3956, 4060, 4227, 4309, 4510, 4630, 4658, 4759, 4762, 4768, 4914, 4947, 4996, 5070, 5133, 5185, 5276, 5294, 5361, 5480, 5634, 5711, 5921, 5934, 6025
in a graph, 3745
in a hexagonal system, 3866
perfect
matching. Graph, 2425, 3956
matroid design, 2527
Mendelsohn design, 2807, 3329, 3330, 3635, 4369, 4865, 5748, *see also* PMD
perfect mixed
code, 2905
n-code, 2905
perfect neighbourhood set, 5747, 5940, 5995
in a graph, 5940, 5995
perfect
n-code, 2152
n-factor, 3122
n-fold secrecy, 6032
perfect one-factorization, 2354
conjecture, 3365
perfect
order, 2481, 2683, 2688
packing, 3744
path double cover, 3744
product graph, 660
sequence, 1454, 5304
set, 4560
shuffle, 1596
squared square, 3414
subset, 1576
perfect system
of difference sets, 668, 1592, 1771, 2116, 2358, 3541, 4244, 5028
with threshold n, 3282, 3541
perfect
tensor product, 660
tree, 2281
underlying graph, 2468
perfection, 4765, 5244, 5247
perfectly 2-edge connected, 5080
graph, 5080
perfectly error correcting, 3771

perfectly n-coloured isohedral tiling, 2819
perfectly orderable, 3286, 3643
graph, 2055, 2280, 2481, 2489, 2490, 2683, 2688, 2971, 3206, 3286, 3643, 4765
perfectly two-edge connected graph, 5080
perfectness, 1470, 4094, 4811, 5876
of a graph, 1470
perfectness of a normal product, 660
of graphs, 809
perfectness of a product graph, 809
performance
function, 2529
ratio, 2923
PERGOLA, 5971
perimeter, 2341, 3327, 4298, 4752, 4850, 5720
generating function, 5563, 5568
period, 1810, 2021, 4570
2^n binary sequence, 4008
period of
a finite word, 1311
a graph, 119
periodic, 2230, 4177, 4856, 5368, 5862, 5909
behaviour, 1000
correlation, 4937
homeomorphism, 4704
n-isohedral tiling of the plane, 3874
orbit, 3839
pattern, 2832
regular tiling of the plane, 1951
sequence, 5150
periodic tiling, 1951, 5909
of the plane, 5909
problem, 5909
periodic word, 813
periodicity, 857
in a D0L sequence, 222
peripheral lifting, 1761
periphery, 4797
Perles, 824, 1544, 1814, 4114, 4253, 4696, 5207
Perles, M., 4919
permanent, 167, 263, 1534, 1600, 2049, 3001, 3093, 3558, 4697
expansion, 2647
function, 3001
permanent of
a (0, 1)-matrix, 4697
a doubly stochastic matrix, 2089
permanental
minor, 3144
root, 1184
permuation, 4968
permutable, 4856
permutahedron, 5792
permutation, 18, 30, 132, 160, 174, 211, 295, 297, 320, 348, 355, 445, 472, 473, 480, 485, 489, 498, 515, 604, 656, 667, 711, 746, 763, 843, 844, 876, 884, 898, 913, 914, 920, 946, 962, 977, 984, 993, 996, 1026, 1065, 1074, 1112, 1151, 1192, 1222, 1232, 1255, 1266, 1293, 1302, 1304, 1316, 1335, 1406, 1415, 1567, 1587, 1594, 1596, 1609, 1666, 1690, 1693, 1736, 1754, 1767, 1814, 1819, 1832, 1835, 1891, 1895, 1902, 2057, 2091, 2100, 2117, 2135, 2157, 2275, 2319, 2358, 2359, 2370, 2390, 2463, 2499, 2531, 2608, 2651, 2652, 2664, 2672, 2678, 2685, 2709, 2759, 2788, 2838, 2885, 2900, 3021, 3216, 3220, 3224, 3226, 3232, 3289, 3349, 3397, 3537, 3564, 3671, 3689, 3736, 3740, 3874, 3937, 3970, 3976, 4013, 4023, 4042, 4046, 4170, 4193, 4201, 4383, 4387, 4422, 4436, 4482, 4484, 4492, 4568, 4651, 4700, 4804, 4846, 4858, 4973, 4976, 4982, 4989, 5001, 5006, 5045, 5210, 5224, 5279, 5287, 5477, 5515, 5566, 5578, 5582, 5791, 5833, 5864, 5870, 5947, 5985
array, 996
avoiding each pattern of length four, 5210
Boolean function, 420
permutation character, 480
of a wreath product, 480
permutation
coding, 1895
cycle structure, 5947
decoding, 1891, 1896
derived graph, 4201
diagram, 1415
enumeration, 5045
graph, 1690, 1736, 1883, 2862, 3169, 3387, 3598
permutation group, 67, 69, 395, 426, 480, 638, 762, 929, 1037, 1201, 1790, 1999, 2149, 3296, 3423, 3781, 3900, 4208, 5520, 5729, 5822, 5939
of automorphisms, 69
on a power set, 2099
permutation
matrix, 18, 362, 404, 1307, 2076, 2656, 3085, 3093, 4169, 5947
network, 1596
permutation of
a multiset, 2370
an uncountable set, 1567
permutation of given
form, 876
type, 914
permutation of
length three, 354
rows and columns, 877
the edge set, 2319

permutation of (*cont.*)
the natural numbers, 2323
the positive integers with specified differences, 5224
vertices, 4482
permutation
pair, 4383
partition pair, 4342
polynomial, 2664
problem, 1192
representation, 3772
statistic, 2264, 3976
string, 320
structure, 1160
tree, 1594, 4170
permutation voltage
assignment, 604, 913, 3207
construction of graph, 913
graph, 604, 4201
permutation with
forbidden subsequences, 4846, 4976, 4990, 5677
n rises, 1008
one or two 132-subsequences, 5517
permutational similarity, 5872
permuted difference cycle, 5006
permuting Boolean function, 420
permutoedron, 3571
permutohedron lattice, 3571
perpendicular array, 2787, 3140, 6032
of triple systems, 2059
perpendicular
order, 4267
t-array, 6032
Perron, 2843
perscribed row and column sums, 183
perspective pair of geometries, 646
perspectivity relation, 5266
perturbation, 1254
of a complete graph, 5023
perturbation problem, 1230
in linear operator theory, 1230
perturbed urn, 154
Peterman, 3034
Petersen, 1681, 3236, 3237, 3238, 3246, 3255, 3270, 4885
Petersen graph, 42, 1013, 1392, 1817, 2615, 2729, 2935, 3246, 3258, 3337, 3412, 3603, 3857, 4591, 5060, 5243, 5707, 5725, 5939, 6025
characterization of G_{32}, 2353
theorem, 1097
Petersen
hypergraph, 6025
theorem, 1097, 3246, 3250, 3713
Petersen, J., 3234, 3235, 3237, 3238, 3246, 3251, 3270, 3271, 3279
Peterson, 3731
Petford, 4128
Petrovic, 4525
Peyrat, 2604, 4633
Pezzana, 1937
Pfaff, 5842
Pfaffian, 46, 3271, 3710
form, 3710, 4528
method, 1062
Pfaff-Saalschütz
formula, 2833
summation, 1664
Pfaltz, 570
PG(2, 3), 2578
PG(2, 5), 2578
PG(2, q), 1745, 2229, 2575, 3174, 3962, 5399, 5404
PG(2, q^2), 2578, 3570, 5416, 6029
PG(3, 2), 3302
PG(3, 4), 4025
PG(3, q), 1738, 4414, 4449, 5393, 5394, 5415, 5621
PG(4, 9), 1986
PG(4, q), 1617, 5394
PG(5, 2), 1738
PG(5, q), 5403
PG(d, 2), 3393, *see* PG(n, 2)
PG(d, q), *see* PG(n, q)
PG(n, q), 3065, 3459, 3703, 4087, 4513, 4537, 4582, 4732, 4924, 5389, 5394, 5399, 5414, 5726
PG(r, q), *see* PG(n, q)
PG(t, q), *see* PG(n, q)
PGL(2, q), 1251, 3986
PGL(4, q^2), 5403
phase transition phenomenon, 4467
Phelps, 1251, 4610, 4662
Philippe Delsarte, Ph, 2769
Phillip Hall matching theorem, 2326
Phillips, 5969
phylogenetic tree, 2405
physico-chemical condition, 2511
physics, 3235, 4229
π-character of a Boolean algebra, 3466
π-sequence in a semigroup, 353
π-space, 1396, 1586
Pick type
formula, 5757
theorem, 2282
Pickert, 6024
picture, 984, 1889, 3059, 3078, 3297, 4304, 4989, 5249, 5988
of the plane, 5249
processing, 1889
piecewise linear, *see also* PL
function, 520
manifold, 2690
sphere, 532
topology, 2690

piecewise polyhedral, 622
Pierce, 1785
Pieri rule, 4489
pigeonhole principle, 95
piggyback method, 3637
of Davey and Werner, 3637
pile of
counters, 4770
fourteen circles, 5271
twenty circles, 5271
Pillai, 2182
pinched torus, 3991
polyhedral map, 3991
Pinter, 2922
Pinzani, 4845
pipeline interval optimum systolic queue, 2102
Pisanski, 2961
Pisanski, T, 2617
Pisier, 5330
Pitts, 727
pivot, 124
entry, 4465
pivot rule, 124
of maximizing criterion improvement, 124
pivot
step, 217
theory, 216
P_k-factorization, *see* P_n-factorization
P_k-graph, *see* P_n-graph
P_k-graphic, *see* P_n-graphic
PK-nearring, 4736
PL, *see also* piecewise linear
manifold, 1489, 2432, 2690, 2735, 4280, 4302
topology, 2690
$PL(F_q)$, 3986
PL_1 property, *see* PL_1-property
PL_1-property, 4079
planar, 3584, 3956, 3988, 4038, 4319, 4410, 4658, 4683, 4704, 4706, 4821, 4914, 5072, 5268, 5345, 5432, 5716, 5721, 5803, *see also* plane
3-dimensional assignment problem, 2086
4-valent 3-connected graph, 4264
bipartite graph, 2447
block, 5081
Cantor set, 3521
claw free graph, 3956
convex polygon, 296
planar cubic
3-connected graph, 2811
graph, 263, 1475, 1755, 4191, 5508
map, 3060
planar
directed four-valent graph, 682
double covering, 2098
planar dual, 2658
to a polygon, 2360
planar
embedding, 2766, 3996, 4410, 5521
Eulerian map, 682
family of pairwise disjoint translates of a parallelogram, 1386
frame, 5298
planar graph, 20, 36, 43, 58, 106, 122, 180, 214, 219, 263, 377, 431, 457, 575, 586, 591, 633, 637, 663, 665, 682, 840, 853, 879, 941, 1011, 1015, 1054, 1197, 1238, 1292, 1318, 1444, 1475, 1509, 1561, 1654, 1734, 1736, 1807, 2085, 2351, 2390, 2433, 2506, 2600, 2658, 2695, 2823, 2934, 2970, 2999, 3139, 3204, 3273, 3380, 3523, 3591, 3602, 3744, 3801, 3815, 3886, 3923, 3990, 3996, 4060, 4163, 4337, 4384, 4533, 4536, 4563, 4636, 4670, 4706, 4708, 4821, 4831, 4914, 4919, 4929, 4932, 4934, 5186, 5242, 5308, 5345, 5458, 5467, 5808, 5815, 5867, 5903, 5953, 6018
having at most three 3-cycles, 5156
without 3-cycles, 4536
planar graphical, 1189
sequence, 1189
planar
grid, 4452
hypergraph, 892
hypermap, 1944
hyperring, 4743
hypotraceable graph, 463
hypo-Hamiltonian graph, 463
lattice, 145, 2742
line graph, 36
map, 86, 205, 308, 682, 972, 1196, 1944, 2798, 3894, 4704, 5566
multigraph with triangular finite faces, 2154
multipattern, 3874
obstruction, 3648
ordered set, 2123
oriented graph of given girth, 5721
P_{16}-universal graph, 5721
P_4-universal, 5721
point set, 90
polygon, 2282, 2839
principle, 2532
realization, 593
set, 3870, 4870
space, 1396, 1586
square lattice, 4875
planar tiling, 5757
with congruent regular polygons, 5757
planar
topology, 433
triangle free graph, 4821
triangulation, 522, 3060, 3823

planarity, 593, 838, 1099, 4103
condition, 4086
criterion, 2136, 5803
in hypergraph, 892
planarity testing, 1848
algorithm, 5600
plane, *see also* planar
affinity, 4733
at infinity, 3570
bipartite cubic graph, 3262
block, 527
crystallographic group, 2819
cubic map, 1207
diagram of a 3-dimensional polyhedron, 2101
four-regular graph, 3172
graph, 527, 2482, 3244, 3262, 3271, 3677, 4279, 4324, 4350, 5123, 5953
grid, 5552
minimal spaning networks, 4788
plane of
$AG_{2n}(2)$, 486
symmetry, 186
plane partition, 852, 993, 1022, 2240, 3982, 4491, 5205
correspondence, 993
plane
space, 3869
square grid, 4768
term rank, 926
plane tree, 4843, 4984, 5576
enumeration, 5576
plane
triangulation, 5549, 5802, 5880, 5953
walk, 3306, 4476, 4579
planted tree, 2913, 4984
Plantholt, 2488, 3768, 5433
theorem, 2641
Platonic
graph, 1672
icosahedron, 2536
map on a torus, 2036
polyhedron, 1105
solid, 1672, 2036, 5239
PLD-maximal graph, 168
Plemmons, R J, 938
plenary set, 4940
Plensik, 4448
plentiful in odd cycles, 2352
Plesnik, 5509
Pless, 382
plethysm, 5581, 5848, 5851, 5854
coefficient, 5581
of formal power series, 3859
plethystic
analogue of the partition lattice, 3859
Hopf algebra, 3859
plethystic inverse, 3859, 4500
of a series, 3859
plethystic
lattice, 3859
Schröder tree, 3859
tree, 3859
Plücker, J, 1772
Plummer, 708, 1158, 1481, 2425, 3244, 3617, 3941, 3972, 4531, 4769, 5634
Plummer, M D, 5133
plurality preference digraph, 3269, 4521
PL-manifold, *see* PL manifold
PMD, 3329, 3330, 3635, 4369, 5748, *see also* perfect Mendelsohn design
P_n, 5756
$\mathbf{P}^n(F_q)$, 4231
$P_n(v)$, 1512
P_n-connected, 1466
P_n-factorization, 3877
P_n-factorizations, 5884
P_n-free, 3940
graph, 3940
P_n-graph, 5734
P_n-graphic, 5888
sequence, 5888
Poch, G, 3186
Poguntke, 4092
Poincaré, 1469
formula, 1469
polynomial, 5078, 5357
series, 4977, 5034
sphere, 1937
Poincaré-Birkhoff-Witt ordering, 2963
point
axiom, 1809
base incidence matrix, 3480
character of a uniform space, 3474
configuration, 5561
cover, 2859, 4898
covering number, 789, 5074
deleted subdigraph, 1555
point deleted subgraph, 55, 1262
of a graph, 1595
point
deletion, 834
derivate of the residual design, 986
point determining, 305, 435, 690, 796
graph, 142, 305, 435, 525, 690, 796
point
distinguishing graph, 305
distribution, 2439
graph, 3378
point imprimitive, 3760
design, 3760

point
independence number, 789
insertion theorem, 1809
intersection, 1446
lattice, 4172
point line
antiflag, 4079
configuration, 3417
geometry, 5403
incidence graph, 2873
incident pair, 6029
point linear arboricity, 2433
of a graph, 2433
point
neighbourhood, 3412
of contact, 4450
orbit, 3933, 5184, 5416, 5520
primitive tournament, 426
rank, 5184
reflection geometry, 4082
point regular
automorphism group, 758, 3194
group, 3194
point
residual design, 1210
residue, 2797
point set, 4578, 4732
point set dominating, 5868
set, *see also* PSD-set
point set
domination in graph, 5868
duality, 4675
with many unit circles, 2022
point
transitive automorphism group, 3151
transitivity, 5184
wise product, 4477
(point, line)-system, 5952
pointed median graph, 3565
points and circles on the plane, 2315
points in
general position, 3016
space at perscribed distances, 1504
points
lines planes conjecture, 2025
with coinciding neighbour sets, 1147
poison game, 3712
Poisson, 4497
approximation, 5833
distribution, 401
formula, 4497
polar
axis, 4895
connectivity, 433
graph, 2083
grid, 433
partition, 2083
space, 4741, 5392, 5403
polarisation, *see* polarization
polarised, *see* polarize
polarity, 1799, 2368, 3194, 4051, 4578, 5403, 5957
polarization, 864
of the weight function, 2781
Polat, 3125
Polesskii, 2397
Politof, 2658
Poljak, 1827, 2299
Pollack, 1884
Pollaczek, 2633
Pollak, 1679
Pólya, 782, 786, 2065, 2209, 4009
Pólya enumeration, 1440
theorem, 33, 197, 1999
Pólya
identity, 33
like substitution, 3769
Pólya theorem, 33, 916
on the plethysm of cycle indices, 3859
Pólya, G, 4859
polyamino, 3814
Pólya-de Bruijn theory, 4009
Pólya-Redfield theory of enumeration, 395
Pólya-Schutzenberger-Tutte methodology of weight enumeration, 3289
polychromate, 1168
polychromatic
circuit, 1518
Hamilton cycle, 3763
polycyclic hydrocarbon, 5276
polygon, 360, 699, 821, 849, 921, 922, 1322, 2360, 2839, 3595, 3648, 3677, 3855, 4441, 4688, 4752, 4847, 5377, 5688
circle graph, 5063
inscribed in a circle, 5063
polygon matroid, 921, 1337
of a graph, 3331
polygon
property, 4847
tree, 4173, 5343
polygonal
cell, 833
cluster, 360
hole, 5835
product, 800
region, 5835
tile, 583
polygon-circle, *see* polygon circle
polyhedral
2-manifold, 1353, 1672
carbon molecule, 5780

polyhedral (*cont.*)
characterization of Edmonds, 1158
cone, 273
decomposition, 1092
polyhedral embedding, 3991, 4117
of a graph, 4117
polyhedral graph, 136, 163, 3649, 5820
polyhedral map, 2337, 3991
on a surface, 5605
on a torus, 2337
with representativity, 3 5605
polyhedral
pinched map, 3991
rank function, 5499
realization, 21, 2028, 2254
sphere, 933
polyhedron, 120, 267, 391, 705, 868, 1363, 1775, 2028, 2254, 2314, 2494, 2499, 3007, 3765, 3793, 4212, 4281, 4996, 5276, 5530
of inscribable type, 4996
polyhydral theory, 2690
polymatroid greedoid, 2452
polynomial
algorithm, 1007, 1245, 1431, 1958, 1990, 2349, 2558, 2856, 3499, 3611, 3616, 3664, 3784, 4292, 4543, 5037, 5074, 5112, 5257, 5289, 5719, 5731, 5784, 5877, 5900
approximative algorithm, 806
association scheme, 5789
basis, 860, 5762
polynomial characterization, 2872
of the Catalan numbers, 5841
polynomial code, 1905
polynomial coefficient, 1704
sequence, 1704
polynomial
complexity, 2349
factorization, 1907, 3671
polynomial function, 4290, 5024, 5165
from $\mathbf{Z}_n$ to $\mathbf{Z}_k$, 5024, 5165
from $\mathbf{Z}_{n_1} \times \mathbf{Z}_{n_2} \times \ldots \times \mathbf{Z}_{n_k}$ to $\mathbf{Z}_m$, 5024
polynomial
generating Stirling numbers, 1066
growth, 2956, 3115, 3131, 3780, 5645, 5999
polynomial identity, 4927
over a matrix ring, 4605
polynomial
invariant, 3262
iteration, 2276
Kramer-Mesner matrix, 5926
map, 2031
over finite field, 2305, 2789
product algorithm, 5311
recognition algorithm, 1431, 4519
regression, 3724
representation, 2305
ring, 2326, 2973, 3064, 3132, 3615, 4627
sequence, 910, 1704
solution, 3088, 5814
space, 2444
substitution, 1906
polynomial time, 624, 1431, 2411, 2430, 2837, 2868, 2872, 2930, 3304, 3396, 3511, 3520, 3704, 3750, 3954, 4093, 4191, 4471, 4560, 4654, 4668, 4757, 4849, 4850, 4851, 4956, 5037, 5044, 5085, 5368, 5734, 5784, 5793, 5816, 5857, 5865, 5905, 5939
algorithm, 765, 1245, 1867, 2132, 2428, 2485, 2626, 2861, 3383, 3491, 3499, 3500, 3511, 3601, 3630, 3750, 3843, 4167, 4228, 4320, 4524, 4620, 4908, 5203, 5228, 5300, 5544, 5697, 5723, 5803, 5826, 5857
approximation algorithm, 2923
complexity, 3607
decoding algorithm, 3447
heuristic, 1954
recognition algorithm, 1838, 2489, 2683, 5493
solvable, 5810
polynomially bounded
algorithm, 963
in the number of edges, 1869
polynomially
equivalent, 1243
recognizable class, 3286
solvable, 2121, 2453, 3590, 3914, 5112, 5428, 5727
polyomino, 1195, 2343, 4495, 4667, 4768, 4850, 4974, 4975, 4979, 5568, 5720
of given perimeter, 4850
polyspherical poset, 338
polystroma, 1683
polytopal, 513, 1032, 1688
sphere, 1032
polytope, 21, 37, 133, 148, 163, 186, 302, 321, 459, 636, 904, 1004, 1032, 1130, 1132, 1353, 1432, 1505, 1612, 1958, 2017, 2086, 2101, 2632, 2649, 2684, 2703, 2812, 3786, 3914, 4132, 4269, 4593, 4612, 4709, 4738, 4830, 4956, 5044, 5062, 5080, 5213, 5234, 5481, 5613, 5652, 5675
polytope of
an independent set of vertices, 904
dimension at most four, 5675
Popescu, 3198
Pósa, 650, 1417, 1747, 5444
poset, 62, 236, 376, 474, 493, 503, 511, 560, 741, 949, 1016, 1050, 1064, 1144, 1166, 1171, 1175, 1180, 1227, 1284, 1367, 1483, 1618, 1625, 1754, 1781, 1789, 1845, 1953, 2121, 2132, 2133, 2147, 2236, 2344, 2348, 2384, 2408, 2428, 2504, 2676, 2718, 2745, 2912,

poset (*cont.*), 2921, 2926, 2963, 3317, 3321, 3377, 3525, 3538, 3565, 3598, 3613, 3687, 3799, 3959, 3992, 3993, 4092, 4113, 4115, 4291, 4322, 4463, 4496, 4523, 4584, 4613, 4641, 4644, 4647, 4664, 4757, 4784, 4981, 5014, 5031, 5048, 5086, 5178, 5207, 5260, 5296, 5304, 5306, 5315, 5528, 5532, 5630, 5639, 5698, 5704, 5777, 5792, 5878, 5985
poset boxicity, 2147
of a graph, 2147
poset
code, 4584
cogenerated by another poset, 5630
dimension, 5878
dimensionality, 5878
generated by another poset, 5630
isomorphism, 893
matching, 3687
matroid, 3687
metric, 4584
poset of
all subsets of a finite set, 5007
bounded diameter, 2121
compositions, 4160
poset of conjugacy classes, 4291
of subgroups, 3769
poset of
dimension two, 4013
height one, 1180
join irreducibles, 1179
poset of meet
irreducible elements, 5647
irreducibles, 5647
poset of
m-ary words, 4613
n-edge trees, 4113
poset
product, 5704
size, 2428
structure, 2963
with the fixed point property, 5178
position
generating function, 5563
sensing, 4570
positional game, 5280
positive
Banach density, 2669
Boolean function, 4409
brick, 1393
closed walk, 5455
positive cone, 893, 1156
of functions, 1156
positive definite, 3325, 3789
function, 3
matrix, 3789
quadratic form, 569
positive
diagonal, 894, 1107
edge, 1769, 5695
eigenvalue, 1942, 4014, 4064, 4065
eigenvector with smallest component equal to 1, 5607
end, 2470
feedback loop, 2511
function, 2288
positive integer
matrix, 2559
partition, 4882
positive
natural isomorphism, 3387
path, 3644
pole, 825
probability, 5739
quasi-order, 353
scaling, 5872
selfdual function, 4409
semidefinite symmetric matrix, 1457
semidefiniteness, 5664
set, 2288
setfunction, 2877
subgraph, 1769
positively valued 2-tree, 5788
possible cycle lengths, 2901
Post algebra, 329, 562, 576, 891, 4628, 5175, 5474, 5732, 5838
expression, 329
of ordered partitions, 5838
Post
classification of two element algebraic systems, 974
closed system, 751
lattice, 751
logic, 329
ordering of chains, 2634
Post, E L, 974
posterior distribution, 1231
Postian
algebra, 5175
algebraic equation, 4628
consistent equation, 5175
equation, 562, 5175
postman tour, 3603
potential, 1164, 1286, 4292
difference, 3245
polynomial, 1286
theory, 52
potentially
bipartite selfcomplementary bipartitioned sequence, 5673
P_n-graphic, 5888

Pott, 4343
Potthoff, 5969
Poupard, 4852
Pouzet, 1781, 1793, 3202, 5777, 5792
power group enumeration theorem, 111
power of
  a chordal graph, 5143, 5439
  a complete graph, 2269, 3003, 5494, 5716
  a connected graph, 1752
  a distance hereditary graph, 4408
  a HHD-free graph, 5439
  a prime, 3775, 4214
  a radical, 4134
  a staircase Schur function, 4854
power residue, 3322
  character, 3322
power series, 1831, 3355
power set, 245, 1194, 1326, 1403, 1491, 2099, 2217, 3616, 3673, 3710, 4180, 4249
  of the edge set, 4235
power sum, 5171
  symmetric function, 5854
powers of two and three, 2950
PPC, 1514, *see also* partial parallel class
PPRD, 1210, *see also* pseudo point residual design
PQ-tree, 3660
Praeger, 3708
Praeger, C E, 5603
Pragacz, 3984
precedence constraint, 96, 3746
precisely two vertex degrees, 5604
precluded distance, 2774
precoloring, *see* precolouring
precolouring, 3243
  extension, 3243
predicate, 2783
Preece, 5969
preemption, 3746
preferable Fullerene, 5780
prefiber, 3529
prefix
  code, 779, 5492
  model, 5565
  set of traces, 4766
pregeometry, 372, 388, 658
Preissmann, 2476
Preparata, 3440
  2-error correcting code, 71
Preparata code, 71, 1332, 2696, 2707, 3440, 5834
  over $\mathbf{Z}_4$, 5834
prescribed
  cardinalities for pairwise intersections, 1313, 1578
  distances in graph, 3569
presentation by generators and relations, 4961
presentation of
  a Cayley graph, 4793
  a finite Abelian p-group, 1362
  a group, 137, 565
  a matrix theory, 3971
  an algebraic theory, 3971
presentation with two generators with one an involution, 4961
preservation of structure, 5945
Presic, 1558, 4287
prespecified subdesign, 2587
pretopological space, 3467
Pretzel, O, 3399
pre-algebra, 4006
pre-independence space, 614
pre-order, 878, 983, 1540, 4090, *see* preorder
pre-ordered
  Boolean function, 878
  graph, 1540
  set, 4090, 4753
price directive, 5264
Priestley space, 1649, 3146
Prikry, 2281
Prikry, K, 1988, 5706
primal dual
  circle packing representation, 3750
  solution, 904
primal
  graph, 2895, 4220
  integrality, 3248
primal partitioning, 5264
  technique, 5264
primal problem, 814
primary
  graph, 4220
  tree, 4220
prime
  antiblock, 443
  block, 443
  cover, 2832
  disjoint covering systems, 2832
  distributive lattice, 1845
  divisor, 1796, 5963, 6002
  factor, 2169, 2831, 3511, 5784, 6008
  factorization, 3375, 3511, 3514, 5784
  field, 70, 1749, 4606
  graph, 1844, 4052
  ideal, 325, 1179
  implicant, 443, 777, 5162
  implicate, 443
  implication, 777
  labeling, 4052
  matroidal component, 1880
  metric, 5787

prime number
of vertices, 1559, 2249
theory, 3432
prime order, 2249, 2777, 3421, 4070, 4283
prime power, 2373, 2595, 2807, 2815, 2871, 2910, 2959, 3059, 3065, 3322, 3351, 3352, 3353, 3439, 3986, 4223, 4261, 4553, 4582, 5330, 5646, 5948, 5969
divisor, 6003
number of elements, 5963
order, 4035, 5725
prime
subfield, 2734
subgraph, 3640
tree, 4066
primes in an incidence algebra, 325
prime-power, *see* prime power
primitive
action on points, 2278
automorphism group, 581, 2231
BCH code, 4590
Boolean algebra, 1785
directed graph, 3844
primitive element, 1344, 2753, 3465
of GF(2q + 1), 5969
of trace equal to one, 1344
primitive
group, 2099
idempotent, 1905, 4296, 4477
matrix, 3893
nonnegative matrix, 4779
n-th root of unity, 647
of rank $\leqslant 7$, 2278
permutation group, 69, 1037
pseudomanifold, 5718
primitive recursive
arithmetic, 5945
bound, 5328, 5945
function, 5188
primitive root, 359, 5708
modulo p, 3966
of GF(3^n), 2500
of unity, 3021, 3322
primitive
set, 1590
substitutive, 5484
word, 5708
primitivity, 2112, 3844
principal, 1906, 2718
congruence, 2718
diagonal, 4702
dual ideal, 1016
geometry, 215
ideal, 75, 1056, 1907, 2174
interlacement graph, 1095
kinematic formula, 5486
minor, 1457
nilpotent selfdual code, 1906
pregeometry, 372
set, 372
specialization, 4266
transversal matroid, 1829
principle of inclusion exclusion, 33, 475, 1403, 3349, 4833
on a semilattice, 1403
principle of
symmetry in networks, 1448
transference, 4733
Prins, 111, 379, 1385
priority queue, 5946
prism, 163, 214, 671, 699, 1980, 4626, 4948, 5126
dual, 4626
graph, 180, 4626
prismatoid, 5126
probabilistic
algorithm, 4477
analysis, 2228, 5117
argument, 2927, 4040
lower bound, 1780, 4457
probabilistic method, 846, 1281, 1504, 4040, 5510, 5833, 5875
in combinatorics, 4471
probabilistic
proof, 1447, 4400
reasoning, 4855
transition, 5563
probabilistically
attained, 1066
checkable proof, 4466
probability
distribution, 200, 1537, 2304, 2406, 2734, 3432, 4271, 4477, 4485, 5010, 5117, 5640, 5833
for an eigenvalue of a matrix, 4711
identity, 4675
law, 476
measure, 97, 1781, 3471, 5739
probability of
a Boolean polynomial of events, 1469
a matching, 1021
a union, 2554, 5179
absorption, 1009
being useable, 3142
connectedness, 3066, 5296
vanishing determinant, 2267
probability
one, 373, 971, 1371, 1511, 3618
space, 1469, 3005
tending to one, 1417, 1513, 2739, 5907
probability that
a determinant over a finite field vanishes, 1742
a matrix is invertible, 2734

probability
theorem, 648
theory, 971, 1447
zero, 5739
probably approximately correct learning, 3904
problem of
Borsuk, 3870
Chvatal, 1014
eight queens, 2091
Erdös and Hajnal, 337, 2507
Frobenius, 1591, 4917
gluings of neighbourhoods, 1121
problem of gossiping, 2290, 4659
with minimum cost, 4659
problem of
Haines, 700
isomorph rejection, 475
Katona, 484, 1611
rook equivalence, 4695
stars in graphs, 1121
Ulam, 38
Zarankiewicz concerning (0, 1)-matrices, 712
problem on triples, 563
Procesi, 3232, 4605
processing time, 3746, 5117
Proctor odd orthogonal tableaux, 4998
Prodi, G, 4592
producing posets, 1166
product, 1437, 1661, 2133, 2181, 2612, 2649, 3009, 3307, 3358, 3473, 3816, 3873, 4012, 4092, 4233, 4281, 4291, 4477, 4502, 4656, 4668, 4735, 4809, 4852, 4931, 4942, 4944, 5074, 5082, 5157, 5311, 5504, 5603, 5701, 5777, 5784, 6004, 6009
bundle, 4567
code, 3462
colouring, 1606, 4735
construction, 4783
extension, 2304
formulation of formal exponential series, 5567
product of
absolute retracts, 2316
association schemes, 4931
cardinals, 1777
chains, 1635, 1777, 2676, 5985
cliques, 5637
conjugacy classes, 1567, 2630
cycles, 805
graceful trees, 1048
graphs, 660, 2328, 2987, 3495, 3522, 4012, 4567, 4735, 5619, 5667
integers in a short interval, 6009
matroids, 1183
multipliers, 4700
n k-cycles, 1232
partial orders, 2133
paths, 2878
permutations, 2678, 3216
projections, 4774
ranked posets, 2344
sets, 161
square free words, 1758
the weights of its edges, 5352
transpositions, 2608, 3736
trees and grids, 5201
product of two
chains, 4584
complete graphs, 4239
conjugates, 1567
cycles, 763, 962
paths, 358
permutations, 1255
posets, 2133
reflections, 473
product
operator on graphs, 3511
partial order, 997
quotient, 4222
representation of squares, 5254
theorem, 53, 2894
productive
class, 659
graph, 659
profile, 4514, 5124
closed sets, 5870
profile of
a family of subsets, 2703
an age, 3112
profile vector, 5124
program transformation, 4501
programming language, 3198
progressively finite graph, 2192
project organization, 96
projection
function, 4738
in combinatorial geometry, 808
method, 2536
projection of
a polyhedron, 3248
a polytope, 2101
projection property, 5777, 5792
projective, 4621, 4704, 4736, 5792, 6032
4-arrangement, 2014
closure, 4733
projective code, 70, 409, 2985, 3436, 5419, 5435
from a degenerate quadric, 5435
projective
collineation, 5416
design, 986
projective dimension, 1941, 4469

projective dimension of a (0, 1)-matrix, 4469
projective
dual, 1749
duality, 4423
embedding, 5029
Galois space, 1623
projective geometry, 952, 1100, 1941, 3409, 6024
code, 3421
of dimension r, 1836
projective Hjelmslev plane, 4736
projective line, 3986, 4961, 5098, 5448, 6032
minus three points, 4961
over F_{17}, 3457
projective linear
code, 70
group, 1037, 3007, 4132
projective map, 4704
projective planar, 2351
graph, 2351
signed graph, 3648
projective plane, 192, 195, 196, 421, 547, 594, 615, 733, 833, 844, 1060, 1063, 1340, 1396, 1482, 1503, 1512, 1516, 1520, 1568, 1627, 1673, 1732, 1745, 1811, 2082, 2098, 2139, 2225, 2337, 2342, 2380, 2455, 2460, 2483, 2498, 2562, 2569, 2578, 2769, 2816, 2818, 2831, 2873, 2910, 2964, 3188, 3194, 3417, 3570, 3614, 3847, 3869, 3981, 3991, 4053, 4077, 4083, 4135, 4391, 4578, 4586, 4682, 4706, 4740, 4749, 5415, 5416, 5590, 5605, 5769, 5929, 6021, 6024, 6029
embedding, 3991
graph, 5808
of Lenz class V, 5029
projective plane of order
nine, 5323
ten, 1516, 1910, 3050
projective
Reed-Müller code, 2710
semilinear group, 4158
set, 3570
space, 114, 486, 722, 1100, 1214, 1382, 1396, 1586, 1757, 1830, 2001, 3092, 3156, 3393, 3422, 3570, 4407, 4733, 5220, 5391, 5399, 5406, 5421, 5435, 5907
special linear group, 5098
two weight code, 4966
projectively
embeddable Steiner system, 2569
equivalent, 459
projectively unique, 459
polytope, 459
projector group, 1902
promotion
of morphisms, 40
sequence, 4985
proof theoretic, 5216
proper
arc colouring, 1866
bitolerance order, 5498
blocking set, 5399
circular arc graph, 4033, 5056
colouring, 4640, 4821, 5395, 5993
convex, 2345
family of circular arcs, 1866
flat, 1168
interval graph, 1309, 4033, 4361, 5377
path width, 4061
subcode, 1899
subgraph, 4910, 5813, 5919
subgroup, 1450, 1816
tolerance order, 4145
vertex colouring, 4934, 5468, 5723
properly
coloured, 5362
orderable graph, 4765
property
(LL), 1947
B(s), 1221
i, 1229, 2298
propinquity of divisors, 6004
proportionalities in a ball ring, 4516
propositional calculus, 580
proscribed difference, 1868
Proskurowski, 2658
protective radius, 2696
protein, 2511
synthesis machinery, 2511
prototile, 2536, 3072
proximity
graph, 5987
values, 5783
Prüfer
code, 2900
sequence, 5959
pruning order, 2727
Pryce, 3819
psd-set, *see also* point set dominating set
pseudo
one-factorizable, 4012
one-factorization of a regular graph, 4012
point residual design, 1210, *see also* PPRD
pseudoachromatic number, 509, 5667
pseudochord, 5804
pseudocomplementation, 4656
pseudocomplemented
distributive lattices, 3637
lattice, 3571
pseudocomplex, 1937
pseudoconvex algebra, 3468

pseudocycle, 3772
pseudocyclic
  3 class association scheme on 28 points, 1763
  MDS code, 5404
pseudodiagonal, 800, 1604, 4375
  product, 800
pseudodomishold, 2800
  graph, 2800
pseudogeometric, 3458
pseudohyperplane, 1323
pseudoline, 1323, 2027
  arrangement, 1060
pseudomagic graph, 1434
pseudomanifold, 5718
  of dimension $\geqslant 1$, 5718
pseudomatroid, 2386
pseudomedian, 3102
  graph, 3102, 3506
  triangle, 3506
pseudometric space, 3474
pseudomodular
  graph, 2093, 4936
  semimodular lattice, 6024
pseudomodularity, 6024
pseudomodule, 3197
pseudopoint residual design, 1210
pseudopolynomial
  dynamic programming procedure, 2864
  procedure, 2864
  time, 4647
pseudoprime, 3046
pseudorandom, 3347
  bipartite graph, 2534
  graph, 2526
  hypergraph, 2526, 3347
pseudorandomness, 3347
pseudorepresentation, 5115
pseudosimilar vertices, 4737
pseudosimilarity, 4737
pseudosimplicial triangulation, 4280
pseudosingleton, 2653
pseudosnake, 2269
pseudosphere, 543
pseudosurface, 4682
  embedding conjecture, 4682
pseudotree, 3171, 4322
pseudovariety of finite algebras, 931
pseudo-achromatic index, 5356
  of a graph, 5356
pseudo-Archimedean, 5216
pseudo-Behrend sequence, 6004
pseudo-Boolean
  function, 212, 4107
  programming, 4465
pseudo-Cartesian product, 4755
  of two cycles, 4755
pseudo-indecomposable, 1785
pseudo-inverse, 676
pseudo-line, *see* pseudoline
PSL(2, 7), 2365
PSL(2, 31), 5098
PSL(2, p), 3007, 3518, 4208
PSL(2, q^2), 4209
PSL(3, 2), 2365
$PSL_2(16)$, 2772
$PSL_2(107)$, 3944
$PSL_2(p)$, 4872
$PSL_2(\mathbf{Z}_m)$, 4132
PSp(6, q), 5403
PSTS, 4512
PT order, 5304
Pták, 3484
Pudlák, 1405
Pulé, 5064
Pulleyblank, 4235
Pulleyblank, W R, 4150
Pullman, 769, 2401
Pullman, N J, 2064
Pultr, 3508
pumping lemma, 632
punctured
  code, 917
  projective space, 2001
  Reed-Müller code, 3409
Purdy, 220, 2332
  characterization of the Grünbaum gap conjecture, 2332
pure
  braid group, 4869
  carbon molecule, 5276
  circulating register, 4413
  hypergraph, 1511
  integer program, 622, 814
  MTS, 3155
  n-complex, 3217
  n-cycle, 4653
  summing register, 4413
  tensor, 475
  triple operation algorithm, 313
pursuer, 3602
pursuit game, 3602
Purtill, 4496
Pushpa Latha, 5868, 5970
PV algebraic integer, 4238
PV-number, 4238
Pyber, 3777, 5181
pyramid, 5205
  path, 5373
  weight, 4282

Pythagoras theorem, 4171
p-adic, 22
  characterization of Lorentz transformations, 22
  topology, 2546
p-ary, *see* n-ary
P-chromatic number, 6015
p-chromatic, *see* n-chromatic
p-clique, *see* n-clique
p-coherent, *see* n-coherent
p-colourable, *see* n-colourable
P-colouring, 6015
P-compatible Eulerian trail, 3512
#P-complete, 3667, 5058
  problem, 3684
p-connected, *see* n-connected
p-cycle, *see* n-cycle
P-dominating function of a graph, 5984
P-domination, 5805
P-domination number, 5805
  of a graph, 5984
P-graphical sequence, 2148
p-grid, *see* n-grid
p-group, 3315, 4035, 4134
#P-hard, 3923
P-hyperoperation, 4744
p-integral, *see* n-integral
p-norm, 4726
P-n-colourable, 3199
P-n-colouring, 3199, 6015
p-point, *see* n-point
P-quasigroup, 455
P-recurrence, 4503
P-recursive, 5517
  sequence, 4801
P-recursiveness, 2117, 4801
p-regular element, 817
  in a dioid, 817
p-tree, 5801
p-tuple, *see* n-tuple
p-tuplet, *see* n-tuplet
p-vertex, *see* n-vertex
  connected, *see* n-vertex connected
  subgraph, *see* n-vertex subgraph

Q

Q(2n, q), 5415
Q(4, q), 5415
(q, 4, 1)-DF, *see* (n, 4, 1)-DF
(q, 5, 1)-DF, *see* (n, 5, 1)-DF
(q, p)-analogue of the Catalan numbers, 5451
(q, p)-Catalan number, 5451
(q, t)-Catalan inversion, 5841
(q, t)-enumerator of permutations, 4489
(q, t)-polynomial characterization of the Catalan numbers, 5841
q_3-arc, 1617
Q^n, 2643
Q_n, 3288, 3696, 3753
QO
  semigroup, 1785
  system, 1785
QR code, 1404
QRQS, 986
QTD, 5037
Quach, 3181
quadrangle, 3417, 4831, 5403, 6029
quadrangular
  3-polytope, 2625
  convex 3-polytope, 2625
  dissection of a disc, 4704
  embedding, 2687
quadrangulation, 972
  of the plane, 2600
quadratic
  character, 1399
  cone, 5415
  field, 5448
  form, 569, 3174, 5664
  fractional isomorphism, 4169
  irrationality, 4238
  nonresidue modulo p, 1399
quadratic residue, 2150
  code, 67, 68, 1404
  modulo n, 1173
quadratic σ-polynomial, 2317, 2318, 3545
  of a graph, 2317
quadratic
  transformation, 2110
  word, 1994
quadrature equation, 4420
quadric, 4079, 4087, 4732
  polytope, 2632
quadrilateral, 365, 833, 972, 1207, 1251, 2036, 3160, 3393, 3472, 3853, 3927, 4162, 4242, 4932
  imbedding, 5584
quadrilateral of
  a Steiner triple system, 1251
  a triple system, 1251
quadruple, 2983, 3056
  cycle, 5164
  system, 334, 724, 1131, 1251, 1299, 1300, 1843, 3162, 5515
qualified residue difference set, 5527
  with zero, 5527
qualitative
  category, 3029
  Ramsey theory, 2281
  stochastic matrix, 1432
qualitatively independent partitions, 5640

quality of a code, 81
quandle, 3528
quantification over
  sets, 1833
  the subsets of vertices, 1671
quantifier, 4247
  for matroid duality, 1162
  free theory of equality, 3686
  on a distributive lattices, 3146
quantitative
  axioms for finite affine planes, 508
  detection problem, 4460
quantum
  falls or rises, 842
  gravity, 4961
  matroid, 5879
quarter
  of a Latin square, 251
  plane complete infinite Latin squares, 4832
quasi 2-multiple design, 2296
quasi 4-connected, 3988, 4948
  graph, 3988, 4948
quasi
  claw free graph, 5478, 5611
  frequency square, 3676
  locally finite graph, 418
  polynomial time, 5162
  Steiner, *see* quasi-Steiner
  strongly connected digraph, 1164
quasibrittle, 3643
  graph, 3643
quasicomplement, 1782
quasiconcave minimization, 267
quasicovering of a graph, 1019
quasicrystal, 2536
quasicylinder, 543
quasigroup, 134, 177, 218, 317, 455, 530, 635, 1087, 1275, 1473, 1964, 2570, 2589, 3420, 3528, 5071, 5295, 5367
  character theory, 3386
  graph, 317
  identity, 2570
  theory, 3528
quasihierarchy, 5782
quasikernel, 2192, 4182
  in a graph, 661
  of minimum weakness, 661
quasimachin, 41
quasimedian graph, 3304, 4868, 4936, 5000, 5994
quasiminimal
  Cayley graph, 4822
  generating set, 4822
quasimonochromatic, 5616
  cycle, 4756
quasimultiple, 2831
quasimultiplication, 910
quasiorder, *see* quasi-order
quasiordering, *see* quasi-ordering
quasiparity graph, 2280, 2624
quasiperfect, 2849
quasiprimitive, 1785
  Boolean algebra, 1785
  non-Cayley graph, 5603
quasiregularizable graph, 3023
quasiresidual
  2-(t, k, λ)-design, 4368
  design, 872, 4368, 4427
  quasisymmetric design, 986
quasisphere, 543
quasisymmetric, 1129, 2771, 3137, 4451
  3-design, 3137
  block design, 1320
  design, 986, 1129, 1382, 1940, 2771, 4451
  function, 5851
  triangle free design, 2153
quasisymmetry, 1129
quasitotal graph, 1610
quasitransitive digraph, 5037, 5112, 5631, 5900
quasitransversal, 4330, 4530
  of a matroid, 4530
quasitree, 3171
quasiultrametric, 5781, 5782
quasivariety, 4247
  of distributive lattices, 4247
quasi-axis, 4410
quasi-cubic, *see* quasicubic
quasi-embedding, 5780
quasi-interval, 3068
quasi-Langford sequence, 3578
quasi-Latin square, 3577
quasi-Newton optimization, 4404
quasi-order, 353, 1934, 4646, 4784, 5456
  relations, 5543
quasi-ordered, 1540, 1779
  set, 546, 1626
  system, 1785
quasi-ordering, 1167, 5030
quasi-symmetric, *see* quasisymmetric
quasi-ultrametric, 5781, 5782
  preordonnance, 5782
quaternary
  (24, 12, 10)-code, 1256
  code, 3945
quaternary linear code, 5176
  of dimension five, 5176
quaternion
  group, 2614, 2890, 3930
  skew field, 5398
queen
  domination problem, 2848

queen problem, 3300
queens
graph, 5046
on a square hive, 5452
query, 3683
queue operation, 2102
queueing length, 4958
quick gossiping by telegraph, 4007
Quilliot, 4101
Quinn, 1814
quotient
algebra, 4481
graph, 2398, 2598, 2601
quotient group, 1081, 1343, 1525, 3986
operation, 1218
quotient
hypermap, 4842
monoid, 2309
quotient of
finite Abelian group, 1218
products of factorials, 1264
quotient
space, 607, 2776
surface, 5485
q-Abel binomial theorem, 4825
q-analog, *see* q-analogue
q-analogue, 1427, 2945, 3707, 4000, 4852, 4977, 4983, 5486, 5720, 5850
q-analogue of
Pfaff-Saalschütz summation, 1664
the Bell numbers, 4983
the Bessel functions, 4505
the binomial coefficient, 1914
the Campbell-Baker-Hausdorff formula, 1427
the Catalan numbers, 4282, 5850
the convolution of probability distributions, 4987
q-analogue of the exponential, 1427
formula, 1314, 4987
q-analogue of
the iterated exponential integers, 4983
the Kaplansky-Riordan theory of permutations, 3349
the Kreweras determinant formula, 2694
the Lagrange inversion formula, 4979
the logarithm of the Fourier transform, 4987
the matrix Riccati equation, 1192
the Motzkin numbers, 5720
the principle of inclusion exclusion, 3349
the real numbers, 4000
the Rothe identity, 4825
the Sheppard transformation, 1664
the Stirling numbers of the first and second kind, 4973
q-antichain, 5260
q-ary
code, 4010, 5892
Huffman code, 5967
q-Bessel function, 3707, 5720
q-binomial
coefficient, 10, 2066, 4587, 4825, 4852, 5076
generating function, 4027
number, 2066
theorem, 4494
Vandermonde convolution, 1637
q-block, 5333
q-bracket, 1427
q-calculus, 3707
q-Catalan number, 5451, 5850
q-characterization of the Fibonacci numbers, 5373
q-Chu-Vandermonde summation, 5852
q-clan, 5403
q-clique, 461
q-colouring, *see* n-colouring
q-counting, 5720
n-dimensional lattice paths, 2694
of derangements, 4807
q-derangement number, 4807
q-difference
equation, 3228, 5560
q-differential equations, 4424
q-differential system, 4288
q-distribution, 5076
Q-distributive lattice, 3146, 5221
q-Dougall summation, 4494
q-enumeration, 4844, 4979
formula, 4977
of a species, 4844
q-exponential
formula, 4983
function, 4000
q-Fibonacci number, 5373
q-Gauss summation, 4494
q-gon, 4901, *see* n-gon
q-gonal face, 5820
q-grammar, 4282
q-graph, 5333
q-Hahn polynomial, 1664
q-hypergeometric
solution, 5560
summation, 5560
q-hypergeometrical series, 5076
q-identity, 4977
q-Kostka matrix, 3228
q-Lagrange inversion, 5841
q-Lie algebra, 1427
q-log concavity, 3231
q-Morris identity, 2655
q-Motzkin number, 5720
q-notation, 5076

q-number, 5720
Q-polynomial, 4296, 5676
  association scheme, 2663
  structure, 5676
q-random mapping, 4000
q-rook polynomial, 4695
q-Saalschütz theorem, 1914
q-series identity, 4810
Q-species, 2653
q-Sperner, 5260
q-Stirling number, 3231, 4973, 5076, 5852
  of the first kind, 4983
  of the second kind, 4977, 4983
q-tree, 2435, 5333, *see* n-tree
q-valent, *see* n-valent
q-way determinant, *see* n-way determinant
q-Whipple transformation, 4494

R

R(4, 3, 3), 5131
R(5, 5; 4), 2805
R*-sequenceability, 4125
R*-sequenceable, 4125
(r, 1)-design, *see* (t, 1)-design, *see* (n, 1)-design
(r, λ)-design, *see* (t, λ)-design
(r, n)-split, *see* (n, k)-split
(r, s)-colourable, *see* (n, k)-colourable
Rabin, 83
  number, 5883
Rabinovitch, 1050
Radcliffe, 5353
radical, 325
  in an incidence algebra, 325
radio astronomy, 1771
radius, 2449, 2695, 2696, 3580, 3804, 3878, 4520, 4633, 5056, 5594
radius of
  a bridged graph, 2465
  a chordal graph, 2465
  a graph, 99, 5594
  a simple block, 1038
  convergence, 584
  the clique graph, 4633
radius
  two, 1005
  versus diameter, 5056
Rado, 38, 226, 363, 1279, 1303, 1326, 1491, 1709, 1761, 1800, 3295, 3361, 4274, 5118, 5879
  number, 4892, 5949
  selection principle, 3345
Rado, R, 1839
Radon theorem for oriented matroids, 2363
Radon transform, 3480
  of a matroid, 3480
Raghavarao, 2305
raising operator, 3228, 3229
  formula, 3228
Rall, 4633
Ramanujan
  congruence, 4126
  graph, 5330
  partition congruence, 4126
  sum, 4333
ramification, 4961
ramified covering of the projective line, 4961
Ramsey, 1385, 2281, 3129, 3472, 5901
  degree of a poset, 5306
  finite, 1116
  function, 648, 3309
  graph, 3268, 4004
  index for matchings, 2041
  infinite, 1116, 1241
  linear family, 5381
  minimal graph, 1116, 1241
Ramsey multiplicity, 968
  for stars, 1385
Ramsey number, 9, 57, 95, 127, 155, 156, 178, 249, 257, 286, 292, 326, 417, 430, 517, 672, 687, 713, 730, 940, 968, 1072, 1143, 1303, 1308, 1319, 1365, 1370, 1517, 2041, 2188, 2191, 2258, 2259, 2276, 2331, 2361, 2377, 2402, 2404, 2446, 2523, 2805, 2996, 3117, 3354, 3533, 3651, 3931, 3943, 3964, 3967, 4274, 4312, 4405, 4429, 4666, 4935, 5059, 5131, 5363, 5372, 5636, 5656, 5765, 5819, 5989, 5992
Ramsey number for
  cycles in graphs, 257
  directed graphs, 292
  matchings, 1072, 2041
  stars and matchings, 3533
  stripes, 3354
  triples, 417
Ramsey number
  involving stars, 1539
  of trees, 2234
  problem, 257
  R(p, q; 4), 4405
Ramsey
  object, 5306, 5944
  problem, 2259
  property, 2530, 5132, 5944
  set system, 2530
  space, 2281
  system of finite subsets of the integers, 1279
Ramsey theorem, 84, 687, 883, 1068, 1176, 1279, 1839, 2063, 2147, 2281, 2526, 2897, 3129, 3673, 6034
  in the plane, 3016
Ramsey theoretic problem, 2124
  for finite ordered sets, 2124

Ramsey theory, 1176, 1801, 2258, 2281, 2530, 3475, 4464, 4665, 5945
for graphs, 178, 687, 940, 1261
for trees, 4692
Ramsey type
function, 1308
inequality, 2234
problem, 4893, 5901
property, 3086
results, 3345
theorem, 2897, 3117
Ramsey-Sperner theory, 2119
Ramsey-Turán type problem in tournaments, 2002
Randall, 189
Randall, C H, 2649
Randic, 834
random, *see also* randomly
(0, 1)-matrix, 1358
access memory, 2429
algebra, 2869
array, 5833
biased matrix, 2734
bipartite graph, 2534
Boolean formula, 2761, 4522
random cluster
model, 4474
process, 4474
random
combinatorial structure, 5569
construction, 1967
digraph, 3090
directed bipartite graph, 1021
random directed graph, 2739
process, 2511
random discrete structure, 847, 4467
random edge, 1511
domination, 3627
random
event, 2511
expanding, 401
random generation, 4476, 4841
of underdiagonal walks, 4476, 4579
of words, 4845
random graph, 460, 946, 1077, 1093, 1309, 1371, 1417, 1513, 1538, 1631, 1823, 2005, 2054, 2165, 2350, 2419, 2424, 2511, 2526, 2554, 2704, 2730, 2995, 3005, 3066, 3135, 3212, 3391, 3496, 3618, 3627, 3659, 4357, 4542, 4691, 5132, 5692
model, 3963
theory, 4474
random
hypergraph, 1336, 2228, 3347
integer, 3432
interval graph, 2747
linear extension, 1306
mapping, 3671
matrix, 140
matroid, 389, 683
model of finite power, 1833
multigraph, 2406
number generation, 1836
n-element structure, 5296
n-graph, 3659
n-point tree, 584
n-pure hypergraph, 1511
n-uniform hypergraph, 5380
order, 3932
orientable embedding, 2725, 4806
oriented graph, 5438
random packing, 4406, 4648
by ρ-connected ρ-regular graphs, 4864
of a graph, 3928
random
palindrome, 4485
partition, 521, 1680
permutation, 1115, 1835
poset, 4644
processes in infinite graph, 266
Ramsey graph, 4004
rectangular matrix, 2207
regular bipartite digraph, 1021
relational structure, 2209
rule, 786
sequence, 373, 850, 2882
set, 2881, 3379
size, 2016
splitting, 401
structure, 2209
subgraph, 1766, 3066, 3840, 3841, 4881
subset, 5907
sum free set of positive integers, 5739
tournament, 4635
tree, 390
undirected graph, 1823
uniform hypergraph, 5380
variable, 1670, 1766, 4428, 4857, 5076
random walk, 434, 545, 1009, 1322, 1707, 2037, 2065, 2242, 3428, 3521, 4394
on a graph, 2037
on a tree, 1009
on the nonnegative integers, 971
with absorbing barriers, 545
randomise, *see* randomize
randomized, 4128
3-colouring algorithm, 2495, 4128
algorithm, 2495, 3688, 4128
randomly, *see also* random
chosen number, 3471
decomposable graph, 1921

randomly F-packable, 4864
graph, 4864
randomly
generated graph, 2526, 3576
H-decomposable, 1921
randomly packable, 3928, 4406
by 3-circuits, 4406, 4648
by bases, 4406, 4648
randomly planar, 5521
graph, 5521
randomness, 4008
in algorithm, 4471
property, 4008
Raney, 3233, 4877
generalized lemma, 4979
range finding, 4570
rank, 8, 92, 120, 125, 183, 232, 245, 378, 380, 389, 571, 601, 666, 676, 762, 767, 790, 808, 845, 926, 980, 1028, 1050, 1067, 1183, 1248, 1254, 1391, 1572, 1655, 1720, 1749, 2076, 2152, 2207, 2499, 2611, 2614, 2708, 2723, 2735, 3013, 3340, 3480, 3503, 3570, 3584, 3641, 3690, 3909, 3992, 4079, 4156, 4639, 4971, 5220, 5237, 5330, 5615, 5696, 5763, 5772, 5853, 5957, 5972, 5985
rank 3, *see also* rank three
Dowling geometry, 5057
geometry, 2299, 4740
graph, 4056
interval, 2194
rank 3 matroid, 2723, 5057
complex, 4147
rank 3
partial geometry, 4079
permutation group, 5726
selfdual matroid, 2723
truncation, 4869
whirl, 2723
rank
4 geometry, 2299
at least two, 5777
rank axiomatic, 1058
definition of a matroid, 1058
rank
facet, 4524
four, 6024
rank function, 8, 215, 389, 566, 703, 1058, 1648, 2413, 2527, 4119, 4639
of a closure space of finite rank, 1648
rank
generating function, 4499, 5434
greater than three, 5408
inequality, 3641, 4524
rank n
matroid, 4426
pregeometry, 372
rank of a combinatorial
geometry, 601
problem, 120
rank of
a constant free equation, 1624
a distributive lattice, 845
a generator, 3585
a partially ordered set, 1075
a poset, 1050
a random matrix, 2207
a selfduality map, 2499
a tactical configuration, 125
an antichain, 1050
rank partition, 4330
of a matroid, 4530
rank
selected chain number, 5434
selection, 3992, 4496
set, 5260
rank symmetric, 2963
partially ordered set, 997
rank three, 1323, 2797, 3340, 4740, 5029, 5972, *see also* rank 3
geometry, 4079
graph, 762, 3340
incidence structure, 5952
matroid, 5029
rank two, 2499
residue, 4740
rank
unimodality, 1781
zero, 889
ranked
lattice, 1572
partially ordered set, 997, 1589, 5615
poset, 2344, 4029
semilattices, 5879
Rankin group, 4551
ranking, 34, 453, 2265
competitors, 453
C-permutations, 1609
facets, 4524
function, 453, 2265, 2266
ordinary permutations with repetitions, 1609
procedure, 229
rankwise direct product, 2344
Rao, 365, 1502, 4112, 5719
algorithm, 3588
Hebbare, 956
Rao, A R, 198
Rao, S B, 198
Rao-Rubin characterization, 401
rapid filter, 3478
Rasiowa, H, 4006

Raspaud, 5721
rate of
a code, 719, 3195
convergence, 3224, 4522
Rath, 4733
rational
Beatty sequence, 3057
closure, 2653
coefficient, 4479, 4702, 4849
curve, 1986
disjoint covering sequence, 3578
Euclidean plane, 5397
excluded minor, 1749
formal series, 5916
function, 1062, 2166, 2762, 4505, 4961, 5034, 5560, 5850
functions, 4961
initial condition, 4849
integer ring, 2890
number, 1170, 2243, 4911, 6024
n-space, 2324
plane, 2736
rational point, 3532, 4231, 5790
in the plane, 2724
on an elliptic curve, 583
over F_p, 1399
with odd denominator, 2643
rational
polytope, 771
projective line, 5488
recursion, 3551
representability, 1749
species, 3697
structure, 5462
system of equations, 1429
transduction, 306
triangle, 204, 583
trigonometric values, 3010
unit distance graph, 3532
rationality of power series, 86
rationals, 1170
Ravinara, 2000
Ravindra, 1397, 1460
Rawlings, 4980
ray, 4098, 4594, 4764
Raychaudhuri, A, 3266
rayless
graph, 3122, 3125
spanning tree, 3128
tree, 3125
raylessness, 3128
Ray-Chaudhuri, 88, 255, 2568, 2691
Razborov, A A, 4469
Razmyslov, 4605
RB(k, λ; v), *see* RB(n, λ; v)
RB(n, λ; v), 4030
RBBD, 456, *see also* resolvable balanced bipartite design
RBIBD, 3191, *see also* resolvable balanced incomplete block design
RCDBIBD, 3054
RCDBIBD with block size
three, 3054
two, 3054
RCDBIBD, *see also* row column directed BIBD
RDS, 3351, *see also* relative difference set
reachability graph, 2002
of an edge coloured tournament, 2002
reaction matrix, 877
Read, 173, 3362
read once
formula, 3679
function, 3679
Read, R C, 5350
real
affine cube, 2997
domination, 5984
function, 4241
line, 1328, 2114, 3862, 4561, 5488
number, 1170, 1390, 1408, 2526, 2800, 2872, 3444, 3560, 4049, 4248, 4459, 4562, 4645, 4835, 4878, 5091, 5280, 5498, 5910
n-space, 1496
plane, 3896
real projective
plane, 733, 2027, 2562
space, 3208, 4733
real quadratic
field, 3062, 5448, 5488
irrational number, 5448
real
reflection, 5843
three-dimensional projective space, 4733
valued function, 2889, 5302
vertex weight, 1431
realisable, *see* realizable
realisation, *see* realization
realizability, 4458
of degree sequence, 202
realizable, 5728, 5831
as a geometric complex, 1847
realizable by
a connected graph, 3269
a tree, 4521
tree, 3269, 4521
realizable
distance matrix, 2654
sequence, 1151

realization, 593, 627, 865, 1038, 1151, 1502, 2536, 2654, 3269, 3427, 4264, 5397, 5796, 5888
number, 3269
realization of a general Post algebra, 5838
realization of a graph, 499
process, 1707
realization of
a partition matrix sequence, 3846
a polyhedron, 3007
permutations over tree, 1293
truth function, 607
realizer of a partial order, 1050
realizing distances, 2823
reals, 1170, 1409, 4780, 4812, 5984
reaping number, 3466
rearrangement, 406, 2110, 3680, 3696, 4436, 4487
rearrangement of
a (0, 1)-matrix, 1001
a word, 1263
Reay, 2692, 5757
reciprocal, 144
of the dependence polynomial, 2743
polynomials, 710
recognising, *see* recognizing
recognition, 624, 765, 877, 1638, 1864, 2438, 3836, 4654, 5493
recognition algorithm, 412, 765, 1702, 2329, 2489, 2490, 3788, 5759
for matrogenic graphs, 1714, 1717
recognition
complexity, 2118
matrix, 877
recognition of
DFS trees, 3682
domishold graphs, 1702
graphs, 4654
partial 3-trees, 2658
tree dissimilarities, 5788
recognition problem, 5816
for EPT graphs, 1864
for string graphs, 3598
recognizability, 3441
recognizable, 1595
recognizing
a partitionable simplicial complex, 4969
Cartesian graph bundles, 5312
recognizing clique
complete graphs, 5540
gated graphs, 5000
recognizing
graph bundles, 5312
graphs, 708, 2930
Hadamard equivalence, 902
handles, 1936
HP-graphs, 2800
local comparability graphs, 4307
locally equivalent graphs, 3664
perfectly orderable graphs, 2683
threshold signed graphs, 1854
tough graphs, 3903
well covered graphs, 3972
recolouring schemes, 3947
reconstructibility, 803, 1595
reconstructible, 803, 1273, 1285, 1419, 1555, 1788, 3048, 3070, 3303, 3501, 3556, 4657, 4946, 4974, 5014
simply disconnected tournament, 4657
tournament, 802, 4657
reconstructing a
characters, 3556
degree sequence, 1273, 2645
finite group action, 3556
sequence, 5223
set of orthogonal line segments, 3794
tree, 497
reconstruction, 3121, 5014
algorithm, 4974
conjecture, 834, 2360, 3919, 4458
from point deleted subgraphs, 1262
in the sense of Ulam, 3070
reconstruction of
a bidimensional discrete set, 4974
a higher dimensional binary picture, 5141
a locally finite connected graph, 3048
a separable graph, 1262, 2360
a sequence, 3106
a tree, 1419
an infinite graph, 3121
infinite graph, 1273
two-dimensional binary pictures, 5141
reconstruction problem, 4286, 5382, 5771
recording tableau, 4985
Recski, 3485
rectangle
family, 1761
graph, 1180
rectangular array, 630
of zeros and ones, 691
rectangular
brick, 1393
crisscross space, 3896
rectangular design, 1740
lattice, 26
rectangular
grid, 433, 5049
lattice of points, 4702
nonnegative matrix, 666
rectangular product, 2649
of lattices, 2649

rectilinear
crossing number, 158
embedding, 1672
graph, 1672
recurrence, 109, 545, 704, 874, 1008, 1387, 2250, 2800, 3232, 3405, 3551, 4332, 4383, 4496, 4503, 4660, 4778, 4849, 5174, 5451, 5555, 5852, 5866, 5902, *see also* recursive
equation, 3216, 3652
recurrence for
characters of the symmetric group, 689
the Eulerian numbers, 984
the partition function, 4778
recurrence formula, 1915, 4480, 5897
for the Catalan numbers, 3736
recurrence inequality, 417
recurrence of
a random walk on the half line, 971
order one, 4853
recurrence
relation, 29, 262, 859, 1008, 1135, 1334, 1474, 1585, 1707, 1819, 1831, 2221, 2370, 3055, 3799, 3978, 4813, 4930, 5174, 5852, 5866, 5897
recurrent random walk, 2065
recursion
equation, 3982
formula, 1818, 1835, 3381, 4850, 5003
property, 1587
relation, 102
scheme, 4492
theory, 677
with polynomial coefficients, 2117
recursive, *see also* recurrence
algorithm, 3680
calculation, 1789
recursive characterization, 2227
of 4-connected graphs, 2792
recursive construction, 1101, 2787, 3052, 3140, 3167, 3179, 3393, 3536, 3719, 3912, 3950, 5373, 5539, 5693
for PBD's, 1215
recursive
counting formula, 2925
description, 5576
enumeration, 2469
recursive formula, 5844
for the Catalan numbers, 4688
recursive
method for the construction of designs, 3453
real, 1833
relation, 5164
rule, 83
sequence, 704, 4498, 5980
statistics on words, 4980
structure, 4980
theorem, 5017
winning strategy, 83
recursively decomposable, 4951
well covered graph, 4951
recursively
decomposed, 5234
defined sequence, 2725
enumerable game, 83
expanding finite string, 4660
recursiveness, 4471
Rédei, 1515, 5990
theorem, 174
Redfield-Pólya enumeration, 3769
reduced, 5483, 5648, 5852, 5963
(0, 2)-geometry, 1738
covering algebra, 4027
graph, 5483
incidence algebra, 1144, 3859, 4027
Latin cube, 1089
word, 4585, 4978
reducible
building, 5777
chain, 3401
character, 2673
ear, 5361
flow graph, 538
graph, 538, 2658
Hoàng graph, 4811
property, 4929
tournament, 4657
reduction, 550, 877, 1727, 2411, 2658, 3196, 3402, 3447, 3589, 3598, 3921, 4776, 4917, 5013, 5205, 5705
formula, 4917
index, 316
method, 4867, 5254
reduction of a graph, 316, 3921
family, 4867
reduction of
a strong snark, 5326
an additive set, 5205
type, 3267
reduction
operation, 5080
operator, 958
procedure, 4452
process, 550, 1497
step, 705
technique, 2411
theorem, 96
redundancy, 82, 2115, 3092, 3419
redundant, 734, 1118, 1659, 2115, 3639
representation, 75
Ree unital, 2327

Reed, 3409, 3748, 5660
semistrong perfect graph theorem, 5258
Reed, B, 5981
Reed-Müller
code, 69, 1016, 1697, 2710, 3141, 3307, 3404, 3409, 3425, 3731, 4020, 4699, 5730, 5763
type code, 4134
Reed-Müllerity, 3425
Reed-Solomon code, 1892, 2964, 3975
Rees, 2568
quotient, 3873
referee square, 5446
refined verification, 3682
refinement, 949, 1130, 2516, 4248, 4314, 5899
of a complete graph, 1130
relation, 1924
reflecting hyperplane, 5843
reflection, 860, 1327, 1960, 2135, 2343, 2640, 3487, 4132, 4291, 5843, 5853
axis, 3874
class, 473, 681
decomposition, 4291
geometry, 4082
group, 4291, 5434, 5843, 5853
like proof, 3983
principle, 2161
reflective Kneser graph, 2398
reflexible, 3527, 3918
symmetrical triangulation, 4215
reflexive
absolute retract, 2093
and involutive transition system, 5785
generalized inverses, 676
graph, 2316, 3314, 4206
oriented graph, 5785
relations, 338, 827
Regener, E, 529
Regev, 4503
region distribution, 2725, 2957
regions of equal area, 1205
regressive
chain property, 1572
mapping, 1572
regular, 4942, 5284, 5299, 5436, 5480, 5604, 5620, 5773, 5822, 5829, 5879, 5887, 5968, 6025
(0, 1)-polytope, 4709
(1, 2)-realizable graph, 4786
2-connected graph, 2722
2-graph on 28 points, 4168
regular 3-connected
claw free graph, 3582, 4705
graph, 3301, 3549
regular 3-polystroma, 1683
regular automorphism, 301
group, 4578
regular bichromatic factor, 63, 98
regular bipartite
digraph, 1021
graph, 1268, 2893, 2932, 3000, 3587, 3915, 4730
supergraph, 2080
regular branched
primefold covering, 4703, 5485
surface covering, 5485
regular BTD, 1274
with block size, 3 1274
regular
cardinal, 1777, 2285, 3467
Cayley map, 4793
chart, 4961
class of matrices, 2076
code, 1899, 2763, 2931, 4191
colouring, 909
regular complete
bipartite graph, 2822
multipartite graph, 4328
regular
configuration, 2208
connected Cayley graph, 4755
continued fraction expansion, 1885
convex polytope, 5675
regular covering, 2351, 4623
in the topological sense, 604
regular
CW-complex, 582
decomposition, 5530
design, 53, 5962
digraph, 317, 4720, 5232
regular directed
graph, 5947
symmetric graph, 3163
regular
dissection of an infinite strip, 4423
d-simplex, 1327
edge colouring, 909
element, 1374
elements, 938, 1374, 4942
event, 116
expressions, 700
factor, 1681, 2834, 3653, 4136, 5620
function, 4316
genus, 2735
regular graph, 107, 121, 262, 264, 276, 317, 374, 397, 409, 422, 429, 536, 572, 679, 888, 899, 930, 1013, 1138, 1158, 1223, 1330, 1339, 1342, 1369, 1373, 1530, 1619, 1681, 1808, 1855, 2300, 2471, 2506, 2559, 2622, 2671, 2790, 2815, 2853, 2933, 3012, 3014, 3073, 3143, 3237, 3255, 3270, 3297, 3569, 3608, 3620, 3653, 3658, 3961, 3974, 4062, 4081, 4136, 4191, 4201, 4205, 4260, 4363, 4376,

regular graph (*cont.*), 4686, 4754, 4782, 4864, 4991, 5102, 5103, 5119, 5232, 5263, 5274, 5607, 5620, 5634, 5644, 5912, 5960
covering, 4623
design, 2297, 3946, 4772
of girth 2D, 2539
of high degree, 5272
of large degree, 3658
with 12 vertices and valency 6, 5286
with excess one, 1223
regular
group of automorphisms, 69
hexagon, 2282, 3866
honeycomb, 1683
hypergraph, 4135
independence system, 4709
intersecting family, 4053
join endomorphism, 1765
language, 559, 1934, 4501, 5708, 5866
regular map, 3486, 3527, 3918, 4215
on a torus, 113
regular
matroid, 823, 921, 1452, 5881
multigraph, 597, 752, 1216, 4368
regular multipartite
digraph, 5472
graph, 2697, 2949
regular
nonbipartite graph, 3522
non-Abelian automorphism group, 3614
normed space, 70
n-gon, 2839, 4308
n-net, 899
n-simplex, 59
n-wise balanced design, 2538
object, 2163
octahedron, 34
regular of degree
n, 2450
one, 5480
regular
of valency n, 2412
orbit, 2099
ordinal, 1792
pairwise balanced design, 841, 1498, 2538
parallelism, 1732, 1991
partition, 4191
path perfect graph, 1102
pathlike factorizations, 3184
pentagon, 1312, 2020
perfect system, 668
permutation group, 69
planar graph, 1292
plane, 758
point, 4162, 4177
polygon, 2736, 4308, 5745
polyhedral graph, 3649
polyhedron, 3007
polytope, 1549, 4132, 5239
primefold covering, 4623
quantum matroid, 5879
representation, 638, 2773
selfcomplementary graph, 4120
semigroup, 4818
semioval, 3413
separable graph, 1123
sequence, 4177, 5259
regular set, 269, 2327
of points, 2327
regular simple graph, 770, 2479, 2515, 3253
of even order, 2515
regular
simplex, 2103
skew polyhedra, 2028
solid, 4961
space, 1586
spread, 1732, 4414
Stirling number, 1666
regular subgraph, 198, 1654, 2450
problem, 1654
regular
subgroup, 3548
subset, 115, 573
system of equations, 1429
tesselation, 1536
tessellations, 4520
tetrahedron, 2149
thin near octagon on 288 vertices, 3969
tiling, 667
toroidal map, 4132
totally domatically full graph, 2853
tournament, 1151, 1642, 2372, 2841, 3562
tree, 3124
regular tripartite graph, 5284
of degree four, 5284
regular
triple, 4083
two component pairwise balanced design, 192
two-graph, 374, 3458
uniformly geodetic code graph, 3819
with degree n, 5773
regularisable graph, 752, 753
regularity, 1021, 1515, 1765, 2028
condition, 62
degree, 702
lemma of Szemerédi, 5636
regularity of
a covering, 2057
a graph, 512, 5542
a tiling, 1515

regularity
  preserving homomorphism, 573
  property, 2933
regularizable strength of a graph, 5857
regulation number, 2080
regulus, 5403
  code, 4158
Reid geometry, 5057
Reid, K B, 763, 1869
Reidemeister, 2422, 2601
Reidemeister-Schreier method, 2422
Reinelt, G, 4150
reinforcement number, 5302
Reiterman, 2961
relation
  algebra, 1809, 2340
  in a group, 565
  of coprimeness, 1796
  schemes, 3616
relational
  algebra, 1411
  database scheme, 3616
  databases, 3616
  fixed point property, 1625
  language, 3086
  structure, 611, 2209, 3086, 3112, 3646, 4656, 5792
  system, 64
relational theory of
  graphs, 1809
  programs, 1809
relative
  de Morgan lattice, 1547
  density, 2522
  derangement, 4833
  difference set, 3315, 3351, 4537, 4582, *see also* RDS
  error, 3665, 5117
  homology, 582
  subalgebra, 2340
relatively
  complemented, 1206
  free modular lattice, 336
  normal lattice, 4940
  prime integers, 2206, 4595, 4653
relator in a free monoid, 2238
relaxation, 5062, 5529
  of the cut polytope, 4445
relaxed
  Boolean quadric polytope, 5062
  cut polytope, 5062
  MV_n algebra, 5507
relevant vector, 4959
reliability, 72, 2397, 4235, 4499, 5883
  bounds, 2397
  domination, 5694
  of a network, 2397
  polynomial, 3142, 4499
  problem, 2429
reliable
  assignment, 3667
  communication, 3454
  transmission of information, 3454
reluctant
  function, 2904, 5315
  memory, 2775
Remmel, 1719, 2900, 4695, 5848
remote
  connected subgraphs, 5227
  edge, 1442
removal theorem, 2926
renewal
  array, 739, 1187
  sequence, 739
Rényi, 390, 717, 1021, 1823, 2424, 3391, 3824, 5640
reordered gossip scheme, 4659
reordering theorem, 4659
reorientation, 2456, 2887, 2916
Rep tiling, 3010
repeated
  block, 92, 237, 1430, 1550, 1577, 2196, 2199, 2586, 2594, 3028, 3155, 3443, 3634, 3715, 4084, 4834
  degree, 3241, 5073
  measurements design, 2593
  triple, 2196, 4390
  vertex, 4682
repeating pattern, 1325
replaceable, 4414
replication
  number, 4772
  of treatments, 3039
  result, 182
representability, 891, 1809, 2527
  in arithmetic, 1796
representability of
  a Δ-matroid, 3710
  a Lukasiewicz algebra, 1110
representable, 2340, 2528, 2920, 3335, 4917, 5456, 5500, 6006
  as the union of pairwise edge disjoint T-paths and circuits, 5500
  by the lengths of the paths, 5788
  matroid, 1452, 2277
  on a tree, 5783
representable over
  a field, 3392
  a finite field, 4679
  an extension, 3392
  GF(q), 5220

representable uniform oriented matroid, 2650
representation, 311, 698, 962, 984, 1099, 1387, 1405, 1792, 1856, 1863, 2115, 2206, 2422, 2473, 2609, 2612, 2926, 2961, 3526, 3624, 3766, 3826, 4029, 4065, 4145, 4172, 4259, 4473, 4599, 4619, 4647, 4679, 4739, 4835, 5115, 5395, 5467, 5498, 5571, 5659, 5710, 5840, 5856, 5878, 5986, 6024
representation as
a nontrivial Cartesian graph bundle, 5312
the automorphism group of an n-tournament, 5069
representation
by an OBDD, 4473
defined by Pfaltz, 570
function, 4462, 5739
in Euclidean space, 5216
representation of
a balanced labeled graph, 502
a caterpillar, 5395
a covering space, 913
a family of finite sets, 542
representation of a finite
graph by a direct product, 747
nilpotent squag, 4669
representation of a form, 5419
representation of a graph, 3955
as an intersection graph, 412
by a family of nonempty sets, 2114
representation of
a Lukasiewicz algebra, 991
a partitive lattice, 4259
representation of a permutation, 962
as a product of two cycles, 962
representation of
a smooth surface by a graph, 3869
a sublattice, 1597
a symmetric group, 496, 984, 985
a ternary matroid, 4679
a wreath product, 395, 746
an orthostructure, 1787
B_n, 5577
polynomial size, 4473
the bipartite graph $M_{n,k}$, 4029
representation ring of a wreath product, 746
representation theorem, 331, 891, 1094, 1110, 1809, 4669
for convex sets, 331
for graphs, 1795
for Lukasiewicz algebras, 891
of Moisil, 1110
representation theory, 395, 489, 496, 1170, 2766, 5839, 5846
for finite lattices, 2917
of groups, 4272
representation tree, 3641
representative permutation, 1690
representatives of a Golay sequence, 5752
representativity, 5203
of a triangulation, 5203
ρ, 5605
representing a
3-manifold, 4302
digraph, 4523
planar graph, 1561
polynomial function, 5024
set of strings, 5565
representing an
interval, 1856
order by moving figures in space, 3526
representing M_n, 1479
reproductive
parametric solution, 87
solution, 4475, 4663, 5175
resemblance relation, 827
residual, 2583, 3137, 5255
design, 986, 1210, 1288
error rate, 1897
function, 4090
residually connected, 4079
residuated mapping, 678
residuation and closure spaces, 4090
residue, 4054, 5527
class, 1246, 1378, 2686, 2832, 3375, 3547, 5038
residue class modulo
a prime, 359
four, 1874
residue class
of a polynomial at an integral argument, 1570
ring, 75, 3900
residue difference set, 5313
with zero, 5527
residue
of a geometry, 1947
set, 5527
residuum of a symmetric design, 4368
resolution, 486, 996, 1340, 1498, 3179, 3196
class, 996, 1340, 3052
III plan, 3196
III.2 plan, 3196
method, 562
resolution of
a design, 3188
a general algebraic system of equations, 4628
a q-differential system, 4288
a system of differential equations, 2417
resolutions of lines, 1340
resolvability, 3717
resolvable (15, 5, 4)-design

resolvable (15, 5, 6)-BIBD, 2583
with an automorphism of order five, 2583
resolvable
(15, 5, 6)-design, 2583
(t(t + 1), t, t − 1)-BIBD, 2442
(t, 3, 2)-BIBD, 2757
(t, 4, 3)-BIBD, 5942
(t, λ)-design, 1498
resolvable balanced
bipartite design, 456, *see also* RBBD and RB
incomplete block design, 1449, 1493, 3191, *see also* RBIBD
P-design, 53
resolvable
BIB design, 1493
BIBD, 88, 1449, 3188, 4030
block design, 2521, 3178
design, 88, 486, 959, 1331, 1382, 2389
grid system, 1449
group divisible design, 2568, 3058
incidence structure, 1440
Kirkman system, 996
pairwise balanced design, 3045
regular graph design, 4772
SOLS, 1449
Steiner system, 3910
resonant, 4227
resource directive decomposition, 5264
Restivo, 3873, 4856
restrained dominating set, 5951
restrained domination, 5951
number, 5951
restrained graph, 3297
restricted colouring, 5278
model for timetabling, 5278
restricted
covering of a digraph, 2733
diagonal equivalence, 800
graph homomorphism, 5293
linear space, 399, 464, 465
list colouring problem, 5877
partitions, 1666
permutation, 5870
resolvable design, 2691, 2716, 3053
second order sentences, 1671
unimodular, 2560
restriction, 89, 99, 118, 205, 522, 692, 811, 823, 826, 992, 1045, 1075, 1666, 1721, 2081, 2186, 2527, 2597, 2684, 3262, 3499, 3637, 3843, 4361, 5088, 5109, 5294, 5450, 5788, 5793, 5870
on path lengths, 3809
reticular metric space, 2272
retract, 1170, 1178, 1436, 1437, 1778, 1792, 2352, 3304, 3516, 3517, 4096, 4196, 4206, 4784, 4785, 5178, 5211
characterization, 5178
retract of a graph, 1436
product, 3517
retract of
a Hamming graph, 3304
a power, 4101
retract rigid, 2352, 3516
Cartesian product of graphs, 2352
retractable, 1778
retracting, 2010
retraction, 3304
problem in graph theory, 1807
retrieval algorithm, 5565
return words, 5484
Reutenauer, 4856
reverse
class critical multigraph, 2334
dual function, 2230
function, 2230
lexicographic order, 2921
plane partition, 842
reverse Steiner
quasigroup, 218
triple system, 28, 39, 191, 416
reversed
positional game, 5280
prefix, 884
reversibility condition, 4066
reversible, 3153
BCH, 2964
code, 2565
difference set, 4343
shelling, 4800
reversibly shellable complex of rank n, 4800
reversing
a Hamiltonian path, 188
the edges of a cut, 2887
reversion, 5424
Revesz, 3686
polytope, 133
revolving door, 3531
Revoy discriminant, 4217
rewriting system, 3205
Reznick, 4470
ρ-valuation, 4382
rhombus, 3575
rhyming scheme, 1099
Riccati equation, 1192
Rice method, 4857
Richardson, 1604
theorem, 1413, 2202
Richmond, 4682

Riemann
fundamental existence theorem, 4961
hypothesis for function fields, 1399
sphere, 4961
Riemannian symmetric space, 4434
riffle shuffle, 498
right angled
rational triangle, 204
triangle, 4893
right
branch length, 5576
ideal, 1809
leafed tree, 5576
overlap interval digraph, 4523
regular representation, 2890, 5606
right rotation, 4175
Cayley digraph, 4175
right subtree, 2531
rigid, 2203, 2352, 2458, 3369, 3483, 3513, 3516
rigid circuit
graph, 280
property, 280
rigid
de Morgan algebra, 2203
motion, 1327
structure, 5298
unit bar framework, 3483
rigidification, 2458
rigidity, 1586, 4469
rim hook behavior, 2673
rimitive root, 2571
ring
family, 3538
like axioms, 4744
ring of
algebraic integers, 1404
formal power series, 2066
integers modulo m, 2207
invariants, 4627
polynomials with rational coefficients, 5841
power series, 1427
rational functions, 3226
Siegel modular forms, 4627
symmetric functions, 3228, 4854
the integers modulo k, 1912
ring
structure, 193, 203, 6031
theory, 5838
Ringeisen isolation
game, 2681, 2976, 3620
on a graph, 2810
Ringel, 150, 3291, 3575, 4670, 5734, 5823
upper bound, 5054, 5173
Rinott, 4455, 4652
Riordan, 371, 3349, 4144, 4341, 4495, 5850, 6016
array, 4144, 4341
formula, 1335
theorem on powers of the Fibonacci numbers, 6016
Riordan, J, 3218
rises and
falls, 132, 240, 445, 489, 843, 876
nonrises, 984
rising edge, 3233
Rival, 2428, 4092, 4096, 4781, 5304
Rival, I, 1180, 1436, 1792, 2916
Rivest, 2193
Riviere, 3290
R^n, 4774
RNA, 2511
molecule, 2511
sequence, 3134
Robacker theorem, 2494
Robbins, 4480
Roberts, 517, 945, 1154, 2706, 2863, 3266, 3795, 3887, 4944, 5083
inequality for boxicity, 945
Roberts, F S, 945
Robertson, 2383, 2935, 4061, 4461, 4682, 5432, 5598
Robertson, N, 2705
Robinson, 1718, 1796, 2629, 3064, 4395
Robinson, R W, 4395
Robinsonian dissimilarity, 2802, 5782
Robinson-Knuth theory, 40
Robinson-Schensted
algorithm, 993, 4484, 4506
correspondence, 2250, 2264, 4186, 4506, 4989, *see also* R-S correspondence
Robinson-Schensted-Knuth
correspondence, 2629, 3064, *see also* RSK correspondence
insertion procedure, 2973
Robson, 1793
robust, 5413
robustness, 3722, 3723
robustness of
a balanced fractional 2^n factorial design, 3723
a block design, 3722
a design against incomplete data, 3723
an experimental design, 3722
rodeletive correspondence, 3064
Rodger, 4610, 4662
Roditty, 5382, 5771
Rödl, 1827, 2961, 3598, 4111, 4321, 5132, 5636, 5945
Rogers, 2809, 2884, 3228, 4172, 5524
Rogers-Ramanujan
bijection, 1271
identity, 1128, 1271, 3888

Rogers-Ramanujan-Schur identity, 3228
Rogers-Selberg identity, 3228
Rohrbach inequality, 387
Roman, 5204
  square, 3019
Roman-Rota umbral calculus, 5573
Ronan, 5392
rook
  domain, 1912
  equivalence, 4695
  length polynomial, 4483, 5078, 5357
rook placement, 5078, 5357
  on a Ferrers board, 4483, 5078
rook polynomial, 126, 4695, 5426
Room cube, 1882, 2787
Room square, 93, 310, 375, 587, 652, 684, 924, 996, 1215, 1588, 1882, 2787, 2871, 5923
  of side s missing a subsquare of side t, 1588
  type, 924
  with small holes, 1588
root
  degree, 1425
  lattice, 4959
  of a hyperquaternary arborescence, 4492
  system, 1407, 1598, 1962, 4497
  vertex, 1828, 2360
rooted
  2-connected near triangulation, 3890
  alternating sum, 2642
  branches of the centroid, 5487
  cactus partition, 3553
  Cayley tree, 2900
  directed tree, 5091
  forest, 3579
  graph, 592, 3747
  labeled forest, 1478
  loopless planar map, 1828
  maximal planar map, 2531
  nonseparable planar maps, 2798, 5677
  n-tree, 15
  ordered tree, 2714
  outerplanar near triangulation, 3890
rooted planar
  hypermap, 1944
  map, 1944
  triangulation, 179, 2798
rooted
  plane tree, 5618
  product, 1048
  quadrangular dissections of the disc, 4704
rooted simple
  2-connected near triangulation, 3890
  outerplanar map, 3890
rooted
  spanning tree, 3553
  strict 2-connected near triangulation, 3890
rooted tree, 7, 592, 1362, 1870, 2346, 2900, 2913, 3124, 3225, 4569, 4900, 5536
  copy function, 1870
  embedding problem, 4919
rooted
  very well labeled tree, 1944
  well labeled tree, 1944
roots of
  a polynomial, 2789
  chromatic polynomial, 5722
  unity, 123
Rosa, 923, 2087, 2571, 2577, 2588, 2831, 3715, 4025, 5442
  condition, 4889, 4965
Rosa, A, 1772, 4889, 4965
rosary, 2660
Roselle, 478
Rosenberg, 1570, 1781, 2393
Rosenfeld, 1151, 2835, 4243
Rosenstiehl, 1540, 5225
Rosenstiehl, P, 1095, 1561
Rosenthal, 6024
Ross, 4028
Rossmann, 3226
Rota, 141, 193, 510, 658, 949, 985, 1144, 2472, 3132, 3225, 3783, 3826, 4323, 4411, 4426, 4807, 5204, 5315, 5562
  straightening formula, 985
  theory of polynomial sequences of binomial type, 830
Rota, G-C, 1924, 1926, 1999, 2745, 5573
rotation, 1160, 1889, 1960, 2135, 2819, 3977, 4132, 4385, 4790
  axis, 1672
  centre, 1672
rotation distance, 3977
  of graphs, 3977
  of trees, 3977
rotation
  group, 3007
  involution, 5822
  of a sphere, 136
rotational
  automorphism, 1098
  HTS, 5218
  hybrid triple system, 5111, 5218
  Mendelsohn triple system, 5539
  n-tournament, 2545
  Steiner triple system, 1395
  tournament, 2545, 3296
rotator, 1596
rotatory inversion, 1160
Rothblum, 501, 4593
Rothe, 3233, 4825

Rothschild, 2281, 5328
Rothschild, B, 1839
round robin tournament, 188, 1287, 2580, 4192
rounded five element line, 5057
roundedness, 3013
Rousseau, 5059
routing, 4102
row and column
  bound, 4491
  sum vector, 1694, 4255, 5375, 5648
  sums, 293, 322, 578, 630, 746, 1307, 1459, 2559, 5141
row column design, 5969
row column directed
  BIBD, 3054, *see also* RCDBIBD
  block design, 3054
row
  dictionary, 548
  even, 4323
  inversion, 4323
  odd, 4323
  permutation, 902, 3958
row regular, 5968
  design, 5968
  tight single change covering design, 5968
row sum, 3 4152, 165, 293, 491, 578, 630, 1307, 2274, 4152, 5098, 5354
  vector, 1301, 5893
Roy, 2375, 5231
RSK correspondence, 2629, *see also* Robinson-Schensted-Knuth correspondence
Rubin, 2962, 3815
Rucinski, 5132
Rudeanu, 203, 5175
  formula, 5175
Rudeanu, S, 1558
Rudvalis, 395
ruin problem, 971, 1009
Ruiz, S, 3928
rule of growth, 771
run
  language, 533
  of consecutive integers, 2182, 5028
  size sequence, 4177
running time complexity, 4539
Ruskey, 5058
Rutherford-Young natural representation of a symmetric group, 985
Ryjácek, 5511, 5661, 5702, 5873
Ryjácek closure, 5661
  theorem, 5661
Ryser, 188, 293
Ryser condition, 2086
  for the completion of a Latin rectangle, 2086
Ryser theorem on term rank, 5375
Ryser, H, 5375
Ryser, H J, 2119, 2233
r-chromatic, *see* n-chromatic
r-clique, *see* n-clique
r-colouring, *see* n-colouring
r-complementation, *see* n-complementation
r-complete, *see* n-complete
r-connected, *see* n-connected
r-cube, *see* n-cube
r-cycle, *see* n-cycle
r-decomposition, *see* n-decomposition
r-depth, *see* n-depth
r-dichromatic, *see* n-dichromatic
R-digraph, 1350, 1604, 1985
r-digraph, *see* n-digraph
r-dimensional, *see* n-dimensional
r-dominating, *see* n-dominating
r-domination, *see* n-domination
r-extension, *see* n-extension
r-graph, 1, *see* n-graph
r-initial, *see* n-initial
r-king, *see* n-king
R-labeling, 3976
r-linear, *see* n-linear
r-multihypergraph, *see* n-multihypergraph
r-ordered, *see* n-ordered
r-partite, *see* n-partite
  graph, *see* n-partite graph
r-partition, *see* n-partition
r-permutation, *see* n-permutation
R-polynomial, 4860, 5578, 5846
r-Post algebra, *see* n-Post algebra
r-quasitransversal, *see* n-quasitransversal
r-regular, *see* n-regular
R-S correspondence, 4506, *see also* Robinson-Schensted correspondence
R-sequenceability, 3966, 4125
  of a dicyclic group, 3966
R-sequenceable, 1661, 4125
R-sequencing, 1661, 4125
r-set, *see* n-set
r-Stirling, *see* n-Stirling
r-tournament, *see* n-tournament
r-tuple, *see* n-tuple
r-uniform, *see* n-uniform
$\mathbf{R}^{-}$-digraph, 1604

S

S(2, 3, 9), 1772
S{2, 3, $\aleph_0$}
S(2, 3, m), 1772
S(2, 3, n), 3164
S(2, 4, 25), 2579
S(2, 4, 49), 2141
S(2, 4, n), 3164, 3190

S(3, 4, 2v), 2746
S(3, 6, 22), 3610
S(4, 5, 11), 3610
S(4, 7, 23), 3302, 3610
S(5, 6, 108), 3944
S(5, 6, 12), 3610
S(5, 8, 24), 2838, 3097, 3610
S(n, k, m), 3151
S(n, n + 1, k), 3586
S(t, t + 1, v), *see* S(n, n + 1, k)
(s, k, λ)-partitions, 2951
(s, n)-sequence, *see* (n, k)-sequence
(s, r; μ)-nets, 3676
(s, t)-cut, *see* (n, k)-cut
  set, *see* (n, k)-cut set
(s, t)-diameter, *see* (n, k)-diameter
(s, t)-directed star decomposition, 3163
(s, t)-flow, *see* (n, k)-flow
(s, t)-incomplete Room square, 1588
(s, t)-path, *see* (n, k)-path
s,t-cut, *see* (n, k)-cut
s,t-path, *see* (n, k)-path
$S_3(3, 5, 21)$, 2711
S_6, 3049
S_{14}, 5409
Saad, 5719
Saalschütz summation, 345
  theorem, 1914
Sabidussi, 189, 2825, 3125
  representation theorem, 3525
Sabidussi, G, 3505, 3506, 3507, 3508, 3509, 3510, 3511, 3513, 3514, 3515, 3516, 3517, 3518, 3519, 3520, 3521, 3522, 3523, 3524, 3525, 3526, 3527, 3528, 3529, 3530, 3531, 3532, 3646, 4108
Sabidussi-Fawcett subdirect representation, 3525
SAB-code, 1894, *see also* Séguin-Allard-Bhargava code
SAC, 5632, *see also* strict avalanche criterion
Sachs, 539, 4215
Sachs triangulation, 4215, 5822
  of a closed surface, 4215
Sachs, H, 5823
saddle point, 1353, 4488
  approximation, 4488
  method, 2209
  problem, 216
Sade, 344
  singular direct product of quasigroups, 134, 177
Sagan, 3225, 5108, 6027
Sagan, B, 4506
Sainte-Laguë, A, 5809
Saito, 5634
Sakarovitch, 1030
Saks, 2348, 4455, 4652
Saks, M, 2745
Salazar, 2414
Sallee, 4188
Salvetti, 3574, 4869, 5034
same distance problem, 220
Sampathkumar, 4353, 4898, 5868, 5970
Sampathkumar, E, 2868
sample
  graph, 1700
  with replacement, 1836
Sánchez, 2322
Sanchis, 4003
Sanders, 1086
sandglass conjecture, 4072
Sands, A D, 1816
Sands, B, 2122
sandwich semigroup of binary relations, 938, 1374
Sane, 3137
Sankoff, 5179
Sappa, 3819
sat, 3960
satisfiability, 4776, 5814
  test, 4473
satisfiability<ZZscp> problem, 3960
Sato, 4623
saturated chain, 889, 2312
  partition, 2133
saturated
  design, 1521
  graph, 2680, 2902, 4891, 5020
  matching, 1983
  n-uniform hypergraph, 3200
  partition of a partially coloured graph
  path, 5231
saturation property, 2133
Satyanarayana, 2241, 3142
Sauer, 1544, 1814, 2416, 4253, 4675, 4962, 5207, 6033
  Lemma, 4675
Sauer, N, 1988
saw tooth representation, 2925
SBC, 5441, *see also* selfblocking clutter
SBCI, 4319
Sbihi, N, 1990
scaffold
  permutation, 2531
  property, 2531
scaffolding, 2917
scalar product, 3230, 5577
  dimension, 2497
scalar unit, 4748
scarceness of regions, 4806
scattering
  number, 1295, 2381, 5077, 5250
  set of maximum cardinality, 5410

sccd, 5962, *see also* single change circular covering design
SCDC, 2512, *see also* small cycle double cover
scheduling, 2580, 3243
independent tasks, 3665
problem, 2121, 4093
round robin tournaments, 4192
Scheid, 3992
Schein, 1374
Scheinerman, 2147, 4463
Schelp, 2510, 4945, 5059, 5182, 5636, 5668
Schensted, 2629, 3064
correspondence, 4506, *see also* Robinson-Schensted correspondence *and* Robinson-Schensted-Knuth correspondence
insertion algorithm, 2250
pair, 489
Schiermeyer, 5511
Schinzel, 3489, 4906, 5259, 5954
Schläfli, 3233
graph, 2958
symbol, 2018
Schlegel diagram, 933, 3806
Schmeichel, 1189, 3561, 4419, 5716
Schmeichel, E, 1563
Schmidt, 203, 1375, 2728
Schmidt, J, 1818
Schmidt, P, 5420
Schmidt, W M, 552
Schmitt, 5573
Schnare, 4753
Schneider, 800
Schnirelmann theorem, 387
Schönheim, 349, 785, 1348, 1608
school timetable, 2414
Schrag, 3337
Schreier, 473, 2422
coset graph, 604
right coset graph, 3876
Schrijver, 2386, 2537, 2823, 3914, 4931
Schröder
category, 2340
design, 5071
number, 4422, 5864
quasigroup, 1087, 5071
result, 4170
tree, 3859
Schröder-Berstein principle, 1448
Schrödinger equation, 5276
Schubert, 3226
cell, 4860, 5391
class, 5844
polynomial, 3226, 4493, 4848, 5844, 5849
variety, 3226, 5844
Schulte, 1787
Schur, 4314
convex function, 1501
Schur function, 2264, 2434, 2673, 3222, 3228, 3230, 3706, 4487, 4854, 4981, 5581, 5841, 5847, 5848, 5849, 5854, 5855
algebra, 2885
expansion of a plethysm, 5848
identity, 2264
Schur
number, 5949
positivity, 5849
P-function, 4985
symmetric function, 3221
Schuster, 789
Schuster, S, 1647
Schützenberger, 40, 371, 550, 861, 993, 1497, 3863, 4143, 4273, 4825, 4848, 5844
construction, 550
evacuation of Young tableaux, 4143
jeu de taquin, 1497
methodology, 4288
total promotion operator, 3223
Schweigert, 1787
Schwenk, 1533, 2209, 4761
Scimeni loop, 3528
score sequence, 2407
score set, 1945
for a tournament, 1945
score vector, 2050
scorpion graph property, 2920
Scott, 5353
Scott, P R, 1428
Scubert polynomial, 4493
SDR, 3000
SDSC, 834, *see also* strenghtened degree sequence condition
SD-set, 4950, *see also* strong dominating set
search, 120, 267, 320, 1190, 1251, 1516, 1902, 1912, 1917, 2336, 2536, 3962, 4195, 4564, 5324, 5339, 5927
algorithm, 958, 5601
binary arborescence, 4492
design, 3720
in a directed graph, 3069
length, 5010
number, 2221
search problem, 2083, 2915, 4460
on graph, 2915, 4458
search procedure, 26
searching, 163, 1860, 2629, 3296, 3319, 3437, 4173
for an acyclic orientation of a graph, 4378, 4638
task, 5621
secant, 3063
number, 496, 1073

second
  Betti number, 4988
  eigenvalue of a graph, 3012
  largest eigenvalue, 2060, 3012, 4559
  neighbourhood, 3332
second order
  concatenated code, 3624
  line digraph, 1296
  minor, 1002
  recurrence relation, 3055
  Reed-Müller code, 3431
secret sharing scheme, 3451
secretary
  packet problem, 4271
  problem, 5545
section of a convex polyhedron, 4298
security, 3451
SED, 3919, *see also* shuffled edge deck
Sedlácek, 36
SEE-graph, 5512
segment of a poset, 1144
Segre classes, 4407
Séguin, 1894
Séguin-Allard-Bhargava code, 1894, *see also* SAB-code
Seidel
  equivalent, 2890
  tableau, 4166
Seidel, J J, 65, 327, 2032, 2450, 4043
Seiden, 2305
Seifert fibered space, 5589
Selberg, 3228
select a loser, 3808
selection, 1166, 3278, 5971
selection of
  the n-th and k-th largest element, 2438
  the top two elements, 2438
selection
  principle of Rado, 1887
  problem, 1166
  property, 1777
selectivity, 446
self
  complementary graph, 84, 250, 567, 1083, 1084, 1502, 4044, 4794, 5198, 5743
  dual, *see* selfdual
  map, *see* selfmap
selfavoiding polygon, 4930
selfblocking
  block design, 2578
  clutter, 5441, *see also* SBC
selfcentered, 1526, 1973
  connected graph, 1240
  graph, 1240, 1973
selfcentred graph, 4005
selfcomplement index, 2712
selfcomplementary, 2712, 3694, 4511
  basis, 3195
  digraph, 462, 1573, 4955
  directed hypergraph, 1507
  graph, 84, 250, 418, 567, 944, 1083, 1808, 2712, 4794, 5198, 5307, 5743
  hypergraph, 1507
  index, 2712
  n-plex, 199
  realization, 1259, 1502
  relation, 319
  strongly regular graph, 2330
  symmetric digraph, 4955
  tree, 5673
selfcontrapositive, 5502
  lattice, 5502
selfconverse
  digraph, 462
  oriented tree, 2913
selfcorrecting decoder circuit, 72
selfdual, 860, 870, 1906, 2499, 2779, 3209, 4071, 4409, 4651, 5434, 5904
  (12, 6, 6)-code, 3452
  (42, 21, 8)-code, 3552
  axiomatization of matroids, 1162
  binary code, 1220, 1910
selfdual code, 76, 300, 864, 1220, 2174, 2777, 2946, 4364, 5657, 5700, 5904
  of length, 24 4229
selfdual
  configuration, 4168
  conformal field theory, 4229
  convex polyhedron, 2499
selfdual doubly
  circulant code, 1909
  even extremal code, 2779
selfdual
  embedding, 3356
  function, 4409
  graph, 4708
selfdual map, 4213, 4651
  on a sphere, 4213, 4651
selfdual
  matroid, 2997
  nonsingular transformation, 4071
  polyhedron, 2499
  regular 4-polytope, 2028
  signing, 870
selfduality, 3209, 4213, 4708
  map, 2499
selfintersecting curves in
  a plane, 2222
  the plane, 2222
selfintersection, 2254
selfmap, 4773

selfnegative, 5502
  lattice, 5502
selforganization, 2511
selforthogonal
  binary code, 860
  code, 67, 68, 80, 300, 2565, 3369
  error correcting code, 569
  Golay code, 80
  Hamilton path decomposition, 3176
  Latin square, 1449, 2899, 5971, *see also* SOLS
selfpacking, 5638
  graph, 5638
selfreciprocal, 4001
  polynomial, 710, 4001
selfreduction, 5601
selfreplicating ribonucleotide strand, 2511
selfreverse dual, *see also* SRD
  function, 2230
  M-sequence, 2230
Selfridge, 3546
selfsimilar word, 4999
selfsimilarity, 4999
self-complementary, *see* selfcomplementary
self-dual, *see* selfdual
self-map, *see* selfmap
self-orthogonal, *see* selforthogonal
Selmer, E S, 2942
Semakov, 923
semantic
  model, 3198
  property, 592
semi
  group, 353
  i-space, 1811
semi Laguerre
  1-structure, 1627
  n-structure, 1811
semi
  Minkowski n-structure, 1811
  n-regular factor, 5642
semi P_4-sparse, 5247
  graph, 5247, 5250
semi partial, *see* semipartial
semibiplane, 1467, 3946, 4578, 5393
  belonging to the Mathieu group, 3969
semibiplane of
  antiflag type, 5393
  flag type, 5393
semicomplete
  bipartite digraph, 5019
  digraph, 3242, 5166, 5900
  directed graph, 4415
  multipartite digraph, 4888, 4992, 5019, 5096, 5112, 5990, *see also* SMD
  n-partite digraph, 5990
semidecomposability of a graph, 2180
semidefinite matrix, 92
semidihedral group, 1443
semidirect product, 573, 1524, 1525, 2890, 5208
  of monoids, 573
semifield, 2661, 4734
  plane, 2661, 4734
semiflat
  cluster methods, 678
  L-cluster methods, 678
semiframe, 5892
semigroup, 135, 294, 311, 376, 387, 721, 893, 908, 938, 1200, 1785, 1791, 2158, 3357, 3873, 4818, 4856, 4942, 5872
semigroup of
  (0, 1)-matrices, 311
  a linear nonsingular subautomaton, 721
  automata, 259
  binary relations, 938, 1374
  graph endomorphisms, 992
  order ideals, 893
  singular selfmaps, 4715
  tolerance relations, 2158
  transformations, 135, 4715
semigroup
  operation, 893
  representations, 1787
  theory, 4856
  verifying the Gabriel (H) condition, 1791
semikernel of a digraph, 1604
semilabeled forest, 3579
semilattice, 1046, 1486, 1792, 4292, 4402
semilattice of finite
  breadth, 1602
  width, 1792
semilattice
  tensor product, 1794
  theory, 516
semilinear, 2186
  property, 61
semimaximal irredundant set of a graph, 5940
semimetric, 4129, 5791
  of negative type, 4129
  space, 2052
semimodular, 62, 976, 1372, 1794, 3071
  function, 4241
  lattice, 976, 1794, 2726
  poset, 62
semimodularity, 1372
semiorder, 1325, 1783, 2118, 3317, 5167, 5493, 5878
  dimension, 511
  on a finite set, 5167
semioval, 3413
semipartial geometry, 1738, 3332, 3422

semiplane, 1627, 1811
semiprimitive, 4590
  code, 596, 4590
semiregular
  divisible difference set, 5724
  graph of girth 2D, 2539
  polyhedra, 1980
semirigid, 4773
semirigid set, 4773
  of diamonds, 4773
semirigidity criterion, 4773
semiring, 854, 5091, 5910
  extension of the Matrix Tree Theorem, 5910
  generated by all primitive Boolean algebras, 1785
  network, 2429
semiring of
  order preserving maps, 893
  quasiprimitive Boolean algebras, 1785
semisimple
  algebra, 4477
  ring, 75
semistable
  graph, 107
  unicyclic graph, 288
semistandard tableaux, 4266
semistrong perfect graph conjecture, 1813
semistrongly greedy, 2132
  chain, 2132
  linear extensions, 4647
semisymmetric
  3-quasigroup, 1275
  design, 1467
semitopological
  graph, 650
  subgraph, 650
semitotal
  line graph, 1583
  point graph, 1583
semi-affine plane, 1757
semi-algorithm, 137
semi-automaton, 1695
semi-complete, *see* semicomplete
semi-group, *see* semigroup
semi-incidence matrix, 1842
semi-infinite strip, 2558
semi-isomorphism, 4169
semi-Latin square, 5286, 5287
sender, 1801
sense preserving automorphism, 136
sensitive graph, 2416
sensitivity analysis, 1254
  in linear programming, 1254
  of linear programming, 4465
sensitivity of a metric, 4790
separable
  graph, 528, 1123, 1262, 1542, 1560, 1711, 5487, 5868
  locally pseudoconvex algebra, 3468
  matrix, 5163
  orthogonal array, 2787
separating
  cycle, 714
  cycles in graph, 714
  double rays, 4410
  edge, 1069
separating points
  by spheres, 314
  in the plane by circles, 314
separating
  set, 1052, 1640, 3942
  subgraph, 1669
  subset, 2085
  system, 484, 936, 1611, 1634, 5163, 5514
  the n-cube, 2024
  two vertices, 5144
separation, 214, 1876, 2390
  algorithm, 4956, 5044
separation by
  a line, 2077
  binary matrix, 1930
separation in a graph, 3257
separation of
  variables, 2417
  vertices by a circuit, 377
separation
  problem, 1775, 1958, 5080
  property, 1876
separation theorem, 1323, 2363
  for oriented matroids, 1323
separator, 221, 1865, 3320, 3988, 5104, 5514
sequence, 303, 339, 369, 373, 381, 402, 485, 489, 499, 502, 515, 524, 526, 538, 550, 553, 570, 605, 634, 668, 720, 739, 764, 771, 772, 773, 775, 784, 810, 850, 857, 874, 902, 918, 919, 943, 945, 946, 954, 960, 966, 990, 994, 1004, 1007, 1027, 1044, 1062, 1066, 1151, 1180, 1187, 1200, 1212, 1222, 1227, 1231, 1259, 1265, 1302, 1316, 1399, 1424, 1454, 1527, 1661, 1685, 1699, 1704, 1707, 1724, 1777, 1789, 1804, 1835, 1868, 1885, 1900, 1967, 1996, 2099, 2148, 2214, 2230, 2290, 2372, 2373, 2406, 2424, 2439, 2486, 2514, 2546, 2646, 2657, 2658, 2686, 2750, 2759, 2761, 2791, 2795, 2801, 2880, 3043, 3057, 3094, 3106, 3114, 3134, 3231, 3257, 3289, 3309, 3402, 3409, 3460, 3489, 3512, 3551, 3595, 3639, 3657, 3671, 3673, 3696, 3765, 3816, 3860, 3889, 3978, 3979, 4015, 4045, 4125, 4166, 4177, 4178, 4188, 4196, 4238, 4257,

sequence (*cont.*), 4285, 4293, 4297, 4303, 4330, 4386, 4407, 4462, 4495, 4498, 4502, 4538, 4570, 4599, 4615, 4640, 4653, 4659, 4680, 4685, 4712, 4751, 4758, 4774, 4823, 4832, 4839, 4854, 4886, 4906, 4908, 4937, 4942, 5001, 5075, 5076, 5087, 5088, 5090, 5193, 5223, 5231, 5259, 5304, 5395, 5484, 5502, 5541, 5562, 5618, 5671, 5688, 5691, 5703, 5730, 5739, 5752, 5832, 5870, 5888, 5908, 5954, 5964, 5979, 5999
component changes on a tree, 3134
sequence of
adjacency automorphisms, 5609
binomial type, 830, 861, 1227, 1704
block sizes, 3845
Cayley graphs, 4653
chain partitions, 2133
codes, 928
diameters, 5956
distinct primes, 784
edge jumps, 5075
graphs, 1034, 2508, 3503, 3673, 4751
groups, 3488
implicants, 1678
inequalities, 5102, 5676
integers, 1165, 1592, 1868, 2514, 6004
iterated triangular line graphs, 4939
iterates, 3973
knight moves, 2108
linear relaxations, 4524
local complementations, 1095, 3664
natural numbers, 5193
nodes, 538
nonnegative integers, 1004, 1701, 3765, 4045, 4264
non-Hamiltonian graphs, 1851
n-wise independent functions, 1836
positive integers, 553, 701, 1394, 1412, 1499, 1720, 2666, 5129, 5664, 5999
races, 453
rational numbers, 5154
real numbers, 990
rises and falls, 876
single edge exchanges, 5703
stars, 1204
stratum sizes, 4385
strong connectivity numbers, 4045
tailed column convex polyominoes, 5568, *see also* stapo
test sets, 2915
trees, 5090
vectors, 1682
vertices, 1266, 5801
words, 5424
zeros and ones, 1225
sequence
representation for a map, 1007
that is not 4-realizable, 1004
with large blocks, 1151
sequenceability of a non-Abelian group, 1228
sequenceable, 485, 1661, 2844, 4125, 4832, 5180
group, 485, 775, 1661
sequences closed under taking subsequences, 5870
sequencing, 1661, 2211, 2844, 2894
problem in a finite group, 616
the dihedral group, 5180
sequencings of group, 2894
sequential
algorithm, 2887, 3682
circuit, 4473
sequential colouring, 1465, 2493, 6015
algorithm, 3147, 6015
sequential
decoding, 77
generation, 3659
graph, 1149
manufacturing process, 96
sequential node colouring, 2478
algorithm, 2055
sequential ordering, 634
sequentially
additive graph, 1471
n-colourable, 1465
ordering, 1616
Serganova, 5482
series
and parallel reduction, 3667
connection, 2312
minor, 823
of identities, 4775
series parallel, 4521, 4757
decomposition, 2010
graph, 904, 1727, 4712, 4824, 5080, 5981
network, 601, 1070, 2360, 3801, 5146, 5714
order, 4645
partially ordered set, 2428
poset, 2121, 2566, 3377, 4757
series
product identity, 4424
reduction theorem, 6024
representation, 453
series-parallel, *see* series parallel
Serre theorem, 2601
Serre, J-P, 2601, 2710, 3195
set, 91, 211, 258, 366, 763, 836, 1121, 1464, 2676, 5838
choosability, 5814
chromatic number, 815
coincidence game, 2810
colouring of a graph, 815

set (*cont.*)
difference, 1655
function, 4241
inclusion, 2416
set intersection, 1655, 5565
algorithm, 5565
theorem, 1570
set meeting all positive circuits, 1689
set of
4-subsets, 1300
angles, 3580
arcs, 1350, 2379, 4320
atoms of a benzenoid system, 5779
closures, 400
coloops, 4839
colours, 815, 5362
components, 3671
dependent sets, 625
designs, 335
diamonds, 4773
differences, 2111
directed circuits, 1070
disjoint distinct sum sets, 5212
divisors of a number, 30
edges, 1392, 1939, 3278, 3599, 3785, 4019, 4102, 4113, 4141, 4155, 4350, 4443, 5066, 5263, 5274, 5302, 5683, 5950, 6025, 6030
Fodor points, 1777
generators, 485, 2045, 5216, 5588
hook lengths, 644
in neighbours, 5310
incomparable subsets, 2104
integer rectangles, 889
integers realizable by trees, 1591
iterated differences, 5028
labeled graphs of order n, 2165
lines, 1581, 1924, 3052, 3238, 3422, 6025
literal solutions, 1994
maximal elements, 5352, 5639
monic polynomials, 2181
n independent points, 2039
natural numbers, 2940
neighbours of a set, 4172
non-Cayley numbers, 5603
n-graphs, 4890
out neighbours, 5310
overlaps of traces, 4766
pairwise disjoint line segments, 4441
permutations, 4170, 4568, 5870
prefixes, 4766
primitive roots of a language, 5708
rectangles, 889
sets, 1122, 2761, 5710
stable marriages, 4593
set of subsets of
a finite set, 104
a multiset, 1601, 1841
a sum free set, 5739
the odd numbers, 5739
set of
sum free sets, 5739
supports, 5753
three MOLS with holes, 1837
triangles, 5749
triples, 1464, 2240
types, 3607
uniqueness, 3006, 5205
vectors, 797
set of vertices, 1350, 1734, 1879, 1922, 1939, 2285, 2306, 2499, 2534, 2680, 2814, 2856, 2884, 2907, 2947, 3111, 3118, 3254, 3320, 3599, 3643, 3732, 3806, 3847, 3940, 4050, 4108, 4120, 4157, 4210, 4308, 4350, 4392, 4539, 4560, 4727, 4764, 4830, 5019, 5096, 5144, 5248, 5283, 5288, 5317, 5352, 5466, 5481, 5487, 5498, 5678, 5800, 5805, 5871, 5874, 5920, 5941, 5970, 5993
having no redundancies, 1118
of a convex polygon, 2015
of degree, 1 5445
set
of words, 1698, 2166
packing polytope, 5233
partition, 1693, 4987
partitioning problem, 1920
separation, 4465
set system, 552, 1148, 1161, 1313, 1578, 1859, 2396, 2530, 3868, 4063, 4540, 4902, 5163, 5315, 5407
determined by intersections, 1148
of rank n, 1875
set theoretic
interpretation, 5204
symmetric difference, 1941
set theoretic union of
matroids, 1880
two matroids, 1880
set
theory, 427, 1170, 4696
union, 893, 1845
uniquely determined by projections, 3006
with distinct sums, 4518
setup number, 1977
set-system, *see* set system
seven
colour theorem, 150
edges, 2446
level design, 59
seven-cluster, *see also* 7-cluster
seven-connected, *see also* 7-connected
seven-critical, *see also* 7-critical

seven-cube, *see also* 7-cube
seven-dimensional, *see also* 7-dimensional
  tangential 2-block, 1181
seven-extendable, *see also* 7-extendable
seven-HMOLS, *see also* 7-HMOLS
sextic
  qualified residue difference set, 5527
  residue, 5527
Seymour, 2146, 2383, 2986, 3099, 3331, 3613, 3679, 3992, 4061, 4119, 4360, 4461, 4682, 5432, 5454
  theorem on n-joins, 2146
Seymour, P, 3647
Shabat, 4961, 4984
  polynomial, 4843, 4984
Shabat, G, 4843
shadow boundary, 4738
shadow of
  a coloured complex, 3985
  a Sperner family, 2767
Shahrokhi, 5795
Shahshahani, 3224
Shamir, 306, 2193
Shannon, 82, 1759, 3454, 4931, 5640
  bound, 4769
  capacity of the pentagon, 4931
  entropy, 3432
  like game, 3606
  switching game, 2409, 3606
Shannon, A G, 5461
Shantaram, 925
shape
  composed of unit cells, 1380
  with two parts, 3230
shaped chessboard, 4768
Shapiro, 619, 848, 1187, 4422
Shapiro, L W, 739
Shapiro-Catalan triangle, 1187
Shapley, 4593
sharing jugs of wine, 3954
Sharir, 3489
Sharkovskii, 2247, 3839
  theorem, 3839
Sharma, 5969
sharp
  inequality, 4298
  lower bound, 4014, 4392, 4686, 5079
  shadow boundary, 4738
sharp upper
  and lower bound, 5303
  bound, 4019, 4448, 4941, 5083, 5103
sharply
  2-transitive group of type one, 3770
  n-transitive group, 3770
sharply transitive, 2043
  automorphism group, 3719
sharply transitive group, 3482
  of automorphisms, 3482
sharply transitive
  partially ordered set, 2043
  permutation group, 1804
Shastri, 4405
shattered set of vertices, 4542
SHC, 5126
  graph, *see also* smallest hard to colour graph
Shearer, 1780, 1963, 5668
Shechtman, 2536
Sheehan, 415, 1917, 3312, 5826
Sheffer function, 674
Sheffer polynomial, 5562
  with polynomial coefficients, 1704
Sheffer sequence, 910, 1704, 3088
Shelah, 1544, 1800, 1814, 4253, 5207
shellability, 2462, 2527
  of a simplicial complex, 2690, 4839
shellable, 2690, 4147, 4800
  order, 4096
shelling, 4800, 4847
shelling of
  a polytope, 4717, 4970
  a simplicial ball, 2690
shelling order, 2531
Shephard, 2499, 2819, 5174
Shephard, G C, 2014
Shepp, 644
  result, 154
Shepp, A, 154
Shepp, L A, 1306
Sheppard transformation, 1664
Sherk, F A, 2254
Shi, 5294
Shi, R, 3275
Shier, 2429
shift, 1889
  graph, 4274
  operator, 5852
  register, 3461
shift stable, 2877
  hypergraph, 2877
shiftable tableau, 2250
shifted
  hook number, 2640
  Schensted correspondence, 3222
  staircase shape, 3222
shifted tableau, 4985
  shape, 2640
shifted Young tableau, 4854
shiftregister code, 596
Shimozono, 5854
Shimshoni, 1885

Shirakura, 3720
Sholander, 818
  embedding, 2903
shoot, 4961
short
  chord, 1985
  crossing chord, 1413
short cycle, 1476, 5591, 5593, 5935
  in a digraph, 2212, 2423
short
  factorization of a permutation into transpositions, 2463
  implicant, 5162
  noncontractible cycle, 5203
  odd cycle, 4576, 5040
  path, 3334, 3908, 5383, 5644, 5924
  permutation string, 320
  string containing all n-element permutations, 1406
shortcut in a partially ordere set, 118
shortened syndrome lookup tables, 1891
shortest
  (n, k)-path, 1369
  chain, 1164
  circuit, 4779
  cycle, 1848, 2539
shortest distance, 101
  in a graph, 101
shortest
  dominating cycle, 2865
  D-cycle, 2865
  even cycle, 5465
  odd cycle, 5465
shortest path, 351, 854, 2226, 3078, 3438, 3631, 3842, 4534, 5312
  algorithm, 320, 3438
  in a nonnegative network, 313
  joining vertices, 2227
  problem, 313, 1866
shortest
  possible total length, 1492
  prefix string containing all subset permutations, 2157
  route problem, 181
  string, 348, 1304, 1406
shortest string containing all
  n-permutations, 1304
  permutations, 348, 1026
shortest tree, 4726
shortness
  coefficient, 1292, 1851, 1993, 3326, 4074, 4276, 5820
  exponent, 575, 879, 1105, 1292, 1485, 1851, 2970, 3649, 4276, 4533, 4713, 4901, 4921
  parameter, 1292, 1851, 4276
Shrikhande, 2153, 2831
Shrikhande, M S, 3137
Shrikhande, S S, 1331
shrinking
  algorithm, 868
  an integer lattices, 4358
  lattice polyhedron, 4358
shuffle, 498, 1596, 1934
shuffled edge deck, 3919, *see also* SED
shuffles, 2844, 3978
siamese claw, 3745
Sibson, 678
Sidelnikov, 3460
Sidon sequence, 1967
SIDS, *see also* symmetric inseparable double square
SIDS(17), 3203
SIDS(18), 4345
SIDS(20), 3203
SIDS(23), 4345
SIDS(24), 3203
SIDS(n), 3818
Siegel modular form, 4627
Siemons, 5412
Sierpinski gasket, 5894
Sieve formula, 944
sieve inequality, 4140
σ-polynomial, 2317, 3545, 3702
  of a graph, 2317, 3702
sign balanced
  covering matrix, 5833
  matrix, 5833
sign
  invariance graph, 2650
  pattern, 2647
  preserving bijection, 3486
  reversal destroying all positive circuits, 1689
  reversing involution, 4304, 5854
  structure on a group, 3486
  symmetric graph, 1407
  twisted isomorphism, 5856
signal
  processing, 1889
  to noise ratio, 5072
  vector, 1889
signature, 1754, 2275, 3426
  of a permutation, 2275
signed
  circuit, 2650
  cocircuit, 4292
  colour, 1294
  colouring, 1407
  complete graph, 1407
  dominating function, 5895
  domination, 5103
signed domination number, 4681, 5103, 5895
  of a graph, 5895

signed
domination problem, 5895
Eulerian number, 3218, 3219
signed graph, 870, 1407, 1769, 1854, 2048, 3089, 3109, 3648, 4916, 5695, 5697, 5981
colouring, 1294, 1407
embeddings, 3109
signed
graphic switching formula, 1407
n-subdominating function, 5506
n-subdomination number, 5506
simplex, 1651
switching class of graphs, 2032
vertex, 3677
Silver, 427, 2281
theorem, 427
Simeone, B, 1408
similarity, 3524, 4465
class of rational triangles, 204
number, 3524
of trees, 3524
relation, 619, 873
type, 974
Simmons, G J, 1020
Simões-Pereira, 888, 922, 1753
Simon, 3589
Simonovits, 5243
simple
3-connected graph, 5172
3-polytopal graph, 1993, 3326, 4074
3-polytope, 699, 1105, 1197, 2811, 4074
3-polytype, 2067
4-design, 4547
4-polytope, 163
alternating path, 2791
and irreducible (t, 3, 2)-design, 2296
simple arrangement, 2027
of pseudolines, 2027
simple
array, 3723
automaton, 41
BIBD, 2296
block, 1038
circuit, 5779
componens, 2186
component of a linear code, 2186
simple connected
bipartite cubic graph, 4184, 4199
graph, 4727, 5070, 5130, 5261, 5285, 5288
simple
convex polyhedra, 206
critical graph, 287
cut, 498
cycle, 1272, 2269
directed graph, 3497
distributive lattice, 3146
eigenvalue, 504, 1043
FPP, 1902
geometric lattice, 1067
simple graph, 323, 350, 477, 490, 514, 638, 726, 752, 776, 804, 839, 1038, 1072, 1278, 1466, 1501, 1529, 1619, 1753, 1838, 1997, 2056, 2204, 2294, 2334, 2338, 2416, 2480, 2559, 2612, 2737, 2820, 2891, 2915, 2961, 3075, 3096, 3192, 3261, 3276, 3284, 3312, 3344, 3363, 3372, 3592, 3664, 3766, 3812, 3851, 3959, 3994, 4067, 4120, 4121, 4197, 4349, 4366, 4376, 4399, 4401, 4524, 4636, 4666, 4828, 4874, 4904, 4923, 4944, 4945, 4952, 5025, 5092, 5129, 5241, 5300, 5315, 5438, 5444, 5453, 5573, 5664, 5667, 5701, 5723, 5755, 5816, 5829, 5861, 5888, 5957
process, 1707
theoretic, 5652
simple group, 1252
simple indecomposable
1-factorization, 3026
triple system, 3634
simple matroid, 1248, 1505, 4406, 4648, 5237
simple maximum
cycle distributed, 3994
packing of triples, 4390
simple
MCD graph, 3994
model, 2511, 2633
n-polytope, 1130
simple path, 1864
with increasing edge labels, 1682
simple perfect squared square, 3414, 5550
of order twenty four, 3414
simple
perfect squared squares of order twenty eight, 5550
planar graph, 4384
polytope, 163
product colouring, 1606
QO system, 1785
quasi-ordered system, 1785
regular graph, 5620
ring, 3313
$S_3(3, 4, v)$, 2586
$S_3(3, 5, 21)$, 2711
split decomposition, 1845
squared squares of order, 25 3414
star, 1421
subcubic graph, 5680
subdirectly irreducibles, 336
symmetrical Latin square, 3161
tournament, 64, 3482
t-design, 2974, 4022, 5926, 5927

simple undirected
connected graph, 4782, 4991
graph, 309, 5609, 6012
simple
valuation, 1950
weak map, 808
simplex, 372, 1327, 1615, 1897, 1898, 2103, 4915, 4971, 5006, 5561, 5746
algorithm, 124
code, 1898
method, 5264
transmission, 1897
simplexe, 133
simplexity of the cube, 4792
simplical
complex, 1651
decomposition, 1844
simplicial 3-arrangement of 21 planes, 2014
simplicial 3-polytope, 1622
with only two types of edges, 1622
simplicial, 4385, 5530
3-sphere, 1032
arrangement, 3644
ball, 2690
cluster, 1327
complex, 16, 199, 394, 532, 921, 1778, 1850, 1861, 1862, 2527, 2745, 3159, 3336, 3810, 4800, 4969, 4988, 5315, 5530
cone, 3574
simplicial decomposition, 2517, 3113
of a graph, 2517
simplicial
geometry, 372, 510, 867
graph, 4693, 4787
homology, 1114
hypergraph, 1646
lower bound conjecture, 1612
matroid, 510, 921, 1646
minor, 2383
n-cluster, 1327
n-polytope, 1130
PL manifold, 2690
polyhedron, 4996
pregeometry, 372
sphere, 2690
tree decomposition, 2383
unimodular geometry, 867
unstacked 3-polytope, 3806
vertex, 2481
simplicity
degree of a language, 1429
of ·2, 3182
of ·3, 3182
simplification, 908, 1307
simply connected, 338, 794, 4658
figure, 4875
n-convex set, 794
simply
sequential, 1149
sequentially additive, 1471
simulated annealing, 4404, 4728, 5449
simultaneous
colouring of edges and faces, 4324
fitting, 589
representations of groups, 3488
systems of representatives, 2644
Simutis, J, 1353
Sinajová, 2961
Singer, 2150, 3154
difference set, 4537, 4582
group, 3038, 3153, 3154
plane, 2455
Singer-Baer partition, 5416
Singhal, 2461
Singhi, 1570, 2831
single
change circular covering design, 5962, *see also* scccd
constraint problem, 4
single edge
exchange, 5703
star, 1116
single element deletion, 2312, 4946
single error correcting
code of length 9 and size, 40 5556
double error detecting code, 5163
single
identity for a variety, 5515
machine sequencing, 3746
transferable vote, 2223
vertex deleted subgraph, 4903
Singleton array, 2689
singly- and doubly extended Reed-Solomon code, 2964
singular, 4440, 4452, 5491
cofinality, 1988
complement, 4440
singular direct product, 209, 1628, 2358
of quasigroups, 134, 177
singular
graph, 4440, 5491
orthogonal geometry, 3898
points in a pair cover, 3047
symplectic geometry, 3898
unitary l geometry, 3898
value, 5189
singularity, 4440
analysis, 3671, 4881

singularity of
a generating function, 4485
a square planar grid, 4452
square planar grids, 4452
sinks, 4836, 5266
Sirán, 3127
Siran, 5760
site, 3565
six
colour theorem, 4350
conics problem, 327
delight minor method, 3876
sixfold triple system, 3699
six-choosable, *see also* 6-choosable
six-chromatic, *see also* 6-chromatic
graph, 951
six-clique, *see also* 6-clique
six-colouring, 4928, *see also* 6-colouring
of the plane, 4928
six-connected, *see also* 6-connected
six-cube, *see also* 6-cube
six-edge, *see also* 6-edge
six-element line, 5057
minor, 5057
six-element, *see also* 6-element
six-elementary, *see also* 6-elementary
six-HMOLS, *see also* 6-HMOLS
six-regular, *see also* 6-regular
six-vertex, *see also* 6-vertex
six-wheel, *see also* 6-wheel
size of
a complete arcs, 2574
a graph, 2034, 2259, 2557, 3882, 4003, 5060, 5937
a largest pseudosnake, 2269
a maximal antichain, 3738
size
Ramsey number, 1539, 3651, 5120
sequence, 4458
skeletal, 5698, 5704
graph, 2624
skeletalness, 5698
skeleton, 21, 1549, 2929, 5231, 5239
skeleton of
a category of relational structure, 4656
the 120-cell, 5239
skew
(4, 4)-frame, 1055
board, 5426
chain order, 889
skew chromatic index, 1636
of a graph, 1636
skew
column strict plane partition, 993
derangement, 4833
diagram, 4989
skew edge colouring, 1636
of a graph, 1636
skew Ferrers diagram, 3612
skew field, 1108, 6024
of fractions, 6024
skew
Hadamard matrix, 65, 585, 2959, 3042
hook, 984
oscillating tableau, 4484, 4506
quadrilateral, 4162
Room square, 93, 1055, 1215, 1636, 2787
shape, 4491
starter, 2871
skew symmetric, 3710
Hadamard matrix, 1418
matrix, 3710
orthogonal matrix, 1418
skew tableau, 550, 1497
skewness, 5600
skew-hook, *see* skew hook
Skolem, 3181, 4015
Skolem deficiency, 3081
of a graph, 3081
Skolem graceful, 3081
graph, 3081
Skolem graceful labeling, 3181
of a graph, 3081
Skolem labeled
graph, 3181
tree, 3181
Skolem sequence, 1222, 3073, 4015, 5908
S_k-dominating, *see* S_n-dominating
S_k-factorization, *see* S_n-factorization
SL algorithm, 5126, *see also* smallest last colouring algorithm
Slater, 1377, 3078, 3955, 4633, 5103, 5224, 5299
conjecture, 3811, 5554
Slater, P J, 2868
slice, 310
slide distance, 4790
sliding
operation, 4989
piece puzzle, 5208
slightly
hard to colour, 3147, 5126
triangulated, 3814
slim graph, 3384
Sloane, 1060, 1532, 2779, 3080, 3289, 4229, 4677, 4968, 5657, 6029
Sloane, N J A, 860
sloop, 3032
slow
convergence, 5917
growth, 5739
slowly growing function, 6005

small aperiodic set of Wang tiles, 4837
small bandwidth, 2516
  graph, 2516
small complete
  arc, 5385
  cap, 5394
small
  cut set, 4822
  cycle, 3087
small cycle double cover, 2512, 3273, *see also* SCDC
  conjecture, 3273
small degree, 4384, 5953
  covering, 4153, 4216
  unramified covering, 4153
small dense graph, 2377
small diameter, 3678, 5283
  graph, 2957
small
  discrepancy, 4827
  embedding, 2679
  graph, 1995, 2907, 3368, 3911, 3931, 3936, 4408, 4554, 5116, 5797
  independence number, 3513
  maximal degree, 5680
  maximum degree, 2497, 3830
  noncyclic group, 2652
  nonembeddable design, 3463
small number of
  distinct induced subgraphs, 2507
  independent edges, 3987
small
  n-ominoes, 2343
  parallel class, 5948
  perimeter rectangle, 3327
  quadrilateral, 972
small regular
  bipartite graph, 4730
  graph, 5799
small
  sequence, 4599
  solution, 1968
  subdivision, 1844
  transversal, 5248
  wheel, 2378
smallest
  (3, 5)-graph, 1013
  (n, k)-graph, 1013
  2-connected cubic bipartite planar non-Hamiltonian graph, 1238
  3-critical graph of even order, 5177
  4-critical graph of even order, 5177
  acceptor, 5916
  cardinality of a vertex set, 3493
  circuit, 679
  dominating set, 4069
  eigenvalue, 3732
  element, 5352
smallest graph, 954
  of girth 10 and valency three, 1426
  variety containing all paths, 1436
smallest
  hard to colour graph, 5126, *see also* SHC graph
  infinite ordinal, 3257
  last colouring algorithm, 5126, *see also* SL algorithm
  length, 1113, 3945
  major, 388
  modulus, 444
smallest number of
  circuits, 5696
  prefix reversals, 884
smallest
  n-gon tree, 2435
  n-regular digraph, 5232
  n-tree, 2435
  odd cycle, 1834
  order variety containing all chains, 1178
  period of a word, 1311
  Ramsey number, 5989
  retract, 3513
  separating set, 2420
  test set, 2685
  unichain covering, 2133
SMD, 5019, *see also* semicomplete multipartite digraph
Smith, 1941, 1999, 3225, 4188
  asymptotic lower bound, 4188
  normal form, 2245, 3020, 4720
Smith, P, 959
smooth
  BIB-design, 1582
  closed convex curve, 1587
  design, 1382, 1582
  quartic curve, 4168
  strongly resolvable design, 1382
SMT, 4726, *see also* Steiner minimal tree
S_n
  diagonal harmonics, 5840
  module, 5840
snake, 2269, 3003, 3102, 5494
  graph, 2786
snake in
  a finite graph, 3003
  a graph, 2269
  the box problem, 4224
Snapper, 395, 746
snark, 1092, 1392, 4957, 5326, 5705
snark of order
  eighteen, 1392
  sixteen, 1258

Snevily, 5155
S_n-dominating set, 5805
S_n-factorization, 5329
S_n-module structure, 3232
social science, 3235
soft graph, 2411
software development problem, 5246
Solé, 3752
solid 3-sphere packing, 2149
Solomon, 1657, 5853
Solomon, R, 4770
Solomon-Stiffler bound, 1657
Solovay, 3129
SOLS, 1449, *see also* selforthogonal Latin square
solution
of the gossip problem, 1334
space, 151, 3896, 5841
solvable
group, 485
in a polynomial time, 1030
Soma cube, 1920
puzzle, 1920
somorphic image, 4733
Sopena, 5721
Soroker, 5249
sorter, 2685
sorting, 345, 2629
sorting by
means of swappings, 295
prefix reversal, 884
sorting
in rounds, 2394
network, 2685
problem, 1166
procedure, 3064
technique, 985
Sós, 4902, 4925, 5668
Sotteau, 1762, 2577, 5472
source, 4836, 4979
in a comparability graph, 3557
states, 6032
space form, 5589
space of
colourings, 1059
complete flags, 4860
ends, 3120
proper vectors, 3197
spacing antennas in radio astronomy, 1771
span of a T-colouring, 4944
spanning, 372, 528, 536, 1057, 1461, 1794, 3087, 3734, 3921, 4788, 5071
a hyperdual, 1401
arborescence, 470, 783, 5200, 5256
biregular subgraph, 2190
spanning circuit, 3921
in graph, 3921
spanning
closed trail, 3087, 3734, 4866, 5483
connected subgraph, 5483
Eulerian subgraph, 2547, 3250, 4515
fence, 1057
forest, 865, 1474
Hamiltonian subtournament, 4724
M_3, 1794
number, 161
n-edge subgraph, 5512
retract, 1057
selfcomplementary subgraph, 3907
set, 2781, 3162, 5410
simplex, 372
star tree, 5053
spanning subgraph, 272, 418, 650, 679, 829, 837, 881, 1097, 1276, 1379, 1619, 1647, 1929, 1954, 1982, 2283, 2379, 2427, 3181, 3184, 3238, 4306, 4683, 4722, 5066, 5232, 5333, 5480, 5642, 5661, 6030
of a graph, 424
spanning
subhypergraph, 3253
sum, 5770
trail, 447, 3087, 4866
spanning tree, 500, 501, 536, 1540, 1647, 1668, 2065, 2397, 2601, 2740, 2835, 2955, 3104, 3127, 3128, 3247, 3254, 3359, 3376, 3380, 3553, 3682, 3753, 3922, 4623, 4714, 4721, 4747, 4867, 5053, 5164, 5183, 5376, 5675, 5760, 5821, 5959, 6013
in a graph, 2830, 3359, 4747, 5512, 5722
of a planar map, 2835
with pairwise nonadjacent end vertices, 5376
spanning unicyclic
graph, 2346
subgraph, 2346
sparse graph, 3017, 4321, 5247, 5636
of high chromatic number, 2307
sparse
linear system, 221
random graph, 2005, 2419, 2554
saturated structure, 3504
set, 4444
sparsity, 313, 4444
spatial
configurations, 3946
graph, 3262
Spearman, 3564, 5791
metric, 5791
rho, 5791
special
branche, 5733

special (*cont.*)
function, 1825
linear group, 4609
Markov process, 5076
polynomial, 3888
solution, 562
Thue system, 1665, 4887
species, 2405, 2653, 3134, 3217, 3225, 3770, 3938, 4148, 4479, 4571, 5323, 5324, 5639
F of structures, 4844
species of
linear orders, 4492
rooted trees, 4479
several variables, 4532
structures, 3225
trees, 4479
unordered pairs, 4479
Speckenmeyer, 4625
conjecture, 2824
spectral
moment, 1684
property, 5607, 5695
spectral radius, 3481
of a graph, 3481
spectral technique, 2889, 4064, 4065
spectrometry, 3043
spectrum, 134, 218, 1501, 1684, 2570, 2754, 2889, 2911, 3053, 3104, 3120, 3178, 3185, 3353, 3415, 3732, 4031, 4064, 4065, 4084, 4226, 4559, 4610, 4662, 5305, 5529, 5620, 5947
spectrum of
a 2-perfect bowtie system, 4226
a graph, 1501, 3581, 3732, 5529, 5701
a hypergraph, 3732
a lattice primal algebra, 1173
a maximal set of one-factors, 3185
a nonsymmetric random (0,1)-matrix, 1358
a perpendicular array of triple systems, 2059
a random graph, 1358
a regular triangle free graph, 5529
a rotational Mendelsohn triple system, 5539
spectrum of a Steiner
pentagon system, 1750
quasigroup, 218
spectrum of
constraints, 2359
HSOLSSOM, 4783
$KS_3(v; 2, 4)$, 5643
numbers, 1165
repeated blocks, 3715
support sizes, 2754, 3699, 3715
the short conjugate orthogonal identity, 2570
speedup, 3682
Spence type, 4537
Spencer, 1963, 4962, 5370
Spencer, J, 5118
Sperner, 89, 324, 349, 5640
capacity, 4365
Sperner family, 89, 176, 2703, 2767, 5007
of bounded VC dimension, 5207
of subsets, 176
Sperner lemma, 17, 1781, 2522
Sperner property, 997, 1284, 1781, 4641, 5260
for posets, 1781
Sperner system, 5522
containing at most k sets of every cardinality, 5522
Sperner theorem, 153, 349, 571, 2836, 5207
with constraints, 324
Sperner type theorem, 889, 1348
SPGC, 1451, *see also* strong perfect graph conjecture
sphere, 1893, 2244, 2690, 3869, 3981, 4068, 4391, 4586, 4651, 4682, 4703, 4738, 5582, 5605, 5613, 5659, 5718
bundle, 5006
covering, 2767, 3425
order, 5659
sphere packing, 67, 3975
bound for codes, 5958
sphere-packing, *see* sphere packing
spherical
4-design, 3435
code, 3430
connectivity, 433
dimension, 2497
genus, 2351
map, 2036
order, 3281
region, 59
type, 4740, 5777
sphericity, 1674, 2216
sphericity of
a graph, 1980
the graph of semiregular polyhedra, 1980
spin
glass model, 4394
model, 5936
spine of a book, 5585
spiral
polygon, 5377
property, 4807
split colouring of a complete graph, 6000
split dimension, 2930
of a graph, 2930
split
graph, 1459, 1595, 1805, 1854, 2866, 3061, 3694, 4206, 4654, 4908, 5503, 5743, 5865, 6000
interval order, 5878
neighbourhood graph, 5085

split (*cont.*)
operation on poset, 1180
permutation, 2358
semi-order, 5878
system, 3282
weight enumerator, 300
splits of partially ordered set, 1180
splittable pair of edges, 3252
splitting a
forest, 5257
tree, 5257
splitting
in a binary matroid, 5653
lemma, 3250
splitting number, 5257
of a complete graph on the torus, 2070
of a graph on a surface, 2070
splitting operation, 5653
for graphs, 5653
splitting
property, 2788, 3282, 5086
set, 2789
tree, 5257
spoke edge, 896
sporadic
code, 3436
simple group, 67
simplicial 3-arrangement, 2014
spouse avoiding
mixed doubles round robin tournament, 5971
variant of the Oberwolfach problem, 906
Sprague-Grundy function, 2558
spread, 1343, 1732, 1830, 2501, 2892, 3052, 3156, 3440, 4077, 5222, 5415, 5726
of an Euler tour, 5222
spreading
information by conferences, 494
points, 5505
Sprugnoli, 4845
SQS, 724, 2261, 2591, 3187, 5265, *see also* Steiner quadruple system
SQS(8), 1251
SQS(16), 1251, 1843
SQS(n), 2261
SQS(v), *see* SQS(n)
SQS-skein, 5142
squag, 3032, 4669
square, 5119, 5464, 5550, 5986, 6009
array of side n, 3807
beehive, 5452
blocking, 3907
cross section, 310
cycle, 5164
square free
integer, 2736, 5254
monomial, 4988
word, 975, 1758
square
grid, 4913, 5711
Hamiltonian cycle in graph with maximal 4-clique, 5444
hypergraph, 5919
square lattice, 2443
animal, 5563
square
mapping, 4606
number, 1408
square of
a block, 146, 3849
a chordal graph, 4028
a graph, 2822, 4028, 5444
a Hamiltonian cycle, 5444
a tree, 4028
square planar
grid, 4452
mosaic graph, 755
square
representable product, 5254
root of a species, 4479
submatrix, 2207, 5910
subword, 1424
word, 1810
squared
chordal graph, 4028
integer grid, 5688
squares of order 25 and common reduced side, 540 3414
square-free, *see* square free
squaring, 5550
SRD, *see also* selfreverse dual
Sridharan, 5231
Srivastava, 2461, 3720
problem, 5089
Srivastava-Singhal generating function, 2461
stabiliser, *see* stabilizer
stability, 2487, 2822, 4524, 4814, 5202, 5766, 5930, 6010
at most two, 1472
concept, 2091
critical graph, 4524
in a graph, 1543
stability number, 586, 787, 809, 1163, 1859, 1990, 2138, 2474, 2487, 2980, 4529, 4601
of a graph, 1163, 2980
of a hypergraph, 737, 1163
stability
of a graph, 1660
theory, 6024
two, 1472
stability under edge
addition, 1543
destruction, 3989

stabilization, 3079
stabilized column generation, 5917
stabilizer, 135, 2591, 2713, 2794, 4961
stabilizer of
  a edge, 2509
  a set of MOLS, 2794
  a vertex, 2509
stabilizer type, 5983
stabilizers, 3225, 4208
stable
  cut set, 5153
  distribution, 3224
  fixed point, 4177
  graph, 107, 618, 1660, 2091, 3989, 4157, 4915
  hypergraph, 252
stable marriage, 4593
  polytope, 4593
  problem, 4593
stable
  maximal, 958
  of maximal cardinality, 958
  permutation, 2091
  plane, 4086
  property of graphs, 2975
  Schubert polynomial, 5849
stable set, 413, 471, 881, 1880, 2883, 3735, 3788, 3914, 4206, 5231, 5637
  polytope, 3914, 4094, 4524
  problem, 3914
stable
  subgraph, 992
  subset, 475
  unicyclic graph, 288
  vertex, 1543
stack, 4975
stack of
  a poset, 1180
  partially ordered sets, 1180
stack
  polytope, 1327
  sortable permutation, 1112
stacking words, 4976
staircase Schur function, 4854
standard
  bitableau, 2629, 2829, 2973, 3064, 3132
  deviation, 2520
  factorization, 4388
  form, 1254
  hierarchy of formal languages, 50
  module, 5902
  monomial, 2973, 3064, 3132
  polynomial identity, 4605
  skew tableau, 1497
  tableau, 843, 1497, 3222, 4484, 4976
  unitableau, 2629
  word, 4388
  Young tableau, 489, 993, 2161, 4976
standardised tight single change covering design, 5968
standardized design, 5962
standard-tableau, *see* standard tableau
Stanley, 141, 1144, 1699, 1781, 2033, 2236, 2241, 3222, 3224, 3232, 3621, 3706, 3799, 4489, 4496, 4839, 4978, 4981, 4985, 5573, 5985
  generating function, 842
  order polynomial for partially ordered set, 1685
  symmetric function, 5844
Stanley, R, 1152, 2727
Stanley, R P, 842
Stanley-Macdonald-Pieri rule, 4489
Stanley-Reisner ring, 4988
Stanton, 9, 2655, 2983, 3299, 4015
Stanton, R, 3027, 3299
Stanton, R G, 3026, 3027, 3028, 3029, 3030, 3031, 3032, 3033, 3034, 3035, 3036, 3037, 3038, 3039, 3040, 3041, 3042, 3043, 3044, 3045, 3046, 3047, 3048, 3049, 3050, 3051, 3052, 3053, 3054, 3055, 3056, 3057, 3058, 3059, 3060, 3061, 3062, 3063, 3139, 3192, 3194, 3196, 3297, 3299, 3322, 3329, 3332, 3344, 3354
stapo, 5568, *see also* sequence of tailed column convex polyominoes
star, 326, 528, 618, 785, 1034, 1116, 1143, 1379, 1421, 1446, 1845, 1875, 1952, 2506, 2551, 2697, 3074, 3263, 3533, 3657, 3820, 4002, 4079, 4129, 4220, 4443, 5192, 5393, 5501, 5546, 5638
star arboricity, 2506, 2697, 4670
  of a graph, 2506, 4670, 5061
  two, 4670
star articulation degree, 5587
star chromatic number, 4512, 4600, 4668
  of a graph, 4297, 4512
star
  chromatic PSTS, 4512
  colouring problem, 6033
  components, 1952
  cut set, 2680, 3350, 3384, 3814, 4105, 5153
  decomposition, 3163
  design, 5546
  ext, 4668
star extremal, 4668
  circulant graph, 4668
  graph, 4668
star
  factor, 3023
  factorization, 5329, 5978
  forest, 1116, 2506, 6033

star free
event, 116
expression, 116
graph, 958
language, 1695
star
graph, 1869
of points, 4079
packing, 5192
path bipartite Ramsey number, 5656
problem, 1121
shaped sequence, 4886
subgraph, 1952, 2697
sub-Ramsey number, 1143
type, 4443
start finish array, 5962
starter, 5942
induced one factorization, 2354
starter translate
2-sequencing, 2894
sequencing, 2894
state diagram, 2230
statics, 3485
stationary
distribution, 5563
pattern, 4178
state probability, 77
states, 4178
statistic preserving bijection, 4980
statistical
analysis, 6028
assessment, 3029
statistical design, 2305
of an experiment, 6028
of experiments, 4775
theory, 3717
statistical
literature, 2593
mechanics, 8, 2495
physics, 8
property, 2593, 3717
theory of connectivity, 424
statistics, 389, 605, 1135, 2538, 3470, 3983, 4282, 4304, 4383, 4980, 5209, 5580, 5972
statistics on
labeled forest, 3227
noncrossing partitions, 4282
pairs of permutations, 4383
permutations, 3220, 4858
set partitions, 3220
words, 2271, 2441, 4980
Staudt-Clausen theorem, 5003
Stay, 3198
steep
parallelogram polyominoes, 5720
polyomino, 5720
staircase polyomino, 5720
steepest descent, 705
Steffensen sequence, 910
Stein, 2901, 3132, 4179, 5185
identity, 2570
Steiner, 1154, 1741, 1750, 1772, 4162, 5515
2-design, 3194
3-design, 4315
3-quasigroup, 530
cube, 310
cut set, 2397
distance, 4157
Steiner distance stable, 4157
graph, 4157
Steiner
minimal tree, 1492, 2071, 4162, 4308, 4726, 4995, *see also* SMT
number, 2596, 3190
n-system, 724
pentagon system, 1750, 4783
point, 4162
polygon, 4308
problem, 2968, 3896, 4111, 4162, 4308
quadruple system, 334, 530, 724, 1131, 1251, 1299, 1462, 1961, 2261, 2591, 3151, 3162, 3183, 3367, 3912, 5407, 5515, *see also* SQS
quasigroup, 218, 530
ratio, 4359, 5152
set, 4168
Steiner system, 375, 652, 684, 724, 788, 923, 1012, 1031, 1299, 1396, 1512, 1514, 1722, 1741, 1772, 2141, 2569, 2574, 2579, 2589, 2623, 2746, 2838, 3151, 3164, 3170, 3180, 3190, 3302, 3586, 3610, 3909, 3910, 3944, 4315, 5052, 5265, 5763
of M_{24}, 2623
S(5, 8, 24), 1722
Steiner
tableau, 310
topology, 4162
Steiner tree, 2397, 2862, 4162, 4995
in a hypercube, 4111
problem, 2071
Steiner triple system, 28, 39, 147, 190, 191, 281, 310, 396, 416, 438, 540, 724, 1039, 1098, 1395, 1500, 1620, 1772, 2196, 2246, 2257, 2582, 2588, 2589, 2596, 2619, 2943, 2958, 3038, 3058, 3393, 3509, 3619, 3907, 3933, 4024, 4031, 4106, 4512, 4561, 4603, 4728, 5184, 5309, 5402, 5407, 5597, 5908, *see also* STS
on 15 elements, 1843
Steiner, J., 1772
Steinhaus graph, 1225, 1983, 5980

Steinitz, 2244, 4254
exchange lemma, 4254
lemma, 4596
theorem, 2244
type theorem, 1063
Stein-Chen method, 5833
of Poisson approximation, 5833
Stembridge, 2655, 4981
Steprans, 4816
step-0 transform, 5550
step-2 transform, 5550
step-k transform, 5550
Stevens, R S, 925
stick intersection graph, 5377
sticky
conjecture, 2299
matroid, 1391, 2299
Stiebitz, 4371, 4576
Stiebitz, M, 3239
Stiffler, 1657
Stinson, 2056, 2389, 2568, 2583, 2983, 3536, 3757
Stinson, D R, 1215
Stirling
coefficient, 2966
duality law, 5733
like sequence of rational numbers, 5154
Stirling number, 984, 1066, 1073, 1286, 1387, 1666, 1915, 2292, 2440, 2725, 2966, 3341, 3355, 3579, 4144, 4159, 4341, 4911, 4983, 5574, 5733, 5852, 6027
of the first and second kind, 1819
of the first kind, 1387, 2725, 2957, 3341, 4973, 5154
of the second kind, 291, 929, 1066, 1387, 2469, 4348, 4829, 4911, 4973, 4983, 5579
Stirling
partition, 5574
permutation, 4160
polynomial, 4313, 4507
reciprocal transform, 3888
stochastic
addition, 1537
eigenvector, 1432
matrix, 6, 760, 926, 1432
model, 3034, 4474
process, 1231, 3034
theory, 5167
Stockmeyer, 415, 1011, 1555, 3225
Stöhr, 3881
Stone, 3571
Stone algebra, 2718
of conditional events, 4619
Stone
paracompactness theorem, 3474
representation theorem, 4742
space, 991, 1649
stopping
boundary, 154
problem, 154
time, 3628, 5545
storage
and retrieval problem, 212
efficient decoding, 4570
medium, 3666
Storme, 5404
Stracke, 5655
Strahler number, 2727
straight
ahead imbedding, 5584
line drawing, 457
straight line embedding, 4919
problem of graphs, 4919
straight line
representations, 4739
segments, 4919
straight ménage number, 2117
straightening
coefficient, 4323
formula, 985
straightening law, 3132
of Doubilet-Rota-Stein, 2629, 2973, 3064
strange
attractor, 2110
combinatorial identity, 2989
strategy, 2558, 3105, 3602, 5232
theory, 3606
stratified
graph, 4385
quasihierarchies, 5782
Straubing proof of Cayley-Hamilton, 1883
Straus, 5641
strenghtened degree sequence condition, *see also* SDSC
strength n, 3167
strength of
a complementary graph, 4366
a design, 5958
a graph, 4366
an orthogonal array, 4261
strength two, 3167
strict
avalanche criterion, 5632, *see also* SAC
ballot problem, 1484
bounded circuit intersection, 4319
colouring, 5597
strict deterministic
grammar, 535
language, 535
strict
diconnected digraph, 628

strict (*cont.*)
discrete ordering, 1411
monoidal category, 2984, 3971
neighbourhood, 1584
strict order preserving, 1699
map, 2033
strict
quasiparity graph, 2624
tiling, 583
strictly ascending sequence, 1572
strictly cyclic
SQS, 2591, 3187
Steiner quadruple system, 2591
strictly decreasing sequence, 4784
strictly increasing sequence, 1326, 1491
of integers, 3978
strictly
isotone, 408
stationary (0, 1)-time series, 605
string
containing all subset as substring, 701
enumeration, 4758
string graph, 3500, 3598
class, 3500
recognition problem, 3598
string
rewriting system, 3205
statistics, 4758
stringed n-cycle, 5868
string-rewriting, *see* string rewriting
strip, 2448, 3116, 3130, 3221
Stromquist, 3630
strong, 383, 388, 649, 1231, 1282, 1935, 3490, 3879, 4045, 4225, 4357, 4537, 4558, 4629, 4819, 4830, 4950, 5248, 5406, 5976, 6004, *see also* strongly
2-cell imbedding, 4391
2-connectivity function of a digraph, 4045
strong chromatic
index, 2604, 3490, 3858
number, 1163, 2228
strong
colouring problem, 2228
complementary slackness theorem, 694
component, 4045
connectedness, 4142
strong connectivity, 1822, 3335, 4635, 5697, 5976
number, 4045
strong
convergence, 4847
Δ-system, 5118
digraph, 1368, 1593, 1762, 1957, 2270, 2366, 2375, 2883, 4529, 5019, 5096
strong direct product, 3511
graph, 3511
strong dominating set, 4950, 5970, *see also* SD-set
strong domination, 5970
number, 4950, 5970
strong edge colouring
of a graph, 3858, 4819
with at most 10 colours, 3490
strong
embedding conjecture, 4682, 5009
end regular graph, 4818
homomorphic image, 592
hypergraph colouring algorithm, 2228
independence number, 4045
isomorphism classes, 5287
join irreducible element, 5266
lattice, 2726, 5266
logarithmic concavity, 109, 1504
LP duality, 4104
map, 215, 388, 625, 658, 723, 2527
node sequence, 538
n-arc connectivity, 4045
n-connectivity, 4045
n-family property, 1589, 1618
n-hypomorphism, 4286
n-independent set, 4121
n-indexer, 3074
n-weights of a combinatorial geometry, 103
orientation, 5509, 5697, 5756
oriented graph, 1260, 1368
strong path partition conjecture, 5231
of Berge, 3751
strong perfect graph conjecture, 309, 391, 855, 881, 1269, 1349, 1451, 1465, 1813, 2680, 3350, 3535, 3865, 4105, 4687, 5106, 5161, 5447, *see also* SPGC
of Berge, 2053, 2898
graph conjecture
strong
perfect graph theorem, 1226
perfection, 2971
perfectness, 5127
preserver, 5872
strong product, 3516, 3517, 3844, 4567, 4735, 5610, 5619, 5784
of graphs, 3516, 3517, 4196
of Kneser graphs, 4196
of odd cycles, 5610
of three odd cycles, 5610
of two graphs, 4931
strong
property, 1589, 1618
P-domination number, 5805
regularity, 2609
semicomplete digraph, 5900
semimodular lattice of finite length, 2726
sequence, 538
snark, 5326

strong (*cont.*)
Sperner property, 1781
stability number of a hypergraph, 1163
star chromatic number, 4512
starter, 383, 1882, 2652
strong subcontraction, 5364
to a tournament, 5364
strong
subdigraph, 2366
total chromatic number, 4558
tournament, 1051, 4448
unique independence graph, 1935
weak domination, 4950
strongly, *see also* strong
2-connected, 3497
2-perfect cycle system, 5295
4-connected triangulation, 2818
arc pancyclic local tournament, 5310
asymmetric graph, 4401
base orderable matroid, 4141
strongly chordal, 2148, 5713
graph, 1431, 2866, 4069, 4997, 5713
split graph, 4776
strongly
collapsible, 2745
coloured arc, 342
strongly connected, 1104, 1822, 2006, 2202, 5122, 5135, 5266, 5466, 5931
2-arc coloured digraph, 5810
component, 3497
strongly connected digraph, 534, 617, 1164, 1472, 4724, 5135
of stability two, 1472
strongly connected directed
graph, 1291
pseudograph, 4690
strongly connected
graph, 119
multipartite tournament, 4888, 4992, 5976
orientation, 1282, 5697
strongly convergent, 4847
strongly critical, 2667
graph, 2667
strongly cyclic, 214
strongly dismantlable, 4303
graph, 4303, 4915
strongly
divisible design, 872
dominating, 4950
strongly edge triangle regular, 4794
graph, 4794
strongly F-saturated hypergraph, 3504
strongly geodetic
digraph, 5384
graph, 5384
strongly graceful, 956
graph, 956
strongly greedy, 2132
chain, 2132
strongly
Hamiltonian, 4044
harmonious, 2876
imperfect graph, 4777
independent edges, 3258
strongly indexable, 3074, 4953
graph, 3074
regular graph, 3074
unicyclic graph, 4953
strongly
isolated vertex, 5970
linearly independent, 1870
logarithmic concave, 109, 1504
logarithmically concave, 515, 810
maximal matching, 4963
NP-complete, 3843
n-connected digraph, 869, 1025, 5140
n-critical graph, 2667
n-edge hypomorphic directed graph, 4286
n-elegant, 2876
n-hypomorphic graph, 4286
optimal tree, 1540
path panconnected local tournament, 5310
strongly perfect, 1815, 5127
graph, 1815, 2971, 3206
strongly polynomial
algorithm, 5255
time algorithm, 2823
strongly preserving, 3357, 5872
strongly regular, 4794, 5604
graph, 70, 374, 409, 422, 1645, 2330, 2450, 3153, 3332, 3458, 4056, 4550, 4591, 4621, 4966, 5593, 5726
multigraph, 4368
normed space, 70
p^n-circulant, 2609
Schläfli graph, 2958
selfcomplementary graph, 1808
strongly resolvable, 1498
design, 1382
(t, λ)-design, 1498
strongly
sensitive, 2328
sequentially colourable graph, 1465
strongly Sperner, 5260
rank unimodal rank symmetric partially ordered set, 997
strongly
stable set, 4560
triangulated, 3517
uniform, 1067
unimodular matrix, 3298

strongly (*cont.*)
vertex triangle regular graph, 4794
well covered graph, 4161
strongly W-free, 3589
order, 3589
strongness, 2726
struction, 1990, 4107
algorithm, 1990, 4107
method, 4107
structural analysis, 4385
structural characterization, 4523, 4589, 4724, 4948, 5769, 5915
of projective flexibility, 5769
structural
decomposition, 116
description of totally balanced hypergraphs, 1916
property, 2898, 3571, 3732, 5000, 5080, 5196, 5289, 5801, 5820
structure
constant, 4860
generating function, 1329
structure of
box diagram, 1761
domishold graphs, 1702
half transitive graphs, 5596
matrogenic graphs, 1717
matroidal graphs, 670
structure on a bipartition, 994
structure theorem, 213, 1235
for pseudomanifolds, 5718
for selfcomplementary graphs, 567
for semimodular posets, 62
for some circular arc graphs, 213
of Burosch et al., 4659
structure theory, 1170, 3131
for ordered sets, 1170, 1792
of graphs, 1437
STS, 724, 1514, 1772, 2196, 2246, 2588, 2589, 2596, 3164, 4728, 5265, 5309, 5402, *see also* Steiner triple system
STS(15), 1843
STS(19), 1514
STS(27), 1514
STS(m), 1772
STS(n), 2246
Sturmian word, 4841
Sturtevant, 1780, 1963
Sturtevant, D, 2745
Su, 5554
sub inf semilattice, *see* sub-inf-semilattice
subadditive
dual program, 757, 814
function, 602, 793, 814
subalgebra, 1650, 3607, 3637, 4477, 5031
subarborescence, 4492
subarrangement, 5108
subautomaton, 41, 721
subcategory, 4090
subchromatic number, 2477
of a graph, 2477
subcode, 2770, 2773, 3141, 3431
structure, 3419
subcollection of flats, 2886
subcomplex, 2621, 2745, 3810, 5746
subcomposition, 593
subconfiguration, 3339
subcontractible, 2176
subcontraction, 1535, 2535, 5347, 5364
to K^5, 1535
subcube, 3841
subcubic graph, 5680
subdecomposition, 2587
subdesign, 1101, 1467, 2368, 2587
subdeterminant, 330
subdigraph, 3790, 4045, 4544, 4676, 5965, 5990
of a digraph, 1677
subdirecly irreducible, 3146
subdirect
decomposition theorem, 1797
irreducibility, 659
subdirect product, 2134
construction, 2134
subdirect representation theory, 1170
subdirectly irreducible, 336, 659, 974
subdivided
graph, 5381
wheel, 4515
subdividing an edge, 2044
subdivision, 5803
subdivision graph, 5524
of a graceful tree, 5524
subdivision threshold, 3926
subedge in a hypergraph, 5587
subgeometry, 388
subgraph, 8, 36, 53, 85, 145, 223, 224, 227, 231, 241, 243, 277, 286, 292, 309, 323, 351, 361, 367, 368, 391, 411, 437, 471, 474, 514, 594, 624, 637, 650, 659, 679, 687, 695, 730, 733, 776, 781, 840, 882, 886, 888, 895, 901, 978, 1006, 1014, 1025, 1044, 1075, 1102, 1126, 1130, 1252, 1261, 1265, 1272, 1338, 1346, 1348, 1351, 1375, 1392, 1409, 1479, 1480, 1530, 1542, 1550, 1598, 1638, 1669, 1731, 1766, 1788, 1801, 1864, 1921, 1929, 1952, 1954, 1982, 2038, 2054, 2055, 2060, 2136, 2159, 2214, 2239, 2285, 2300, 2307, 2331, 2333, 2378, 2379, 2382, 2424, 2450, 2477, 2492, 2508, 2510, 2535, 2604, 2641, 2657, 2658, 2697, 2732, 2785, 2821, 2822, 2915, 2930, 2995, 3048, 3090, 3105, 3126, 3150,

subgraph (*cont.*), 3151, 3158, 3199, 3238, 3239, 3247, 3257, 3261, 3263, 3267, 3350, 3429, 3483, 3492, 3501, 3513, 3516, 3531, 3596, 3608, 3640, 3648, 3657, 3664, 3673, 3696, 3709, 3813, 3840, 3847, 3917, 3926, 3927, 3928, 3931, 3994, 3996, 4002, 4004, 4115, 4141, 4176, 4210, 4251, 4260, 4303, 4342, 4366, 4371, 4385, 4389, 4429, 4631, 4635, 4658, 4666, 4691, 4765, 4791, 4797, 4914, 4915, 4935, 4943, 4948, 5013, 5020, 5027, 5050, 5053, 5075, 5101, 5144, 5183, 5192, 5232, 5241, 5242, 5312, 5359, 5363, 5381, 5413, 5480, 5531, 5544, 5612, 5645, 5660, 5670, 5680, 5685, 5699, 5734, 5746, 5765, 5800, 5808, 5888, 5901, 5953, 5957, 5992, 5994, 6010, 6030, 6033
  condition, 834
  count, 2424
  distance, 5075
  homeomorphism problem, 2378
  inclusion, 5081
subgraph of
  a cube, 901
  a graph, 323
  maximum degree, 4802
subgraph of minimal degree, 2510, 2821
  three, 2510
subgraph
  optimization problem, 1954
  polytope, 4612
  with restricted degrees, 5808
subgroup, 1267, 1343, 1450, 2045, 2139, 2246, 2470, 2643, 2736, 2740, 2794, 2819, 3049, 3154, 3214, 3315, 3333, 3487, 3510, 3556, 3913, 3952, 4043, 4102, 4336, 4416, 4551, 4587, 4782, 4991, 5208, 5366, 5403, 5515, 5572, 5725, 5729
  conjugacy class, 3556
  information, 3556
  lattice, 2745, 3769
  of finite index, 2422
subgroup of index
  six, 3049
  two, 2365, 4651
subhypergraph, 642, 3200, 3909, 4456, 5587
sublattice, 1405, 1597, 1794, 4358, 4766, 5913
  lattice, 1635
  of the hexagonal lattice, 5072
sublinear performance, 2529
  ratio, 2529
submatrix, 1457, 1814, 1951, 2092, 2654, 3295, 3350, 5089, 5424, 5796
  nullity, 666
submodular function, 1753, 3390, 3583
submodularity property, 2452
subnormal, 3108
subnormality, 3949
subobjects, 738
suboptimal solution, 5922
suborbit of a permutation group, 4208
subpancyclic, 5977
  graph, 5707
subpancyclicity, 5707
subpartition, 4808
subpath acyclic digraph, 4674
subpattern, 4422
subpermutation matrix, 2076
subplane covered net, 3422
subposet, 376, 503, 1180, 2266, 2912, 3377, 3992
  characterization, 4757
subregular of index, 1 1732
subscheme, 4407
subsemigroup, 115, 908, 992
subsequence, 1026, 1112, 2157, 2166, 2373, 3106, 4285, 4570, 4685, 5088, 5517, 5832, 5870, 5986
  embedding relation, 1934
  number, 515
  property, 4570
  unavoidable, 1934
subsequence with
  0-sum, 5087
  given sum, 5832
subset
  graph, 3864
  lattice, 3895
subset of
  a discrete domain, 5793
  a finite set, 3537, 4116, 5270, 5627
  a set, 253, 450, 523, 703, 1024, 1124, 1544, 1781, 3342
  an interval, 6009
subset ordering, 2131
subset sum, 2666, 3308, 3674, 3685, 5681
  distinct sequence, 5671
  problem, 3674
subset
  system, 4664
  with large degree sums, 5144
subshift of finite type, 1291
subspace
  arrangement, 5108
  lattice, 1572
subspecies, 3225
substitution, 1867, 2121, 2653, 3225, 3731, 3959, 4605
  composition, 4094, 5247, 5427
  decomposition, 2566, 2717
  function, 5789
  operation, 3697
  system, 5945

substructure, 4665, 6025
subsum, 2519, 6007
subthrackleable, 4059
  graph, 4059
subtournament, 1249
subtrace, 3607
subtree, 561, 4111, 4761
  in power set, 1326
subvariance, 4683
subvariety, 4247, 5221
subword unavoidability, 1934
sub-inf-semilattice, 400
sub-Latin square, 1628
sub-MOLS, 1461
sub-Ramsey number, 1143, 2069
succesive elimination, 562
successor function, 1796
Suchan, 3093
Suffel, 2241
sufficient statistic, 605
sufficiently large graph, 1995, 2645
Sulanke, 1637
sum free, 9, 5999
  sequence, 5999
  set, 9, 127, 425, 430, 672, 1319, 5739
  subset, 1450
sum
  function, 3813
  generator, 3343
sum graph, 3911, 4321, 4880, 5859, 5890
  of a set of positive integers, 3911
sum
  in a grid, 5022
  minimizing configuration, 5215
sum number, 4321, 4880, 5859
  of a graph, 3911
sum of all
  distances, 4233
  positive eigenvalues, 4016
sum of
  branch voltages, 4344
  complete graphs, 1827
  dependent random variables, 2424
sum of edge
  lengths, 4298
  weights, 4904
sum of
  graphs, 5667, 5876
  integer sequences, 5193
  lengths of inversions in permutations, 3564
  lexicographically ordered sets, 2666
  matroids, 1202
  n adjacent integers, 5008
  powers, 4354
  products, 4810
sum of ranks
  loser, 229
  winner, 229
sum of reciprocals, 5671
  of integers, 144
sum of
  sets of integers, 4017
  simpler metrics, 5787
  squares of degrees in a graph, 5664
  subsequences modulo a prime power, 2373
  subsets in a group, 3998
  three squares, 5986
  two squares, 1532
  weighted completion times, 2121
sum version of CTSP, 5368
summation
  formula, 4480
  of two graphs, 5876
  theorem, 5852
Summer, 305, 796
Sumner, 690, 4941, 5294, 5511
  matching theorem, 5041
Sumner, D P, 5041
Sun, 2577
Sundaram odd orthogonal tableaux, 4998
Sung, 5269
super
  line connectivity, 5534
  P-group, 1661
  towers of Hanoi problem, 3680
superAFL, 61
superbrittle graph, 2055
superconnectivity, 3908, 4050, 4727, 5288, 5384, 5871, 5924
superconnectivity of
  a bipartite digraph, 5924
  a graph, 5924
superdigraph, 3507
superfluous path, 1593
supergraph, 4867
superhereditary, 1409
  property, 1409
superimposition, 4572, 5969
  of three Youden squares, 5969
superior closure, 210
superlinear, 3503, 4906
superposition of permutations, 2358
supersolvability, 2194
supersolvable geometry, 2194
supersymmetric
  algebra, 4323, 5839
  bracket algebra, 4323
  letterplace algebra, 4417
  variable, 4323

superuniversal, 804
  graph, 804
supervisible code, 3540
super-Eulerian, 4866, 4867, 5483
  graph, 4515, 5483
super-κ', 5924
super-λ, 5924
Supnick, F, 1407
supplementary difference set, 1931, 2910, 3322
supply
  demand theorem, 1448
  graph, 5786
support, 3162
support of
  a free Lie algebra, 2549
  a function, 1156
support size, 3699
  of a quadruple system, 3162
  of a triple system, 3699
support weight distribution, 3442
supporting
  cone, 4738
  cylinder, 4738
  flat, 4738
supremum irreducible, 183
Suranyi, 539
surface, 3990, 4203, 4396, 4565, 4586, 4682, 4703, 4961, 5009, 5054, 5173, 5203, 5485, 5525, 5582, 5584, 5767, 5769
  acoustic wave device, 3043
  branched covering, 5485
  cover, 913
  embedding, 5605
  homeomorphism, 4219
surface of
  characteristic 0, 5767
  characteristic -1, 5767
surface of genus
  n, 4385
  seven, 1888
surface
  of hyperbolic type, 4565
  surgery, 3109
  triangulation, 4203
surface with
  boundary, 5203
  constant curvature, 3750
  low genus, 5605
surgery, 5584
  technique, 5026
surjective
  n-colouring, 2236
  relation, 2984
surprise minor method, 3876
Suslin
  like tree, 1779
  tree, 725
suspension, 4895
  of a tree, 4445
Suzuki group, 4993
Suzuki-Tits inverse plane, 4118
Swan, 4605
  theorem, 4605
switching, 607, 1018, 1763, 3786, 5827
switching class, 2032, 2330, 4445
  of directed graphs, 2032
  of graphs, 2032
  of tournaments, 2032
switching
  device, 1596
  equivalent, 1352, 1769, 2048
  function, 607
  invariant two-path signed graph, 2048
  network, 443, 634
  operation, 2681, 2976, 3620
SXP algorithm of Chen et al., 5854
Sylow
  2-subgroup, 4125
  theorem, 1531
Sylvester, 3236, 3270, 4154, 4314, 5018, 5391, 5899
  bijective proof, 4154
  equality, 5391
  identity for partitions, 5018
  matriod, 3338
  problem of the 15 schoolgirls, 282
Sylvester, J J, 3236, 4100
symbolic
  calculus, 5536, 5571
  flow, 1291
  incidence geometry, 4088
  manipulation packages, 3386
  method, 4122
symbols without trivial cycles, 946
symmetric, *see also* symmetrical
  (22, 7, 2)-design, 2583
  (t, k, λ)-design, 2412
  2-(31, 10, 3)-design, 2778
  2-(41, 16, 6)-design, 3552
  2-(t, k, λ)-design, 4548
  2-design, 3052
  3-class association scheme, 1763
  adamant digraph, 2329
  analogue of the Bessel polynomials, 4854
  antireflexive relation, 1783
symmetric array, 165, 834
  condition, 834
symmetric association scheme, 5902, 5958
symmetric balanced
  cordial graph, 3705
  incomplete block design, 2748, 5971

symmetric BIBD, 5971
symmetric block design, 1498, 1877, 4025, 5520
(40,13,4), 4025
(61, 16, 4), 5520
symmetric
Boolean function, 443
Cayley graph, 4822
symmetric chain
decomposition, 2344, 3209, 5007, 5434
order, 571, 2344
symmetric
circulant block, 3711
closure, 4820
colouring, 3874
combinatorial model, 2833
symmetric complete bipartite
digraph, 5329
graph, 5890
symmetric complete
digraph, 4551
multipartite digraph, 5991
tripartite digraph, 5978
symmetric
design, 301, 872, 986, 1129, 1288, 1531, 1940, 2167, 2368, 2412, 2665, 2778, 3552, 3800, 4427, 4740, 5520, 5911
difference, 228, 1053, 1161, 2224, 2437, 2968, 3342
digraph, 3791, 4523, 4955, 5019, 5096
directed graph, 292
divisible design, 3153
doubly stochastic matrix, 404
embedding, 5659
exchange property, 5482
factorial design, 2305
Ferrers digraph, 1242
form, 3676
symmetric function, 984, 1607, 1703, 3221, 3222, 3224, 3225, 3228, 3232, 3706, 3984, 4113, 4500, 4637, 4840, 4848, 4854, 4981, 4985, 5045, 5573, 5577, 5849, 5855, 6027
characterization, 5855
symmetric graph, 254, 954, 1373, 3525, 5365
of prime order, 2249
symmetric group, 298, 395, 473, 480, 485, 489, 496, 498, 584, 604, 616, 649, 681, 689, 707, 746, 884, 913, 929, 946, 984, 985, 1255, 1290, 1533, 1550, 1567, 1703, 2161, 2469, 2630, 2838, 3049, 3224, 3230, 3379, 3387, 3937, 4122, 4291, 4304, 4482, 4848, 4860, 4973, 4978, 5315, 5409, 5574, 5856, 5985
representation theory, 984
S_4, 5515
symmetric
inseparable double square, 3818, 4345, *see also* SIDS
inverse semigroup on n letters, 2469
mate, 1449
matrix, 1358, 2273
matroid, 2222
max flow min cut theorem, 5269
model, 4861
multidigraph, 1849
neighbourhood, 4516
odd cycle, 3507
oriented complete graph, 255
orthogonal mate, 4783
symmetric part, 3507
of the transitive closure, 675
symmetric
PBIB design, 1136
planar figure, 3874
plane partition, 2240
symmetric polynomial, 2326, 3229, 3230, 3984
sequence, 4861
symmetric polyomino, 1195
symmetric positive
definite unimodular tridiagonal matrix of order n, 2200
semidefinite matrix, 92
symmetric power, 4478
sum, 5171
symmetric primitive association scheme of rank six, 4051
symmetric quasigroup, 5367
of odd order, 2589
symmetric
regular divisible design, 3821
relation, 630
resolvable transversal design, 967
routing, 3842
semiregular divisible design, 3821
sequencing, 2894
set of threshold functions, 1000
skew balanced starter, 5923
solution, 1182
spatial configuration, 3946
symmetric square root, 4479
of a species, 4479
symmetric Stone algebra, 4619
of iterated conditionals, 4619
symmetric
strict monoidal category, 2984, 3971
structure, 223, 4555
subgraph of the 7-cube, 3907
Toeplitz adjacency matrix, 4828
transport polytope, 94, 133
tripartite digraph, 5991
trivalent graph, 1013, 5672

symmetric (*cont.*)
two terminal network, 528
with respect to a functional, 5640
symmetrical, 1960, 3161, 4132, 5443, *see also* symmetric
2-design, 1214
arc, 2826, 5443
extremal graph, 223
graph, 55, 5238, 5823
map, 4215
PBIB design, 1740
symmetrically realizable, 5728
symmetrisation, *see* symmetrization
symmetrised, *see* symmetrized
symmetrising, *see* symmetrizing
symmetrization, 675
symmetrized inner product of representations, 395
symmetrizing operators, 3226
symmetry, 59, 186, 502, 556, 599, 710, 881, 1684, 1937, 2028, 2120, 2163, 2672, 2819, 3284, 3386, 3696, 4023, 4445, 4480, 4504, 4793, 5306, 5324, 5388, 5944
symmetry condition, 2554
for graphs, 3284
symmetry
group, 201, 599, 1267, 1672, 1891, 2018, 2254, 3769, 3786, 3874, 4380, 4622, 5729, 5944
in a network, 1448
symmetry of
a fabric, 2021
a graph, 3258, 3284
a permutation matrix, 4170
a tiling, 667
Q_n, 3696
symmetry
operation, 3874
pairing, 4651
property, 1316, 1672, 4861, 5306
symplectic
geometry, 3898
group, 3898, 4494, 5403
polarity, 5403, 5415
spread, 5415
synchronization, 908, 4273, 5967
synchronizing codeword, 5967
syndrome, 3975
lookup table, 1891
synonymous, 1796
synonymy, 1796
syntactic
monoid, 533, 779
semigroup, 908
syntactical duality principle, 1435
Syracuse
conjecture, 2293
problem, 2293, *see also* (3n + 1)-problem
Syslo, M, 2868
system of
Boolean equations, 1558
chambers, 4971
difference sets, 2359, 4244
differential equations, 2417
distinct representatives, 1281, 3002
distribution schemes, 2304
elementary ordered sets, 4259
system of equations, 330, 1624, 3542, 5586
over a free monoid, 1429
system of feasible subsets, 2312
system of finite
subsets of integers, 1279
vector spaces, 363
system of inequalities, 1850, 2314, 3248, 3383, 5141
system of linear
equations, 171, 5523
equations and inequalities, 2585
inequalities, 2475, 5360
system of
orthogonal polynomials, 5789
p-numbers, 5958
q-numbers, 5958
system of representatives, 2644, 4141
with repetition, 3361
system of sets, 1120, 1122, 1142, 1221, 1348
of integers, 2111
system of
simplices, 4971
subsets, 969, 1121
system without splits, 3541
systolic
implementation, 2102
queue, 2102
Sz(q), 4993
Szamkolowicz, 2291
Székely, 3579, 4194, 5664, 5795
Szekeres, 585, 1092, 3016
Szemerédi, 1800, 1967, 2423, 5232, 5370, 5641
theorem, 2522
s-arc, *see* n-arc
s-bridge, *see* n-bridge
s-coloration, *see* n-colouration
s-connected, *see* n-connected
s-connection, 4243
S-cyclic Steiner
quadruple system, 1299
system, 1299
S-cyclicity, 1299
S-dual graph, 870
s-geodetic, *see* n-geodetic
s-partite graph, *see* n-partite graph
S-perfect, 5995
vertex, 5995

s-positive, *see* n-positive
S-prealgebra, 4006
s-quasisymmetry, *see* n-quasisymmetry
S-symbol balanced array, 3721
s-system, 89
s-th and t-th largest, *see* n-th and k-th largest
s-vertex, *see* n-vertex

T
(t, 3, 2)-design, 2296
(t, 4, 1)-BIBD with subdesigns, 2587
(t, 4, 3, 1)-BHD, 4403
(t, 4, even)-design, 4730
(t, 6, 1)-PMD, 4369
(t, 7, λ)-PMD, 3635
(t, k, even)-design, 4730
(t, k, even/odd)-design, 4730
(t, k, λ)
  covering design, 5717
  perfect Mendelsohn design, 5748
(t, k, λ)-BIBD, 4716, 5643
(t, k, λ)-MD, 2807, 3329, 3635
(t, k, λ)-PMD, 3635
(t, q)-Catalan
  like sequence, 5850
  number, 5850
(t, t)-factor in a digraph, 2379
(T, d)-join, 5500
T_1 property, 4437
T_1-property, 4047
Tabib, C, 3296
tableau, 644, 842, 843, 1497, 2629, 2640, 2673, 2759, 3055, 3221, 3232, 4484, 4491, 4498, 4506, 4976, 4989, 4998
  algorithm, 4989
  frame, 842
  shape, 2640
tabu search, 5449
tabular arrangement of positive integers, 2629
tactical
  configuration, 125, 4730
  decomposition, 1877, 5911
Taft, 4498
tag
  machine with deletion number one, 3973
  system, 975
tail of the hypergeometric distribution, 847
tailed column convex polyomino, 5568
Tait, 163, 3246
  colourable, 4885
Takács, 935
Tamari, 2387, 2575, 4187
  lattice, 4187
Tan, 5314, 5426, 5509, 5524
tangency property, 1210
tangent, 496, 1073, 1210, 4079, 4450, 4732
  number, 496, 920, 1073, 1356
  set, 4732
tangential
  1-block over GF(2), 1337
  1-blocks over GF(3), 1337
  2-blocks, 468, 1181
tangents at collinear points, 3413
Tanny, 664
Tanny, S M, 515
Tao, 3273
Tappe, 746
tardy job, 3746
target cell, 4979
Tarjan, 708, 1823, 3640, 4798, 5255
Tarry, 5171
Tarry-Escott problem, 5171
Tarsi, 4176, 4323
Tarsi, M, 4323
Tarski, 379, 1804, 1809, 4096
task
  cost, 96
  failure probability, 96
task ordering, 96
  problem, 96
Taskinov, 3253
τ-critical SBC, 5441
τ-design, 5789
Tavares, 5632
taxonomist, 516
Taylor, 3815, 4168
  expansion, 2653, 5570
  graph, 3458, 4550
  series, 584
Taylor, W, 974
Tazawa, 2218
tBD, 1550, *see also* t-wise balanced design
TC, *see also* term condition
  algebra, 1746
  clone, 1746, 4097
  operation, 1746
  space, 827, *see also* total Cech space
  variety, 1746
Tchebycheff polynomial, *see* Chebyshev polynomial
TC-symmetric, 2240, *see also* transpose complement symmetric
  plane partition, 2240
TD, *see also* transversal design
TD(5; n), 4250
TDF, 4317, *see also* total dominating function
TDI, 1723, 2475, 3248, 3538, *see also* totally dually integral
Teichmüller, 6024
telecommunication network optimization, 5264

telephone centre, 807
telescoping series, 1652
Temperley, 173, 1883
temporal reasoning, 3660
tensegrity framework, 3485
tensor, 475
tensor product, 1794, 3230, 3772, 4201, 4245, 4567, 5330, 5584
  identity, 4266
  of graphs, 4201, 5584, 5666
tent free, 4033
Teo, 5050, 5331, 5338, 5339
term
  condition, 1746, *see also* TC
  function of positive rank, 1173
  operation, 4680
terminable
  path, 266
  trail, 266
terminal
  block, 1061
  class, 1265
  node, 1074, 4569
terminated trail, 266
terminating
  ${}_6\phi_5$ summation theorem, 4494
  balanced ${}_3\phi_2$ summation, 4494
  hypergeometric identity, 2674
  sequence, 5075
  very wellpoised ${}_6\phi_5$ summation, 4494
termination of the sequence of iterated jump graph, 5075
ternary
  algebra, 1486
  code, 5904
ternary Golay code, 68, 374, 382
  of length, 12 5904
ternary
  linear code, 4229
  matroid, 4679
  operation, 3314
  optimal formally selfdual code, 5904
  paving matroid, 2997
  Reid geometry, 5057
  symmetry, 4504
  transversal matroid, 2074
  tree, 3067, 3736, 4979
  vector of length twelve, 3452
tertiary ideal, 1791
Terwilliger, 5902
  algebra, 5902, 5936
Tesman, 4944
tesselation of the sphere, 1160
tessellating the plane, 3670
tessellation, 1536
tessellation of
  a closed surface, 3855
  the Euclidean plane, 1536
test
  for isomorphism, 1007
  of significance, 3029
test set, 2685
  for sorting, 2685
testing point, 96
tetrahedral group, 1672
tetrahedron, 2149, 3024, 4114, 5589
  manifold, 5589
tetravalent modal algebra, 1523
TF, 5788, *see also* tree function
Thas, J A, 1663
Thatcher, 3686, 4664
Thatte, 4286, 5771
theorem of
  Alltop, 491
  Beckman-Quarles type, 5401
  Brooks, 716
  Cauchy and Davenport, 3439
  Chartrand and Wall, 1141, 3884
  de Bruijn and Erdös, 6021
  Harper, 1161
  Li and Milner, 5304
  Mader, 982, 1025, 3252
  Mendelsohn and Dulmage, 108
  Menger type, 1468
  Nash-Williams, 108
  Ore, 702
  Silver, 427
  Trotter, 725
  Turán, 737, 1355
  Ulam and Schreier, 473
theoretical physics, 5573
theory of
  automata, 2160, 4101
  blocks, 2766
  caps, 722
  colour symmetry, 1267
  communication, 3566
  compositionals, 3859
  data base relations, 880
  distanced graphs, 3311
  ends, 3116
  finite topologies, 352
  flows, 366
  games, 3776
  graph colourings, 2307
  graphic sequences, 3402
  graphs, 2846, 5226, 5276
  languages, 306
  maps, 5582
  matched graphs, 851

theory of (*cont.*)
metric spaces, 52
mixed volumes, 1699
music, 5325
number fields, 4843
numerical polynomials, 395
polynomial sequences, 910
quasiprimitive Boolean algebras, 1785
rank, 1050
sets ordered in lattices, 1791
theory of species, 3225, 4532
of structures, 3225
theory of
symmetry, 2509
triangular arrays, 739
voltage graphs, 2057
theta
function, 2267
graph, 3334, 5411
relation, 4627
θ-space, 891
θ-valued
Lukasiewicz algebra, 891, 1094
Moisil field, 1094
ordered Lukasiewicz space, 991
Thibon, 5559
thick
flag transitive geometry, 5392
geometry, 5392
line, 4741
thickness, 5600
minimal graph, 2159
thickness of
a family of sets, 1946, 3484
a graph, 20, 2159
thickness problem on graphs, 5600
thin
distance regular graph, 5936
module, 5902
shadow, 5749
third
order magic cubes, 1960
Ramsey number, 3967
Thomas, 1497, 5432, 5598
dichotomy, 4077
Thomason, 1346, 1982, 2338, 3347, 3673
Thomassen, 2937, 3497, 4410, 4525, 4536, 4543, 5013, 5019, 5096, 5867, 5900
Thomassen, C, 5350
Thompson, 67
thrackle conjecture, 4059
thrackled, 4059
Thrall, 1718
three
associate PBIB design, 1136
class association scheme, 1763, 3570, 4820, 6029
colour Ramsey number, 2958, 5131
dedicated processors, 5117
three dimensional
line stochastic matrix, 926
matrix, 926
nonperiodic tiling, 2536
three element
circuit, 2986
interval, 1206
subset, 4084, 5188
three
in a straight line, 2445
intersecting tetrahedra, 932
level design, 59
mutually disjoint blocks, 1320, 2153
nonintersecting paths, 5566
permutations problem, 2651
size quasi-Steiner network, 4788
stage SRD M-logic, 2230
step nilpotent Lie algebra, 5567
weight code, 1697
threefold triple system, 2754, 3030
threewise balanced design, 3162
three-arrangement, *see also* 3-arrangement
three-associate, *see also* 3-associate
three-bad, *see also* 3-bad
three-ball, *see also* 3-ball
three-cell, *see also* 3-cell
three-choosable, *see also* 3-choosable
three-chromatic, *see also* 3-chromatic
three-circuit, *see also* 3-circuit
three-claw, *see also* 3-claw
three-cluster, *see also* 3-cluster
three-colour, *see also* 3-colour
three-colourability, *see also* 3-colourability
three-colourable, *see also* 3-colourable
three-colouration, *see also* 3-colouration
three-coloured, *see also* 3-coloured
three-colouring, 663, *see also* 3-colouring
three-complementary, *see also* 3-complementary
three-complete, *see also* 3-complete
poset, 4526
set, 4526
three-complex, *see also* 3-complex
three-connected, *see also* 3-connected
three-cordial, *see also* 3-cordial
three-critical, *see also* 3-critical
three-cut, *see also* 3-cut
three-cycle, *see also* 3-cycle
three-degree, *see also* 3-degree
three-deltoid, *see also* 3-deltoid
three-design, *see also* 3-design
of small order, 1490

three-diagram, *see also* 3-diagram
three-diameter, *see also* 3-diameter
three-dichromatic, *see also* 3-dichromatic
three-dimensional, *see also* 3-dimensional
  arrangement, 2019
  bilinear forms, 5635
  Ferrers graph, 2240
  tape, 138
three-edge, *see also* 3-edge
three-error, *see also* 3-error
three-extendable, *see also* 3-extendable
three-flow, *see also* 3-flow
three-fold, *see also* 3-fold
three-gem, *see also* 3-gem
three-generalized, *see also* 3-generalized
three-graph, 228, *see also* 3-graph
three-groupoid, *see also* 3-groupoid
three-HMOLS, *see also* 3-HMOLS
three-homogeneous, *see also* 3-homogeneous
three-hypergraph, *see also* 3-hypergraph
three-hypergraphic, *see also* 3-hypergraphic
three-interval, *see also* 3-interval
three-irreducible, *see also* 3-irreducible
three-king, *see also* 3-king
three-line Latin rectangle, 1247, 1335
three-manifold, *see also* 3-manifold
three-matching, *see also* 3-matching
three-monotone, *see also* 3-monotone
three-near, *see also* 3-near
three-pair, 4873, *see also* 3-pair
three-partite, *see also* 3-partite
three-path, *see also* 3-path
three-perfect, *see also* 3-perfect
three-polyhedral, *see also* 3-polyhedral
three-polystroma, *see also* 3-polystroma
three-polytopal, *see also* 3-polytopal
three-polytope, *see also* 3-polytope
three-quasigroup, *see also* 3-quasigroup
three-regular, *see also* 3-regular
three-separator, *see also* 3-separator
three-skein, *see also* 3-skein
three-sphere, 2992, *see also* 3-sphere
three-star, *see also* 3-star
three-subset, *see also* 3-subset
three-sun, *see also* 3-sun
three-tree, *see also* 3-tree
three-uniform, *see also* 3-uniform
three-universal, *see also* 3-universal
three-valent, *see also* 3-valent
three-valued, *see also* 3-valued
  function, 4686
three-valued Lukasiewicz
  algebra, 2385, 5732
  propositional calculus, 2385
three-valued Lukasiewicz-Moisil algebra, 1621, 1650
three-variegated, *see also* 3-variegated
three-vertex, *see also* 3-vertex
three-way regular, *see also* 3-way regular
three-wise, *see also* 3-wise
threshold, 957, 1511, 1854, 2345, 2497, 2747, 3005, 3397, 3588, 3787, 3926, 4244, 5132, 5241, 5354, 5907
  Boolean function, 4316
  decoding, 1896
  dimension, 2497
threshold function, 890, 1000, 2345, 2424, 2869, 4542, 4635
  for freeness, 2869
threshold
  graph, 957, 1242, 1459, 1595, 1690, 1824, 3535, 3788, 4221
  hypergraph, 1824
  matroid, 998, 3787
  method, 731
  probability, 3005
  signed graph, 1854
  theorem for matching, 3391
  transformation, 3397
Thron continued fraction, 4858
through, 914
Thue
  sequence, 1773
  system, 1614, 1665, 2309, 4887
Thue-Morse sequence, 2546, 4502
Thurston, 5249
Tian, 2841, 5310, 5611
Tibor Gallai, 2491, 4896
tic tac toe, *see* tic-tac-toe
tic-tac-toe game, 3546
tied graph, 12
tier number, 1789
tiered poset, 1789, 2097
Tietäväinen, 3404
  condition, 3404
tight, 3670, 4516, 4787, 5041, 5117, 5162, 5238, 5652, 5689, 5749, 5827, 5962
  4-factor orthogonal main effect plan, 5148
  asymptotic bound, 5061
  bound, 2960
  bounds, 3368, 3868, 5922
  design, 5962
tight double
  commutative step digraph, 3670
  fixed step digraph, 3670
tight
  lower bound, 686, 3688, 4359, 4693, 4787
  OMEP, 5148
  single change covering design, 5968
  upper bound, 5655, 5967

tightness
of a 3-graph, 5749
problem in the plane, 5749
tilability of a torus, 3004
tilable
picture, 5249
subpicture, 5249
tile, 1893, 1951, 2018, 2343, 2684, 3004, 3010, 3072, 3670, 4835, 5174, 5208
transitive tiling of the plane, 667
tiling, 583, 1047, 1515, 1951, 2443, 2819, 2843, 3004, 3072, 4835, 4875, 5174
tiling a
picture, 5249
simply connected figure, 4875
tiling
by translates, 2684
complexity, 2343
tiling of
a binary vector space, 1047
a closed surface, 3855
a torus, 3004, 4068
lattice points, 965
the Euclidean plane, 2018
the plane, 2282, 2443, 5909
the sphere, 4068
triangles, 4301
tiling
problem, 5249
R^3 by translates, 2684
space, 4179
the plane, 204
type, 2343
tiling with
dominoes, 5249
triangles, 204
time
complexity, 3682, 4454, 5233
graph, 1088
space tradeoff, 6018
transportation problem, 731
timetable, 2414
construction, 2414
problem, 2414
timetabling, 5278
Tindell, 3142, 4672
Tinhofer, 5250
Tinhofer, G, 5939
tip augmented tree, 5576
Tits building, 5792
Tkác, 1993
TK-space, 827, *see also* total Kuratowski space
Todorcevic, 3119
Toeplitz
graph, 4828
sequence, 5150
Toft, 5797
Toft, B, 2667
tolerance, 1114, 1254, 5498
automaton, 1114
graph, 4145, 5498
order, 4145, 5498, 5878
result, 5493
tolerant network, 2393
TOL-language, 559
TOL-system, 559
Tomescu, 4532, 4594, 5183, 5346
tomography, 4974
tone-row, *see* tone row
Tong, 1901
tope graph, 3584
of an oriented matroid, 3584
topological
bandwidth, 2516
category, 1114
topological characterization
of complete distributive lattices, 1649
of stationary sets, 1777
topological
closure, 1705
complete graph, 650
end, 325
graph theory, 3486, 4623
group, 1644, 3115, 3131, 5469
homeomorphism, 5430
invariance, 3319
topological invariant, 2009
of a graph, 5034
of knots, 3262
topological
linear spaces, 4086
method, 1109
product, 2649
property, 4586
Ramsey theory, 3475
relational structure, 3637
representation, 1787
space, 607, 991, 3314, 3467, 3920, 4753, 5595
structure, 4281
type, 4026
topological version of
the classical Stone representation theorem, 4742
the Fodor theorem, 1777
topologically
equivalent surfaces, 4123
invariant automorphism, 3319
topology, 607, 827, 1171, 1367, 1411, 1777, 2213, 3335, 3636, 3637, 4162, 4753, 5391, 5835, 5846
of an intersection, 4860

topology on
a discrete set, 3335
a subspace, 607
toral
embedding, 5588
subgraph, 5588
Torgasev, 4016
Torgasev, A, 1974
toric variety, 3232
toroidal
claw free graph, 3956
graph, 106, 1463, 1509, 3291, 4396, 5214, 5808
grid, 5277, 5552
map, 5672
polytope, 1353
splitting numbe, 2070
tiling, 2356
torsion-free, *see* torsion free
torus, 21, 27, 106, 113, 782, 2036, 2232, 2337, 2356, 2818, 3004, 3455, 3613, 3856, 3869, 3981, 3991, 4068, 4114, 4117, 4391, 4586, 4682, 4739, 5006, 5308, 5605, 5637
graph, 106, 3291
triangulation, 2232
total
6-colourability, 4862, 5005
automorphism, 4696
Cech space, 827, *see also* TC space
total chromatic number, 2627, 2641, 3592, 3909, 3915, 3974, 4558, 4574, 4649, 4754, 4862, 5005, 5614, 5829
of a graph, 3739, 4574
total clique cover, 4062
total colouring, 558, 3597, 3915, 3947, 4649, 5468, 5829
conjecture, 3739
number, 471, 2627
of a graph, 3597, 4574, 4649
total continuous operator, 966
total cover, 3240
of a graph, 3240
total
covering number, 631, 3240
distance between nodes in a tournament, 4448
total dominating
function, 4317, *see also* TDF
set, 4898, 5251
total domination, 1633, 1969
total domination number, 2859, 3803
of a graph, 5251
total
extension, 966
function, 966
total graph, 419, 1583, 1610, 2339, 3850, 5300
of a hypergraph, 5300
of a linear hypergraph, 5300
total
H-dominating set, 4791
H-domination number, 4791
imbedding distribution, 4026
total interval number, 3766
of a graph, 3766
total
K_n domination number, 3803
Kuratowski space, 827, *see also* TK-space
lengths of the boundary, 1205
matching number, 631
order, 3482
point cover, 4898
preorder, 983
promotion operator, 3222
relation, 2984
SDR, 3000
space, 5006
support, 1107
topological space, 827
unimodularity of a matrix, 451
vertex stability, 1543
weak unimodularity, 1723
totally asymmetric, 1643
totally balanced, 1916, 4228
matrix, 1431
totally
bounded bitolerance order, 5493
connected, 713
covered vertex, 851
cyclic orientations, 646
domatically full, 2853
dual integral, 3248
dually integral, *see also* TDI
equimatchable graph, 5136
irregular matrix, 2559
isotropic, 5403, 5415
matching, 5136
ordered set, 1099, 1170, 1177, 2973, 4344
Φ_0-decomposable digraph, 5112
Φ-decomposable, 5112
point determining graph, 690
pre-ordered Boolean function, 878
totally symmetric
3-quasigroup, 1275
function, 4680
quasigroup, 5367
totally unimodular, 2560, 3350, 4152, 5141, 5278, *see also* TU
matrix, 451, 2494, 2560, 5278
totally variant subset, 1139
of $V_3(GF(3))$, 1139
Totten, 6021

Touchard, 4495, 4688
formula, 3306, 4688
polynomial, 1819
Touchard, J, 1819
Touchard-Riordan formula, 4495
tough
graph, 146, 3903, 4335, 5137
maximal planar graph, 4533
non-Hamiltonian graph, 3148
split graph, 4908
toughness, 2425, 2662, 3572, 3649, 4060, 4300, 4325, 4531, 4533, 4908, 5125, 5137, 5611, 5775, 5865
toughness of
a graph, 146, 2662, 5308
a split graph, 5865
tournament, 64, 174, 188, 340, 426, 617, 802, 1051, 1151, 1249, 1287, 1502, 1642, 1928, 1945, 2002, 2050, 2063, 2081, 2100, 2105, 2372, 2407, 2426, 2545, 2841, 3242, 3296, 3482, 3562, 3646, 3790, 4033, 4252, 4442, 4448, 4471, 4525, 4541, 4543, 4629, 4635, 4657, 4724, 4756, 4888, 5199, 5289, 5310, 5364, 5532, 5631, 5658, 5900, 5942, 5965, 5976
tournament code, 2105
of length n, 2105
tournament
construction, 2407
design, 2580, 2757, 3179, 4131, 4192, 5643
matrix, 2050, 5847
of radius, 2 4182
score sequence, 2407
with simple quotient, 4657
tower, 5304
tower of
d 2's, 5636
exponentials, 2921
Towers of Hanoi problem, 3680
TR, 4451, *see also* triply regular
trace, 2753, 3221, 3986, 4388, 4605, 4766, 5207, 5916
code, 3431
geometry, 4733
trace identity, 2319, 4605
for matrices over a commutative unitary ring, 2319
trace
monoid, 5916
monoids, 5916
of a power of a matrix, 3951
orthogonal basis, 1220
traceability, 4908, 5699
in a graph, 5699
traceable, 1133, 1265, 2381, 4949, 5217, 5497, 5699
classes, 1265
graph, 1133, 4828, 4943
track, 4143
tractability, 2428
Traczyk, 3849
traffic parameter, 4102
Trahtenbrot, 3491
Trahtenbrot-Zykov problem, 3491
trail, 266, 1394, 3087, 3512, 3734, 5322, 5719
trajectory, 4143
Tran van Trung, 5927
transcendence degree, 6024
transcendental function, 1329
transduction, 306
of languages, 306
transductions of formal series, 306
transfer
flow graph, 3704
matrix method, 4424
transfinite
connectedness, 4344
electrical network, 4344
graph, 4344
transform
domain information, 1891
graph, 5429
transformation, 12, 106, 135, 268, 361, 450, 731, 1499, 1735, 2110, 2162, 2690, 2901, 2991, 3397, 3512, 3611, 3677, 3869, 3938, 4071, 4494, 5542, 5572, 5588, 5752, 5964
algorithm, 731
graph, 4768, 5032
group, 4651
transformation of
a graph, 3869, 4189
a triangulation, 90
an edge coloured cubic graph, 5542
an integer program, 4
transformation
semigroup, 135
set, 3938, 4571
technique, 3414
theorem, 2991
transforming an Eulerian trail, 3512
transfusion associated incubation period of AIDS, 3034
transient
analysis, 443
probability, 1322
transition
equation, 5844
Laplacian matrix, 3120
transition matrix, 3224, 5847
for symmetric functions, 4637, 4840
transition
probability, 5076
rule, 771

transition system, 3927, 5785
in Eulerian graph, 2215
transitive, 4745, 5213, 5231, 5236, 5596, 5622
transitive Abelian
group of automorphisms, 2455
subgroup, 1981
transitive action, 301, 1373
transitive automorphism, 301
group, 438, 1911, 2257, 5795
transitive
closure, 35, 619, 675, 1705, 3111, 3505, 3589, 3636
colouring, 1267
digraph, 979
extension, 4745
Ferrers digraph, 1243
graph, 2448, 5596, 5609
transitive group, 3379
of automorphisms, 736, 3482
of bounded automorphisims, 5469
transitive
multipermutation graph, 3169
nilpotent group, 1802
operation, 2486
operator, 4180
orientation, 1783, 3598, 5916
transitive permutation
character, 480, 4434
group, 69, 2099
transitive rank 3 extension, 1037
transitive reduction, 3589
closure of an order, 3589
transitive
reductions, 5352
relation, 35, 111, 827
S(2, 4, 49), 2141
selfcomplementary digraph, 1573
set of subspaces, 3898
Steiner triple system of order twenty five, 2257
strip, 2956
subgroup, 5725
subtournament, 2063
tiling, 667
tournament, 188, 1075, 2301, 5364
transitive triple, 3173
system, 2172, *see also* TTS
transitively directed graph, 437
transitivity, 2301, 3008, 3115, 4344
on a set of independent points, 2039
translation, 230, 1735, 2343, 2509, 2514, 2603, 3323, 3433, 3933, 4108, 4179, 4734, 4743, 4744
affine plane, 3027
complement, 1343, 1991, 2220, 2661
group, 3027
hyperoval, 4734
net, 3433
of the plane, 247, 3072
oval, 4734
translation plane, 1343, 1991, 2220, 2661, 3440, 5029
of square order, 2220
translational symmetry, 2536
transmission, 1897, 3451
delay, 5283
simulation, 1897
transmitter, 5314, 5987
transport polytope, 94, 133
transportation, 731, 2429
problem, 731, 2429, 3689, 5917
transpose complement, 2240
symmetric, *see also* TC-symmetric
transposition, 288, 306, 1290, 2463, 3652, 3958, 4106, 5872
factorization, 3652
greedoid, 2010
property, 2010
transrotational automorphism, 4106
transversal, 134, 215, 372, 577, 718, 752, 753, 770, 1281, 1541, 3361, 3687, 3822, 4036, 4075, 4330, 4601, 5092, 5162, 5248, 5370, 5387, 5480, 5925
design, 641, 967, 3152, 4250, *see also* TD
geometry, 215
in a Latin square, 5480
line, 5403
matroid, 608, 1829, 2074, 2464, 3667
number, 718, 753, 1859, 4601, 5092
transversal of
a circuit, 1689
a minimum edge colouring, 2087
transversal
pregeometry, 372
problem, 2702
theory for matroids, 767
transversality number, 718
trapezoid, 3472
graph, 5056, 5498
traveling salesman problem, 5368, *see also* TSP
travelling salesman
polytope, 1132
problem, 5922
traversability, 447
traversal, 5588
treble dodging
method, 3876
minor method, 3876
tree, 2, 128, 168, 181, 197, 221, 280, 356, 390, 394, 412, 428, 448, 474, 481, 497, 500, 528,

tree (*cont.*), 536, 556, 561, 592, 688, 744, 755, 765, 809, 819, 820, 831, 1005, 1009, 1017, 1125, 1147, 1149, 1188, 1236, 1240, 1270, 1285, 1293, 1324, 1379, 1414, 1419, 1425, 1492, 1499, 1545, 1581, 1591, 1600, 1669, 1779, 1788, 1807, 1812, 1850, 1857, 1864, 1869, 1870, 1935, 1944, 1992, 2035, 2090, 2209, 2221, 2239, 2248, 2252, 2272, 2285, 2306, 2402, 2404, 2405, 2426, 2435, 2504, 2509, 2601, 2634, 2642, 2658, 2671, 2714, 2750, 2766, 2817, 2859, 2867, 2900, 2913, 2932, 2939, 2954, 3035, 3067, 3078, 3080, 3081, 3124, 3125, 3126, 3134, 3171, 3181, 3245, 3269, 3373, 3391, 3491, 3524, 3631, 3637, 3641, 3652, 3657, 3682, 3779, 3792, 3820, 3839, 3846, 3859, 3861, 3916, 3934, 3939, 4014, 4028, 4038, 4043, 4050, 4052, 4066, 4100, 4121, 4133, 4138, 4165, 4220, 4278, 4311, 4340, 4346, 4402, 4429, 4440, 4441, 4444, 4482, 4495, 4521, 4560, 4569, 4606, 4634, 4660, 4688, 4692, 4712, 4726, 4761, 4790, 4843, 4846, 4880, 4898, 4905, 4909, 4915, 4922, 4923, 4925, 4932, 4935, 4940, 4953, 4984, 5036, 5050, 5053, 5079, 5081, 5083, 5143, 5197, 5201, 5257, 5275, 5291, 5303, 5320, 5340, 5353, 5359, 5395, 5453, 5487, 5501, 5506, 5524, 5652, 5673, 5678, 5723, 5734, 5747, 5760, 5783, 5788, 5796, 5801, 5824, 5837, 5858, 5859, 5932, 5944, 5954, 5982, 6018
  algorithm, 3134
tree as
  a metric space, 2052
  a semilattice, 4402
tree
  automaton, 3686
  basis, 5722
  characterization, 5259
  code, 2900
  connectivity, 1987
  copy function, 1870
  counting, 1002
  cutting problem, 3067
  data structure, 3660
tree decomposition, 2383, 2705, 5263, 5274, 5734
  of a graph, 5263
tree
  dissimilarity, 5788
  distance, 5783
  function, 5788, *see also* TF
  graph, 4256
  growth, 2360
  hypergraph, 698, 1916
  intersection graph, 280
tree like, 5801
  graph, 2671
  structure, 3521
tree metric, 5788
tree number, 5263, 5274
  of a regular graph, 5263, 5274
tree of
  a graph, 1188
  diameter thirty six, 3078
  order 5 with 3 pendant vertices, 5247
  T-shape, 5340
tree ordinal dissimilarity, 5783
tree partition, 3171, 4694
  of a graph, 4694
  width, 4694
tree
  polynomial of a ladder, 1474
  Ramsey number, 3964
  realizable, 2654, 5796
  representability, 2383
  structure, 3886
  structured network, 181
tree visibility, 5759
  order, 5759
tree width, 3499
tree with
  1-factor, 2913
  multiplicities, 2766
treelike
  network, 2864
  segment, 2272
trees in a random graph, 1538, 1631
treewidth, 5825, *see* tree width
tree-visibility, *see* tree visibility
Trenk, A N, 4718
triad, 297, 2467, 5761
triad count, 2406
  of a graph, 2406
  statistics, 2406
triangle, 866, 1278, 1444, 1528, 1696, 1701, 1755, 1803, 1918, 1933, 1983, 2026, 2027, 2036, 2085, 2139, 2310, 2321, 2336, 2352, 2420, 2562, 2691, 2716, 2804, 2824, 2839, 2986, 3008, 3010, 3014, 3038, 3172, 3268, 3517, 3608, 3744, 3823, 4049, 4057, 4074, 4120, 4279, 4301, 4349, 4406, 4563, 4565, 4648, 4831, 4901, 4961, 5312, 5687, 5713, 5749, 5761, 5800, 5811, 5831, 5880, 5889, 5901, 5932
  basis of cycle space, 2085
  conjecture, 1305
triangle free, 999, 1584, 2307, 2980, 3400, 4381, 5026, 5118, 5243, 5623, 5773, 5782, 5819, 5898
  2-matching, 963
  circle graph, 5067
  condition, 598

triangle free edge
chromatic graph, 5131
set, 1278
triangle free
Eulerian tour, 4257, 4538
four-chromatic graph, 4418
graph, 620, 1005, 1229, 1528, 3033, 3516, 4251, 4418, 4545, 4601, 4620, 4661, 4821, 5016, 5073, 5115, 5529, 5623, 5652, 5661, 5932
homogeneous graph, 5623
infinite-chromatic graph, 999
noncovering graph, 2927
noncubic graph, 4620
online 3-chromatic graph, 5428
oriented graph, 4381
partial graph, 1278
quasisymmetric design, 2153
regular graph, 3014
simple base, 5312
subgraph, 2884
weakly transitive oriented graph, 3598
triangle graph Ramsey number, 5819
triangle in
a claw free graph, 5687
a graph, 4120
triangle
incident with a 3-vertex, 4831
inequality, 1285, 4129, 4171, 4445
number of a vertex, 4794
of maximal area, 1312
rounded, 2986
sequence, 4041
structure, 4896
transitive Steiner triple system, 4077
with a multiple edge, 1510
triangle-free, *see* triangle free
trianguated graph, 2227
triangular (0, 1)-matrix, 1307
triangular array, 109, 739, 1713
of nonnegative integers, 2292
of numbers, 109, 515
triangular component, 895
triangular embedding, 3867, 4338, 5758
of a graph, 5758
of K_n-K_m, 5758
triangular
face, 4565
graph, 1725
imbedding, 1019
lattice, 4658, 4870, 5215, 5828
line graph, 4939
matrix, 1307
number, 290, 5271
orientable surface imbedding, 1019
pair, 4971
planar mosaic graph, 755
recurrence relation, 1831
representation, 698
tesselation of the sphere, 1160
triangularity, 457
triangularly imbedded into a surface, 2094
triangulated, 1864, 2227
3-polytope, 5690
board, 2369
edge intersection graph, 1864
EPT graph, 1864
graph, 725, 787, 1052, 1595, 2053, 3384
n-manifold, 532
sphere bundle, 5006
triangle, 4563, 5518
triangulating the 5-cube, 1748
triangulation, 21, 90, 241, 457, 522, 1069, 1748, 1755, 1803, 2094, 2482, 2818, 3277, 3290, 3672, 3749, 3764, 3806, 3823, 4114, 4202, 4203, 4215, 4242, 4357, 4581, 4688, 4792, 4961, 4996, 5006, 5203, 5284, 5769, 5802, 5953
mesh, 5518
triangulation of
a compact surface, 5203
a convex $(n+2)$-gon, 2200
a manifold, 1069, 4202
a surface, 3867, 4242, 4961
the 4-cube, 1310
the 6-cube, 3749, 4792
the 7-cube, 4792
the disk, 360
the n-cube, 1315
the projective plane, 3847, 5769
the torus, 2232, 2237, 2818
triangulation
theorem, 1937
with all vertices of even degree, 1755
without chords, 4996
tribe number, 4165
three, 4165
two, 4165
trichotomic relation, 340
trichromatic triangle, 2816
triconnected component, 3515
trie, 5565
structure, 5565
Triesch, 3963
trigonometric approach, 919
trigraph, 2512
trimmed matroid, 2452
trinomial, 907
tripartite
digraph, 5978
graph, 452, 1776

Tripathi, 4175
triple, 563, 792, 1464, 1514, 2087, 2196, 2246, 2464, 2631, 2651, 3008, 3119, 3155, 3699, 3715, 3899, 3905, 4445, 5200, 5546, 5699, 5814, 5831
triple loop, 5283
  network, 5283, 5920
triple of
  independent vertices, 4722
  nonnegative integers, 4841
  partitions into distinct parts, 2466
  points, 4936
  vertices, 2093
triple
  product identity, 1271
  sum set, 1697, 2985
  system, 28, 39, 147, 190, 242, 396, 416, 438, 540, 792, 959, 1039, 1098, 1251, 1514, 1577, 1843, 2246, 2754, 2918, 3030, 3038, 3634, 3699, 4084, 4728, 5597
  whist tournament, 4541
triple-sum-set, *see* triple sum set
triply
  regular, 4451, *see also* triply regular
  shortened binary Hamming code, 568
trivalent
  1-homogeneous graph, 1917
  calculus of Lukasiewicz, 580
  graph with 58 vertices and girth nine, 1013
  implicative algebra, 580
  ordered tree, 1992
  planar graph, 2934
trivariable symmetry, 4504
trivial
  coherent decomposition, 5787
  collapsible graph, 5483
  design, 1129
  hyperfactorization, 3037
  interval, 5169, 5532
  orbit, 2003
  partition system, 5315
trivially
  FPF, 4784
  ordered, 3377
trivially perfect, 787, 2148
  graph, 787
Trofimov, 5469
  theorem, 5469
Trotter, 503, 1180, 2201
true isomorphism, 1440
Truemper, 5600
truncated
  icosahedron, 6018
  projective plane, 2380
  space, 590
truncation, 808, 5952
  of a polar space, 5392
truncations of a principal geometry, 372
trunk, 2360
truth function, 607
truth table
  concept, 151
  reduction, 677
truth vector, 443
truth-table, *see* truth table
Tsaranov, 4043
  group of a two-graph, 4043
TSP, *see also* traveling salesman problem
Tsukui, K, 5542
TTS, 2172, 2196, *see also* twofold triple system, *see also* transitive triple system
TU, *see also* totally unimodular
tubulene, 5276
Tucker, 695, 1735
Tuma, 1405
Turán, 1, 47, 461, 822, 1355, 5649
  classical problem, 1
  graph, 461, 2185, 4816
  hypergraph, 737
  number, 1278, 5649, 5888
Turán problem, 1, 736, 3024, 3200, 3622
  on uniform hypergraph, 5814
Turán theorem, 47, 228, 1075, 3241, 3346, 5685, 5888
Turán type
  of argument, 5364
  problem, 822
Turán-Ramsey
  problem, 5101
  type question, 5101
Turgeon, 1771, 4244
Turing machine, 138
Turyn, 5752
Turzik, 2299
Tuscan square, 3019
Tutte, 51, 468, 575, 1181, 1237, 1238, 1337, 1715, 1923, 1937, 2360, 2728, 3142, 3371, 3583, 3919, 4235, 4839, 4984, 5640, 5910
  1-factor theorem, 768, 5192
  axiom system, 1007
  condition, 4133
  conjecture, 468
  cycle, 5608
  decomposition of a trunk, 2360
  dichromatic polynomial for graphs, 1685
  excluded minor characterization, 1923
  factor theorem, 1097
  invariant, 2998
  n-factor theorem, 3253, 4874
  plane, 3923

Tutte polynomial, 1168, 2564, 2830, 3520, 3923, 4490, 4757, 4839, 5220, 5825, 5855
of a geometric lattice, 1168
of a jointless Dowling geometry, 5972
of a matroid, 5972
Tutte
theorem, 51, 1337, 3104
V-function, 3371
wheels and whirls theorem for matroids, 5454
Tutte wheels theorem, 3801
for graphs, 5454
Tutte whirl and wheel theorem, 2467
Tutte, W, 522
Tutte, W T, 43, 86, 239, 2798, 2830, 2846, 3649
Tutte-Grothendieck invariant, 1452
Tuza, 4632, 5800, 5889
Tuza, Z, 4349
Tverberg, 6026
twelve general position points, 932
twin
pair, 2843
prime power difference set, 4537
Steiner triple systems, 5309
STS, 5309
twistor, 5430
two
associate PBIB design, 1136
bordered flat surfaces, 4739
two class
association scheme, 3570
partially balanced design, 685
two
commodity cut theorem, 761
dimensional de Bruijn-Good graph, 2828
edge coloured complete graph, 1412
edges short, 4866
two element, *see also* 2 element
circuit, 1715
cocircuit, 4839
two fixed point property, 3602
two length, 1760
interval order, 1760
two line
graph, 1731
Latin rectangle, 1247
standard tableau, 2719
two part
partition, 3141
Sperner type theorem, 889
two
person game, 3105
player game, 2184, 2364, 5256
two point
antichain, 1325
deleted subtree, 497
interval, 4936
Padé approximant, 4858
two
regular maps, 2254
rooted graph, 903
row shape, 4489
set graph, 3791
slope diagram, 2742
stack sortable permutation, 3289, 5677
state covering machine, 3419
two step
graph, 3792
multidimensional circulant
two
terminal network, 528
types of edges, 2796
user binary adder channel, 3446
variable quasigroup identity, 2570
vertex set, 4432
two way
analysis of variance, 3729
channel, 3454
two way infinite
directed Hamiltonian path, 4331
Hamiltonian path, 411, 1822, 2606, 2790
path, 614
sequence, 4178
two way periodic fabric, 1928
two weight code, 1531, 1697, 2096, 3570, 4621, 4966
over GF(3), 4621
two weight projective code, 70
twofold triple system, 1577, 2196, *see also* TTS
two-amalgam, *see also* 2-amalgam
two-arc, *see also* 2-arc
two-asummable, *see also* 2-asummable
two-bad, *see also* 2-bad
two-ball, *see also* 2-ball
two-biray, *see also* 2-biray
two-block, *see also* 2-block
two-cactus, 3922, *see also* 2-cactus
two-cell, *see also* 2-cell
two-chain, *see also* 2-chain
two-chord, *see also* 2-chord
two-chromatic, *see also* 2-chromatic
two-clique, *see also* 2-clique
two-cocircuit, *see also* 2-cocircuit
two-code, *see also* 2-code
two-colour Rado number, 5949
two-colourable, *see also* 2-colourable
two-coloured, 1020, 2460, *see also* 2-coloured
two-colouring, 2643, 2724, 3698, *see also* 2-colouring
inequality, 1020
of Q^3, 3698

two-complex, *see also* 2-complex
two-configuration, *see also* 2-configuration
two-connected, *see also* 2-connected
  subgraph polytope, 4612
two-convergent, *see also* 2-convergent
two-cover, *see also* 2-cover
two-cut, *see also* 2-cut
two-cycle, *see also* 2-cycle
two-cyclic, *see also* 2-cyclic
two-degenerate, *see also* 2-degenerate
two-design, *see also* 2-design
two-diameter, *see also* 2-diameter
two-dimensional, *see also* 2-dimensional
  Cantor set, 3521
  directed animal, 5563
  growth, 4506
  lattice, 5563
  perfect binary array, 3950
two-dipole, *see also* 2-dipole
two-diregular, *see also* 2-diregular
two-disjoint, *see also* 2-disjoint
two-distant, *see also* 2-distant
two-dominated, *see also* 2-dominated
two-edge, *see also* 2-edge
  connected graph, 479
two-embeddable, *see also* 2-embeddable
two-error, *see also* 2-error
two-extendability, *see also* 2-extendability
two-extendable, *see also* 2-extendable
two-extension, *see also* 2-extension
two-factor, 1342, *see also* 2-factor
two-factoring, 2858
two-factorization, *see also* 2-factorization
two-fold, *see also* 2-fold
two-graph, 1407, 3141, 4043, *see also* 2-graph
two-heavy, *see also* 2-heavy
two-homogeneous, *see also* 2-homogeneous
two-interval, *see also* 2-interval
two-irreducible, *see also* 2-irreducible
two-isomorphism, *see also* 2-isomorphism
two-isotoxal, *see also* 2-isotoxal
two-linkage, *see also* 2-linkage
two-linked, *see also* 2-linked
two-manifold, *see also* 2-manifold
two-matching, *see also* 2-matching
two-MLD-colourable, *see also* 2-MLD-colourable
two-modular, *see also* 2-modular
two-monotone, *see also* 2-monotone
two-neighbourly, *see also* 2-neighbourly
two-node, *see also* 2-node
two-optimal, *see also* 2-optimal
two-orderable, *see also* 2-orderable
two-orientation, *see also* 2-orientation
two-packing, *see also* 2-packing
two-page, *see also* 2-page
two-pair, *see also* 2-pair
two-pancyclic, *see also* 2-pancyclic
two-part, *see also* 2-part
two-partite, *see also* 2-partite
two-path, *see also* 2-path
two-perfect, *see also* 2-perfect
two-placement, *see also* 2-placement
two-ply Hamiltonian, 2606
two-rank, *see also* 2-rank
two-reducible, *see also* 2-reducible
two-regular, *see also* 2-regular
two-representative, *see also* 2-representative
two-resolvable, *see also* 2-resolvable
two-rotational, *see also* 2-rotational
two-selfcentered, *see also* 2-selfcentered
two-sequencing, *see also* 2-sequencing
two-simplicial, *see also* 2-simplicial
two-sphere, *see also* 2-sphere
two-stack, *see also* 2-stack
two-structure, *see also* 2-structure
two-sum, *see also* 2-sum
two-switching, *see also* 2-switching
two-symmetric, *see also* 2-symmetric
two-symmetry, *see also* 2-symmetry
two-tough, *see also* 2-tough
two-transitive, *see also* 2-transitive
two-transrotational, *see also* 2-transrotational
two-tree, *see also* 2-tree
two-uniform, *see also* 2-uniform
two-universal, *see also* 2-universal
two-valent, *see also* 2-valent
two-variegated, *see also* 2-variegated
two-vertex, *see also* 2-vertex
two-wheel, 5220, *see also* 2-wheel
Tychonoff
  reflection, 3467
  space, 3467
type
  1 simple graph, 5829
  I code, 4364
  set of a finite algebraic system, 3607
typical Gallai theorem, 2396
t-(v, k, λ)-design, 1194
t-apart, *see* n-apart
T-choice number, 5418
T-chromatic uniqueness of a graph, 5337
t-colorable, *see* n-colourable
t-colourable, *see* n-colourable
T-colouring, 3084, 3266, 4701, 4944, 5418
T-colouring of
  a graph, 3266, 4230, 4701
  a simple graph, 3266
T-colouring problem, 5905
t-complementary, *see* n-complementary

t-cover, *see* n-cover
T-cut, 4360
T-decomposition, 1217
t-design, 71, 182, 242, 285, 469, 486, 491, 1194, 1210, 1490, 2199, 2451, 2982, 3011, 3372, 3566, 3728, 4022, 4081, 4205, 4237, 4364, 4368, 5741, 5834, 5879, 5926, 5927, 6032
without repeated blocks, 2594
t-dimensional, *see* n-dimensional
t-flat, *see* n-flat
t-fold, *see* n-fold
T-fraction, 4858
T-graph, 4944
t-homogeneous, *see* n-homogeneous
t-intersecting, *see* n-intersecting
t-interval, *see* n-interval
t-irreducible, *see* n-irreducible
T-join, 2224, 3713, 4360, 5500
t-join, *see* n-join
T-lattice, 1046
t-minimal, *see* n-minimal
T-module, 5902
t-optimal, *see* n-optimal
t-partite graph, *see* n-partite graph
t-perfect, *see* n-perfect
t-regular, *see* n-regular
t-sequence, *see* n-sequence
T-span, 3266, 4701
of G, 4701, 4944
t-splitting, *see* n-splitting
t-spread, *see* n-spread
t-star, *see* n-star
T-structure, 2633, 4492
t-sum, *see* n-sum
t-system, *see* n-system
t-tough, *see* n-tough
T-transformation, 5032
graph, 5032
t-uniform, *see* n-uniform
t-wise, *see* n-wise
balanced design, *see also* tBD

U

(u, v)-path, *see* (n, k)-path
$U_{2,3}(9)$, 1738
$U_{2,4}$, 3013
Uchiyama, 4677
ucycle, 4293
UEP
code, 2780
selfcentred graph, 4005
Uhry, 5244
Ulam, 22, 473
conjecture, 728
graph reconstruction conjecture, 2360
problem, 3437
reconstruction conjecture, 5014
Ulam, S, 55, 755
ultimate chromatic polynomial, 3959
ultimate independence ratio, 4297
of a graph, 4297
ultimate normalized chromatic difference sequence, 4600
ultrafilter, 3466, 3478
ultrahomogeneous, 1917
ultralinear, 1329
inherently ambiguous context free language, 1329
ultrametric, 2802, 4101, 5782
ultraproduct, 2528
UL-language, 269, *see also* unary Lindenmayer language
umbral
calculus, 4159, 5204, 5562, 5573
chromatic polynomial, 3321, 3959, 5315, 5573
evaluations, 4009
umbral interpolation, 3321
formula, 3321
umbral
linear operator, 4323
operator, 3826
relation, 4758
ums of a graph, 1827
unanimity index, 5291
unanimous function, 5291
unary algebra, 883, 4795
unary developmental
language, 185
system, 185
unary language, 4656
unary Lindenmayer
language, 269, *see also* UL language
system, 269
unary
OL-system, 559
operation, 1362
operator, 388
TOL-language, 559
TOL-system, 559
unavoidable
claw, 5658
subgraph, 3790
unbalanced bipartite
3-polyhedral graph, 2811
graph, 2811
unbalanced data, 3729
unbordered, 1311, 5424
α-word, 5424
unbordered segment, 1311
of a word, 857

unbordered word, 1311
unbounded graph, 3114
unbreakable
  C_5-free graph, 5258
  graph, 2680
uncertainty inequality, 2801
uncomplemented variable, 1678
uncountable
  cardinality, 3311
  graph, 2114
  orbit, 795
uncountably many matroidal families, 888, 1753
undecidability, 5909
undecidable, 115, 1614, 1696, 1800, 3205, 3479, 5909
  problem, 1696
  proposition, 3129
undecomposable, 3562
underdiagonal walk, 3306, 4476
undirected
  branching, 2312
  Cayley graph, 2173
  complete graph, 1550
  cycle, 1443
undirected graph, 11, 726, 765, 781, 787, 871, 882, 1118, 1272, 1282, 1542, 1659, 1686, 1848, 1876, 2000, 2130, 2185, 2406, 2668, 2827, 2874, 2896, 2939, 2947, 3017, 3111, 3242, 3252, 3335, 3357, 3487, 3488, 3493, 3501, 3599, 3682, 3862, 4011, 4321, 4360, 4654, 4997, 5019, 5053, 5096, 5135, 5143, 5192, 5242, 5269, 5290, 5557, 5652, 5827, 6010
  without loops, 3238
undirected modification of a directed graph, 3487
unequal
  error protection, 2780
  step length, 1322
uneven binary code, 3092
unfoldings, 5675
unfurling, 592
unichain, 2133
  covering, 2133
unicliqual, 2000
unicoloured, 582, 4984
  face in an edge 2-coloured planar Eulerian map, 682
  graph, 582
  incidence graph, 582
unicyclic connected graph, 5673
unicyclic graph, 288, 2197, 2346, 4953, 5673
  realization, 2197
unicyclic multipartite tournament, 5735
unidigraphic degree sequence, 1488
uniform
  cover, 3474
  cycle decomposition problem, 2577
  density, 72
  distance, 3532
  distribution, 2439, 2761, 4522, 5438
  generation of words, 4845
  guarantee, 5033
  halting problem, 138
  Helly family, 4063
  hypergraph, 252, 600, 718, 737, 753, 791, 836, 890, 1012, 1024, 1155, 1233, 1336, 1862, 1995, 2000, 2061, 2100, 2376, 3200, 3396, 3622, 4053, 4135, 4456, 4512, 4601, 5041
  imbedding, 4391
  length cycle, 5168
  machine, 3665
  matroid, 740
  ordered hypergraph, 1615
  oriented matroid, 2650, 5696
  perfect system of sets, 5028
  point distributions, 3449
  polyhedral surface, 4565
  refinement, 3474
  set system, 4063
  space, 3474
uniform subdivision, 2539
  of a graph, 4032
uniformity, 2035, 2439, 3428, 3476
uniformly bounded cardinality condition, 755
uniformly distributed, 4492
  edges, 1995
  modulo Δ, 4238
uniformly geodetic, 3819
uniformly packed
  2-error correcting code, 1697
  binary $(27, 21, 3)$- and $(35, 29, 3)$-code, 4966
unigraphic degree sequence, 1488
unilateral orientation, 5683
  number of a graph, 5683
unimodal, 1115, 1699, 2231, 3999, 4807
  binary distribution, 3999
  sequence, 270, 6027
  subsequence, 1115
  Whitney number, 1284
unimodality, 2725, 3215, 3232
unimodular, 609, 642, 867, 2560, 3325
  equivalence, 2026
  geometry, 867
  matrix, 451, 609, 3298
unimodularity, 451, 1723, 2222
uninterpreted function symbols, 3686
union, 3936, 4031, 4048, 4063, 4155, 4176, 4361, 4399, 4406, 4412, 4648, 4678, 4747, 4761, 4768, 4827, 4869, 4895, 5023, 5086, 5098, 5227, 5231, 5260, 5348, 5466, 5480, 5500, 5792, 5874, 5914, 5932, 6033
  closed, 5914

union closed family, 3398
of sets, 5914
union condition, 858, 1620
union free
class, 2914
colouring, 2914
union of
chromatic equivalence classes, 5343
cliques, 316, 4904
complete uniform hypergraphs, 1155
conics, 3174
cycles, 2331
groups, 779
Helly families, 4063
neighbourhoods, 3382
union of two
graphs, 6033
paths of length three, 6033
stars, 940
union of vertex disjoint cycles, 5687
unipathic, 1075
subgraph, 1075
unipotent SOLSSOM(62), 4783
unique
(n, k)-graph, 3811
completion, 3870, 5993
countable connected model, 3311
unique eccentric point, 4005
graph, 1526
unique extension, 5683, 5960
unique factorization, 376, 1200, 3511
theorem, 2181
unique
finite irredundant decomposition, 5390
full Steiner minimal tree, 1492
Hamiltonian cycle, 2909
unique independence, 1935
graph, 1935
unique
independent set in graph, 4121
intersectability, 598
largest strongly connected subgraph, 3090
linear space with 6 points 8 lines one line of degree 4 and one line of degree three, 6021
maximum distance point, 1526
unique maximum independent set, 1935
of vertices, 3850
unique minimally strong subdigraph, 2366
unique minimum
edge dominating set, 3850
psd-set, 5868
unique
optimal graph realization, 2197
order compatible topology, 1367
P_4-structure, 5258
unique realizability, 1488
of degree sequences, 1488
unique
realizations, 1038, 3846
regular two-graph on 276 vertices, 374
unique smallest
hard to colour graph, 3147
HC graph, 5126
SHC graph, 5126
unique
solution, 6031
stable set, 881
uniquely
$(n, k)^r$-colourable graph, 5020
(n, k)-colourable graph, 2741
$(P_1, P_2, \ldots, P_n)$-partitionable, 5815
uniquely 3-colourable, 663, 3608, 5773
graph, 233, 3608, 5011, 5773
planar graph, 663, 665
uniquely balanced hole, 5249
uniquely colourable, 815, 2073, 5011
graph, 505, 862, 5020
hypergraph, 3199
n-dichromatic oriented graph, 2073
perfect graph, 1465, 5422
uniquely embeddable, 1210, 1463, 2232
in a torus, 1463, 2232
planar graph, 122
uniquely Hamiltonian connected, 2909, 5670
from a vertex, 1639, 2034, 2909, 5670
uniquely
minus G colourable graph, 5477
multiple pseudo-intersectable, 5115
uniquely n-colourable, 1011, 1465, 3608
graph, 233, 505, 5011
uniquely
pancyclic graph, 1997, *see also* UPC-graph
partially orderable, 1686, *see also* UPO
partitionable planar graph, 5815
realizable integer pair sequence, 1488
representable, 5115
uniquely solvable, 2570
Postian equations, 4628
uniquely
vertex colourable graph, 5993
$-G$ colourable graph, 5477
uniqueness, 1463, 1898, 2640, 2836, 3006, 3050, 3415, 3452, 3733, 3899, 3969, 4260, 4458, 4506, 5784, 5873
decomposition result, 1784
in graphs, 4458
uniqueness of
$(q+1)_4$-arcs, 1617
a decomposition, 2717

uniqueness of (*cont.*)
colourability, 1011
duals of 3-connected planar graphs, 1463
embedding a residual design, 1288
hexagonal systems, 5349
maximum diameter configurations, 2449
node voltages, 4344
P_4-chains, 5801
the 3-(22, 6, 1)-design, 1725
uniqueness result, 1483
uniresiduated ideal, 1791
unit
bar framework, 3483
bitolerance order, 5498
cube, 3449, 3804, 4123
diameter sphere, 1980
disk graph, 2861
distance graph, 2324, 3323
fraction, 144
unit in
a cubic field, 1818
an algebraic number field, 1818
the ring of integers modulo n, 2246
unit interval
digraph, 4523, 5457
graph, 1309, 1595
unit
right overlap interval digraph, 4523
sphere, 235, 620, 1496, 3580, 5659
unit tolerance
graph, 5498
order, 4145, 5498
unital, 1745, 2572, 3174, 3194, 5929
algebra, 3468
$PG(2, q^2)$, 3157
right R-module, 5630
U(3, q), 3416
U(q), 2327
unitary
composition, 4977
design, 2327
group, 3898, 4494
l geometry, 3898
reflection group, 3360
unit-bar, *see* unit bar
universal, 2203, 2613, 3939, 4815, 5721
(0, 1)-matrix, 1951
algebra, 570, 974, 4101
universal bound, 5789
for codes, 5958
for designs, 5958
universal
circuit matrix, 4011
commutator graph, 2613
constant, 4853
continued fraction, 1073
universal countable
$(C_3, C_5, \ldots C_{2n+1})$-free graph, 6014
bowtie free graph, 6014
H-free graph, 6014
universal cover graph, 3750
universal cycle, 3537, 3740, 4293, 4671
for permutations, 4671
universal cycle of
3-subsets, 3740
4-subsets, 3740
an n-permutation, 4671
k-permutations, 3740
universal
Delsarte bound, 5958
element, 3123
enveloping algebra, 5567
for isometric embeddings, 3123
graph, 3123, 5721, 6014
universal graph with forbidden
subgraphs, 3123
topological subgraphs, 3123
universal
group, 565, 2613
invariant, 100
lower bound, 5789
maximal packing function of a graph, 4815
MDF, 3939
universal minimal total dominating function, 4278
in tree, 4317
of a tree, 4278
universal MTDF, 4317
for a tree, 4317
universal
multiplication group construction, 3528
presentation of a group, 565
property, 3311, 5216
random graph, 3123
right multiplication group of a knot quandle, 3528
set, 3650
simple QO system, 1785
tiling, 1951, 2443
vertex, 5540
universality, 3112, 3311
universality of
a graph, 1995
the variety of de Morgan algebras, 2203
unlabeled
acyclic multipartite tournament
binary tree, 2531
coloured combinatorial structure, 4500
graph, 4890, 5513
poset, 3381
strict digraph, 2967
structure, 2209
tree, 390, 2913

unordered
hypergraph, 1806
pair of colours, 1636
unplayed edge, 5256
unprovability of FRT*, 3498
unprovable combinatorial statement, 3498
unramified covering, 4153, 4216
of the affine line, 4217
unreliable networks, 1580
unrestricted
code, 382
partition, 2519
unrooted planar map, 1196
unsimilarity, 2513
unsolvable by radicals, 1812
unweighted graph, 4107
unwinnable, 2681
up down
form, 1835
permutation, 117, 1266
poset, 1284
sequence, 117, 843, 1835
up embeddable, 5755
UPC-graph, 1997, *see also* uniquely pancyclic graph
updating information, 3666
UPO, 1686, *see also* uniquely partially orderable
UPO-comparability graph, 1686
upper and lower bounds, 81, 158, 555, 631, 804, 846, 1072, 1359, 1591, 1593, 1761, 1932, 2044, 2131, 2270, 3364, 3495, 3590, 3645, 3732, 3759, 3927, 4357, 4378, 4491, 4600, 4638, 5265, 5370, 5667
upper bound, 14, 26, 62, 73, 119, 120, 292, 302, 318, 536, 631, 661, 701, 712, 716, 736, 833, 846, 871, 892, 915, 936, 968, 1010, 1013, 1191, 1278, 1304, 1332, 1405, 1490, 1517, 1535, 1554, 1556, 1581, 1636, 1653, 1711, 1734, 1747, 1778, 1830, 1884, 1914, 2029, 2044, 2046, 2049, 2104, 2169, 2206, 2234, 2238, 2253, 2259, 2274, 2276, 2298, 2438, 2480, 2483, 2497, 2535, 2552, 2604, 2642, 2702, 2708, 2768, 2789, 2816, 2848, 2875, 2907, 2915, 2923, 2926, 2970, 2996, 3024, 3052, 3096, 3165, 3221, 3254, 3290, 3297, 3309, 3368, 3393, 3400, 3401, 3425, 3477, 3489, 3540, 3569, 3576, 3597, 3673, 3686, 3708, 3738, 3759, 3780, 3782, 3801, 3822, 3878, 3900, 3943, 3963, 4003, 4019, 4059, 4063, 4164, 4207, 4224, 4231, 4234, 4297, 4312, 4328, 4358, 4469, 4516, 4540, 4573, 4574, 4601, 4625, 4640, 4666, 4681, 4682, 4697, 4717, 4762, 4879, 4899, 4902, 4918, 4923, 4970, 5010, 5063, 5066, 5081, 5089, 5131, 5135, 5140, 5171, 5184, 5238, 5245, 5257, 5301, 5356, 5361, 5379, 5449, 5646, 5649, 5650, 5655, 5664, 5678, 5690, 5696, 5712, 5765, 5833, 5874, 5888, 5893, 5903, 5975, 6015
graph, 1483, 5503
upper
chromatic number, 4878, 5407, 5597
closure, 210
continuous modular lattice, 5630
cover, 1778
density, 2532, 3638, 5987
domination, 2852, 5301, 5754
upper domination number, 1118, 2852, 3860, 4805, 5102, 5299, 5452, 5754
of a graph, 5425
upper
embeddability, 886
embeddable, 180, 680, 886, 2616, 2888
half plane, 5023
independence number, 3860
irredundance, 2852, 5301
upper irredundance number, 1118, 2320, 2548, 2852, 3860, 4805, 5102, 5299, 5301, 5754
of a graph, 2548, 5425
upper
irredundance perfect graph, 5754
length, 1635, 2035
open packing number, 5678
packing number, 5678
semi n-regular factor, 5642
semimodular, 62, 1372
signed domination number, 5103
upper triangular
group, 2469
matrix, 4860
upper valuations, 3594
ups and downs, 132
upset, 5086
Urrutia, 5199, 5322
Ushio, 3997
Utumi cogroup, 4746
U-statistic, 2424

V

(v, 3, 2)-BIBD, 2757, *see* (t, 3, 2)-BIBD
(v, 3, 2)-design, *see* (t, 3, 2)-design
(v, 4, 1)-BIBD, *see* (t, 4, 1)-BIBD
(v, 4, 3)-BIBD, *see* (t, 4, 3)-BIBD
(v, 4, 3, 1)-BHD, *see* (t, 4, 3, 1)-BHD
(v, 4, even)-design, *see* (t, 4, even)-design
(v, 4, λ)-design, *see* (t, 4, λ)-design
(v, 6, 1)-PMD, *see* (t, 6, 1)-PMD
(v, 7, λ)-PMD, *see* (t, 7, λ)-PMD
(v, k, 1) optical, *see* (n, k, 1) optical
(v, k, 1)-design, *see* (t, n, 1)-design
(v, k, α, β)-partial difference set, 1751

(v, k, even)-design, *see* (t, k, even)-design
(v, k, λ), *see* (t, k, λ)
  design, *see* (t, k, λ)-design
(v, k, λ)-design, *see* (t, n, λ)-design
(v, k, λ)-difference set, *see* (n, k, λ)-difference set
(v, k, λ)-MD, *see* (t, k, λ)-MD
(v, k, λ)-Mendelsohn design, 2807,
    see (t, k, λ)-Mendelsohn design
(v, k, λ)-PMD, *see* (t, k, λ)-PMD
(v, k, t) covering system, *see* (n, k, m) covering
    system
V_8-minor, 5242
Vaccaro, 4365
vacuously transitive relation, 111
Vaidyanathaswamy, 203
valence, 27, 143, 170, 248, 804, 1097, 1444, 1672,
    2622, 2625, 2790, 3130, *see also* valency
  higher than three, 3204
  pair, 2625
  problem, 157
valency, 54, 121, 224, 266, 272, 287, 594, 679, 733,
    899, 972, 979, 1013, 1138, 1292, 1373, 1426,
    1566, 1828, 2060, 3126, 3282, 3541, 3819,
    4204, 4244, 5676, *see also* valence
  four, 5609
  sequence, 4723
  three, 4244, 5609
  two, 4244, 5365
valet function, 5946
valid sequence, 140
valuated Δ-matroid, 3710, 4528
valuation, 696, 956, 1175, 3481, 4236, 5486
  of a diagram, 3677
  on a distributive lattice, 1403
  theory, 1950
value function, 622
  of a mixed integer program, 622, 814
value iteration, 814
valued
  graph, 3588
  tree, 5788
Vámos, 2528
  matroid, 6024
Vámos, P, 2012
Van de Vate, 4593
van den Berg, 3201
van den Heuvel, 5817
van der Waerden, 1575, 2276
  number, 925, 2276, 3309
van den Waerden theorem, 2522
  on arithmetic progressions, 1575
van Lint, 548, 2032, 3421, 3439, 3440
van Lint, J H, 195, 1663, 3440
Van Maldghem, 5404
van Tilborg, 5538
van Vollenhoven, 327
Vandermonde convolution, 10, 2966, 4877
vanishing of determinants over finite field, 2178
Vanstone, 2538, 2588, 3037
Vapnik, 3904, 5207
Vapnik-Chernovenkis dimension, 3904, 4675,
    see also VC dimension
Vapnik-Chervonenkis
  class, 1124
  dimension, 4542
variable
  code, 1907
  length code, 3863, 4273, 5967
variance, 1766, 2725, 3615, 3729, 3730, 4064, 4065,
    4881, 5141
  of the counts of blocks, 5462
  problem, 3729
variant subset, 1139
variational
  approach, 4162
  argument, 3079
variety, 1746, 3570, 3971, 4407, 4961
  generated by finite algebras, 1746
variety of all
  lattices with a spanning M_3, 1794
  sloops, 3032
  squags, 3032
variety of
  Boolean algebras, 5732
  bounded distributive lattices, 4247
  de Morgan algebras, 2203
  generalized idempotent H-permutable
    3-groupoids, 5515
  groupoids, 635
  incomplete flags, 5578
  multi-algebras, 1797
  orthostructures, 1787
  pseudocomplemented distributive lattices, 3637
  quasigroups, 2570
  Q-distributive lattices, 5221
  realizations, 3427
  semimodular lattices, 1794
Varlet, 3571
Varricchio, 4856
Varshamow-Gilbert bound, 76
Varshavsky, 436
Vaserstein, 4470
Vatican square, 3076
Vauquelin, B, 1944
VC dimension, 4542, 4675, 5207, *see also*
    Vapnik-Chernovenkis dimension
VC-dimension, *see* VC dimension
vector
  difference, 5833
  identity, 33

vector (*cont.*)
list, 475
representable matroid, 790
vector representation, 2012, 2612
of a graph, 2961
vector space
model, 2210
of real functions, 1124
vector space over
a finite field, 3149, 3449
a skew field, 1108
vector summation, 4596
vectorproduct, 3166
Veldman, 3363, 3734, 3851, 4419, 4943, 5144, 5294, 5445, 5702
theorem, 5445
Veldman, H J, 4650
Velez, 5224
verification, 4473
Veronese variety, 1623
vertex, 7, 27, 59, 97, 106, 107, 113, 127, 128, 135, 141, 148, 150, 151, 157, 158, 168, 169, 171, 173, 174, 198, 202, 205, 220, 223, 224, 224, 228, 230, 235, 238, 241, 246, 247, 254, 255, 260, 264, 272, 286, 287, 292, 296, 302, 309, 317, 323, 333, 347, 350, 351, 356, 358, 364, 365, 367, 374, 377, 391, 392, 397, 403, 411, 412, 418, 426, 428, 431, 437, 440, 441, 442, 446, 454, 455, 459, 460, 470, 477, 483, 487, 497, 501, 502, 512, 513, 517, 522, 524, 525, 527, 528, 532, 556, 563, 572, 575, 581, 583, 600, 617, 618, 621, 623, 629, 631, 633, 636, 637, 638, 650, 682, 688, 708, 715, 718, 726, 730, 734, 737, 743, 744, 745, 753, 761, 765, 770, 773, 774, 776, 783, 799, 815, 816, 818, 818, 820, 822, 831, 832, 837, 849, 851, 871, 881, 882, 886, 894, 895, 901, 902, 912, 915, 916, 930, 933, 937, 939, 945, 950, 961, 979, 982, 988, 999, 1006, 1009, 1012, 1013, 1014, 1018, 1032, 1034, 1041, 1052, 1059, 1069, 1075, 1078, 1082, 1083, 1085, 1086, 1093, 1095, 1096, 1107, 1111, 1118, 1130, 1134, 1138, 1145, 1146, 1151, 1164, 1190, 1204, 1213, 1217, 1225, 1229, 1240, 1245, 1249, 1258, 1266, 1268, 1272, 1273, 1278, 1293, 1302, 1312, 1316, 1317, 1334, 1347, 1348, 1353, 1359, 1361, 1368, 1369, 1370, 1371, 1377, 1379, 1400, 1409, 1412, 1417, 1426, 1434, 1437, 1442, 1444, 1445, 1455, 1466, 1476, 1477, 1479, 1485, 1492, 1495, 1501, 1511, 1513, 1532, 1536, 1543, 1549, 1554, 1557, 1561, 1563, 1571, 1574, 1580, 1584, 1587, 1598, 1600, 1604, 1610, 1619, 1620, 1638, 1639, 1658, 1659, 1668, 1669, 1671, 1672, 1675, 1677, 1679, 1686, 1691, 1692, 1696, 1700, 1701, 1710, 1711, 1730, 1731, 1734, 1735, 1748, 1750, 1752, 1755, 1757, 1764, 1769, 1803, 1813, 1822, 1848, 1855, 1857, 1861, 1863, 1864, 1865, 1872, 1879, 1883, 1887, 1916, 1918, 1927, 1933, 1937, 1944, 1969, 1973, 1982, 1984, 1997, 2002, 2004, 2005, 2007, 2015, 2018, 2019, 2023, 2024, 2034, 2036, 2037, 2038, 2044, 2048, 2049, 2053, 2062, 2063, 2067, 2082, 2094, 2100, 2145, 2147, 2149, 2151, 2154, 2176, 2182, 2185, 2204, 2205, 2212, 2216, 2227, 2239, 2255, 2256, 2260, 2269, 2270, 2282, 2282, 2286, 2289, 2301, 2306, 2307, 2310, 2315, 2324, 2325, 2326, 2329, 2330, 2333, 2336, 2337, 2346, 2350, 2370, 2371, 2372, 2374, 2376, 2378, 2391, 2392, 2393, 2396, 2398, 2401, 2402, 2404, 2405, 2409, 2412, 2415, 2421, 2423, 2435, 2437, 2446, 2447, 2450, 2464, 2468, 2473, 2476, 2477, 2485, 2486, 2488, 2497, 2499, 2505, 2507, 2509, 2510, 2511, 2512, 2518, 2521, 2523, 2529, 2531, 2533, 2534, 2537, 2545, 2547, 2548, 2559, 2563, 2582, 2601, 2612, 2613, 2621, 2626, 2631, 2639, 2641, 2645, 2657, 2662, 2667, 2670, 2679, 2680, 2681, 2682, 2695, 2706, 2713, 2722, 2725, 2729, 2736, 2739, 2741, 2766, 2784, 2791, 2811, 2817, 2821, 2822, 2823, 2824, 2827, 2834, 2841, 2843, 2847, 2851, 2854, 2855, 2856, 2857, 2863, 2865, 2872, 2874, 2875, 2876, 2883, 2900, 2902, 2907, 2909, 2915, 2916, 2927, 2934, 2938, 2942, 2947, 2954, 2957, 2958, 2961, 2967, 2969, 2976, 2993, 3003, 3007, 3014, 3019, 3020, 3026, 3035, 3036, 3037, 3060, 3067, 3075, 3082, 3084, 3090, 3098, 3102, 3107, 3125, 3126, 3148, 3150, 3158, 3163, 3171, 3176, 3181, 3185, 3189, 3192, 3200, 3204, 3206, 3210, 3212, 3213, 3244, 3249, 3251, 3253, 3254, 3255, 3256, 3257, 3258, 3260, 3261, 3263, 3266, 3267, 3269, 3271, 3273, 3275, 3276, 3278, 3283, 3290, 3292, 3294, 3295, 3301, 3303, 3305, 3316, 3318, 3321, 3323, 3330, 3332, 3334, 3336, 3337, 3340, 3342, 3359, 3362, 3364, 3368, 3373, 3382, 3389, 3391, 3394, 3400, 3403, 3406, 3415, 3418, 3429, 3477, 3483, 3491, 3492, 3493, 3501, 3502, 3504, 3505, 3506, 3507, 3524, 3527, 3531, 3533, 3546, 3549, 3555, 3559, 3561, 3563, 3569, 3573, 3582, 3584, 3588, 3589, 3590, 3596, 3599, 3602, 3608, 3609, 3619, 3620, 3622, 3631, 3638, 3640, 3641, 3642, 3643, 3650, 3652, 3658, 3664, 3670, 3678, 3696, 3713, 3732, 3734, 3738, 3742, 3751, 3753, 3755, 3762, 3765, 3766, 3768, 3779, 3786, 3794, 3804, 3809, 3815,

vertex (*cont.*), 3817, 3819, 3820, 3823, 3827, 3830, 3832, 3833, 3838, 3842, 3847, 3848, 3849, 3850, 3852, 3862, 3864, 3865, 3878, 3882, 3884, 3885, 3905, 3908, 3915, 3918, 3921, 3925, 3926, 3927, 3931, 3934, 3936, 3940, 3942, 3943, 3953, 3955, 3961, 3964, 3977, 3979, 3981, 3994, 4002, 4004, 4014, 4029, 4033, 4045, 4046, 4048, 4049, 4057, 4059, 4061, 4064, 4065, 4067, 4068, 4095, 4107, 4113, 4114, 4115, 4120, 4121, 4132, 4137, 4141, 4151, 4157, 4163, 4164, 4165, 4174, 4175, 4181, 4193, 4202, 4203, 4206, 4215, 4225, 4226, 4230, 4232, 4233, 4234, 4239, 4251, 4257, 4258, 4265, 4269, 4270, 4276, 4277, 4279, 4300, 4303, 4305, 4312, 4318, 4321, 4322, 4325, 4326, 4332, 4337, 4346, 4351, 4355, 4356, 4357, 4360, 4361, 4366, 4369, 4382, 4384, 4392, 4399, 4410, 4412, 4415, 4431, 4433, 4437, 4438, 4439, 4440, 4444, 4445, 4447, 4457, 4474, 4506, 4509, 4534, 4535, 4536, 4538, 4542, 4543, 4544, 4549, 4551, 4557, 4560, 4565, 4583, 4595, 4600, 4607, 4615, 4631, 4656, 4657, 4658, 4661, 4686, 4690, 4691, 4694, 4705, 4710, 4714, 4721, 4722, 4723, 4727, 4747, 4751, 4754, 4756, 4761, 4762, 4764, 4765, 4768, 4780, 4782, 4786, 4791, 4797, 4802, 4806, 4812, 4814, 4815, 4819, 4821, 4826, 4830, 4834, 4864, 4869, 4871, 4888, 4890, 4893, 4912, 4914, 4919, 4921, 4933, 4934, 4939, 4943, 4944, 4949, 4950, 4962, 4964, 4991, 4992, 4993, 4994, 4997, 5006, 5013, 5019, 5021, 5023, 5032, 5037, 5039, 5040, 5042, 5046, 5047, 5049, 5053, 5060, 5062, 5064, 5070, 5074, 5075, 5079, 5081, 5084, 5090, 5093, 5096, 5102, 5104, 5109, 5112, 5114, 5119, 5122, 5125, 5129, 5130, 5136, 5139, 5143, 5144, 5147, 5149, 5186, 5194, 5195, 5197, 5198, 5199, 5213, 5222, 5227, 5227, 5228, 5229, 5231, 5232, 5240, 5243, 5245, 5246, 5251, 5257, 5261, 5265, 5268, 5277, 5285, 5288, 5291, 5294, 5299, 5300, 5301, 5303, 5305, 5310, 5312, 5317, 5322, 5333, 5338, 5342, 5347, 5348, 5353, 5366, 5370, 5377, 5380, 5381, 5384, 5388, 5413, 5428, 5432, 5438, 5441, 5443, 5444, 5445, 5467, 5468, 5469, 5469, 5481, 5483, 5487, 5497, 5498, 5503, 5504, 5506, 5509, 5510, 5513, 5519, 5529, 5531, 5532, 5533, 5541, 5549, 5558, 5575, 5588, 5597, 5604, 5608, 5609, 5613, 5614, 5616, 5619, 5631, 5634, 5636, 5641, 5652, 5655, 5656, 5662, 5663, 5664, 5670, 5676, 5678, 5679, 5683, 5684, 5688, 5689, 5690, 5695, 5701, 5702, 5705, 5710, 5718, 5719, 5721, 5731, 5738, 5743, 5750, 5773, 5776, 5779, 5780, 5788, 5794, 5799, 5801, 5808, 5812, 5813, 5814, 5815, 5816, 5817, 5823, 5829, 5837, 5857, 5858, 5861, 5868, 5873, 5874, 5875, 5877, 5880, 5887, 5891, 5893, 5895, 5896, 5900, 5901, 5902, 5905, 5906, 5919, 5921, 5931, 5933, 5937, 5941, 5943, 5947, 5950, 5951, 5953, 5954, 5957, 5959, 5960, 5970, 5976, 5977, 5979, 5982, 5987, 5990, 5994, 5995, 6000, 6002, 6012, 6013, 6014, 6018, 6025, 6030
  2-connected, 2888
  4-colouring, 2482
  7-critical graph, 3630
  amalgamation of graph, 4342
vertex arboricity, 4326
  of graph, 4326
vertex
  centered automorphism, 3861
  choice, 1371
  class, 2421
  coloured, 5194
vertex colouring, 127, 840, 1370, 1450, 1696, 2484, 2486, 3083, 3368, 3590, 3815, 4536, 5081, 5776, 5960, 5965, 5993
  algorithm, 3147, 3817, 5126
  in graph, 4670
  of a graph, 1510, 1696, 2143, 2484, 3243, 3590, 3597, 5317, 5327, 5660
  with a distance restriction, 5807
vertex
  complement, 2283
  completion operation, 5558
  connectivity, 1346, 1542, 1823, 2204, 2888, 3908, 4573, 4658, 5384, 5436
vertex cover, 1958, 5961
  by paths, 769
  of a graph, 5961
vertex covering number, 2396
vertex critical, 866, 1006
  4-dichromatic circulant tournament, 5199
vertex critical graph, 866, 1006, 3292
  conjecture, 866
vertex critical
  hypergraph, 3199
  n-dichromatic tournament, 1642
vertex
  deck, 3919
  degree, 11, 129, 1442, 1480, 2430, 3891, 4996, 5664, 5822
  deleted subgraph, 603, 1168, 1273, 2645, 3303, 4136
  deletion, 3833, 5976
vertex diameter
  2-critical graph, 5285
  n-critical, 5285

vertex directed edge incidence matrix, 263
vertex disjoint, 982, 1987, 2377, 3391, 4631, 4666, 4964, 5243, 5549, 5735, 5938, 5943
  claws in graph, 5938
  copies of a fixed graph, 3391
  cycles, 3619, 3755, 4888, 4992, 5943
vertex disjoint directed
  circuits, 1929
  cycles, 4882
vertex disjoint edges, 2691
vertex disjoint hexagons, 5686
  with chords, 5686
vertex disjoint paths, 1669, 2837, 4438, 5660
  in a tree, 4519
vertex disjoint
  subgraph, 2505, 3429, 5686, 5938
  triangles, 2691, 3251, 3267, 5687
  union, 3184, 4904, 5243
vertex
  distinguishing, 4346
  grid, 5049
vertex group, 3319
  of a 3-manifold, 3319
vertex heaviest paths and cycles, 5037
vertex independence number, 1450, 2396, 3316
  of a graph, 5425
vertex induced subgraph, 309, 2005, 5431
vertex intersection graph, 1857
  of paths in a tree, 1864, *see also* VPT graph
vertex
  intersection of paths in a tree, 1857
  labeling, 4215, 4239, 5055, 5366
  linear arboricity, 4429, 4935, 5992
  meeting all cycles, 1848
  neighbourhood, 2060
  number, 2188
  n-critical graph, 3292
  n-partition, 755
vertex of
  a five-cycle, 2604
  a strong tournament, 5976
vertex of degree, 4 522
  one, 4650, 5702
  two, 2405, 3830, 5824
  two or three, 2418
vertex of
  eccentricity n, 3297
  finite degree, 1273
  indegree zero, 5837
  infinite degree, 633, 1445, 4098
  large degree, 3275
  less than maximum valency, 866
  minimum degree, 839, 5113
  valence two, 241
  valency two, 287
vertex
  operator, 3229
  orbit, 3861
vertex packing, 391
  a polyhedron, 391
vertex pancyclic, 527, 2626, 4320, 5114, 5702
  graph, 5114
  locally semicomplete digraph, 5289
vertex
  pancyclicity, 5702
  pancyclism, 5702
vertex partition, 2636, 2691, 2716, 3961, 4692, 5805, 5815
  number, 572, 1219
vertex picking game, 2364
vertex primitive, 4035
  digraph, 4035
  non-Cayley graph, 5603
vertex reconstruction conjecture, 3919
vertex reduction, 5705
  of a snark, 5705
vertex set, 563, 755, 768, 826, 903, 1041, 1075, 1086, 1111, 1400, 1412, 1542, 1565, 1610, 1686, 1752, 1795, 1804, 1864, 1982, 1987, 2048, 2083, 2101, 2150, 2152, 2307, 2324, 2328, 2352, 2376, 2395, 2415, 2416, 2482, 2603, 2613, 2617, 2650, 2667, 2680, 2827, 2841, 2843, 2857, 2867, 2915, 2920, 2987, 2991, 3005, 3107, 3142, 3171, 3269, 3314, 3323, 3330, 3376, 3396, 3550, 3638, 3686, 3694, 3784, 3788, 3806, 3840, 3864, 3964, 4049, 4093, 4121, 4175, 4206, 4367, 4595, 4600, 4632, 4635, 4654, 4694, 4780, 4812, 4939, 4944, 5055, 5092, 5101, 5143, 5228, 5231, 5235, 5240, 5261, 5300, 5380, 5381, 5622, 5640, 5694, 5701, 5749, 5812, 5816, 5874, 5905, 5931, 5961, 5987, 6000
  of a connected graph, 1590, 1605
  of a graph, 679, 2854, 4698, 5684
vertex
  splitting, 2818, 3576
  stability, 1543
  subset, 5510
  switching reconstruction, 4884
vertex symmetric, 1185
  digraph, 1185
  graph, 1185, 1402, 1420, 2219, 3131
  tournament, 3296
vertex to vertex
  pursuit in a graph, 1437
  unit triangle, 3172
vertex transitive, 1479, 3130, 3284, 3530, 3772, 3907, 5261, 5596, 5603, 5725
  digraph, 1559, 1822, 4175, 5388

vertex transitive graph, 397, 581, 1802, 1817, 2231, 2598, 2616, 2671, 3518, 3819, 4175, 4394, 5596, 5625, 5663
vertex
  transitivity, 3284
  type, 1139
  vectors, 3765
  vertex matrix, 2708
  weight function, 4997
vertex with minimum degree, 2294, 3312, 4962
  2n/3, 5444
vertex-colouring, *see* vertex colouring
vertex-primitive, *see* vertex primitive
vertex-symmetric, *see* vertex symmetric
vertex-transitive, *see* vertex transitive
  graph, *see* vertex transitive graph
vertical
  edge, 4979
  sum, 5502
vertically 3-connected, 5454
vertically contractible, 5454
  element, 5454
vertices, 2625
  and edges of a graph, 5561
  coloured by any two colours, 5660
  in general position, 2015
vertices of
  a graph, 2495, 2855, 2919, 3082, 3124, 3243, 3795, 3850, 4433, 4446, 4549, 4686, 5208, 5291, 5619, 5655
  a triangulation, 3290
Vertigan, 5057
very
  large maximal tree, 2419
  small maximal tree, 2419
very well covered, 1397
  graph, 1397, 4951
very well poised on unitary or symplectic groups, 4494
vesicles cell, 5780
Vesztergombi, 5828
vexillary permutation, 4422
vicinal pre-order, 1470, 1815
Viennot, 1594, 2694, 3697, 4388, 4981, 5373, 5566
  algorithm, 2275
Vietoris combinatorial identity
Vietoris, L., 2177
Vigué, 332
Vince, 4512
virtual G-set, 4249
virtually planar, 2351
  graph, 2351
virus capsid, 5780
Viry, 1901
visibility
  graph, 2154
  relation, 5267
visible lattice point, 279
visually distinct
  configurations, 1122
  sets, 1122
visually
  equivalent, 1122
  independent subset, 1354
Viterbi decoder, 3429
Vitray, 4682, 5432
Vizing, 1759, 4003, 4885, 5013, 5669
  adjacency lemma, 5158
  bound, 4003
  fan argument, 5158
  like conjecture, 4809, 5107
Vizing theorem, 1510, 1571, 2604, 5158
  on domination, 4003
Vizing, V G, 129, 1759
VLSI, 3429
  chip, 4473
  decomposition, 3429
  design, 5585
  theory, 3243
Voevodsky, 4961
Voigt, 5328
Volkmann, 5025, 5655
Voloshin, 5265
voltage, 4070, 4379
  assignment, 604, 913, 3356
voltage current
  duality, 3356
  group, 3356
voltage graph, 284, 452, 604, 1019, 1294, 1803, 2057, 3356, 5584, 5770
  theory, 2057, 5584
voltage group, 4363, 5595
Volterra product, 5567
volume, 1546, 1724, 3064, 3246, 5062, 5777
volume of
  a lattice polyhedron, 5757
  the Euclidean unit ball, 5189
von Neumann, 3776
von Neumann, J, 5933
Voss, 1106, 5822
voting
  block, 2904
  record, 935
VPT graph, 1864, *see also* vertex intersection graph of paths in a tree
vulnerability, 3871, 4676, 5413
V-function, 3371

W

W(3, q), 5403

W(5, q), 5403
W_3-minor, 3801
W_4-minor, 3801
W_5-homeomorph, 2378
W_5-minor, 3801
W_6-minor, 3801
Wagner, 457, 784, 3383, 4664
  theorem, 106, 3027
Wagner, A, 3027
Wagner, K, 2123
Wagon, S, 1052
Wagstaff, 2783
Walikar, 5816
walk problem, 4144
Walker, J W, 2745
Walker, W J, 2266
Walkup, 1232
Wall, 1141, 2302, 3884, 4861
Waller, 536
Wallis, 2401
Wallis, J, 65
Wallis, W D, 1215
wallpaper, 3874
  group, 3874
w_α-compactness, 3467
Walsh spectrum, 2889
Walton, 2723
Wang, 2373, 2382, 3181, 4649, 4835, 5426
  tile, 4837
Wang, E T H, 1534, 2686
Wankmüller, F, 5905
Waring, 3585
  graph, 3585
  problem, 4102
WASS hyperstructure, 5417
wasted volume, 1393
Watkins, 1691, 1981
Watson, 1152, 4816
WDF, 5106
WD-set, 4950, *see also* weak dominating set
weak, *see also* weakly
  3-Δ-subsystem, 4540
  antimagic graph, 4198
  associative, 4748
  bipolarizable graph, 2489
  Bruhat order, 3571
weak chromatic number, 751, 1163
  of a hypergraph, 751
weak
  completeness, 2210
  connectivity, 3335, 5273
  Δ(k) system, 551
  Δ-system, 4540, 5118
  dimension, 511
  dominating set, 4950, *see also* WD-set
  domination number, 4950
  equivalence classes, 4703
  filter theorem, 2810
  lattice constant, 1297
  lead lattice path, 126
weak map, 808
  in combinatorial geometries, 808
  partial order on matroids, 723
  sequence of basis families of matroids, 2312
weak modularity, 4936
weak Monge
  array, 5727
  matrix, 5727
  property, 5727
weak
  node sequence, 538
  n-weight of a combinatorial geometry, 103
weak order, 5493, 5783
  relation, 5783
weak
  path partition conjecture, 5231
  perfect graph conjecture, 1813
weak product of
  cliques, 1927
  graphs, 4365
weak
  reconstruction of a Cartesian product graph, 4903
  resolvable transversal design, 5593
  star chromatic number, 4512
  unimodularity, 1723
weaker
  exchange property, 2010
  system of axioms, 3971
weakly, *see also* weak
  2-colourable, 2907
  α-compact, 3467
weakly arithmetic progression, 2940, 4562
  of length L, 2940
weakly bipartite, 3383
  graph, 3383
weakly
  compact graph, 5939
  complete, 2210
weakly connected, 2468, 5053
  component, 5273, 5965
  digraph, 781
  dominating set, 5303
weakly connected domination in a graph, 5303
  number, 5303
weakly
  cyclic matrix, 1157
  diamond free, 5106
  dominating, 4950
  edge indivisible, 5623

weakly (*cont.*)
F-saturated hypergraph, 3504
Hamiltonian connected, 4543
independent subsets, 3629
inexhaustible, 3695
metric association scheme, 2946
modular space, 4936
ordered, 4645
separable graph, 1542
transitive orientations, 3598
weakly triangulated, 2468, 3517
graph, 3286
underlying graph, 2468
weakness, 661
of a quasikernel, 661
web, 391
Webster, 5632
Weetman, 4550
Wegner, 4033
Wei, 1774, 2980, 4457
bound, 2980
Wei, V, 1826
weighing design, 4465
weighing matrix, 3718
of order 13 and weight 9, 3718
weight, 903, 2500, 2635, 2695, 2773, 2823, 3075, 3195, 3560, 3896, 4046, 4107, 4135, 4360, 4364, 4399, 4595, 4665, 4827, 4852, 4904, 5015, 5091, 5910, 5981
class, 4622, 5729
weight class distribution, 4008
of generator functions, 4008
weight
congruence, 78
controlled subset, 2414
weight distribution, 71, 80, 596, 651, 759, 928, 2045, 2170, 2707, 3431, 5238
of a code, 71
of a linear code, 759, 3442
of coset leaders, 928
of cosets, 4020
weight enumerator, 300, 596, 651, 1899, 3428, 3462, 3568, 5311
of a code, 5311
of a product code, 3462
of a selforthogonal code, 300
polynomial, 643
weight function, 2458, 3784, 4360, 5326
of a linear code, 864
weight hierarchy, 4386, 4590, 5435
of codes, 5219
of semiprimitive codes, 4590
weight in a code, 67
weight of a code, 67, 75, 76, 78
word, 554
weight of
a majority dominating function, 4549
a minus dominating function, 4686, 5982
a path, 4595, 5352
a treatment, 3196
a vertex, 3075
an edge, 5352
weight
on a multigraph, 3560
polarization, 2781
polynomial, 4627
spectra, 5435
sum at a vertex, 4399, 4904
weighted alternating sum, 2252
weighted clique, 1245
cover, 1245
weighted
degree of a vertex, 2994
graph, 1675, 3576, 4064, 4065, 5352, 5368, 5496, 5703, 5910
infinite bipartite graph, 4104
weighted lattice path, 478, 4927
counting, 4927
weighted
matroid intersection, 2459
multiconnected loop network, 4595
Stirling number, 1915
sum, 5001
tournament, 5236
tree, 4569
turn, 4852
weights of
a de Bruijn sequence, 5729
the dual code of the Melas code over GF(3), 2500
Weil, A, 1399
Weisner property, 1087
Weiss, 126
Well, 2032
well
behaved integer program, 217
characterizing, 5128
well covered, 1397, 3972, 4161
cycle, 2835
graph, 1397, 3941, 3972, 4161, 4951
well formed sequence of parentheses, 2719
well founded
QO system, 1785
tree, 1779
well
graded family of relations, 5167
labeled tree, 1944
order, 1177
ordered set, 1170, 3118
partially ordered free monoids, 700
poised, 4494

well (*cont.*)
quasi-order, 1934, 4337, *see also* wqo
quasi-ordered set, 3475
well quasi-ordering, 1590, 5030
result, 5259
well separating cycle, 2094
wellcovered, *see* well covered
Wells, 344
well-covered, *see* well covered
well-labeled, *see* well labeled
Welsh, 608, 823, 921, 1237, 1829, 2414, 3099, 4128, 4319, 6023
Welsh-Powell
bound, 2493
upper bound, 2493, 6015
Welter game, 2558
Welzl, 4167
Wentzel-Kramer-Brillioun method, *see also* WKB method
Werner, 3637
West, 2730, 3079, 4384, 4846, 5186, 5864
conjecture, 5677
West, D, 4563
West, J, 3289, 5677
West, M, 938
Weyl group, 4291, 4304, 4860, 5844
of type A_n, 4291
of type B_n, 4291
of type D_n, 4291
Weyl module, 5839
Wh(4n), 3924
Wh, *see also* whist tournament
wheel, 368, 896, 1276, 1728, 2336, 2378, 2738, 3035, 3066, 3102, 3136, 3267, 3362, 3747, 3801, 3883, 4321, 4412, 4453, 4604, 4948, 5358, 5890
graph, 180
wheel of
even order, 5050
rank greater than three, 3338
wheel on
six vertices, 3362
ten vertices, 3362
wheel theorem, 3539
wheel with
a missing spoke, 2738, 4604
two missing consecutive spokes, 5358
whist tournament, 5942, *see also* Wh
design, 3924
White, 415, 3225, 4225
Whitehead, 3136, 5333
Whitehead, Jr, 4173, 5039
Whitehead, E G, Jr, 5350
Whitney 2-isomorphism theorem, 1923, 2136
on graphs, 2136
Whitney, 8, 122, 1407, 1923, 2874, 4533, 4952, 5315
characterization of the coefficients of $P(G; \lambda)$, 2874
cycle isomorphism theorem, 2136
number, 601, 1028, 1284, 1618, 2025, 2252, 2642, 4639, 4813
Whitney number of
the 1-st and 2-nd kind, 1227
the 1-st kind, 1227
the 2-nd kind, 1227
the second kind, 4813
Whitney
polynomial, 1407
rank function, 8
sum, 2642
switching, 4706
Whitney theorem, 24, 1709, 1887, 2758, 4706
for infinite graphs, 1887
Whitney theorem on
automorphisms, 24
edge isomorphisms of graphs, 1709
isomorphisms of line graphs, 4952
Whitney topological characterization, 2241
of the chromatic polynomial, 2241
Whitney, H, 522
Whittle, 5057
Whitworth run, 1731
wide diameter, 5941
width, 511, 824, 1062, 2122, 2124, 2921, 2925, 3612, 4288, 4463, 4694, 4752, 4975, 5014, 5585, 5720
length characterization of ideal matrices, 3600
of a finite distributive lattice, 2122
width two, 2756
poset, 5014
Wiener, 203
index, 5779
Wigner, 140
Wild, 5714
wild observation, 3723
Wilf, 485, 1718, 1719, 2286, 2292
Wilf, H, 2292
Wilf-Zeilberger, *see also* WZ
Will, 5186
Willcocks, 3414
Wille, 1792, 2649, 2917
Willers, H, 2179
Williams, 1785
Williamson, 415, 2302, 3711
Williamson matrix, 3711
of order 4·39, 3711
Williamson type, 2273, 2890
of order 4·33, 2273

Wills conjecture on the number of lattice points in convex bodies, 1950
Wilson, 88, 255, 514, 601, 1376, 1490, 1570, 2526, 2568, 2691, 3168, 3414, 3924, 4261
  asymptotic existence theorem, 4553
Wilson construction, 3912
  for mutually orthogonal Latin squares, 1101, 1298
Wilson
  fundamental construction, 1101, 3912
  lemma, 4553
  type construction, 1076
WIM, 3666, *see also* write isolated memory
win draw lose game, 627
windmill graph, 2876
wing, 2680, 4811
  graph, 2680
Winkler, 3514, 4289
  algorithm, 3514
winnable regular graph, 3620
winning
  position of the arborescence game, 5256
  set, 2810, 3546
  strategy, 45, 83, 627, 953, 1381, 1437, 4018, 5674
Winograd, 1904
wire
  tap channel, 1899
  tapper, 1899
Witt
  4-(23, 7, 1)-design, 3137
  design, 3097
  formula, 5572
  theorem, 4745
Witte, 4035, 4750, 4789
Witten, 4961
W_k, *see* W_n
WKB method, 3982, *see also* Wentzel-Kramer-Brillioun method
W_n, 3801
  path, 2082
Wodja, 3693
Wolfart, J, 4961
WOM, 2193
  code, 2193
Wong, 1426, 5232
Woodal, D R, 2724
Woodall, 3192, 4059, 4796, 5281
  characterization of independence systems, 1058
Woodrow, 1917
Woods, 1796
Woolehouse, 1772
Woolehouse, W S B, 1772
Woolhouse, 724
word, 857, 1137, 1200, 1305, 1698, 1810, 1889, 1934, 1944, 2122, 2381, 2522, 2546, 2549, 2696, 2900, 3306, 3333, 3431, 3457, 3489, 3943, 4115, 4288, 4364, 4388, 4495, 4585, 4592, 4841, 4942, 4999, 5328, 5384, 5423, 5424, 5720, 5839, 5983
  correcting convolutional code, 1903
  correction, 1903
  hyperbolic group, 4750, 4789
  of minimum weight, 3540
word problem, 1665, 1787, 2242, 3358, 3644
  for finite algebras, 3686
word
  structure, 5448
  weight of a code, 4134
words of an equidistant code, 195
Wormald, 4395, 5608, 5644
Wormald, N C, 4395
worst case
  behaviour, 339, 5827
  complexity, 806, 3589, 3690
  running time, 313
wqo, 3475, 5030, *see also* well quasi-order
wrapped covering, 2597, 3356
  of a graph, 2597
wrapped quasicovering of a graph, 1019
wreath product, 355, 395, 480, 741, 746, 2173, 3769, 3796, 5208, 5296, 5577, 5884
  of two cyclic groups, 2173
  of two symmetric groups, 746
Wright, 3686, 4664
write
  isolated memory, 3666, *see also* WIM
  once memory, 2193
writing on a reluctant memory, 2775
Wu, 5761
Wynn, 1013
Wythoff array, 3978
WZ, *see also* Wilf-Zeilberger
  style proof, 6022
WZ-pair, 2989
w-compact space, 3467
W-decomposition, 3562
W-locally (n, k)-critical, 5554
W-outerplanar, 1734
w-partite graph, *see* n-partite graph
w-Rabin number, *see* n-Rabin number
w-wide, *see* n-wide

X

Xia, 5032
Xia, X-g, 2162
Xiang, Ke-Feng, 2150
Xu, 2336, 3362, 5343
Xu, S-J, 5350

Xuong, 2888, 4682, 5816
  cotree, 4787
X-cyclability, 5144
X-cyclable, 5144
  graph, 5144
X-cycle, 5144
X-dominating cycle, 5144
X-join, 189
  of graphs, 189
X-longest cycle, 5144

Y
Yajima, 649
Yamamoto, 2218, 3542, 3720
Yamasaki, 3606
Yang, 5848
Yang-Baxter equation, 4848
Yannakakis, 4798
Yap, 4649
Yeh, 2653, 2981, 4239
Yetter, 3262
Yin, 5748
Yorgov, V Y, 2777
Yoshiara, 5393
Youden, 4571
  rectangle, 3938, 3957, 3965
  square, 1136, 4571, 4572, 5324, 5969
Young, 480, 3132
  diagram, 4605, 5171
  frame, 842
  lattice, 843, 4506
  standard tablau, 4503
  subgroup, 1703, 4844
  tableau, 40, 489, 550, 843, 993, 1718, 2250, 2629, 3132, 4266, 4854, 4976
Youngs, 5745, 5797
Yu, 5775, 5884
Yuan, 3542, 4559
Yuen, 6012
Yule, 2414
Yuzvinsky, 2024
Y-Δ graph, 2658
Y-dominating function, 4780, 4812

Z
Z_4, 5753
Z_4-free, 6010
z^{AB} theorem, 2762
Zagier, 4961
Zaguia, 3202
Zaitsev, 923
Zaks, 575, 1425, 3323, 4609
Zaks, J, 879, 1105, 1197, 1701
Zarankiewicz, 712, 2526
Zaslavsky, 1154
Zassenhaus theorem, 3770
Zeilberger, 2161, 2655, 4980, 5170
Zeilberger-Bressoud q-Dyson theorem, 2655
Zelinka, 3922, 5684
Zelinka, B, 2854, 2868
Zelinka, E, 3376
Zemirline, 5422
Zermelo-Fraenkel set theory, 3129
zero
  divisor, 4851
  error capacity for the AVC, 3411
zero free
  chromatic number, 1769
  colouring, 1294
zero
  intersection, 2011
  invariant, 3270
  lifted, 3786
  lifting, 3785
zero of
  a cubic recurrence, 704
  a rank generating function, 4499
zero
  set, 3467
  subsum, 2801
zero sum, 4685
  problem, 4665
zero sum Ramsey
  number, 3348
  theory, 4665
zero sum
  set, 4283
  subsequence, 4285, 5088
zero-covered, *see also* 0-covered
zero-dimensional, *see also* 0-dimensional
zero-extendable, *see also* 0-extendable
zero-homogeneity, *see also* 0-homogeneity
zero-homogeneous graph, *see also* 0-homogeneous graph
zero-induced, *see also* 0-induced
zero-one
  integer programming, 273
  matrix, 855, 2208, 3600, *see also* (0, 1)-matrix
  minimization, 212
  variable, 79
zero-preserving, *see also* 0-preserving
zero-skeleton, *see also* 0-skeleton
zeta polynomial, 5434
Zeuthen, H G, 3234
ZFC, 3119, 3469
Zhang, 2150, 2841, 3582, 4431, 5032, 5310, 5360
Zhang, Li-Quian, 2150
Zhao, 5333
Zhou, 4371, 5625
Zhu, 2841, 5748

zigzag path, 842
Zimmermann, 3202
Zinoviev, 923
Ziv, 3533, 4665, 4685
Z_m, 2207, 2603
Z^n in Euclidean n-space, 4358
Zonal polynomial, 3214
zonogon, 3575
zonotope, 1407
Z_p^3, 4817
Zuber, J-B, 4961
Zucker, 3198
Zuker, M, 515
Zvonkin, 4984
Zybrzycki, 717
Zykov, 139, 3491
Z-cyclic, 5942
  triplewhist tournament, 4541
  whist tournament, 5942
z-index, 2271
Z-inductive poset, 4664
Z-lattice, 4229
z-map, 3467
Z-module, 3323
Z-sequenceable, 616
  group, 616
Z-set, 4664
Z-statistic, 2441
Z-transformation, 2437
  graph, 2437, 4768
  of hexagonal system, 4309

ELSEVIER

Discrete Mathematics 227/228 (2001) 303–447

DISCRETE MATHEMATICS

Reference List of Indexed Articles

This Reference List of Indexed Articles belongs to the Subject Index Volumes 1–200 (pp. 5–302 of this issue).

1. P. Erdös, On some extremal problems on r-graphs **1** (1971) 1–6
2. F. Harary and P.A. Ostrand, The cutting center theorem for trees **1** (1971) 7–18
3. O.J. Heilmann, D.J. Kleitman, E.H. Lieb and S. Sherman, Some positive definite functions on sets and their application to the Ising model **1** (1971) 19–27
4. G.H. Bradley, Transformation of integer programs to knapsack problems **1** (1971) 29–45
5. D. Kleitman, M. Edelberg and D. Lubell, Maximal sized antichains in partial orders **1** (1971) 47–53
6. C.J. Everett and P.R. Stein, The asymptotic number of integer stochastic matrices **1** (1971) 55–72
7. L. Nebesky, Left-right double trees **1** (1971) 73–81
8. J.W. Essam, Graph theory and statistical physics **1** (1971) 83–112
9. E.G. Whitehead Jr., Algebraic structure of chromatic graphs associated with the ramsey number $N(3, 3, 3; 2)$ (*Note*) **1** (1971) 113–114
10. E.A. Bender, A generalized q-binomial Vandermonde convolution **1** (1971) 115–119
11. J.A. Bondy, Large cycles in graphs **1** (1971) 121–132
12. J. Bosák, On the k-index of graphs **1** (1971) 133–146
14. D. de Werra, Investigations on an edge coloring problem **1** (1971) 167–179
15. D. Foata, Enumerating k-trees **1** (1971) 181–186
16. H. Lakser, The homology of a lattice **1** (1971) 187–192
17. P.E. O'Neil, Hyperplane cuts of an n-cube **1** (1971) 193–195
18. P.E. O'Neil, A constructive decomposition and Fulkerson's characterization of permutation matrices **1** (1971) 197–201
19. W.T. Tutte, On the 2-factors of bicubic graphs **1** (1971) 203–208
20. J. Mayer, L'epaisseur du graphe complet de 46 sommets (*Note*) **1** (1971) 209–210
21. A. Altshuler, Polyhedral realization in R^3 of triangulations of the torus and 2-manifolds in cyclic 4-polytopes **1** (1971) 211–238
22. E.G. Beltrametti, Note on the p-adic generalization of Lorentz transformations **1** (1971) 239–246
23. G.F. Clements, More on the generalized Macaulay theorem **1** (1971) 247–255
24. J. Nešetřil, Homomorphisms of derivative graphs **1** (1971) 257–268
25. G. Sabidussi, Meshes on 3-connected graphs **1** (1971) 269–276
26. D.J. Wilde and J.M. Sanchez-Anton, Multivariable monotonic optimization over multivalued logics and rectangular design lattices **1** (1971) 277–294
27. A. Altshuler, Hamiltonian circuits in some maps on the torus **1** (1972) 299–314
28. J. Doyen, A note on reverse Steiner triple systems **1** (1972) 315–319
29. D. Dumont, Sur une conjecture de Gandhi concernant les nombres de Genocchi **1** (1972) 321–327
30. M. Herzog and J. Schönheim, On certain sets of divisors of a number **1** (1972) 329–332
31. G. Kreweras, Sur les partitions non croisees d'un cycle **1** (1972) 333–350
32. I. Tomescu, Le nombre maximal de 3-colorations d'un graphe connexe **1** (1972) 351–356

Elsevier Science B.V.

33. S.G. Williamson, The combinatorial analysis of patterns and the principle of inclusion–exclusion **1** (1972) 357–388
34. E. Balas, Ranking the facets of the octahedron **2** (1972) 1–15
35. R.L. Graham, D.E. Knuth and T.S. Motzkin, Complements and transitive closures **2** (1972) 17–29
36. D.L. Greenwell and R.L. Hemminger, Forbidden subgraphs for graphs with planar line graphs **2** (1972) 31–34
37. S. Jendrol' and E. Jucovič, On a conjecture by B. Grünbaum **2** (1972) 35–49
38. K. Prikry, On a problem of Erdös, Hajnal and Rado **2** (1972) 51–59
39. A. Rosa, On reverse Steiner triple systems **2** (1972) 61–71
40. M.P. Schützenberger, Promotion des morphismes D'ensembles ordonnes **2** (1972) 73–94
41. V.E. Căzănescu, Quelques propriétés algébriques des automates **2** (1972) 97–109
42. V. Chvátal and P. Erdös, A note on Hamiltonian circuits **2** (1972) 111–113
43. R. Cori and J. Richard, Enumeration des graphes planaires a l'aide des series formelles en variables non commutatives **2** (1972) 115–162
44. F. Harary, M.J. Piff and D.J.A. Welsh, On the automorphism group of a matroid **2** (1972) 163–171
45. D.J. Kleitman and B.L. Rothschild, Generalization of Kaplansky's game **2** (1972) 173–178
46. C.H.C. Little, The parity of the number of 1-factors of a graph **2** (1972) 179–181
47. J. Spencer, Turán's theorem for k-graphs **2** (1972) 183–186
48. W. Taylor, On the coloration of cubes **2** (1972) 187–190
49. B. Baker and R. Shostak, Gossips and telephones **2** (1972) 191–193
50. B. Brainerd, On a class of languages occurring in the study of theatre **2** (1972) 195–198
51. R.A. Duke, On the genus and connectivity of Hamiltonian graphs **2** (1972) 199–206
52. P. Erdös, A. Meir, V.T. Sós and P. Turán, On some applications of graph theory, I **2** (1972) 207–228
53. P. Hell and A. Rosa, Graph decompositions, handcuffed prisoners and balanced P-designs **2** (1972) 229–252
54. L. Lovász, Normal hypergraphs and the perfect graph conjecture **2** (1972) 253–267
55. B. Manvel, Reconstruction of maximal outerplanar graphs **2** (1972) 269–278
56. Y. Poupard, Etude et denombrement paralleles des partitions non-croisees d'un cycle et des decoupages d'un polygone convexe **2** (1972) 279–288
57. H.L. Abbott, Lower bounds for some Ramsey numbers **2** (1972) 289–293
58. L. Babai, Automorphism groups of planar graphs, I **2** (1972) 295–307
59. D.H. Doehlert and V.L. Klee, Experimental designs through level reduction of the d-dimensional cuboctahedron **2** (1972) 309–334
60. A.S. Fraenkel, J. Levitt and M. Shimshoni, Characterization of the set of values $f(n) = [n\alpha], n = 1, 2, \ldots$ **2** (1972) 335–345
61. S.A. Greibach, A generalization of Parikh's semilinear theorem **2** (1972) 347–355
62. L. Haskins and S. Gudder, Height on posets and graphs **2** (1972) 357–382
63. A. Kotzig, Decompositions of complete graphs into regular bichromatic factors **2** (1972) 383–387
64. J.W. Moon, Embedding tournaments in simple tournaments **2** (1972) 389–395
65. A.L. Whiteman, Skew Hadamard matrices of Goethals-Seidel type **2** (1972) 397–405
66. J.C. Fournier and M. Las Vergnas, Une classe d'hypergraphes bichromatiques (*Note*) **2** (1972) 407–410
67. E.F. Assmus Jr. and H.F. Mattson Jr., On weights quadratic-residue codes **3** (1972) 1–20
68. E.F. Assmus Jr. and H.F. Mattson Jr., Contractions of self-orthogonal codes **3** (1972) 21–32
69. P. Camion, Linear codes with given authomorphism groups **3** (1972) 33–45
70. Ph. Delsarte, Weights of linear codes and strongly regular normed spaces **3** (1972) 47–64
71. J.M. Goethals and S.L. Snover, Nearly perfect binary codes **3** (1972) 65–88
72. M.Y. Hsiao, Incomplete block design codes for ultra high speed computer applications **3** (1972) 89–108
73. S. Johnson, Upper bounds for constant weight error correcting codes **3** (1972) 109–124
74. H.W. Lenstra Jr., Two theorems on perfect codes **3** (1972) 125–132
75. F.J. MacWilliams, Cyclotomic numbers, coding theory and orthogonal polynomials **3** (1972) 133–151
76. F.J. MacWilliams, N.J.A. Sloane and J.G. Thompson, Good self dual codes exist **3** (1972) 153–162
77. J.L. Massey, M.K. Sain and J.M. Geist, Certain infinite Markov chains and sequential decoding **3** (1972) 163–175
78. R.J. McEliece, Weight congruences for p-ary cyclic codes **3** (1972) 177–192
79. J.K. Omura, Iterative decoding of linear codes by a modulo-2 linear program **3** (1972) 193–208

80. V. Pless, A classification of self-orthogonal codes over GF(2) **3** (1972) 209–246
81. W.J. Rosenberg, Consecutive zeros in convolutional codewords **3** (1972) 247–264
82. N.J.A. Sloane, A survey of constructive coding theory, and a table of binary codes of highest known rate **3** (1972) 265–294
83. A. Blass, Complexity of winning strategies **3** (1972) 295–300
84. V. Chvatal, P. Erdös and Z. Hedrlin, Ramsey's theorem and self-complementary graphs **3** (1972) 301–304
85. F.H. Clarke, A graph polynomial and its applications **3** (1972) 305–313
86. R. Cori, Sur la rationalité de certaines séries génératrices **3** (1972) 315–331
87. J.P. Deschamps, Parametric solutions of Boolean equations **3** (1972) 333–342
88. H. Hanani, D.K. Ray-Chaudhuri and R.M. Wilson, On resolvable designs **3** (1972) 343–357
89. M. Hochberg, Restricted Sperner families and s-systems **3** (1972) 359–364
90. C.L. Lawson, Transforming triangulations **3** (1972) 365–372
91. M. Trehel, Graphes des complements et classes de branches dans un ensemble ordonne fini resultant d'un produit contracte **3** (1972) 373–379
92. J.H. van Lint and H.J. Ryser, Block designs with repeated blocks **3** (1972) 381–396
93. W.D. Wallis, A doubling construction for Room squares **3** (1972) 397–399
94. J. Dubois, Polytopes de transport symetriques **4** (1973) 1–27
95. P. Erdös and P.E. O'Neil, On a generalization of Ramsey numbers **4** (1973) 29–35
96. M.R. Garey, Optimal task sequencing with precedence constraints **4** (1973) 37–56
97. A.G. Konheim and D.J. Newman, A note on growing binary trees **4** (1973) 57–63
98. A. Kotzig, Decompositions of complete graphs into regular bichromatic factors **4** (1973) 65–69
99. P.A. Ostrand, Graphs with specified radius and diameter **4** (1973) 71–75
100. R.P. Stanley, A Brylawski decomposition for finite ordered sets **4** (1973) 77–82
101. Y. Tabourier, All shortest distances in a graph. An improvement to Dantzig's inductive algorithm **4** (1973) 83–87
102. G. Berman, The gossip problem (*Note*) **4** (1973) 91
103. S. Cardy, The proof of, and generalisations to, a conjecture by Baker and Essam **4** (1973) 101–122
104. G.F. Clements, A minimization problem concerning subsets of a finite set **4** (1973) 123–128
105. C.R. Cook, Further characterizations of cubic lattice graphs **4** (1973) 129–138
106. A.K. Dewdney, Wagner's theorem for torus graphs **4** (1973) 139–149
107. D.A. Holton, Two applications of semi-stable graphs **4** (1973) 151–158
108. S. Kundu and E.L. Lawler, A matroid generalization of a theorem of Mendelsohn and Dulmage **4** (1973) 159–163
109. D.C. Kurtz, Asymptotic properties of triangular arrays of numbers **4** (1973) 165–169
110. C.L. Liu, B.G. Ong and G.R. Ruth, A construction scheme for linear and non-linear codes **4** (1973) 171–184
111. H. Sharp Jr., Enumeration of vacuously transitive relations **4** (1973) 185–196
112. M.O. Albertson, A case of Hadwiger's Conjecture **4** (1973) 197–199
113. A. Altshuler, Construction and enumeration of regular maps on the torus **4** (1973) 201–217
114. M.K. Bennett, Coordinatization of affine and projective space **4** (1973) 219–231
115. R.V. Book, Free and almost-free subsemigroups of a free semigroup **4** (1973) 233–241
116. J.A. Brzozowski and I. Simon, Characterizations of locally testable events **4** (1973) 243–271
117. L. Carlitz, Enumeration of up-down sequences **4** (1973) 273–286
118. D. Sankoff and P.H. Sellers, Shortcuts, diversions, and maximal chains in partially ordered sets **4** (1973) 287–293
119. Y. Balcer and A.F. Veinott Jr., Computing a graph's period quadratically by node condensation **4** (1973) 295–303
120. V. Chvátal, Edmonds polytopes and a hierarchy of combinatorial problems **4** (1973) 305–337
121. V. Faber and J. Mycielski, Graphs with valency k, edge connectivity k, chromatic index $k+1$ and arbitrary girth **4** (1973) 339–345
122. H. Fleischner, The uniquely embeddable planar graphs **4** (1973) 347–358
123. A.S. Fraenkel, A characterization of exactly covering congruences **4** (1973) 359–366
124. R.G. Jeroslow, The simplex algorithm with the pivot rule of maximizing criterion improvement **4** (1973) 367–377
125. J.Q. Longyear, Large tactical configurations **4** (1973) 379–382

126. J. Riordan, Ballots and rooks **4** (1973) 383–387
127. E.G. Whitehead Jr., The Ramsey number $N(3,3,3,3;2)$ **4** (1973) 389–396
128. A.R. Bednarek and E.L. Sanders, A characterization of bivariegated trees **5** (1973) 1–14
129. L.W. Beineke and R.J. Wilson, On the edge-chromatic number of a graph **5** (1973) 15–20
130. K.P. Bogart, Maximal dimensional partially ordered sets I. Hiraguchi's Theorem **5** (1973) 21–31
131. K.P. Bogart and W.T. Trotter Jr., Maximal dimensional partially ordered sets II. Characterization of $2n$-element posets with dimension n **5** (1973) 33–43
132. L. Carlitz and R. Scoville, Enumeration of rises and falls by position **5** (1973) 45–59
133. J. Dubois, Transformations affines agissant sur un simplexe **5** (1973) 61–78
134. C.C. Lindner, Construction of doubly diagonalized orthogonal latin squares **5** (1973) 79–86
135. R. Scozzafava, Graphs and finite transformation semigroups **5** (1973) 87–99
136. L. Babai and W. Imrich, On groups of polyhedral graphs (*Note*) **5** (1973) 101–103
137. J.J. Cannon, Construction of defining relators for finite groups **5** (1973) 105–129
138. G.T. Herman and J.A. Jackowski, A decision procedure using discrete geometry **5** (1973) 131–144
139. J.-L. Jolivet, Sur le joint d'une famille de graphes **5** (1973) 145–158
140. W.H. Olson and V.R.R. Uppuluri, On 'valid sequences' considered by Wigner **5** (1973) 159–169
141. R.P. Stanley, Acyclic orientations of graphs **5** (1973) 171–178
142. D.P. Sumner, Point determination in graphs **5** (1973) 179–187
143. J.-C. Arditti, Denombrement des arborescences dont le graphe de comparabilite est hamiltonien **5** (1973) 189–200
144. N. Burshtein, On distinct unit fractions whose sum equals 1 **5** (1973) 201–206
145. C.C. Chen and K.M. Koh, A characterization of finite distributive planar lattices **5** (1973) 207–213
146. V. Chvátal, Tough graphs and hamiltonian circuits **5** (1973) 215–228
147. J. Doyen and R.M. Wilson, Embeddings of Steiner triple systems **5** (1973) 229–239
148. B. Grünbaum, Intersecting all edges of centrally symmetric polyhedra by planes **5** (1973) 241–246
149. T. Hearne and C. Wagner, Minimal covers of finite sets **5** (1973) 247–251
150. H.V. Kronk and J. Mitchem, A seven-color theorem on the sphere **5** (1973) 253–260
151. I.B. Turksen, The set of solutions for Boolean equations **5** (1973) 261–282
152. M. Lewin, A note on line coverings of graphs (*Note*) **5** (1973) 283–285
153. B. Monjardet, Hypergraphs and Sperner's theorem (*Note*) **5** (1973) 287–289
154. W.M. Boyce, On a simple optimal stopping problem **5** (1973) 297–312
155. G. Chartrand and S. Schuster, A note on cycle Ramsey numbers **5** (1973) 313–315
156. F.R.K. Chung, On the Ramsey numbers $N(3,3,\ldots,3;2)$ **5** (1973) 317–321
157. P. Erdös and M. Simonovits, On a valence problem in extremal graph theory **5** (1973) 323–334
158. R.K. Guy and A. Hill, The crossing number of the complement of a circuit **5** (1973) 335–344
159. M.J.L. Kirby, H.R. Love and K. Swarup, Extreme point programming with nonlinear constraints **5** (1973) 345–365
160. D.E. Knuth, Permutations with nonnegative partial sums **5** (1973) 367–371
161. A.M. Odlyzko, On covering a product of sets with products of their subsets **5** (1973) 373–380
162. J. Riordan and P.R. Stein, Proof of a conjecture on Genocchi numbers **5** (1973) 381–388
163. M. Rosenfeld and D. Barnette, Hamiltonian circuits in certain prisms **5** (1973) 389–394
164. R.R. Rottenberg, On ordinary planes **5** (1973) 395–401
165. M. Abramson and W.O.J. Moser, Arrays with fixed row and column sums **6** (1973) 1–14
166. H. Burkill and L. Mirsky, Combinatorial problems on the existence of large submatrices I **6** (1973) 15–28
167. C.J. Everett and P.R. Stein, The asymptotic number of (0,1)-matrices with zero permanent **6** (1973) 29–34
168. R.J. Faudree, C.C. Rousseau and R.H. Schelp, Theory of path length distributions I **6** (1973) 35–52
169. G. Haggard, The least number of edges for graphs having dihedral automorphism group **6** (1973) 53–78
170. D.J. Kleitman and D.L. Wang, Algorithms for constructing graphs and digraphs with given valences and factors **6** (1973) 79–88
171. D.F. Robinson, Extending a function on a graph **6** (1973) 89–99
172. S. Gallant, On the group and the circuit group of a graph (*Note*) **6** (1973) 101–103
173. N. Biggs, Expansions of the chromatic polynomial **6** (1973) 105–113
174. R. Forcade, Parity of paths and circuits in tournaments **6** (1973) 115–118
175. R.G. Jeroslow, Linear programs dependent on a single parameter **6** (1973) 119–140

176. D.J. Kleitman and E.C. Milner, On the average size of the sets in a Sperner family **6** (1973) 141–147
177. C.C. Lindner, On the construction of cyclic quasigroups **6** (1973) 149–158
178. T.D. Parsons, The Ramsey numbers $r(P_m, K_n)$ **6** (1973) 159–162
179. P.N. Rathie, The enumeration of Hamiltonian polygons in rooted planar triangulations **6** (1973) 163–168
180. R.D. Ringeisen, Graphs of given genus and arbitrarily large maximum genus **6** (1973) 169–174
181. D.R. Shier, A decomposition algorithm for optimality problems in tree-structured networks **6** (1973) 175–189
182. W.G. Bridges, Replication results for certain combinatorial configurations **6** (1973) 191–199
183. T. Brylawski, The lattice of integer partitions **6** (1973) 201–219
184. F. Glover, Convexity cuts for multiple choice problems **6** (1973) 221–234
185. G.T. Herman, K.P. Lee, J. van Leeuwen and G. Rozenberg, Characterization of unary developmental languages **6** (1973) 235–247
186. E. Jucovič, Analogues of Eberhard's Theorem for 4-valent 3-polytopes with involutory automorphisms **6** (1973) 249–254
187. D.J. Kleitman and J. Spencer, Families of k-independent sets **6** (1973) 255–262
188. K.B. Reid, Equivalence of n-tournaments via k-path reversals **6** (1973) 263–280
189. D.P. Sumner, Graphs indecomposable with respect to the X-join **6** (1973) 281–298
190. L. Teirlinck, On the maximum number of disjoint Steiner triple systems (*Note*) **6** (1973) 299–300
191. L. Teirlinck, The existence of reverse Steiner triple systems (*Note*) **6** (1973) 301–302
192. R.C. Bose and S.S. Shrikhande, Embedding the complement of an oval in a projective plane of even order **6** (1973) 305–312
193. R.B. Brown, Sequences of functions of binomial type **6** (1973) 313–331
194. T.H. Brylawski, Some properties of basic families of subsets **6** (1973) 333–341
195. M. Deza, Une propriete extremale des plans projectifs finis dans une classe de codes equidistants **6** (1973) 343–352
196. J.H. van Lint, A theorem on equidistant codes **6** (1973) 353–358
197. F. Harary and A.J. Schwenk, The number of caterpillars **6** (1973) 359–365
198. S. Kundu, The k-factor conjecture is true **6** (1973) 367–376
199. E.M. Palmer, On the number of n-plexes **6** (1973) 377–390
200. C.K. Wong and P.C. Yue, A majorization theorem for the number of distinct outcomes in N independent trials **6** (1973) 391–398
201. H. Brown, L. Hjelmeland and L. Masinter, Constructive graph labeling using double cosets **7** (1974) 1–30
202. V. Chungphaisan, Conditions for sequences to be r-graphic **7** (1974) 31–39
203. C.H. Cunkle and S. Rudeanu, Rings in Boolean algebras **7** (1974) 41–51
204. R.B. Eggleton, Tiling the plane with triangles **7** (1974) 53–65
205. G.B. Faulkner and D.H. Younger, Non-Hamiltonian cubic planar maps **7** (1974) 67–74
206. J.C. Fisher, An existence theorem for simple convex polyhedra **7** (1974) 75–97
207. J.-C. Fournier and M. Las Vergnas, Une classe d'hypergraphes bichromatiques II **7** (1974) 99–106
208. R. Freese, An application of Dilworth's lattice of maximal antichains **7** (1974) 107–109
209. A.J.W. Hilton and S.H. Scott, A further construction of double diagonal orthogonal latin squares **7** (1974) 111–127
210. F. Lapscher, Proprietes de "longueur de chaine" dans l'ensemble des fermetures superieures sur un ensemble ordonne **7** (1974) 129–140
211. A. Lentin, Une propriete combinatoire des couples de permutations **7** (1974) 141–149
212. I.G. Rosenberg, Minimization of pseudo-Boolean functions by binary development **7** (1974) 151–165
213. A. Tucker, Structure theorems for some circular-arc graphs **7** (1974) 167–195
214. D. Barnette, On generating planar graphs **7** (1974) 199–208
215. T.A. Dowling and D.G. Kelly, Elementary strong maps and transversal geometries **7** (1974) 209–224
216. F.J. Gould and J.W. Tolle, A unified approach to complementarity in optimization **7** (1974) 225–271
217. R.G. Jeroslow, On algorithms for discrete problems **7** (1974) 273–280
218. C.C. Lindner, Construction of nonisomorphic reverse Steiner quasigroups **7** (1974) 281–288
219. M.D. Plummer and N. Robertson, Path traversability in planar graphs **7** (1974) 289–303
220. G. Purdy, Some extremal problems in geometry **7** (1974) 305–315
221. D.J. Rose, On simple characterizations of k-trees **7** (1974) 317–322

222. G. Rozenberg, D0L sequences **7** (1974) 323–347
223. M. Simonovits, Extremal graph problems with symmetrical extremal graphs. Additional chromatic conditions **7** (1974) 349–376
224. B. Toft, On critical subgraphs of colour-critical graphs **7** (1974) 377–392
225. L.A. Wolsey, A number theoretic reformulation and decomposition method for integer programming **7** (1974) 393–403
226. H.L. Abbott and D. Hanson, On finite Δ-systems **8** (1974) 1–12
227. L. Babai, Automorphism groups of graphs and edge-contraction **8** (1974) 13–20
228. B. Bollobás, Three-graphs without two triples whose symmetric difference is contained in a third **8** (1974) 21–24
229. P.C. Fishburn, On the sum-of-ranks winner when losers are removed **8** (1974) 25–30
230. D.A. Klarner and R.L. Rivest, Asymptotic bounds for the number of convex n-ominoes **8** (1974) 31–40
231. S. Kundu, A factorization theorem for a certain class of graphs **8** (1974) 41–47
232. U.S.R. Murty, Extremal critically connected matroids **8** (1974) 49–58
233. L.J. Osterweil, Some classes of uniquely 3-colorable graphs **8** (1974) 59–69
234. L. Oubiña, Des cycles et cocycles en hypergraphes **8** (1974) 71–80
235. G.J. Simmons, On a problem of Erdös concerning a 3-coloring of the unit sphere **8** (1974) 81–84
236. W.T. Trotter Jr., Dimension of the crown S_n^k **8** (1974) 85–103
237. J. Van Buggenhaut, On the existence of 2-designs $S_2(2, 3, v)$ without repeated blocks **8** (1974) 105–109
238. A. Altshuler and L. Steinberg, Neighborly combinatorial 3-manifolds with 9 vertices **8** (1974) 113–137
239. R.E. Bixby, ℓ-matrices and a characterization of binary matroids **8** (1974) 139–145
240. L. Carlitz and T. Vaughan, Enumeration of sequences of given specification according to rises, falls and maxima **8** (1974) 147–167
241. W.B. Giles, On reconstructing maximal outerplanar graphs **8** (1974) 169–172
242. E.S. Kramer, Indecomposable triple systems **8** (1974) 173–180
243. B. Manvel, Some basic observations on Kelly's conjecture for graphs **8** (1974) 181–185
244. I.B. Turksen, Extensions on solutions of Boolean equations via its conjunctions **8** (1974) 187–200
245. D. Lubell, Combinatorial orthogonality in abstract configurations (*Note*) **8** (1974) 201–203
246. B. Andrásfai, P. Erdös and V.T. Sós, On the connection between chromatic number, maximal clique and minimal degree of a graph **8** (1974) 205–218
247. E.A. Bender, Convex n-ominoes **8** (1974) 219–226
248. H. Brown and L. Masinter, An algorithm for the construction of the graphs of organic molecules **8** (1974) 227–244
249. S.A. Burr and J.A. Roberts, On Ramsey numbers for linear forests **8** (1974) 245–250
250. C.R.J. Clapham, Hamiltonian arcs in self-complementary graphs **8** (1974) 251–255
251. D.A. Drake and M.P. Hale Jr., Half counts in Latin quarters **8** (1974) 257–268
252. P. Duchet, Sur les hypergraphes invariants **8** (1974) 269–280
253. P. Erdös and D.J. Kleitman, Extremal problems among subsets of a set **8** (1974) 281–294
254. C.-Y. Chao, A note on labeled symmetric graphs (*Note*) **8** (1974) 295–297
255. J.C. Bermond, An application of the solution of Kirkman's schoolgirl problem: The decomposition of the symmetric oriented complete graph into 3-circuits **8** (1974) 301–304
256. C.R. Cook, Two characterizations of interchange graphs of complete m-partite graphs **8** (1974) 305–311
257. R.J. Faudree and R.H. Schelp, All Ramsey numbers for cycles in graphs **8** (1974) 313–329
258. J. Françon, Preuves combinatoires des identites d'Abel **8** (1974) 331–343
259. D.P. Geller, Generalization of a theorem of Fleck, Hedetniemi and Oehmke on $\mathcal{S}^*$-semigroups of automata **8** (1974) 345–349
260. L. Lesniak, Results on the edge-connectivity of graphs **8** (1974) 351–354
261. T.L. Magnanti, Complementary bases of a matroid **8** (1974) 355–361
262. J. Plesník, One method for proving the impossibility of certain Moore graphs **8** (1974) 363–376
263. D.E. Scheim, The number of edge 3-colorings of a planar cubic graph as a permanent **8** (1974) 377–382
264. J. Sheehan, Non-bipartite graphs of girth 4 **8** (1974) 383–402
265. W.G. Bridges and M.S. Shrikhande, Special partially balanced incomplete block designs and associated graphs **9** (1974) 1–18
266. G.A. Dirac, Terminable and interminable paths and trails in infinite graphs **9** (1974) 19–34
267. A. Majthay and A. Whinston, Quasi-concave minimization subject to linear constraints **9** (1974) 35–59

268. A.L. Rosenberg, An extrinsic characterization of addressable data graphs **9** (1974) 61–70
269. A. Salomaa, Solution of a decision problem concerning unary Lindenmayer systems **9** (1974) 71–77
270. S.M. Tanny and M. Zuker, On a unimodal sequence of binomial coefficients **9** (1974) 79–89
271. C. Thomassen, Hypohamiltonian and hypotraceable graphs **9** (1974) 91–96
272. W.T. Tutte, Spanning subgraphs with specified valencies **9** (1974) 97–108
273. F. Glover, First facets of the octahedron **9** (1974) 109–117
274. P.J. Gustav Meyer, On the structure of orthomodular posets **9** (1974) 119–146
275. C. Huang, On the existence of balanced bipartite designs, II **9** (1974) 147–159
276. F. Jaeger, Sur l'indice chromatique du graphe representatif des aretes d'un graphe regulier **9** (1974) 161–172
277. S. Kundu, Generalizations of the k-factor theorem **9** (1974) 173–179
278. R.M. Wilson, Concerning the number of mutually orthogonal Latin squares **9** (1974) 181–198
279. H.L. Abbott, Some results in combinatorial geometry **9** (1974) 199–204
280. P. Buneman, A characterisation of rigid circuit graphs **9** (1974) 205–212
281. R.H.F. Denniston, Some packings with Steiner triple systems **9** (1974) 213–227
282. R.H.F. Denniston, Sylvester's problem of the 15 schoolgirls **9** (1974) 229–233
283. M. Gondran, Remarque sur le polytope des couplages d'Edmonds **9** (1974) 235–238
284. J.L. Gross, Voltage graphs **9** (1974) 239–246
285. X. Hubaut, Two new families of 4-designs **9** (1974) 247–249
286. R.W. Irving, Generalised Ramsey numbers for small graphs **9** (1974) 251–264
287. I.T. Jakobsen, On critical graphs with chromatic index 4 **9** (1974) 265–276
288. K.L. McAvaney, D.D. Grant and D.A. Holton, Stable and semi-stable unicyclic graphs **9** (1974) 277–288
289. E.M. Wright, Two problems in the enumeration of unlabelled graphs **9** (1974) 289–292
290. J. Zolnowsky, A direct combinatorial proof of the Jacobi identity **9** (1974) 293–298
291. E.A. Bender, Partitions of multisets **9** (1974) 301–311
292. J.C. Bermond, Some Ramsey numbers for directed graphs **9** (1974) 313–321
293. K.P. Bogart, A note on matrices of zeros and ones **9** (1974) 323–327
294. R.V. Book and M.A. Harrison, Mutually divisible semigroups **9** (1974) 329–332
295. N.G. De Bruijn, Sorting by means of swappings **9** (1974) 333–339
296. C. Domb and A.J. Barrett, Enumeration of ladder graphs **9** (1974) 341–358
297. B.G. Eke, Monotonic triads **9** (1974) 359–363
298. H.O. Foulkes, Paths in ordered structures of partitions **9** (1974) 365–374
299. D.P. Geller, Walkwise and admissible mappings between digraphs **9** (1974) 375–390
300. C.L. Mallows and N.J.A. Sloane, Weight enumerators of self-orthogonal codes **9** (1974) 391–400
301. A. Baartmans and K.J. Danhof, Block designs admitting regular automorphisms **10** (1974) 1–8
302. D. Barnette, An upper bound for the diameter of a polytope **10** (1974) 9–13
303. R.S. Booth, A class of Fibonacci-type sequences **10** (1974) 15–28
304. C.R. Deeter and J.M. Gray, The discrete Green's function and the discrete kernel function **10** (1974) 29–42
305. R.C. Entringer and L.D. Gassman, Line-critical point determining and point distinguishing graphs **10** (1974) 43–55
306. M. Fliess, Transductions de series formelles **10** (1974) 57–74
307. W.H. Graves, Cohomology of incidence coalgebras **10** (1974) 75–92
308. B. Grünbaum and J. Zaks, The existence of certain planar maps **10** (1974) 93–115
309. T. King and G.L. Nemhauser, Some inequalities on the chromatic number of a graph **10** (1974) 117–121
310. E.S. Kramer and D.M. Mesner, On Steiner tableaus **10** (1974) 123–131
311. C.J. Maxson, Endomorphism semigroups of finite subset algebras **10** (1974) 133–144
312. S.E. Payne, On maximizing $\det(A^{\mathrm{T}}A)$ **10** (1974) 145–158
313. A. Rosenthal, On finding shortest paths in nonnegative networks **10** (1974) 159–162
314. W. Simons and G. Trapp, Separating points by spheres **10** (1974) 163–166
315. D.H. Smith, On bipartite tetravalent graphs **10** (1974) 167–172
316. I. Tomescu, La reduction minimale d'un graphe a une reunion de cliques **10** (1974) 173–179
317. W. Dörfler, Every regular graph is a quasigroup graph (*Note*) **10** (1974) 181–183
318. E. Gergely, A remark on doubly diagonalized orthogonal Latin squares (*Note*) **10** (1974) 185–188
319. D. Wille, On the enumeration of self-complementary m-placed relations (*Note*) **10** (1974) 189–192

320. L. Adleman, Short permutation strings **10** (1974) 197–200
321. D. Barnette, The projection of the f-vectors of 4-polytopes onto the (E, S)-plane **10** (1974) 201–216
322. E.A. Bender, The asymptotic number of non-negative integer matrices with given row and column sums **10** (1974) 217–223
323. P.A. Catlin, Subgraphs of graphs **10** (1974) 225–233
324. G.F. Clements, Sperner's theorem with constraints **10** (1974) 235–255
325. D.R. Farkas, Radicals and primes in incidence algebras **10** (1974) 257–268
326. R.J. Faudree, S.L. Lawrence, T.D. Parsons and R.H. Schelp, Path-cycle Ramsey numbers **10** (1974) 269–277
327. R.C. Olson, On the six conics problem **10** (1974) 279–300
328. R.W. Quackenbush, Near-boolean algebras I: Combinatorial aspects **10** (1974) 301–308
329. D.C. Rine, Conditional and Post algebra expressions **10** (1974) 309–323
330. I.G. Rosenberg, Aggregation of equations in integer programming **10** (1974) 325–341
331. J. Rosenmüller and H.G. Weidner, Extreme convex set functions with finite carrier: General theory **10** (1974) 343–382
332. C. Thomassen, On hypohamiltonian graphs **10** (1974) 383–390
333. D.W. Vanderjagt, Graphs with prescribed local connectivities **10** (1974) 391–395
334. B. Ganter, Finite partial quadruple systems can be finitely embedded (*Note*) **10** (1974) 397–400
335. D. Raghavarao, Boolean sums of sets of certain designs (*Note*) **10** (1974) 401–403
336. J. Berman, Algebras with modular lattice reducts and simple subdirectly irreducibles **11** (1975) 1–8
337. K.J. Devlin, A note on a problem of Erdös and Hajnal **11** (1975) 9–22
338. F.D. Farmer, Homology of products and joins of reflexive relations **11** (1975) 23–27
339. M.L. Fredman, On computing the length of longest increasing subsequences **11** (1975) 29–35
340. V. Müller, J. Nešetřil and J. Pelant, Either tournaments or algebras? **11** (1975) 37–66
341. J. Schönheim, Partition of the edges of the directed complete graph into 4-cycles **11** (1975) 67–70
342. F. Sterboul, Un probleme extremal pour les graphes et les hypergraphes **11** (1975) 71–78
343. S.K. Zaremba, Computing the isotropic discrepancy of point sets in two dimensions **11** (1975) 79–92
344. S.E. Bammel and J. Rothstein, The number of 9×9 Latin squares (*Note*) **11** (1975) 93–95
345. G.E. Andrews, Identities in combinatorics, I: On sorting two ordered sets **11** (1975) 97–106
346. G.A. Dirac, Note on infinite graphs **11** (1975) 107–118
347. R.G. Jeroslow, On defining sets of vertices of the hypercube by linear inequalities **11** (1975) 119–124
348. P.J. Koutas and T.C. Hu, Shortest string containing all permutations **11** (1975) 125–132
349. C.L. Liu, Sperner's theorem on maximal-sized antichains and its generalization **11** (1975) 133–139
350. P.J. McCarthy, Matchings in graphs II **11** (1975) 141–145
351. S.B. Maurer, Intervals in matroid basis graphs **11** (1975) 147–159
352. R. Parchmann, On the cardinalities of finite topologies **11** (1975) 161–172
353. M.S. Putcha, Paths in graphs and minimal π-sequences in semigroups **11** (1975) 173–185
354. M. Lewin, Generating the alternating group by cyclic triples (*Note*) **11** (1975) 187–189
355. E. Bird, C. Greene and D.J. Kleitman, Automorphisms of lexicographic products **11** (1975) 191–198
356. M. Brown and R. Connelly, On graphs with a constant link, II **11** (1975) 199–232
357. A. Charnes and F. Granot, Existence and representation of diophantine and mixed diophantine solutions to linear equations and inequalities **11** (1975) 233–248
358. J. Chvátalová, Optimal labelling of a product of two paths **11** (1975) 249–253
359. H. Hanani, Balanced incomplete block designs and related designs **11** (1975) 255–369
360. F. Harary, E.M. Palmer and R.C. Read, On the cell-growth problem for arbitrary polygons **11** (1975) 371–389
361. A. Kotzig, Transformations of edge-colourings of cubic graphs **11** (1975) 391–399
362. P.E. O'Neil, Correction to a constructive decomposition and Fulkerson's characterization of permutation matrices (*Note*) **11** (1975) 401–402
363. W.N. Hsieh, Intersection theorems for systems of finite vector spaces **12** (1975) 1–16
364. A. Kotzig, On the maximal order of cyclicity of antisymmetric directed graphs **12** (1975) 17–25
365. A. Pellerin and R. Laskar, Cubic graphs on twelve vertices and the line graph of a finite affine plane **12** (1975) 27–36
366. F. Reynaud, Theorie des ecoulements dans les graphes orientes sans circuit **12** (1975) 37–53

367. J.M.S. Simões-Pereira, On matroids on edge sets of graphs with connected subgraphs as circuits II **12** (1975) 55–78
368. J.M.S. Simões-Pereira, Subgraphs as circuits and bases of matroids **12** (1975) 79–88
369. Š. Znám, A simple characterization of disjoint covering systems **12** (1975) 89–91
370. A.S. Fraenkel, Further characterizations and properties of exactly covering congruences **12** (1975) 93–100
371. M. Abramson, Enumeration of sequences by levels and rises **12** (1975) 101–112
372. R.A. Brualdi and G.W. Dinolt, Truncations of principal geometries **12** (1975) 113–138
373. J.D. Dixon, Monotonic subsequences in random sequences **12** (1975) 139–142
374. J.M. Goethals and J.J. Seidel, The regular two-graph on 276 vertices **12** (1975) 143–158
375. J.J. Stiffler and I.F. Blake, An infinite class of generalized room squares **12** (1975) 159–163
376. W.T. Trotter Jr., Embedding finite posets in cubes **12** (1975) 165–172
377. W.T. Tutte, Separation of vertices by a circuit **12** (1975) 173–184
378. A. Tarski, An interpolation theorem for irredundant bases of closure structures **12** (1975) 185–192
379. G. McNulty and W. Taylor, Combinatory interpolation theorems **12** (1975) 193–200
380. S. Givant, Possible cardinalities of irredundant bases for finite closure structures **12** (1975) 201–204
381. B. Alspach, L.T. Ollmann and K.B. Reid, Mutually disjoint families of 0–1 sequences **12** (1975) 205–209
382. P. Delsarte and J.M. Goethals, Unrestricted codes with the Golay parameters are unique **12** (1975) 211–224
383. K.B. Gross, Some new classes of strong starters **12** (1975) 225–243
384. D.J. Hartfiel and C.J. Maxson, The chainable matrix, a special combinatorial matrix **12** (1975) 245–256
385. A.J.W. Hilton, Embedding incomplete double diagonal Latin squares **12** (1975) 257–268
386. A. Rosa and C. Huang, Another class of balanced graph designs: Balanced circuit designs **12** (1975) 269–293
387. M. Deza and P. Erdös, Extension de quelques theoremes sur les densites de series d'elements de N a des series de sous-ensembles finis de N **12** (1975) 295–308
388. D. Kennedy, Majors of geometric strong maps **12** (1975) 309–340
389. D.E. Knuth, Random matroids **12** (1975) 341–358
390. R.W. Robinson and A.J. Schwenk, The distribution of degrees in a large random tree **12** (1975) 359–372
391. L.E. Trotter Jr., A class of facet producing graphs for vertex packing polyhedra **12** (1975) 373–388
392. H.L. Abbott and D. Hanson, On a combinatorial problem in geometry (*Note*) **12** (1975) 389–392
393. A. Bruen and R. Dixon, The n-queens problem (*Note*) **12** (1975) 393–395
394. C. Greene and G.A. Iba, Cayley's formula for multidimensional trees **13** (1975) 1–11
395. A. Kerber, Characters of wreath products and some applications to representation theory and combinatorics **13** (1975) 13–30
396. C.C. Lindner and A. Rosa, Finite embedding theorems for partial Steiner triple systems **13** (1975) 31–39
397. C.H.C. Little, D.D. Grant and D.A. Holton, On defect-d matchings in graphs **13** (1975) 41–54
398. S.M. Tanny, Generating functions and generalized alternating subsets **13** (1975) 55–65
399. J. Totten, Basic properties of restricted linear spaces **13** (1975) 67–74
400. M. Vincent, Quelques proprietes des ensembles de fermetures sur un ensemble ordonne **13** (1975) 75–84
401. P.C.C. Wang, Characterizations of the Poisson distribution based on random splitting and random expanding **13** (1975) 85–93
402. W. Knödel, New gossips and telephones (*Note*) **13** (1975) 95
403. B. Bollobás, P. Erdös and E. Szemerédi, On complete subgraphs of r-chromatic graphs **13** (1975) 97–107
404. Allan.B. Cruse, A note on symmetric doubly-stochastic matrices **13** (1975) 109–119
405. B. Hull, Two algorithms for matroids **13** (1975) 121–128
406. R.M. Karp and S.-Y.R. Li, Two special cases of the assignment problem **13** (1975) 129–142
407. S. Rudeanu, Local properties of Boolean functions I: Injectivity **13** (1975) 143–160
408. S. Rudeanu, Local properties of Boolean functions II: Isotony **13** (1975) 161–183
409. J. Wolfmann, Codes projectifs a deux ou trois poids associes aux hyperquadriques d'une geometrie finie **13** (1975) 185–211
410. L. Chottin, Une demonstration combinatoire de la formule de Lagrange a deux variables **13** (1975) 215–224
411. J. Doyen and V. Van Diest, New families of hypohamiltonian graphs **13** (1975) 225–236

412. F. Gavril, A recognition algorithm for the intersection graphs of directed paths in directed trees **13** (1975) 237–249
413. R.H. Jeurissen, Covers, matchings and odd cycles of a graph **13** (1975) 251–260
414. C.V. Smallwood, Partitions of sets of matrices **13** (1975) 261–275
415. D.E. White, Classifying patterns by automorphism group: An operator theoretic approach **13** (1975) 277–295
416. L. Teirlinck, A simplification of the proof of the existence of reverse Steiner triple systems of order congruent to 1 modulo 24 (*Note*) **13** (1975) 297–298
417. H.L. Abbott and A.C. Liu, Ramsey numbers for triples **13** (1975) 299–305
418. C.R.J. Clapham, Hamiltonian arcs in infinite self-complementary graphs **13** (1975) 307–314
419. D.M. Cvetković and S.K. Simić, Graph equations for line graphs and total graphs **13** (1975) 315–320
420. J. Deschamps, Fermetures i-generatrices — Application aux fonctions booleennes permutantes **13** (1975) 321–339
421. H.H. Glover and J.P. Huneke, Cubic irreducible graphs for the projective plane **13** (1975) 341–355
422. X.L. Hubaut, Strongly regular graphs **13** (1975) 357–381
423. L. Lovász, On the ratio of optimal integral and fractional covers **13** (1975) 383–390
424. M. Tainiter, Statistical theory of conjectivity I: Basic definitions and properties **13** (1975) 391–398
425. E.G. Whitehead Jr., Difference sets and sum-free sets in groups of order 16 **13** (1975) 399–407
426. A. Astie, Groupes de permutations primitifs d'ordre impair et denombrement de tournois sommet-primitifs **14** (1976) 1–15
427. J.E. Baumgartner and K. Prikry, On a theorem of Silver **14** (1976) 17–21
428. M. Edelberg, M.R. Garey and R.L. Graham, On the distance matrix of a tree **14** (1976) 23–39
429. P. Hammond, Nearly perfect codes in distance-regular graphs **14** (1976) 41–56
430. D. Hanson, Sum-free sets and Ramsey numbers **14** (1976) 57–61
431. V.G. Kane and S.K. Basu, On the depth of a planar graph **14** (1976) 63–67
432. B. Leclerc, Arbres et dimension des ordres **14** (1976) 69–76
433. J. Schiller, Perceptron order for cylindrical, polar, and spherical connectivity **14** (1976) 77–81
434. L.W. Shapiro, A Catalan triangle **14** (1976) 83–90
435. D.P. Sumner, The nucleus of a point determining graph **14** (1976) 91–97
436. P.M.B. Vitányi, On a problem in the collective behavior of automata (*Note*) **14** (1976) 99–101
437. E. Andresen and K. Kjeldsen, On certain subgraphs of a complete transitively directed graph **14** (1976) 103–119
438. P.C. Clapham, Steiner triple systems with block-transitive automorphism groups **14** (1976) 121–131
439. D. De Werra, An extension of bipartite multigraphs **14** (1976) 133–138
440. G. Haggard, D. McCarthy and A. Wohlgemuth, Extremal edge problems for graphs with given hyperoctahedral automorphism group **14** (1976) 139–156
441. S. Hart, A note on the edges of the n-cube **14** (1976) 157–163
442. L. Lesniak, On n-hamiltonian graphs **14** (1976) 165–169
443. A. Thayse, Difference operators and extended truth vectors for discrete functions **14** (1976) 171–202
444. N. Burshtein, On natural exactly covering systems of congruences having moduli occurring at most M times **14** (1976) 205–214
445. L. Carlitz, R. Scoville and T. Vaughan, Enumeration of pairs of permutations **14** (1976) 215–239
446. F.H. Clarke and R.E. Jamison, Multicolorings, measures and games on graphs **14** (1976) 241–245
447. T. Hamada and I. Yoshimura, Traversability and connectivity of the middle graph of a graph **14** (1976) 247–255
448. R.H. Johnson, Simple directed trees **14** (1976) 257–264
449. R. Laskar and B. Auerbach, On decomposition of r-partite graphs into edge-disjoint Hamilton circuits **14** (1976) 265–268
450. A. Odaka, H. Fujita, S. Nojima and H. Narushima, A new normal form of Boolean functions **14** (1976) 269–271
451. M.W. Padberg, A note on the total unimodularity of matrices **14** (1976) 273–278
452. S. Stahl and A.T. White, Genus embeddings for some complete tripartite graphs **14** (1976) 279–296
453. W.J. Walker, Algebraic and combinatorial results for ranking competitors in a sequence of races **14** (1976) 297–304
454. P. Hansen and M. Lorea, Degrees and independent sets of hypergraphs **14** (1976) 305–309

455. A.J.W. Hilton and A.D. Keedwell, Further results concerning P-quasigroups and complete graph decompositions **14** (1976) 311–318
456. C. Huang, Resolvable balanced bipartite designs **14** (1976) 319–335
457. G.R. Kampen, Orienting planar graphs **14** (1976) 337–341
458. J. Lake, A problem concerning infinite graphs **14** (1976) 343–345
459. P. McMullen, Constructions for projectively unique polytopes **14** (1976) 347–358
460. L. Pósa, Hamiltonian circuits in random graphs **14** (1976) 359–364
461. S. Roman, The maximum number of q-cliques in a graph with no p-clique **14** (1976) 365–371
462. M.R. Sridharan, Mixed self-complementary and self-converse digraphs **14** (1976) 373–376
463. C. Thomassen, Planar and infinite hypohamiltonian and hypotraceable graphs **14** (1976) 377–389
464. J. Totten, On the degree of points and lines in a restricted linear space **14** (1976) 391–394
465. J. Totten, Parallelism in a restricted linear space **14** (1976) 395–398
466. H. Van Tilborg, A lower bound for v in a $t-(v,k,\lambda)$ design **14** (1976) 399–402
467. A.V. Kostochka and L.S. Mel'nikov, Note to the paper of Grünbaum on acyclic colorings (*Note*) **14** (1976) 403–406
468. B.T. Datta, On tangential 2-blocks **15** (1976) 1–22
469. M. Dehon, Non-existence d'un 3-design de parametres $\lambda=2$, $k=5$ et $v=11$ **15** (1976) 23–25
470. M. Las Vergnas, Sur les arborescences dans un graphe oriente **15** (1976) 27–39
471. J.C. Meyer, Nombre chromatique total du joint d'un ensemble stable par un cycle **15** (1976) 41–54
472. G. Moran, The bireflections of a permutation **15** (1976) 55–62
473. G. Moran, The product of two reflection classes of the symmetric group **15** (1976) 63–77
474. W.T. Trotter Jr. and J.I. Moore Jr., Some theorems on graphs and posets **15** (1976) 79–84
475. D.E. White, Construction of vector lists and isomorph rejection **15** (1976) 85–105
476. L.K. Jones, Sur une loi de probabilite conditionelle de Kleitman (*Note*) **15** (1976) 107–108
477. J.A. Bondy and V. Chvátal, A method in graph theory **15** (1976) 111–135
478. B.R. Handa and S.G. Mohanty, Higher dimensional lattice paths with diagonal steps **15** (1976) 137–140
479. D.J. Hartfiel and C.J. Maxson, Algebraic models for two-edge-connected graphs **15** (1976) 141–150
480. A. Kerber and J. Tappe, On permutation characters of wreath products **15** (1976) 151–161
481. K.B. Reid, Cycles in the complement of a tree **15** (1976) 163–174
482. D.H. Smith, An improved version of Lloyd's theorem **15** (1976) 175–184
483. D. Sotteau, Decomposition of K_n^* into circuits of odd length **15** (1976) 185–191
484. A.C.-C. Yao, On a problem of Katona on minimal separating systems **15** (1976) 193–199
485. M.B. Nathanson, Partial products in finite groups (*Note*) **15** (1976) 201–203
486. R.D. Baker, Partitioning the planes of $AG_{2m}(2)$ into 2-designs **15** (1976) 205–211
487. E.J. Cockayne and S.T. Hedetniemi, Disjoint independent dominating sets in graphs **15** (1976) 213–222
488. A. Ehrenfeucht, K.P. Lee and G. Rozenberg, On the number of subwords of everywhere growing DT0L languages **15** (1976) 223–234
489. H.O. Foulkes, Enumeration of permutations with prescribed up-down and inversion sequences **15** (1976) 235–252
490. M. Koren, Graphs with degrees from prescribed intervals **15** (1976) 253–261
491. E.S. Kramer and D.M. Mesner, t-designs on hypergraphs **15** (1976) 263–296
492. N. Linial, A lower bound for the circumference of a graph **15** (1976) 297–300
493. H. Oellrich and K. Steffens, On Dilworth's decomposition theorem **15** (1976) 301–304
494. P. Schmitt, Spreading information by conferences (*Note*) **15** (1976) 305–306
495. C. Calude, On metrizability of the free monoids **15** (1976) 307–310
496. H.O. Foulkes, Tangent and secant numbers and representations of symmetric groups **15** (1976) 311–324
497. W.B. Giles, Reconstructing trees from two point deleted subtrees **15** (1976) 325–332
498. S.B. Morris and R.E. Hartwig, The generalized faro shuffle **15** (1976) 333–346
499. A.N. Patrinos and S.L. Hakimi, Relations between graphs and integer-pair sequences **15** (1976) 347–358
500. U.G. Rothblum, On the number of complementary trees in a graph **15** (1976) 359–371
501. D.J. Kleitman, More on complementary trees **15** (1976) 373–378
502. D.A. Sheppard, The factorial representation of balanced labelled graphs **15** (1976) 379–388
503. W.T. Trotter Jr. and K.P. Bogart, Maximal dimensional partially ordered sets III: A characterization of Hiraguchi's inequality for interval dimension **15** (1976) 389–400

504. R.C. Bose, W.G. Bridges and M.S. Shrikhande, A characterization of partial geometric designs **16** (1976) 1–7
505. D.P. Geller, r-tuple colorings of uniquely colorable graphs **16** (1976) 9–12
506. G. Giraud, Sur les proportions respectives de triangles uni, bi ou tricolores dans un tricoloriage des arêtes du n-emble **16** (1976) 13–38
507. T. Ibaraki, Integer programming formulation of combinatorial optimization problems **16** (1976) 39–52
508. G. Pabst, Quantitative axioms for finite affine planes **16** (1976) 53–56
509. E. Sampathkumar and V.N. Bhave, Partition graphs and coloring numbers of a graph **16** (1976) 57–60
510. M.J. Todd, Characterizing binary simplicial matroids **16** (1976) 61–70
511. W.T. Trotter Jr. and K.P. Bogart, On the complexity of posets **16** (1976) 71–82
512. Š. Znám, On existence and regularity of graphs with certain properties **16** (1976) 83–90
513. A. Altshuler and L. Steinberg, An enumeration of combinatorial 3-manifolds with nine vertices **16** (1976) 91–108
514. L.W. Beineke and S. Fiorini, On small graphs critical with respect to edge colourings **16** (1976) 109–121
515. P.J. Chase, Subsequence numbers and logarithmic concavity **16** (1976) 123–140
516. G.F. Estabrook, C.S. Johnson Jr. and F.R. McMorris, An algebraic analysis of cladistic characters **16** (1976) 141–147
517. R.J. Faudree and R.H. Schelp, Ramsey numbers for all linear forests **16** (1976) 149–155
518. J. Hartman, The homeomorphic embedding of K_n in the m-cube **16** (1976) 157–160
519. M.D. Hirschhorn, Simple proofs of identities of MacMahon and Jacobi **16** (1976) 161–162
520. R.R. Meyer, Mixed integer minimization models for piecewise-linear functions of a single variable **16** (1976) 163–171
521. A. Recski, On random partitions **16** (1976) 173–177
522. K. Appel and W. Haken, A proof of the four color theorem (*Special announcement*) **16** (1976) 179–180
523. I. Anderson, Intersection theorems and a lemma of Kleitman **16** (1976) 181–185
524. M. Behzad and J.E. Simpson, Eccentric sequences and eccentric sets in graphs **16** (1976) 187–193
525. P. Hell and D.J. Miller, Graph with given achromatic number **16** (1976) 195–207
526. T. Helleseth, Some results about the cross-correlation function between two maximal linear sequences **16** (1976) 209–232
527. A.M. Hobbs and J. Mitchem, The entire graph of a bridgeless connected plane graph is hamiltonian **16** (1976) 233–239
528. A.K. Kelmans, Comparison of graphs by their number of spanning trees **16** (1976) 241–261
529. A. Kotzig and J. Turgeon, On certain constructions for latin squares with no latin subsquares of order two **16** (1976) 263–270
530. C.C. Lindner, Two finite embedding theorems for partial 3-quasigroups **16** (1976) 271–277
531. E.G. Thurber, Addition chains and solutions of $l(2n) = l(n)$ and $l(2^n - 1) = n + l(n) - 1$ **16** (1976) 279–289
532. D. Barnette and D. Gannon, Manifolds with few vertices **16** (1976) 291–298
533. J.A. Brzozowski, Run languages **16** (1976) 299–307
534. G. Chaty and M. Chein, A note on top down and bottom up analysis of strongly connected digraphs **16** (1976) 309–311
535. M.M. Geller, M.A. Harrison and I.M. Havel, Normal forms of deterministic grammars **16** (1976) 313–321
536. G.R. Grimmett, An upper bound for the number of spanning trees of a graph **16** (1976) 323–324
537. D.J. Hartfiel and C.J. Maxson, A note on two conjectures of Geller **16** (1976) 325–328
538. G. Markowsky and R.E. Tarjan, Lower bounds on the lengths of node sequences in directed graphs **16** (1976) 329–337
539. H. Meyniel, On the perfect graph conjecture **16** (1976) 339–342
540. K.T. Phelps, Some derived Steiner triple systems **16** (1976) 343–352
541. I. Tomescu, Le nombre maximal de colorations d'un graphe hamiltonien **16** (1976) 353–359
542. W.T. Trotter Jr. and J.I. Moore Jr., Characterization problems for graphs, partially ordered sets, lattices, and families of sets **16** (1976) 361–381
543. R. Ahlswede and G.O.H. Katona, Contributions to the geometry of Hamming spaces **17** (1977) 1–22
544. C. Berge and A. Ramachandra Rao, A combinatorial problem in logic **17** (1977) 23–26
545. C.J. Everett and P.R. Stein, The combinatorics of random walk with absorbing barriers **17** (1977) 27–45

546. R.B. Feinberg, Characterization of incidence algebras **17** (1977) 47–70
547. J.I. Hall, A.J.E.M. Jansen, A.W.J. Kolen and J.H. Van Lint, Equidistant codes with distance 12 **17** (1977) 71–83
548. J.I. Hall, Bounds for equidistant codes and partial projective planes **17** (1977) 85–94
549. E. Pichat, The disengagement algorithm or a new generalization of the exclusion algorithm **17** (1977) 95–106
550. G.P. Thomas, On a construction of Schützenberger **17** (1977) 107–118
551. H.L. Abbott and D. Hanson, On finite Δ-systems II **17** (1977) 121–126
552. J. Beck, On a combinatorial problem of P. Erdös and L. Lovász **17** (1977) 127–131
553. L. Carlitz, Alternating sequences **17** (1977) 133–138
554. W.E. Clark, Equidistant cyclic codes over GF(q) **17** (1977) 139–141
555. R.J. Douglas, Bounds on the number of Hamiltonian circuits in the n-cube **17** (1977) 143–146
556. J.K. Doyle and J.E. Graver, Mean distance in a graph **17** (1977) 147–154
557. S. Foldes, A characterization of hypercubes **17** (1977) 155–159
558. A.V. Kostochka, The total coloring of a multigraph with maximal degree 4 **17** (1977) 161–163
559. M. Latteux, Problemes decidables concernant les TOL-langages unaires **17** (1977) 165–172
560. J.I. Moore Jr., Interval hypergraphs and D-interval hypergraphs **17** (1977) 173–179
561. R.L. Rivest, The game of "N questions" on a tree **17** (1977) 181–186
562. M. Serfati, Une methode de resolution des equations postiennes a partir d'une solution particuliere **17** (1977) 187–189
563. F. Sterboul, A problem on triples **17** (1977) 191–198
564. A. Tietäväinen, Nonexistence of nontrivial perfect codes in case $q = p_1^r p_2^s$, $e \geqslant 3^*$ **17** (1977) 199–205
565. M.K. Valiev, Universal group with twenty-one defining relations **17** (1977) 207–213
566. D.R. Woodall, A note on rank functions and integer programming **17** (1977) 215–218
567. S. Bhaskara Rao, Characterization of self-complementary graphs with 2-factors **17** (1977) 225–233
568. M.R. Best and A.E. Brouwer, The triply shortened binary Hamming code is optimal **17** (1977) 235–245
569. M. Broué, Codes correcteurs d'erreurs auto-orthogonaux sur le corps a deux elements et formes quadratiques entieres definies positives a discriminant $+1$ **17** (1977) 247–269
570. M. Eftimie and R. Eftimie, A decomposition property of basic acyclic graphs **17** (1977) 271–279
571. J.R. Griggs and D.J. Kleitman, A three part Sperner theorem **17** (1977) 281–289
572. J. Mitchem, An extension of Brooks' theorem to n-degenerate graphs **17** (1977) 291–298
573. A.D. Paradis, Regular subsets in semi-direct products of monoids **17** (1977) 299–307
574. A. Restivo, On codes having no finite completions **17** (1977) 309–316
575. J. Zaks, Non-Hamiltonian non-Grinbergian graphs **17** (1977) 317–321
576. J.P. Bordat, Note sur la recherche des monomes maximaux en algebre de Post (*Note*) **17** (1977) 323–326
577. J.Q. Longyear, Common transversals in partitioning families (*Note*) **17** (1977) 327–329
578. F.C. Edmonds, Enumeration of arrays of a given size **18** (1977) 1–22
579. S.H.Y. Hung and N.S. Mendelsohn, Handcuffed designs **18** (1977) 23–33
580. L. Iturrioz and O. Rueda, Algebres implicatives trivalentes de łukasiewicz libres **18** (1977) 35–44
581. H.A. Jung and M.E. Watkins, On the structure of infinite vertex-transitive graphs **18** (1977) 45–53
582. V.A. Nicholson, Collapsing unicolored graphs **18** (1977) 55–61
583. C. Pomerance, On a tiling problem of R.B. Eggleton **18** (1977) 63–70
584. A.J. Schwenk, An asymptotic evalution of the cycle index of a symmetric group **18** (1977) 71–78
585. E. Spence, Skew-Hadamard matrices of order $2(q + 1)$ **18** (1977) 79–85
586. H.P. Yap, Some remarks on E-minimal graphs **18** (1977) 87–92
587. P. Smith, A doubly divisible nearly Kirkman system (*Note*) **18** (1977) 93–96
588. C. Vanden Eynden, On a paper of Lake about infinite graphs (*Note*) **18** (1977) 97
589. O. Botlík, Modifications of object sizes and box capacities to achieve a simultaneous fitting **18** (1977) 105–108
590. V. Bryant and H. Perfect, Some characterization theorems for circuit spaces associated with graphs **18** (1977) 109–124
591. S.A. Choudum, Some 4-valent, 3-connected, planar, almost pancyclic graphs **18** (1977) 125–129
592. K. Čulík, Extensions of rooted trees and their applications **18** (1977) 131–148
593. E.J. Farrell, On graphical partitions and planarity **18** (1977) 149–153

594. H. Glover and J.P. Huneke, Graphs with bounded valency that do not embed in the projective plane **18** (1977) 155–165
595. R.C. Grimson, Enumeration of dimer (domino) configurations **18** (1977) 167–177
596. T. Helleseth, T. Kløve and J. Mykkeltveit, The weight distribution of irreducible cyclic codes with block lengths $n_1((q^l-1)/N)$ **18** (1977) 179–211
597. A.B. Cruse, A note on 1-factors in certain regular multigraphs **18** (1977) 213–216
598. R. Alter and C.C. Wang, Uniquely intersectable graphs **18** (1977) 217–226
599. B.A. Anderson, Symmetry groups of some perfect 1-factorizations of complete graphs **18** (1977) 227–234
600. J.C. Bermond, M.C. Heydemann and D. Sotteau, Line graphs of hypergraphs I **18** (1977) 235–241
601. T. Brylawski, Connected matroids with the smallest Whitney numbers **18** (1977) 243–252
602. G.F. Clements, More on the generalized Macaulay theorem — II **18** (1977) 253–264
603. J.B. Collier and E.F. Schmeichel, New flip-flop constructions for hypohamiltonian graphs **18** (1977) 265–271
604. J.L. Gross and T.W. Tucker, Generating all graph coverings by permutation voltage assignments **18** (1977) 273–283
605. B. Kedem, Counting the number of 0–1 stationary time series having the same likelihood **18** (1977) 285–289
606. W.B. Poucher, Finite embedding theorems for partial pairwise balanced designs **18** (1977) 291–298
607. J.M.S. Simões-Pereira, A note of finite topologies and switching functions **18** (1977) 299–310
608. R.E. Bixby, A simple proof that every matroid is an intersection of fundamental transversal matroids (*Note*) **18** (1977) 311–312
609. D.P. Brown, Compound and unimodular matrices **19** (1977) 1–5
610. W.H. Cunningham, Chords and disjoint paths in matroids **19** (1977) 7–15
611. R. Fagin, The number of finite relational structures **19** (1977) 17–21
612. I.J. Good and J.F. Crook, The enumeration of arrays and a generalization related to contingency tables **19** (1977) 23–45
613. S. Krogdahl, The dependence graph for bases in matroids **19** (1977) 47–59
614. L.R. Matthews and J.G. Oxley, Infinite graphs and bicircular matroids **19** (1977) 61–65
615. D. McCarthy and S.A. Vanstone, Embedding $(r, 1)$-designs in finite projective planes **19** (1977) 67–76
616. M.D. Miller and R.J. Friedlander, On some sequencing problems in finite groups **19** (1977) 77–84
617. C. Thomassen, An Ore-type condition implying a digraph to be pancyclic **19** (1977) 85–92
618. L. Lesniak-Foster, A note on stable graphs (*Note*) **19** (1977) 93–97
619. V. Strehl, A note of similarity relations (*Note*) **19** (1977) 99–101
620. B. Alspach and M. Rosenfeld, On embedding triangle-free graphs in unit spheres **19** (1977) 103–111
621. J.C. Bermond and J. Schönheim, G-decomposition of K_n, where G has four vertices or less **19** (1977) 113–120
622. C.E. Blair and R.G. Jeroslow, The value function of a mixed integer program: I **19** (1977) 121–138
623. D. Duffus and I. Rival, Path length in the covering graph of a lattice **19** (1977) 139–158
624. F. Gavril, Algorithms on clique separable graphs **19** (1977) 159–165
625. J.P.S. Kung, The core extraction axiom for combinatorial geometries **19** (1977) 167–175
626. N. Megiddo, Mixtures of order matrices and generalized order matrices **19** (1977) 177–181
627. Th. Ströhlein and L. Zagler, Analyzing games by Boolean matrix iteration **19** (1977) 183–193
628. J.A. Bondy and C. Thomassen, A short proof of Meyniel's theorem (*Note*) **19** (1977) 195–197
629. A. Czerniakiewicz, Minimal graphs with cyclic color group **19** (1977) 201–212
630. F.C. Edmonds, Rectangular arrays **19** (1977) 213–227
631. P. Erdös and A. Meir, On total matching numbers and total covering numbers of complementary graphs **19** (1977) 229–233
632. J. Goldstine, A simplified proof of Parikh's theorem **19** (1977) 235–239
633. S.H. Hechler, On infinite graphs with a specified number of colorings **19** (1977) 241–255
634. F.K. Hwang and J.C. Lagarias, Minimum range sequences of all k-subsets of a set **19** (1977) 257–264
635. D. Johnson, A (2, 11) combinatorial groupoid **19** (1977) 265–271
636. M. Katchalski, Intersecting all edges of convex polytopes by planes **19** (1977) 273–279
637. M. Riviere, Amas dans les graphes planaires **19** (1977) 281–286
638. E. Bannai, Examples of groups which have a graphical regular representation (*Note*) **19** (1977) 287–288

639. T. Kløve, The modular n-queen problem (*Note*) **19** (1977) 289–291
640. C. Thomassen, Counterexamples to the edge reconstruction conjecture for infinite graphs (*Note*) **19** (1977) 293–295
641. A.E. Brouwer, A. Schrijver and H. Hanani, Group divisible designs with block-size four **20** (1977) 1–10
642. A. Frank, On a class of balanced hypergraphs **20** (1977) 11–20
643. T. Helleseth, The weight enumerator polynomials of some classes of codes with composite parity-check polynomials **20** (1977) 21–31
644. J.E. Herman and F.R.K. Chung, Some results on hook lengths **20** (1977) 33–40
645. M. Jungerman, l-regular rotations of the countably infinite complete graph **20** (1977) 41–49
646. M.L. Vergnas, Acyclic and totally cyclic orientations of combinatorial geometries **20** (1977) 51–61
647. N.S. Mendelsohn, Perfect cyclic designs **20** (1977) 63–68
648. J. Spencer, Asymptotic lower bounds for Ramsey functions **20** (1977) 69–76
649. T. Ueda, The fixing groups for the 2-asummable Boolean functions **20** (1977) 77–82
650. B. Bollobás, Semi-topological subgraphs (*Note*) **20** (1977) 83–85
651. T. Kløve, The weight distribution for a class of irreducible cyclic codes (*Note*) **20** (1977) 87–90
652. E.S. Kramer, A generalized room square GRS(4, 24) of dimension 9 (*Note*) **20** (1977) 91–92
653. V.N. Bhat-Nayak, R.N. Naik and S.B. Rao, Frequency partitions: Forcibly pancyclic and forcibly nonhamiltonian degree sequences **20** (1977) 93–102
654. H. Burkill and L. Mirsky, Combinatorial problems on the existence of large submatrices II **20** (1977) 103–108
655. C.W.H. Lam, The distribution of 1-widths of (0, 1)-matrices **20** (1977) 109–122
656. C.C. Lindner and E. Mendelsohn, On the conjugates of an $n^2 \times 4$ orthogonal array **20** (1977) 123–132
657. J.D. MacAllister and M. Sakarovitch, Classification de certaines matrices 0–1 **20** (1977) 133–142
658. H.Q. Nguyen, Functors of the category of combinatorial geometries and strong maps **20** (1977) 143–158
659. A. Pultr and J. Vinárek, Productive classes and subdirect irreducibility, in particular for graphs **20** (1977) 159–176
660. G. Ravindra and K.R. Parthasarathy, Perfect product graphs **20** (1977) 177–186
661. P. Vincke, Quasi-kernels of minimum weakness in a graph **20** (1977) 187–192
662. M. Wojtas, On seven mutually orthogonal Latin squares **20** (1977) 193–201
663. L.S. Mel'nikov and R. Steinberg, One counterexample for two conjectures on three coloring (*Note*) **20** (1977) 203–206
664. J.C. Parnami and K.C. Prasad, Enumeration of alternating sequences (*Note*) **20** (1977) 207–208
665. V.A. Aksionov, On uniquely 3-colorable planar graphs **20** (1977) 209–216
666. T.I. Fenner and G. Loizou, Combinatorial aspects of rectangular non-negative matrices **20** (1977) 217–234
667. B. Grünbaum and G.C. Shephard, Perfect colorings of transitive tilings and patterns in the plane **20** (1977) 235–247
668. A. Kotzig and J. Turgeon, Regular perfect systems of difference sets **20** (1977) 249–254
669. S. Maurer and P.J. Slater, On k-critical, n-connected graphs **20** (1977) 255–262
670. U.N. Peled, Matroidal graphs **20** (1977) 263–286
671. G. Ringel, On the genus of the graph $K_n \times K_2$ or the n-prism **20** (1977) 287–294
672. D. Hanson and J. Hanson, Sum-free sets and Ramsey numbers II (*Note*) **20** (1977) 295–296
673. H. Kröger, Distributive lattices as a generalization of Brouwerian lattices (*Note*) **20** (1977) 297–299
674. J. Demetrovics, On the main diagonal of Sheffer functions **21** (1978) 1–5
675. P.C. Fishburn, Operations on binary relations **21** (1978) 7–22
676. J.D. Fulton, Generalized inverses of matrices over a finite field **21** (1978) 23–29
677. L. Hay, Convex subsets of 2^n and bounded truth-table reducibility **21** (1978) 31–46
678. M.F. Janowitz, Semiflat L-cluster methods **21** (1978) 47–60
679. J. Lawrence, Covering the vertex set of a graph with subgraphs of smaller degree **21** (1978) 61–68
680. C.H.C. Little and R.D. Ringeisen, An additivity theorem for maximum genus of a graph **21** (1978) 69–74
681. G. Moran, Some coefficients in the center of the group algebra of the symmetric group **21** (1978) 75–81
682. K.A. Berman, Directed faces in planar digraphs and unicoloured faces in edge 2-coloured planar Eulerian maps (*Note*) **21** (1978) 83–85
683. R.E. Bixby, The solution to a matroid problem of Knuth (*Note*) **21** (1978) 87–88
684. I.F. Blake and J.J. Stiffler, A note on generalized room squares (*Note*) **21** (1978) 89–93

685. R.C. Bose, W.G. Bridges and M.S. Shrikhande, Partial geometric designs and two-class partially balanced designs **21** (1978) 97–101
686. P.M. Camerini and F. Maffioli, Heuristically guided algorithm for K-parity matroid problems **21** (1978) 103–116
687. K.M. Chung and C.L. Liu, A generalization of ramsey theory for graphs **21** (1978) 117–127
688. E.J. Cockayne, B.L. Hartnell and S.T. Hedetniemi, A linear algorithm for disjoint matchings in trees **21** (1978) 129–136
689. H.O. Foulkes, Recurrences for characters of the symmetric group **21** (1978) 137–144
690. D.P. Geoffroy, Nuclei for totally point determining graphs **21** (1978) 145–162
691. M.J. Hodel, Enumeration of rectangular arrays of zeros and ones **21** (1978) 163–176
692. S. Kageyama, Improved inequalities for balanced incomplete block designs **21** (1978) 177–188
693. C. Landauer, Lloyd's theorem for perfect codes **21** (1978) 189–200
694. M. Sakarovitch, Quelques theoremes de dualite combinatoire **21** (1978) 201–212
695. J. Mitchem, A short proof of Catlin's extension of Brooks' Theorem (*Note*) **21** (1978) 213–214
696. H. Narushima and H. Era, A variant of inclusion-exclusion on semilattices (*Note*) **21** (1978) 215–217
697. A.D. Sands, On generalized Catalan numbers (*Note*) **21** (1978) 219–221
698. C. Flament, Hypergraphes arbores **21** (1978) 223–227
699. P.R. Goodey and M. Rosenfeld, Hamiltonian circuits in prisms over certain simple 3-polytopes **21** (1978) 229–235
700. J. van Leeuwen, Effective constructions in well-partially-ordered free monoids **21** (1978) 237–252
701. W. Lipski Jr., On strings containing all subsets as substrings **21** (1978) 253–259
702. Z. Miller, Contractions of graphs: A theorem of ore and an extremal problem **21** (1978) 261–272
703. H.Q. Nguyen, n-alternation deficiency of geometric rank-functions **21** (1978) 273–283
704. P.A. Picon, Sur certaines suites récurrentes cubiques ayant deux ou trois termes nuls **21** (1978) 285–296
705. H.J. Schmid, A geometrical interpretation of the Hungarian method **21** (1978) 297–308
706. P.R. Stein and C.J. Everett, On a class of linked diagrams II. Asymptotics **21** (1978) 309–318
707. A. Kerber, A matrix of combinatorial numbers related to the symmetric groups (*Note*) **21** (1978) 319–321
708. P. Underground, On graphs with hamiltonian squares (*Note*) **21** (1978) 323
709. J. Dunbar and R. Laskar, Finite nets of dimension d **22** (1978) 1–24
710. R.L. Miller, Necklaces, symmetries and self-reciprocal polynomials **22** (1978) 25–33
711. D.G. Rogers, Ascending sequences in permutations **22** (1978) 35–40
712. S. Roman, A problem on multi-colorings of graphs **22** (1978) 41–47
713. D.P. Sumner, The connected Ramsey number **22** (1978) 49–55
714. C. Thomassen, On separating cycles in graphs **22** (1978) 57–73
715. K.A. Berman, Aneulerian digraphs and the determination of those Eulerian digraphs having an odd number of directed Eulerian paths (*Note*) **22** (1978) 75–80
716. P.A. Catlin, A bound on the chromatic number of a graph (*Note*) **22** (1978) 81–83
717. S. Kounias and Ch. Damianou, On an inequality in probability (*Note*) **22** (1978) 85–89
718. F. Sterboul, Sur le nombre transversal des hypergraphes uniformes (*Note*) **22** (1978) 91–96
719. H. Van Tilborg, On the existence of a cyclic code with rate R (*Note*) **22** (1978) 97–98
720. I.P. Goulden and D.M. Jackson, The enumeration of generalised alternating subsets with congruences **22** (1978) 99–104
721. D.J. Hartfiel and C.J. Maxson, Groups which are isomorphic to a semigroup of a linear nonsingular subautomaton **22** (1978) 105–109
722. R. Hill, Caps and codes **22** (1978) 111–137
723. D.G. Kelly and D. Kennedy, The Higgs factorization of a geometric strong map **22** (1978) 139–146
724. C.C. Lindner and A. Rosa, Steiner quadruple systems — A survey **22** (1978) 147–181
725. S. Wagon, Infinite triangulated graphs **22** (1978) 183–189
726. J.A. Bondy, A remark on two sufficient conditions for Hamilton cycles (*Note*) **22** (1978) 191–193
727. L. Martin and C. Reischer, On the modular nets (*Note*) **22** (1978) 195–196
728. F.S. Mulla, A class of graphs for which the Ulam conjecture holds (*Note*) **22** (1978) 197–198
729. K. Alladi, P. Erdös and V.E. Hoggatt Jr., On additive partitions of integers **22** (1978) 201–211
730. A. Benhocine, Nombres de Ramsey dans le cas orienté **22** (1978) 213–217
731. R.E. Burkard, A general Hungarian method for the algebraic transportation problem **22** (1978) 219–232
732. A. Ehrenfeucht, J. Karhumäki and G. Rozenberg, A note on D0L length sets **22** (1978) 233–242

733. H. Glover and J.P. Huneke, The set of irreducible graphs for the projective plane is finite **22** (1978) 243–256
734. E. Györi, On the structures induced by bipartite graphs and infinite matroids **22** (1978) 257–261
735. W. Holsztyński and R.F.E. Strube, Paths and circuits in finite groups **22** (1978) 263–272
736. M.G. Karpovsky and V.D. Milman, On subspaces contained in subsets of finite homogeneous spaces **22** (1978) 273–280
737. M. Lorea, On Turan hypergraphs **22** (1978) 281–285
738. J. Nešetřil and A. Pultr, On classes of relations and graphs determined by subobjects and factorobjects **22** (1978) 287–300
739. D.G. Rogers, Pascal triangles, Catalan numbers and renewal arrays **22** (1978) 301–310
740. T. Inukai and L. Weinberg, Theorems on matroid connectivity (*Note*) **22** (1978) 311–312
741. M.G. Stone, A note on "Automorphism groups of partial orders" (*Note*) **22** (1978) 313–314
742. T. Andreae, On a problem of R. Halin concerning infinite graphs **23** (1978) 1–15
743. V.N. Bhat-Nayak, S.A. Choudum and R.N. Naik, Characterizations of 2-variegated graphs and of 3-variegated graphs **23** (1978) 17–22
744. F.R.K. Chung, On partitions of graphs into trees **23** (1978) 23–30
745. D.L. Goldsmith and A.T. White, On graphs with equal edge-connectivity and minimum degree **23** (1978) 31–36
746. P. Hoffman, Products of representations of wreath products **23** (1978) 37–48
747. J. Nešetřil and V. Rödl, A simple proof of the Galvin–Ramsey property of the class of all finite graphs and a dimension of a graph **23** (1978) 49–55
748. S.A. Vanstone, Extremal (r, λ)-designs **23** (1978) 57–66
749. J. Demel, Maximal frequencies of equivalences with small classes (*Note*) **23** (1978) 67–71
750. R.B. Allan and R. Laskar, On domination and independent domination numbers of a graph **23** (1978) 73–76
751. C. Benzaken, Post's closed systems and the weak chromatic number of hypergraphs **23** (1978) 77–84
752. C. Berge, Regularisable graphs I **23** (1978) 58–89
753. C. Berge, Regularisable graphs, II **23** (1978) 91–95
754. I.F. Blake and A. Melkman, On an inverse for sections of a binomial matrix **23** (1978) 97–104
755. D. Cenzer and E. Howorka, On vertex k-partitions of certain infinite graphs **23** (1978) 105–113
756. R.L. Graham, A.C.-C. Yao and F.-F. Yao, Addition chains with multiplicative cost **23** (1978) 115–119
757. R. Jeroslow, Cutting-plane theory: Algebraic methods **23** (1978) 121–150
758. D. Jungnickel, Composition theorems for difference families and regular planes **23** (1978) 151–158
759. T. Kløve, The weight distribution of linear codes over $GF(q^l)$ having generator matrix over $GF(q)$ **23** (1978) 159–168
760. G. Schrage, Some inequalities for multidimensional (0, 1)-matrices **23** (1978) 169–175
761. P.D. Seymour, A two-commodity cut theorem **23** (1978) 177–181
762. C. Bumiller, On rank three graphs with a large eigenvalue (*Note*) **23** (1978) 1–15
763. G. Boccara, Decompositions d'une permutation d'un ensemble fini en produit de deux cycles **23** (1978) 189–205
764. H. Fredricksen and J. Maiorana, Necklaces of beads in k colors and k-ary de Bruijn sequences **23** (1978) 207–210
765. F. Gavril, A recognition algorithm for the intersection graphs of paths in trees **23** (1978) 211–227
766. R.P. Gupta, An edge-coloration theorem for bipartite graphs with applications **23** (1978) 229–233
767. E. Györi and E.C. Milner, A theorem of the transversal theory for matroids of finite character **23** (1978) 235–240
768. M.L. Vergnas, An extension of Tutte's 1-Factor Theorem **23** (1978) 241–255
769. N. Linial, Covering digraphs by paths **23** (1978) 257–272
770. C. Payan, Coverings by minimal transversals **23** (1978) 273–277
771. S.J. Willson, On convergence of configurations **23** (1978) 279–300
772. T. Helleseth, A note on the cross-correlation function between two binary maximal length linear sequences (*Note*) **23** (1978) 301–307
773. R.M. Karp, A characterization of the minimum cycle mean in a digraph (*Note*) **23** (1978) 309–311
774. B. Loerinc, Chromatic uniqueness of the generalized θ-*graph* (*Note*) **23** (1978) 313–316
775. C. Vanden Eynden, Countable sequenceable groups (*Note*) **23** (1978) 317–318

776. P.A. Catlin, Another bound on the chromatic number of a graph **24** (1978) 1–6
777. A.K. Chandra and G. Markowsky, On the number of prime implicants **24** (1978) 7–11
778. J.R. Isbell, Perfect addition sets **24** (1978) 13–18
779. G. Lallement, Cyclotomic polynomials and unions of groups **24** (1978) 19–36
780. S.-Y.R. Li, Extremal theorems on divisors of a number **24** (1978) 37–46
781. L.R. Matthews, Matroids from directed graphs **24** (1978) 47–61
782. H.D. Shapiro, Generalized Latin squares on the torus **24** (1978) 63–77
783. K. Vidyasankar, Covering the edge set of a directed graph with trees **24** (1978) 79–85
784. C.G. Wagner, Minimal multiplicative covers of an integer **24** (1978) 87–94
785. D.-L. Wang and P. Wang, Some results about the Chvátal conjecture **24** (1978) 95–101
786. S. Foldes and G. Gabor, Note on discrete random walks (*Note*) **24** (1978) 103–104
787. M.C. Golumbic, Trivially perfect graphs (*Note*) **24** (1978) 105–107
788. C.C. Lindner and K.T. Phelps, A note on partial parallel classes in Steiner systems (*Note*) **24** (1978) 109–112
789. R. Laskar and B. Auerbach, On complementary graphs with no isolated vertices **24** (1978) 113–118
790. L. Babai, Vector representable matroids of given rank with given automorphism group **24** (1978) 119–125
791. J. Beck, On 3-chromatic hypergraphs **24** (1978) 127–137
792. F.E. Bennett, Extended cyclic triple systems **24** (1978) 139–146
793. C.E. Blair, Minimal inequalities for mixed integer programs **24** (1978) 147–151
794. M. Breen, A better decomposition theorem for simply connected m-convex sets **24** (1978) 153–159
795. F. Galvin, G. Hesse and K. Steffens, On the number of automorphisms of structures **24** (1978) 161–166
796. D.P. Geoffroy, On 1-factors of point determining graphs **24** (1978) 167–175
797. M.G. Karpovsky and V.D. Milman, Coordinate density of sets of vectors **24** (1978) 177–184
798. S.B. Maurer and P.J. Slater, On k-minimally n-edge-connected graphs **24** (1978) 185–195
799. M. Mulder, The structure of median graphs **24** (1978) 197–204
800. B.D. Saunders and H. Schneider, Flows on graphs applied to diagonal similarity and diagonal equivalence for matrices **24** (1978) 205–220
801. A. Gyárfás, A note on hypergraphs with the Helly-property (*Note*) **24** (1978) 221–223
802. M. Pouzet, Sur certains tournois reconstructibles application a leurs groupes d'automorphismes (*Note*) **24** (1978) 225–229
803. C. Thomassen, Reconstructibility versus edge reconstructibility of infinite graphs (*Note*) **24** (1978) 231–233
804. P. Erdös, S.H. Hechler and P. Kainen, On finite superuniversal graphs **24** (1978) 235–249
805. M.F. Foregger, Hamiltonian decompositions of products of cycles **24** (1978) 251–260
806. D. Hausmann and B. Korte, Lower bounds on the worst-case complexity of some oracle algorithms **24** (1978) 261–276
807. S.L. Mitchell, Another characterization of the centroid of a tree **24** (1978) 277–280
808. H.Q. Nguyen, Projections and weak maps in combinatorial geometries **24** (1978) 281–289
809. G. Ravindra, Perfectness of normal products of graphs **24** (1978) 291–298
810. S.M. Tanny and M. Zuker, Analytic methods applied to a sequence of binomial coefficients **24** (1978) 299–310
811. B. Bollobás, Chromatic number, girth and maximal degree (*Note*) **24** (1978) 311–314
812. P.D. Seymour, Counterexample to a conjecture of Jeurissen (*Note*) **24** (1978) 315
813. R. Assous and M. Pouzet, Une caracterisation des mots periodiques **25** (1979) 1–5
814. C.E. Blair and R.G. Jeroslow, The value function of a mixed integer program: II **25** (1979) 7–19
815. B. Bollobás and A. Thomason, Set colourings of graphs **25** (1979) 21–26
816. R.B. Feinberg, The circular dimension of a graph **25** (1979) 27–31
817. M. Gondran, Les elements p-reguliers dans les dioïdes **25** (1979) 33–39
818. H.M. Mulder and A. Schrijver, Median graphs and Helly hypergraphs **25** (1979) 41–50
819. A. Nijholt, A left part theorem for grammatical trees **25** (1979) 51–63
820. P.J. Slater, Path coverings of the vertices of a tree **25** (1979) 65–74
821. T.O. Strommer, The number of lines determined by a polygon **25** (1979) 75–84
822. H. Abbott and M. Katchalski, A Turán type problem for interval graphs (*Note*) **25** (1979) 85–88
823. J.G. Oxley, On cographic regular matroids (*Note*) **25** (1979) 89–90

824. O. Pretzel, Another proof of Dilworth's decomposition theorem (*Note*) **25** (1979) 91–92
825. N. Wormald and E.M. Wright, The exponential generating function of labelled blocks (*Note*) **25** (1979) 93–96
826. B. Alspach and T.D. Parsons, Isomorphism of circulant graphs and digraphs **25** (1979) 97–108
827. C. Calude and V.E. Căzănescu, On topologies generated by Moisil resemblance relations **25** (1979) 109–115
828. P.H. Edelman, On a fixed point theorem for partially ordered sets **25** (1979) 117–119
829. E.J. Farrell, On a class of polynomials obtained from the circuits in a graph and its application to characteristic polynomials of graphs **25** (1979) 121–133
830. J. Hofbauer, A short proof of the Lagrange–Good formula **25** (1979) 135–139
831. K.M. Koh, T. Tan and D.G. Rogers, Two theorems on graceful trees **25** (1979) 141–148
832. T. Nishizeki, On the relationship between the genus and the cardinality of the maximum matchings of a graph **25** (1979) 149–156
833. G.B. Purdy, Triangles in arrangements of lines **25** (1979) 157–163
834. S. Ramachandran, A test for legitimate decks **25** (1979) 165–173
835. J. Shearer, A property of the colored complete graph **25** (1979) 175–178
836. I. Tomescu, Le nombre minimal de colorations d'un hypergraphe k-chromatique **25** (1979) 179–188
837. A. Farley, S. Hedetniemi, S. Mitchell and A. Proskurowski, Minimum broadcast graphs (*Note*) **25** (1979) 189–193
838. A. Pascu and G. Păun, On the planarity of bicolored digraph grammar systems (*Note*) **25** (1979) 195–197
839. L.D. Andersen, Lower bounds on the cover-index of a graph **25** (1979) 199–210
840. O.V. Borodin, On acyclic colorings of planar graphs **25** (1979) 211–236
841. D. McCarthy and S.A. Vanstone, On the structure of regular pairwise balanced designs **25** (1979) 237–244
842. R.M. Grassl and A.P. Hillman, Functions on tableau frames **25** (1979) 245–255
843. A. Guenoche, Enumeration des tableaux standards **25** (1979) 257–267
844. P. Lorimer, Maximal sets of permutations constructed from projective planes **25** (1979) 269–273
845. I. Rabinovitch and I. Rival, The rank of a distributive lattice **25** (1979) 275–279
846. H.L. Abbott and A.C. Liu, Bounds for the covering number of a graph (*Note*) **25** (1979) 281–284
847. V. Chvátal, The tail of the hypergeometric distribution (*Note*) **25** (1979) 285–287
848. W.J.R. Eplett, A note about the Catalan triangle (*Note*) **25** (1979) 289–291
849. G. Blind, Decomposition of a convex polygon into convex polygons **26** (1979) 1–15
850. J.G. Deken, Some limit results for longest common subsequences **26** (1979) 17–31
851. H.N. Gabow, Algorithmic proofs of two relations between connectivity and the 1-factors of a graph **26** (1979) 33–40
852. B. Gordon and L. Houten, Notes on plane partitions VI **26** (1979) 41–45
853. M.M. Sysło, Characterizations of outerplanar graphs **26** (1979) 47–53
854. A. Wongseelashote, Semirings and path spaces **26** (1979) 55–78
855. V. Chvátal, R.L. Graham, A.F. Perold and S.H. Whitesides, Combinatorial designs related to the strong perfect graph conjecture **26** (1979) 83–92
856. F.W. Barnes, Packing the maximum number of $m \times n$ tiles in a large $p \times q$ restangle **26** (1979) 93–100
857. A. Ehrenfeucht and D.M. Silberger, Periodicity and unbordered segments of words **26** (1979) 101–109
858. P. Frankl, Families of finite sets satisfying a union condition **26** (1979) 111–118
859. B.R. Handa and S.G. Mohanty, Enumeration of higher-dimensional paths under restrictions **26** (1979) 119–128
860. W.C. Huffman, The biweight enumerator of self-orthogonal binary codes **26** (1979) 129–143
861. S.A. Joni, The multi-indexed partitional **26** (1979) 145–163
862. V. Müller, On colorings of graphs without short cycles **26** (1979) 165–176
863. A. Schrijver and P.D. Seymour, Solution of two fractional packing problems of Lovász **26** (1979) 177–184
864. H.N. Ward, Combinatorial polarization **26** (1979) 185–197
865. J. Akiyama and T. Hamada, The decompositions of line graphs, middle graphs and total graphs of complete graphs into forests **26** (1979) 203–208
866. I. Broere and C.M. Mynhardt, Remarks on the critical graph conjecture **26** (1979) 209–212
867. R. Cordovil and M. Las Vergnas, Geometries simpliciales unimodulaires **26** (1979) 213–217

868. R. Giles and D. Hausmann, Characterizations of adjacency on the branching polyhedron **26** (1979) 219–226
869. Y.O. Hamidoune, Sur les parcours hamiltoniens dans les graphes orientes **26** (1979) 227–234
870. F. Harary and H.J. Kommel, The graphs with only self-dual signings **26** (1979) 235–241
871. I.J. Holyer and E.J. Cockayne, On the sum of cardinalities of extremum maximal independent sets **26** (1979) 243–246
872. C.J. Mitchell, An infinite family of symmetric designs **26** (1979) 247–250
873. J.M. Moon, Some enumeration problems for similarity relations **26** (1979) 251–260
874. P.R. Stein and M.S. Waterman, On some new sequences generalizing the Catalan and Motzkin numbers **26** (1979) 261–272
875. M. Tarsi, Decomposition of complete multigraphs into stars **26** (1979) 273–278
876. G. Viennot, Permutations ayant une forme donnee **26** (1979) 279–284
877. A. Wohlgemuth, Labeled reaction matrices, a histocompatibility model **26** (1979) 285–292
878. T. Ueda, On the fixing group for a totally pre-ordered Boolean function (*Note*) **26** (1979) 293–295
879. H. Walther, Remark on a paper of J. Zaks (*Communication*) **26** (1979) 297–301
880. A. Békéssy and J. Demetrovics, Contribution to the theory of data base relations **27** (1979) 1–10
881. R.G. Bland, H.-C. Huang and L.E. Trotter Jr., Graphical properties related to minimal imperfection **27** (1979) 11–22
882. R.W. Deming, Independence numbers of graphs – An extension of the Koenig–Egervary theorem **27** (1979) 23–33
883. W. Deuber, Partition theorems for unary algebras **27** (1979) 35–45
884. W.H. Gates and C.H. Papadimitriou, Bounds for sorting by prefix reversal **27** (1979) 47–57
885. M. Katchalski and A. Liu, Arcs on the circle and p-tuplets on the line **27** (1979) 59–69
886. C. Payan and N.H. Xuong, Upper embeddability and connectivity of graphs **27** (1979) 71–80
887. D.G. Rogers, The enumeration of some restricted matrices **27** (1979) 81–91
888. R. Schmidt, On the existence of uncountably many matroidal families **27** (1979) 93–97
889. D.B. West and D.J. Kleitman, Skew chain orders and sets of rectangles **27** (1979) 99–102
890. M. Snir, The covering problem of complete uniform hypergraphs (*Note*) **27** (1979) 103–105
891. A. Filipoiu, Representation theorems for Lukasiewicz algebras (*Communication*) **27** (1979) 107–110
892. B.D. Acharya, On the cyclomatic number of a hypergraph **27** (1979) 111–116
893. R. Belding, Structures characterizing partially ordered sets, and their automorphism groups **27** (1979) 117–126
894. R.A. Brualdi, The diagonal hypergraph of a matrix (bipartite graph) **27** (1979) 127–147
895. P.A. Catlin, Subgraphs with triangular components **27** (1979) 149–170
896. C.-Y. Chao and E.G. Whitehead Jr., Chromatically unique graphs **27** (1979) 171–177
897. Ch.A. Charalambides, A problem of arrangements on chessboards and generalizations **27** (1979) 179–186
898. P. Delsarte, A generalization of the Legendre symbol for finite Abelian groups **27** (1979) 187–192
899. C.W. Evans, Net structure and cages **27** (1979) 193–204
900. F. Sterboul, Smallest 3-graphs having a 3-colored edge in every k-coloring **27** (1979) 205–210
901. J.W. Fickett, High valency subgraphs of cubes (*Note*) **27** (1979) 211–212
902. B.D. McKay, Hadamard equivalence via graph isomorphism (*Note*) **27** (1979) 213–214
903. D.K. Arrowsmith, M.A.A. Cox and J.W. Essam, The family of D-weights for a two-rooted graph **27** (1979) 215–223
904. M. Boulala and J.-P. Uhry, Polytope des independants d'un graphe serie-parallele **27** (1979) 225–243
905. J.A. Gallian and D.J. Rusin, Cyclotomic polynomials and nonstandard dice **27** (1979) 245–259
906. C. Huang, A. Kotzig and A. Rosa, On a variation of the Oberwolfach problem **27** (1979) 261–277
907. G. Kreweras, Sur les extensions lineaires d'une famille particuliere d'ordres partiels **27** (1979) 279–295
908. A. de Luca, D. Perrin, A. Restivo and S. Termini, Synchronization and simplification **27** (1979) 297–308
909. D. de Werra, Regular and canonical colorings **27** (1979) 309–316
910. W. Wyss, Quasi-multiplication and polynomial sequences **27** (1979) 317–330
911. F. Jaeger, Interval matroids and graphs (*Communication*) **27** (1979) 331–336
912. C.C. Chen, On the structure of complete graphs without alternating cycles **28** (1979) 1–5
913. C.L. Ezell, Observations on the construction of covers using permutation voltage assignments **28** (1979) 7–20

914. J. Françon and G. Viennot, Permutations selon leurs pics, creux, doubles montées et double descentes, nombres d'Euler et nombres de Genocchi **28** (1979) 21–35
915. J.R. Griggs, Extremal values of the interval number of a graph, II **28** (1979) 37–47
916. P. Hanlon, The enumeration of bipartite graphs **28** (1979) 49–57
917. W. Knapp, On the distance distribution of homogeneous codes **28** (1979) 59–63
918. D.L. Russell, Sums of products of terms from linear recurrence sequences **28** (1979) 65–79
919. S. Saito and T. Hayasaka, The Langford $(4, n)$-sequence: A trigonometric approach **28** (1979) 81–88
920. V. Strehl, Alternating permutations and modified Ghandi-polynomials **28** (1979) 89–100
921. B. Lindström, Non-regular simplicial matroids (*Note*) **28** (1979) 101–102
922. M. Lorea, On matroidal families (*Note*) **28** (1979) 103–106
923. V.A. Zinoviev, Letter to the editor **28** (1979) 107
924. B.A. Anderson, K.B. Gross and P.A. Leonard, Some Howell Designs of prime side **28** (1979) 113–134
925. M.D. Beeler and P.E. O'Neil, Some new Van der Waerden numbers **28** (1979) 135–146
926. J. Csima, On the plane term rank of three dimensional matrices **28** (1979) 147–152
927. U. Faigle, The Greedy algorithm for partially ordered sets **28** (1979) 153–159
928. T. Helleseth, The weight distribution of the coset leaders for some classes of codes with related parity-check matrices **28** (1979) 161–171
929. M. Klemm and B. Wagner, A matrix of combinatorial numbers related to the symmetric groups **28** (1979) 173–177
930. M. Mulder, $(0, \lambda)$-graphs and n-cubes **28** (1979) 179–188
931. R.W. Quackenbush, Pseudovarieties of finite algebras isomorphic to bounded distributive lattices **28** (1979) 189–192
932. J.R. Reay, Twelve general position points always form three intersecting tetrahedra **28** (1979) 193–199
933. C. Schulz, An invertable 3-diagram with 8 vertices **28** (1979) 201–205
934. H.S. Shank, The rational case of a matrix problem of Harrison **28** (1979) 207–212
935. R. Srinivasan, On some results of Takács in ballot problems **28** (1979) 213–218
936. I. Wegener, On separating systems whose elements are sets of at most k elements **28** (1979) 219–222
937. L. Caccetta and R. Häggkvist, On diameter critical graphs **28** (1979) 223–229
938. K. Chase, Sandwich semigroups of binary relations **28** (1979) 231–236
939. M.C. Golumbic and Y. Perl, Generalized Fibonacci maximum path graphs **28** (1979) 237–245
940. J.W. Grossman, F. Harary and M. Klawe, Generalized Ramsey theory for graphs, X: Double starts **28** (1979) 247–254
941. T. Nishizeki and I. Baybars, Lower bounds on the cardinality of the maximum matchings of planar graphs **28** (1979) 255–267
942. H. Prodinger, On a generalization of the Dyck-language over a two letter alphabet **28** (1979) 269–276
943. H. Prodinger and F.J. Urbanek, Infinite 0–1-sequences without long adjacent identical blocks **28** (1979) 277–289
944. S.B. Rao, The number of open chains of length three and the parity of the number of open chains of length k in self-complementary graphs **28** (1979) 291–301
945. W.T. Trotter Jr., A characterization of Roberts' inequality for boxicity **28** (1979) 303–313
946. D.W. Walkup, How many ways can a permutation be factored into two n-cycles? **28** (1979) 315–319
947. B. Bollobás, On graphs with equal edge connectivity and minimum degree (*Note*) **28** (1979) 321–323
948. F.M. Liang, A short proof of the $3d$ distance theorem (*Note*) **28** (1979) 325–326
949. J.B. Shearer, A simple counterexample to a conjecture of Rota (*Note*) **28** (1979) 327–330
950. G. Purdy and T. Strommer, The maximal sizes of faces and vertices in an arrangement (*Note*) **28** (1979) 331–334
951. M.O. Albertson and J.P. Hutchinson, Hadwiger's conjecture for graphs on the Klein bottle **29** (1980) 1–11
952. M. Barnabei and A. Brini, A class of PBIB-designs obtained from projective geometries **29** (1980) 13–17
953. L. Csmiraz, On a combinatorial game with an application to Go-moku **29** (1980) 19–23
954. G. Exoo and F. Harary, The smallest graphs with certain adjacency properties **29** (1980) 25–32
955. M. Javdekar, Characterization of forcibly k-variegated degree sequences, $k \geqslant 3$ **29** (1980) 33–38
956. M. Maheo, Strongly graceful graphs **29** (1980) 39–46
957. C. Payan, A class of threshold and domishold graphs: Equistable and equidominating graphs **29** (1980) 47–52

958. N. Sbihi, Algorithme de recherche d'un stable de cardinalite maximum dans un graphe sans etoile **29** (1980) 53–76
959. S.A. Vanstone, Doubly resolvable designs **29** (1980) 77–86
960. J. Zaks, Non-Hamiltonian simple 3-polytopes having just two types of faces **29** (1980) 87–101
961. J.B. Shearer, A note on circular dimension (*Note*) **29** (1980) 103
962. G. Boccara, Nombre de representations d'une permutation comme produit de deux cycles de longueurs donnees **29** (1980) 105–134
963. G. Cornuéjols and W. Pulleyblank, A mathching problem with side conditions **29** (1980) 135–159
964. E.J. Farrell, Chromatic roots—Some observations and conjectures **29** (1980) 161–167
965. B. Gordon, Tilings of lattice points in Euclidean n-space **29** (1980) 169–174
966. D. Gordon, Minimal determining sets of locally finitely-determined functionals **29** (1980) 175–190
967. T.C. Hine and V.C. Mavron, Embeddable transversal designs **29** (1980) 191–200
968. M.S. Jacobson, A note of Ramsey multiplicity (*Note*) **29** (1980) 201–203
969. D.E. Keenan, A Fisher type inequality (*Note*) **29** (1980) 205–208
970. R.N. Mohan, A note on the construction of certain BIB designs (*Note*) **29** (1980) 209–211
971. D.I.A. Cohen and T.M. Katz, Recurrence of a random walk on the half-line as the generating function for the Catalan numbers (*Communication*) **29** (1980) 213–214
972. K.A. Berman, A note on coloured quadrangulations (*Communication*) **29** (1980) 215–217
973. T. Andreae, On a problem of R. Halin concerning infinite graphs II **29** (1980) 219–227
974. J. Berman, A proof of Lyndon's finite basis theorem **29** (1980) 229–233
975. J. Berstel, Mots sans carre et morphismes iteres **29** (1980) 235–244
976. A. Björner and I. Rival, A note on fixed points in semimodular lattices **29** (1980) 245–250
977. C. Yung-ching, Some results on Hu's conjecture concerning binary trees **29** (1980) 251–255
978. E.J. Farrell, On chromatic coefficients **29** (1980) 257–264
979. C.W.H. Lam, Distance transitive digraphs **29** (1980) 265–274
980. G. Markowsky, The level polynomials of the free distributive lattices **29** (1980) 275–285
981. B. Sands, Generating sets for lattices of dimension two **29** (1980) 287–292
982. P.D. Seymour, Disjoint paths in graphs **29** (1980) 293–309
983. J.P. Barthelemy, An asymptotic equivalent for the number of total preorders on a finite set (*Note*) **29** (1980) 311–313
984. H.O. Foulkes, Eulerian numbers, Newcomb's problem and representations of symmetric groups **30** (1980) 3–49
985. J. Désarménien, An algorithm for the Rota straightening formula **30** (1980) 51–68
986. A. Baartmans, K. Danhof and S. Tan, Quasi-residual quasi-symmetric designs **30** (1980) 69–81
987. A. Békéssy, J. Demetrovics, L. Hannák, P. Frankl and Gy. Katona, On the number of maximal dependencies in a data base relation of fixed order **30** (1980) 83–88
988. F.R.K. Chung, On the coverings of graphs **30** (1980) 89–93
989. L. Clark, R.C. Entringer and D.E. Jackson, Minimum graphs with complete k-closure **30** (1980) 95–101
990. P. Erdös and J. Pach, On a problem of L. Fejes Tóth **30** (1980) 103–109
991. A. Filipoiu, Representation of Lukasiewicz algebras by means of ordered stone spaces **30** (1980) 111–116
992. S. Foldes and G. Sabidussi, On semigroups of graph endomorphisms **30** (1980) 117–120
993. E.R. Gansner, On the equality of two plane partition correspondences **30** (1980) 121–132
994. D.M. Jackson, B. Jeffcott and W.T. Spears, The enumeration of sequences with respect to structures on a bipartition **30** (1980) 133–149
995. D.J. Kleitman and J.B. Shearer, Further gossip problems **30** (1980) 151–156
996. R. Mathon and S.A. Vanstone, On the existence of doubly resolvable Kirkman systems and equidistant permutation arrays **30** (1980) 157–172
997. R.A. Proctor, M.E. Saks and D.G. Sturtevant, Product partial orders with the Sperner property **30** (1980) 173–180
998. R. Giles and R. Kannan, A characterization of threshold matroids (*Note*) **30** (1980) 181–184
999. A. Gyárfás, Still another triangle-free infinite-chromatic graph (*Note*) **30** (1980) 185
1000. E. Goles and J. Olivos, Periodic behaviour of generalized threshold functions (*Communication*) **30** (1980) 187–189
1001. R. Aharoni, A problem in rearrangements of (0, 1) matrices **30** (1980) 191–201

1002. D.P. Brown, Compound connection matrices **30** (1980) 203–209
1003. L. Carlitz, Explicit formulas for the Dumont-Foata polynomial **30** (1980) 211–225
1004. T.C. Enns, Convex 4-valent polytopes **30** (1980) 227–234
1005. A. Gyárfás, E. Szemeredi and Zs. Tuza, Induced subtrees in graphs of large chromatic number **30** (1980) 235–244
1006. J. Lehel and Zs. Tuza, Ensembles d'articulation d'un graphe γ-critique **30** (1980) 245–248
1007. S. Lins, A sequence representation for maps **30** (1980) 249–263
1008. D. Magagnosc, Recurrences and formulae in an extension of the Eulerian numbers **30** (1980) 265–268
1009. L.H. Pearce, Random walks on trees **30** (1980) 269–276
1010. L. Surányi, On a generalization of linecritical graphs **30** (1980) 277–287
1011. D.P. Dailey, Uniqueness of colorability and colorability of planar 4-regular graphs are NP-complete (*Note*) **30** (1980) 289–293
1012. J.-C. Bermond, P. Frankl and F. Sterboul, On the maximum number of edges in a hypergraph whose linegraph contains no cycle (*Communication*) **30** (1980) 295–298
1013. N.L. Biggs and M.J. Hoare, A trivalent graph with 58 vertices and girth 9 (*Communication*) **30** (1980) 299–301
1014. G. Farhi, On a problem of Chvatal (*Communication*) **30** (1980) 303–304
1015. T. Nishizeki, A 1-tough nonhamiltonian maximal planar graph (*Communication*) **30** (1980) 305–307
1016. K.P. Bogart, Incidence codes of posets: Eulerian posets and Reed–Muller codes **31** (1980) 1–7
1017. N. Dershowitz and S. Zaks, Enumerations of ordered trees **31** (1980) 9–28
1018. J.T. Joichi and D.E. White, Gray codes in graphs of subsets **31** (1980) 29–41
1019. T.D. Parsons, T. Pisanski and B. Jackson, Dual imbeddings and wrapped quasi-coverings of graphs **31** (1980) 43–52
1020. G.B. Purdy and J.E. Wetzel, Two-coloring inequalities for Euclidean arrangements in general position **31** (1980) 53–58
1021. D.W. Walkup, Matchings in random regular bipartite digraphs **31** (1980) 59–64
1022. D. Zeilberger, Partial difference equations in $m_1 \geqslant m_2 \geqslant \cdots \geqslant m_n \geqslant 0$ and their applications to combinatorics **31** (1980) 65–77
1023. T. Bu, Partitions of a vector space (*Note*) **31** (1980) 79–83
1024. M.L. Gardner, Forbidden configurations in intersection graphs of r-graphs (*Note*) **31** (1980) 85–88
1025. Y.O. Hamidoune, On the decomposition of a minimally strongly h-connected digraph into $h+1$ acircuitic subgraphs (*Note*) **31** (1980) 89–90
1026. S.P. Mohanty, Shortest string containing all permutations (*Note*) **31** (1980) 91–95
1027. M.-K. Siu and P. Tong, Generation of some de Bruijn sequences (*Note*) **31** (1980) 97–100
1028. A. Björner, Some matroid inequalities (*Communication*) **31** (1980) 101–103
1029. Y.O. Hamidoune, A property of α-fragments of a digraph (*Communication*) **31** (1980) 105–106
1030. D. Naddef, N. Sbihi and M. Tchuente, Independence systems with continuous cardinality of bases (*Communication*) **31** (1980) 107–109
1031. L. Zhu, A pair of orthogonal Steiner systems $S(3, 5, 17)$ (*Communication*) **31** (1980) 111–113
1032. A. Altshuler, J. Bokowski and L. Steinberg, The classification of simplicial 3-spheres with nine vertices into polytopes and nonpolytopes **31** (1980) 115–124
1033. L.D. Andersen and A.J.W. Hilton, Generalized latin rectangles I: Construction and decomposition **31** (1980) 125–152
1034. L. Beineke, R. Ringeisen and H.J. Straight, The cochromatic index of a graph **31** (1980) 153–159
1035. T. Brylawski and J. Oxley, Several identities for the characteristic polynomial of a combinatorial geometry **31** (1980) 161–170
1036. P.H. Edelman, Chain enumeration and non-crossing partitions **31** (1980) 171–180
1037. J.D. Henstridge and C.E. Praeger, Note on primitive permutation groups and a diophantine equation **31** (1980) 181–183
1038. R.H. Johnson, Properties of inique realizations — A survey **31** (1980) 185–192
1039. K.T. Phelps, Automorphism free latin square graphs **31** (1980) 193–200
1040. M.D. Plummer, On n-extendable graphs **31** (1980) 201–210
1041. H.S. Witsenhausen, On intersections of interval graphs **31** (1980) 211–216
1042. M.C. Heydemann, On cycles and paths in digraphs (*Communication*) **31** (1980) 217–219

1043. M. Schulz, An example of a cubic graph with two orbits and simple eigenvalue $\sqrt{3}$ (*Communication*) **31** (1980) 221–222
1044. M.O. Albertson and D.M. Berman, Critical graphs for chromatic difference sequences **31** (1980) 225–233
1045. L.D. Andersen and A.J.W. Hilton, Generalized latin rectangles II: Embedding **31** (1980) 235–260
1046. M. Barnabei and A. Brini, Some properties of characteristics polynomials and applications to T-lattices **31** (1980) 261–270
1047. G. Cohen and P. Frankl, On tilings of the binary vector space **31** (1980) 271–277
1048. K.M. Koh, D.G. Rogers and T. Tan, Products of graceful trees **31** (1980) 279–292
1049. G. Malle, Edge orientations on cubic graphs with a maximum number of pairs of oppositely oriented edges **31** (1980) 293–296
1050. S.B. Maurer, I. Rabinovitch and W.T. Trotter Jr., Large minimal realizers of a partial order II **31** (1980) 297–313
1051. C. Thomassen, On the number of Hamiltonian cycles in tournaments **31** (1980) 315–323
1052. R. Halin, A note on infinite triangulated graphs (*Note*) **31** (1980) 325–326
1053. M. Las Vergnas, Fundamental circuits and a characterization of binary matroids (*Note*) **31** (1980) 327
1054. J.-C. Fournier, Demonstration simple du theoreme de Kuratowski et de sa forme duale (*Communication*) **31** (1980) 329–332
1055. D.R. Stinson, A skew room square of order 129 (*Communication*) **31** (1980) 333–335
1056. J. Wolfmann, A new construction of the binary Golay code (24, 12, 8) using a group algebra over a finite field (*Communication*) **31** (1980) 337–338
1057. D. Duffus, I. Rival and M. Simonovits, Spanning retracts of a partially ordered set **32** (1980) 1–7
1058. R. Euler, Rank-axiomatic characterizations of independence systems **32** (1980) 9–17
1059. S. Fisk, D. Abbw-Jackson and D. Kleitman, Helly-type theorems about sets **32** (1980) 19–25
1060. J.E. Goodman, Proof of a conjecture of Burr, Grünbaum, and Sloane **32** (1980) 27–35
1061. R.P. Gupta, J. Kahn and N. Robertson, On the maximum number of diagonals of a circuit in a graph **32** (1980) 37–43
1062. D. Klarner and J. Pollack, Domino tilings of rectangles with fixed width **32** (1980) 45–52
1063. P. Kleinschmidt, A Steinitz-type theorem for the projective plane **32** (1980) 53–57
1064. O. Pretzel, A construction for partially ordered sets **32** (1980) 59–68
1065. J.W. Reilly and S.M. Tanny, Counting permutations by successions and other figures **32** (1980) 69–76
1066. A.J. Roth and M. Sobel, A probabilistically attained set of polynomials that generate stirling numbers of the second kind **32** (1980) 77–84
1067. J.R. Stonesifer, Modularly complemented geometric lattices **32** (1980) 85–88
1068. J. Hirschfeld, A lower bound for Ramsey's theorem (*Note*) **32** (1980) 89–91
1069. P.M. Winkler, On connectivity of triangulations of manifolds (*Note*) **32** (1980) 93–94
1070. O. D'Antona and J.P.S. Kung, Coherent orientations and series-parallel networks (*Communication*) **32** (1980) 95–98
1071. D. Burns, S.F. Kapoor and P.A. Ostrand, Edge cosymmetric graphs **32** (1980) 99–103
1072. R.J. Faudree, R.H. Schelp and J. Sheehan, Ramsey numbers for matchings **32** (1980) 105–123
1073. P. Flajolet, Combinatorial aspects of continued fractions **32** (1980) 125–161
1074. F.K. Hwang, An explicit expression for the cost of a class of huffman trees **32** (1980) 163–165
1075. S.B. Maurer, I. Rabinovitch and W.T. Trotter Jr., A generalization of Turán's theorem to directed graphs **32** (1980) 167–189
1076. M. Wojtas, New Wilson-type constructions of mutually orthogonal Latin squares **32** (1980) 191–199
1077. B. Bollobás, The distribution of the maximum degree of a random graph (*Note*) **32** (1980) 201–203
1078. C.D. Godsil, More odd graph theory (*Communication*) **32** (1980) 205–207
1079. J.-M. Laborde, Sur le cardinal maximum de la base complete d'une fonction booleenne, en fonction du nombre de conjonctions de l'une de ses formes normales (*Communication*) **32** (1980) 209–212
1080. A. Schrijver, A counterexample to a conjecture of Edmonds and Giles (*Communication*) **32** (1980) 213–214
1081. A. Astie-Vidal, Factor group of the automorphism group of a matroid basis graph with respect to the automorphism group of the matroid **32** (1980) 217–224
1082. J.B. Florence, Consanguinity graphs **32** (1980) 225–228

1083. T. Gangopadhyay and S.P. Rao Hebbare, Paths in r-partite self-complementary graphs **32** (1980) 229–244
1084. T. Gangopadhyay and S.P. Rao Hebbare, r-partite self-complementary graphs — Diameters **32** (1980) 245–255
1085. Y.O. Hamidoune, On critically h-connected simple graphs **32** (1980) 257–262
1086. M. Javdekar, Characterization of k-variegated graphs, $k \geqslant 3$ **32** (1980) 263–270
1087. C.C. Lindner, N.S. Mendelsohn and S.R. Sun, On the construction of Schroeder quasigroups **32** (1980) 271–280
1088. H. Maehara, On time graphs **32** (1980) 281–289
1089. G.L. Mullen and R.E. Weber, Latin cubes of order $\leqslant 5$ **32** (1980) 291–297
1090. J.A. Thas, Partial three-spaces in finite projective spaces **32** (1980) 299–322
1091. R. Tijdeman, The chairman assignment problem **32** (1980) 323–330
1092. M. Preissmann, Even polyhedral decompositions of cubic graphs (*Communication*) **32** (1980) 331–334
1093. B. Bollobás, Degree sequences of random graphs **33** (1981) 1–19
1094. A. Filipoiu, Representation theorems for θ-valued Lukasiewicz algebras **33** (1981) 21–27
1095. H. de Fraysseix, Local complementation and interlacement graphs **33** (1981) 29–35
1096. D. Hausmann, Adjacent vertices on the b-matching polyhedron **33** (1981) 37–51
1097. N. Linial, On Petersen's graph theorem **33** (1981) 53–56
1098. K.T. Phelps and A. Rosa, Steiner triple systems with rotational automorphisms **33** (1981) 57–66
1099. D.G. Rogers, Rhyming schemes: Crossings and coverings **33** (1981) 67–77
1100. A.P. Sprague, Pasch's axiom and projective spaces **33** (1981) 79–87
1101. D.B. Stinson, A general construction for group-divisible designs **33** (1981) 89–94
1102. J.F. Fink and H.J. Straight, A note on path-perfect graphs (*Note*) **33** (1981) 95–98
1103. D.J. Hansen, An axiomatic characterization of multilattices (*Note*) **33** (1981) 99–101
1104. P. Duchet and H. Meyniel, A note on kernel-critical graphs (*Communication*) **33** (1981) 103–105
1105. H. Walther, Note on two problems of J. Zaks concerning Hamiltonian 3-polytopes (*Communication*) **33** (1981) 107–109
1106. J.A. Bondy and S.C. Locke, Relative lengths of paths and cycles in 3-connected graphs **33** (1981) 111–122
1107. R.A. Brualdi and J.A. Ross, Matrices with isomorphic diagonal hypergraphs **33** (1981) 123–138
1108. J. Constantin and B. Courteau, Partitions lineaires arguesiennes d'un espace vectoriel **33** (1981) 139–147
1109. A.K. Dewdney and F. Harary, Oriented two-dimensional circuits **33** (1981) 149–162
1110. A. Filipoiu, Some remarks on the representation theorem of Moisil **33** (1981) 163–170
1111. A. Máté, A lower estimate for the achromatic number of irreducible graphs **33** (1981) 171–183
1112. D. Rotem, Stack sortable permutations **33** (1981) 185–196
1113. H.C.A. van Tilborg, The smallest length of binary 7-dimensional linear codes with prescribed minimum distance **33** (1981) 197–207
1114. M.W. Warner and A. Muir, Homology theories and tolerance automata **33** (1981) 209–221
1115. J.M. Steele, Long unimodal subsequences: A problem of F.R.K. Chung (*Note*) **33** (1981) 223–225
1116. S.A. Burr, P. Erdös, R.J. Faudree, C.C. Rousseau and R.H. Schelp, Ramsey-minimal graphs for star-forests **33** (1981) 227–237
1117. G.F. Clements and H.-D.O.F. Gronau, On maximal antichains containing no set and its complement **33** (1981) 239–247
1118. E.J. Cockayne, O. Favaron, C. Payan and A.G. Thomason, Contributions to the theory of domination, independence and irredundance in graphs **33** (1981) 249–258
1119. E.J. Farrell, Defect-d matchings in graphs with cyclomatic numbers 0, 1 and 2 **33** (1981) 259–266
1120. G.P. Grekos, Nonexistence of maximal asymptotic union nonbases **33** (1981) 267–270
1121. F. Lalonde, Le probleme d'etoiles pour graphes est NP-complet **33** (1981) 271–280
1122. J.F. Lynch, The visually distinct configurations of k sets **33** (1981) 281–287
1123. B.R. Myers, Regular separable graphs of minimum order with given diameter **33** (1981) 289–311
1124. R.S. Wenocur and R.M. Dudley, Some special Vapnik–Chervonenkis classes **33** (1981) 313–318
1125. Y. Caro and J. Schönheim, Generalized 1-factorization of trees (*Note*) **33** (1981) 319–321
1126. J. Kahn and D.J. Kleitman, On cross-bandwidth (*Communication*) **33** (1981) 323–325
1127. R.C. Brigham and R.D. Dutton, Graphs which, with their complements, have certain clique covering numbers **34** (1981) 1–7

1128. W.H. Burge, A correspondence between partitions related to generalizations of the Rogers–Ramanujan indentities **34** (1981) 9–15
1129. L.A. Carmony and S.T. Tan, s-quasi-symmetry **34** (1981) 17–24
1130. S. Gallivan, E.R. Lockeberg and P. McMullen, Complete subgraphs of the graphs of convex polytopes **34** (1981) 25–29
1131. M. Gionfriddo and C.C. Lindner, Construction of Steiner quadruple systems having a prescribed number of blocks in common **34** (1981) 31–42
1132. M. Grötschel and Y. Wakabayashi, On the structure of the monotone asymmetric travelling salesman polytope I: Hypohamiltonian facets **34** (1981) 43–59
1133. C. Hoede and H.J. Veldman, Contraction theorems in Hamiltonian graph theory **34** (1981) 61–67
1134. P.M.B. Vitányi, How well can a graph be n-colored? **34** (1981) 69–80
1135. Ch.A. Charalambides, Bipartitional polynomials and their applications in combinatorics and statistics (*Note*) **34** (1981) 81–84
1136. B.L. Misra and M.L. Chandak, Construction of symmetric PBIB designs and related results (*Note*) **34** (1981) 85–87
1137. D. Zeilberger, Enumeration of words by their number of mistakes (*Note*) **34** (1981) 89–91
1138. M. Yoshizawa, Remarks on distance-regular graphs (*Communication*) **34** (1981) 93–94
1139. L. Zhu, Affinely totally variant subsets of $V_3(\mathrm{GF}(3))$ (*Communication*) **34** (1981) 95–99
1140. E. D'Agostini, On caps with weighted points in $\mathrm{PG}(t, q)$ **34** (1981) 103–110
1141. R.J. Gould, On line graphs and the hamiltonian index **34** (1981) 111–117
1142. H.-D.O.F. Gronau, On maximal families of subsets of a finite set **34** (1981) 119–130
1143. G. Hahn, More star sub-ramsey numbers **34** (1981) 131–139
1144. A. Kriegl, A characterization of reduced incidence algebras **34** (1981) 141–144
1145. M. Maamoun, Parité des cycles contenant des sommets specifiés d'un graphe **34** (1981) 145–152
1146. Y. Perl and S. Zaks, Deficient generalized Fibonacci maximum path graphs **34** (1981) 153–164
1147. S. Poljak and A. Pultr, On the dimension of trees **34** (1981) 165–171
1148. S. Poljak and V. Rödl, On set systems determined by intersections **34** (1981) 173–184
1149. P.J. Slater, On k-sequential and other numbered graphs **34** (1981) 185–193
1150. P. Tomasta, "Dart calculus" of induced subsets **34** (1981) 195–198
1151. B. Alspach and M. Rosenfeld, Realization of certain generalized paths in tournaments (*Note*) **34** (1981) 199–202
1152. L.W. Shapiro, A combinatorial proof of a Chebyshev polynomial identity (*Note*) **34** (1981) 203–206
1153. J. Akiyama, H. Era and G. Exoo, Further results on graph equations for line graphs and n-th power graphs **34** (1981) 209–218
1154. G.L. Alexanderson and J.E. Wetzel, Arrangements of planes in space **34** (1981) 219–240
1155. A.E. Brouwer and R. Tijdeman, On the edge-colouring problem for unions of complete uniform hypergraphs **34** (1981) 241–260
1156. D.J. Hartfiel and C.J. Maxson, The construction and decomposition of patterns induced by a positive cone of functions **34** (1981) 261–274
1157. E. Marques De Sá, Note on graphs and weakly cyclic matrices **34** (1981) 275–281
1158. D. Naddef and W.R. Pulleyblank, Matchings in regular graphs **34** (1981) 283–291
1159. N. Ţăndăreanu, On generalized Boolean functions I **34** (1981) 293–299
1160. B. Turner and K. Warner, The structure and geometry of 4×4 pandiagonal matrices **34** (1981) 301–310
1161. P. Frankl and Z. Füredi, A short proof for a theorem of Harper about Hamming-spheres (*Note*) **34** (1981) 311–313
1162. T.A. McKee, A quantifier for matroid duality (*Note*) **34** (1981) 315–318
1163. H. Müller, Oriented hypergraphs, stability numbers and chromatic numbers (*Note*) **34** (1981) 319–320
1164. J.-P. Barthelemy, About the shorterst chain between two vertices in a quasi strongly connected digraph with a potential (*Communication*) **34** (1981) 321–324
1165. M. Boshernitzan and A.S. Fraenkel, Nonhomogeneous spectra of numbers (*Communication*) **34** (1981) 325–327
1166. M. Aigner, Producing posets **35** (1981) 1–15
1167. P. Burmeister, On maximal objects in classes of (di)graphs determined by prescribed factorobjects **35** (1981) 17–23

1168. T.H. Brylawski, Hyperplane reconstruction of the Tutte polynomial of a geometric lattice **35** (1981) 25–38
1169. D. Duffus, M. Pouzet and I. Rival, Complete ordered sets with no infinite antichains **35** (1981) 39–52
1170. D. Duffus and I. Rival, A structure theory for ordered sets **35** (1981) 53–118
1171. M. Erné, On the cardinalities of finite topologies and the number of antichains in partially ordered sets **35** (1981) 119–133
1172. D. Kelly, On the dimension of partially ordered sets **35** (1981) 135–156
1173. R. McKenzie and R. Quackenbush, The spectrum of a lattice-primal algebra **35** (1981) 157–163
1174. E.C. Milner and N. Sauer, Remarks on the cofinality of a partially ordered set, and a generalization of König's lemma **35** (1981) 165–171
1175. B. Monjardet, Metrics on partially ordered sets—A survey **35** (1981) 173–184
1176. H.J. Prömel and B. Voigt, Recent results in partition (Ramsey) theory for finite lattices **35** (1981) 185–198
1177. R. Rado, Theorems on intervals of ordered sets **35** (1981) 199–201
1178. I. Rival and R. Wille, The smallest order variety containing all chains **35** (1981) 203–212
1179. B. Sands, Counting antichains in finite partially ordered sets **35** (1981) 213–228
1180. W.T. Trotter Jr., Stacks and splits of partially ordered sets **35** (1981) 229–256
1181. B.T. Datta, Nonexistence of seven-dimensional tangential 2-blocks **36** (1981) 1–32
1182. T. Kløve, The modular n-queen problem II **36** (1981) 33–48
1183. M. Las Vergnas, On products of matroids **36** (1981) 49–55
1184. E. Marques De Sá, Multiple roots of diagonal multiples of a square matrix **36** (1981) 57–67
1185. D. Marušič, On vertex symmetric digraphs **36** (1981) 69–81
1186. H.J. Prömel and B. Voigt, Partition theorems for parameter systems and graphs **36** (1981) 83–96
1187. D.G. Rogers, Eplett's identity for renewal arrays **36** (1981) 97–102
1188. R. Statman, Reductions of the graph reconstruction conjecture (*Note*) **36** (1981) 103–107
1189. S. Fanelli, An unresolved conjecture on nonmaximal planar graphical sequences (*Communication*) **36** (1981) 109–112
1190. T. Pisanski and J. Shawe-Taylor, Search for minimal trivalent cycle permutation graphs with girth nine (*Communication*) **36** (1981) 113–115
1191. F.E. Bennett, Latin squares with pairwise orthogonal conjugates **36** (1981) 117–137
1192. C.B. Collins, I.P. Goulden, D.M. Jackson and O.M. Nierstrasz, A combinatorial application of matrix Riccati equations and their q-analogue **36** (1981) 139–153
1193. R. Kemp, On the average depth of a prefix of the Dycklanguage D_1 **36** (1981) 155–170
1194. E.S. Kramer, S.S. Magliveras and D.M. Mesner, t-designs from the large Mathieu groups **36** (1981) 171–189
1195. D.H. Redelmeier, Counting polyominoes: Yet another attack **36** (1981) 191–203
1196. N.C. Wormald, Counting unrooted planar maps **36** (1981) 205–225
1197. P.J. Owens, Non-Hamiltonian simple 3-polytopes whose faces are all 5-gons or 7-gons (*Communication*) **36** (1981) 227–230
1198. M. Breen, k-dimensional intersections of convex sets and convex kernels **36** (1981) 233–237
1199. R.J. Evans, On additive partitions of sets of positive integers **36** (1981) 239–245
1200. J.M. Freeman and F. Hoffman, A semigroup and Gaussian polynomials **36** (1981) 247–260
1201. G. Lallement and D. Perrin, A graph covering construction of all the finite complete biprefix codes **36** (1981) 261–271
1202. A. Recski, On the sum of matroids, III **36** (1981) 273–287
1203. L. Takács, On the "problème des ménages" **36** (1981) 289–297
1204. M. Tarsi, On the decomposition of a graph into stars **36** (1981) 299–304
1205. M.L. Wachs, Minimum cost partitions of a rectangle **36** (1981) 305–324
1206. A. Björner, On complements in lattices of finite length (*Note*) **36** (1981) 325–326
1207. D.L. Peterson, A note on Hamiltonian cycles in bipartite plane cubic maps having connectivity 2 (*Note*) **36** (1981) 327–332
1208. B.A. Anderson and P.A. Leonard, Some Howell Designs of prime side II **37** (1981) 1–18
1209. J. Aubert and B. Schneider, Decomposition de $K_m + K_n$ en cycles hamiltoniens **37** (1981) 19–27
1210. A.H. Chan, Embedding of a pseudo-point residual design into a Möbius plane **37** (1981) 29–33
1211. M. Chein, M. Habib and M.C. Maurer, Partitive hypergraphs **37** (1981) 35–50

1212. P. Das, Characterization of unigraphic and unidigraphic integer-pair sequences **37** (1981) 51–66
1213. H.-D.O.F. Gronau, Coverings of the complete (di-)graph with n vertices by complete bipartite (di-)graphs with n vertices I **37** (1981) 67–72
1214. W. Mielants and G. Bruyneel, Minimal balanced sets and finite geometries **37** (1981) 73–77
1215. R.C. Mullin, P.J. Schellenberg, S.A. Vanstone and W.D. Wallis, On the existence of frames **37** (1981) 79–104
1216. T. Nishizeki, On the maximum matchings of regular multigraphs **37** (1981) 105–114
1217. R. Fournier, Note sur la decomposition de K_{80} (*Note*) **37** (1981) 115–117
1218. G.L. O'Brien, A generalized notion of quotient for finite Abelian groups (*Note*) **37** (1981) 119–121
1219. P. Mihók, On graphs critical with respect to vertex partition numbers (*Communication*) **37** (1981) 123–126
1220. G. Pasquier, Binary images of some self-dual codes over GF(2^m) with respect to trace-orthogonal basis (*Communication*) **37** (1981) 127–129
1221. H.L. Abbott and A.C. Liu, On property $B(s)$, II **37** (1981) 135–141
1222. J. Abrham and A. Kotzig, Skolem sequences and additive permutations **37** (1981) 143–146
1223. E. Bannai and T. Ito, Regular graphs with excess one **37** (1981) 147–158
1224. Bhagwandas and W.G. Bridges, Applications of algebraic duality to group divisible structures **37** (1981) 159–166
1225. W.M. Dymacek, Complements of Steinhaus graphs **37** (1981) 167–180
1226. W.-L. Hsu and G.L. Nemhauser, Algorithms for minimum covering by cliques and maximum clique in claw-free perfect graphs **37** (1981) 181–191
1227. S.A. Joni, G.-C. Rota and B. Sagan, From sets to functions: Three elementary examples **37** (1981) 193–202
1228. A.D. Keedwell, On the sequenceability of non-abelian groups of order pq **37** (1981) 203–216
1229. J. Pach, Graphs whose every independent set has a common neighbour **37** (1981) 217–228
1230. L.J. Senechal, Chain algebras **37** (1981) 229–244
1231. H.M. Shefrin, On the combinatorial structure of Bayesian learning with imperfect information **37** (1981) 245–254
1232. R.P. Stanley, Factorization of permutations into n-cycles **37** (1981) 255–262
1233. J. Tomescu, Le nombre maximum de cliques et de recouvrements par cliques des hypergraphes chromatiques complets **37** (1981) 263–277
1234. H.P. Yap, On graphs whose maximal subgraphs have at most two orbits **37** (1981) 279–287
1235. H.P. Yap, On graphs critical with respect to edge-colourings **37** (1981) 289–296
1236. M.M. Sysło, The Helly-type property of non-trivial intervals on a tree (*Note*) **37** (1981) 297–298
1237. J.-P. Doignon, On characterizations of binary and graphic matroids (*Communication*) **37** (1981) 299–301
1238. T. Asano, N. Saito, G. Exoo and F. Harary, The smallest 2-connected cubic bipartite planar nonhamiltonian graph **38** (1982) 1–6
1239. J. Aubert and B. Schneider, Decomposition de la somme cartesienne d'un cycle et de l'union de deux cycles hamiltoniens en cycles hamiltoniens **38** (1982) 7–16
1240. F. Buckley, The central ratio of a graph **38** (1982) 17–21
1241. S.A. Burr, P. Erdös, R.J. Faudree, C.C. Rousseau and R.H. Schelp, Ramsey-minimal graphs for forests **38** (1982) 23–32
1242. O. Cogis, Ferrers digraphs and threshold graphs **38** (1982) 33–46
1243. O. Cogis, On the Ferrers dimension of a digraph **38** (1982) 47–52
1244. N. Darcel and Y. Zimmermann, Partition en cycles du graphe de comparabilite d'un arbre **38** (1982) 53–64
1245. W.-l. Hsu and G.L. Nemhauser, A polynomial algorithm for the minimum weighted clique cover problem on claw-free perfect graphs **38** (1982) 65–71
1246. Š. Porubský, A characterization of finite unions of arithmetic sequences **38** (1982) 73–77
1247. C.R. Pranesachar, On the number of two-line and three-line Latin rectangles—An alternative approach **38** (1982) 79–86
1248. G. Purdy, The independent sets of rank k of a matroid **38** (1982) 87–91
1249. K.B. Reid, Every vertex a king **38** (1982) 93–98
1250. D.S. Witte, On hamiltonian circuits in Cayley diagrams **38** (1982) 99–108
1251. M.J. Grannell and T.S. Griggs, A cyclic Steiner quadruple system of order 32 (*Note*) **38** (1982) 109–111

1252. T.P. McDonough, A 2-design admitting Co_3 (*Note*) **38** (1982) 113–115
1253. K. Ushio, On balanced claw designs of complete multi-partite graphs (*Note*) **38** (1982) 117–119
1254. R.E. Wendell, A preview of a tolerance approach to sensitivity analysis in linear programming (*Communication*) **38** (1982) 121–124
1255. G. Boccara, Cycles comme produit de deux permutations de classes donnees **38** (1982) 129–142
1256. J.H. Conway and V. Pless, On primes dividing the group order of a doubly-even (72, 36, 16) code and the group order of a quaternary (24, 12, 10) code **38** (1982) 143–156
1257. E.J. Farrell, Cycle decompositions of complete graphs **38** (1982) 157–162
1258. J.L. Fouquet, Note sur la non existence d'un snark d'ordre 16 **38** (1982) 163–171
1259. T. Gangopadhyay, Characterisation of potentially bipartite self-complementary bipartitioned sequences **38** (1982) 173–184
1260. M.C. Heydemann, Cycles in strong oriented graphs **38** (1982) 185–190
1261. M.S. Jacobson, On a generalization of Ramsey theory **38** (1982) 191–195
1262. V. Krishnamoorthy and K.R. Parthasarathy, On the reconstruction of separable graphs from elementary contractions **38** (1982) 197–205
1263. A. de Luca, On some combinatorial problems in free monoids **38** (1982) 207–225
1264. P.A. Picon, Un résultat d'intégrité **38** (1982) 227–241
1265. N. Polat, Sous-graphes traçables des graphes infinis **38** (1982) 243–263
1266. C. Poupard, De nouvelles significations enumeratives des nombres d'Entringer **38** (1982) 265–271
1267. R.L. Roth, Color symmetry and group theory **38** (1982) 273–296
1268. A. Schrijver, On the number of edge-colourings of regular bipartite graphs **38** (1982) 297–301
1269. S.H. Whitesides, A classification of certain graphs with minimal imperfection properties **38** (1982) 303–310
1270. V. Batagelj and T. Pisanski, Hamiltonian cycles in the Cartesian product of a tree and a cycle (*Communication*) **38** (1982) 311–312
1271. D.M. Bressoud and D. Zeilberger, A short Rogers-Ramanujan bijection (*Communication*) **38** (1982) 313–315
1272. A.K. Kelmans and M.V. Lomonosov, When m vertices in a k-connected graph cannot be walked round along a simple cycle (*Communication*) **38** (1982) 317–322
1273. T. Andreae, Reconstructing the degree sequence and the number of components of an infinite graph **39** (1982) 1–7
1274. E.J. Billington, More balanced ternary designs with block size three **39** (1982) 9–21
1275. R.A. Chaffer, A construction of orthogonal arrays and applications to embedding theorems **39** (1982) 23–29
1276. E.J. Farrell, A note on the circuit polynomials and characteristic polynomials of wheels and ladders **39** (1982) 31–36
1277. H.-P. Ko and D.K. Ray-Chaudhuri, Intersection theorems for group divisible difference sets **39** (1982) 37–58
1278. J. Lehel and Zs. Tuza, Triangle-free partial graphs and edge covering theorems **39** (1982) 59–65
1279. P. Pudlák and V. Rödl, Partition theorems for systems of finite subsets of integers **39** (1982) 67–73
1280. D.B. Skillicorn, More generalized packing numbers **39** (1982) 75–86
1281. W.T. Trotter Jr. and T.R. Monroe, A combinatorial problem involving graphs and matrices **39** (1982) 87–101
1282. A. Frank, A note on k-strongly connected orientations of an undirected graph (*Note*) **39** (1982) 103–104
1283. P. Hammond, On the non-existence of perfect and nearly perfect codes (*Note*) **39** (1982) 105–109
1284. E.R. Gansner, On the lattice of order ideals of an up-down poset **39** (1982) 113–122
1285. F. Harary, R.A. Melter, U.N. Peled and I. Tomescu, Boolean distance for graphs **39** (1982) 123–127
1286. F.T. Howard, A theorem relating potential and bell polynomials **39** (1982) 129–143
1287. F.K. Hwang, Complete balanced Howell rotations for $8k + 5$ teams **39** (1982) 145–151
1288. G. Kelly, On the uniqueness of embedding a residual design **39** (1982) 153–160
1289. J.-M. Laborde and S.P. Rao Hebbare, Another characterization of hypercubes **39** (1982) 161–166
1290. R. Merris, Majorization of characters of the symmetric group **39** (1982) 167–169
1291. M. Nasu, Uniformly finite-to-one and onto extensions of homomorphisms between strongly connected graphs **39** (1982) 171–197

1292. P.J. Owens, Shortness parameters of families of regular planar graphs with two or threed types of face **39** (1982) 199–209
1293. M. Tchuente, Parallel realization of permutations over trees **39** (1982) 211–214
1294. T. Zaslavsky, Signed graph coloring **39** (1982) 215–228
1295. J. Jamrozik, R. Kalinowski and Z. Skupień, A catalogue of small maximal nonhamiltonian graphs (*Note*) **39** (1982) 229–234
1296. L.W. Beineke and C.M. Zamfirescu, Connection digraphs and second-order line digraphs **39** (1982) 237–254
1297. L. Borzacchini and C. Pulito, Some results on conversion matrices **39** (1982) 255–261
1298. A.E. Brouwer and G.H.J. van Rees, More mutually orthogonal Latin squares **39** (1982) 263–281
1299. I. Diener, On S-cyclic Steiner systems **39** (1982) 283–292
1300. A. Hartman, Quadruple systems containing AG(3, 2) **39** (1982) 293–299
1301. W.-D. Wei, The class $\mathfrak{U}(R, S)$ of (0, 1)-matrices **39** (1982) 301–305
1302. D.B. West, A class of solutions to the gossip problem, Part I **39** (1982) 307–326
1303. H.L. Abbott and A. Liu, Remarks on a paper of Hirschfeld concerning Ramsey numbers (*Note*) **39** (1982) 327–328
1304. M.-c. Cai, A new bound on the length of the shortest string containing all r-permutations (*Note*) **39** (1982) 329–330
1305. G. Hansel, Baionnettes et cardinaux (*Note*) **39** (1982) 331–335
1306. P. Winkler, Average height in a partially ordered set (*Communication*) **39** (1982) 337–341
1307. R.P. Anstee, Triangular (0,1)-matrices with prescribed row and column sums **40** (1982) 1–10
1308. S.A. Burr, Multicolor Ramsey numbers involving graphs with long suspended paths **40** (1982) 11–20
1309. J.E. Cohen, The asymptotic probability that a random graph is a unit interval graph, indifference graph, or proper interval graph **40** (1982) 21–24
1310. R.W. Cottle, Minimal triangulation of the 4-cube **40** (1982) 25–29
1311. J.P. Duval, Relationship between the period of a finite word and the length of its unbordered segments **40** (1982) 31–44
1312. P. Erdös, G. Purdy and E.G. Straus, On a problem in combinatorial geometry **40** (1982) 45–52
1313. Z. Füredi, Set-systems with prescribed cardinalities for pairwise intersections **40** (1982) 53–67
1314. I.M. Gessel, A q-analog of the exponential formula **40** (1982) 69–80
1315. J.F. Sallee, A triangulation of the n-cube **40** (1982) 81–86
1316. D.B. West, A class of solutions to the gossip problem, Part II **40** (1982) 87–113
1317. J. Ayel, Longest paths in bipartite digraphs (*Note*) **40** (1982) 115–118
1318. İ. Baybars, On k-path hamiltonian maximal planar graphs (*Note*) **40** (1982) 119–121
1319. S.Y. Kettoola and J.D. Roberts, Some results on Ramsey numbers using sumfree sets (*Note*) **40** (1982) 123–124
1320. A. Baartmans and M. Shrikhande, Designs with no three mutually disjoint blocks **40** (1982) 129–139
1321. I. Bárány, A generalization of Carathéodory's theorem **40** (1982) 141–152
1322. T.T. Cong and M. Sato, One-dimensional random walk with unequal step lengths restricted by an absorbing barrier **40** (1982) 153–162
1323. R. Cordovil, Sur un theoreme de separation des matroïdes orientes de rang trois **40** (1982) 163–169
1324. P.H. Edelman, Multichains, non-crossing partitions and trees **40** (1982) 171–179
1325. P.C. Fishburn, Aspects of semiorders within interval orders **40** (1982) 181–191
1326. E. Harzheim, Combinatorial theorems on contractive mappings in power sets **40** (1982) 193–201
1327. F. Hering, R.C. Read and G.C. Shephard, The enumeration of stack polytopes and simplicial clusters **40** (1982) 203–217
1328. P.D. Johnson, Coloring abelian groups **40** (1982) 219–223
1329. R. Kemp, On the number of words in the language $w \in \sum^* \mid w = w^{R^2}$ **40** (1982) 225–234
1330. Z. Miller, Extremal regular graphs for the achromatic number **40** (1982) 235–253
1331. A. Moon, An embedding theorem for affine resolvable designs **40** (1982) 255–259
1332. C. Roos and C. de Vroedt, Upper bounds for $A(n, 4)$ and $A(n, 6)$ derived from Delsarte's linear programming bound **40** (1982) 261–276
1333. N. Ţăndăreanu, On generalized Boolean functions II **40** (1982) 277–284
1334. D.B. West, A class of solutions to the gossip problem, Part III **40** (1982) 285–310

1335. W.O.J. Moser, A generalization of Riordan's formula for $3 \times n$ Latin rectangles (*Note*) **40** (1982) 311–313
1336. W. Fernandez de la Vega, Sur la cardinalite maximum des couplages d'hypergraphes aleatoires uniformes (*Note*) **40** (1982) 315–318
1337. P.N. Walton and D.J.A. Welsh, Tangential 1-blocks over GF(3) (*Note*) **40** (1982) 319–320
1338. D. Bauer and R. Tindell, Graphs isomorphic to subgraphs of their line-graphs **41** (1982) 1–6
1339. I. Debroey and F. De Clerck, Non-trivial $\Gamma\Delta$-regular graphs **41** (1982) 7–15
1340. R. Fuji-Hara and S.A. Vanstone, Orthogonal resolutions of lines in AG(n, q) **41** (1982) 17–28
1341. R. Häggkvist and C. Thomassen, Circuits through specified edges **41** (1982) 29–34
1342. J.D. Horton, On two-factors of bipartite regular graphs **41** (1982) 35–41
1343. V. Jha, On subgroups and factor groups of GL(n, q) acting on spreads with the same characteristic **41** (1982) 43–51
1344. O. Moreno, On primitive elements of trace equal to 1 in GF(2^m) **41** (1982) 53–56
1345. Y. Shiloach, U. Vishkin and S. Zaks, Golden ratios in a pairs covering problem **41** (1982) 57–65
1346. A. Thomason, Critically partitionable graphs II **41** (1982) 67–77
1347. C.-Q. Zhang, Arc-disjoint circuits in digraphs **41** (1982) 79–96
1348. D.A. Gregory and N.J. Pullman, On a clique covering problem of Orlin (*Note*) **41** (1982) 97–99
1349. M.R. Sridharan and O.T. George, On the strong perfect graph conjecture and critical graphs (*Note*) **41** (1982) 101–104
1350. H. Galeana-Sánchez, A counterexample to a conjecture of meyniel on kernel-perfect graphs (*Communication*) **41** (1982) 105–107
1351. P. Vanden Cruyce, A characterization of the n-cube by convex subgraphs (*Communication*) **41** (1982) 109–110
1352. B.D. Acharya, Connected graphs switching equivalent to their iterated line graphs **41** (1982) 115–122
1353. D. Barnette, Nonconvex vertices of polyhedral 2-manifolds **41** (1982) 123–130
1354. M. Breen, A decomposition theorem for $\aleph_1$-convex sets **41** (1982) 131–138
1355. C.-Y. Chao and G.A. Novacky Jr., On maximally saturated graphs **41** (1982) 139–143
1356. P. Flajolet, On congruences and continued fractions for some classical combinatorial quantities **41** (1982) 145–153
1357. M.E.H. Ismail and D. Stewart, On Dumont's polynomials **41** (1982) 155–160
1358. F. Juhász, On the asymptotic behaviour of the spectra of non-symmetric random (0, 1) matrices **41** (1982) 161–165
1359. D.J. Kleitman and K.J. Winston, On the number of graphs without 4-cycles **41** (1982) 167–172
1360. P. Masai, Two conjectures of Grünbaum on arrangements of curves **41** (1982) 173–180
1361. J.G. Oxley, On some extremal connectivity results for graphs and matroids **41** (1982) 181–198
1362. P. Schultz, Enumerations of rooted trees with an application to group presentations **41** (1982) 199–214
1363. P. Engel, On the enumeration of polyhedra (*Communication*) **41** (1982) 215–218
1364. M. Habib and B. Peroche, Some problems about linear arboricity (*Communication*) **41** (1982) 219–220
1365. S.A. Burr and J.W. Grossman, Ramsey numbers of graphs with long tails **41** (1982) 223–227
1366. M.-c. Cai, Minimally k-connected graphs of low order and maximal size **41** (1982) 229–234
1367. D.E. Dobbs, Posets admitting a unique order-compatible topology **41** (1982) 235–240
1368. M.-C. Heydemann, Degrees and cycles in digraphs **41** (1982) 241–251
1369. H.M. Mulder, Interval-regular graphs **41** (1982) 253–269
1370. R.G. Powers, Some asymptotic ith Ramsey numbers **41** (1982) 271–279
1371. E. Shamir and E. Upfal, One-factor in random graphs based on vertex choice **41** (1982) 281–286
1372. M. Stern, Semimodularity in lattices of finite length **41** (1982) 287–293
1373. P. Terwilliger, Eigenvalue multiplicities of highly symmetric graphs **41** (1982) 295–302
1374. M.C. Thornton, Regular elements in sandwich semigroups of binary relations **41** (1982) 303–307
1375. M. Walter, Construction of matroidal families by partly closed sets **41** (1982) 309–315
1376. D. Zeilberger, A combinatorial proof of Dyson's conjecture **41** (1982) 317–321
1377. Y.O. Hamidoune, On a conjecture of Entringer and Slater (*Note*) **41** (1982) 323–326
1378. A.P. Huhn and L. Megyesi, On disjoint residue classes (*Note*) **41** (1982) 327–330
1379. A. Amahashi and M. Kano, On factors with given components **42** (1982) 1–6
1380. F.W. Barnes, Algebraic theory of brick packing I **42** (1982) 7–26
1381. J. Beck, On a generalization of Kaplansky's game **42** (1982) 27–35

1382. A. Beutelspacher, On extremal intersection numbers of a block design **42** (1982) 37–49
1383. M. Dhurandhar, Improvement on Brooks' chromatic bound for a class of graphs **42** (1982) 51–56
1384. P. Erdös, A.M. Hobbs and C. Payan, Disjoint cliques and disjoint maximal independent sets of vertices in graphs **42** (1982) 57–61
1385. M.S. Jacobson, On the Ramsey multiplicity for stars **42** (1982) 63–66
1386. M. Katchalski and T. Lewis, Cutting rectangles in the plane **42** (1982) 67–71
1387. M. Koutras, Non-central Stirling numbers and some applications **42** (1982) 73–89
1388. A. Moon, Characterization of the odd graphs O_k by parameters **42** (1982) 91–97
1389. R.C. Read and R.W. Robinson, Enumeration of labelled multigraphs by degree parities **42** (1982) 99–105
1390. A. Varecza, Are two given elements neighbouring? **42** (1982) 107–117
1391. S. Poljak and D. Turzik, A note on sticky matroids (*Note*) **42** (1982) 119–123
1392. M. Preissmann, Snarks of order 18 (*Communication*) **42** (1982) 125–126
1393. F.W. Barnes, Algebraic theory of brick packing II **42** (1982) 129–144
1394. A. Bouchet and R. Lopez-Bracho, Decomposition of a complete graph into trails of given lengths **42** (1982) 145–152
1395. C.J. Cho, Rotational Steiner triple systems **42** (1982) 153–159
1396. A. Delandtsheer, Finite planar spaces with isomorphic planes **42** (1982) 161–176
1397. O. Favaron, Very well covered graphs **42** (1982) 177–187
1398. R.J. Gould and M.S. Jacobson, Forbidden subgraphs and hamiltonian properties of graphs **42** (1982) 189–196
1399. L. Guerra and E. Ughi, On the distribution of Legendre symbols in Galois fields **42** (1982) 197–208
1400. K. Keating, The conjunction of Cayley digraphs **42** (1982) 209–219
1401. A. Machi, On the complexity of a hypermap **42** (1982) 221–226
1402. D. Marušič and T.D. Parsons, Hamiltonian paths in vertex-symmetric graphs of order $5p$ **42** (1982) 227–242
1403. H. Narushima, Principle of inclusion–exclusion on partially ordered sets **42** (1982) 243–250
1404. D.W. Newhart, Information sets in quadratic-residue codes **42** (1982) 251–266
1405. R. Peele, On finite partition representations of lattices **42** (1982) 267–280
1406. C. Savage, Short strings containing all k-element permutations **42** (1982) 281–285
1407. T. Zaslavsky, Chromatic invariants of signed graphs **42** (1982) 287–312
1408. L. Collatz, Equipartition with square numbers (*Note*) **42** (1982) 313–316
1409. A.M. Hobbs and E. Schmeichel, On the maximum number of independent edges in cubic graphs (*Note*) **42** (1982) 317–320
1410. D. Billington, A simple proof that all 1-designs exist (*Communication*) **42** (1982) 321–322
1411. R. Berghammer and G. Schmidt, Discrete ordering relations **43** (1983) 1–7
1412. P. Das and S.B. Rao, Alternating eulerian triails with prescribed degrees in two edge-colored complete graphs **43** (1983) 9–20
1413. P. Duchet and H. Meyniel, Une generalisation du theoreme de Richardson sur l'existence de noyaux dans les graphes orientes **43** (1983) 21–27
1414. J.-C. Fournier, Hypergraphes de chaines d'aretes d'un arbre **43** (1983) 29–36
1415. M.C. Golumbic, D. Rotem and J. Urrutia, Comparability graphs and intersection graphs **43** (1983) 37–46
1416. R.H. Jeurissen, Disconnected graphs with magic labelings **43** (1983) 47–53
1417. J. Komlós and E. Szemerédi, Limit distribution for the existence of Hamiltonian cycles in a random graph **43** (1983) 55–63
1418. C.W.H. Lam, Non-skew symmetric orthogonal matrices with constant diagonals **43** (1983) 65–78
1419. J. Lauri, Proof of Harary's conjecture on the reconstruction of trees **43** (1983) 79–90
1420. D. Marušič and T.D. Parsons, Hamiltonian paths in vertex-symmetric graphs of order $4p$ **43** (1983) 91–96
1421. P. Stein, On Chvátal's conjecture related to a hereditary system **43** (1983) 97–105
1422. P.M. Blecher, On a logical problem (*Note*) **43** (1983) 107–110
1424. H. Prodinger, Non-repetitive sequences and Gray code (*Note*) **43** (1983) 113–116
1425. F. Ruskey, A simple proof of a formula of Dershowitz and Zaks (*Note*) **43** (1983) 117–118
1426. P.K. Wong, On the smallest graphs of girth 10 and valency 3 (*Note*) **43** (1983) 119–124
1427. D.L. Reiner, A q-analog of the Campbell-Baker-Hausdorff formula (*Communication*) **43** (1983) 125–129

1428. R. Cordovil, The directions determined by n points in the plane: A matroidal generalization **43** (1983) 131–137
1429. K. Culik II and J. Karhumäki, Systems of equations over a free monoid and Ehrenfeucht's conjecture **43** (1983) 139–153
1430. M. Dehon, On the existence of 2-designs $S_\lambda(2, 3, v)$ without repeated blocks **43** (1983) 155–171
1431. M. Farber, Characterizations of strongly chordal graphs **43** (1983) 173–189
1432. D.J. Hartfiel, Stochastic eigenvectors for qualitative stochastic matrices **43** (1983) 191–197
1433. J.D. Horton, The construction of Kotzig factorizations **43** (1983) 199–206
1434. R.H. Jeurissen, Pseudo-magic graphs **43** (1983) 207–214
1435. T.A. McKee, Duality principles for binary matroids and graphs **43** (1983) 215–222
1436. R. Nowakowski and I. Rival, The smallest graph variety containing all paths **43** (1983) 223–234
1437. R. Nowakowski and P. Winkler, Vertex-to-vertex pursuit in a graph **43** (1983) 235–239
1438. S. Rudeanu, Linear Boolean equations and generalized minterms **43** (1983) 241–248
1439. M. Sato and T.T. Cong, The number of minimal lattice paths restricted by two parallel lines **43** (1983) 249–261
1440. D. Schäfer and K.E. Wolff, Pólya enumeration of expansions of resolvable incidence structures **43** (1983) 263–271
1441. H. Straubing, A combinatorial proof of the Cayley-Hamilton theorem **43** (1983) 273–279
1442. H.J. Veldman, Existence of dominating cycles and paths **43** (1983) 281–296
1443. D. Witte, G. Letzter and J.A. Gallian, On hamiltonian circuits in cartesian products of Cayley digraphs **43** (1983) 297–307
1444. J. Zaks, Extending two theorems of A. Kotzig **43** (1983) 309–315
1445. F. Bry, On the factorization of graphs with exactly one vertex of infinite degree (*Note*) **43** (1983) 317–320
1446. P. Stein, Chvátal's conjecture and point-intersections (*Note*) **43** (1983) 321–323
1447. P. Frankl, A probabilistic proof for the LYM-inequality (*Communication*) **43** (1983) 325
1448. R. Aharoni, A principle of symmetry in networks **44** (1983) 1–11
1449. R.D. Baker, Resolvable BIBD and SOLS **44** (1983) 13–29
1450. E.A. Bertram, Some applications of graph theory to finite groups **44** (1983) 31–43
1451. M.A. Buckingham and M.C. Golumbic, Partitionable graphs, circle graphs, and the Berge Strong Perfect Graph Conjecture **44** (1983) 45–54
1452. J.G. Oxley, On a matroid identity **44** (1983) 55–60
1453. D.P. Rajkundlia, Some techniques for constructing infinite families of BIBD's **44** (1983) 61–96
1454. J.E. Simpson, Langford sequences: Perfect and hooked **44** (1983) 97–104
1455. H.J. Veldman, Non-κ-critical vertices in graphs **44** (1983) 105–110
1456. M.-c. Cai, A counterexample to a conjecture of Grant (*Note*) **44** (1983) 111
1457. A.K. Kelmans and B.N. Kimelfeld, Multiplicative submodularity of a matrix's principal minor as a function of the set of its rows and some combinatorial applications (*Note*) **44** (1983) 113–116
1458. M. Sato, Note on the number of minimal lattice paths restricted by two parallel lines (*Note*) **44** (1983) 117–121
1459. R.P. Anstee, The network flows approach for matrices with given row and column sums **44** (1983) 125–138
1460. R.C. Brigham and R.D. Dutton, On clique covers and independence numbers of graphs **44** (1983) 139–144
1461. J.H. Dinitz and D.R. Stinson, MOLS with holes **44** (1983) 145–154
1462. M. Gionfriddo, On the set $J(v)$ for Steiner Quadruple Systems of order $v = 2^n$ with $n \geqslant 4$ **44** (1983) 155–160
1463. S. Negami, Uniqueness and faithfulness of embedding of toroidal graphs **44** (1983) 161–180
1464. J.R. Tort, Un probleme de partition de l'ensemble des parties a trois elements d'un ensemble fini **44** (1983) 181–185
1465. A. Tucker, Uniquely colorable perfect graphs **44** (1983) 187–194
1466. Y. Usami, Minimum number of edges in graphs that are both P_2- and P_i-connected **44** (1983) 195–199
1467. P. Wild, Incidence graphs and subdesigns of semisymmetric designs **44** (1983) 201–216
1468. J.A. Bondy and P. Hell, Counterexamples to theorems of Menger type for the diameter (*Communication*) **44** (1983) 217–220
1469. M. Cerasoli, On the probability of a boolean polynomial of events (*Communication*) **44** (1983) 221–227

1470. C. Payan, Perfectness and Dilworth number (*Communication*) **44** (1983) 229–230
1471. D.W. Bange, A.E. Barkauskas and P.J. Slater, Sequentially additive graphs **44** (1983) 235–241
1472. C.C. Chen and P. Manalastas Jr., Every finite strongly connected digraph of stability 2 has a Hamiltonian path **44** (1983) 243–250
1473. A. Drápal, On quasigroup rich in associative triples **44** (1983) 251–265
1474. E.J. Farrell, Forest decompositions of ladders **44** (1983) 267–274
1475. H. Fleischner, Even cycles with prescribed chords in planar cubic graphs **44** (1983) 275–280
1476. G. Hahn, D. Sotteau and H. Sun, Short cycles in mediate graphs **44** (1983) 281–284
1477. C.J. Liu and Y. Chow, An operator approach to some graph enumeration problems **44** (1983) 285–291
1478. B.E. Sagan, A note on Abel polynomials and rooted labeled forests **44** (1983) 293–298
1479. M.G. Stone and R.H. Weedmark, On representing M_n's by congruence lattices of finite algebras **44** (1983) 299–308
1480. H.J. Veldman, Existence of D_λ-cycles and D_λ-paths **44** (1983) 309–316
1481. G. Exoo, On line disjoint paths of bounded length (*Note*) **44** (1983) 317–318
1482. J.A. Kabell, A note on colorings of finite planes (*Note*) **44** (1983) 319–320
1483. F.R. McMorris and G.T. Myers, Some uniqueness results for upper bound graphs (*Note*) **44** (1983) 321–323
1484. D. Zeilberger, Andre's reflection proof generalized to the many-candidate ballot problem (*Note*) **44** (1983) 325–326
1485. P.J. Owens, Bipartite cubic graphs and a shortness exponent (*Communication*) **44** (1983) 327–330
1486. H.-J. Bandelt and J. Hedlíková, Median algebras **45** (1983) 1–30
1487. L. Bénéteau, L'irréductibilité centrale dans les boucles de Moufang commutatives et dans les systèmes triples de Hall **45** (1983) 31–44
1488. P. Das, Unidigraphic and unigraphic degree sequences through uniquely realizable integer-pair sequences **45** (1983) 45–59
1489. C. Gagliardi, Cobordant crystallizations **45** (1983) 61–73
1490. H. Hanani, A. Hartman and E.S. Kramer, On three-designs of small order **45** (1983) 75–97
1491. E. Harzheim, A constructive proof for a theorem on contractive mappings in power sets **45** (1983) 99–106
1492. F.K. Hwang, J.F. Weng and D.Z. Du, A class of full Steiner minimal trees **45** (1983) 107–112
1493. S. Kageyama and R.N. Mohan, On μ-resolvable BIB designs **45** (1983) 113–121
1494. C. Bang, H. Sharp Jr. and P. Winkler, On families of finite sets with bounds on unions and intersections (*Note*) **45** (1983) 123–126
1495. C.-Y. Chao and L.-C. Zhao, A note concerning chromatic polynomials (*Note*) **45** (1983) 127–128
1496. V. Rödl, On a problem in combinatorial geometry (*Note*) **45** (1983) 129–131
1497. M. Clausen and F. Stötzer, Jeu de taquin and connected standard skew tableaux (*Communication*) **45** (1983) 133–135
1498. A. Beutelspacher and U. Lamberty, Strongly resolvable (r, λ)-designs **45** (1983) 141–152
1499. A. Bonnin and J.M. Pallo, A-transformation dans les arbres n-aires **45** (1983) 153–163
1500. C.J. Colbourn, M.J. Colbourn and A. Rosa, Completing small partial triple systems **45** (1983) 165–179
1501. G.M. Constantine, Schur convex functions on the spectra of graphs **45** (1983) 181–188
1502. P. Das, Integer-pair sequences with self-complementary realizations **45** (1983) 189–198
1503. S. Dow, An improved bound for extending partial projective planes **45** (1983) 199–207
1504. K. Engel, About the number of pairs of elements of E_k^n whose distances have given values **45** (1983) 209–216
1505. J. Fonlupt and A. Zemirline, On the number of common bases of two matroids **45** (1983) 217–228
1506. F.J. Fuglister, The nonexistence of Moore geometries of diameter 4 **45** (1983) 229–238
1507. M. Hegde and M.R. Sridharan, Enumeration of hypergraphs **45** (1983) 239–243
1508. L.-H. Hsu, On a multiplicative graph function conjecture **45** (1983) 245–253
1509. J.P. Hutchinson and G.F. McNulty, Connected graphs of genus g with complementary orbits **45** (1983) 255–275
1510. H.A. Kierstead and J.H. Schmerl, Some applications of Vizing's theorem to vertex colorings of graphs **45** (1983) 277–285
1511. J. Schmidt and E. Shamir, A threshold for perfect matchings in random d-pure hypergraphs **45** (1983) 287–295

1512. L.G. Chouinard II, Partitions of the 4-subsets of a 13-set into disjoint projective planes (*Note*) **45** (1983) 297–300
1513. T.I. Fenner and A.M. Frieze, On the existence of Hamiltonian cycles in a class of random graphs (*Note*) **45** (1983) 301–305
1514. G. Lo Faro, On the size of partial parallel classes in Steiner systems STS(19) and STS(27) (*Note*) **45** (1983) 307–312
1515. S. Szabó, On the problem of regularity of a type of n-dimensional tilings (*Note*) **45** (1983) 313–317
1516. C.W.H. Lam, L. Thiel, S. Swiercz and J. McKay, The nonexistence of ovals in a projective plane of order 10 (*Communication*) **45** (1983) 319–321
1517. C. Nara and S.-i. Tachibana, A note on upper bounds for some Ramsey numbers (*Communication*) **45** (1983) 323–326
1518. N.G. Bate, Complete graphs without polychromatic circuits **46** (1983) 1–8
1519. K.A. Berman, Proof of a conjecture of Häggkvist on cycles and independent edges **46** (1983) 9–13
1520. B. Jackson and G. Ringel, Maps of m-pires on the projective plane **46** (1983) 15–20
1521. S. Kounias, M. Lefkopoulou and C. Bagiatis, G-optimal N-observation first order 2^k designs **46** (1983) 21–31
1522. S. Kuriki and M. Jimbo, On 1-rotational $S_\lambda(2, 3, v)$ designs **46** (1983) 33–40
1523. I. Loureiro, Finitely generated free tetravalent modal algebras **46** (1983) 41–48
1524. D. Marušič, Hamiltonian circuits in Cayley graphs **46** (1983) 49–54
1525. E. Durnberger, Connected Cayley graphs of semi-direct products of cyclic groups of prime order by abelian groups are hamiltonian **46** (1983) 55–68
1526. K.R. Parthasarathy and R. Nandakumar, Unique eccentric point graphs **46** (1983) 69–74
1527. Á. Seress, Gossiping old ladies **46** (1983) 75–81
1528. J.B. Shearer, A note on the independence number of triangle-free graphs **46** (1983) 83–87
1529. F. Jaeger, The 1-factorization of some line-graphs (*Note*) **46** (1983) 89–92
1530. F. Jaeger, C. Payan and M. Kouider, Partition of odd regular graphs into bistars (*Note*) **46** (1983) 93–94
1531. W.M. Kantor, Exponential numbers of two-weight codes, difference sets and symmetric designs (*Note*) **46** (1983) 95–98
1532. E. Levine, On a harmonious graph conjecture (*Note*) **46** (1983) 99–101
1533. A. Meir and J.W. Moon, On an asymptotic evaluation of the cycle index of the symmetric group (*Note*) **46** (1983) 103–105
1534. R. Simion and F.W. Schmidt, On $(+1, -1)$-matrices with vanishing permanent (*Note*) **46** (1983) 107–108
1535. W. Fernandez de la Vega, On the maximum density of graphs which have no subcontraction to K^s (*Communication*) **46** (1983) 109–110
1536. J.L. Brenner and R.C. Lyndon, Infinite Eulerian tessellations **46** (1983) 111–132
1537. M. Capobianco and O. Frank, Graph evolution by stochastic additions of points and lines **46** (1983) 133–143
1538. P. Erdös and Z. Palka, Trees in random graphs **46** (1983) 145–150
1539. R.J. Faudree and J. Sheehan, Size Ramsey numbers involving stars **46** (1983) 151–157
1540. C. Flament and B. Leclerc, Arbres minimaux d'un graphe preordonne **46** (1983) 159–171
1541. K. Heinrich and A.J.W. Hilton, Doubly diagonal orthogonal latin squares **46** (1983) 173–182
1542. A.K. Kelmans and M.V. Lomonosov, On cycles through prescribed vertices in weakly separable graphs **46** (1983) 183–189
1543. R.D. Ringeisen and M.J. Lipman, Cohesion and stability in graphs **46** (1983) 191–198
1544. N. Alon, On the density of sets of vectors (*Note*) **46** (1983) 199–202
1545. B. Bollobás, Some remarks on packing trees (*Note*) **46** (1983) 203–204
1546. H. Prodinger, A correspondence between ordered trees and noncrossing partitions (*Note*) **46** (1983) 205–206
1547. J. Varlet, Relative de Morgan lattices (*Note*) **46** (1983) 207–209
1548. A. Vince, An algebraic theory of graph factorization (*Note*) **46** (1983) 211–213
1549. D. Buset, Graphs which are locally a cube **46** (1983) 221–226
1550. L.G. Chouinard II, E.S. Kramer and D.L. Kreher, Graphical t-wise balanced designs **46** (1983) 227–240
1551. M. Geréb-Graus, An extremal theorem on divisors of a number **46** (1983) 241–248
1552. M. Jimbo and S. Kuriki, On a composition of cyclic 2-designs **46** (1983) 249–255
1553. J.-F. Maurras, Convex hull of the edges of a graph and near bipartite graphs **46** (1983) 257–265

1554. B. Peroche, On several sorts of connectivity **46** (1983) 267–277
1555. S. Ramachandran, N-reconstructibility of non-reconstructible digraphs **46** (1983) 279–294
1556. R. Tošić, Two counterfeit coins **46** (1983) 295–298
1557. S.H. Whitesides, Edge-colored complete graphs with alternating cycles **46** (1983) 299–304
1558. D. Banković, Solving systems of arbitrary equations (*Note*) **46** (1983) 305–309
1559. C.-Y. Chao and J.G. Wells, On labeled vertex-transitive digraphs with a prime number of vertices (*Note*) **46** (1983) 311–315
1560. D.G. Corneil and J.M. Keil, A note on a conjecture by Gavril on clique separable graphs (*Note*) **46** (1983) 317–318
1561. P. Duchet, Y. Hamidoune, M. Las Vergnas and H. Meyniel, Representing a planar graph by vertical lines joining different levels (*Note*) **46** (1983) 319–321
1562. F.K. Hwang and V.K. Wei, A partition identity (*Note*) **46** (1983) 323–326
1563. D. Amar, E. Flandrin, I. Fournier and A. Germa, Hamiltonian pancyclic graphs (*Communication*) **46** (1983) 327
1564. D. Borkovitz and F.K. Hwang, Multiplicative magic squares **47** (1983) 1–11
1565. M.-c. Cai, Solutions to Edmonds' and Katona's problems on families of separating subsets **47** (1983) 13–21
1566. A.G. Chetwynd and H.P. Yap, Chromatic index critical graphs of order 9 **47** (1983) 23–33
1567. M. Droste, Products of conjugacy classes of the infinite symmetric groups **47** (1983) 35–48
1568. P. Erdös, R.C. Mullin, V.T. Sós and D.R. Stinson, Finite linear spaces and projective planes **47** (1983) 49–62
1569. P.C. Fishburn, Interval lengths for interval orders: A minimization problem **47** (1983) 63–82
1570. W.-C.W. Li, Determination of the residue classes of a polynomial at integral arguments **47** (1983) 83–90
1571. M.J. Plantholt, The chromatic index of graphs with large maximum degree **47** (1983) 91–96
1572. B. Voigt, Combinatorial properties of regressive mappings **47** (1983) 97–108
1573. N. Hegde, R.C. Read and M.R. Sridharan, The enumeration of transitive self-complementary digraphs (*Note*) **47** (1983) 109–112
1574. M. Kano and A. Saito, $[a, b]$-factors of graphs (*Note*) **47** (1983) 113–116
1575. G. Mills, A quintessential proof of van der Waerden's theorem on arithmetic progressions (*Note*) **47** (1983) 117–120
1576. C. Roos, A note on the existence of perfect constant weight codes (*Note*) **47** (1983) 121–123
1577. D.R. Stinson and W.D. Wallis, Two-fold triple systems without repeated blocks (*Note*) **47** (1983) 125–128
1578. Z. Füredi, On finite set-systems whose every intersection is a kernel of a star (*Communication*) **47** (1983) 129–132
1580. R. Ahlswede and K.U. Koschnick, Note on an extremal problem arising for unreliable networks in parallel computing **47** (1983) 137–152
1581. D. Bauer, F. Harary, J. Nieminen and C.L. Suffel, Domination alteration sets in graphs **47** (1983) 153–161
1582. C. Bernasconi, Smooth designs **47** (1983) 163–168
1583. V.N. Bhat-Nayak and R.N. Naik, Solutions of some further graph equations **47** (1983) 169–175
1584. A.E. Brouwer, P. Duchet and A. Schrijver, Graphs whose neighborhoods have no special cycles **47** (1983) 177–182
1585. Ch.A. Charalambides and M. Koutras, On the differences of the generalized factorials at an arbitrary point and their combinatorial applications **47** (1983) 183–201
1586. A. Delandtsheer, The rigidity of the smallest unknown π-space **47** (1983) 203–210
1587. D. Detemple and J. Robertson, Permutations associated with billiard paths **47** (1983) 211–219
1588. J.H. Dinitz, D.R. Stinson and W.D. Wallis, Room squares with holes of sides 3, 5, and 7 **47** (1983) 221–228
1589. K. Engel, Strong properties in partially ordered sets I **47** (1983) 229–234
1590. M. Hager, On Halin-lattices in graphs **47** (1983) 235–246
1591. C.A. Jones, Using linear forms to determine the set of integers realizable by $(g_0, g_1, \ldots, g_n)$-trees **47** (1983) 247–254
1592. P.J. Laufer and J.M. Turgeon, On a conjecture of Paul Erdös for perfect systems of difference sets **47** (1983) 255–266

1593. C.L. Lucchesi and J.A. Ross, Superfluous paths in strong digraphs **47** (1983) 267–273
1594. A. Panayotopoulos, Some considerations on permutation trees **47** (1983) 275–281
1595. M. Von Rimscha, Reconstructibility and perfect graphs **47** (1983) 283–291
1596. C. Ronse, A generalization of the perfect shuffle **47** (1983) 293–306
1597. R. Rousseau, Representations of a sublattice of the partition lattice on a lattice **47** (1983) 307–314
1598. P. Assouad, Binary contraction of graphs (*Note*) **47** (1983) 315–319
1599. R. Häggkvist, P.-O. Lindberg and B. Lindström, Dissecting a square into rectangles of equal area (*Note*) **47** (1983) 321–323
1600. R.A. Brualdi and J.L. Goldwasser, Permanent of the Laplacian matrix of trees and bipartite graphs **48** (1984) 1–21
1601. G.F. Clements, Antichains in the set of subsets of a multiset **48** (1984) 23–45
1602. S.Z. Ditor, Cardinality questions concerning semilattices of finite breadth **48** (1984) 47–59
1603. P. Erdös and N. Hindman, Enumeration of intersecting families **48** (1984) 61–65
1604. H. Galeana-Sánchez and V. Neumann-Lara, On kernels and semikernels of digraphs **48** (1984) 67–76
1605. M. Guan, W. Li and Z. Wang, The convex weighting of a graph and an alternative definition of a matroid **48** (1984) 77–81
1606. P.D. Johnson Jr., Simple product colorings **48** (1984) 83–85
1607. K.V. Menon, A determinant of symmetric forms **48** (1984) 87–93
1608. D. Miklós, Great intersecting families of edges in hereditary hypergraphs **48** (1984) 95–99
1609. M. Mor and A.S. Fraenkel, Cayley permutations **48** (1984) 101–112
1610. D.V.S. Sastry and B.S.P. Raju, Graph equations for line graphs, total graphs, middle graphs and quasi-total graphs **48** (1984) 113–119
1611. M.-c. Cai, On a problem of Katona on minimal completely separating systems with restrictions (*Note*) **48** (1984) 121–123
1612. P. Kleinschmidt and C.W. Lee, On k-stacked polytopes (*Note*) **48** (1984) 125–127
1613. J. Širáň, Infinite families of crossing-critical graphs with a given crossing number (*Note*) **48** (1984) 129–132
1614. R.V. Book, Homogeneous thue systems and the Church-Rosser property **48** (1984) 137–145
1615. W.G. Brown and M. Simonovits, Digraph extremal problems, hypergraph extremal problems, and the densities of graph structures **48** (1984) 147–162
1616. M. Buck and D. Wiedemann, Gray codes with restricted density **48** (1984) 163–171
1617. L.R.A. Casse and D.G. Glynn, On the uniqueness of $(q+1)_4$-arcs of PG$(4,q)$, $q=2^h$, $h\geqslant 3$ **48** (1984) 173–186
1618. K. Engel, Strong properties in partially ordered sets II **48** (1984) 187–196
1619. R.J. Faudree and J. Sheehan, Regular graphs and edge chromatic number **48** (1984) 197–204
1620. P. Frankl and Z. Füredi, A new extremal property of Steiner triple-systems **48** (1984) 205–212
1621. A. Iorgulescu, On the construction of three-valued Lukasiewicz–Moisil algebras **48** (1984) 213–227
1622. S. Jendroľ and M. Tkáč, On the simplicial 3-polytopes with only two types of edges **48** (1984) 229–241
1623. F. Mazzocca and N. Melone, Caps and Veronese varieties in projective Galois spaces **48** (1984) 243–252
1624. J.P. Pecuchet, Solutions principales et rang d'un système d'équations avec constantes dans le monoïde libre **48** (1984) 253–274
1625. J.W. Walker, Isotone relations and the fixed point property for posets **48** (1984) 275–288
1626. S.-Z. Wang and B.-Y. Li, On the minimal cofinal subsets of a directed quasi-ordered set **48** (1984) 289–306
1627. M.L.H. Willems, Semi Laguerre i-structures **48** (1984) 307–314
1628. L. Zhu, Orthogonal latin squares with subsquares **48** (1984) 315–321
1629. A. Cambini, An explicit form of the inverse of a particular circulant matrix (*Communication*) **48** (1984) 323–325
1630. P. Frankl, A new short proof for the Kruskal–Katona theorem (*Communication*) **48** (1984) 327–329
1631. P. Erdös and Z. Palka, Addendum to "Trees in random graphs" **48** (1984) 331
1632. R. Ahlswede, A. El Gamal and K.F. Pang, A two-family extremal problem in Hamming space **49** (1984) 1–5
1633. R.B. Allan, R. Laskar and S. Hedetniemi, A note on total domination **49** (1984) 7–13
1634. M.-c. Cai, On separating systems of graphs **49** (1984) 15–20

1635. C.C. Chen, K.M. Koh and S.C. Lee, On the grading numbers of direct products of chains **49** (1984) 21–26
1636. M.F. Foregger, The skew chromatic index of a graph **49** (1984) 27–39
1637. I.M. Gessel, Some generalized durfee square identities **49** (1984) 41–44
1638. P. Hell and D.G. Kirkpatrick, Packings by cliques and by finite families of graphs **49** (1984) 45–59
1639. G.R.T. Hendry, Graphs uniquely hamiltonian-connected from a vertex **49** (1984) 61–74
1640. J.P.S. Kung, Jacobi's identity and the König–Egerváry theorem **49** (1984) 75–77
1641. G. Lassmann, On 4-isomorphisms of graphs **49** (1984) 79–81
1642. V. Neumann-Lara and J. Urrutia, Vertex critical r-dichromatic tournaments **49** (1984) 83–87
1643. R. Simion, The lattice automorphisms of the dominance ordering **49** (1984) 89–93
1644. R.E. Stong, Group actions on finite spaces **49** (1984) 95–100
1645. A.E. Brouwer, Distance regular graphs of diameter 3 and strongly regular graphs (*Note*) **49** (1984) 101–103
1646. J. Tůma, Note on binary simplicial matroids (*Note*) **49** (1984) 105–107
1647. C.A. Barefoot, Interpolation theorem for the number of pendant vertices of connected spanning subgraphs of equal size **49** (1984) 109–112
1648. L.M. Batten, Rank functions of closure spaces of finite rank **49** (1984) 113–116
1649. L. Beznea, A topological characterization of complete distributive lattices **49** (1984) 117–120
1650. A. Jorgulescu, Functors between categories of three-valued Lukasiewicz–Moisil algebras I **49** (1984) 121–131
1651. F. Mazzocca, On a class of lattices associated with n-cubes **49** (1984) 133–138
1652. A. Mercier, Quelques identités de l'analyse combinatoire **49** (1984) 139–149
1653. K.R. Parthasarathy and N. Srinivasan, An extremal problem in geodetic graphs **49** (1984) 151–159
1654. J. Plesník, A note on the complexity of finding regular subgraphs **49** (1984) 161–167
1655. H.J. Ryser, Matrices and set differences **49** (1984) 169–173
1656. W. Staton, Induced forests in cubic graphs **49** (1984) 175–178
1657. F. Tamari, On linear codes which attain the Solomon–Stiffler bound **49** (1984) 179–191
1658. R. Aravamudhan and B. Rajendran, On antipodal graphs (*Note*) **49** (1984) 193–195
1659. B. Bollobás and E.J. Cockayne, The irredundance number and maximum degree of a graph (*Note*) **49** (1984) 197–199
1660. A. Sharma, A note on stability of graphs (*Note*) **49** (1984) 201–203
1661. A.D. Keedwell, More super P-groups (*Communication*) **49** (1984) 205–207
1662. M. Mollard, Une nouvelle famille de 3-codes parfaits sur GF(q) (*Communication*) **49** (1984) 209–212
1663. V.D. Tonchev, The isomorphism of the Cohen, Haemers–van Lint and De Clerck–Dye–Thas partial geometries (*Communication*) **49** (1984) 213–217
1664. G.E. Andrews and D.M. Bressoud, Identities in combinatorics III: Further aspects of ordered set sorting **49** (1984) 223–236
1665. R.V. Book and C.C. Squier, Almost all one-rule Thue systems have decidable word problems **49** (1984) 237–240
1666. A.Z. Broder, The r-Stirling numbers **49** (1984) 241–259
1667. C. Delorme and G. Hahn, Infinite generalized friendship graphs **49** (1984) 261–266
1668. C. Payan, M. Tchuente and N.H. Xuong, Arbres avec un nombre maximum de sommets pendants **49** (1984) 267–273
1669. A. Proskurowski, Separating subgraphs in k-trees: Cables and caterpillars **49** (1984) 275–285
1670. A. Ruciński, The behaviour of $\binom{n}{k,\ldots,k,n-ik} c^i/i!$ is asymptotically normal **49** (1984) 287–290
1671. G. Turán, On the definability of properties of finite graphs **49** (1984) 291–302
1672. J.M. Wills, Finite platonic graphs **49** (1984) 303–308
1673. J. Csima, Colouring finite planes of odd order (*Note*) **49** (1984) 309
1674. H. Maehara, On the sphericity for the join of many graphs (*Note*) **49** (1984) 311–313
1675. J. Plesník, Equivalence between the minimum covering problem and the maximum matching problem (*Note*) **49** (1984) 315–317
1676. D. Zeilberger, A combinatorial proof of Newton's identities (*Note*) **49** (1984) 319
1677. N. Alon, A note on subdigraphs of digraphs with large outdegrees (*Communication*) **49** (1984) 321–322
1678. F. Garoche and M. Leonard, On a class of boolean functions with matroid property (*Communication*) **49** (1984) 323–325

1679. G.W. Peck, A new proof of a theorem of Graham and Pollak (*Communication*) **49** (1984) 327–328
1680. E.A. Bender, J.S. Devitt and L.B. Richmond, Partitions of multisets II **50** (1984) 1–8
1681. J.-C. Bermond and M. Las Vergnas, Regular factors in nearly regular graphs **50** (1984) 9–13
1682. A.R. Calderbank, F.R.K. Chung and D.G. Sturtevant, Increasing sequences with nonzero block sums and increasing paths in edge-ordered graphs **50** (1984) 15–28
1683. C.J. Colbourn and A.I. Weiss, A census of regular 3-polystroma arising from honeycombs **50** (1984) 29–36
1684. S. Cvetković and M. Petrić, A table of connected graphs on six vertices **50** (1984) 37–49
1685. D. Joyce, Generalized chromatic polynomials **50** (1984) 51–62
1686. R.H. Möhring, Almost all comparability graphs are UPO **50** (1984) 63–70
1687. W.E. Opencomb, On the intricacy of combinatorial construction problems **50** (1984) 71–97
1688. P. Vanden Cruyce, A convex characterization of the graphs of the dodecahedron and icosahedron **50** (1984) 99–105
1689. C. Berge and M. Las Vergnas, Transversals of circuits and acyclic orientations in graphs and matroids (*Note*) **50** (1984) 107–108
1690. P. Arbouz, Permutations representatives d'un graphe a seuil (*Communication*) **50** (1984) 109–112
1691. N. Tsikopoulos, Cycles through $k+2$ vertices in k-connected graphs (*Communication*) **50** (1984) 113–114
1692. H.-J. Bandelt and H.M. Mulder, Interval-regular graphs of diameter two **50** (1984) 117–134
1693. E.A. Bender and L.B. Richmond, An asymptotic expansion for the coefficients of some power series II: Lagrange inversion **50** (1984) 135–141
1694. R.A. Brualdi and R. Manber, Chromatic number of classes of matrices of zeros and ones **50** (1984) 143–152
1695. J.A. Brzozowski and F.E. Fich, On generalized locally testable languages **50** (1984) 153–169
1696. S.A. Burr, Some undecidable problems involving the edge-coloring and vertex-coloring of graphs **50** (1984) 171–177
1697. B. Courteau and J. Wolfmann, On triple-sum-sets and two or three weights codes **50** (1984) 179–191
1698. J.E. Dayhoff, Independently prescribable sets of n-letter words **50** (1984) 193–219
1699. D.E. Daykin, J.W. Daykin and M.S. Paterson, On log concavity for order-preserving maps of partial orders **50** (1984) 221–226
1700. M.H. El-Zahar, On circuits in graphs **50** (1984) 227–230
1701. S. Jendroľ, On a problem of J. Zaks concerning 5-valent 3-connected planar graphs **50** (1984) 231–237
1702. P. Marchioro and A. Morgana, Structure and recognition of domishold graphs **50** (1984) 239–251
1703. I. Morris and C.B. Wensley, Adams operations and λ-operations in β-rings **50** (1984) 253–270
1704. H. Niederhausen, Sequences of binomial type with polynomial coefficients **50** (1984) 271–284
1705. D. Peleg, A generalized closure and complement phenomenon **50** (1984) 285–293
1706. C.S. Wong and J.C. Masaro, A-optimal design matrices **50** (1984) 295–318
1707. B.R. Handa and S.G. Mohanty, On the distribution in a graph process (*Note*) **50** (1984) 319–322
1708. P. Frankl and Z. Füredi, An exact result for 3-graphs (*Communication*) **50** (1984) 323–328
1709. M.L. Gardner, Hypergraphs and Whitney's theorem on edge-isomorphisms of graphs **51** (1984) 1–9
1710. C.M. Grinstead, On circular critical graphs **51** (1984) 11–24
1711. A. Itai and A. Zehavi, Bounds on path connectivity **51** (1984) 25–34
1712. R.E. Jamison and R. Nowakowski, A Helly theorem for convexity in graphs **51** (1984) 35–39
1713. A. Kyriakoussis, A central limit theorem for numbers satisfying a class of triangular arrays **51** (1984) 41–46
1714. P. Marchioro, A. Morgana, R. Petreschi and B. Simeone, Degree sequences of matrogenic graphs **51** (1984) 47–61
1715. J.G. Oxley, On minor-minimally-connected matroids **51** (1984) 63–72
1716. C.A. Rodger, Embedding an incomplete latin square in a latin square with a prescribed diagonal **51** (1984) 73–89
1717. R.I. Tyshkevich, Once more on matrogenic graphs **51** (1984) 91–100
1718. D. Zeilberger, A Short hook-lengths bijection inspired by the Greene–Nijenhuis–Wilf proof **51** (1984) 101–108
1719. D. Zeilberger, Garsia and Milne's bijective proof of the inclusion—exclusion principle (*Note*) **51** (1984) 109–110

1720. A. Bonnin and J.M. Pallo, Sur la generation des arbres binaires par les B-suites **51** (1984) 111–117
1721. T.C. Brown, Common transversals for partitions of a finite set **51** (1984) 119–124
1722. R. Calderbank and D.B. Wales, The Haemers partial geometry and the Steiner system $S(5,8,24)$ **51** (1984) 125–136
1723. R. Chandrasekaran and S. Shirali, Total weak unimodularity: Testing and applications **51** (1984) 137–145
1724. J. Körner and V.K. Wei, Odd and even Hamming spheres also have minimum boundary **51** (1984) 147–165
1725. N.N. Roghelia and S.S. Sane, Classification of (16, 6, 2)-designs by ovals **51** (1984) 167–177
1726. C. Roos and A.J. van Zanten, On the existence of certain generalized Moore geometries, Part I **51** (1984) 179–190
1727. N. Sbihi and J.P. Uhry, A class of h-perfect graphs **51** (1984) 191–205
1728. S.-J. Xu and N.-Z. Li, The chromaticity of wheels **51** (1984) 207–212
1729. M. Maamoun and H. Meyniel, On a problem of G. Hahn about coloured hamiltonian paths in K_{2n} (*Note*) **51** (1984) 213–214
1730. A.K. Kelmans, A strengthening of the Kuratowski planarity criterion for 3-connected graphs **51** (1984) 215–220
1731. C.J. Liu, The generating function of Whitworth runs **51** (1984) 221–228
1732. G. Lunardon, On regular parallelisms in PG$(3,q)$ **51** (1984) 229–235
1733. T.A. McKee, Recharacterizing Eulerian: Intimations of new duality **51** (1984) 237–242
1734. L. Oubiña and R. Zucchello, A generalization of outerplanar graphs **51** (1984) 243–249
1735. A. Quilliot, Circular representation problem on hypergraphs **51** (1984) 251–264
1736. R.D. Ringeisen, On cycle permutation graphs **51** (1984) 265–275
1737. C. Roos and A.J. van Zanten, On the existence of certain generalized Moore geometries, Part II **51** (1984) 277–282
1738. J.A. Thas, I. Debroey and F. De Clerck, The embedding of $(0,\alpha)$-geometries in PG(n,q): Part II **51** (1984) 283–292
1739. D. Witte and J.A. Gallian, A survey: Hamiltonian cycles in Cayley graphs **51** (1984) 293–304
1740. P.S. Gill, A note on constructions of symmetrical PBIB designs (*Note*) **51** (1984) 305–307
1741. H. Hanani, On the original Steiner systems (*Note*) **51** (1984) 309–310
1742. A. Mukhopadhyay, On the probability that the determinant of an $n \times n$ matrix over a finite field vanishes (*Note*) **51** (1984) 311–315
1743. D. Skrien, Interval line graphs (*Note*) **51** (1984) 317–318
1744. D. de Werra, Variation on a theorem of König (*Note*) **51** (1984) 319–321
1745. L.M. Batten, Embedding the complement of a minimal blocking set in a projective plane **52** (1984) 1–5
1746. J. Berman and R. McKenzie, Clones satisfying the term condition **52** (1984) 7–29
1747. R.C. Brigham and R.D. Dutton, Upper bounds on the edge clique cover number of a graph **52** (1984) 31–37
1748. M.N. Broadie and R.W. Cottle, A note on triangulating the 5-cube **52** (1984) 39–49
1749. G. Gordon, Matroids over F_p which are rational excluded minors **49** (1984) 51–65
1750. C.C. Lindner and D.R. Stinson, Steiner pentagon systems **52** (1984) 67–74
1751. S.L. Ma, Partial difference sets **52** (1984) 75–89
1752. M. Paoli, Powers of connected graphs and hamiltonicity **52** (1984) 91–99
1753. V. Prüß, A characterization of matroidal families of multigraphs **52** (1984) 101–105
1754. G. Etienne, Linear extensions of finite posets and a conjecture of G. Kreweras on permutations (*Communication*) **52** (1984) 107–112
1755. V. Batagelj, Inductive definition of two restricted classes of triangulations **52** (1984) 113–121
1756. J.C. Bermond, J.L. Fouquet, M. Habib and B. Peroche, On linear k-arboricity **52** (1984) 123–132
1757. A. Delandtsheer, Metrical regularity in the incidence graph of a finite linear space **52** (1984) 133–141
1758. A. de Luca, On the product of square-free words **52** (1984) 143–157
1759. A. Ehrenfeucht, V. Faber and H.A. Kierstead, A new method of proving theorems on chromatic index **52** (1984) 159–164
1760. P.C. Fishburn, Paradoxes of two-length interval orders **52** (1984) 165–175
1761. A. Gyárfás, J. Lehel and Zs. Tuza, The structure of rectangle families dividing the plane into maximum number of atoms **52** (1984) 177–198
1762. M.C. Heydemann and D. Sotteau, Number of arcs and cycles in digraphs **52** (1984) 199–207

1763. H. Hollmann, Pseudocyclic 3-class association schemes on 28 points **52** (1984) 209–224
1764. H.J. Krol and H.J. Veldman, On maximum critically h-connected graphs **52** (1984) 225–234
1765. G.E. Nicholson, A. Grubb and C.S. Sharma, Regular join endomorphisms on a complemented modular lattice of finite rank **52** (1984) 235–242
1766. Z. Palka and L.V. Quintas, Random subgraphs of the n-cycle **52** (1984) 243–251
1767. L. Pyber, An extension of a Frankl–Füredi theorem **52** (1984) 253–268
1768. N. Ţăndăreanu, On generalized Boolean functions III. The case $A = 0, 1$ **52** (1984) 269–277
1769. T. Zaslavsky, How colorful the signed graph? **52** (1984) 279–284
1770. H. Lefmann and B. Voigt, A remark on infinite arithmetic progressions (*Communication*) **52** (1984) 285–286
1771. J. Abrham and A. Kotzig, Inequalities for perfect systems of difference sets (*Note*) **52** (1984) 287–291
1772. H.L. De Vries, Historical notes on Steiner systems (*Note*) **52** (1984) 293–297
1773. J. Justin and G. Pirillo, Two combinatorial properties of partitions of the free semigroup into finitely many parts (*Note*) **52** (1984) 299–303
1774. P. Kirschenhofer and H. Prodinger, A short proof for a partition identity of Hwang and Wei (*Note*) **52** (1984) 305–306
1775. A. Prodon, A note on the separation problem for the matching matroid (*Note*) **52** (1984) 307–311
1776. M. Roitman, An infinite family of integral graphs (*Note*) **52** (1984) 313–315
1777. M. Bekkali and R. Bonnet, On Fodor's theorem: A topological version **53** (1985) 3–19
1778. J. Constantin and G. Fournier, Ordonnes escamotables et points fixes **53** (1985) 21–33
1779. E. Corominas, On better quasi-ordering countable trees **53** (1985) 35–53
1780. R. Dean, A construction for large families of k-element sets having the Erdös intersection property **53** (1985) 55–56
1781. J.P. Dion, The Sperner property for posets: A probabilistic approach **53** (1985) 57–62
1782. I. Düntsch and S. Koppelberg, Complements and quasicomplements in the lattice of subalgebras of $P(\omega)$ **53** (1985) 63–78
1783. C. Flament, Comparability graphs with constraint, partial semi-orders and interval orders **53** (1985) 79–89
1784. M. Habib and M.C. Maurer, 1-intersecting families **53** (1985) 91–101
1785. G. Hansoul, Algebres de Boole primitives **53** (1985) 103–116
1786. M. Jambu-Giraudet, Quelques remarques sur l'equivalence elementaire entre groupes ou treillis d'automorphismes de chaines 2-homogenes **53** (1985) 117–124
1787. G. Kalmbach, 1982 news about orthomodular lattices **53** (1985) 125–135
1788. I. Krasikov and J. Schönheim, The reconstruction of a tree from its number desk **53** (1985) 137–145
1789. G. Kreweras, Denombrement des ordres etages **53** (1985) 147–149
1790. J.-M. Laborde, Regularisation numerique d'orbites **53** (1985) 151–155
1791. L. Lesieur, Demi-groups bornés (bounded semi-groups) **53** (1985) 157–165
1792. P. Nevermann, Order varietes generated by $\vee$-semilattices of finite width **53** (1985) 167–171
1793. M. Pouzet and N. Zaguia, Dimension de Krull des ensembles ordonnes **53** (1985) 173–192
1794. R.W. Quackenbush, Non-modular varieties of semimodular lattices with a spanning M_3 **53** (1985) 193–205
1795. A. Quilliot, Representation theorems for graphs whose the vertex set is partially ordered **53** (1985) 207–219
1796. D. Richard, All arithmetical sets of powers of primes are first-order definable in terms of the successor function and the coprimeness predicate **53** (1985) 221–247
1797. D. Schweigert, Congruence relations of multialgebras **53** (1985) 249–253
1798. W.T. Trotter Jr., The dimension of the cartesian product of partial orders **53** (1985) 255–263
1799. J. Varlet, Fixed points in finite de Morgan algebras **53** (1985) 265–280
1800. P. Erdös and A. Hajnal, Chromatic number of finite and infinite graphs and hypergraphs **53** (1985) 281–285
1801. S.A. Burr, J. Nešetřil and V. Rödl, On the use of senders in generalized Ramsey theory for graphs **54** (1985) 1–13
1802. M.J. Lipman, Hamiltonian cycles and paths in vertex-transitive graphs with abelian and nilpotent groups **54** (1985) 15–21
1803. B. Mohar, Akempic triangulations with 4 odd vertices **54** (1985) 23–29

1804. P.P. Pálfy, On the chromatic number of certain highly symmetric graphs **54** (1985) 31–38
1805. J. Peemöller, Necessary conditions for Hamiltonian split graphs **54** (1985) 39–47
1806. H.J. Prömel and B. Voigt, Canonizing Ramsey theorems for finite graphs and hypergraphs **54** (1985) 49–59
1807. A. Quilliot, A retraction problem in graph theory **54** (1985) 61–71
1808. S.B. Rao, On regular and strongly-regular self-complementary graphs **54** (1985) 73–82
1809. G. Schmidt and T. Ströhlein, Relation algebras: Concept of points and representability **54** (1985) 83–92
1810. R.O. Shelton and R.P. Soni, Chains and fixing blocks in irreducible binary sequences **54** (1985) 93–99
1811. M.L.H. Willems, Semi Minkowski i-structures **54** (1985) 101–106
1812. F. Keqin, A problem on algebraic graph theory (*Communication*) **54** (1985) 107–109
1813. B. Reed, A note on the semi-strong perfect graph conjecture (*Communication*) **54** (1985) 111–112
1814. R.P. Anstee and U.S.R. Murty, Matrices with forbidden subconfigurations (*Note*) **54** (1985) 113–116
1815. M. Preissmann, A class of strongly perfect graphs (*Note*) **54** (1985) 117–120
1816. S. Szabó, A type of factorization of finite abelian groups (*Note*) **54** (1985) 121–124
1817. M.O. Albertson and K.L. Collins, Homomorphisms of 3-chromatic graphs **54** (1985) 127–132
1818. M. Baica, Some new combinatorial identities derived from units in algebraic number fields **54** (1985) 133–141
1819. O. Chrysaphinou, On Touchard polynomials **54** (1985) 143–152
1820. K. Engel and H.-D.O.F. Gronau, An intersection-union theorem for integer sequences **54** (1985) 153–159
1821. B. Hedman, The maximum number of cliques in dense graphs **54** (1985) 161–166
1822. I.L. Jungreis, Infinite Hamiltonian paths in Cayley digraphs **54** (1985) 167–180
1823. J.H. Reif and P.G. Spirakis, k-connectivity in random undirected graphs **54** (1985) 181–191
1824. J. Reiterman, V. Rödl, E. Šiňajová and M. Tůma, Threshold hypergraphs **54** (1985) 193–200
1825. D. Zeilberger and D.M. Bressoud, A proof of Andrews' q-Dyson conjecture **54** (1985) 201–224
1826. H.J. Tiersma, A note on Hamming spheres (*Communication*) **54** (1985) 225–228
1827. P. Alles, The dimension of sums of graphs (*Note*) **54** (1985) 229–233
1828. E.A. Bender and N.C. Wormald, The number of loopless planar maps (*Note*) **54** (1985) 235–237
1829. G.P. Whittle, An elementary proof that every matroid is an intersection of principal transversal matroids (*Note*) **54** (1985) 239
1830. A. Beutelspacher and F. Eugeni, On the type of partial t-spreads in finite projective spaces **54** (1985) 241–257
1831. Ch.A. Charalambides and A. Kyriakoussis, An asymptotic formula for the exponential polynomials and a central limit theorem for their coefficients **54** (1985) 259–270
1832. M. Katchalski, T. Lewis and J. Zaks, Geometric permutations for convex sets **54** (1985) 271–284
1833. M. Kaufmann and S. Shelah, On random models of finite power and monadic logic **54** (1985) 285–293
1834. P. Kovács, The minimal trivalent graphs with given smallest odd cycle **54** (1985) 295–299
1835. C.L. Mallows and L.A. Shepp, Enumerating pairs of permutations with the same up-down form **54** (1985) 301–311
1836. P.M. Salzberg, Random number generation: A combinatorial approach **54** (1985) 313–320
1837. D.R. Stinson and L. Zhu, On sets of three mols with holes **54** (1985) 321–328
1838. W. Naji, Reconnaissance des graphes de cordes (*Communication*) **54** (1985) 329–337
1839. J. Nešetřil and V. Rödl, Two remarks on Ramsey's theorem (*Communication*) **54** (1985) 339–341
1840. P. Vanden Cruyce, A finite graph which is locally a dodecahedron (*Communication*) **54** (1985) 343–346
1841. G.F. Clements, Antichains in the set of subsets of a multiset (*Erratum*) **54** (1985) 347
1842. E. Dedò and L. Porcu, Some properties of a multidigraph by semi-incidence matrices **55** (1985) 1–11
1843. I. Diener, E. Schmitt and H.L. de Vries, All 80 Steiner triple systems on 15 elements are derived **55** (1985) 13–19
1844. R. Diestel, On the problem of finding small subdivision and homomorphism bases for classes of countable graphs **55** (1985) 21–33
1845. S. Fujishige, A decomposition of distributive lattices **55** (1985) 35–55
1846. L.E. Garner, On heights in the Collatz $3n+1$ problem **55** (1985) 57–64
1847. C. Schulz, Dual pairs of non-polytopal diagrams and spheres **55** (1985) 65–72
1848. C. Thomassen, The 2-linkage problem for acyclic digraphs **55** (1985) 73–87
1849. M. Truszczyński, Note on the decompositions of $\lambda K_{m,n}(\lambda K^*_{m,n})$ **55** (1985) 89–96
1850. G. Kalai, f-vectors of acyclic complexes **55** (1985) 97–99

1851. P.J. Owens, Bipartite regular graphs and shortness parameters (*Note*) **55** (1985) 101–106
1852. D.R. Stinson and S.A. Vanstone, A Kirkman square of order 51 and block size 3 (*Note*) **55** (1985) 107–111
1853. M.C. Golumbic, Interval graphs and related topics **55** (1985) 113–121
1854. C. Benzaken, P.L. Hammer and D. de Werra, Split graphs of Dilworth number 2 **55** (1985) 123–127
1855. P. Erdös and D.B. West, A note on the interval number of a graph **55** (1985) 129–133
1856. P.C. Fishburn, Interval graphs and interval orders **55** (1985) 135–149
1857. M.C. Golumbic and R.E. Jamison, Edge and vertex intersection of paths in a tree **55** (1985) 151–159
1858. A. Gyárfás, On the chromatic number of multiple interval graphs and overlap graphs **55** (1985) 161–166
1859. A. Gyárfás and J. Lehel, Covering and coloring problems for relatives of intervals **55** (1985) 167–180
1860. L.M. Kirousis and C.H. Papadimitriou, Interval graphs and searching **55** (1985) 181–184
1861. E.R. Scheinerman, Characterizing intersection classes of graphs **55** (1985) 185–193
1862. E.R. Scheinerman, Irrepresentability by multiple intersection, or why the interval number is unbounded **55** (1985) 195–211
1863. D. Skrien and J. Gimbel, Homogeneously representable interval graphs **55** (1985) 213–216
1864. M.M. Sysło, Triangulated edge intersection graphs of paths in a tree **55** (1985) 217–220
1865. R.E. Tarjan, Decomposition by clique separators **55** (1985) 221–232
1866. A. Teng and A. Tucker, An $O(qn)$ algorithm to q-color a proper family of circular arcs **55** (1985) 233–243
1867. G. Cornuéjols and W.H. Cunningham, Compositions for perfect graphs **55** (1985) 245–254
1868. R.L. Hemminger and B.D. McKay, Integer sequences with proscribed differences and bounded growth rate **55** (1985) 255–265
1869. F.C. Holroyd and W.J.G. Wingate, Cycles in the complement of a tree or other graph **55** (1985) 267–282
1870. L.-H. Hsu, Dependence of tree copy functions **55** (1985) 283–290
1872. P. Ash, The maximum number of diagonals of a cycle in a block (*Note*) **55** (1985) 305–309
1873. J. von Below, On a theorem of L. Mirsky on even doubly-stochastic matrices (*Note*) **55** (1985) 311–312
1874. Ph. Delsarte and Ph. Piret, An extension of an inequality by Ahlswede, El Gamal and Pang for pairs of binary codes (*Note*) **55** (1985) 313–315
1875. Z. Füredi and Zs. Tuza, Hypergraphs without a large star (*Note*) **55** (1985) 317–321
1876. Y.O. Hamidoune, Sur la separation dans les graphes de Cayley abeliens (*Note*) **55** (1985) 323–326
1877. Z. Janko and T. van Trung, Construction of two symmetric block designs for (71, 21, 6) (*Note*) **55** (1985) 327–328
1878. J. Nieminen, Neutrality and betweenness in modular lattices (*Note*) **55** (1985) 329–332
1879. J. Akiyama, K. Ando and D. Avis, Eccentric graphs **56** (1985) 1–6
1880. C. Benzaken and P.L. Hammer, Boolean techniques for matroidal decomposition of independence systems and applications to graphs **56** (1985) 7–34
1881. G. Cohen and A. Lempel, Linear intersecting codes **56** (1985) 35–43
1882. W.L. Kocay, D.R. Stinson and S.A. Vanstone, On strong starters in cyclic groups **85** (1985) 45–60
1883. D. Zeilberger, A combinatorial approach to matrix algebra **56** (1985) 61–72
1884. G.W. Peck, On 'k-sets' in the plane (*Note*) **56** (1985) 73–74
1885. P. Szüsz, On a theorem of Fraenkel, Levitt and Shimshoni (*Note*) **56** (1985) 75–77
1886. M. Tsuchiya, On determination of graph G whose bond lattice $\mathcal{L}(G)$ is modular (*Note*) **56** (1985) 79–81
1887. A.R. Bednarek, Whitney's theorem for infinite graphs (*Communication*) **56** (1985) 83–85
1888. B. Mohar, T. Pisanski, M. Škoviera and A. White, The Cartesian product of three triangles can be embedded into a surface of genus 7 (*Communication*) **56** (1985) 87–89
1889. T. Beth, Generalizing the discrete Fourier transform **56** (1985) 95–100
1890. J. Calmet, Algebraic algorithms in GF(q) **56** (1985) 101–109
1891. R.M. Campello de Souza and P.G. Farrell, Finite field transforms and symmetry groups **56** (1985) 111–116
1892. P. Charpin, A descritpion of some extended cyclic codes with application to Reed–Solomon codes **56** (1985) 117–124
1893. G. Cohen and P. Frankl, Good coverings of Hamming spaces with spheres **56** (1985) 125–131
1894. B. Courteau and J. Goulet, An extension of the codes introduced by Séguin, Allard and Bhargava **56** (1985) 133–139
1895. J. Dénes, On some connections between permutations and coding **56** (1985) 141–146

1896. G.-L. Feng, Generalized threshold decoding of cyclic codes **56** (1985) 147–154
1897. M.C. Gennero and O. Papini, Utilization of error correcting codes for data transmission simulations **56** (1985) 155–168
1898. T. Helleseth and H.F. Mattson Jr., On the cosets of the simplex code **56** (1985) 169–189
1899. Ll. Huguet, Coding scheme for a wire-tap channel using regular codes **56** (1985) 191–201
1900. M. Kumari, Complexity analysis of binary nonlinear feedforward sequences through minimum polynomials of compound matrices **56** (1985) 203–215
1901. D. Lugiez, Fast Hensel's lifting implementation using partial fraction decomposition **56** (1985) 217–225
1902. B. Montaron, On incidence matrices of finite projective planes **56** (1985) 227–237
1903. Ph. Piret, Word correction by means of convolutional codes **56** (1985) 239–243
1904. I. Pitas and M.G. Strintzis, Special algorithms for convolutions over Galois fields **56** (1985) 245–253
1905. A. Poli, Important algebraic calculations for n-variables polynomial codes **56** (1985) 255–263
1906. A. Poli and J.A. Thiong-Ly, Automorphisms of principal nilpotent self-dual codes in certain modular algebras **56** (1985) 265–273
1907. C. Rigoni, Construction of n variable codes **56** (1985) 275–280
1908. K.K. Tzeng and G.L. Feng, Further results about the cyclicity of generalized Goppa codes **56** (1985) 281–290
1909. M. Ventou and C. Rigoni, Self-dual doubly circulant codes **56** (1985) 291–298
1910. J. Wolfmann, A class of doubly even self dual binary codes **56** (1985) 299–303
1911. A.R. Camina, Automorphism groups of block designs which are block transitive **57** (1985) 1–7
1912. W.A. Carnielli, On covering and coloring problems for rook domains **57** (1985) 9–16
1913. A. Cavicchioli, Lins-Mandel crystallizations **57** (1985) 17–37
1914. I.P. Goulden, A bijective proof of the q-Saalschütz theorem **57** (1985) 39–44
1915. F.T. Howard, Degenerate weighted Stirling numbers **57** (1985) 45–58
1916. J. Lehel, A characterizations of totally balanced hypergraphs **57** (1985) 59–65
1917. R.W. Myers Jr., 1-homogeneous graphs **57** (1985) 67–88
1918. A.M. Odlyzko, J. Pintz and K.B. Stolarsky, Partitions of planar sets into small triangles **57** (1985) 89–97
1919. E. Pesch and W. Poguntke, A characterization of absolute retracts of n-chromatic graphs **57** (1985) 99–104
1920. C. Peter-Orth, All solutions of the Soma cube puzzle **57** (1985) 105–121
1921. S. Ruiz, Randomly decomposable graphs **57** (1985) 123–128
1922. K. Vesztergombi, On the distribution of distances in finite sets in the plane **57** (1985) 129–145
1923. D.K. Wagner, On theorems of Whitney and Tutte **57** (1985) 147–154
1924. A.R. Bednarek and R.E. Osteen, A characterization of graphical covers (*Communication*) **57** (1985) 155–158
1925. N. Brand, Isomorphic designs that are not multiplier equivalent (*Communication*) **57** (1985) 159–165
1926. P. Leroux and V. Strehl, Jacobi polynomials: Combinatorics of the basic identities (*Communication*) **57** (1985) 167–187
1927. B. Reznick, P. Tiwari and D.B. West, Decomposition of product graphs into complete bipartite subgraphs (*Communication*) **57** (1985) 189–193
1928. C.R.J. Clapham, The bipartite tournament associated with a fabric (*Note*) **57** (1985) 195–197
1929. B. Jackson and O. Ordaz, A Chvátal–Erdös condition for (1,1)-factors in digraphs (*Note*) **57** (1985) 199–201
1930. V. Koubek and J. Rajlich, Combinatorics of separation by binary matrices (*Note*) **57** (1985) 203–208
1931. Th. Chadjipantelis and S. Kounias, Supplementary difference sets and D-optimal designs for $n \equiv 2 \bmod 4$ **57** (1985) 211–216
1932. M.G. Everett and S.B. Seidman, The hull number of a graph **57** (1985) 217–223
1933. A.W. Goodman, Triangles in a complete chromatic graph with three colors **57** (1985) 225–235
1934. D. Haussler, Another generalization of Higman's well quasi order result on Σ^* **57** (1985) 237–243
1935. G. Hopkins and W. Staton, Graphs with unique maximum independent sets **57** (1985) 245–251
1936. S. Lins, A simple proof of Gagliardi's handle recognition theorem **57** (1985) 253–260
1937. S. Lins and A. Mandel, Graph-encoded 3-manifolds **57** (1985) 261–284
1938. H. Tarnanen, On character sums and codes **57** (1985) 285–295
1939. D. Buset, Orbits on vertices and edges of finite graphs (*Communication*) **57** (1985) 297–299

1940. A. Baartmans and M.S. Shrikhande, A characterization of the extensions of symmetric designs (*Note*) **57** (1985) 301–305
1941. B. Bagchi and N.S.N. Sastry, Minimum weight words of binary codes associated with finite projective geometries (*Note*) **57** (1985) 307–310
1942. A. Torgašev, On graphs with a fixed number of negative eigenvalues (*Note*) **57** (1985) 311–317
1943. D. Amar, Partition of a bipartite hamiltonian graph into two cycles **58** (1986) 1–10
1944. D. Arques, Les hypercartes planaires sont des arbres tres bien etiquetes **58** (1986) 11–24
1945. M. Hager, On score sets for tournaments **58** (1986) 25–34
1946. A. Lešanovský and V. Pták, A measure of thickness for families of sets **58** (1986) 35–44
1947. A. Pasini, On certain geometries of type C_n and F_4 **58** (1986) 45–61
1948. A.J.W. Hilton and C.A. Rodger, Hamiltonian decompositions of complete regular s-partite graphs **58** (1986) 63–78
1949. B. Mohar, On the cycle space of graphs (*Communication*) **58** (1986) 79–80
1950. U. Betke and P. Gritzmann, An application of valuation theory to two problems in discrete geometry (*Note*) **58** (1986) 81–85
1951. C.R.J. Clapham, Universal tilings and universal (0, 1)-matrices (*Note*) **58** (1986) 87–92
1952. Y. Egawa, M. Urabe, T. Fukuda and S. Nagoya, A decomposition of complete bipartite graphs into edge-disjoint subgraphs with star components (*Note*) **58** (1986) 93–95
1953. N. Linial, Graph coloring and monotone functions on posets (*Note*) **58** (1986) 97–98
1954. S. Poljak and D. Turzík, A polynomial time heuristic for certain subgraph optimization problems with guaranteed worst case bound (*Note*) **58** (1986) 99–104
1955. D. Sotteau and A.P. Wojda, Digraphs without directed path of length two or three (*Note*) **58** (1986) 105–108
1956. M. Werman and D. Zeilberger, A bijective proof of Cassini's Fibonacci identity (*Note*) **58** (1986) 109
1957. A. Benhocine, Pancyclism and Meyniel's conditions **58** (1986) 113–120
1958. M. Conforti, D.G. Corneil and A.R. Mahjoub, K_i-covers I: Complexity and polytopes **58** (1986) 121–142
1959. J. Ginsburg, Extensions of ordered sets having the finite cutset property **58** (1986) 143–157
1960. K.Y. Lin, Magic cubes and hypercubes of order 3 **58** (1986) 159–166
1961. G. Lo Faro, Steiner quadruple systems having a prescribed number of quadruples in common **58** (1986) 167–174
1962. P. Terwilliger, The Johnson graph $J(d, r)$ is unique if $(d, r) \neq (2, 8)$ **58** (1986) 175–189
1963. N. Alon, Explicit construction of exponential sized families of k-independent sets (*Note*) **58** (1986) 191–193
1964. J. Csima, Generalized Hilton construction for embedding d-ary quasigroups (*Note*) **58** (1986) 195–197
1965. D. Jungnickel and G. Grams, Maximal difference matrices of order $\leqslant 10$ (*Note*) **58** (1986) 199–203
1966. J.A. La Poutré, A theorem on associative block designs (*Note*) **58** (1986) 205–208
1967. A.D. Pollington, On the density of B_2-bases (*Note*) **58** (1986) 209–211
1968. I. Borosh, M. Flahive and B. Treybig, Small solutions of linear Diophantine equations **58** (1986) 215–220
1969. E.J. Cockayne, B. Gamble and B. Shepherd, Domination parameters for the bishops graph **58** (1986) 221–227
1970. D.A. Drake, Embedding maximal cliques of sets in maximal cliques of bigger sets **58** (1986) 229–242
1971. O. Favaron and O. Ordaz, A sufficient condition for oriented graphs to be Hamiltonian **58** (1986) 243–252
1972. H.A. Kierstead and J.H. Schmerl, The chromatic number of graphs which induce neither $K_{1,3}$ nor $K_5 - e$ **58** (1986) 253–262
1973. S. Negami and G.-H. Xu, Locally geodesic cycles in 2-self-centered graphs **58** (1986) 263–268
1974. M.M. Petrović, Finite type graphs and some graph operations, II **58** (1986) 269–274
1975. C. Roos and A.J. van Zanten, On the existence of certain generalized Moore geometries, Part III **58** (1986) 275–283
1976. P.M. Salzberg, M.A. López and R.E. Giudici, On the chromatic uniqueness of bipartite graphs **58** (1986) 285–294
1977. U. Faigle and R. Schrader, A combinatorial bijection between linear extensions of equivalent orders (*Communication*) **58** (1986) 295–301
1978. R. Aravamudhan and B. Rajendran, A note on 'On antipodal graphs' (*Note*) **58** (1986) 303–305

1979. Y. Egawa, Characterization of the Cartesian product of complete graphs by convex subgraphs (*Note*) **58** (1986) 307–309
1980. H. Maehara, On the sphericity of the graphs of semiregular polyhedra (*Note*) **58** (1986) 311–315
1981. N. Seifter, A note on infinite transitive graphs (*Note*) **58** (1986) 317–321
1982. K.A. Berman, Parity results on connected f-factors **59** (1986) 1–8
1983. W.M. Dymacek, Bipartite Steinhaus graphs **59** (1986) 9–20
1984. P. Erdös, Z. Füredi, A. Hajnal, P. Komjáth, V. Rödl and Á. Seress, Coloring graphs with locally few colors **59** (1986) 21–34
1985. H. Galeana-Sánchez, A theorem about a conjecture of H. Meyniel on kernel-perfect graphs **59** (1986) 35–41
1986. D.G. Glynn, The non-classical 10-arc of PG(4, 9) **59** (1986) 43–51
1987. M. Hager, Path-connectivity in graphs **59** (1986) 53–59
1988. A. Hajnal and N. Sauer, Complete subgraphs of infinite multipartite graphs and antichains in partially ordered sets **59** (1986) 61–67
1989. K. Heinrich and L. Zhu, Existence of orthogonal latin squares with aligned subsquares **59** (1986) 69–78
1990. A. Hertz, Quelques utilisations de la struction **59** (1986) 79–89
1991. V. Jha and N.L. Johnson, Regular parallelisms from translation planes **59** (1986) 91–97
1992. R.P. Nederpelt, Bijections between formulae and trees which are compatible with equivalences of the type $((f \circ g) \circ h) \sim ((f \circ h) \circ g)$ **59** (1986) 99–105
1993. P.J. Owens, Simple 3-polytopal graphs with edges of only two types and shortness coefficients **59** (1986) 107–114
1994. D. Piollet, Solutions d'une equation quadratique dans le groups libre **59** (1986) 115–123
1995. V. Rödl, On universality of graphs with uniformly distributed edges **59** (1986) 125–134
1996. M. Saks, Some sequences associated with combinatorial structures **59** (1986) 135–166
1997. Y. Shi, Some theorems of uniquely pancyclic graphs **59** (1986) 167–180
1998. R.J. Simpson, Exact coverings of the integers by arithmetic progressions **59** (1986) 181–190
1999. M. Cerasoli, Enumeration with the lattice of periods (*Communication*) **59** (1986) 191–198
2000. A.P. Shelton, R.D. Dutton and R.C. Brigham, Extension of a clique cover result to uniform hypergraphs (*Note*) **59** (1986) 199–201
2001. A. Beutelspacher and I. Schestag, Finite linear spaces in which any n-gon is euclidean **59** (1986) 207–220
2002. A. Bialostocki and N. Sauer, On Ramsey–Turán type problems in tournaments **59** (1986) 221–228
2003. J.R. Clay, More balanced incomplete block designs from Frobenius groups **59** (1986) 229–234
2004. P. Erdös and M. Erné, Clique numbers of graphs **59** (1986) 235–242
2005. A.M. Frieze, On large matchings and cycles in sparse random graphs **59** (1986) 243–256
2006. H. Galeana-Sánchez and V. Neumann-Lara, On kernel-perfect critical digraphs **59** (1986) 257–265
2007. D.A. Gregory, S. McGuinness and W. Wallis, Clique partitions of the cocktail party graph **59** (1986) 267–273
2008. A. Hartman, On small packing and covering designs with block size 4 **59** (1986) 275–281
2009. W.C. Huffman, On automorphism groups of certain 2-$(v, 3, 2)$ designs induced by group actions **59** (1986) 283–296
2010. B. Korte and L. Lovász, Non-interval greedoids und the transposition property **59** (1986) 297–314
2011. A.E. Brouwer, An inequality in binary vector spaces (*Note*) **59** (1986) 315–317
2012. B. Lindström, A non-linear algebraic matroid with infinite characteristic set (*Note*) **59** (1986) 319–320
2013. L. Danzer, Finite point-sets on S^2 with minimum distance as large as possible **60** (1986) 3–66
2014. G.L. Alexanderson and J.E. Wetzel, A simplicial 3-arrangement of 21 planes **60** (1986) 67–73
2015. N. Alon and M.A. Perles, On the intersection of edges of a geometric graph by straight lines **60** (1986) 75–90
2016. J. Beck, A 'large deviation' phenomenon in discrete geometry, I **60** (1986) 91–99
2017. K. Böröczky, I. Bárány, E. Makai Jr. and J. Pach, Maximal volume enclosed by plates and proof of the chessboard conjecture **60** (1986) 101–120
2018. A.W.M. Dress and R. Scharlau, The 37 combinatorial types of minimal, non-transitive, equivariant tilings of the Euclidean plane **60** (1986) 121–138
2019. H. Edelsbrunner and D. Haussler, The complexity of cells in three-dimensional arrangements **60** (1986) 139–146
2020. P. Erdös, On some metric and combinatorial geometric problems **60** (1986) 147–153

2021. B. Grünbaum and G.C. Shephard, An extension to the catalogue of isonemal fabrics **60** (1986) 155–192
2022. H. Harborth and I. Mengersen, Point sets with many unit circles **60** (1986) 193–197
2023. R.E. Jamison, Few slopes without collinearity **60** (1986) 199–206
2024. D.J. Kleitman, On a problem of Yuzvinsky on separating the n-cube **60** (1986) 207–213
2025. G. Purdy, Two results about points, lines and planes **60** (1986) 215–218
2026. B. Reznick, Lattice point simplices **60** (1986) 219–242
2027. J.-P. Roudneff, On the number of triangles in simple arrangements of pseudolines in the real projective plane **60** (1986) 243–251
2028. E. Schulte and J.M. Wills, On Coxeter's regular skew polyhedra **60** (1986) 253–262
2029. L.F. Tóth, Packing of ellipses with continuously distributed area **60** (1986) 263–267
2030. R.A. Brualdi and E.S. Solheid, Maximum determinants of complementary acyclic matrices of zeros and ones **61** (1986) 1–19
2031. G. Chassé, Combinatorial cycles of a polynomial map over a commutative field **61** (1986) 21–26
2032. Y. Cheng, Switching classes of directed graphs and H-equivalent matrices **61** (1986) 27–40
2033. J.W. Daykin, Inequalities for the number of monotonic functions of partial orders **61** (1986) 41–55
2034. G.R.T. Hendry, The size of graphs uniquely hamiltonian-connected from a vertex **61** (1986) 57–60
2035. K.M. Koh and K.S. Poh, On the uniformity of the closed-set lattice of a tree **61** (1986) 61–70
2036. W. Kurth, Enumeration of platonic maps on the torus **61** (1986) 71–83
2037. G.F. Lawler, Expected hitting times for a random walk on a connected graph **61** (1986) 85–92
2038. J. Lehel and Zs. Tuza, Neighborhood perfect graphs **61** (1986) 93–101
2039. A. Delandtsheer, Transitivity on sets of independent points in geometric lattices (*Communication*) **61** (1986) 103–105
2040. R. Shelton, K.J. Heuvers, D. Moak and K.P.S. Bhaskara Rao, Multinomial matrices (*Communication*) **61** (1986) 107–114
2041. R.G. Powers, The ith Ramsey number for matchings (*Note*) **61** (1986) 115–118
2042. A.M. Assaf, On the covering of pairs by quadruples **61** (1986) 119–132
2043. G. Behrendt, Sharply transitive partially ordered sets **61** (1986) 133–139
2044. J. Chvatalova and J. Opatrny, The bandwidth problem and operations on graphs **61** (1986) 141–150
2045. W.E. Clark, Cyclic codes over GF(q) with simple orbit structure **61** (1986) 151–164
2046. P.C. Fishburn, F.K. Hwang and H. Lee, Do local majorities force a global majority? **61** (1986) 165–179
2047. H. Fredricksen and I.J. Kessler, An algorithm for generating necklaces of beads in two colors **61** (1986) 181–188
2048. M.K. Gill and G.A. Patwardhan, Switching invariant two-path signed graphs **61** (1986) 189–196
2049. J.L. Goldwasser, Permanent of the Laplacian matrix of trees with a given matching **61** (1986) 197–212
2050. W. Honghui and L. Qiao, On the number of tournaments with prescribed score vector **61** (1986) 213–219
2051. M. Kuwada and S. Kuriki, Some existence conditions for partially balanced arrays with 2 symbols **61** (1986) 221–233
2052. H. Maehara, Metric transforms of finite spaces and connected graphs **61** (1986) 235–246
2053. F. Maffray, On kernels in i-triangulated graphs **61** (1986) 247–251
2054. Z. Palka, A. Ruciński and J. Spencer, On a method for random graphs **61** (1986) 253–258
2055. M. Preissmann, D. de Werra and N.V.R. Mahadev, A note of superbrittle graphs **61** (1986) 259–267
2056. R. Rees, Minimal clique partitions and pairwise balanced designs **61** (1986) 269–280
2057. M. Škoviera, A contribution to the theory of voltage graphs **61** (1986) 281–292
2058. P.J. Slater, On k-graceful, countably infinite graphs **61** (1986) 293–303
2059. D.R. Stinson, Concerning the spectrum of perpendicular arrays of triple systems **61** (1986) 305–310
2060. P. Terwilliger, A new feasibility condition for distance-regular graphs **61** (1986) 311–315
2061. A. Delandtsheer, Orbits in uniform hypergraphs (*Communication*) **61** (1986) 317–319
2062. H.-D.O.F. Gronau and R. Labahn, An extremal coloring problem on matrices (*Communication*) **61** (1986) 321–324
2063. A. Bialostocki, An application of the Ramsey theorem to ordered r-tournaments (*Note*) **61** (1986) 325–328
2064. W. Bienia and H. Meyniel, Partitions of digraphs into paths or circuits (*Note*) **61** (1986) 329–331
2065. P. Gerl, Natural spanning trees of $\mathbb{Z}^d$ are recurrent (*Note*) **61** (1986) 333–336
2066. K.V. Menon, Note of some determinants of q-binomial numbers (*Note*) **61** (1986) 337–341
2067. D.W. Barnette, Every simple 3-polytype with 34 vertices is Hamiltonian **62** (1986) 1–20

2068. A. Donati, Lins-Mandel manifolds as branched covering of S^3 **62** (1986) 21–27
2069. G. Hahn and C. Thomassen, Path and cycle sub-Ramsey numbers and an edge-colouring conjecture **62** (1986) 29–33
2070. N. Hartsfield, The toroidal splitting number of the complete graph K_n **62** (1986) 35–47
2071. F.K. Hwang and J.F. Weng, Hexagonal coordinate systems and Steiner minimal trees **62** (1986) 49–57
2072. B.L. Misra, On construction of partially balanced n-ary designs **62** (1986) 59–64
2073. V. Neumann-Lara, N. Santoro and J. Urrutia, Uniquely colourable m-dichromatic oriented graphs **62** (1986) 65–70
2074. J.G. Oxley, On ternary transversal matroids **62** (1986) 71–83
2075. Z.-x. Wan, R.-h. Xiong and M.-a. Yu, On the number of cycles of short length in the de Bruijn–Good graph G_n **62** (1986) 85–98
2076. R.A. Brualdi and J. Csima, Extending subpermutation matrices in regular classes of matrices (*Note*) **62** (1986) 99–101
2077. R. Cordovil and P. Duchet, Separation par une droite dans les matroïdes orientes de rang 3 (*Note*) **62** (1986) 103–104
2078. J. Körner and V.K. Wei, Addendum to "Odd and even Hamming spheres also have minimum boundary" (*Note*) **62** (1986) 105–106
2079. I. Sato, Clique graphs of packed graphs (*Note*) **62** (1986) 107–109
2080. Y. Alavi, G. Chartrand, O.R. Oellermann and L. Lesniak, Bipartite regulation numbers **62** (1986) 113–118
2081. R. Assous, Enchainabilite et seuil de monomorphie des tournois n-aires **62** (1986) 119–125
2082. D.W. Barnette, W_v paths in the projective plane **62** (1986) 127–131
2083. Zh.A. Chernyak and A.A. Chernyak, About recognizing (α, β) classes of polar graphs **62** (1986) 133–138
2084. C. Roos, A.J. Zanten and M.J. Coster, On the existence of certain generalized Moore geometries (Part IV) **62** (1986) 139–144
2085. P. Duchet, M. Las Vergnas and H. Meyniel, Connected cutsets of a graph and triangle bases of the cycle space **62** (1986) 145–154
2086. R. Euler, R.E. Burkard and R. Grommes, On latin squares and the facial structure of related polytopes **62** (1986) 155–181
2087. A. Hartman, Partial triple systems and edge colourings **62** (1986) 183–196
2088. E.R. Lamken and S.A. Vanstone, Existence results for $\mathrm{KS}_3(v; 2, 4)s$ **62** (1986) 197–210
2089. D.K. Chang, Permanents of doubly stochastic matrices (*Note*) **62** (1986) 211–213
2090. N. Dershowitz and S. Zaks, Ordered trees and non-crossing partitions (*Note*) **62** (1986) 215–218
2091. A. Panayotopoulos, Generating stable permutations (*Note*) **62** (1986) 219–221
2092. R.P. Anstee and Z. Füredi, Forbidden submatrices **62** (1986) 225–243
2093. H.-J. Bandelt and H.M. Mulder, Pseudo-modular graphs **62** (1986) 245–260
2094. D. Benard, A. Bouchet and J.-L. Fouquet, (m)-covering of a triangulation **62** (1986) 261–270
2095. B. Bollobás, C. Nara and S.-i. Tachibana, The maximal number of induced complete bipartite graphs **62** (1986) 271–275
2096. O. Heden, Maximal partial spreads and two-weight codes **62** (1986) 277–293
2097. D. Klarner, The number of tiered posets modulo six **62** (1986) 295–297
2098. S. Negami, Enumeration of projective-planar embeddings of graphs **62** (1986) 299–306
2099. P.J. Cameron, Regular orbits of permutation groups on the power set (*Communication*) **62** (1986) 307–309
2100. P. Frankl, What must be contained in every oriented k-uniform hypergraph (*Communication*) **62** (1986) 311–313
2101. B. Sturmfels, Central and parallel projections of polytopes (*Communication*) **62** (1986) 315–318
2102. H. Umeo and I. Nakatsuka, A pipeline-interval-optimum systolic queue (*Communication*) **62** (1986) 319–323
2103. G.L. Alexanderson and J.E. Wetzel, On d-arrangements associated with a simplex (*Note*) **62** (1986) 325–328
2104. G.F. Clements, An extremal problem for antichains of subsets of a multiset **63** (1987) 1–14
2105. K.L. Collins, P.W. Shor and J.R. Stembridge, A lower bound for 0, 1, $*$ tournament codes **63** (1987) 15–19

2106. A.B. Evans, Generating orthomorphisms of GF$(q)^+$ **63** (1987) 21–26
2107. J.W. Moon, The number of trees with a 1-factor **63** (1987) 27–37
2108. P.J. Owens, Knight's move squares **63** (1987) 39–51
2109. T. Soneoka, H. Nakada, M. Imase and C. Peyrat, Sufficient conditions for maximally connected dense graphs **63** (1987) 53–66
2110. P.R. Stein and C.J. Everett, On the iteration of a bijective transformation of integer k-tuples **63** (1987) 67–79
2111. P. Wild, Difference basis systems **63** (1987) 81–90
2112. H. Davies, Flag-transitivity and primitivity (*Communication*) **63** (1987) 91–93
2113. C.H. Jepsen, On colorings of finite projective planes (*Note*) **63** (1987) 95–96
2114. P. Frankl and H. Maehara, Open-interval graphs versus closed-interval graphs (*Note*) **63** (1987) 97–100
2115. E.R. Scheinerman, Irredundancy in multiple interval representations (*Note*) **63** (1987) 101–108
2116. J.E. Simpson, A note on perfect systems of difference sets (*Note*) **63** (1987) 109–110
2117. E.R. Canfield and N.C. Wormald, Ménage numbers, bijections and P-recursiveness **63** (1987) 117–129
2118. U. Faigle and Gy. Turán, On the complexity of interval orders and semiorders **63** (1987) 131–141
2119. Z. Füredi, J.R. Griggs, A.M. Odlyzko and J.B. Shearer, Ramsey–Sperner theory **63** (1987) 143–152
2120. B. Ganter, G. Häfner and W. Poguntke, On linear extensions of ordered sets with a symmetry **63** (1987) 153–156
2121. M. Habib and R.H. Möhring, On some complexity properties of N-free posets and posets with bounded decomposition diameter **63** (1987) 157–182
2122. J. Kahn and M. Saks, On the widths of finite distributive lattices **63** (1987) 183–195
2123. D. Kelly, Fundamentals of planar ordered sets **63** (1987) 197–216
2124. H.A. Kierstead and W.T. Trotter, A Ramsey theoretic problem for finite ordered sets **63** (1987) 217–223
2125. J.D. Lawson, M. Mislove and H. Priestley, Ordered sets with no infinite antichains **63** (1987) 225–230
2126. R. Nowakowski, Cutsets of boolean lattices **63** (1987) 231–240
2127. O. Pretzel, A non-covering graph of girth six **63** (1987) 241–244
2128. K. Reuter, Matchings for linearly indecomposable modular lattices **63** (1987) 245–247
2129. I. Rival and N. Zaguia, Greedy linear extensions with constraints **63** (1987) 249–260
2130. I.G. Rosenberg, Characterization of diagrams by 0-1 inequalities **63** (1987) 261–270
2131. J. Sha and D.J. Kleitman, The number of linear extensions of subset ordering **63** (1987) 271–278
2132. M.M. Sysło, Minimizing the jump number for partially-ordered sets: A graph-theoretic approach, II **63** (1987) 279–295
2133. D.B. West, Unichain coverings in partial orders with the nested saturation property **63** (1987) 297–303
2134. R. Wille, Subdirect product construction of concept lattices **63** (1987) 305–313
2135. P. Erdös, N. Linial and S. Moran, Extremal problems on permutations under cyclic equivalence **64** (1987) 1–11
2136. A.K. Kelmans, A short proof and a strengthening of the whitney 2-isomorphism theorem on graphs **64** (1987) 13–25
2137. I. Korec, Improvement of Mycielski's inequality for non-natural disjoint covering systems of Z **64** (1987) 27–38
2138. F. Maffray and H. Meyniel, On a relationship between Hadwiger and stability numbers **64** (1987) 39–42
2139. J.J. Rotman, Finite planes and graphs **64** (1987) 43–79
2140. G. Sabidussi, Color-reversal by local complementation **64** (1987) 81–86
2141. H. Gropp, The elementary abelian Steiner systems $S(2, 4, 49)$ (*Communication*) **64** (1987) 87–90
2142. M. Stiebitz, K_5 is the only double-critical 5-chromatic graph (*Communication*) **64** (1987) 91–93
2143. C. Bernardi, On a theorem about vertex colorings of graphs (*Note*) **64** (1987) 95–96
2144. C. Champetier, On the null-homotopy of graphs (*Note*) **64** (1987) 97–98
2145. P. Paulraja, Counterexample to a conjecture on hamilton cycles (*Note*) **64** (1987) 99
2146. A. Sebö, A quick proof of Seymour's theorem on t-joins (*Note*) **64** (1987) 101–103
2147. W.T. Trotter Jr. and D.B. West, Poset boxicity of graphs (*Note*) **64** (1987) 105–107
2148. A.A. Chernyak, Zh.A. Chernyak and R.I. Tyshkevich, On forcibly hereditary P-graphical sequences **64** (1987) 111–128
2149. M.H. Dauenhauer and H.J. Zassenhaus, Local optimality of the critical lattice sphere-packing of regular tetrahedra **64** (1987) 129–146
2150. A.B. Evans, Orthomorphisms of Z_p **64** (1987) 147–156

2151. D. Hershkowitz, Linear mappings which preserve acyclicity properties of graphs and digraphs and applications to matrices **64** (1987) 157–190
2152. T. Huang, An analogue of the Erdös–Ko–Rado theorem for the distance-regular graphs of bilinear forms **64** (1987) 191–198
2153. N.B. Limaye, S.S. Sane and M.S. Shrikhande, The structure of triangle-free quasi-symmetric designs **64** (1987) 199–207
2154. F. Luccio, S. Mazzone and C.K. Wong, A note on visibility graphs **64** (1987) 209–219
2155. M.B. Nathanson, A extremal problem for least common multiples **64** (1987) 221–228
2156. N. Polat, A compactness result for perfect matchings **64** (1987) 229–237
2157. A.A. Schäffer, Shortest prefix strings containing all subset permutations **64** (1987) 239–252
2158. B.M. Schein, Semigroups of tolerance relations **64** (1987) 253–262
2159. J. Širáň and P. Horák, A construction of thickness-minimal graphs **64** (1987) 263–268
2160. H. Straubing, Applications of the theory of automata in enumeration **64** (1987) 269–279
2161. T. Watanabe and S.G. Mohanty, On an inclusion–exclusion formula based on the reflection principle **64** (1987) 281–288
2162. F.-j. Zhang and X.-f. Guo, Hamilton cycles in directed Euler tour graphs **64** (1987) 289–298
2163. M.L.N. Downs and G.A. Jones, Enumerating regular objects with a given automorphism group (*Communication*) **64** (1987) 299–302
2164. A.J.W. Hilton, Recent progress on edge-colouring graphs (*Communication*) **64** (1987) 303–307
2165. H. Maehara, On the number of induced subgraphs of a random graph (*Note*) **64** (1987) 309–312
2166. D. Zeilberger, Enumerating totally clean words (*Note*) **64** (1987) 313–315
2167. K.T. Arasu, Number theoretic consequences on the parameters of a symmetric design **65** (1987) 1–4
2168. F.E. Bennett and L. Zhu, Incomplete conjugate orthogonal idempotent Latin squares **65** (1987) 5–21
2169. M.A. Berger, A. Felzenbaum and A.S. Fraenkel, Lattice parallelotopes and disjoint covering systems **65** (1987) 23–46
2170. T. Bier, A family of nonbinary linear codes **65** (1987) 47–51
2171. L.-H. Hsu, C. Chen and E.-Y. Jean, A class of additive multiplicative graph functions **65** (1987) 53–63
2172. C.C. Lindner, Construction of large sets of pairwise disjoint transitive triple systems II **65** (1987) 65–74
2173. R. Stong, On Hamiltonian cycles in Cayley graphs of wreath products **65** (1987) 75–80
2174. J. Wolfmann, A group algebra construction of binary even self dual codes **65** (1987) 81–89
2175. W. Chu, A new combinatorial interpretation for generalized Catalan number (*Note*) **65** (1987) 91–94
2176. P. Duchet and V. Kaneti, Sur la contraction des graphes orientes en K_3^* (*Note*) **65** (1987) 95–98
2177. H.M. Srivastava, Some generalizations of a combinatorial identity of L. Vietoris (*Note*) **65** (1987) 99–102
2178. W.C. Waterhouse, How often do determinants over finite fields vanish? (*Note*) **65** (1987) 103–104
2179. A. Delandtsheer, Finite planar spaces with isomorphic planes (*Erratum*) **65** (1987) 107
2180. K. Ando, Y. Egawa and H. Mizuno, Graphs G for which G and $\bar{G}$ are both semidecomposable **65** (1987) 109–114
2181. J.V. Brawley and L. Carlitz, Irreducibles and the composed product for polynomials over a finite field **65** (1987) 115–139
2182. R.B. Eggleton, Common factors of integers: A graphic view **65** (1987) 141–147
2183. P. Flajolet and H. Prodinger, Level number sequences for trees **65** (1987) 149–156
2184. Y.O. Hamidoune and M. Las Vergnas, A solution to the box game **65** (1987) 157–171
2185. B. Hedman, Another extremal problem for Turan graphs **65** (1987) 173–176
2186. A. Montpetit, Note sur la notion d'equivalence entre deux codes lineaires **65** (1987) 177–185
2187. C.A. Rodger, Embedding partial Mendelsohn Triple Systems **65** (1987) 187–196
2188. S.-j. Xu, Some parameters of graph and its complement **65** (1987) 197–207
2189. K. Reuter, Note on the Ahlswede–Daykin inequality (*Note*) **65** (1987) 209–212
2190. S. Sridharan, Biregular subgraphs of biregular graphs (*Note*) **65** (1987) 213–214
2191. S.A. Burr, On the Ramsey numbers $r(G, nH)$ and $r(nG, nH)$ when n is large **65** (1987) 215–229
2192. P. Duchet, Y.O. Hamidoune and H. Meyniel, Sur les quasi-noyaux d'un graphe **65** (1987) 231–235
2193. P. Godlewski, WOM-codes construits à partir des codes de Hamming **65** (1987) 237–243
2194. M.D. Halsey, Line-closed combinatorial geometries **65** (1987) 245–248
2195. M. Katchalski, T. Lewis and A. Liu, Geometric permutations of disjoint translates of convex sets **65** (1987) 249–259
2196. A. Rosa, Repeated blocks in indecomposable twofold triple systems **65** (1987) 261–276

2197. J.M.S. Simões-Pereira, A note on distance matrices with unicyclic graph realizations **65** (1987) 277–287
2198. D.R. Stinson, Frames for Kirkman triple systems **65** (1987) 289–300
2199. L. Teirlinck, Non-trivial t-designs without repeated blocks exist for all t **65** (1987) 301–311
2200. E.J.F. Primrose, A correspondence between two Catalan sets (*Communication*) **65** (1987) 313–315
2201. B.A. Reed, A note on even pairs (*Communication*) **65** (1987) 317–318
2202. A. Sánchez-Flores, A counterexample to a generalization of Richardson's theorem (*Note*) **65** (1987) 319–320
2203. M.E. Adams and H.A. Priestley, De Morgan algebras are universal **66** (1987) 1–13
2204. K. Ando and Y. Usami, Critically (k, k)-connected graphs **66** (1987) 15–20
2205. A. Benhocine and J.-L. Fouquet, The Chvátal–Erdös condition and pancyclic line-graphs **66** (1987) 21–26
2206. E. Boros, On a linear diophantine problem for geometrical type sequences **66** (1987) 27–33
2207. R.P. Brent and B.D. McKay, Determinants and ranks of random matrices over $\mathbb{Z}_m$ **66** (1987) 35–49
2208. Y. Chow, On the number of regular configurations **66** (1987) 51–58
2209. K.J. Compton, Some methods for computing component distribution probabilities in relational structures **66** (1987) 59–77
2210. W.E. Fenton, Completeness in oriented matroids **66** (1987) 79–89
2211. R.J. Gould and R. Roth, Cayley digraphs and $(1, j, n)$-sequencings of the alternating groups A_n **66** (1987) 91–102
2212. C.T. Hoàng and B. Reed, A note on short cycles in digraphs **66** (1987) 103–107
2213. F.K. Hwang and Y.H. Xu, Double loop networks with minimum delay **66** (1987) 109–118
2214. A. Idzik, J. Komar and M. Malawski, Edge-coloured complete graphs: Connectedness of some subgraphs **66** (1987) 119–125
2215. B. Jackson, Compatible Euler tours for transition systems in Eulerian graphs **66** (1987) 127–131
2216. S. Klavžar and M. Petkovšek, Intersection graphs of halflines and halfplanes **66** (1987) 133–137
2217. I. Levi, Order-automorphisms of normal subsets of a power set **66** (1987) 139–155
2218. Z. Lonc, Decompositions of hypergraphs into hyperstars **66** (1987) 157–168
2219. D. Marušič, Hamiltonian cycles in vertex symmetric graphs of order $2p^2$ **66** (1987) 169–174
2220. M.L. Narayana Rao, K. Satyanarayana and G. Vithal Rao, On a class of translation planes of square order **66** (1987) 175–190
2221. J.D.H. Smith, Minimal trees of given search number **66** (1987) 191–202
2222. A. Bouchet, Unimodularity and circle graphs (*Communication*) **66** (1987) 203–208
2223. D.R. Woodall, An impossibility theorem for electoral systems (*Note*) **66** (1987) 209–211
2224. F. Barahona and M. Conforti, A construction for binary matroids **66** (1987) 213–218
2225. A. Beutelspacher and K. Metsch, Embedding finite linear spaces in projective planes, II **66** (1987) 219–230
2226. M. Farber and R.E. Jamison, On local convexity in graphs **66** (1987) 231–247
2227. M. Farber, Bridged graphs and geodesic convexity **66** (1987) 249–257
2228. J.P. Schmidt, Probabilistic analysis of strong hypergraph coloring algorithms and the strong chromatic number **66** (1987) 259–277
2229. T. Szönyi, Note on the order of magnitude of k for complete k-arcs in PG$(2, q)$ **66** (1987) 279–282
2230. Z.-x. Wan and R.-h. Xiong, Existence of self-reverse-dual M-sequences **66** (1987) 283–288
2231. M.E. Watkins and J.B. Shearer, Counterexamples to two conjectures about distance sequences **66** (1987) 289–298
2232. S. Lavrenchenko, An infinite set of torus triangulations of connectivity 5 whose graphs are not uniquely embeddable in the torus (*Communication*) **66** (1987) 299–301
2233. L. Babai, On the Nonuniform Fisher Inequality (*Note*) **66** (1987) 303–307
2234. A. Gyárfás and Z. Tuza, An upper bound on the Ramsey number of trees (*Note*) **66** (1987) 309–310
2235. M. Kochol, Construction of crossing-critical graphs (*Note*) **66** (1987) 311–313
2236. I. Tomescu, Graphical Eulerian numbers and chromatic generating functions (*Note*) **66** (1987) 315–318
2237. H.-J. Bandelt and E. Wilkeit, Dwarf, brick, and triangulation of the torus **67** (1987) 1–14
2238. D. Galagain, Sur une majoration du nombre de groupes definis par generateurs et ayant une seule relation **67** (1987) 15–26
2239. A.M. Hobbs, B.A. Bourgeois and J. Kasiraj, Packing trees in complete graphs **67** (1987) 27–42

2240. W.H. Mills, D.P. Robbins and H. Rumsey Jr., Enumeration of a symmetry class of plane partitions **67** (1987) 43–55
2241. A. Satyanarayana and R. Tindell, Chromatic polynomials and network reliability **67** (1987) 57–79
2242. W. Woess, Context-free languages and random walks on groups **67** (1987) 81–87
2243. A.J. van Zanten, The degree of the eigenvalues of generalized moore geometries **67** (1987) 89–96
2244. D.W. Barnette, Two "simple" 3-spheres (*Communication*) **67** (1987) 97–99
2245. M.A. Fiol, Congruences in Z^n, finite Abelian groups and the Chinese remainder theorem (*Note*) **67** (1987) 101–105
2246. K.T. Phelps, A construction of cyclic Steiner triple systems of order p^n (*Note*) **67** (1987) 107–110
2247. S. Baldwin, Generalizations of a theorem of Sarkovskii on orbits of continuous real-valued functions **67** (1987) 111–127
2248. H.-J. Bandelt and M. van de Vel, A fixed cube theorem for median graphs **67** (1987) 129–137
2249. R.A. Beezer, Orbit polynomial graphs of prime order **67** (1987) 139–147
2250. J.S. Beissinger, Similar constructions for Young tableaux and involutions, and their application to shiftable tableaux **67** (1987) 149–163
2251. N. Farmakis and S. Kounias, The excess of Hadamard matrices and optimal designs **67** (1987) 165–176
2252. R.E. Jamison, Alternating Whitney sums and matchings in trees, Part I **67** (1987) 177–189
2253. K. Vesztergombi, On large distances in planar sets **67** (1987) 191–198
2254. J.M. Wills, A combinatorially regular dodecahedron of genus 3 **67** (1987) 199–204
2255. J.A. Bondy and G. Fan, A sufficient condition for dominating cycles (*Note*) **67** (1987) 205–208
2256. L. Pyber, On one-factorizations of the complete graph (*Note*) **67** (1987) 209–210
2257. V.D. Tonchev, Transitive Steiner triple systems of order 25 (*Note*) **67** (1987) 211–214
2258. S.A. Burr, What can we hope to accomplish in generalized Ramsey theory? **67** (1987) 215–225
2259. P. Erdös, R.J. Faudree, C.C. Rousseau and R.H. Schelp, A Ramsey problem of Harary on graphs with prescribed size **67** (1987) 227–233
2260. G. Fan, On diameter 2-critical graphs **67** (1987) 235–240
2261. H.-L. Fu, Intersection problem of Steiner systems $S(3, 4, 2v)$ **67** (1987) 241–247
2262. F.J. Fuglister, On generalized Moore geometries, I **67** (1987) 249–258
2263. F.J. Fuglister, On generalized Moore geometries, II **67** (1987) 259–269
2264. J.B. Remmel, Permutation statistics and (k, l)-hook Schur functions **67** (1987) 271–298
2265. W.J. Walker, Ranking functions and axioms for linear orders **67** (1987) 299–306
2266. V. Rödl and W.T. Trotter, A note of ranking functions (*Note*) **67** (1987) 307–309
2267. J.P. Brennan and J. Wolfskill, Remarks on the probability the determinant of an $n \times n$-matrix over a finite field vanishes (*Note*) **67** (1987) 311–313
2268. K. Sinha, Generalized partially balanced incomplete block designs (*Note*) **67** (1987) 315–318
2269. H.L. Abbout and M. Katchalski, Snakes and pseudo-snakes in powers of complete graphs **68** (1988) 1–8
2270. Z.-b. Chen and F.-j. Zhang, Bounds of the longest directed cycle length for minimal strong digraphs **68** (1988) 9–13
2271. J. Greene, Bijections related to statistics on words **68** (1988) 15–29
2272. J.N. Hooker, Networklike metric spaces **68** (1988) 31–43
2273. C. Koukouvinos and S. Kounias, Hadamard matrices of the Williamson type of order $4 \cdot m$, $m = p \cdot q$ an exhaustive search for $m = 33$ **68** (1988) 45–57
2274. S. Kounias and N. Farmakis, On the excess of Hadamard matrices **68** (1988) 59–69
2275. G. Kreweras and P. Moszkowski, Signatures des permutations et des mots extraits **68** (1988) 71–76
2276. B.M. Landman and R.N. Greenwell, Values and bounds for Ramsey numbers associated with polynomial iteration **68** (1988) 77–83
2277. M. Lemos, An extension of Lindström's result about characteristic sets of matroids **68** (1988) 85–101
2278. A. Delandtsheer, Line-primitive groups of small rank (*Communication*) **68** (1988) 103–106
2279. M. Gionfriddo and S. Milici, On the parameter $v_2(h)$ for L_2-coloured graphs (*Note*) **68** (1988) 107–110
2280. A. Hertz and D. de Werra, Perfectly orderable graphs are quasi-parity graphs: A short proof (*Note*) **68** (1988) 111–113
2281. T.J. Carlson, Some unifying principles in Ramsey theory **68** (1988) 117–169
2282. R. Ding, K. Kołodziejczyk and J. Reay, A new pick-type theorem on the hexagonal lattice **68** (1988) 171–177
2283. Y. Egawa, H. Enomoto and A. Saito, Factors and induced subgraphs **68** (1988) 179–189

2284. M.R. Emamy-K., On the covering cuts c^d $(d \leqslant 5)$ **68** (1988) 191–196
2285. R. Feix, On a property of graphs containing infinitely many isomorphic copies of themselves **68** (1988) 197–209
2286. J.R. Griggs, C.M. Grinstead and D.R. Guichard, The number of maximal independent sets in a connected graph **68** (1988) 211–220
2287. S.P. Gudder and G.T. Rüttimann, Finite function spaces and measures on hypergraphs **68** (1988) 221–244
2288. S.P. Gudder and G.T. Rüttimann, Positive sets in finite linear function spaces **68** (1988) 245–255
2289. S.C. Locke, Extremal 3-connected graphs **68** (1988) 257–263
2290. D. Miklós, M.J. Newman, Á. Seress and D.B. West, The addition game: an abstraction of a communication problem **68** (1988) 265–272
2291. W. Piotrowski, Chordal characterization of graphic matroids **68** (1988) 273–279
2292. B.E. Sagan, Inductive and injective proofs of log concavity results **68** (1988) 281–292
2293. B.G. Seifert, On the arithmetic of cycles for the Collatz-Hasse ('Syracuse') conjectures **68** (1988) 293–298
2294. J. Sheehan, Graph decomposition with constraints on the minimum degree **68** (1988) 299–307
2295. J.E. McCanna, Orientations of the n-cube with minimum diameter (*Communication*) **68** (1988) 309–310
2296. V.N. Bhat-Nayak and V.D. Kane, Two families of simple and irreducible BIBDs (*Note*) **68** (1988) 311–313
2297. R.B. Brown, Nonexistence of a regular graph design with $v = 17$ and $k = 6$ (*Note*) **68** (1988) 315–318
2298. I. Anderson, An Erdös–Ko–Rado theorem for multisets **69** (1988) 1–9
2299. A. Bachem and W. Kern, On sticky matroids **69** (1988) 11–18
2300. M.N. Ellingham, Isomorphic factorization of r-regular graphs into r parts **69** (1988) 19–34
2301. A. Gyárfás, M.S. Jacobson and L.F. Kinch, On a generalization of transitivity for digraphs **69** (1988) 35–41
2302. H.-J. Lai, On the Hamiltonian index **69** (1988) 43–53
2303. G. Liu, A lower bound on connectivities of matroid base graphs **69** (1988) 55–60
2304. F.M. Malvestuto, Existence of extensions and product extensions for discrete probability distributions **69** (1988) 61–77
2305. G.L. Mullen, Polynomial representation of complete sets of mutually orthogonal frequency squares of prime power order **69** (1988) 79–84
2306. B. Zhou, The maximum number of cycles in the complement of a tree **69** (1988) 85–94
2307. Z. Tuza, Isomorphism of two infinite-chromatic triangle-free graphs (*Communication*) **69** (1988) 95
2308. R. Grone and R. Merris, A bound for the complexity of a simple graph (*Note*) **69** (1988) 97–99
2309. F. Otto, An example of a one-relator group that is not a one-relation monoid (*Note*) **69** (1988) 101–103
2310. A. Berman and A. Kotzig, Cross-cloning and antipodal graphs **69** (1988) 107–114
2311. L.J. Brant and G.L. Mullen, A study of frequency cubes **69** (1988) 115–121
2312. T.H. Brylawski and E. Dieter, Exchange systems **69** (1988) 123–151
2313. G.F. Clements, On multiset k-families **69** (1988) 153–164
2314. M. Conforti and M. Laurent, A characterization of matroidal systems of inequalities **69** (1988) 165–171
2315. V. Neumann-Lara and J. Urrutia, A combinatorial result on points and circles on the plane **69** (1988) 173–178
2316. E. Pesch, Products of absolute retracts **69** (1988) 179–188
2317. S.-J. Xu, On σ-polynomials **69** (1988) 189–194
2318. R.R. Korfhage, A note on quadratic σ-polynomials (*Note*) **69** (1988) 195–196
2319. H. Laue, A graph theoretic proof of the fundamental trace identity (*Note*) **69** (1988) 197–198
2320. C. Wang, On the sum of two parameters concerning independence and irredundance in a graph (*Note*) **69** (1988) 199–202
2321. D.C. Fisher, The number of triangles in a K_4-free graph (*Communication*) **69** (1988) 203–205
2322. H. Galeana-Sánchez, A new method to extend kernel-perfect graphs to kernel-perfect critical graphs (*Communication*) **69** (1988) 207–209
2323. A.F. Sidorenko, An infinite permutation without arithmetic progressions (*Communication*) **69** (1988) 211
2324. K.B. Chilakamarri, Unit-distance graphs in rational n-spaces **69** (1988) 213–218
2325. G. Farr, The complexity of multicolouring **69** (1988) 219–223
2326. K.G. Fischer, Symmetric polynomials and Hall's theorem **69** (1988) 225–234
2327. J.D. Key and N.K.A. Rostom, Unitary designs with regular sets of points **69** (1988) 235–239

2328. K.M. Koh and K.S. Poh, Products of graphs with their closed-set lattices **69** (1988) 241–251
2329. P. Marchioro, A. Morgana, R. Petreschi and B. Simeone, Adamant digraphs **69** (1988) 253–261
2330. R. Mathon, On self-complementary strongly regular graphs **69** (1988) 263–281
2331. H. Mizuno and I. Sato, Ramsey numbers for unions of some cycles **69** (1988) 283–294
2332. G. Murphy and R. Ding, Grünbaum's gap conjecture **69** (1988) 295–300
2333. O.R. Oellermann, The connected cutset connectivity of a graph **69** (1988) 301–308
2334. A.J.W. Hilton and P.D. Johnson, Reverse class critical multigraphs (*Note*) **69** (1988) 309–311
2335. Y. Liu, Construction and counting of Generalized Boolean Functions (*Note*) **69** (1988) 313–316
2336. R.C. Read, A note on the chromatic uniqueness of W_{10} (*Note*) **69** (1988) 317
2337. D.W. Barnette, Decomposition theorems for the torus, projective plane and Klein bottle **70** (1988) 1–16
2338. O. Favaron, Two relations between the parameters of independence and irredundance **70** (1988) 17–20
2339. G.R.T. Hendry, The multiplicity of 1-factors in total graphs **70** (1988) 21–25
2340. B. Jónsson, Relation algebras and Schröder categories **70** (1988) 27–45
2341. D. Kim, The number of convex polyominos with given perimeter **70** (1988) 47–51
2342. K. Metsch, An optimal bound for embedding linear spaces into projective planes **70** (1988) 53–70
2343. D.A. Rawsthorne, Tiling complexity of small n-ominoes ($N < 10$) **70** (1988) 71–75
2344. A. Sali, Constructions of ranked posets **70** (1988) 77–83
2345. P.D. Tao and E.B. Souad, Iterative behaviour, fixed point of a class of monotone operators. Application to non-symmetric threshold function **70** (1988) 85–101
2346. P.D. Vestergaard, Graphs with one isomorphism class of spanning unicyclic graphs **70** (1988) 103–108
2347. D.M. Acketa, On binary paving matroids (*Note*) **70** (1988) 109–110
2348. G.R. Brightwell, Linear extensions of infinite posets **70** (1988) 113–136
2349. G. Freiman, E. Lipkin and L. Levitin, A polynomial algorithm for constructing families of k-independent sets **70** (1988) 137–147
2350. A.M. Frieze, Partitioning random graphs into large cycles **70** (1988) 149–158
2351. S. Negami, The spherical genus and virtually planar graphs **70** (1988) 159–168
2352. R. Nowakowski and I. Rival, Retract rigid Cartesian products of graphs **70** (1988) 169–184
2353. G. Schrag, Automorphism groups and the full state spaces of the Petersen graph generalizations of G_{32} **70** (1988) 185–198
2354. E. Seah and D.R. Stinson, A perfect one-factorization for K_{36} **70** (1988) 199–202
2355. R.G. Bland and B.L. Dietrich, An abstract duality (*Communication*) **70** (1988) 203–208
2356. J.C. Cock, Toroidal tilings from de Bruijn–Good cyclic sequences (*Note*) **70** (1988) 209–210
2357. S.S. Sane, Hussain chains revisited (*Note*) **70** (1988) 211–213
2358. D.G. Rogers, An arithmetic of complete permutations with constraints, I: An exposition of the general theory **70** (1988) 219–240
2359. D.J. Crampin and D.G. Rogers, An arithmetic of complete permutations with constraints, II: Case studies **70** (1988) 241–256
2360. S.E. Anacker, The reconstruction of separable graphs with 2-connected trunks that are series-parallel networks **70** (1988) 257–275
2361. S.A. Burr, On Ramsey numbers for large disjoint unions of graphs **70** (1988) 277–293
2362. Z. Agur, A.S. Fraenkel and S.T. Klein, The number of fixed points of the majority rule **70** (1988) 295–302
2363. A. Bachem and A. Wanka, Separation theorems for oriented matroids **70** (1988) 303–310
2364. H. Meyniel and J.-P. Roudneff, The vertex picking game and a variation of the game of dots and boxes **70** (1988) 311–313
2365. R.H. Jeurissen, A proof by graphs that $\mathrm{PSL}(2,7) \cong \mathrm{PSL}(3,2)$ (*Note*) **70** (1988) 315–317
2366. R.A. Brualdi and R. Manber, On strong digraphs with a unique minimally strong subdigraph **71** (1988) 1–7
2367. V. Ćepulić and M. Essert, Biplanes (56, 11, 2) with automorphisms of order 4 fixing some point **71** (1988) 9–17
2368. P.H. Fisher, T. Penttila and G.F. Royle, Symmetric designs, polarities and sub-designs **71** (1988) 19–32
2369. A. Gyárfás, J. Lehel and Zs. Tuza, Clumsy packing of dominoes **71** (1988) 33–46
2370. C.W. Ko and F. Ruskey, Solution of some multi-dimensional lattice path parity difference recurrence relations **71** (1988) 47–56
2371. Y. Shi, On maximum cycle-distributed graphs **71** (1988) 57–71
2372. C. Thomassen, Arc reversals in tournaments **71** (1988) 73–86

2373. N. Alon, Sums of subsequences modulo prime powers (*Communication*) **71** (1988) 87–88
2374. P. Fraisse, A note on distance-dominating cycles **71** (1988) 89–92
2375. I.B.-A. Hartman, Variations on the Gallai–Milgram theorem **71** (1988) 95–105
2376. E. Eliad-Badt, Decomposition of the complete hypergraph into stars **71** (1988) 107–117
2377. G. Exoo and D.F. Reynolds, Ramsey numbers based on C_5-decompositions **71** (1988) 119–127
2378. G. Farr, The subgraph homeomorphism problem for small wheels **71** (1988) 129–142
2379. P. Fraisse and O. Ordaz, A Chvátal–Erdös condition for (t,t)-factors in digraphs using given arcs **71** (1988) 143–148
2380. Z. Füredi and I.G. Rosenberg, Multicolored lines in a finite geometry **71** (1988) 149–163
2381. G.R.T. Hendry, Scattering number and extremal non-hamiltonian graphs **71** (1988) 165–175
2382. Y.-C. Chen, A short proof of Kundu's k-factor theorem (*Note*) **71** (1988) 177–179
2383. R. Diestel, Tree-decompositions, tree-representability and chordal graphs (*Note*) **71** (1988) 181–184
2384. G. Behrendt, Covering posets **71** (1988) 189–195
2385. V. Boicescu, Irredundant n-valued Moisil algebras **71** (1988) 197–204
2386. R. Chandrasekaran and S.N. Kabadi, Pseudomatroids **71** (1988) 205–217
2387. N. Hamada and M. Deza, Characterization of $\{2(q+1)+2, 2; t, q\}$-min-hypers in PG(t,q) $(t \geqslant 3, q \geqslant 5)$ and its applications to error-correcting codes **71** (1988) 219–231
2388. S. Jendroľ and P. Mihók, On a class of hamiltonian polytopes **71** (1988) 233–241
2389. R. Rees, Frames and the $g^{(k)}(v)$ problem **71** (1988) 243–256
2390. S. Stahl, A duality for permutations **71** (1988) 257–271
2391. A. Gyárfas, The irregularity strength of $K_{m,m}$ is 4 for odd m (*Note*) **71** (1988) 273–274
2392. Y. Alavi, F. Buckley, M. Shamula and S. Ruiz, Highly irregular m-chromatic graph **72** (1988) 3–13
2393. N. Alon and F.R.K. Chung, Explicit construction of linear sized tolerant networks **72** (1988) 15–19
2394. B. Bollobás, Sorting in rounds **72** (1988) 21–28
2395. C.C. Chen, On edge-Hamiltonian property of Cayley graphs **72** (1988) 29–33
2396. E.J. Cockayne, S.T. Hedetniemi and R. Laskar, Gallai theorems for graphs, hypergraphs, and set systems **72** (1988) 35–47
2397. C.J. Colbourn, Edge-packings of graphs and network reliability **72** (1988) 49–61
2398. I.J. Dejter, J. Cordova and J.A. Quintana, Two Hamilton cycles in bipartite reflective Kneser graphs **72** (1988) 63–70
2399. C.-L. Deng and C.-K. Lim, A result on generalized latin rectangles **72** (1988) 71–80
2400. P. Erdős, Problems and results in combinatorial analysis and graph theory **72** (1988) 81–92
2401. P. Erdős, R. Faudree and E.T. Ordman, Clique partitions and clique coverings **72** (1988) 93–101
2402. P. Erdős, R.J. Faudree, C.C. Rousseau and R.H. Schelp, Extremal theory and bipartite graph-tree Ramsey numbers **72** (1988) 103–112
2403. S. Fajtlowicz, On conjectures of Graffiti **72** (1988) 113–118
2404. R.J. Faudree, C.C. Rousseau and R.H. Schelp, Small order graph-tree Ramsey numbers **72** (1988) 119–127
2405. L.R. Foulds and R.W. Robinson, Enumerating phylogenetic trees with multiple labels **72** (1988) 129–139
2406. O. Frank, Triad count statistics **72** (1988) 141–149
2407. S.V. Gervacio, Score sequences: Lexicographic enumeration and tournament construction **72** (1988) 151–155
2408. J.R. Griggs, Problems on chain partitions **72** (1988) 157–162
2409. Y.O. Hamidoune and M. Las Vergnas, A solution to the Misère Shannon Switching Game **72** (1988) 163–166
2410. T. Hibi, H. Narushima, M. Tsuchiya and K.-i. Watanabe, A graph-theoretical characterization of the order complexes on the 2-sphere **72** (1988) 167–174
2411. C. Hoede, Hand graphs for the maximum clique problem **72** (1988) 175–179
2412. N. Ito, Doubly regular asymmetric digraphs **72** (1988) 181–185
2413. Y. Kajitani, S. Ueno and H. Miyano, Ordering of the elements of a matroid such that its consecutive w elements are independent **72** (1988) 187–194
2414. F. Kitagawa and H. Ikeda, An existential problem of a weight-controlled subset and its application to school timetable construction **72** (1988) 195–211
2415. W.L. Kocay and Z.M. Lui, More non-reconstructible hypergraphs **72** (1988) 213–224

2416. K.M. Koh and K.S. Poh, Constructions of sensitive graphs which are not strongly sensitive **72** (1988) 225–236
2417. P. Leroux and G.X. Viennot, Combinatorial resolution of systems of differential equations. IV. Separation of variables **72** (1988) 237–250
2418. F. Loupekine and J.J. Watkins, Labeling angles of planar graphs **72** (1988) 251–256
2419. T. Łuczak and Z. Palka, Maximal induced trees in sparse random graphs **72** (1988) 257–265
2420. W. Mader, Generalizations of critical connectivity of graphs **72** (1988) 267–283
2421. H. Maehara, On the euclidean dimension of a a complete multipartite graph **72** (1988) 285–289
2422. I. Miyamoto, Computation of some Cayley diagrams **72** (1988) 291–293
2423. T. Nishimura, Short cycles in digraphs **72** (1988) 295–298
2424. K. Nowicki and J.C. Wierman, Subgraph counts in random graphs using incomplete U-statistics methods **72** (1988) 299–310
2425. M.D. Plummer, Toughness and matching extension in graphs **72** (1988) 311–320
2426. K.B. Reid, Bipartite graphs obtained from adjacency matrices of orientations of graphs **72** (1988) 321–330
2427. M.-J.P. Ruiz, C_n-factors of group graphs **72** (1988) 331–336
2428. M.M. Sysło, An algorithm for solving the jump number problem **72** (1988) 337–346
2429. H.H. Teh and M.F. Foo, Large scale network analysis with applications to transportation, communication and inference networks **72** (1988) 347–353
2430. S. Ueno, Y. Kajitani and S. Gotoh, On the nonseparating independent set problem and feedback set problem for graphs with no vertex degree exceeding three **72** (1988) 355–360
2431. K. Ushio, P_3-factorization of complete bipartite graphs **72** (1988) 361–366
2432. A. Vince, n-graphs **72** (1988) 367–380
2433. J. Wang, On point-linear arboricity of planar graphs **72** (1988) 381–384
2434. T. Watanabe, On the Littlewood–Richardson rule in terms of lattice path combinatorics **72** (1988) 385–390
2435. E.G. Whitehead Jr., Chromatic polynomials of generalized trees **72** (1988) 391–393
2436. H.P. Yap, Packing of graphs—A survey **72** (1988) 395–404
2437. F.-j. Zhang, X.-f. Guo and R.-s. Chen, Z-transformation graphs of perfect matchings of hexagonal systems **72** (1988) 405–415
2438. M.S. Aigner, The double selection problem **73** (1988/89) 3–12
2439. J. Beck, Balanced two-colorings of finite sets in the cube **73** (1988/89) 13–25
2440. A. Benzait and B. Voigt, A combinatorial interpretation of $(1/k!)\Delta^k t^n$ **73** (1988/89) 27–35
2441. D.M. Bressoud, Problems on the Z-statistic **73** (1988/89) 37–48
2442. D.J. Curran and S.A. Vanstone, Doubly resolvable designs from generalized Bhaskar Rao designs **73** (1988/89) 49–63
2443. K. Dehnhardt and H. Harborth, Universal tilings of the plane by 0–1-matrices **73** (1988/89) 65–70
2444. C.D. Godsil, Polynomial spaces **73** (1988/89) 71–88
2445. H. Harborth, P. Oertel and T. Prellberg, No-three-in-line for seventeen and nineteen **73** (1988/89) 89–90
2446. H. Harborth and I. Mengersen, All Ramsey numbers for five vertices and seven or eight edges **73** (1988/89) 91–98
2447. C.A.J. Hurkens, A. Schrijver and É. Tardos, On fractional multicommodity flows and distance functions **73** (1988/89) 99–109
2448. W. Imrich and N. Seifter, A note on the growth of transitive graphs **73** (1988/89) 111–117
2449. D.J. Kleitman and M. Fellows, Radius and diameter in Manhattan lattices **73** (1988/89) 119–125
2450. T. Kloks, An infinite sequence of $\Gamma\Delta$-regular graphs **73** (1988/89) 127–132
2451. E. Köhler, Allgemeine Schnittzahlen in t-designs **73** (1988/89) 133–142
2452. B. Korte and L. Lovász, The intersection of matroids and antimatroids **73** (1988) 143–157
2453. M. Leclerc, Optimizing over a slice of the bipartite matching polytope **73** (1988/89) 159–162
2454. B. Monjardet and R. Wille, On finite lattices generated by their doubly irreducible elements **73** (1988/89) 163–164
2455. G. Pickert, Differenzmengen und ovale **73** (1988/89) 165–179
2456. M. Pouzet and I. Rival, Is there a diagram invariant? **73** (1988/89) 181–188
2457. H.J. Prömel, Some remarks on natural orders for combinatorial cubes **73** (1988/89) 189–198
2458. A. Recski, Bracing cubic grids — A necessary condition **73** (1988/89) 199–206

2459. F. Rendl and M. Leclerc, A multiply constrained matroid optimization problem **73** (1988/89) 207–212
2460. J. Spencer, Coloring the projective plane **73** (1988/89) 213–220
2461. V. Strehl, Combinatorics of Jacobi-configurations III: The Srivastava–Singhal generating function revisited **73** (1988/89) 221–232
2462. G.M. Ziegler, The face lattice of hyperplane arrangements **73** (1988/89) 233–238
2463. J.A. Eidswick, Short factorizations of permutations into transpositions **73** (1989) 239–243
2464. M. Farber, Basis pair graphs of transversal matroids are connected **73** (1989) 245–248
2465. M. Farber, On diameters and Radii of bringed graphs **73** (1989) 249–260
2466. J.T. Joichi and D. Stanton, An involution for Jacobi's identity **73** (1989) 261–271
2467. M. Lemos, On 3-connected matroids **73** (1989) 273–283
2468. E. Prisner, A characterization of interval catch digraphs **73** (1989) 285–289
2469. D. Borwein, S. Rankin and L. Renner, Enumeration of injective partial transformations (*Communication*) **73** (1989) 291–296
2470. Y.O. Hamidoune, Sur les atomes d'un graphe de Cayley infini (*Communication*) **73** (1989) 297–300
2471. M. Kouider and D. Sotteau, On the existence of a matching orthogonal to a 2-factorization (*Communication*) **73** (1989) 301–304
2472. N.J. Ross, Remarks on the mobius function of a subposet (*Communication*) **73** (1989) 305–307
2473. D.B. West, A short proof of the degree bound for interval number (*Note*) **73** (1989) 309–310
2474. C. Berge, Minimax relations for the partial q-colorings of a graph **74** (1989) 3–14
2475. K. Cameron, A min–max relation for the partial q-colourings of a graph. Part II: Box perfection **74** (1989) 15–27
2476. P. Duchet, On locally-perfect colorings **74** (1989) 29–32
2477. M.O. Albertson, R.E. Jamison, S.T. Hedetniemi and S.C. Locke, The subchromatic number of a graph **74** (1989) 33–49
2478. A. Hertz and D. de Werra, Connected sequential colorings **74** (1989) 51–59
2479. A.J.W. Hilton, Two conjectures on edge-colouring **74** (1989) 61–64
2480. B. Bollobás and H.R. Hind, A new upper bound for the list chromatic number **74** (1989) 65–75
2481. C.T. Hoàng and N.V.R. Mahadev, A note on perfect orders **74** (1989) 77–84
2482. F. Jaeger, On the Penrose number of cubic diagrams **74** (1989) 85–97
2483. R.E. Jamison, On the edge achromatic numbers of complete graphs **74** (1989) 99–115
2484. H.A. Kierstead, Applications of edge coloring of multigraphs to vertex coloring of graphs **74** (1989) 117–124
2485. M. Kubale, Interval vertex-coloring of a graph with forbidden colors **74** (1989) 125–136
2486. J. Mayer, Hadwiger's conjecture ($\underline{k} = 6$): Neighbour configurations of 6-vertices in contraction-critical graphs **74** (1989) 137–148
2487. H. Meyniel, About colorings, stability and paths in directed graphs **74** (1989) 149–150
2488. J. Mitchem, On the harmonious chromatic number of a graph **74** (1989) 151–157
2489. S. Olariu, Weak bipolarizable graphs **74** (1989) 159–171
2490. C.T. Hoàng and B.A. Reed, P_4-comparability graphs **74** (1989) 173–200
2491. H. Sachs and M. Stiebitz, On constructive methods in the theory of colour-critical graphs **74** (1989) 201–226
2492. E. Sampathkumar and C.V. Venkatachalam, Chromatic partitions of a graph **74** (1989) 227–239
2493. M.M. Sysło, Sequential coloring versus Welsh–Powell bound **74** (1989) 241–243
2494. S.K. Tipnis and L.E. Trotter Jr., A generalization of Robacker's theorem **74** (1989) 245–252
2495. A.D. Petford and D.J.A. Welsh, A randomised 3-colouring algorithm **74** (1989) 253–261
2496. P.C. Fishburn and N.J.A. Sloane, The solution to Berlekamp's switching game **74** (1989) 263–290
2497. J. Reiterman, V. Rödl and E. Šiňajová, Geometrical embeddings of graphs **74** (1989) 291–319
2498. Z. Füredi, A projective plane is an outstanding 2-cover (*Communication*) **74** (1989) 321–324
2499. S. Jendroľ, A non-involutory selfduality (*Communication*) **74** (1989) 325–326
2500. J. Wolfmann, The weights of the dual code of the MELAS code over GF(3) (*Communication*) **74** (1989) 327–329
2501. L. Berardi, Constructing 3-designs from spreads and lines (*Note*) **74** (1989) 331–332
2502. M. Biliotti, On a construction of Clay of BIB designs from Frobenius groups (*Note*) **74** (1989) 333–334
2503. A. Blokhuis, A.E. Brouwer and H.A. Wilbrink, Heden's bound on maximal partial spreads (*Note*) **74** (1989) 335–339

2504. J. Lehel, F.R. McMorris and D.D. Scott, M-chain graphs of posets (*Note*) **74** (1989) 341–346
2505. J. Akiyama, F. Nakada and S. Tokunaga, Packing smaller graphs into a graph **75** (1989) 7–9
2506. I. Algor and N. Alon, The star Arboricity of graphs **75** (1989) 11–22
2507. N. Alon and B. Bollobás, Graphs with a small number of distinct induced subgraphs **75** (1989) 23–30
2508. J.-C. Bermond, K. Berrada and J. Bond, Extensions of networks with given diameter **75** (1989) 31–40
2509. N. Biggs, Confluence of some presentations associated with graphs **75** (1989) 41–46
2510. B. Bollobás and G. Brightwell, Long cycles in graphs with no subgraphs of minimal degree 3 **75** (1989) 47–53
2511. B. Bollobás and S. Rasmussen, First cycles in random directed graph processes **75** (1989) 55–68
2512. J.A. Bondy, Trigraphs **75** (1989) 69–79
2513. E. Boros and P.L. Hammer, On clustering problems with connected optima in Euclidean spaces **75** (1989) 81–88
2514. P.J. Cameron, Some sequences of integers **75** (1989) 89–102
2515. A.G. Chetwynd and A.J.W. Hilton, 1-factorizing regular graphs of high degree – An improved bound **75** (1989) 103–112
2516. F.R.K. Chung and P.D. Seymour, Graphs with small bandwidth and cutwidth **75** (1989) 113–119
2517. R. Diestel, Simplicial decompositions of graphs: A survey of applications **75** (1989) 121–144
2518. P. Erdős and A. Hajnal, On the number of distinct induced subgraphs of a graph **75** (1989) 145–154
2519. P. Erdős, J.L. Nicolas and A. Sárkőzy, On the number of partitions of n without a given subsum (I) **75** (1989) 155–166
2520. P. Flajolet, D.E. Knuth and B. Pittel, The first cycles in an evolving graph **75** (1989) 167–215
2521. Z. Füredi, Covering the complete graph by partitions **75** (1989) 217–226
2522. H. Furstenberg and Y. Katznelson, A density version of the Hales–Jewett theorem for $k = 3$ **75** (1989) 227–241
2523. R. Häggkvist, On the path-complete bipartite Ramsey number **75** (1989) 243–245
2524. R. Häggkvist, Towards a solution of the Dinitz problem? **75** (1989) 247–251
2525. R. Häggkvist, A note on latin squares with restricted support **75** (1989) 253–254
2526. J. Haviland and A. Thomason, Pseudo-random hypergraphs **75** (1989) 255–278
2527. M. Laurent and M. Deza, Bouquets of geometric lattices: Some algebraic and topological aspects **75** (1989) 279–313
2528. I. Leader, A short proof of a theorem of Vámos on matroid representations **75** (1989) 315–317
2529. L. Lovász, M. Saks and W.T. Trotter, An on-line graph coloring algorithm with sublinear performance ratio **75** (1989) 319–325
2530. J. Nešetřil and V. Rödl, The partite construction and Ramsey set systems **75** (1989) 327–334
2531. P. Rosenstiehl, Scaffold permutations **75** (1989) 335–342
2532. L.A. Székely and N.C. Wormald, Bounds on the measurable chromatic number of $\mathbb{R}^n$ **75** (1989) 343–372
2533. A. Thomason, A simple linear expected time algorithm for finding a hamilton path **75** (1989) 373–379
2534. A. Thomason, Dense expanders and pseudo-random bipartite graphs **75** (1989) 381–386
2535. D.R. Woodall, Forbidden graphs for degree and neighbourhood conditions **75** (1989) 387–404
2536. L. Danzer, Three-dimensional analogs of the planar penrose tilings and quasicrystals (*Invited paper*) **76** (1989) 1–7
2537. J.P. Barthelemy, From copair hypergraphs to median graphs with latent vertices **76** (1989) 9–28
2538. R. Fuji-Hara, S. Kuriki and M. Jimbo, On balanced complementation for regular t-wise balanced designs **76** (1989) 29–35
2539. N. Homobono and C. Peyrat, Graphs such that every two edges are contained in a shortest cycle **76** (1989) 37–44
2540. F.C. Bussemaker and V.D. Tonchev, New extremal doubly-even codes of length 56 derived from Hadamard matrices of order 28 (*Communication*) **76** (1989) 45–49
2541. F. Frankl, A lower bound on the size of a complex generated by an antichain (*Communication*) **76** (1989) 51–56
2542. G. Valette, A better packing of ten equal circles in a square (*Communication*) **76** (1989) 57–59
2543. J.V. Brawley and L. Carlitz, A test for additive decomposability of irreducibles over a finite field (*Note*) **76** (1989) 61–65
2544. A. Mercier, Identities containing Gaussian binomial coefficients (*Note*) **76** (1989) 67–73
2545. E. Barbut and A. Bialostocki, A generalization of rotational tournaments **76** (1989) 81–87

2546. J. Berstel, M. Crochemore and J.E. Pin, Thue–Morse sequence and p-adic topology for the free monoid **76** (1989) 89–94
2547. P.A. Catlin, Spanning eulerian subgraphs and matchings **76** (1989) 95–116
2548. E.J. Cockayne and C.M. Mynhardt, On the product of upper irredundance numbers of a graph and its complement **76** (1989) 117–121
2549. G. Duchamp and J.Y. Thibon, Le support de l'algebre de Lie libre **76** (1989) 123–129
2550. V. Linek, Bipartite graphs can have any number of independent sets **76** (1989) 131–136
2551. A.-F. Mouyart, Decomposition of the complete hypergraph into hyperclaws **76** (1989) 137–150
2552. D. Gernert, Inequalities between the domination number and the chromatic number of a graph (*Communication*) **76** (1989) 151–153
2553. I. Palásti, A distance problem of P. Erdös with some further restrictions (*Note*) **76** (1989) 155–156
2554. D. Aldous, The harmonic mean formula for probabilities of unions: Applications to sparse random graphs **76** (1989) 167–176
2555. K.T. Arasu, Cyclic affine planes of even order **76** (1989) 177–181
2556. R.M. Damerell, C. Roos and A.J. van Zanten, On the existence of certain generalized moore geometries, V **76** (1989) 183–189
2557. R.D. Dutton and R.C. Brigham, On the size of graphs of a given bandwidth **76** (1989) 191–195
2558. N. Duvdevani and A.S. Fraenkel, Properties of K-Welter's game **76** (1989) 197–221
2559. R.J. Faudree, R.H. Schelp, M.S. Jacobson and J. Lehel, Irregular networks, regular graphs and integer matrices with distinct row and column sums **76** (1989) 223–240
2560. M. Loebl and S. Poljak, A hierarchy of totally unimodular matrices **76** (1989) 241–246
2561. H.H. Torriani, Constructive implicit function theorems **76** (1989) 247–269
2562. R.L. Woodburn, A 4-color theorem for the Klein bottle **76** (1989) 271–276
2563. C.J. Knickerbocker, P.F. Lock and M. Sheard, The minimum size of graphs hamiltonian-connected from a vertex (*Note*) **76** (1989) 277–278
2564. J.G. Oxley, A note on Negami's polynomial invariants for graphs (*Note*) **76** (1989) 279–281
2565. A. Pott, A note on self-orthogonal codes (*Note*) **76** (1989) 283–284
2566. G. Steiner, Minimizing bumps in ordered sets by substitution decomposition (*Note*) **76** (1989) 285–289
2567. M. Wojtas, Some new matrices-minus-diagonal and MOLS (*Note*) **76** (1989) 291–292
2568. A.M. Assaf and A. Hartman, Resolvable group divisible designs with block size 3 **77** (1989) 5–20
2569. L.M. Batten, Minimally projectively embeddable Steiner systems **77** (1989) 21–27
2570. F.E. Bennett, The spectra of a variety of quasigroups and related combinatorial designs **77** (1989) 29–50
2571. E.J. Billington, New cyclic (61, 244, 40, 10, 6) BIBDs (*Note*) **77** (1989) 51–53
2572. A.E. Brouwer, A unital in the Hughes plane of order nine (*Note*) **77** (1989) 55–56
2573. C.J. Colbourn and V. Rödl, Percentages in pairwise balanced designs **77** (1989) 57–63
2574. M.J. de Resmini, On complete arcs in Steiner systems $S(2, 3, v)$ and $S(2, 4, v)$ **77** (1989) 65–73
2575. N. Hamada and M. Deza, A survey of recent works with respect to a characterization of an $(n, k, d; q)$-code meeting the Griesmer bound using a min · hyper in a finite projective geometry **77** (1989) 75–87
2576. H. Hanani, BIBD's with block-size seven **77** (1989) 89–96
2577. K. Heinrich, P. Horák and A. Rosa, On Alspach's conjecture **77** (1989) 97–121
2578. D. Jungnickel, Some self-blocking block designs **77** (1989) 123–135
2579. E.S. Kramer, S.S. Magliveras and R. Mathon, The Steiner systems $S(2, 4, 25)$ with nontrivial automorphism group **77** (1989) 137–157
2580. E.R. Lamken and S.A. Vanstone, Balanced tournament designs and related topics **77** (1989) 159–176
2581. I. Landgev and V.D. Tonchev, Automorphisms of 2-(22, 8, 4) designs **77** (1989) 177–189
2582. C.C. Lindner, C.A. Rodger and D.R. Stinson, Nesting of cycle systems of odd length **77** (1989) 191–203
2583. R. Mathon and A. Rosa, On the $(15, 5, \lambda)$-family of BIBDs **77** (1989) 205–216
2584. R.C. Mullin, Finite bases for some PBD-closed sets **77** (1989) 217–236
2585. A.J. Petrenjuk, On the constructive enumeration of packings and coverings of index one **77** (1989) 237–254
2586. K. Phelps, D.R. Stinson and S.A. Vanstone, The existence of simple $S_3(3, 4, v)$ **77** (1989) 255–258
2587. R. Rees and D.R. Stinson, On combinatorial designs with subdesigns **77** (1989) 259–279
2588. S. Schreiber, Cyclical Steiner Triple Systems orthogonal to their opposites **77** (1989) 281–284
2589. S. Schreiber, Symmetric quasigroups of odd order **77** (1989) 285–297
2590. M.J. Sharry and A. Penfold Street, Partitioning sets of quadruples into designs I **77** (1989) 299–305

2591. H. Siemon, Infinite families of strictly cyclic Steiner quadruple systems **77** (1989) 307–316
2592. R.G. Stanton, Minimal pairwise balanced designs **77** (1989) 317–321
2593. D.J. Street, Combinatorial problems in repeated measurements designs **77** (1989) 323–343
2594. L. Teirlinck, Locally trivial t-designs and t-designs without repeated blocks **77** (1989) 345–356
2595. G.H.J. van Rees, A new family of BIBDs and non-embeddable (16, 24, 9, 6, 3)-designs **77** (1989) 357–365
2596. H. Zeitler, Modifications of the "central-method" to construct Steiner Triple Systems **77** (1989) 367–384
2597. M.Z. Abu-Sbeih, Generalizing the duality theorem of graph embeddings **78** (1989) 11–23
2598. B. Alspach, Lifting Hamilton cycles of quotient graphs **78** (1989) 25–36
2599. A.H. Baartmans and W.D. Wallis, Indecomposable factorizations of multigraphs **78** (1989) 37–43
2600. V. Batagelj, An inductive definition of the class of 3-connected quadrangulations of the plane **78** (1989) 45–53
2601. N.L. Biggs, A proof of Serre's theorem **78** (1989) 55–57
2602. A. Bouchet, Maps and Δ-matroids **78** (1989) 59–71
2603. N. Brand, Isomorphisms of cyclic combinatorial objects **78** (1989) 73–81
2604. R.J. Faudree, A. Gyárfas, R.H. Schelp and Zs. Tuza, Induced matchings in bipartite graphs **78** (1989) 83–87
2605. N. Hartsfield, B. Jackson and G. Ringel, Hamilton surfaces for the complete even symmetric bipartite graph **78** (1989) 89–94
2606. D. Jungreis, Hamiltonian paths in Cayley digraphs of finitely-generated infinite abelian groups **78** (1989) 95–104
2607. S.C. Locke and D. Witte, Flows in circulant graphs of odd order are sums of Hamilton cycles **78** (1989) 105–114
2608. J.Q. Longyear, A peculiar partition formula **78** (1989) 115–118
2609. D. Marušič, Strong regularity and circulant graphs **78** (1989) 119–125
2610. W. McCuaig, Existence of graphs with specified cycle lengths **78** (1989) 127–133
2611. B. Mohar, An obstruction to embedding graphs in surfaces **78** (1989) 135–142
2612. T.D. Parsons and T. Pisanski, Vector representations of graphs **78** (1989) 143–154
2613. T. Pisanski, Universal commutator graphs **78** (1989) 155–156
2614. T. Pisanski and T.W. Tucker, The genus of low rank hamiltonian groups **78** (1989) 157–167
2615. G. Schrag and L. Cammack, On the 2-extendability of the generalized Petersen graphs **78** (1989) 169–177
2616. M. Škoviera and R. Nedela, The maximum genus of vertex-transitive graphs **78** (1989) 179–186
2617. J. Zaks, Parsons graphs of matrices **78** (1989) 187–193
2618. C.-Q. Zhang, Bridges of longest cycles **78** (1989) 195–211
2619. N. Brand, On the Bays–Lambossy theorem **78** (1989) 217–222
2620. B.L. Dietrich, Matroids and antimatroids—A survey **78** (1989) 223–237
2621. M.R. Emamy-K and L. Lazarte, On the cut-complexes of the 5-cube **78** (1989) 239–256
2622. E. Engelhardt, V. Klee, K. Li and H. Quaife, Minimum graphs of specified diameter, connectivity and valence. II **78** (1989) 257–266
2623. Z. Hasan, Intersection of the Steiner systems of M_{24} **78** (1989) 267–289
2624. A. Hertz, Skeletal graphs—A new class of perfect graphs **78** (1989) 291–296
2625. S. Jendroľ and E. Jucovič, On quadrangular convex 3-polytopes with at most two types of edges **78** (1989) 297–305
2626. C.-Q. Zhang, Cycles of given length in some $K_{1,3}$-free graphs **78** (1989) 307–313
2627. A. Sánchez-Arroyo, Determining the total colouring number is NP-hard (*Communication*) **78** (1989) 315–319
2628. A.J. van Zanten, A short proof of a theorem of Bannai and Ito (*Note*) **78** (1989) 321–325
2629. S.S. Abhyankar and D.M. Kulkarni, Bijection between indexed monomials and standard bitableaux (*Invited paper*) **79** (1989/90) 1–48
2630. A. Goupil, On products of conjugacy classes of the symmetric group (*Invited paper*) **79** (1989/90) 49–57
2631. D. Bauer, H.J. Veldman, A. Morgana and E.F. Schmeichel, Long cycles in graphs with large degree sums **79** (1989/90) 59–70
2632. C. De Simone, The cut polytope and the Boolean quadric polytope **79** (1989/90) 71–75

2633. J. Labelle and Y.N. Yeh, Combinatorial proofs of some limit formulas involving orthogonal polynomials **79** (1989/90) 77–93
2634. M.A. McBeth (Rod McBeth), Partitions and normal trees **79** (1989/90) 95–101
2635. G. Lachaud, Distribution of the weights of the dual of the Melas code (*Communication*) **79** (1989/90) 103–106
2636. J. Pach and J.H. Spencer, Note on vertex-partitions of infinite graphs (*Note*) **79** (1989/90) 107–108
2637. A.M. Assaf and A. Hartman, On packing designs with block size 5 and index 4 **79** (1989/90) 111–121
2638. L. Azzena and F. Piras, Incidence algebras and coalgebras of decomposition structures **79** (1989/90) 123–146
2639. D. Bauer, A. Morgana and E.F. Schmeichel, A simple proof of a theorem of Jung **79** (1989/90) 147–152
2640. R.M. Grassl and A.P. Mullhaupt, Hook and shifted hook numbers **79** (1989/90) 153–167
2641. A.J.W. Hilton, A total-chromatic number analogue of Plantholt's theorem **79** (1989/90) 169–175
2642. R.E. Jamison, Alternating Whitney sums and matchings in trees, Part II **79** (1989/90) 177–189
2643. P.D. Johnson Jr., Two-colorings of a dense subgroup of $\mathbb{Q}^n$ that forbid many distances **79** (1989/90) 191–195
2644. M.B. Nathanson, Simultaneous systems of representatives and combinatorial number theory **79** (1989/90) 197–205
2645. R. Taylor, Reconstructing degree sequences from k-vertex-deleted subgraphs **79** (1989/90) 207–213
2646. T.-H. Chan, Nondecreasing subsequences of t-sequences (*Note*) **79** (1989/90) 215–218
2647. R. Aharoni, B. Wajnryb and R. Manber, Special parity of perfect matchings in bipartite graphs **79** (1989/90) 221–228
2648. D. Banković, Some remarks on number of parameters of the solutions of Boolean equations **79** (1989/90) 229–234
2649. M.K. Bennett, Rectangular products of lattices **79** (1989/90) 235–249
2650. R. Cordovil and P. Duchet, On sign-invariance graphs of uniform oriented matroids **79** (1989/90) 251–257
2651. P.C. Fishburn and W.V. Gehrlein, The three-permutations problem **79** (1989/90) 259–264
2652. J.D. Horton, Orthogonal starters in finite abelian groups **79** (1989/90) 265–278
2653. G. Labelle, Dérivées directionnelles et développements de Taylor combinatoires **79** (1989/90) 279–297
2654. J.M.C. Simões-Pereira, An algorithm and its role in the study of optimal graph realizations of distance matrices **79** (1989/90) 299–312
2655. D. Zeilberger, A Stembridge–Stanton style elementary proof of the Habsieger–Kadell q-Morris identity **79** (1989/90) 313–322
2656. C.-K. Li, On certain convex matrix sets (*Note*) **79** (1989/90) 323–326
2657. S. Arnborg, A. Proskurowski and D.G. Corneil, Forbidden minors characterization of partial 3-trees **80** (1990) 1–19
2658. E.S. El-Mallah and C.J. Colbourn, On two dual classes of planar graphs **80** (1990) 21–40
2659. J.-L. Fouquet and H. Thuillier, On some conjectures on cubic 3-connected graphs **80** (1990) 41–57
2660. O. Goldreich, On the number of monochromatic close pairs of beads in a rosary **80** (1990) 59–68
2661. H. Huang and N.L. Johnson, 8 semifield planes of order 8^2 **80** (1990) 69–79
2662. P. Katerinis, Toughness of graphs and the existence of factors **80** (1990) 81–92
2663. M.S. Shrikhande and N.M. Singhi, An elementary derivation of the annihilator polynomial for extremal $(2s+1)$-designs **80** (1990) 93–96
2664. D. Gluck, A note on permutation polynomials and finite geometries (*Note*) **80** (1990) 97–100
2665. A.R. Prince, The commutative ring of a symmetric design (*Note*) **80** (1990) 101–103
2666. M.D. Atkinson, N. Santoro and A. Negro, Sums of lexicographically ordered sets **80** (1990) 115–122
2667. J.I. Brown, D. Kelly, J. Schönheim and R.E. Woodrow, Graph coloring satisfying restraints **80** (1990) 123–143
2668. P. Flach and L. Volkmann, Estimations for the domination number of a graph **80** (1990) 145–151
2669. N. Hindman, On creating sets with large lower density **90** (1990) 153–157
2670. M. Kano, Sufficient conditions for a graph to have factors **80** (1990) 159–165
2671. D. Marušič, Hamiltonicity of tree-like graphs **80** (1990) 167–173
2672. S. Stueckle, Chromatic automorphisms and symmetries of some graphs **80** (1990) 175–181
2673. D.E. White, Hybrid tableaux and the Littlewood–Richardson rule **80** (1990) 183–206

2674. D. Zeilberger, A fast algorithm for proving terminating hypergeometric identities (*Communication*) **80** (1990) 207–211
2675. Y. Yang, On a conjecture about monochromatic flats (*Note*) **80** (1990) 213–216
2676. P. Charpin, Codes cycliques étendus affines-invariants et antichaines d'un ensemble partiellement ordonne **80** (1990) 229–247
2677. W.E. Clark, L.A. Dunning and D.G. Rogers, Binary set functions and parity check matrices **80** (1990) 249–265
2678. R.Z. Goldstein and E.C. Turner, Counting orbits of a product of permutations **80** (1990) 267–272
2679. C.C. Lindner, C.A. Rodger and D.R. Stinson, Small embeddings for partial cycle systems of odd length **80** (1990) 273–280
2680. S. Olariu, Wings and perfect graphs **80** (1990) 281–296
2681. A.G. Robinson and A.J. Goldman, On Ringeisen's Isolation Game **80** (1990) 297–312
2682. R. Scapellato, On F-geodetic graphs **80** (1990) 313–325
2683. M. Middendorf and F. Pfeiffer, On the complexity of recognizing perfectly orderable graphs (*Communication*) **80** (1990) 327–333
2684. S. Stein, The notched cube tiles $\mathbb{R}^n$ (*Communication*) **80** (1990) 335–337
2685. M.J. Chung and B. Ravikumar, Bounds on the size of test sets for sorting and related networks **81** (1990) 1–9
2686. D.R. Guichard, Two theorems on the addition of residue classes **81** (1990) 11–18
2687. N. Hartsfield and G. Ringel, Quadrangular embeddings of the complete even k-partite graph **81** (1990) 19–23
2688. A. Hertz, Bipolarizable graphs **81** (1990) 25–32
2689. T. Maruta, On Singleton arrays and Cauchy matrices **81** (1990) 33–36
2690. U. Pachner, Shellings of simplicial balls and p.l. manifolds with boundary **81** (1990) 37–47
2691. R. Rees, The existence of restricted resolvable designs I: (1, 2)-factorizations of K_{2n} **81** (1990) 49–80
2692. J.-P. Roudneff, Partitions of points into intersecting tetrahedra **81** (1990) 81–86
2693. E. Schmutz, Partitions whose parts are pairwise relatively prime **81** (1990) 87–89
2694. R.A. Sulanke, A determinant for q-counting n-dimensional lattice paths **81** (1990) 91–96
2695. S.M. Venkatesan, On cleaving a planar graph **81** (1990) 97–102
2696. J.M. van den Akker, J.H. Koolen and R.J.M. Vaessens, Perfect codes with distinct protective radii (*Communication*) **81** (1990) 103–109
2697. Y. Aoki, The star-arboricity of the complete regular multipartite graphs **81** (1990) 115–122
2698. K. Cechlárová and P. Szabó, On the Monge property of matrices **81** (1990) 123–128
2699. F.R.K. Chung, A. Gyárfás, Z. Tuza and W.T. Trotter, The maximum number of edges in $2K_2$-free graphs of bounded degree **81** (1990) 129–135
2700. L.H. Clark and R.C. Entringer, The number of cutvertices in graphs with given minimum degree **81** (1990) 137–145
2701. R.J. Clarke, Covering a set by subsets **81** (1990) 147–152
2702. H. Edelsbrunner, A.D. Robison and X.-J. Shen, Covering convex sets with non-overlapping polygons **81** (1990) 153–164
2703. K. Engel and P.L. Erdős, Polytopes determined by complementfree Sperner families **81** (1990) 165–169
2704. A.M. Frieze, On the independence number of random graphs **81** (1990) 171–175
2705. I. Kříž and R. Thomas, Clique-sums, tree-decompositions and compactness **81** (1990) 177–185
2706. M. Quest and G. Wegner, Characterization of the graphs with boxicity $\leqslant 2$ **81** (1990) 187–192
2707. P. Solé, Completely regular codes and completely transitive codes **81** (1990) 193–201
2708. C. van Nuffelen and M. van Wouwe, A bound for the Dilworth number **81** (1990) 203–210
2709. S. Guha and S. Padmanabhan, A new derivation of the generating function for the major index (*Communication*) **81** (1990) 211–215
2710. G. Lachaud, The parameters of projective Reed–Müller codes (*Communication*) **81** (1990) 217–221
2711. E.S. Kramer, An $S_3(3, 5, 21)$ using graphs (*Note*) **81** (1990) 223–224
2712. C.R.J. Clapham, Graphs self-complementary in $K_n - e$ **81** (1990) 229–235
2713. W. Imrich and G. Sabidussi, Focality and graph isomorphism **81** (1990) 237–245
2714. R. Kemp, On the number of deepest nodes in ordered trees **81** (1990) 247–258
2715. L.W. Kolitsch, A simple proof of some congruences for colored generalized Frobenius partitions **81** (1990) 259–261

2716. R. Rees, The existence of restricted resolvable designs II: (1, 2)-factorizations of K_{2n+1} **81** (1990) 263–301
2717. D. Wagner, Decomposition of k-ary relations **81** (1990) 303–322
2718. T. Blyth and J. Varlet, Principal congruences on some lattice-ordered algebras (*Note*) **81** (1990) 323–329
2719. J. Labelle and Y.-N. Yeh, Generalized Dyck paths (*Invited paper*) **82** (1990) 1–6
2720. K. Ando, S. Gervacio and M. Kano, Disjoint subsets of integers having a constant sum **82** (1990) 7–11
2721. K.M. Koh and B.H. Goh, Two classes of chromatically unique graphs **82** (1990) 13–24
2722. H. Li, Edge-hamiltonian property in regular 2-connected graphs **82** (1990) 25–34
2723. J.G. Oxley, On an excluded-minor class of matroids **82** (1990) 35–52
2724. M. Reid, D.S. Jungreis and D. Witte, Distances forbidden by some two-coloring of $\mathbb{Q}^2$ **82** (1990) 53–56
2725. S. Stahl, Region distributions of graph embeddings and Stirling numbers **82** (1990) 57–78
2726. M. Stern, Strongness in semimodular lattices **82** (1990) 79–88
2727. D. Zeilberger, A bijection from ordered trees to binary trees that sends the Pruning order to the Strahler number (*Communication*) **82** (1990) 89–92
2728. O. Goecke and R. Schrader, Minor characterization of undirected branching greedoids – A short proof (*Note*) **82** (1990) 93–99
2729. R. Kalinowski and Z. Skupień, Large Isaacs' graphs are maximally non-Hamilton-connected (*Note*) **82** (1990) 101–104
2730. E.R. Scheinerman, On the interval number of random graphs (*Note*) **82** (1990) 105–109
2731. B. Alspach, S.C. Locke and D. Witte, The Hamilton spaces of Cayley graphs on abelian groups **82** (1990) 113–126
2732. S. Cabaniss and B.W. Jackson, Infinite families of bi-embeddings **82** (1990) 127–141
2733. M.-c. Cai, Restricted covering of digraphs with arborescences **82** (1990) 143–152
2734. L.S. Charlap, H.D. Rees and D.P. Robbins, The asymptotic probability that a random biased matrix is invertible **82** (1990) 153–163
2735. R. Chiavacci and G. Pareschi, Some bounds for the regular genus of PL-manifolds **82** (1990) 165–180
2736. K.G. Fischer, Additive K-colorable extensions of the rational plane **82** (1990) 181–195
2737. M.J. Plantholt and S.K. Tipnis, The chromatic index of multigraphs that are nearly full **82** (1990) 197–207
2738. G.L. Chia, The chromaticity of wheels with a missing spoke (*Note*) **82** (1990) 209–212
2739. W. Fernandez de la Vega, Kernels in random graphs (*Note*) **82** (1990) 213–217
2740. M. Kano and A. Sakamoto, Spanning trees fixed by automorphisms of a graph (*Note*) **82** (1990) 219–222
2741. I. Broere and M. Frick, On the order of uniquely (k, m)-colourable graphs **82** (1990) 225–232
2742. J. Czyzowicz, A. Pelc and I. Rival, Drawing orders with few slopes **82** (1990) 233–250
2743. D.C. Fisher and A.E. Solow, Dependence polynomials **82** (1990) 251–258
2744. M.D. Halsey, Extensions of line-closed combinatorial geometries **82** (1990) 259–262
2745. H. Kurzweil, A combinatorial technique for simplicial complexes and some applications to finite groups **82** (1990) 263–278
2746. G. Quattrocchi, On the intersection of two $S(3, 4, 2v)$ having a same derived triple system **82** (1990) 279–286
2747. E.R. Scheinerman, An evolution of interval graphs **82** (1990) 287–302
2748. L.E. Varga, Geometric matrices and an inequality for (0, 1)-matrices **82** (1990) 303–315
2749. F.C. Bussemaker and V.D. Tonchev, Extremal doubly-even codes of length 40 derived from Hadamard matrices of order 20 (*Communication*) **82** (1990) 317–321
2750. Y. Caro and Y. Roditty, A note on packing trees into complete bipartite graphs and on Fishburn's Conjecture (*Note*) **82** (1990) 323–326
2751. G. Hahn and B. Jackson, A note concerning paths and independence number in digraphs (*Note*) **82** (1990) 327–329
2752. I. Sato, Enumeration of packed graphs (*Note*) **82** (1990) 331–333
2753. S.D. Cohen, Primitive elements and polynomials with arbitrary trace **83** (1990) 1–7
2754. C.J. Colbourn and E.S. Mahmoodian, The spectrum of support sizes for threefold triple systems **83** (1990) 9–19
2755. Y.O. Hamidoune, Connectivite des graphes de Cayley abeliens sans K_4 **83** (1990) 21–26
2756. I.J. Johnston, Some results involving multilattice ideals and distributivity **83** (1990) 27–35

2757. E.R. Lamken and S.A. Vanstone, Balanced tournament designs and resolvable $(v, 3, 2)$-BIBDs **83** (1990) 37–47
2758. S. McGuinness and R. Rees, On the number of distinct minimal clique partitions and clique covers of a line graph **83** (1990) 49–62
2759. D. Rawlings, Multicolored permutations, sequences, and tableaux **83** (1990) 63–79
2760. R. Rees and D.R. Stinson, On the number of blocks in a perfect covering of v points **83** (1990) 81–93
2761. P. Savický, Random Boolean formulas representing any Boolean function with asymptotically equal probability **83** (1990) 95–103
2762. D. Stanton and D. White, Combinatorics of the z^{AB} theorem **83** (1990) 105–114
2763. A.E. Brouwer, A note on completely regular codes (*Communication*) **83** (1990) 115–117
2764. T. Hibi, Some results on Ehrhart polynomials of convex polytopes (*Communication*) **83** (1990) 119–121
2765. J. Akiyama and J. Urrutia, A note on balanced colourings for lattice points (*Note*) **83** (1990) 123–126
2766. J.L. Alperin, Trees and Brauer trees (*Note*) **83** (1990) 127–128
2767. Z. Füredi, J. Kahn and D.J. Kleitman, Sphere coverings of the hypercube with incomparable centers (*Note*) **83** (1990) 129–134
2768. M. Aaltonen, A new upper bound on nonbinary block codes **83** (1990) 139–160
2769. E.F. Assmus Jr. and J.D. Key, Affine and projective planes **83** (1990) 161–187
2770. R.A. Brualdi and V.S. Pless, On the covering radius of a code and its subcodes **83** (1990) 189–199
2771. A.R. Calderbank and P. Frankl, Binary codes and quasi-symmetric designs **83** (1990) 201–204
2772. Y. Cheng and N.J.A. Sloane, The automorphism group of an [18, 9, 8] quaternary code **83** (1990) 205–212
2773. J.H. Conway, S.J. Lomonaco Jr. and N.J.A. Sloane, A [45, 13] code with minimal distance 16 **83** (1990) 213–217
2774. J.H. Conway, Integral lexicographic codes **83** (1990) 219–235
2775. G.D. Cohen, Applications of coding theory to communication combinatorial problems **83** (1990) 237–248
2776. F.B. Hergert, On the Delsarte–Goethals codes and their formal duals **83** (1990) 249–263
2777. W.C. Huffman, On the equivalence of codes and codes with an automorphism having two cycles **83** (1990) 265–283
2778. S.N. Kapralov and V.D. Tonchev, Extremal doubly-even codes of length 64 derived from symmetric designs **83** (1990) 285–289
2779. H. Koch, On self-dual doubly-even extremal codes **83** (1990) 291–300
2780. M.-C. Lin and S. Lin, Codes with multi-level error-correcting capabilities **83** (1990) 301–314
2781. H.N. Ward, Weight polarization and divisibility **83** (1990) 315–326
2782. F.E. Bennett, L. Wu and L. Zhu, Further results on incomplete (3, 2, 1)-conjugate orthogonal idempotent Latin squares **84** (1990) 1–14
2783. M. Gilpin and R. Shelton, Predicates whose maximal length functions increase periodically **84** (1990) 15–21
2784. P. Horák and J. Širáň, Solution of two problems of P. Erdős concerning Hamiltonian cycles **84** (1990) 23–29
2785. L.-H. Hsu, Generalized homomorphism graph functions **84** (1990) 31–37
2786. E.B. Jarrett, Two families of graphs satisfying the cycle basis interpolation property **84** (1990) 39–46
2787. R.C. Mullin and D.R. Stinson, Pairwise balanced designs with odd block sizes exceeding five **84** (1990) 47–62
2788. S. Saito and T. Hayasaka, Langford sequences: Some connections with complete and additive permutations **84** (1990) 63–70
2789. P.C.V. Oorschot and S.A. Vanstone, On splitting sets in block designs and finding roots of polynomials **84** (1990) 71–85
2790. D. Witte, Hamilton-decomposable graphs and digraphs of infinite valence **84** (1990) 87–100
2791. J. Akiyama and J. Urrutia, Simple alternating path problem (*Note*) **84** (1990) 101–103
2792. N. Martinov, A recursive characterization of the 4-connected graphs (*Note*) **84** (1990) 105–108
2793. G. Bennett, Coin tossing and moment sequences **84** (1990) 111–118
2794. M.A. Francel, Possible orders for the stabilizer of a set of M.O.L.S. **84** (1990) 119–134
2795. P. Frankl, An intersection problem for codes **84** (1990) 135–141
2796. S. Jendroľ and M. Tkáč, Convex 3-polytopes with exactly two types of edges **84** (1990) 143–160

2797. C. Lefevre-Percsy and V. Nypelseer, Finite rank 3 geometries with affine planes and dual affine point residues **84** (1990) 161–167
2798. Y. Liu, On chromatic and dichromatic sum equations **84** (1990) 169–179
2799. I. Tomescu, Almost all dugraphs have a kernel **84** (1990) 181–192
2800. A.A. Chernyak and Zh.A. Chernyak, Pseudodomishold graphs (*Communication*) **84** (1990) 193–196
2801. R. Meshulam, An uncertainty inequality and zero subsums (*Communication*) **84** (1990) 197–200
2802. B.V. Cutsem, Minimal superior ultrametrics under order constraint (*Communication*) **84** (1990) 201–204
2803. M.Z. Abu-Sbeih, On the number of spanning trees of K_n and $K_{m,n}$ (*Note*) **84** (1990) 205–207
2804. T. Knoblauch, Using triangles to partition a disk (*Note*) **84** (1990) 209–211
2805. A. Shastri, Lower bounds for bi-colored quaternary Ramsey numbers (*Note*) **84** (1990) 213–216
2806. D.R. Woodall, A proof of McKee's Eulerian-bipartite characterization (*Note*) **84** (1990) 217–220
2807. F.E. Bennett, B. Du and L. Zhu, On the existence of $(v, 7, 1)$-perfect Mendelsohn designs **84** (1990) 221–239
2808. B. Jackson and O. Ordaz, Chvátal-Erdős conditions for paths and cycles in graphs and digraphs. A survey **84** (1990) 241–254
2809. J.T. Joichi, Hecke-Rogers, Andrews identities; Combinatorial proofs **84** (1990) 255–259
2810. A.G. Robinson and A.J. Goldman, On the set coincidence game **84** (1990) 261–283
2811. M. Rosenfeld, The number of cycles in 2-factors of cubic graphs **84** (1990) 285–294
2812. E. Schulte, On a class of abstract polytopes constructed from binary codes **84** (1990) 295–301
2813. M. Mollard and C. Payan, Some progress in the packing of equal circles in a square (*Communication*) **84** (1990) 303–307
2814. R. Aharoni and O. Kessler, On a possible extension of Hall's theorem to bipartite hypergraphs (*Note*) **84** (1990) 309–313
2815. H.-L. Fu, A note on the ascending subgraph decomposition problem (*Note*) **84** (1990) 315–318
2816. G.R. Giraud, Remarques sur deux problemes extremaux (*Note*) **84** (1990) 319–321
2817. L. Takács, Counting forests (*Note*) **84** (1990) 323–326
2818. D.W. Barnette, Generating the 4-connected and strongly 4-connected triangulations on the torus and projective plane **85** (1990) 1–16
2819. K. Bongartz and D. Mertens, On the enumeration of homeochromatic classes of k-chromatic tilings **85** (1990) 17–42
2820. M.-c. Cai, The maximal size of graphs with at most k edge-disjoint paths connecting any two adjacent vertices **85** (1990) 43–52
2821. P. Erdős, R.J. Faudree, C.C. Rousseau and R.H. Schelp, Subgraphs of minimal degree k **85** (1990) 53–58
2822. G.R.T. Hendry, Extending cycles in graphs **85** (1990) 59–72
2823. A.V. Karzanov, Packings of cuts realizing distances between certain vertices in a planar graph **85** (1990) 73–87
2824. M. Zheng and X. Lu, On the maximum induced forests of a connected cubic graph without triangles **85** (1990) 89–96
2825. N. Polat, On the existence of minimal end-separators (*Communication*) **85** (1990) 97–98
2826. H. Galeana-Sánchez, On the existence of (k, l)-kernels in digraphs (*Note*) **85** (1990) 99–102
2827. A. Gyárfás, A simple lower bound on edge coverings by cliques (*Note*) **85** (1990) 103–104
2828. M. Liu, Homomorphisms and automorphisms of 2-D de Bruijn–Good Graphs (*Note*) **85** (1990) 105–109
2829. S.S. Abhyankar and D.M. Kulkarni, Coinsertion and standard bitableaux **85** (1990) 115–166
2830. G. Gordon and L. Traldi, Generalized activities and the Tutte polynomial **85** (1990) 167–176
2831. D. Jungnickel, On the existence of small quasimultiples of affine and projective planes of arbitrary order **85** (1990) 177–189
2832. H. Kellerer and G. Wirsching, Prime covers and periodic patterns **85** (1990) 191–206
2833. J. Zeng, Un modèle symétrique pour l'identité de Al-Salam–Fields **85** (1990) 207–213
2834. T. Nishimura, Regular factors of line graphs (*Note*) **85** (1990) 215–219
2835. R.B. Richter, Nonplanar graphs and well-covered cycles (*Note*) **85** (1990) 221–222
2836. R. Ahlswede and Z. Zhang, On cloud-antichains and related configurations **85** (1990) 225–245
2837. J. Akiyama and V. Chvátal, Packing paths perfectly **85** (1990) 247–255
2838. Z. Hasan, Behavior of steiner systems of M_{24} **85** (1990) 257–279
2839. E.A. Kasimatis and S.K. Stein, Equidissections of polygons **85** (1990) 281–294

2840. C. Koukouvinos and S. Kounias, Construction of some Hadamard matrices with maximum excess **85** (1990) 295–300
2841. Y. Zhu and C. Chen, An extreme problem concerning k-arc-cyclic property for a class of tournaments **85** (1990) 301–311
2842. K. Heinrich, P. Hell, D.G. Kirkpatrick and G. Liu, A simple existence criterion for $(g < f)$-factors (*Communication*) **85** (1990) 313–317
2843. K. Corrádi and S. Szabó, Cube tiling and covering a complete graph (*Note*) **85** (1990) 319–321
2844. J. Isbell, Sequencing certain dihedral groups (*Note*) **85** (1990) 323–328
2845. M. Ramras, A new method of generating Hamiltonian cycles on the n-cube (*Note*) **85** (1990) 329–331
2846. S.T. Hedetniemi and R.C. Laskar, Introduction **86** (1990) 3–9
2847. E.J. Cockayne, Chessboard domination problems **86** (1990) 13–20
2848. C.M. Grinstead, B. Hahne and D. Van Stone, On the queen domination problem **86** (1990) 21–26
2849. C. Berge and P. Duchet, Recent problems and results about kernels in directed graphs **86** (1990) 27–31
2850. D.P. Sumner, Critical concepts in domination **86** (1990) 33–46
2851. J.F. Fink, M.S. Jacobson, L.F. Kinch and J. Roberts, The bondage number of a graph **86** (1990) 47–57
2852. M.S. Jacobson and K. Peters, Chordal graphs and upper irredundance, upper domination and independence **86** (1990) 59–69
2853. B. Zelinka, Regular totally domatically full graphs **86** (1990) 71–79
2854. D.F. Rall, Domatically critical and domatically full graphs **86** (1990) 81–87
2855. B. Bollobás, E.J. Cockayne and C.M. Mynhardt, On generalised minimal domination parameters for paths **86** (1990) 89–97
2856. M.B. Cozzens and L.L. Kelleher, Dominating cliques in graphs **86** (1990) 101–116
2857. Z. Tuza, Covering all cliques of a graph **86** (1990) 117–126
2858. R.C. Brigham and R.D. Dutton, Factor domination in graphs **86** (1990) 127–136
2859. E. Sampathkumar, The least point covering and domination numbers of a graph **86** (1990) 137–142
2860. D.G. Corneil and L.K. Stewart, Dominating sets in perfect graphs **86** (1990) 145–164
2861. B.N. Clark, C.J. Colbourn and D.S. Johnson, Unit disk graphs **86** (1990) 165–177
2862. C.J. Colbourn and L.K. Stewart, Permutation graphs: Connected domination and Steiner trees **86** (1990) 179–189
2863. V. Chvátal and W. Cook, The discipline number of a graph **86** (1990) 191–198
2864. J. McHugh and Y. Perl, Best location of service centers in a treelike network under budget constraints **86** (1990) 199–214
2865. M. Skowrońska and M.M. Sysło, Dominating cycles in Halin graphs **86** (1990) 215–224
2866. D. Kratsch, Finding dominating cliques efficiently, in strongly chordal graphs and undirected path graphs **86** (1990) 225–238
2867. D.L. Grinstead and P.J. Slater, On minimum dominating sets with minimum intersection **86** (1990) 239–254
2868. S.T. Hedetniemi and R.C. Laskar, Bibliography on domination in graphs and some basic definitions of domination parameters **86** (1990) 257–277
2869. M.H. Albert and A.M. Frieze, Occupancy problems and random algebras **87** (1991) 1–8
2870. M.R. Casali and L. Grasselli, 2-Symmetric crystallizations and 2-fold branched coverings of S^3 **87** (1991) 9–22
2871. D.-Z. Du and D.F. Hsu, Partitionable starters for twin prime power type **87** (1991) 23–28
2872. F. Göbel, J.O. Cerdeira and H.J. Veldman, Label-connected graphs and the gossip problem **87** (1991) 29–40
2873. I.B.-A. Hartman, I. Newman and R. Ziv, On grid intersection graphs **87** (1991) 41–52
2874. F. Lazebnik, Some corollaries of a theorem of Whitney on the chromatic polynomial **87** (1991) 53–64
2875. L.A. Sanchis, Maximum number of edges in connected graphs with a given domination number **87** (1991) 65–72
2876. S.-C. Shee, Some results on λ-valuation of graphs involving complete bipartite graphs **87** (1991) 73–80
2877. E. Boros, On shift stable hypergraphs (*Communication*) **87** (1991) 81–84
2878. G. Burosch and J.-M. Laborde, Characterization of grid graphs (*Communication*) **87** (1991) 85–88
2879. P.J. Cameron, Several 2-(46, 6, 3) designs (*Note*) **87** (1991) 89–90
2880. S.A. Choudum, On graphic and 3-hypergraphic sequences (*Note*) **87** (1991) 91–95
2881. H. Maehara, The intersection graph of random sets (*Note*) **87** (1991) 97–104

2882. B. Montágh, A simple proof and a generalization of an old result of Chung and Feller (*Note*) **87** (1991) 105–108
2883. D. Amar and A. Raspaud, Covering the vertices of a digraph by cycles of prescribed length **87** (1991) 111–118
2884. B. Bollobás and H.R. Hind, Graphs without large triangle free subgraphs **87** (1991) 119–131
2885. J. Désarménien and D. Foata, Statistiques d'ordre sur les permutations colorées **87** (1991) 133–148
2886. T. Greene, Descriptively sufficient subcollections of flats in matroids **87** (1991) 149–161
2887. W.P. Liu and I. Rival, Inversions, cuts, and orientations **87** (1991) 163–174
2888. M. Škoviera, The maximum genus of graphs of diameter two **87** (1991) 175–180
2889. G.-Z. Xiao, B.-Z. Shen, C.-K. Wu and C.S. Wong, Some spectral techniques in coding theory **87** (1991) 181–186
2890. M. Yamada, Hadamard matrices of generalized quaternion type **87** (1991) 187–196
2891. Y.-j. Zhu, F. Tian and X.-t. Deng, More powerful closure operations on graphs **87** (1991) 197–214
2892. O. Heden, No partial 1-spread of class $[0, \geqslant 2]_d$ in PG$(2d-1, q)$ exists (*Note*) **87** (1991) 215–216
2893. L. Sun, On a problem of J. Csima (*Note*) **87** (1991) 217–218
2894. B.A. Anderson, A product theorem for 2-sequencings **87** (1991) 221–236
2895. P.Z. Chinn, R.B. Richter and M. Truszczynski, Primal graphs with small degrees **87** (1991) 237–248
2896. J.D. Currie, Which graphs allow infinite nonrepetitive walks? **87** (1991) 249–260
2897. P. Erdős and F. Galvin, Some Ramsey-type theorems **87** (1991) 261–269
2898. H. Galeana-Sánchez and V. Neumann-Lara, Orientations of graphs in kernel theory **87** (1991) 271–280
2899. K. Heinrich, L. Wu and L. Zhu, Incomplete self-orthogonal latin squares ISOLS$(6m+6, 2m)$ exist for all m **87** (1991) 281–290
2900. G. Kreweras and P. Moszkowski, Tree codes that preserve increases and degree sequences **87** (1991) 291–296
2901. J.C. Parnami, The iteration of a bijective transformation of integer k-tuples mod m **87** (1991) 297–307
2902. M. Truszczynski and Z. Tuza, Asymptotic results on saturated graphs **87** (1991) 309–314
2903. M.F. Janowitz, A converse to the Sholander embedding (*Note*) **87** (1991) 315–318
2904. L.W. Shapiro, Voting blocks, reluctant functions, and a formula of Hurwitz (*Note*) **87** (1991) 319–322
2905. G.J.M. van Wee, On the non-existence of certain perfect mixed codes (*Note*) **87** (1991) 323–326
2906. R.E.L. Aldred, B. Jackson, D. Lou and A. Saito, Partitioning regular graphs into equicardinal linear forests **88** (1991) 1–9
2907. T. Andreae, M. Schughart and Z. Tuza, Clique-transversal sets of line graphs and complements of line graphs **88** (1991) 11–20
2908. K.J. Heuvers and D.S. Moak, The solution of the Binet–Cauchy functional equation for square matrices **88** (1991) 21–32
2909. C.J. Kinckerbocker, P. Frazer Lock and M. Sheard, On the structure of graphs uniquely hamiltonian-connected from a vertex **88** (1991) 33–48
2910. C. Koukouvinos, S. Kounias and J. Seberry, Supplementary difference sets and optimal designs **88** (1991) 49–58
2911. E.R. Lamken, 3-Complementary frames and doubly near resolvable $(v, 3, 2)$-BIBDs **88** (1991) 59–78
2912. C. Lin, The dimension of the cartesian product of posets **88** (1991) 79–92
2913. R. Simion, Trees with 1-factors and oriented trees **88** (1991) 93–104
2914. M. Aigner, D. Duffus and D.J. Kleitman, Partitioning a power set into union-free classes **88** (1991) 113–119
2915. T. Andreae, A search problem on graphs which generalizes some group testing problems with two defectives **88** (1991) 121–127
2916. G. Brightwell and J. Nešetřil, Reorientations of covering graphs **88** (1991) 129–132
2917. V. Duquenne, The core of finite lattices **88** (1991) 133–147
2918. B. Ganter and H.-D.O.F. Gronau, Two conjectures of Demetrovics, Füredi, and Katona, concerning partitions **88** (1991) 149–155
2919. G. Gierz and F. Hergert, The bandwidth problem for distributive lattices of breadth 3 **88** (1991) 157–177
2920. D. Grieser, Some results on the complexity of families of sets **88** (1991) 179–192
2921. J.R. Griggs, Iterated exponentials of two numbers **88** (1991) 193–209
2922. M. Habib, D. Kelly and R.H. Möhring, Interval dimension is a comparability invariant **88** (1991) 211–229

2923. H.A. Kierstead, A polynomial time approximation algorithm for Dynamic Storage Allocation **88** (1991) 231–237
2924. W.-P. Liu and I. Rival, Enumerating orientations of ordered sets **88** (1991) 239–247
2925. P. Luksch, Distributive lattices freely generated by an ordered set of width two **88** (1991) 249–258
2926. T. Madej and D.B. West, The interval inclusion number of a partially ordered set **88** (1991) 259–277
2927. O. Pretzel and D. Youngs, Balanced graphs and noncovering graphs **88** (1991) 279–287
2928. K. Reuter, The jump number and the lattice of maximal antichains **88** (1991) 289–307
2929. R. Wille, The skeletons of free distributive lattices **88** (1991) 309–320
2930. A.A. Chernyak and Z.A. Chernyak, Split dimension of graphs **89** (1991) 1–6
2931. B. Courteau and A. Montpetit, Dual distances of completely regular codes **89** (1991) 7–15
2932. M.S. Jacobson, M. Truszczyński and Z. Tuza, Decompositions of regular bipartite graphs **89** (1991) 17–27
2933. M. Mollard, Cycle-regular graphs **89** (1991) 29–41
2934. E. Stöhr, The pagewidth of trivalent planar graphs **89** (1991) 43–49
2935. F. Tian and W. Zang, The maximum number of diagonals of a cycle in a block and its extremal graphs **89** (1991) 51–63
2936. S. Xu, Relations between parameters of a graph **89** (1991) 65–88
2937. S. Zhan, On hamiltonian line graphs and connectivity **89** (1991) 89–95
2938. M.O. Albertson and D.M. Berman, The number of cut-vertices in a graph of given minimum degree (*Note*) **89** (1991) 97–100
2939. P. Damaschke, Irredundance number versus domination number (*Note*) **89** (1991) 101–104
2940. E. Harzheim, Weakly arithmetic progressions in sets of natural numbers (*Note*) **89** (1991) 105–107
2941. D. Amar, E. Flandrin, I. Fournier and A. Germa, Pancyclism in hamiltonian graphs **89** (1991) 111–131
2942. R.D. Bryant and H. Fredricksen, Covering the de Bruijn graph **89** (1991) 133–148
2943. C.J. Colbourn, K.T. Phelps, M.J. de Resmini and A. Rosa, Partitioning Steiner triple systems into complete arcs **89** (1991) 149–160
2944. R. Cordovil, K. Fukuda and M.L. Moreira, Clutters and matroids **89** (1991) 161–171
2945. H. Lefmann, Non t-intersecting families of linear spaces over GF(q) **89** (1991) 173–183
2946. P. Solé, On the parameters of codes for the Lee and modular distance **89** (1991) 185–194
2947. A. Ainouche, Four sufficient conditions for hamiltonian graphs (*Communication*) **89** (1991) 195–200
2948. G. Behrendt, The lattice of antichain cutsets of a partially ordered set (*Note*) **89** (1991) 201–202
2949. E.J. Farrell, J.M. Guo and G.M. Constantine, On matching coefficients (*Note*) **89** (1991) 203–210
2950. D. Marcu, The powers of two and three (*Note*) **89** (1991) 211–212
2951. A.G. Spera, (s, k, λ)-Partitions of a vector space (*Note*) **89** (1991) 213–217
2952. D.G. Hoffman, C.C. Lindner and K.T. Phelps, Blocking sets in designs with block size four II **89** (1991) 221–229
2953. E.R. Lamken, The existence of 3 orthogonal partitioned incomplete Latin squares of type t^n **89** (1991) 231–251
2954. T.A. McKee, Intersection properties of graphs **89** (1991) 253–260
2955. R.B. Richter, Spanning trees, Euler tours, medial graphs, left-right paths and cycle spaces **89** (1991) 261–268
2956. N. Seifter, Groups acting on graphs with polynomial growth **89** (1991) 268–280
2957. S. Stahl, Region distributions of some small diameter graphs **89** (1991) 281–299
2958. G. Exoo, Three color Ramsey number of $K_4 - e$ (*Note*) **89** (1991) 301–305
2959. H. Kharaghani, An infinite class of Hadamard matrices of maximal excess (*Note*) **89** (1991) 307–312
2960. M. Sharir and S.S. Skiena, Tight bounds on a problem of lines and intersections (*Note*) **89** (1991) 313–314
2961. E. Šiňajová, A note on vector representation of graphs (*Note*) **89** (1991) 315–317
2962. C. Xu, A necessary and sufficient condition for a graph G with diameter 5 to be 2-diameter-stable (*Note*) **89** (1991) 319–324
2963. R.W. Deckhart, The local Kostant–PBW ordering **90** (1991) 1–20
2964. A. Dür, The decoding of extended Reed–Solomon codes **90** (1991) 21–40
2965. E. Flandrin, H.A. Jung and H. Li, Hamiltonism, degree sum and neighborhood intersections **90** (1991) 41–52
2966. H. Niederhausen, Factorials and Stirling numbers in the algebra of formal Laurent series **90** (1991) 53–62

2967. S. Tazawa, T. Shirakura and S. Tamura, Enumeration of digraphs with given number of vertices of odd out-degree and vertices of odd in-degree **90** (1991) 63–74
2968. S.-T. Ting and S.-Y. Zhoa, The general Steiner problem in Boolean space and application **90** (1991) 75–84
2969. D. Bienstock, On the complexity of testing for odd holes and induced odd paths (*Note*) **90** (1991) 85–92
2970. M.B. Dillencourt, An upper bound on the shortness exponent of 1-tough, maximal planar graphs (*Note*) **90** (1991) 93–97
2971. P. Duchet and S. Olariu, Graphes parfaitement ordonnables généralises (*Note*) **90** (1991) 99–101
2972. P. Frankl and Z. Füredi, A sharpening of Fisher's inequality (*Note*) **90** (1991) 103–107
2973. S.S. Abhyankar and S.B. Joshi, Generalized roinsertive correspondence between multitableaux and multimonomials **90** (1991) 111–135
2974. M. Dehon, An existence theorem for some simple t-designs **90** (1991) 137–142
2975. A.S. Hasratian and N.K. Khachatrian, Stable properties of graphs **90** (1991) 143–152
2976. A.G. Robinson and A.J. Goldman, On Ringeisen's isolation game II **90** (1991) 153–167
2977. R. Stong, Hamilton decompositions of cartesian products of graphs **90** (1991) 169–190
2978. F. Hsu and L.C. Hsu, A unified treatment of a class of combinatorial sums (*Note*) **90** (1991) 191–197
2979. Q. Kang, The construction of large sets of disjoint Mendelsohn triple systems of order $2^n + 2$ (*Note*) **90** (1991) 199–205
2980. O. Murphy, Lower bounds on the stability number of graphs computed in terms of degrees (*Note*) **90** (1991) 207–211
2981. H. Perfect, Footnote to a paper of Griggs, Yeh and Grinstead on partitioning into 4-chains (*Note*) **90** (1991) 213–214
2982. A. Pott and M. Shrikhande, t-Designs with few intersection numbers (*Note*) **90** (1991) 215–217
2983. A.M. Assaf, The packing of pairs by quadruples **90** (1991) 221–231
2984. V.-E. Căzănescu and G. Ştefănescu, Classes of finite relations as initial abstract data types I **90** (1991) 233–265
2985. B. Courteau and A. Montpetit, A class of codes admitting at most three nonzero dual distances **90** (1991) 267–280
2986. T.J. Reid, Triangles in 3-connected matroids **90** (1991) 281–296
2987. H. Zhou, The chromatic difference sequence of the Cartesian product of graphs **90** (1991) 297–311
2988. E.J. Cockayne, O. Favaron, H. Li and G. MacGillivray, The product of the independent domination numbers of a graph and its complement (*Note*) **90** (1991) 313–317
2989. S.B. Ekhad, A short proof of a 'strange' combinatorial identity conjectured by Gosper (*Note*) **90** (1991) 319–320
2990. D.D. Grant, A generalisation of the diameter of a graph (*Note*) **90** (1991) 321–324
2991. W.Y.C. Chen, Maximum (g, f)-factors of a general graph **91** (1991) 1–7
2992. P. Engel, The enumeration of four-dimensional polytopes **91** (1991) 9–31
2993. R.J. Faudree, R.J. Gould and L.M. Lesniak, Neighborhood conditions and edge-disjoint perfect matchings **91** (1991) 33–43
2994. R.J. Faudree, M.S. Jacobson, L. Kinch and J. Lehel, Irregularity strength of dense graphs **91** (1991) 45–59
2995. T. Łuczak, Size and connectivity of the k-core of a random graph **91** (1991) 61–68
2996. C.M. Mynhardt, Lower Ramsey numbers for graphs **91** (1991) 69–75
2997. J.G. Oxley, Ternary paving matroids **91** (1991) 77–86
2998. W. Schwärzler, Being Hamiltonian is not a Tutte invariant (*Communication*) **91** (1991) 87–89
2999. W. Goddard, Acyclic colorings of planar graphs (*Note*) **91** (1991) 91–94
3000. P. Horák, Extending partial systems of distinct representatives (*Note*) **91** (1991) 95–98
3001. S.G. Hwang, The monotonicity of the permanent function (*Note*) **91** (1991) 99–104
3002. R. Mukerjee and S. Gupta, Geometric construction of balanced block designs with nested rows and columns (*Note*) **91** (1991) 105–108
3003. H.L. Abbott and M. Katchalski, Further results on snakes in powers of complete graphs **91** (1991) 111–120
3004. A. Clivio, Tilings of a torus with rectangular boxes **91** (1991) 121–139
3005. C. Cooper, Pancyclic Hamilton cycles in random graphs **91** (1991) 141–148

3006. P.C. Fishburn, J.C. Lagarias, J.A. Reeds and L.A. Shepp, Sets uniquely determined by projections on axes II Discrete case **91** (1991) 149–159
3007. P. McMullen, Regular polyhedra related to projective linear groups **91** (1991) 161–170
3008. A. Quilliot, Une condition pour qu'une famille de triangles soit orientable en un ordre cyclique **91** (1991) 171–182
3009. C. Schindler, Constructible hypergraphs **91** (1991) 183–191
3010. S.L. Snover, C. Waiveris and J.K. Williams, Rep-tiling for triangles **91** (1991) 193–200
3011. Y.M. Chee, Graphical t-designs with block sizes three and four (*Note*) **91** (1991) 201–206
3012. A. Nilli, On the second eigenvalue of a graph (*Note*) **91** (1991) 207–210
3013. T.J. Reid, A note on roundedness in 4-connected matroids (*Note*) **91** (1991) 211–214
3014. A.F. Sidorenko, Triangle-free regular graphs (*Note*) **91** (1991) 215–217
3015. H.-J. Bandelt and H.M. Mulder, Metric characterization of parity graphs **91** (1991) 221–230
3016. A. Bialostocki, P. Dierker and B. Voxman, Some notes on the Erdős–Szekeres theorem **91** (1991) 231–238
3017. D. Eppstein, J. Feigenbaum and C.-L. Li, Equipartitions of graphs **91** (1991) 239–248
3018. A. Eswarathasan and E. Levine, p-Integral harmonic sums **91** (1991) 249–257
3019. T. Etzion, Hamiltonian decomposition of K_n^*, patterns with distinct differences, and Tuscan squares **91** (1991) 259–276
3020. D.J. Lorenzini, A finite group attached to the laplacian of a graph **91** (1991) 277–282
3021. M.L. Wachs, The major index polynomial for conjugacy classes of permutations **91** (1991) 283–293
3022. X. Yu, On neighbourhood line graphs **91** (1991) 295–309
3023. O. Favaron, M.C. Heydemann, J.C. Meyer and D. Sotteau, A parameter linked with G-factors and the binding number (*Note*) **91** (1991) 311–316
3024. K.A. Redish and W.F. Smyth, Closed form expressions for the iterated floor function (*Note*) **91** (1991) 317–321
3025. A. Saito, One-factors and k-factors (*Note*) **91** (1991) 323–326
3026. D. Archdeacon and J.H. Dinitz, Constructing indecomposable 1-factorizations of the complete multigraph **92** (1991) 9–19
3027. L.M. Batten, An extension of Wagner's theorem **92** (1991) 21–23
3028. E.J. Billington and D.G. Hoffman, The number of repeated blocks in balanced ternary designs with block size three II **92** (1991) 25–37
3029. S.R. Chamberlin and D.A. Sprott, On a discrete distribution associated with the statistical assessment of nominal scale agreement **92** (1991) 39–47
3030. C.J. Colbourn, R.A. Mathon, A. Rosa and N. Shalaby, The fine structure of threefold triple systems: $v \equiv 1$ or 3(mod 6) **92** (1991) 49–64
3031. D. de Caen, D.L. Kreher, S.P. Radziszowski and W.H. Mills, On the covering of t-sets with $(t+1)$-sets: $C(9,5,4)$ and $C(10,6,5)$ **92** (1991) 65–77
3032. D. Donovan and S. Oates–Williams, Single laws for sloops and squags **92** (1991) 79–83
3033. P. Erdős, S. Fajtlowicz and W. Staton, Degree sequences in triangle-free graphs **92** (1991) 85–88
3034. J. Gani, A note on a stochastic model for the incubation of transfusion-associated AIDS **92** (1991) 89–94
3035. B.L. Hartnell and W. Kocay, On minimal neighbourhood-connected graphs **92** (1991) 95–105
3036. K. Heinrich, M. Kobayashi and G. Nakamura, Dudeney's round table problem **92** (1991) 107–125
3037. J.D. Horton, A hyperfactorization of order 8, index 2 **92** (1991) 127–129
3038. D. Jungnickel and S. Vanstone, Triple systems in PG$(2,q)$ **92** (1991) 131–135
3039. S. Kageyama and K. Sinha, Constructions of partially balanced bipartite block designs **92** (1991) 137–144
3040. A. Chi Kim and B.N. Neumann, Laws in a class of groupoids **92** (1991) 145–158
3041. W. Kocay and G.H.J. van Rees, Some non-isomorphic $(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$-BIBD's **92** (1991) 159–172
3042. C. Koukouvinos and J. Seberry, Hadamard matrices of order $\equiv 8$(mod 16) with maximal excess **92** (1991) 173–176
3043. S. Kounias, C. Koukouvinos and K. Sotirakoglou, On Golay sequences **92** (1991) 177–185
3044. C.W.H. Lam, G. Kolesova and L. Thiel, A computer search for finite projective planes of order 9 **92** (1991) 187–195

3045. E. Lamken, R. Rees and S. Vanstone, Class-uniformly resolvable pairwise balanced designs with block sizes two and three **92** (1991) 197–209
3046. R. Lidl and W.B. Müller, Generalizations of the Fibonacci pseudoprimes test **92** (1991) 211–220
3047. R.C. Mullin and D. Wevrick, Singular points in pair covers and their relation to Hadamard designs **92** (1991) 221–225
3048. C.St.J.A. Nash-Williams, Reconstruction of locally finite connected graphs with two infinite wings **92** (1991) 227–249
3049. M.G. Oxenham and L.R.A. Casse, On a geometric representation of the subgroups of index 6 in S_6 **92** (1991) 251–259
3050. V. Pless, Codes and designs—existence and uniqueness **92** (1991) 261–274
3051. C.E. Praeger, Balanced directed cycle designs based on groups **92** (1991) 275–290
3052. A. Rahilly, On the line structure of designs **92** (1991) 291–303
3053. R. Rees, The spectrum of restricted resolvable designs with $r = 2$ **92** (1991) 305–320
3054. D.G. Sarvate and R.C. Hamm, Row-column directed block designs **92** (1991) 321–328
3055. A.G. Shannon, J.C. Turner and K.T. Atanassov, A generalized tableau associated with colored convolution trees **92** (1991) 329–340
3056. M.J. Sharry and A. Penfold Street, Partitioning sets of quadruples into designs III **92** (1991) 341–359
3057. R.J. Simpson, Disjoint covering systems of rational Beatty sequences **92** (1991) 361–369
3058. D.R. Stinson, A survey of Kirkman triple systems and related designs **92** (1991) 371–393
3059. M. Sved, The geometry of the binomial array modulo p^2 and p^3 **92** (1991) 395–416
3060. W.T. Tutte, On the Birkhoff—Lewis equations **92** (1991) 417–425
3061. W.D. Wallis and J. Wu, On clique partitions of split graphs **92** (1991) 427–429
3062. H.C. Williams, Some formulas concerning the fundamental unit of a real quadratic field **92** (1991) 431–440
3063. B.J. Wilson, Minimax arcs **92** (1991) 441–450
3064. S.S. Abhyankar and S.B. Joshi, Generalized rodeletive correspondence between multitableaux and multimonomials **93** (1991) 1–17
3065. N. Hamada and M. Deza, A characterization of $\{2v_{\alpha+1} + 2v_{\beta+1}, 2v_\alpha + 2v_\beta; t, q\}$-minihypers in PG$(t, q)$ ($t \geqslant 2, q \geqslant 5$ and $0 \leqslant \alpha < \beta < t$) and its applications to error-correcting codes **93** (1991) 19–33
3066. W. Kordecki, Random subgraphs of the n-cycle and the n-wheel **93** (1991) 35
3067. I. Krasikov, On a tree-cutting problem of P. Ash **93** (1991) 55–61
3068. M. Mollard, Two characterizations of generalized hypercube **93** (1991) 63–74
3069. W. Schmidt, Greedoids and searches in directed graphs **93** (1991) 75–88
3070. F. Reverdy-Vilotitch, La reconstruction au sens de Ulam de certaines multirelations binaires (*Note*) **93** (1991) 89–95
3071. M. Stern, Dually atomistic lattices (*Note*) **93** (1991) 97–100
3072. K. Versmissen, Monohedral periodic tilings of the plane with any number of aspects (*Note*) **93** (1991) 101–108
3073. J. Abrham, Graceful 2-regular graphs and Skolem sequences **93** (1991) 115–121
3074. B.D. Acharya and S.M. Hegde, Strongly indexable graphs **93** (1991) 123–129
3075. G. Ebert, J. Hemmeter, F. Lazebnik and A. Woldar, On the number of irregular assignments on a graph **93** (1991) 131–142
3076. T. Etzion, Combinatorial designs with Costas arrays properties **93** (1991) 143–154
3077. R.A. Gibbs and P.J. Slater, Distinct distance sets in a graph **93** (1991) 155–165
3078. H. Taylor, A distinct distance set of 9 nodes in a tree of diameter 36 **93** (1991) 167–168
3079. L.H. Harper, On a problem of Kleitman and West **93** (1991) 169–182
3080. M. Hovey, A-cordial graphs **93** (1991) 183–194
3081. S.M. Lee and S.C. Shee, On Skolem graceful graphs **93** (1991) 195–200
3082. S.-M. Lee, E. Schmeichel and S.C. Shee, On felicitous graphs **93** (1991) 201–209
3083. Z. Miller and D. Pritikin, The harmonious coloring number of a graph **93** (1991) 211–228
3084. F.S. Roberts, T-colorings of graphs: recent results and open problems **93** (1991) 229–245
3085. H. Taylor, Florentine rows or left-right shifted permutation matrices with cross-correlation values $\leqslant 1$ **93** (1991) 247–260
3086. M. El-Zahar and N.W. Sauer, Ramsey-type properties of relational structures **94** (1991) 1–10
3087. H.-J. Lai, Graph whose edges are in small cycles **94** (1991) 11–22

3088. H. Niederhausen, Initial value problems in the logarithmic algebra **94** (1991) 23–37
3089. J. Širáň, Characterization of signed graphs which are cellularly embeddable in no more than one surface **94** (1991) 39–44
3090. W.C.S. Suen, On the largest strong components in m-out digraphs **94** (1991) 45–52
3091. M. Watanabe, Arrow relations on families of finite sets **94** (1991) 53–64
3092. W.E. Clark, Blocking sets in finite projective spaces and uneven binary codes (*Note*) **94** (1991) 65–68
3093. S.G. Hwang, Doubly stochastic circulant matrices (*Note*) **94** (1991) 69–74
3094. L. Kinch and J. Lehel, The irregularity strength of tP_3 (*Note*) **94** (1991) 75–79
3095. D. Hartvigsen and R. Mardon, Cycle bases from orderings and coverings **94** (1991) 81–94
3096. J. Haviland, On minimum maximal independent sets of a graph **94** (1991) 95–101
3097. S.A. Hobart, On designs related to coherent configurations of type $\begin{pmatrix} 2 & 2 \\ & 4 \end{pmatrix}$ **94** (1991) 103–127
3098. Y.H. Peng, On the chromatic uniqueness of certain bipartite graphs **94** (1991) 129–140
3099. I. Beck and S. Krogdahl, On log concave sequences (*Note*) **94** (1991) 141–145
3100. A. Granville, On a paper of Agur, Fraenkel and Klein (*Note*) **94** (1991) 147–151
3101. S. Xu, The chromatic uniqueness of complete bipartite graphs (*Note*) **94** (1991) 153–159
3102. H.-J. Bandelt and H.M. Mulder, Pseudo-median graphs: decomposition via amalgamation and Cartesian multiplication **94** (1991) 161–180
3103. H. Galeana-Sánchez and V. Neumann-Lara, Extending kernel perfect digraphs to kernel perfect critical digraphs **94** (1991) 181–187
3104. X. Li and F. Zhang, On the numbers of spanning trees and Eulerian tours in generalized de Bruijn graphs **94** (1991) 189–197
3105. X. Lu, A matching game **94** (1991) 199–207
3106. B. Manvel, A. Meyerowitz, A. Schwenk, K. Smith and P. Stockmeyer, Reconstruction of sequences **94** (1991) 209–219
3107. A. Bialostocki and P. Dieker, An isoperimetric lemma (*Note*) **94** (1991) 221–228
3108. I. Honkala, All binary codes with covering radius one are subnormal (*Note*) **94** (1991) 229–232
3109. J. Širáň, Duke's theorem does not extend to signed graph embeddings (*Note*) **94** (1991) 233–238
3110. R. Aharoni, Infinite matching theory **95** (1991) 5–22
3111. J.-M. Brochet and M. Pouzet, Gallai–Milgram properties for infinite graphs **95** (1991) 23–47
3112. P.J. Cameron, The age of a relational structure **95** (1991) 49–67
3113. R. Diestel, Decomposing infinite graphs **95** (1991) 69–89
3114. R. Halin, Bounded graphs **95** (1991) 91–99
3115. W. Imrich and N. Seifter, A survey on graphs with polynomial growth **95** (1991) 101–117
3116. H.A. Jung, Some results on ends and automorphisms of graphs **95** (1991) 119–133
3117. I. Kříž and R. Thomas, Analyzing Nash-Williams' partition theorem by means of ordinal types **95** (1991) 135–167
3118. P. Erdős and J.A. Larson, Matchings from a set below to a set above **95** (1991) 169–182
3119. E.C. Milner and K. Prikry, A partition relation for triples using a model of Todorčević **95** (1991) 183–191
3120. B. Mohar, Some relations between analytic and geometric properties of infinite graphs **95** (1991) 193–219
3121. C.St.J.A. Nash-Williams, Reconstruction of infinite graphs **95** (1991) 221–229
3122. F. Niedermeyer, f-Optimal factors of infinite graphs **95** (1991) 231–254
3123. P. Komjáth and J. Pach, Universal elements and the complexity of certain classes of infinite graphs **95** (1991) 255–270
3124. N. Polat and G. Sabidussi, Asymmetrising sets in trees **95** (1991) 271–289
3125. N. Polat, Asymmetrization of infinite trees **95** (1991) 291–301
3126. N. Robertson, P. Seymour and R. Thomas, Excluding infinite minors **95** (1991) 303–319
3127. P. Seymour and R. Thomas, An end-faithful spanning tree counterexample **95** (1991) 321–330
3128. J. Širáň, End-faithful forests and spanning trees in infinite graphs **95** (1991) 331–340
3129. H.J. Prömel, W. Thumser and B. Voigt, Fast growing functions based on Ramsey theorems **95** (1991) 341–358
3130. M.E. Watkins, Edge-transitive strips **95** (1991) 359–372
3131. W. Woess, Topological groups and infinite graphs **95** (1991) 373–384

3132. S.S. Abhyankar and S.R. Ghorpade, Young tableaux and linear independence of standard monomials in multiminors of multimatrix **96** (1991) 1–32
3133. D. Bauer, G. Fan and H.J. Veldman, Hamiltonian properties of graphs with large neighborhood unions **96** (1991) 33–49
3134. M.D. Hendy, A combinatorial description of the closest tree algorithm for finding evolutionary trees **96** (1991) 51–58
3135. F. Juhász, The asymptotic behaviour of Fiedler's algebraic connectivity for random graphs **96** (1991) 59–63
3136. K.M. Koh and C.P. Teo, The chromatic uniqueness of certain broken wheels (*Note*) **96** (1991) 65–69
3137. R.M. Pawale and S.S. Sane, A short proof of a conjecture on quasi-symmetric 3-designs (*Note*) **96** (1991) 71–74
3138. J. Topp and L. Volkmann, On graphs with equal domination and independent domination numbers (*Note*) **96** (1991) 75–80
3139. D.A. Holton, D. Lou and M.D. Plummer, On the 2-extendability of planar graphs **96** (1991) 81–99
3140. E.S. Kramer, Q.-R. Wu, S.S. Magliveras and T. van Trung, Some perpendicular arrays for arbitrarily large t **96** (1991) 101–110
3141. R.E. Peile, Inclusion transformations: (n, m)-graphs and their classification **96** (1991) 111–129
3142. L. Traldi, Generalized activities and K-terminal reliability **96** (1991) 131–149
3143. C.-Q. Zhang and Y.-J. Zhu, Long path connectivity of regular graphs **96** (1991) 151–160
3144. R.A. Brualdi and B.L. Shader, Matrices of 0's and 1's with restricted permanental minors **96** (1991) 161–174
3145. S.A. Choudum, On forcibly connected graphic sequences **96** (1991) 175–181
3146. R. Cignoli, Quantifiers on distributive lattices **96** (1991) 183–197
3147. P. Hansen and J. Kuplinsky, The smallest hard-to-color graph **96** (1991) 199–212
3148. A. Marczyk and Z. Skupień, Maximum nonhamiltonian tough graphs **96** (1991) 213–220
3149. H. Niederreiter, A combinatorial problem for vector spaces over finite fields **96** (1991) 221–228
3150. J. Topp and L. Volkmann, On packing and covering numbers of graphs **96** (1991) 229–238
3151. H. Lenz and G. Ringel, A brief review on Egmont Köhler's mathematical work **97** (1991) 3–16
3152. B. Alspach and D. Hare, Edge-pancyclic block-intersection graphs **97** (1991) 17–24
3153. K.T. Arasu, D. Jungnickel and A. Pott, Symmetric divisible designs with $k - \lambda_1 = 1$ **97** (1991) 25–38
3154. K.T. Arasu and A. Pott, Some constructions of group divisible designs with Singer groups **97** (1991) 39–45
3155. F.E. Bennett and H. Shen, On indecomposable pure Mendelsohn triple systems **97** (1991) 47–57
3156. A. Beutelspacher, A combinatorial characterization of geometric spreads **97** (1991) 59–62
3157. A. Blokhuis, A. Brouwer and H. Wilbrink, Hermitian unitals are code words **97** (1991) 63–68
3158. L. Caccetta and K. Vijayan, Long cycles in subgraphs with prescribed minimum degree **97** (1991) 69–81
3159. P.J. Cameron, Covers of graphs and EGQs **97** (1991) 83–92
3160. Y.M. Chee and G.F. Royle, The 2-rotational Steiner triple systems of order 25 **97** (1991) 93–100
3161. A.G. Chetwynd and A.J.W. Hilton, Outline symmetric latin squares **97** (1991) 101–117
3162. C.J. Colbourn and A. Hartman, Intersections and supports of quadruple systems **97** (1991) 119–137
3163. C.J. Colbourn, D.G. Hoffman and C.A. Rodger, Directed star decompositions of directed multigraphs **97** (1991) 139–148
3164. M.J. de Resmini, Some naive constructions of $S(2, 3, v)$ and $S(2, 4, v)$ **97** (1991) 149–153
3165. C. de Vroedt, On the maximum cardinality of binary constant weight codes with prescribed distance **97** (1991) 155–160
3166. C. de Vroedt, Über einen Satz von Köhler **97** (1991) 161–165
3167. R. Fuji-Hara and S. Kuriki, Mutually balanced nested designs **97** (1991) 167–176
3168. S. Furino, Difference families from rings **97** (1991) 177–190
3169. M. Gionfriddo, F. Milazzo and V. Vacirca, Transitive multipermutation graphs: case $4 \leqslant n \leqslant m$ **97** (1991) 191–198
3170. M.J. Grannell, T.S. Griggs and J.S. Phelan, On infinite Steiner systems **97** (1991) 199–202
3171. R. Halin, Tree-partitions of infinite graphs **97** (1991) 203–217
3172. H. Harborth, Plane four-regular graphs with vertex-to-vertex unit triangles **97** (1991) 219–222
3173. K. Heinrich, Simple direct constructions for hybrid triple designs **97** (1991) 223–227

3174. J.W.P. Hirschfeld and T. Szönyi, Sets in a finite plane with few intersection numbers and a distinguished point **97** (1991) 229–242
3175. D.G. Hoffman and P.J. Schellenberg, The existence of C_k-factorizations of $K_{2n} - F$ **97** (1991) 243–250
3176. J.D. Horton and G.M. Nonay, Self-orthogonal Hamilton path decompositions **97** (1991) 251–264
3177. Z. Janko and V.D. Tonchev, Cyclic 2-(91, 6, 1) designs with multiplier automorphisms **97** (1991) 265–268
3178. D. Jungnickel, R.C. Mullin and S.A. Vanstone, The spectrum of α-resolvable block designs with block size 3 **97** (1991) 269–277
3179. E.R. Lamken, On near generalized balanced tournament designs **97** (1991) 279–294
3180. M.C. Marino and R.S. Rees, On parallelism in Steiner systems **97** (1991) 295–300
3181. E. Mendelsohn and N. Shalaby, Skolem labelled graphs **97** (1991) 301–317
3182. O. Pfaff, On the simplicity of $\cdot 2$ and $\cdot 3$ **97** (1991) 319–331
3183. K.T. Phelps, A class of 2-chromatic SQS(22) **97** (1991) 333–338
3184. W.L. Piotrowski, The solution of the bipartite analogue of the Oberwolfach problem **97** (1991) 339–356
3185. R. Rees and W.D. Wallis, The spectrum of maximal sets of one-factors **97** (1991) 357–369
3186. R.-H. Schulz, A note on check character systems using Latin squares **97** (1991) 371–375
3187. H. Siemon, On the existence of cyclic Steiner Quadruple Systems SQS($2p$) **97** (1991) 377–385
3188. D.R. Stinson, Designs constructed from maximal arcs **97** (1991) 387–393
3189. M. Voigt and H. Walther, On the chromatic number of special distance graphs **97** (1991) 395–397
3190. H. Zeitler, About special classes of Steiner systems $S(2, 4, v)$ **97** (1991) 399–407
3191. L. Zhu, B. Du and X. Zhang, A few more RBIBDs with $k = 5$ and $\lambda = 1$ **97** (1991) 409–417
3192. L. Caccetta and K. Vijayan, Maximal cycles in graphs **98** (1991) 1–7
3193. W. Chen and T. Kløve, Lower bounds on multiple difference sets **98** (1991) 9–21
3194. W.-A. Jackson, F. Piper and P. Wild, Non-embedding of non prime-power unitals with point-regular group **98** (1991) 23–28
3195. H.-G. Quebbemann, On even codes **98** (1991) 29–34
3196. J. Srivastava and S. Arora, An infinite series of resolution III.2 designs for the 2^m factorial experiment **98** (1991) 35–56
3197. E. Wagneur, Moduloïds and pseudomodules 1. Dimension theory **98** (1991) 57–73
3198. A. Baranga, The contraction principle as a particular case of Kleene's fixed point theorem (*Note*) **98** (1991) 75–79
3199. J.I. Brown and D.G. Corneil, Graph properties and hypergraph colourings **98** (1991) 81–93
3200. P. Erdős, Z. Füredi and Z. Tuza, Saturated r-uniform hypergraphs **98** (1991) 95–104
3201. P.C. Fishburn and L.A. Shepp, On the FKB conjecture for disjoint intersections **98** (1991) 105–122
3202. H. Simmons, Generalized deviations of posets **98** (1991) 123–139
3203. X. Bao, On a Mouyart's conjecture (*Note*) **98** (1991) 141–145
3204. G. Koester, On 4-critical planar graphs with high edge density (*Note*) **98** (1991) 147–151
3205. P. Narendran, C. Ó'Dúnlaing and F. Otto, It is undecidable whether a finite special string-rewriting system presents a group (*Note*) **98** (1991) 153–159
3206. C.T. Hoàng, F. Maffray and M. Preissmann, New properties of perfectly orderable graphs and strongly perfect graphs **98** (1991) 161–174
3207. M. Hofmeister, Isomorphisms and automorphisms of graph coverings **98** (1991) 175–183
3208. J.-P. Roudneff, Cells with many facets in arrangements of hyperplanes **98** (1991) 185–191
3209. R. Simion and D. Ullman, On the structure of the lattice of noncrossing partitions **98** (1991) 193–206
3210. M. Truszczyński, Decompositions of graphs into forests with bounded maximum degree **98** (1991) 207–222
3211. M.-c. Cai, On some factor theorems of graphs (*Note*) **98** (1991) 223–229
3212. T. Łuczak, Cycles in random graphs (*Note*) **98** (1991) 231–236
3213. V. Petrovic and C. Thomassen, Kings in k-partite tournaments (*Note*) **98** (1991) 237–238
3214. N. Bergeron and A.M. Garsia, Zonal polynomials and domino tableaux **99** (1992) 3–15
3215. D.M. Bressoud, Unimodality of Gaussian polynomials **99** (1992) 17–24
3216. E.R. Canfield and D.M. Jackson, A D-finiteness result for products of permutations **99** (1992) 25–30
3217. H. Décoste, G. Labelle and P. Leroux, The functorial composition of species, a forgotten operation **99** (1992) 31–48
3218. J. Désarménien and D. Foata, The signed Eulerian numbers **99** (1992) 49–58

3219. M.L. Wachs, An involution for signed Eulerian numbers **99** (1992) 59–62
3220. P.H. Edelman, R. Simion and D. White, Partition statistics on permutations **99** (1992) 63–68
3221. I.P. Goulden, A linear operator for symmetric functions and tableaux in a strip with given trace **99** (1992) 69–77
3222. M.D. Haiman, Dual equivalence with applications, including a conjecture of Proctor **99** (1992) 79–113
3223. M.D. Haiman and D. Kim, A characterization of generalized staircases **99** (1992) 115–122
3224. P. Hanlon, A Markov chain on the symmetric group and Jack symmetric functions **99** (1992) 123–140
3225. G. Labelle, On asymmetric structures **99** (1992) 141–164
3226. A. Lascoux and M.-P. Schützenberger, Décompositions dans l'algèbre des différences divisées **99** (1992) 165–179
3227. K. Liang and M.L. Wachs, Mahonian statistics on labeled forests **99** (1992) 181–197
3228. S.C. Milne, Classical partition functions and the $U(n+1)$ Rogers–Selberg identity **99** (1992) 199–246
3229. A.M. Garsia, Orthogonality of Milne's polynomials and raising operators **99** (1992) 247–264
3230. J.B. Remmel, Formulas for the expansion of the Kronecker products $S_{(m,n)} \otimes S_{(1^{p-r},r)}$ and $S_{(1^k 2^l)} \otimes S_{(1^{p-r},r)}$ **99** (1992) 265–287
3231. B.E. Sagan, Inductive proofs of q-log concavity **99** (1992) 289–306
3232. J.R. Stembridge, Eulerian numbers, tableaux, and the Betti numbers of a toric variety **99** (1992) 307–320
3233. V. Strehl, Identities of Rothe–Abel–Schläfli–Hurwitz-type **99** (1992) 321–340
3234. J. Lützen, G. Sabidussi and B. Toft, Julius Petersen 1839–1910. A biography **100** (1992) 9–82
3235. M. Christiansen, J. Lützen, G. Sabidussi and B. Toft, Julius Petersen annotated bibliography **100** (1992) 83–97
3236. G. Sabidussi, Correspondence between Sylvester, Petersen, Hilbert and Klein on invariants and the factorisation of graphs 1889–1891 **100** (1992) 99–155
3237. H.M. Mulder, Julius Petersen's theory of regular graphs **100** (1992) 157–175
3238. M.D. Plummer, Matching theory—a sampler: from Dénes König to the present **100** (1992) 177–219
3239. H.L. Abbott and B. Zhou, On a conjecture of Gallai concerning complete subgraphs of k-critical graphs **100** (1992) 223–228
3240. Y. Alavi, J. Liu, J. Wang and Z. Zhang, On total covers of graphs **100** (1992) 229–233
3241. M.O. Albertson, Turán theorems with repeated degrees **100** (1992) 235–241
3242. J. Bang-Jensen, On the structure of locally semicomplete digraphs **100** (1992) 243–265
3243. M. Biró, M. Hujter and Zs. Tuza, Precoloring extension. I. Interval graphs **100** (1992) 267–279
3244. O.V. Borodin, Cyclic coloring of plane graphs **100** (1992) 281–289
3245. R.L. Brooks, C.A.B. Smith, A.H. Stone and W.T. Tutte, Determinants and current flows in electric networks **100** (1992) 291–301
3246. G. Chartrand, H. Hevia and R.J. Wilson, The ubiquitous Petersen graph **100** (1992) 303–311
3247. R. Diestel, The end structure of a graph: recent results and open problems **100** (1992) 313–327
3248. K. Cameron and J. Edmonds, Coflow polyhedra **101** (1992) 1–21
3249. P. Erdős, R.J. Faudree and C.C. Rousseau, Extremal problems involving vertices and edges on odd cycles **101** (1992) 23–31
3250. H. Fleischner, Spanning eulerian subgraphs, the Splitting Lemma, and Petersen's Theorem **101** (1992) 33–37
3251. H. Fleischner and M. Stiebitz, A solution to a colouring problem of P. Erdős **101** (1992) 39–48
3252. A. Frank, On a theorem of Mader **101** (1992) 49–57
3253. Z. Füredi, Indecomposable regular graphs and hypergraphs **101** (1992) 59–64
3254. J.G. Griggs and J.P. Hutchinson, On the r-domination number of a graph **101** (1992) 65–72
3255. H. Gropp, Enumeration of regular graphs 100 years ago **101** (1992) 73–85
3256. E. Győri and M.D. Plummer, The Cartesian product of a k-extendable and an l-extendable graph is $(k+l+1)$-extendable **101** (1992) 87–96
3257. R. Halin, Some finiteness results concerning separation in graphs **101** (1992) 97–106
3258. D. Hanson, A quick proof that $K_{10} \neq P+P+P$ **101** (1992) 107–108
3259. D. Hanson, P. Wang and L.K. Jørgensen, On cages with given degree sets **101** (1992) 109–114
3260. R.L. Hemminger and X. Yu, On 3-connected graphs with contractible edge covers of size k **101** (1992) 115–133
3261. A.J.W. Hilton and Z. Cheng, The chromatic index of a graph whose core has maximum degree two **101** (1992) 135–147

3262. F. Jaeger, A new invariant of plane bipartite cubic graphs **101** (1992) 149–164
3263. H.A. Kierstead and W.T. Trotter, Colorful induced subgraphs **101** (1992) 165–169
3264. W. Kocay, An extension of the multi-path algorithm for finding hamilton cycles **101** (1992) 171–188
3265. A.V. Kostochka, List edge chromatic number of graphs with large girth **101** (1992) 189–201
3266. D.D.-F. Liu, T-colorings of graphs **101** (1992) 203–212
3267. J. Mayer, Conjecture de Hadwiger: $k = 6$. II—Réductions de sommets de degré 6 dans les graphes 6-chromatiques contraction-critiques **101** (1992) 213–222
3268. J. Nešetřil and V. Rödl, On Ramsey graphs without bipartite subgraphs **101** (1992) 223–229
3269. K.B. Reid and W. Gu, Plurality preference digraphs realized by trees, II: On realization numbers **101** (1992) 231–249
3270. G. Sabidussi, Binary invariants and orientations of graphs **101** (1992) 251–277
3271. H. Sachs, How to calculate the number of perfect matchings in finite sections of certain infinite plane graphs **101** (1992) 279–284
3272. A. Saito, Cycles of length 2 modulo 3 in graphs **101** (1992) 285–289
3273. K. Seyffarth, Hajós' conjecture and small cycle double covers of planar graphs **101** (1992) 291–306
3274. M. Stiebitz, On Hadwiger's number—A problem of the Nordhaus–Gaddum type **101** (1992) 307–317
3275. H.J. Veldman, Cycles containing many vertices of large degree **101** (1992) 319–325
3276. D.R. Woodall, An inequality for chromatic polynomials **101** (1992) 327–331
3277. D.R. Woodall, A zero-free interval for chromatic polynomials **101** (1992) 333–341
3278. D.A. Youngs, Gallai's problem on Dirac's construction **101** (1992) 343–350
3279. J. Bang-Jensen and B. Toft, Unsolved problems presented at the Julius Petersen Graph Theory Conference **101** (1992) 351–360
3280. L. Collatz, The 93 classes of equitilings of the plane with characteristics $\geqslant 3$ **102** (1992) 1–11
3281. S. Foldes, I. Rival and J. Urrutia, Light sources, obstructions and spherical orders **102** (1992) 13–23
3282. G.M. Hamilton and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets I: split systems **102** (1992) 25–45
3283. G.R.T. Hendry, An Ore-type sufficient condition for a bipancyclic ordering **102** (1992) 47–49
3284. X. Yu, On several symmetry conditions for graphs **102** (1992) 51–59
3285. J.H.E. Cohn, A D-optimal design of order 102 (*Communication*) **102** (1992) 61–65
3286. C.T. Hoàng, F. Maffray, S. Olariu and M. Preissmann, A charming class of perfectly orderable graphs (*Communication*) **102** (1992) 67–74
3287. P. Kleinschmidt and S. Onn, On the diameter of convex polytopes (*Communication*) **102** (1992) 75–77
3288. S.X. Sun and C. Payan, Sur l'immersion gracieuse de K_N dans Q_n (*Communication*) **102** (1992) 79–83
3289. D. Zeilberger, A proof of Julian West's conjecture that the number of two-stack-sortable permutations of length n is $2(3n)!/((n+1)!(2n+1)!)$ (*Communication*) **102** (1992) 85–93
3290. O.V. Borodin, Diagonal coloring of the vertices of triangulations (*Note*) **102** (1992) 95–96
3291. O.V. Borodin and J. Mayer, Decomposition of K_{13} into a torus graph and a graph imbedded in the Klein bottle (*Note*) **102** (1992) 97–98
3292. J.I. Brown, A vertex critical graph without critical edges (*Note*) **102** (1992) 99–101
3293. L. Cai and D. Corneil, On cycle double covers of line graphs (*Note*) **102** (1992) 103–106
3294. M.R. Hart and X. Yu, On a problem of Hendry (*Note*) **102** (1992) 107–108
3295. F. Sterboul, Letter to the editor **66** (1987) 319–320
3296. A. Astié-Vidal and V. Dugat, Near-homogeneous tournaments and permutation groups **102** (1992) 111–120
3297. L. Caccetta and W.F. Smyth, Graphs of maximum diameter **102** (1992) 121–141
3298. Y. Crama, L. Loebl and S. Poljak, A decomposition of strongly unimodular matrices into incidence matrices of digraphs **102** (1992) 143–147
3299. J. Hammer and D.G. Sarvate, Generalizations of results of Stanton on BIBDs **102** (1992) 149–154
3300. O. Heden, On the modular n-queen problem **102** (1992) 155–161
3301. B. Jackson, H. Li and Y. Zhu, Dominating cycles in regular 3-connected graphs **102** (1992) 163–176
3302. A. Baartmans, W. Wallis and J. Yucas, A geometric construction of the Steiner system $S(4, 7, 23)$ **102** (1992) 177–186
3303. W. Myrvold, The degree sequence is reconstructible from $n-1$ cards **102** (1992) 187–196
3304. E. Wilkeit, The retracts of Hamming graphs **102** (1992) 197–218
3305. D. Amar, A condition for a hamiltonian bipartite graph to be bipancyclic **102** (1992) 221–227

3306. E. Barcucci and M.C. Verri, Some more properties of Catalan numbers **102** (1992) 229–237
3307. R.A. Brualdi, N. Cai and V.S. Pless, Orphan structure of the first-order Reed–Muller codes **102** (1992) 239–247
3308. P. Erdős and A. Sárközy, Arithmetic progressions in subset sums **102** (1992) 249–264
3309. B.M. Landman, Ramsey functions related to the van der Waerden numbers **102** (1992) 265–278
3310. D. Marušič, R. Scapellato and N.Z. Salvi, Generalized Cayley graphs **102** (1992) 279–285
3311. L.S. Moss, Distanced graphs **102** (1992) 287–305
3312. J. Sheehan, Balanced graphs with minimum degree constraints **102** (1992) 307–314
3313. D.R. Woodall, Local and global proportionality **102** (1992) 315–328
3314. H.-J. Bandelt, Graphs with edge-preserving majority functions **103** (1992) 1–5
3315. J.A. Davis, Construction of relative difference sets in p-groups **103** (1992) 7–15
3316. R.J. Faudree, R.J. Gould, M.S. Jacobson, L.M. Lesniak and T.E. Lindquester, On independent generalized degrees and independence numbers in $K(1, m)$-free graphs **103** (1992) 17–24
3317. P.C. Fishburn and W.T. Trotter, Linear extensions of semiorders: A maximization problem **103** (1992) 25–40
3318. A. Gyárfás, Graphs with k odd cycle lengths **103** (1992) 41–48
3319. L. Kauffman and S. Lins, Decomposition of the vertex group of 3-manifolds **103** (1992) 49–55
3320. N. Polat, A minimax theorem for infinite graphs with ideal points **103** (1992) 57–65
3321. N. Ray and C. Wright, Umbral interpolation and the addition/contraction tree for graphs **103** (1992) 67–74
3322. M. Yamada, Supplementary difference sets and Jacobi sums **103** (1992) 75–90
3323. J.D. Currie, Connectivity of distance graphs (*Note*) **103** (1992) 91–94
3324. W. McCuaig, Cycles through edges in cyclically k-connected cubic graphs (*Note*) **103** (1992) 95–98
3325. J.M. Pallo, Une bijection entre arbres binaires et certaines matrices de Jacobi (*Note*) **103** (1992) 99–101
3326. M. Tkáč, Shortness coefficients of simple 3-polytopal graphs with edges of only two types (*Note*) **103** (1992) 103–110
3327. N. Alon and D.J. Kleitman, Partitioning a rectangle into small perimeter rectangles **103** (1992) 111–119
3328. A.M. Assaf, A. Hartman and N. Shalaby, Packing designs with block size 6 and index 5 **103** (1992) 121–128
3329. F.E. Bennett, K.T. Phelps, C.A. Rodger, J. Yin and L. Zhu, Existence of perfect Mendelsohn designs with $k = 5$ and $\lambda > 1$ **103** (1992) 129–137
3330. F.E. Bennett, K.T. Phelps, C.A. Rodger and L. Zhu, Constructions of perfect Mendelsohn designs **103** (1992) 139–151
3331. J.G. del Greco, Characterizing bias matroids **103** (1992) 153–159
3332. A.D. Gardiner, C.D. Godsil, A.D. Hensel and G.F. Royle, Second neighbourhoods of strongly regular graphs **103** (1992) 161–170
3333. Y.O. Hamidoune, On a subgroup contained in some words with a bounded length **103** (1992) 171–176
3334. G.W. Peck and A. Shastri, Bandwidth of theta graphs with short paths **103** (1992) 177–187
3335. P. Préa, Graphs and topologies on discrete sets **103** (1992) 189–197
3336. E. Prisner, Convergence of iterated clique graphs **103** (1992) 199–207
3337. Q. Yu, Classifying 2-extendable generalized Petersen graphs **103** (1992) 209–220
3338. S. Akkari, A minimal 3-connectedness result for matroids **103** (1992) 221–232
3339. Z. Füredi and P. Hajnal, Davenport–Schinzel theory of matrices **103** (1992) 233–251
3340. A. Gardiner, Almost rank three graphs **103** (1992) 253–257
3341. D.E. Loeb, A generalization of the Stirling numbers **103** (1992) 259–269
3342. C. Payan, On the chromatic number of cube-like graphs **103** (1992) 271–277
3343. R.M. Roth and A. Lempel, t-Sum generators of finite Abelian groups **103** (1992) 279–292
3344. L.A. Székely, L.H. Clark and R.C. Entringer, An inequality for degree sequences **103** (1992) 293–300
3345. M. Truszczynski and Z. Tuza, Rado's Selection Principle: applications to binary relations, graph and hypergraph colorings and partially ordered sets **103** (1992) 301–312
3346. D.C. Fisher and J. Ryan, Bounds on the number of complete subgraphs (*Note*) **103** (1992) 313–320
3347. J. Haviland and A. Thomason, On testing the 'pseudo-randomness' of a hypergraph (*Note*) **103** (1992) 321–327
3348. Y. Caro, On zero-sum Ramsey numbers — stars **104** (1992) 1–6

3349. W.Y.C. Chen and G.-C. Rota, q-Analogs of the inclusion-exclusion principle and permutations with restricted position **104** (1992) 7–22
3350. M. Conforti and M.R. Rao, Articulation sets in linear perfect matrices I: forbidden configurations and star cutsets **104** (1992) 23–47
3351. W. de Launey, Generalised Hadamard matrices which are developed modulo a group **104** (1992) 49–65
3352. N. Hamada and T. Helleseth, A characterization of some $\{2v_{\alpha+1}+v_{\gamma+1}, 2v_\alpha+v_\gamma; k-1, 3\}$-minihypers and some $(n, k, 3^{k-1}-2\cdot 3^\alpha-3^\gamma; 3)$-codes ($k\geqslant 3, 0\leqslant\alpha<\gamma<k-1$) meeting the Griesmer bound **104** (1992) 67–81
3353. C.C. Lindner and C.A. Rodger, 2-Perfect m-cycle systems **104** (1992) 83–90
3354. P.J. Lorimer and W. Solomon, The Ramsey numbers for stripes and complete graphs 1 **104** (1992) 91–97
3355. H. Niederhausen, Fast Langrange inversion, with an application to factorial numbers **104** (1992) 99–110
3356. D. Archdeacon, The medial graph and voltage-current duality **104** (1992) 111–141
3357. L.B. Beasley and N.J. Pullman, Linear operators that strongly preserve graphical properties of matrices **104** (1992) 143–157
3358. H. Enomoto, H. Mizutani and N. Tokushige, A word problem in Artin semigroups **104** (1992) 159–166
3359. J.R. Griggs and M. Wu, Spanning trees in graphs of minimum degree 4 or 5 **104** (1992) 167–183
3360. H. Servatius, An Artin relation of length n in the braid group **104** (1992) 185–189
3361. M. Kochol, The notion and basic properties of M-transversals (*Note*) **104** (1992) 191–196
3362. N.-Z. Li and E.G. Whitehead Jr., The chromatic uniqueness of W_{10} (*Note*) **104** (1992) 197–199
3363. Y. Qiu and X.F. Jia, The maximum size of graphs satisfying a degree condition (*Note*) **104** (1992) 201–204
3364. Y. Shi, The number of edges in a maximum cycle-distributed graph (*Note*) **104** (1992) 205–209
3365. D.G. Wagner, On the perfect one-factorization conjecture (*Note*) **104** (1992) 211–215
3366. M.-c. Cai, A remark on the number of vertices of degree k in a minimally k-edge-connected graph **104** (1992) 221–226
3367. A. Hartman and Z. Yehudai, Intersections of Steiner quadruple systems **104** (1992) 227–244
3368. Y. Kohayakawa and J. Wojciechowski, On small graphs with highly imperfect powers **104** (1992) 245–261
3369. H. Oral, Self-orthogonal codes with distance four are not rigid **104** (1992) 263–271
3370. K.T. Phelps and M.J. de Resmini, Partitioning twofold triple systems into complete arcs **104** (1992) 273–280
3371. T. Wang and H. Sachs, A contribution to the theory of Tutte's V- and W-function **104** (1992) 281–292
3372. J.A. Wiseman, On the intersection rank of a graph **104** (1992) 293–305
3373. R. Fröberg, A characterization of k-trees (*Note*) **104** (1992) 307–309
3374. D. McQuillan and R.B. Richter, On the crossing numbers of certain generalized Petersen graphs (*Note*) **104** (1992) 311–320
3375. Z.-W. Sun, On disjoint residue classes (*Note*) **104** (1992) 321–326
3376. X. Yu, Ends in spanning trees (*Note*) **104** (1992) 327–328
3377. G. Behrendt, Automorphism groups of posets with forbidden subposets **105** (1992) 1–11
3378. A. Del Fra and D. Ghinelli, Classification of extended generalized quadrangles with maximum diameter **105** (1992) 13–23
3379. J.D. Dixon, Random sets which invariably generate the symmetric group **105** (1992) 25–39
3380. R.J. Douglas, NP-completeness and degree restricted spanning trees **105** (1992) 41–47
3381. M. Erné, The number of partially ordered sets with more points than incomparable pairs **105** (1992) 49–60
3382. R.J. Faudree, R.J. Gould, M.S. Jacobson and L.M. Lesniak, Neighborhood unions and a generalization of Dirac's theorem **105** (1992) 61–71
3383. J. Fonlupt, A.R. Mahjoub and J.P. Uhry, Compositions in the bipartite subgraph polytope **105** (1992) 73–91
3384. C.T. Hoàng and F. Maffray, On slim graphs, even pairs, and star-cutsets **105** (1992) 93–102
3385. Z. Jackowski, A new characterization of proper interval graphs **105** (1992) 103–109
3386. K.W. Johnson, Latin square determinants II **105** (1992) 111–130
3387. J. Ho Kwak and J. Lee, Isomorphism classes of cycle permutation graphs **105** (1992) 131–142
3388. D.E. Loeb, A generalization of the binomial coefficients **105** (1992) 143–156

3389. Y. Manoussakis and D. Amar, Hamiltonian paths and cycles, number of arcs and independence number in digraphs **105** (1992) 157–172
3390. J. Oxley and G. Whittle, Connectivity of submodular functions **105** (1992) 173–184
3391. A. Ruciński, Matching and covering the vertices of a random graph by copies of a given graph **105** (1992) 185–197
3392. R.A. Stevenson, Dilworth truncations and k-induced matroids **105** (1992) 199–205
3393. D.R. Stinson and Y.J. Wei, Some results on quadrilaterals in Steiner triple systems **105** (1992) 207–219
3394. E.L. Tan, Some notes on cycles graphs **105** (1992) 221–226
3395. S.M. Tanny, A well-behaved cousin of the Hofstadter sequence **105** (1992) 227–239
3396. I. Tomescu, Ordered h-hypertrees **105** (1992) 241–248
3397. T. Ueda, Circular nonsingular threshold transformations **105** (1992) 249–258
3398. P. Wójcik, Density of union-closed families **105** (1992) 259–267
3399. D.R. Woodall, Cycle lengths and circuit matroids of graphs **105** (1992) 269–273
3400. X. Yu, Cyclomatic numbers of connected induced subgraphs **105** (1992) 275–284
3401. F. Zhang and X. Guo, Reducible chains in several types of 2-connected graphs **105** (1992) 285–291
3402. I.E. Zverovich and V.E. Zverovich, Contributions to the theory of graphic sequences **105** (1992) 293–303
3403. M. Bača, On magic labelings of honeycomb (*Note*) **105** (1992) 305–311
3404. J. Lahtonen, An optimal polynomial for a covering radius problem (*Note*) **105** (1992) 313–317
3405. V.I. Rodionov, On the number of labeled acyclic digraphs (*Note*) **105** (1992) 319–321
3406. X.-Y. Su, A result on decompositions of regular graphs (*Note*) **105** (1992) 323–326
3407. E.H.L. Aarts and P.J.M. van Laarhoven, Local search in coding theory **106/107** (1992) 11–18
3408. K.T. Arasu and A. Pott, Cyclic affine planes and Paley difference sets **106/107** (1992) 19–23
3409. E.F. Assmus Jr., On the Reed–Muller codes **106/107** (1992) 25–33
3410. R.E. Blahut, A note on binary cyclic codes of blocklength 63 **106/107** (1992) 35–43
3411. V.M. Blinovsky, List decoding **106/107** (1992) 45–51
3412. A. Blokhuis and A.E. Brouwer, Locally $K_{3,3}$ or Petersen graphs **106/107** (1992) 53–60
3413. A. Blokhuis and T. Szönyi, Note on the structure of semiovals in finite projective planes **106/107** (1992) 61–65
3414. C.J. Bouwkamp, On some new simple perfect squared squares **106/107** (1992) 67–75
3415. A.E. Brouwer and W.H. Haemers, Structure and uniqueness of the (81, 20, 1, 6) strongly regular graph **106/107** (1992) 77–82
3416. A.E. Brouwer, H.A. Wilbrink and W.H. Haemers, Some 2-ranks **106/107** (1992) 83–92
3417. A.A. Bruen and J.C. Fisher, An observation on certain point-line configurations in classical planes **106/107** (1992) 93–96
3418. N.G. de Bruijn, Penrose patterns are almost entirely determined by two points **106/107** (1992) 97–104
3419. A.R. Calderbank, Covering machines **106/107** (1992) 105–110
3420. P.J. Cameron, Almost all quasigroups have rank 2 **106/107** (1992) 111–115
3421. P.V. Ceccherini and J.W.P. Hirschfeld, The dimension of projective geometry codes **106/107** (1992) 117–126
3422. F. De Clerck and N.L. Johnson, Subplane covered nets and semipartial geometries **106/107** (1992) 127–134
3423. P.J. Cameron and A.M. Cohen, On the number of fixed point free elements in a permutation group **106/107** (1992) 135–138
3424. A.M. Cohen and B.N. Cooperstein, Generalized hexagons of even order **106/107** (1992) 139–146
3425. G.D. Cohen and S.N. Litsyn, On the covering radius of Reed–Muller codes **106/107** (1992) 147–155
3426. J. Dénes and A.D. Keedwell, A new authentication scheme based on latin squares **106/107** (1992) 157–161
3427. M. Deza and M. Laurent, Extension operations for cuts **106/107** (1992) 163–179
3428. P. Diaconis and R. Graham, Binomial coefficient codes over GF(2) **106/107** (1992) 181–188
3429. S. Dolinar, T.-M. Ko and R. McEliece, Some VLSI decompositions of the de Bruijn graph **106/107** (1992) 189–198
3430. T. Ericson and V. Zinoviev, On spherical codes generating the kissing number in dimensions 8 and 24 **106/107** (1992) 199–207
3431. G. van der Geer and M. van der Vlugt, Weight distributions for a certain class of codes and maximal curves **106/107** (1992) 209–218

3432. S.W. Golomb, Probability, information theory, and prime number theory **106/107** (1992) 219–229
3433. D. Hachenberger and D. Jungnickel, Translation nets: a survey **106/107** (1992) 231–242
3434. J.I. Hall, Local indecomposability of certain geometric graphs **106/107** (1992) 243–254
3435. R.H. Hardin and N.J.A. Sloane, New spherical 4-designs **106/107** (1992) 255–264
3436. T. Helleseth, Projective codes meeting the Griesmer bound **106/107** (1992) 265–271
3437. R. Hill and J.P. Karim, Searching with lies: the Ulam problem **106/107** (1992) 273–283
3438. A.J. Hoffman, On simple combinatorial optimization problems **106/107** (1992) 285–289
3439. I. Honkala, On lengthening of covering codes **106/107** (1992) 291–295
3440. W.M. Kantor, Kerdock codes and related planes **106/107** (1992) 297–302
3441. D.A. Klarner and K. Post, Some fascinating integer sequences **106/107** (1992) 303–309
3442. T. Kløve, Support weight distribution of linear codes **106/107** (1992) 311–316
3443. I.N. Landgev, On block design with repeated blocks **106/107** (1992) 317–328
3444. H.W. Lenstra Jr., On the inverse Fermat equation **106/107** (1992) 329–331
3445. A.C. Lobstein, On perfect arithmetic codes **106/107** (1992) 333–336
3446. J.L. Massey, Linear codes with complementary duals **106/107** (1992) 337–342
3447. H.F. Mattson Jr., Fault-detection in networks **106/107** (1992) 343–352
3448. A. Neumaier, Completely regular codes **106/107** (1992) 353–360
3449. H. Niederreiter, Orthogonal arrays and other combinatorial aspects in the theory of uniform point distributions in unit cubes **106/107** (1992) 361–367
3450. R. Pellikaan, On decoding by error location and dependent sets of error positions **106/107** (1992) 369–381
3451. F. Piper and P. Wild, Incidence structures applied to cryptography **106/107** (1992) 383–389
3452. V. Pless, More on the uniqueness of the Golay codes **106/107** (1992) 391–398
3453. D.K. Ray-Chaudhuri and T. Zhu, A recursive method for construction of designs **106/107** (1992) 399–406
3454. J.P.M. Schalkwijk, Some aspects of the information theoretic dialogue **106/107** (1992) 407–413
3455. A. Schrijver, Circuits in graphs embedded on the torus **106/107** (1992) 415–433
3456. J.J. Seidel, A note on path-zero graphs **106/107** (1992) 435–438
3457. J. Simonis, The [18, 9, 6] code is unique **106/107** (1992) 439–448
3458. E. Spence, Is Taylor's graph geometric? **106/107** (1992) 449–454
3459. L. Storme and J.A. Thas, Complete k-arcs in PG(n, q), q even **106/107** (1992) 455–469
3460. A. Tietäväinen, On the cardinality of sets of sequences with given maximum correlation **106/107** (1992) 471–477
3461. H.C.A. van Tilborg, Fire codes revisited **106/107** (1992) 479–482
3462. L.M.G.M. Tolhuizen and C.P.M.J. Baggen, On the weight enumerator of product codes **106/107** (1992) 483–488
3463. V.D. Tonchev, Some small non-embeddable designs **106/107** (1992) 489–492
3464. V.D. Tonchev and S.A. Vanstone, On Kirkman triple systems of order 33 **106/107** (1992) 493–496
3465. J.K. Wolf, Efficient circuits for multiplying in GF(2^m) for certain values of m **106/107** (1992) 497–502
3466. B. Balcar and P. Simon, Reaping number and π-character of Boolean algebras **108** (1992) 5–12
3467. A. Fedeli, J. Reiterman and A. Tozzi, On w_α-compactness **108** (1992) 13–23
3468. A. Fernández and V. Müller, Embedding of a separable locally pseudoconvex algebra into a locally pseudoconvex algebra with two generators **108** (1992) 25–30
3469. J. Gerlits, A. Hajnal and Z. Szentmiklóssy, On the cardinality of certain Hausdorff spaces **108** (1992) 31–35
3470. J. Gil, W. Steiger and A. Wigderson, Geometric medians **108** (1992) 37–51
3471. T. Jech, The logarithmic distribution of leading digits and finitely additive measures **108** (1992) 53–57
3472. I. Kříž, All trapezoids are Ramsey **108** (1992) 59–62
3473. J. Paseka, Products in the category of locales: which properties are preserved? **108** (1992) 63–73
3474. J. Pelant and V. Rödl, On coverings of infinite-dimensional metric spaces **108** (1992) 75–81
3475. H.J. Prömel and B. Voigt, From wqo to bqo, via Ellentuck's theorem **108** (1992) 83–106
3476. A. Pultr, Notes on an extension of the structure of frame **108** (1992) 107–114
3477. P. Valtr, Sets in $\mathbb{R}^d$ with no large empty convex subsets **108** (1992) 115–124
3478. P. Vojtáš, Cardinalities of noncentered systems of subsets of ω **108** (1992) 125–129

3479. J. Adámek and J. Rosický, On orthogonal subcategories of locally presentable categories **108** (1992) 133–137
3480. A. Björner and J. Karlander, Invertibility of the base Radon transform of a matroid **108** (1992) 139–147
3481. M. Fiedler, An extremal problem for the spectral radius of a graph **108** (1992) 149–158
3482. W. Imrich and J. Nešetřil, Simple tournaments and sharply transitive groups **108** (1992) 159–165
3483. H. Maehara, Extending a flexible unit-bar framework to a rigid one **108** (1992) 167–174
3484. V. Pták, Thickness of families of sets and a minimax lemma **108** (1992) 175–181
3485. A. Recski, Applications of combinatorics to statics—a second survey **108** (1992) 183–188
3486. J. Širáň and M. Škoviera, Groups with sign structure and their antiautomorphisms **108** (1992) 189–202
3487. V. Trnková, Endomorphisms of undirected modifications of directed graphs **108** (1992) 203–209
3488. J. Vinárek, Simultaneous representations of groups **108** (1992) 211–216
3489. R. Adamec, M. Klazar and P. Valtr, Generalized Davenport–Schinzel sequences with linear upper bound **108** (1992) 219–229
3490. L.D. Andersen, The strong chromatic index of a cubic graph is at most 10 **108** (1992) 231–252
3491. P. Bugata, Trahtenbrot–Zykov problem and NP-completeness **108** (1992) 253–259
3492. R.A. Duke, P. Erdős and V. Rödl, Cycle-connected graphs **108** (1992) 261–278
3493. P. Erdős, T. Gallai and Z. Tuza, Covering the cliques of a graph with vertices **108** (1992) 279–289
3494. P. Frankl, On cross-intersecting families **108** (1992) 291–295
3495. P. Hell and D.J. Miller, Achromatic numbers and graph operations **108** (1992) 297–305
3496. S. Janson and J. Kratochvíl, Thresholds for classes of intersection graphs **108** (1992) 307–326
3497. J. Jirásek, Some remarks on Ádám's conjecture for simple directed graphs **108** (1992) 327–332
3498. M. Loebl, Unprovable combinatorial statements **108** (1992) 333–342
3499. J. Matoušek and R. Thomas, On the complexity of finding iso- and other morphisms for partial k-trees **108** (1992) 343–364
3500. M. Middendorf and F. Pfeiffer, The max clique problem in classes of string-graphs **108** (1992) 365–372
3501. V. Nýdl, Finite undirected graphs which are not reconstructible from their large cardinality subgraphs **108** (1992) 373–377
3502. S. Poljak and D. Turzík, Max-cut in circulant graphs **108** (1992) 379–392
3503. A.A. Razborov, The gap between the chromatic number of a graph and the rank of its adjacency matrix is superlinear **108** (1992) 393–396
3504. Z. Tuza, Asymptotic growth of sparse saturated structures is locally determined **108** (1992) 397–402
3505. F. Aurenhammer and J. Hagauer, Computing equivalence classes among the edges of a graph with applications **109** (1992) 3–12
3506. H.-J. Bandelt and H.M. Mulder, Pseudo-median graphs are join spaces **109** (1992) 13–26
3507. J. Bang-Jensen, P. Hell and G. MacGillivray, On the complexity of colouring by superdigraphs of bipartite graphs **92** (1992) 27–44
3508. M. Böttcher and U. Knauer, Endomorphism spectra of graphs **109** (1992) 45–57
3509. P.K. Das and A. Rosa, Halving Steiner triple systems **109** (1992) 59–67
3510. C. Droms, B. Servatius and H. Servatius, Groups assembled from free and direct products **109** (1992) 69–75
3511. J. Feigenbaum and A.A. Schäffer, Finding the prime factors of strong direct product graphs in polynomial time **109** (1992) 77–102
3512. H. Fleischner, G. Sabidussi and E. Wenger, Transforming eulerian trails **109** (1992) 103–116
3513. P. Hell and J. Nešetřil, The core of a graph **109** (1992) 117–126
3514. B. Hochstrasser, A note on Winkler's algorithm for factoring a connected graph **109** (1992) 127–132
3515. W. Hohberg, The decomposition of graphs into k-connected components **109** (1992) 133–145
3516. W. Imrich and S. Klavžar, Retracts of strong products of graphs **109** (1992) 147–154
3517. S. Klavžar, Two remarks on retracts of graph products **109** (1992) 155–160
3518. D. Marušič and R. Scapellato, A class of non-Cayley vertex-transitive graphs associated with PSL(2, p) **109** (1992) 161–170
3519. B. Mohar, Laplace eigenvalues of graphs—a survey **109** (1992) 171–183
3520. J.G. Oxley and D.J.A. Welsh, Tutte polynomials computable in polynomial time **109** (1992) 185–192
3521. M.A. Picardello, M.H. Taibleson and W. Woess, Harmonic measure of the planar Cantor set from the viewpoint of graph theory **109** (1992) 193–202
3522. T. Pisanski, Orientable quadrilateral embeddings of products of graphs **109** (1992) 203–205

3523. M.D. Plummer, Extending matchings in planar graphs IV **109** (1992) 207–219
3524. N. Polat, Similarity and asymmetrization of trees **109** (1992) 221–238
3525. A. Pultr, On Sabidussi–Fawcett subdirect representation **109** (1992) 239–253
3526. I. Rival and J. Urrutia, Representing orders by moving figures in space **109** (1992) 255–263
3527. M. Škoviera and J. Širáň, Regular maps from Cayley graphs, Part 1: Balanced Cayley maps **109** (1992) 265–276
3528. J.D.H. Smith, Quasigroups and quandles **109** (1992) 277–282
3529. C. Tardif, Prefibers and the cartesian product of metric spaces **109** (1992) 283–288
3530. M.E. Watkins, Some conditions for 1-transitivity **109** (1992) 289–296
3531. P.M. Weichsel, Distance regular subgraphs of a cube **109** (1992) 297–306
3532. J. Zaks, Uniform distances in rational unit-distance graphs **109** (1992) 307–311
3533. A. Bialostocki and P. Dierker, On the Erdös–Ginsburg–Ziv theorem and the Ramsey numbers for stars and matchings **110** (1992) 1–8
3534. G. Burosch, I. Havel and J.-M. Laborde, Distance monotone graphs and a new characterization of hypercubes **110** (1992) 9–16
3535. O.M. Carducci, The strong perfect graph conjecture holds for diamonded odd cycle-free graphs **110** (1992) 17–34
3536. D. Chen, C.C. Lindner and D.R. Stinson, Further results on large sets of disjoint group-divisible designs **110** (1992) 35–42
3537. F. Chung, P. Diaconis and R. Graham, Universal cycles for combinatorial structures **110** (1992) 43–59
3538. M. Cochand, A. Gaillard and H. Gröflin, Lattice matrices, intersection of ring families and dicuts **110** (1992) 61–80
3539. M. Conforti and M.R. Rao, Articulation sets in linear perfect matrices II: the wheel theorem and clique articulations **110** (1992) 81–118
3540. J. Francke and J.J.H. Meijers, Super-visible codes **110** (1992) 119–134
3541. T. Hayasaka, S. Saito and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets II: systems without splits **110** (1992) 135–154
3542. S. Kuriki, System of equations related to the existence conditions for arrays **110** (1992) 155–164
3543. H.-J. Lai and H. Lai, Duality in graph families **110** (1992) 165–177
3544. H.-J. Lai and C.-Q. Zhang, Nowhere-zero 3-flows of highly connected graphs **110** (1992) 179–183
3545. N.-Z. Li, On graphs having σ-polynomials of the same degree **110** (1992) 185–196
3546. X. Lu, A characterization on n-critical economical generalized tic-tac-toe games **110** (1992) 197–203
3547. F. Maurin, Balanced generalized handcuffed designs **110** (1992) 205–213
3548. L.A. Nowitz, A non-Cayley-invariant Cayley graph of the elementary Abelian group of order 64 **110** (1992) 223–228
3549. Y. Zhu and H. Li, Hamilton cycles in regular 3-connected graphs **110** (1992) 229–249
3550. H. Galeana-Sánchez, On the existence of kernels and h-kernels in directed graphs (*Communication*) **110** (1992) 251–255
3551. J.L. Malouf, An integer sequence from a rational recursion (*Communication*) **110** (1992) 257–261
3552. E. Spence and V.D. Tonchev, Extremal self-dual codes from symmetric designs (*Communication*) **110** (1992) 265–268
3553. Y. Egawa and P.D. Vestergaard, Spanning trees in a cactus (*Note*) **110** (1992) 269–274
3554. D.C. Fisher and J. Ryan, Bounds on the largest root of the matching polynomial (*Note*) **110** (1992) 275–278
3555. M. de Graaf, A. Schrijver and P.D. Seymour, Directed triangles in directed graphs (*Note*) **110** (1992) 279–282
3556. F.C. Holroyd, Reconstructing finite group actions and characters from subgroup information (*Note*) **110** (1992) 283–287
3557. S. Olariu, On sources in comparability graphs, with applications (*Note*) **110** (1992) 289–292
3558. J.-y. Shao and W.-d. Wei, A formula for the number of Latin squares (*Note*) **110** (1992) 293–296
3559. Y. Alavi, J. Liu and J. Wang, Highly irregular digraphs **111** (1993) 3–10
3560. B. Alspach and C.-Q. Zhang, Cycle covers of cubic multigraphs **111** (1993) 11–17
3561. D. Amar, Applying a condition for a hamiltonian bipartite graph to be bipancyclic **111** (1993) 19–25
3562. A. Astié-Vidal and V. Dugat, Autonomous parts and decomposition of regular tournaments **111** (1993) 27–36

3563. G. Bacsó and Z. Tuza, Domination properties and induced subgraphs **111** (1993) 37–40
3564. L. Balcza, Sum of lengths of inversions in permutations **111** (1993) 41–48
3565. J.-P. Barthélemy and J. Constantin, Median graphs, parallelism and posets **111** (1993) 49–63
3566. J. Borges and J. Rifà, A note about multidesigns and extended designs **111** (1993) 65–69
3567. M. Borowiecki and E. Drgas-Burchardt, Classes of chromatically unique graphs **111** (1993) 71–75
3568. C. Carlet, A general case of formal duality between binary nonlinear codes **111** (1993) 77–85
3569. Y. Caro and Z. Tuza, Bounded degrees and prescribed distances in graphs **111** (1993) 87–93
3570. I.M. Chakravarti, Geometric construction of some families of two-class and three-class association schemes and codes from nondegenerate and degenerate Hermitian varieties **111** (1993) 95–103
3571. C. Chameni Nembua and B. Monjardet, Finite pseudocomplemented lattices and 'permutoedre' **111** (1993) 105–112
3572. C.C. Chen, K.M. Koh and Y.H. Peng, On the higher-order edge toughness of a graph **111** (1993) 113–123
3573. F.R.K. Chung and R.L. Graham, On hypergraphs having evenly distributed subhypergraphs **111** (1993) 125–129
3574. R. Cordovil and M.L. Moreira, A homotopy theorem on oriented matroids **111** (1993) 131–136
3575. I.P.F. da Silva, On fillings of $2N$-gons with rhombi **111** (1993) 137–144
3576. C. Delorme and S. Poljak, The performance of an eigenvalue bound on the max-cut problem in some classes of graphs **111** (1993) 145–156
3577. J. Dénes and G.L. Mullen, Enumeration formulas for latin and frequency squares **111** (1993) 157–163
3578. R.B. Eggleton, A.S. Fraenkel and R.J. Simpson, Beatty sequences and Langford sequences **111** (1993) 165–178
3579. P.L. Erdős, A new bijection on rooted forests **111** (1993) 179–188
3580. P. Erdős, Z. Füredi, J. Pach and I.Z. Ruzsa, The grid revisited **111** (1993) 189–196
3581. O. Favaron, M. Mahéo and J.-F. Saclé, Some eigenvalue properties in graphs (conjectures of Graffiti — II) **111** (1993) 197–220
3582. E. Flandrin, J.L. Fouquet and H. Li, On hamiltonian claw-free graphs **111** (1993) 221–229
3583. A. Frank, Submodular functions in graph theory **111** (1993) 231–243
3584. K. Fukuda and K. Handa, Antipodal graphs and oriented matroids **111** (1993) 245–256
3585. C. Garcia and P. Solé, Diameter lower bounds for Waring graphs and multiloop networks **111** (1993) 257–261
3586. M. Gionfriddo and G. Lo Faro, 2-Colourings in $S(t, t+1, v)$ **111** (1993) 263–268
3587. H. Gropp, Configurations and graphs **111** (1993) 269–276
3588. A. Guénoche, Enumération des partitions de diamètre minimum **111** (1993) 277–287
3589. M. Habib, M. Morvan and J.-X. Rampon, On the calculation of transitive reduction–closure of orders **111** (1993) 289–303
3590. P. Hansen, A. Hertz and J. Kuplinsky, Bounded vertex colorings of graphs **111** (1993) 305–312
3591. P. Hell and K. Seyffarth, Largest planar graphs of diameter two and fixed maximum degree **111** (1993) 313–322
3592. A.J.W. Hilton, Recent results on the total chromatic number **111** (1993) 323–331
3593. P. Jégou and M.-C. Vilarem, On some partial line graphs of a hypergraph and the associated matroid **111** (1993) 333–344
3594. B. Leclerc, Lattice valuations, medians and majorities **111** (1993) 345–356
3595. F. Maire, Une note sur les contractions dans les polygones orthogonaux **111** (1993) 367–371
3596. J. Mayer, Case 6 of Hadwiger's conjecture. III. The problem of 7-vertices **111** (1993) 381–387
3597. C.J.H. McDiarmid and A. Sánchez-Arroyo, An upper bound for total colouring of graphs **111** (1993) 389–392
3598. M. Middendorf and F. Pfeiffer, Weakly transitive orientations, Hasse diagrams and string graphs **111** (1993) 393–400
3599. H. Okamura, Paths containing two adjacent edges in $(2k+1)$-edge-connected graphs **111** (1993) 401–407
3600. M. Padberg, Lehman's forbidden minor characterization of ideal 0–1 matrices **111** (1993) 409–420
3601. S. Poljak, On existence theorems **111** (1993) 423–434
3602. A. Quilliot, Une extension du problème du point fixe pour des graphes simples **111** (1993) 435–445
3603. A. Raspaud, Postman tours and cycle covers **111** (1993) 447–454
3604. I. Schiermeyer, Computation of the 0-dual closure for hamiltonian graphs **111** (1993) 455–464

3605. M. Wagowski, Coordinatization of B-matroids **111** (1993) 465–479
3606. Y. Yamasaki, Shannon-like games are difficult **111** (1993) 481–483
3607. J.D. Berman, E.W. Kiss, P. Prőhle and Á. Szendrei, The set of types of a finitely generated variety **112** (1993) 1–20
3608. C.-Y. Chao and Z. Chen, On uniquely 3-colorable graphs **112** (1993) 21–27
3609. C. Chen and J. Wang, Factors in graphs with odd-cycle property **112** (1993) 29–40
3610. M. Conder, Generating the Mathieu groups and associated Steiner systems **112** (1993) 41–47
3611. P. Damaschke, Paths in interval graphs and circular arc graphs **112** (1993) 49–64
3612. M.P. Delest and J.M. Fedou, Enumeration of skew Ferrers diagrams **112** (1993) 65–79
3613. G. Ding, Disjoint circuits on a Klein bottle and a theorem on posets **112** (1993) 81–91
3614. S. Gao and W. Wei, On non-Abelian group difference sets **112** (1993) 93–102
3615. A. Knopfmacher and J. Knopfmacher, Counting irreducible factors of polynomials over a finite field **112** (1993) 103–118
3616. L. Libkin, Direct product decompositions of lattices, closures and relation schemes **112** (1993) 119–138
3617. D. Lou and D.A. Holton, Lower bound of cyclic edge connectivity for n-extendability of regular graphs **112** (1993) 139–150
3618. T. Łuczak, The size of the largest hole in a random graph **112** (1993) 151–163
3619. K.T. Phelps and C.A. Rodger, Nesting partial Steiner triple systems with 2-regular leave graphs **112** (1993) 165–172
3620. A.G. Robinson and A.J. Goldman, The isolation game for regular graphs **112** (1993) 173–184
3621. J. Rodriguez and A. Satyanarayana, A generalized chromatic polynomial, acyclic orientations with prescribed sources and sinks, and network reliability **112** (1993) 185–197
3622. Z. Tuza, Multipartite Turán problem for connected graphs and hypergraphs **112** (1993) 199–206
3623. M. Wild, Cover preserving embedding of modular lattices into partition lattices **112** (1993) 207–244
3624. H. Chabanne and N. Sendrier, On the concatenated structures of a [49, 18, 12] binary abelian code (*Communication*) **112** (1993) 245–248
3625. B.W. Brock, A new construction of circulant $GH(p^2; \mathbf{Z}_p)$ (*Note*) **112** (1993) 249–252
3626. G. Chen, Hamiltonian graphs involving neighborhood intersections (*Note*) **112** (1993) 253–257
3627. P. Dolan and M. Halsey, Random edge domination (*Note*) **112** (1993) 259–260
3628. G.-G. Gao, On consecutive numbers of the same height in the Collatz problem (*Note*) **112** (1993) 261–267
3629. Z. Lengvárszky, Distributive sublattices and weakly independent subsets in modular lattices (*Note*) **112** (1993) 269–273
3630. B. Mohar, 7-critical graphs of bounded genus (*Note*) **112** (1993) 279–281
3631. R. Scapellato, A characterization of bipartite graphs associated with BIB-designs with $\lambda = 1$ (*Note*) **112** (1993) 283–287
3632. S. Sridharan, On the Berge's strong path partition conjecture (*Note*) **112** (1993) 289–293
3633. H. Zhou, Inequalities with respect to graph homomorphism (*Note*) **112** (1993) 295–298
3634. D. Archdeacon and J. Dinitz, Indecomposable triple systems exist for all lambda **113** (1993) 1–6
3635. F.E. Bennett, J. Yin and L. Zhu, On the existence of perfect Mendelsohn designs with $k = 7$ and λ even **113** (1993) 7–25
3636. J.I. Brown and S. Watson, Mutually complementary partial orders **113** (1993) 27–39
3637. B.A. Davey and H.A. Priestley, Partition-induced natural dualities for varieties of pseudo-complemented distributive lattices **113** (1993) 41–58
3638. P. Erdős and F. Galvin, Monochromatic infinite paths **113** (1993) 59–70
3639. R. Labahn, Information flows on hypergraphs **113** (1993) 71–97
3640. H.-G. Leimer, Optimal decomposition by clique separators **113** (1993) 99–123
3641. K.-W. Lih, Rank inequalities for chordal graphs **113** (1993) 125–130
3642. K. McAvaney, J. Robertson and D. DeTemple, A characterization and hereditary properties for partition graphs **113** (1993) 131–142
3643. S. Olariu, Quasi-brittle graphs, a new class of perfectly orderable graphs **113** (1993) 143–153
3644. M. Salvetti, On the homotopy theory of complexes associated to metrical-hemisphere complexes **113** (1993) 155–177
3645. J.W. Sander, On maximal antihierarchic sets of integers **113** (1993) 179–189

3646. J.H. Schmerl and W.T. Trotter, Critically indecomposable partially ordered sets, graphs, tournaments and other binary relational structures **113** (1993) 191–205
3647. W. Schwärzler and A. Sebö, A generalized cut-condition for multiflows in matroids **113** (1993) 207–221
3648. T. Zaslavsky, The projective-planar signed graphs **113** (1993) 223–247
3649. J. Harant, Toughness and nonhamiltonicity of polyhedral graphs (*Communication*) **113** (1993) 249–253
3650. D.W. DeTemple, M.J. Dineen, J.M. Robertson and K.L. McAvaney, Recent examples in the theory of partition graphs (*Note*) **113** (1993) 255–258
3651. P. Erdös and C.C. Rousseau, The size Ramsey number of a complete bipartite graph (*Note*) **113** (1993) 259–262
3652. I.P. Goulden and S. Pepper, Labelled trees and factorizations of a cycle into transpositions (*Note*) **113** (1993) 263–268
3653. P. Katerinis, Regular factors in regular graphs (*Note*) **113** (1993) 269–274
3654. E.W. Lambeck, On distance regular graphs with $c_i = b_1$ (*Note*) **113** (1993) 275–276
3655. J. Yin and S. Wu, Four new BIBDs with block size seven (*Note*) **113** (1993) 281–284
3656. H. Zhou, Chromatic difference sequences and homomorphisms (*Note*) **113** (1993) 285–292
3657. N. Alon, Y. Caro and I. Krasikov, Bisection of trees and sequences **114** (1993) 3–7
3658. D. Amar, Irregularity strength of regular graphs of large degree **114** (1993) 9–17
3659. K.T. Balińska and L.V. Quintas, The sequential generation of random f-graphs. Distributions and predominant types of edge maximal f-graphs with $f > 4$ **114** (1993) 19–22
3660. A. Belfer and M.C. Golumbic, Counting endpoint sequences for interval orders and interval graphs **114** (1993) 23–39
3661. S. Bellantoni, I.B.-A. Hartman, T. Przytycka and S. Whitesides, Grid intersection graphs and boxicity **114** (1993) 41–49
3662. J.-C. Bermond, N. Homobono and C. Peyrat, Connectivity of Kautz networks **114** (1993) 51–62
3663. J. Bond and C. Delorme, A note on partial Cayley graphs **114** (1993) 63–74
3664. A. Bouchet, Recognizing locally equivalent graphs **114** (1993) 75–86
3665. M. Chaimovich, Fast exact and approximate algorithms for k-partition and scheduling independent tasks **114** (1993) 87–103
3666. G.D. Cohen and G. Zemor, Write-isolated memories (WIMs) **114** (1993) 105–113
3667. C.J. Colbourn and E.S. Elmallah, Reliable assignments of processors to tasks and factoring on matroids **114** (1993) 115–129
3668. I.J. Dejter, W. Cedeño and V. Jauregui, A note on Frucht diagrams, Boolean graphs and Hamilton cycles **114** (1993) 131–135
3669. C. Delorme, Eigenvalues of finite graphs **114** (1993) 137–146
3670. P. Esqué, F. Aguiló and M.A. Fiol, Double commutative-step digraphs with minimum diameters **114** (1993) 147–157
3671. P. Flajolet and M. Soria, General combinatorial schemas: Gaussian limit distributions and exponential tails **114** (1993) 159–180
3672. J.L. Fouquet and H. Thuillier, Decomposition of 3-connected cubic graphs **114** (1993) 181–198
3673. F. Franek and V. Rödl, 2-Colorings of complete graphs with a small number of monochromatic K_4 subgraphs **114** (1993) 199–203
3674. G.A. Freiman, New analytical results in subset-sum problem **114** (1993) 205–218
3675. J. Gómez, M.A. Fiol and O. Serra, On large (Δ, D)-graphs **114** (1993) 219–235
3676. T. Huang and M. Laurent, $(s, r; \mu)$-nets and alternating forms graphs **114** (1993) 237–252
3677. F. Jaeger, Plane graphs and link invariants **114** (1993) 253–264
3678. L.K. Jørgensen, Nonexistence of certain cubic graphs with small diameters **114** (1993) 265–273
3679. M. Karchmer, N. Linial, I. Newman, M. Saks and A. Wigderson, Combinatorial characterization of read-once formulae **114** (1993) 275–282
3680. C.S. Klein and S. Minsker, The super towers of Hanoi problem: large rings on small rings **114** (1993) 283–295
3681. N. Kogan and A. Berman, Characterization of completely positive graphs **114** (1993) 297–304
3682. E. Korach and Z. Ostfeld, Recognition of DFS trees: sequential and parallel algorithms with refined verifications **114** (1993) 305–327
3683. J.A. La Poutré, J. van Leeuwen and M.H. Overmars, Maintenance of 2- and 3-edge-connected components of graphs I **114** (1993) 329–359

3684. R. Levy and E. Shamir, A note on a counting problem arising in percolation theory **114** (1993) 361–365
3685. E. Lipkin, On subset sums of r-sets **114** (1993) 367–377
3686. M. Nivat and A. Podelski, Another variation on the common subexpression problem **114** (1993) 379–401
3687. U.N. Peled and M.K. Srinivasan, Poset matching–a distributive analog of independent matching **114** (1993) 403–424
3688. M. Santha and U.V. Vazirani, Parallel searching of multidimensional cubes **114** (1993) 425–433
3689. R. Shamir, A fast algorithm for constructing Monge sequences in transportation problems with forbidden arcs **114** (1993) 435–444
3690. I. Althöfer and E. Triesch, Edge search in graphs and hypergraphs of bounded rank **115** (1993) 1–9
3691. L.M. Batten, The nonexistence of finite linear spaces with $v = n^2$ points and $b = n^2 + n + 2$ lines **115** (1993) 11–15
3692. D. Bedford, Construction of orthogonal latin squares using left neofields **115** (1993) 17–38
3693. P. Bendrossian, G. Chen and R.H. Schelp, A generalization of Fan's condition for Hamiltonicity, pancyclicity, and Hamiltonian connectedness **115** (1993) 39–50
3694. Z. Blázsik, M. Hujter, A. Pluhár and Z. Tuza, Graphs with no induced C_4 and $2K_2$ **115** (1993) 51–55
3695. K. Böröczky, N. Sauer and X. Zhu, Inexhaustible homogeneous structures **115** (1993) 57–63
3696. W.Y.C. Chen and R.P. Stanley, Derangements on the n-cube **115** (1993) 65–75
3697. Y. Chiricota and G. Labelle, Familles de solutions combinatoires de $y' = 1 + y^2$ et d'équations différentielles autonomes **115** (1993) 77–93
3698. T. Chow, Distances forbidden by two-colorings of $\mathbb{Q}^3$ and A_n **115** (1993) 95–102
3699. C.J. Colbourn and E.S. Mahmoodian, Support sizes of sixfold triple systems **115** (1993) 103–131
3700. S.J. Curran, Hamilton paths in Cayley digraphs of metacyclic groups **115** (1993) 133–139
3701. G. Ding, Clutters with $\tau_2 = 2\tau$ **115** (1993) 141–152
3702. Q. Du, On σ-polynomials and a class of chromatically unique graphs **115** (1993) 153–165
3703. N. Hamada, T. Helleseth and Ø. Ytrehus, Characterization of $\{2(q+1)+2, 2; t, q\}$-minihypers in PG(t, q) $(t \geqslant 3, q \in \{3, 4\})$ **115** (1993) 175–185
3704. K. Jansen, Transfer flow graphs **115** (1993) 187–199
3705. W.W. Kirchherr, NEPS operations on cordial graphs **115** (1993) 201–209
3706. K. Koike, On a conjecture of Stanley on Jack symmetric functions **115** (1993) 211–216
3707. J.C. Lalanne, Polyominos parallélogrammes à franges et fonctions de Bessel **115** (1993) 217–230
3708. C.M. O'Keefe, T. Penttila and C.E. Praeger, Block-transitive, point-imprimitive designs with $\lambda = 1$ **115** (1993) 231–244
3709. E. Sampathkumar, Generalizations of independence and chromatic numbers of a graph **115** (1993) 245–251
3710. W. Wenzel, Pfaffian forms and Δ-matroids **115** (1993) 253–266
3711. D.Ž. Đoković, Williamson matrices of order $4n$ for $n = 33, 35, 39$ (*Note*) **115** (1993) 267–271
3712. P. Duchet and H. Meyniel, Kernels in directed graphs: a poison game (*Note*) **115** (1993) 273–276
3713. M.X. Goemans, A generalization of Petersen's theorem (*Note*) **115** (1993) 277–282
3714. J.F. Maurras, The line-polytope of a finite affine plane (*Note*) **115** (1993) 283–286
3715. G. Quattrocchi and S. Milici, Repeated blocks in maximum packing of triples with index 2 (*Note*) **115** (1993) 287–291
3716. H. Tverberg, On a coin tossing problem by G. Bennett (*Note*) **115** (1993) 293–294
3717. S. Kageyama, The family of block designs with some combinatorial properties **116** (1993) 17–54
3718. H. Ohmori, Classification of weighing matrices of order 13 and weight 9 **116** (1993) 55–78
3719. M. Jimbo, Recursive constructions for cyclic BIB designs and their generalizations **116** (1993) 79–95
3720. T. Shirakura, Fractional factorial designs of two and three levels **116** (1993) 99–135
3721. S. Kuriki, On existence and construction of balanced arrays **116** (1993) 137–155
3722. S. Kageyama, Robustness of some balanced block designs **116** (1993) 159–181
3723. M. Kuwada, Robustness of balanced fractional 2^m factorial designs derived from simple arrays **116** (1993) 183–208
3724. R. Nishii, Optimality of experimental designs **116** (1993) 209–225
3725. N. Hamada, A characterization of some $[n, k, d; q]$-codes meeting the Griesmer bound using a minihyper in a finite projective geometry **116** (1993) 229–268
3726. F. Tamari, A construction of some $[n, k, d; q]$-codes meeting the Griesmer bound **116** (1993) 269–287
3727. J. Akiyama, K. Hosono and M. Urabe, Some combinatorial problems **116** (1993) 291–298

3728. K. Ushio, G-designs and related designs **116** (1993) 299–311
3729. Y. Fujikoshi, Two-way ANOVA models with unbalanced data **116** (1993) 315–334
3730. M. Kuwada, Analysis of variance of balanced fractional factorial designs **116** (1993) 335–366
3731. T. Berger and P. Charpin, The automorphism group of Generalized Reed–Muller codes **117** (1993) 1–17
3732. M. Bolla, Spectra, Euclidean representations and clusterings of hypergraphs **117** (1993) 19–39
3733. J.V. Brawley and D. Brown, Composed products and module polynomials over finite fields **117** (1993) 41–56
3734. Z.-H. Chen, Spanning closed trails in graphs **117** (1993) 57–71
3735. G. Ding, Stable sets versus independent sets **117** (1993) 73–87
3736. S. Dulucq and J.-G. Penaud, Cordes, arbres et permutations **117** (1993) 89–105
3737. A. Felzenbaum, R. Holzman and D.J. Kleitman, Packing lines in a hypercube **117** (1993) 107–112
3738. A. Hajnal and N. Sauer, Cut-sets in infinite graphs and partial orders **117** (1993) 113–125
3739. A.J.W. Hilton and H.R. Hind, The total chromatic number of graphs having large maximum degree **117** (1993) 127–140
3740. B.W. Jackson, Universal cycles of k-subsets and k-permutations **117** (1993) 141–150
3741. C.C. Lindner and C.A. Rodger, A partial $m = (2k+1)$-cycle system of order n can be embedded in an m-cycle system of order $(2n+1)m$ **117** (1993) 151–159
3742. B. Oporowski, A decomposition of locally finite graphs **117** (1993) 161–168
3743. A. Pasini, Flag-transitive C_3-geometries **117** (1993) 169–182
3744. K. Seyffarth, Packings and perfect path double covers of maximal planar graphs **117** (1993) 183–195
3745. B.L. Shader, On biclique partitions of the complete graph **117** (1993) 197–213
3746. A.H. Sharary and N. Zaguia, Minimizing the number of tardy jobs in single machine sequencing **117** (1993) 215–223
3747. S.-C. Shee and Y.-S. Ho, The cordiality of one-point union of n copies of a graph **117** (1993) 225–243
3748. S. Hougardy, Counterexamples to three conjectures concerning perfect graphs (*Communication*) **117** (1993) 245–251
3749. R.B. Hughes and M.R. Anderson, A triangulation of the 6-cube with 308 simplices (*Communication*) **117** (1993) 253–256
3750. B. Mohar, A polynomial time circle packing algorithm (*Communication*) **117** (1993) 257–263
3751. S. Sridharan, On the strong path partition conjecture of Berge (*Communication*) **117** (1993) 265–270
3752. A.E. Brouwer, On complete regularity of extended codes (*Note*) **117** (1993) 271–273
3753. S.-y. Choi and P. Guan, A spanning tree of the 2^m-dimensional hypercube with maximum number of degree-preserving vertices (*Note*) **117** (1993) 275–277
3754. C. Munuera, On MDS elliptic codes (*Note*) **117** (1993) 279–286
3755. H. Wang, Partition of a bipartite graph into cycles (*Note*) **117** (1993) 287–291
3756. S. Xu, Chromaticity of a family of K_4-homeomorphs (*Note*) **117** (1993) 293–297
3757. L.M. Batten, A characterization of finite linear spaces on v points, $n^2 \leqslant v < (n+1)^2$, and $b = n^2 + n + 3$ lines, $n \geqslant 10$ **118** (1993) 1–9
3758. A. Benhocine and A.P. Wojda, Graphs with every matching contained in a cycle **118** (1993) 11–21
3759. H.J. Broersma and F. Göbel, Coloring a graph optimally with two colors **118** (1993) 23–31
3760. P.J. Cameron and C.E. Praeger, Block-transitive t-designs I: point-imprimitive designs **118** (1993) 33–43
3761. S. Eliahou, The $3x+1$ problem: new lower bounds on nontrivial cycle lengths **118** (1993) 45–56
3762. R.J. Faudree and D.J. Knisley, A neighborhood condition which implies the existence of a complete multipartite subgraph **118** (1993) 57–68
3763. A. Frieze and B. Reed, Polychromatic Hamilton cycles **118** (1993) 69–74
3764. R.B. Hughes, Minimum-cardinality triangulations of the d-cube for $d = 5$ and $d = 6$ **118** (1993) 75–118
3765. S. Jendroľ, On face vectors and vertex vectors of convex polyhedra **118** (1993) 119–144
3766. T.M. Kratzke and D.B. West, The total interval number of a graph, I: Fundamental classes **118** (1993) 145–156
3767. D.E. Loeb, Towards the critical problem: on the coalgebraic relation between sets and multisets **118** (1993) 157–164
3768. Z. Lu, The harmonious chromatic number of a complete binary and trinary tree **118** (1993) 165–172
3769. I. Morris and C.D. Wensley, Cycle indices and subgroup lattices **118** (1993) 173–195
3770. D.S. Rajan, The equations $D^k Y = X^n$ in combinatorial species **118** (1993) 197–206
3771. S. Saidi, Codes for perfectly correcting errors of limited size **118** (1993) 207–223

3772. R.S. Sanders, Graphs on which a dihedral group acts edge-transitively **118** (1993) 225–232
3773. M. Mollard, Interval-regularity does not lead to interval motonicity (*Communication*) **118** (1993) 233–237
3774. K.P. Bogart, An obvious proof of Fishburn's interval order theorem (*Note*) **118** (1993) 239–242
3775. P.S. Bremser, Congruence classes of matrices in $GL_2(F_q)$ (*Note*) **118** (1993) 243–249
3776. K.B. Chilakamarri and P. Hamburger, On a class of kernel-perfect and kernel-perfect-critical graphs (*Note*) **118** (1993) 253–257
3777. R.J. Gould and V. Rödl, On isomorphic subgraphs (*Note*) **118** (1993) 259–262
3778. Q. Kang and Y. Chang, Further results about large sets of disjoint Mendelsohn triple systems (*Note*) **118** (1993) 263–268
3779. J.H. Kim, On 3-colorings of $E(K_n)$ (*Note*) **118** (1993) 269–273
3780. N. Seifter, On the girth of infinite graphs (*Note*) **118** (1993) 275–283
3781. J. Siemons, Permutation groups on unordered sets II; On a theorem of Frucht (*Note*) **118** (1993) 285–288
3782. J. Topp and L. Volkmann, Some upper bounds for the product of the domination number and the chromatic number of a graph (*Note*) **118** (1993) 289–292
3783. J.E. Bonin, Modular elements of higher-weight Dowling lattices **119** (1993) 3–11
3784. M.-c. Cai, An algorithm for optimum common root functions of two digraphs **119** (1993) 13–20
3785. M. Deza, K. Fukuda and M. Laurent, The inequicut cone **119** (1993) 21–48
3786. M. Deza and M. Laurent, The even and odd cut polytopes **119** (1993) 49–66
3787. G. Ding, Monotone clutters **119** (1993) 67–77
3788. P.L. Hammer, N.V.R. Mahadev and U.N. Peled, Bipartite bithreshold graphs **119** (1993) 79–96
3789. C.R. Johnson and W.W. Barrett, Determinantal inequalities for positive definite matrices **119** (1993) 97–106
3790. X. Lu, Claws contained in all n-tournaments **119** (1993) 107–111
3791. J.R. Lundgren, C.W. Rasmussen and J.S. Maybee, Interval competition graphs of symmetric digraphs **119** (1993) 113–122
3792. J.R. Lundgren and C.W. Rasmussen, Two-step graphs of trees **119** (1993) 123–139
3793. P. Nobili and A. Sassano, The anti-join composition and polyhedra **119** (1993) 141–166
3794. F. Rendl and G. Woeginger, Reconstructing sets of orthogonal line segments in the plane **119** (1993) 167–174
3795. D. Sakai and C. Wang, No-hole $(r+1)$-distant colorings **119** (1993) 175–189
3796. S.S. Abhyankar, Wreath products and enlargements of groups **120** (1993) 1–12
3797. R. Aharoni and I. Ben-Arroyo Hartman, On Greene–Kleitman's theorem for general digraphs **120** (1993) 13–24
3798. N. Brand and S. Sutinuntopas, One-factors and the existence of affine designs **120** (1993) 25–35
3799. J.W. Breckenridge, K. Varadarajan and K.H. Wehrhahn, Chains, multichains and Möbius numbers **120** (1993) 37–50
3800. A. Golemac, Construction of new symmetric designs with parameters (70, 24, 8) **120** (1993) 51–58
3801. B.S. Gubser, Planar graphs with no 6-wheel minor **120** (1993) 59–73
3802. O. Heden, Maximal partial spreads and the modular n-queen problem **120** (1993) 75–91
3803. M.A. Henning and H.C. Swart, Bounds relating generalized domination parameters **120** (1993) 93–105
3804. A.V. Ivashchenko, The coordinate representation of a graph and n-universal graph of radius 1 **120** (1993) 107–114
3805. H. Kharaghani, A construction for Hadamard matrices **120** (1993) 115–120
3806. Y.S. Kupitz, On the existence of a combinatorial Schlegel diagram of a simplicial unstacked 3-polytope with a prescribed set of vertices **120** (1993) 121–134
3807. E.R. Lamken and S.A. Vanstone, Existence results for doubly near resolvable $(v, 3, 2)$-BIBDs **120** (1993) 135–148
3808. H. Prodinger, How to select a loser **120** (1993) 149–159
3809. L. Pyber and Z. Tuza, Menger-type theorems with restrictions on path lengths **120** (1993) 161–174
3810. R.P. Stanley, A combinatorial decomposition of acyclic simplicial complexes **120** (1993) 175–182
3811. J. Su, On locally k-critically n-connected graphs **120** (1993) 183–190
3812. W.D. Wallis and G.-H. Zhang, On the partition and coloring of a graph by cliques **120** (1993) 191–203
3813. C.K. Fan, Matchings and the sum function (*Communication*) **120** (1993) 205–209

3814. F. Maire, A characterization of intersection graphs of the maximal rectangles of a polyomino (*Communication*) **120** (1993) 211–214
3815. M. Voigt, List colourings of planar graphs (*Communication*) **120** (1993) 215–219
3816. C.-D. Wang, On the harmoniousness of dicyclic groups (*Communication*) **120** (1993) 221–225
3817. M. Anthony and N. Biggs, The mean chromatic number of paths and cycles (*Note*) **120** (1993) 227–231
3818. X. Bao, A constructing method of a class of SIDS(n) (*Note*) **120** (1993) 233–239
3819. A.E. Brouwer and J.H. Koolen, A new infinite series of regular uniformly geodetic code graphs (*Note*) **120** (1993) 241–247
3820. C.R.J. Clapham and J. Sheehan, All trees are 1-embeddable and all except stars are 2-embeddable (*Note*) **120** (1993) 253–259
3821. J.A. Davis, New constructions of divisible designs (*Note*) **120** (1993) 261–268
3822. D.G. Fon-Der-Flaass and A.V. Kostochka, Covering boxes by points (*Note*) **120** (1993) 269–275
3823. Y.S. Kupitz, On convex segments in a triangulation (*Note*) **120** (1993) 277–285
3824. D.Q. Naiman and H.P. Wynn, A theorem on independence (*Note*) **120** (1993) 287–289
3825. A. Steger and M.-l. Yu, On induced matchings (*Note*) **120** (1993) 291–295
3826. X.-H. Sun, On Rota's problem of the explicit representation for umbral operators (*Note*) **120** (1993) 297–300
3827. L. Valdés, On the divisibility of the cycle number by 7 (*Note*) **120** (1993) 301–305
3828. H. Bielak, Graphs with special neighbourhood orderings of vertices **121** (1993) 3–9
3829. M. Borowiecki and E. Drgas-Burchardt, Classes of chromatically unique or equivalent graphs **121** (1993) 11–18
3830. H.J. Broersma, A note on K_4-closures in hamiltonian graph theory **121** (1993) 19–23
3831. H.J. Broersma, J. van den Heuvel and H.J. Veldman, Long cycles, degree sums and neighborhood unions **121** (1993) 25–35
3832. N. Dean, L. Lesniak and A. Saito, Cycles of length 0 modulo 4 in graphs **121** (1993) 37–49
3833. O. Favaron, A note on the irredundance number after vertex deletion **121** (1993) 51–54
3834. O. Favaron, P. Mago and O. Ordaz, On the bipartite independence number of a balanced bipartite graph **121** (1993) 55–63
3835. M. Fiedler, Some minimax problems for graphs **121** (1993) 65–74
3836. J.L. Fouquet, A decomposition for a class of (P_5, $\overline{P_5}$)-free graphs **121** (1993) 75–83
3837. J.-L. Fouquet and A.P. Wojda, Mutual placement of bipartite graphs **121** (1993) 85–92
3838. W. Frydrych, All nonhamiltonian tough graphs satisfying a 3-degree sum and Fan-type conditions **121** (1993) 93–104
3839. R. Kalinowski, Small periods of endomorphisms of trees **121** (1993) 105–111
3840. G.O.H. Katona and L.V. Quintas, The largest component in a random subgraph of the n-cycle **121** (1993) 113–116
3841. U. Konieczna, Asymptotic normality of subcubes in random subgraphs of the n-cube **121** (1993) 117–122
3842. J.-C. König and D. Sotteau, Symmetric routings of the hypercube **121** (1993) 123–134
3843. M. Kubale, Interval edge coloring of a graph with forbidden colors **121** (1993) 135–143
3844. M. Kwaśnik, The primitivity of the strong product of two directed graphs **121** (1993) 145–150
3845. Z. Lonc, Majorization, packing, covering and matroids **121** (1993) 151–157
3846. Z. Majcher, Some special realizations of partition matrix sequences **121** (1993) 159–175
3847. R. Nedela, Covering spaces of locally homogeneous graphs **121** (1993) 177–188
3848. Z. Ryjáček, N_2-locally disconnected graphs **121** (1993) 189–193
3849. G. Schaar, On 'maximal' Hamiltonian cycles in the square of a block **121** (1993) 195–198
3850. J. Topp, Graphs with unique minimum edge dominating sets and graphs with unique maximum independent sets of vertices **121** (1993) 199–210
3851. H. Vu Dinh, On the length of longest dominating cycles in graphs **121** (1993) 211–222
3852. B. Wei, Hamiltonian paths and hamiltonian connectivity in graphs **121** (1993) 223–228
3853. M. Woźniak, A note on minimal order of a bipartite graph with exactly q quadrilaterals **121** (1993) 229–233
3854. K.S. Bagga, L.W. Beineke, M.J. Lipman and R.E. Pippert, On the honesty of graph complements **122** (1993) 1–6
3855. P. Bandieri, Contracted k-tessellations of closed surfaces **122** (1993) 7–13

3856. B. Bollobás and I. Leader, Maximal sets of given diameter in the grid and the torus **122** (1993) 15–35
3857. H.J. Broersma, J. van den Heuvel and H.J. Veldman, A generalization of Ore's Theorem involving neighborhood unions **122** (1993) 37–49
3858. R.A. Brualdi and J.J. Quinn Massey, Incidence and strong edge colorings of graphs **122** (1993) 51–58
3859. W.Y.C. Chen, The theory of compositionals **122** (1993) 59–87
3860. E.J. Cockayne and C.M. Mynhardt, The sequence of upper and lower domination, independence and irredundance numbers of a graph **122** (1993) 89–102
3861. K.L. Collins, Factoring distance matrix polynomials **122** (1993) 103–112
3862. S. Das and M. Sen, An interval digraph in relation to its associated bipartite graph **122** (1993) 113–136
3863. C. De Felice, A partial result about the factorization conjecture for finite variable-length codes **122** (1993) 137–152
3864. T.C. Enns, Hamiltonian circuits and paths in subset graphs with circular adjacency **122** (1993) 153–165
3865. H. Galeana-Sánchez, Normal fraternally orientable graphs satisfy the strong perfect graph conjecture **122** (1993) 167–177
3866. P. Hansen and M. Zheng, A linear algorithm for perfect matching in hexagonal systems **122** (1993) 179–196
3867. F. Harary, S. Lawrencenko and V. Korzhik, Realizing the chromatic numbers of triangulations of surfaces **122** (1993) 197–204
3868. P. Horák and Z. Tuza, Large s-representable set systems with low maximum degree **122** (1993) 205–217
3869. A.V. Ivashchenko, Representation of smooth surfaces by graphs. Transformations of graphs which do not change the Euler characteristic of graphs **122** (1993) 219–233
3870. K. Kołodziejczyk, Borsuk covering and planar sets with unique completion **122** (1993) 235–244
3871. R. Laskar, S. Stueckle and B. Piazza, On the edge-integrity of some graphs and their complements **122** (1993) 245–253
3872. C. Laywine, A counter-example to a conjecture relating complete sets of frequency squares and affine geometries **122** (1993) 255–262
3873. G. Pirillo, On a combinatorial property of Fibonacci semigroup **122** (1993) 263–267
3874. R.L. Roth, Perfect colorings of multipatterns in the plane **122** (1993) 269–286
3875. E.G. Thurber, Addition chains — an erratic sequence **122** (1993) 287–305
3876. A.T. White, Treble dodging minor methods: ringing the cosets, on six bells **122** (1993) 307–323
3877. M.-l. Yu, On path factorizations of complete multipartite graphs **122** (1993) 325–333
3878. J. Harant, An upper bound for the radius of a 3-connected graph (*Communication*) **122** (1993) 335–341
3879. S.M. Selkow, The independence number of graphs in terms of degrees (*Communication*) **122** (1993) 343–348
3880. M. Bóna, A Euclidean Ramsey theorem (*Note*) **122** (1993) 349–352
3881. X.-D. Jia, Some remarks on minimal bases and maximal nonbases of integers (*Note*) **122** (1993) 357–362
3882. C. Lai, On the size of graphs with all cycle having distinct length (*Note*) **122** (1993) 363–364
3883. N.-Z. Li and E.G. Whitehead Jr., The chromaticity of certain graphs with five triangles (*Note*) **122** (1993) 365–372
3884. M. Lovrečič Saražin, On the hamiltonian index of a graph (*Note*) **122** (1993) 373–376
3885. E. Montenegro and R. Salazar, A result about the incident edges in the graphs M_k (*Note*) **122** (1993) 377–380
3886. M.F.M. Stallmann, On counting planar embeddings (*Note*) **122** (1993) 385–392
3887. U. Teschner, A counterexample to a conjecture on the bondage number of a graph (*Note*) **122** (1993) 393–395
3888. W. Chu and L.C. Hsu, On some classes of inverse series relations and their applications **123** (1993) 3–15
3889. Z. Dai, X. Feng, M. Liu and Z. Wan, Nonlinear feedforward sequences of m-sequences I **123** (1993) 17–34
3890. F. Dong and Y. Liu, Counting rooted near-triangulations on the sphere **123** (1993) 35–45
3891. Z. Gao, The number of degree restricted maps on general surfaces **123** (1993) 47–63
3892. Y. Hong, Bounds of eigenvalues of graphs **123** (1993) 65–74
3893. Q. Li and J. Shao, The index set problem for Boolean (or nonnegative) matrices **123** (1993) 75–92
3894. Y. Liu, On functional equations arising from map enumerations **123** (1993) 93–109
3895. F. Shi and W. Li, The density of a maximum minimal cut in the subset lattice of a finite set is almost one **123** (1993) 111–115

3896. S.-T. Ting and S.-Y. Zhao, The general Steiner problem in rectangular crisscross space **123** (1993) 117–120
3897. G.-Z. Tu, A combinatorial formula relating to Hirota's bilinear equations **123** (1993) 121–129
3898. Z.-x. Wan, Anzahl theorems in finite singular symplectic, unitary and orthogonal geometries **123** (1993) 131–150
3899. W.-D. Wei, S. Gao and B. Yang, Cyclic near difference sets of type 1 **123** (1993) 151–177
3900. W.-D. Wei and J.-Y. Xu, Cycle index of direct product of permutation groups and number of equivalence classes of subsets of Z_v **123** (1993) 179–188
3901. L. Zhu, Some recent developments on BIBDs and related designs **123** (1993) 189–214
3902. K.S. Bagga, L.W. Beineke, M.J. Lipman and R.E. Pippert, Edge-integrity: a survey **124** (1994) 3–12
3903. D. Bauer, A. Morgana and E. Schmeichel, On the complexity of recognizing tough graphs **124** (1994) 13–17
3904. N. Biggs, Combinatorics and connectionism **124** (1994) 19–36
3905. H.J. Broersma and I. Schiermeyer, A closure concept based on neighborhood unions of independent triples **124** (1994) 37–47
3906. A.E. Brouwer and M. Numata, A characterization of some graphs which do not contain 3-claws **124** (1994) 49–54
3907. I.J. Dejter, On symmetric subgraphs of the 7-cube: an overview **124** (1994) 55–66
3908. M.A. Fiol, The superconnectivity of large digraphs and graphs **124** (1994) 67–78
3909. M. Gionfriddo and Z. Tuza, On conjectures of Berge and Chvátal **124** (1994) 79–86
3910. H. Gropp, Nonsymmetric configurations with natural index **124** (1994) 87–98
3911. F. Harary, Sum graphs over all the integers **124** (1994) 99–105
3912. A. Hartman, The fundamental construction for 3-designs **124** (1994) 107–132
3913. I. Krasikov and J. Schonheim, On near subgroups **124** (1994) 133–136
3914. L. Lovász, Stable sets and polynomials **124** (1994) 137–153
3915. C.J.H. McDiarmid and A. Sánchez-Arroyo, Total colouring regular bipartite graphs is NP-hard **124** (1994) 155–162
3916. J.W. Moon, Some determinant expansions and the matrix-tree theorem **124** (1994) 163–171
3917. E. Sampathkumar and G.D. Kamath, A generalization of chromatic index **124** (1994) 173–177
3918. J. Širáň and M. Škoviera, Regular maps from Cayley graphs II. Antibalanced Cayley maps **124** (1994) 179–191
3919. B.D. Thatte, Some results and approaches for reconstruction conjectures **124** (1994) 193–216
3920. C. Thomassen, Embeddings of graphs **124** (1994) 217–228
3921. H.J. Veldman, On dominating and spanning circuits in graphs **124** (1994) 229–239
3922. P.D. Vestergaard, Two-cacti with minimum number of spanning trees **124** (1994) 241–250
3923. D.J.A. Welsh, The computational complexity of knot and matroid polynomials **124** (1994) 251–269
3924. I. Anderson and N.J. Finizio, Cyclic Whist tournaments **125** (1994) 5–10
3925. M. Anthony, On the mean chromatic number **125** (1994) 11–14
3926. C.A. Barefoot, L.H. Clark, A.J. Depew, R.C. Entringer and L.A. Székely, Subdivision thresholds for two classes of graphs **125** (1994) 15–30
3927. O. Barr, On extremal graphs without compatible triangles or quadrilaterals **125** (1994) 31–43
3928. L.W. Beineke, P. Hamburger and W.D. Goddard, Random packings of graphs **125** (1994) 45–54
3929. H. Bencherif Ait-Djafer, On cycle lengths in graphs of moderate degree **125** (1994) 55–62
3930. A. Bowler, Generalised Bhaskar Rao designs over non-Abelian groups **125** (1994) 67–72
3931. H. Brandes, H. Harborth, H.-D.O.F. Gronau and C. Schwahn, Ramsey numbers for sets of small graphs **125** (1994) 73–86
3932. G. Brightwell, Linear extensions of random orders **125** (1994) 87–96
3933. P.J. Cameron, An orbit theorem for Steiner triple systems **125** (1994) 97–100
3934. Y. Caro, I. Krasikov and Y. Roditty, On induced subgraphs of trees, with restricted degrees **125** (1994) 101–106
3935. W.-K. Chan, M.-K. Siu and S.-L. Ma, Nonexistence of certain perfect arrays **125** (1994) 107–113
3936. G.J. Chang, The domatic number problem **125** (1994) 115–122
3937. W.W. Chernoff, Permutations with p^l-th roots **125** (1994) 123–127
3938. C. Christofi, Enumerating 4×5 and 5×6 double Youden rectangles **125** (1994) 129–135

3939. E.J. Cockayne, G. MacGillivray and C.M. Mynhardt, Convexity of minimal dominating functions of trees — II **125** (1994) 137–146
3940. O. Favaron and J.L. Fouquet, On m-centers in P_l-free graphs **125** (1994) 147–152
3941. A. Finbow, B. Hartnell and C. Whitehead, A characterization of graphs of girth eight or more with exactly two sizes of maximal independent sets **125** (1994) 153–167
3942. M.A. Fiol and J. Fàbrega, On the distance connectivity of graphs and digraphs **125** (1994) 169–176
3943. W. Goddard and D.J. Kleitman, An upper bound for the Ramsey numbers $r(K_3, G)$ **125** (1994) 177–182
3944. M.J. Grannell and T.S. Griggs, A Steiner system $S(5, 6, 108)$ **125** (1994) 183–186
3945. P.P. Greenough and R. Hill, Optimal linear codes over GF(4) **125** (1994) 187–199
3946. H. Gropp, On symmetric spatial configurations **125** (1994) 201–209
3947. H.R. Hind, Recent developments in total colouring **125** (1994) 211–218
3948. C. Hoede and X. Li, Clique polynomials and independent set polynomials of graphs **125** (1994) 219–228
3949. I. Honkala, On the normality of multiple covering codes **125** (1994) 229–239
3950. J. Jedwab, C. Mitchell, F. Piper and P. Wild, Perfect binary arrays and difference sets **125** (1994) 241–254
3951. M. Lewin, On the coefficients of the characteristic polynomial of a matrix **125** (1994) 255–262
3952. S.L. Ma, On subsets of partial difference sets **125** (1994) 263–272
3953. N. Martin, Solving a conjecture of Sedlacek: maximal edge sets in the 3-uniform sumset hypergraphs **125** (1994) 273–277
3954. C.J.H. McDiarmid and J.R. Alfonsin, Sharing jugs of wine **125** (1994) 279–287
3955. B. Peroche and C. Virlouvet, Minimally 4-edge$^{\#}$-connected graphs **125** (1994) 289–299
3956. M.D. Plummer, Extending matchings in claw-free graphs **125** (1994) 301–307
3957. D.A. Preece, Double Youden rectangles — an update with examples of size 5×11 **125** (1994) 309–317
3958. D.A. Preece, P.W. Brading, C.W.H. Lam and M. Côté, Balanced 6×6 designs for 4 equally replicated treatments **125** (1994) 319–327
3959. N. Ray and W. Schmitt, Ultimate chromatic polynomials **125** (1994) 329–341
3960. I. Schiermeyer, The k-SATISFIABILITY problem remains NP-complete for dense families **125** (1994) 343–346
3961. J. Sheehan, Graphical decompositions **125** (1994) 347–355
3962. L. Storme and J.A. Thas, k-Arcs and dual k-arcs **125** (1994) 357–370
3963. E. Triesch, A probabilistic upper bound for the edge identification complexity of graphs **125** (1994) 371–376
3964. Z. Tuza, Monochromatic coverings and tree Ramsey numbers **125** (1994) 377–384
3965. B. Vowden, Infinite series of double Youden rectangles **125** (1994) 385–391
3966. C. Wang, On the R-sequenceability of dicyclic groups **125** (1994) 393–398
3967. Y. Yang and P. Rowlinson, The third Ramsey numbers for graphs with at most four edges **125** (1994) 399–406
3968. A.M. Assaf and L.P.S. Singh, Packing pairs by quintuples with index 2: v odd, $v \not\equiv 13 \pmod{20}$ **126** (1994) 1–12
3969. A.E. Brouwer, On the uniqueness of a regular thin near octagon on 288 vertices (or the semibiplane belonging to the Mathieu group M_{12}) **126** (1994) 13–27
3970. N.P. Carnes, Cyclic antiautomorphisms of Mendelsohn triple systems **126** (1994) 29–45
3971. V.-E. Căzănescu and G. Ştefănescu, Classes of finite relations as initial abstract data types – II **126** (1994) 47–65
3972. N. Dean and J. Zito, Well-covered graphs and extendability **126** (1994) 67–80
3973. F.M. Dekking, Iteration of maps by an automaton **126** (1994) 81–86
3974. J.K. Dugdale and A.J.W. Hilton, The total chromatic number of regular graphs whose complement is bipartite **126** (1994) 87–98
3975. A. Dür, On the covering radius of Reed–Solomon codes **126** (1994) 99–105
3976. P.H. Edelman and R. Simion, Chains in the lattice of noncrossing partitions **126** (1994) 107–119
3977. R.J. Faudree, R.H. Schelp, L. Lesniak, A. Gyárfás and J. Lehel, On the rotation distance of graphs **126** (1994) 121–135
3978. A.S. Fraenkel and C. Kimberling, Generalized Wythoff arrays, shuffles and interspersions **126** (1994) 137–149
3979. M. Frick and M.A. Henning, Extremal results on defective colorings of graphs **126** (1994) 151–158

3980. A.V. Ivashchenko, Contractible transformations do not change the homology groups of graphs **126** (1994) 159–170
3981. A.V. Ivashchenko and Y.-N. Yeh, Minimal graphs of a torus, a projective plane and spheres and some properties of minimal graphs of homotopy classes **126** (1994) 171–178
3982. C. Knessl, Asymptotic behavior of high-order differences of the plane partition function **126** (1994) 179–193
3983. C. Krattenthaler and S.G. Mohanty, q-Generalization of a ballot problem **126** (1994) 195–208
3984. A. Lascoux and P. Pragacz, Divided differences and ideals generated by symmetric polynomials **126** (1994) 209–215
3985. E. London, A new proof of the colored Kruskal–Katona theorem **126** (1994) 217–223
3986. Q. Mushtaq and F. Shaheen, Factor groups of $G^{6,6,6}$ through coset diagrams for an action on $\mathrm{PL}(F_q)$ **126** (1994) 225–238
3987. M.M. Petrović, I. Gutman and M. Lepović, Graphs with small numbers of independent edges **126** (1994) 239–244
3988. T. Politof and A. Satyanarayana, Minors of quasi 4-connected graphs **126** (1994) 245–256
3989. V. Rice and R.D. Ringeisen, On cohesion stable graphs **126** (1994) 257–272
3990. R.B. Richter, P.D. Seymour and J. Širáň, Circular embeddings of planar graphs in nonspherical surfaces **126** (1994) 273–280
3991. A. Riskin, Projective plane embeddings of polyhedral pinched maps **126** (1994) 281–291
3992. B.E. Sagan, Y.-N. Yeh and G.M. Ziegler, Maximizing Möbius functions on subsets of Boolean algebras **126** (1994) 293–311
3993. P. Sankaran and K. Varadarajan, A note on the homotopy type of posets **126** (1994) 313–323
3994. Y. Shi, On simple MCD graphs containing a subgraph homeomorphic to K_4 **126** (1994) 325–338
3995. H.J. Shyr, S.S. Yu and G. Thierrin, Monogenic e-closed languages and dipolar words **126** (1994) 339–348
3996. I.A. Stewart, Deciding whether a planar graph has a cubic subgraph is NP-complete **126** (1994) 349–357
3997. H. Wang, On $K_{1,k}$-factorizations of a complete bipartite graph **126** (1994) 359–364
3998. G. Zemor, A generalisation to noncommutative groups of a theorem of Mann **126** (1994) 365–372
3999. T. Dridi, Distributions binaires unimodales (*Communication*) **126** (1994) 373–378
4000. D. Rawlings, Limit formulas for q-exponential functions (*Communication*) **126** (1994) 379–383
4001. X. Yang and J.L. Massey, The condition for a cyclic code to have a complementary dual (*Communication*) **126** (1994) 391–393
4002. D. Fronček, e-Realization of double-stars (*Note*) **126** (1994) 399–402
4003. J. Fulman, A generalization of Vizing's theorem on domination (*Note*) **126** (1994) 403–406
4004. Z. Füredi, Random Ramsey graphs for the four-cycle (*Note*) **126** (1994) 407–410
4005. T.N. Janakiraman, On special classes of self-centred graphs (*Note*) **126** (1994) 411–414
4006. A. Iorgulescu, $\mathcal{S}$-prealgebras (*Note*) **126** (1994) 415–419
4007. R. Labahn and I. Warnke, Quick gossiping by telegraphs (*Note*) **126** (1994) 421–424
4008. G.L. Mayhew, Weight class distributions of de Bruijn sequences (*Note*) **126** (1994) 425–429
4009. S.D. Sarti, Remarks on umbral evaluations of chromatic polynomials (*Note*) **126** (1994) 431–437
4010. K. Sinha, A class of q-ary codes (*Note*) **126** (1994) 439–440
4011. J. Żurawiecki, Universal circuit matrix for adjacency graphs of feedback functions (*Note*) **126** (1994) 441–445
4012. G.-H. Zhang, Pseudo-one-factorizations of regular graphs of odd order – II. Products of graphs **128** (1-3) (1994) 371–384
4013. B.I. Bayoumi, M.H. El-Zahar and S.M. Khamis, Counting two-dimensional posets **131** (1-3) (1994) 29–37
4014. J. Chen, Sharp bound of the kth eigenvalue of trees **128** (1-3) (1994) 61–72
4015. N. Shalaby, The existence of near-Skolem and hooked near-Skolem sequences **135** (1-3) (1994) 303–319
4016. M. Lepović, Some kinds of energies of graphs **128** (1-3) (1994) 277–282
4017. H.-L. Fu and W.-H. Hu, Disjoint odd integer subsets having a constant odd sum **128** (1-3) (1994) 143–150
4018. D.M. Gordon, R.W. Robinson and F. Harary, Minimum degree games for graphs **128** (1-3) (1994) 151–163
4019. B.L. Hartnell and D.F. Rall, Bounds on the bondage number of a graph **128** (1-3) (1994) 173–177
4020. X.-d. Hou, Classification of cosets of the Reed–Muller code $R(m\text{-}3,m)$ **128** (1-3) (1994) 203–224

4021. H. Kimura, Classification of Hadamard matrices of order 28 with Hall sets **128** (1-3) (1994) 257–268
4022. T. van Trung, Some existence theorems for t-designs **128** (1-3) (1994) 337–348
4023. L. Wang and S. Stueckle, Symmetries of drawings of sets of cycles and chromatic automorphisms **128** (1-3) (1994) 361–369
4024. R. Calahan-Zijlstra and R.B. Gardner, Bicyclic Steiner triple systems **128** (1-3) (1994) 35–44
4025. V. Ćepulić, On symmetric block designs (40,13,4) with automorphisms of order 5 **128** (1-3) (1994) 45–60
4026. J. Chen, J.L. Gross and R.G. Rieper, Overlap matrices and total imbedding distributions **128** (1-3) (1994) 73–94
4027. R. Davis and C. Wagner, Covering algebras and q-binomial generating functions **128** (1-3) (1994) 95–111
4028. F. Harary and T.A. McKee, The square of a chordal graph **128** (1-3) (1994) 165–172
4029. G. Hurlbert, The antipodal layers problem **128** (1-3) (1994) 237–245
4030. Y. Miao, Existence of resolvable BIBDs with k=5 and λ=4 **128** (1-3) (1994) 283–303
4031. A. Rosa and Š. Znám, Packing pentagons into complete graphs: how clumsy can you get? **128** (1-3) (1994) 305–316
4032. C.P. Teo and K.M. Koh, On chromatic uniqueness of uniform subdivisions of graphs **128** (1-3) (1994) 327–335
4033. J. Bang-Jensen and P. Hell, On chordal proper circular arc graphs **128** (1-3) (1994) 395–398
4034. G. Johns, A simple proof of the characterization of antipodal graphs **128** (1-3) (1994) 399–400
4035. M.-Y. Xu, Vertex-primitive digraphs of prime-power order are hamiltonian **128** (1-3) (1994) 415–417
4036. P. Biondi, A classification of finite n-2,n-biregular spaces **129** (1-3) (1994) 3–18
4037. G. Abe, Unsolved problems on magic squares **127** (1-3) (1994) 3–13
4038. M.O. Albertson and D.L. Boutin, Lower bounds for constant degree independent sets **127** (1-3) (1994) 15–21
4039. R.E.L. Aldred, D.A. Holton and Z. Ke Min, A degree characterisation of pancyclicity **127** (1-3) (1994) 23–29
4040. N. Alon, Probabilistic methods in coloring and decomposition problems **127** (1-3) (1994) 31–46
4041. M. Behzad and E.S. Mahmoodian, Eccentric sequences and triangle sequences of block designs **127** (1-3) (1994) 47–56
4042. J.M. Bernaldez, On cyclically K-complementary graphs **127** (1-3) (1994) 57–62
4043. P.J. Cameron, Two-graphs and trees **127** (1-3) (1994) 63–74
4044. L.D. Carrillo, Hamiltonian-connected self-complementary graphs **127** (1-3) (1994) 75–93
4045. D.P. Day, O.R. Oellermann and H.C. Swart, On the l-connectivity of a digraph **127** (1-3) (1994) 95–104
4046. C. De Simone, M. Deza and M. Laurent, Collapsing and lifting for the cut cone **127** (1-3) (1994) 105–130
4047. C.-L. Deng and C.-K. Lim, A class of clique-closed graphs **127** (1-3) (1994) 131–137
4048. P. Erdős, R.J. Faudree and C.C. Rousseau, Extremal problems and generalized degrees **127** (1-3) (1994) 139–152
4049. P. Erdős, R.J. Faudree, C.C. Rousseau and R.H. Schelp, A local density condition for triangles **127** (1-3) (1994) 153–161
4050. J. Fàbrega and M.A. Fiol, Extraconnectivity of graphs with large girth **127** (1-3) (1994) 163–170
4051. I.A. Faradzev, Association schemes on the set of antiflags of a projective plane **127** (1-3) (1994) 171–179
4052. H.-L. Fu and K.-C. Huang, On prime labellings **127** (1-3) (1994) 181–186
4053. Z. Füredi, Intersecting designs from linear programming and graphs of diameter two **127** (1-3) (1994) 187–207
4054. J.R. Griggs and D.J. Kleitman, Independence and the Havel–Hakimi residue **127** (1-3) (1994) 209–212
4055. P. Hell, X. Yu and H. Zhou, Independence ratios of graph powers **127** (1-3) (1994) 213–220
4056. A.V. Ivanov, Two families of strongly regular graphs with the 4-vertex condition **127** (1-3) (1994) 221–242
4057. K.M. Koh and K.L. Teo, Chromatic classes of 2-connected $(n, n+3)$-graphs with at least two triangles **127** (1-3) (1994) 243–258
4058. K. Nomura, An application of intersection diagrams of high rank **127** (1-3) (1994) 259–264
4059. B.L. Piazza, R.D. Ringeisen and S.K. Stueckle, Subthrackleable graphs and four cycles **127** (1-3) (1994) 265–276
4060. M.D. Plummer, Extending matchings in graphs: A survey **127** (1-3) (1994) 277–292

4061. A. Takahashi, S. Ueno and Y. Kajitani, Minimal acyclic forbidden minors for the family of graphs with bounded path-width **127** (1-3) (1994) 293–304
4062. M. Tsuchiya, On antichain intersection numbers, total clique covers and regular graphs **127** (1-3) (1994) 305–318
4063. Z. Tuza, Largest size and union of Helly families **127** (1-3) (1994) 319–327
4064. M. Bolla and G. Tusnády, Spectra and optimal partitions of weighted graphs **128** (1-3) (1994) 1–20
4065. M. Bolla and G. Tusnády, Spectra and optimal partitions of weighted graphs **128** (1-3) (1994) 1–20
4066. A. Ehrenfeucht, T. Harju and G. Rozenberg, Incremental construction of 2-structures **128** (1-3) (1994) 113–141
4067. A.J.W. Hilton and D. de Werra, A sufficient condition for equitable edge-colourings of simple graphs **128** (1-3) (1994) 179–201
4068. A.V. Ivashchenko, Graphs of spheres and tori **128** (1-3) (1994) 247–255
4069. D. Kratsch, P. Damaschke and A. Lubiw, Dominating cliques in chordal graphs **128** (1-3) (1994) 269–275
4070. I. Sato, Isomorphisms of some graph coverings **128** (1-3) (1994) 317–326
4071. T. Ueda, Graphs of nonsingular threshold transformations **128** (1-3) (1994) 349–359
4072. R. Ahlswede and G. Simonyi, On the optimal structure of recovering set pairs in lattices: the sandglass conjecture **128** (1-3) (1994) 389–394
4073. P. Solé and T. Zaslavsky, Maximality of the cycle code of a graph **128** (1-3) (1994) 401–405
4074. M. Tkáč, On shortness coefficients of simple 3-polytopal graphs with only one type of faces besides triangles **128** (1-3) (1994) 407–413
4075. P. Biondi, A classification of finite n-2,n-biregular spaces **129** (1-3) (1994) 3–18
4076. F. Buekenhout, Questions about linear spaces **129** (1-3) (1994) 19–27
4077. P.J. Cameron, Infinite linear spaces **129** (1-3) (1994) 29–41
4078. P.D. Vito and P.M.L. Re, On some classes of linear spaces embedded in a Pappian plane **129** (1-3) (1994) 43–52
4079. A.D. Fra and D. Ghinelli, $Af^*.Af$ geometries, the Klein quadric and $\mathcal{H}_q^n$ **129** (1-3) (1994) 53–74
4080. A. Delandtsheer, Classifications of finite highly transitive dimensional linear spaces **129** (1-3) (1994) 75–111
4081. H. Gropp, Configurations and $(r,1)$-designs **129** (1-3) (1994) 113–137
4082. H. Hotje, M. Marchi and S. Pianta, On a class of point-reflection geometries **129** (1-3) (1994) 139–147
4083. A. Maschietti and G. Migliori, On $q^2/4$-sets of type $(0, q/4, q/2)$ in projective planes of order $q \equiv 0 (\mathrm{mod}\ 4)$ **129** (1-3) (1994) 149–158
4084. S. Milici and Z. Tuza, The spectrum of λ-times repeated blocks for TS(v, λ) **129** (1-3) (1994) 159–166
4085. C.A. Rodger, Linear spaces with many small lines **129** (1-3) (1994) 167–180
4086. M. Stroppel, Stable planes **129** (1-3) (1994) 181–189
4087. G. Tallini, Asymptotic questions in Galois geometries **129** (1-3) (1994) 191–203
4088. J. Ueberberg, Symbolic incidence geometry and finite linear spaces **129** (1-3) (1994) 205–217
4089. A.A. Bruen, Solution to a question of A. Beutelspacher on finite linear spaces **129** (1-3) (1994) 219–220
4090. A. Achache and A.A.L. Sangalli, Préordres, résiduation et espaces de fermeture **130** (1-3) (1994) 3–7
4091. A. Achache and A.A.L. Sangalli, Préordres, résiduation et espaces de fermeture **130** (1-3) (1994) 3–7
4092. M.-F. Bélanger, J. Constantin and G. Fournier, Graphes et ordonnés démontables, propriété de la clique fixe **130** (1-3) (1994) 9–17
4093. F. Bendali and A. Quilliot, Compatibilité entre structures d'intervalles et relations d'ordre **130** (1-3) (1994) 19–37
4094. M. Burlet and J. Fonlupt, Polyhedral consequences of the amalgam operation **130** (1-3) (1994) 39–55
4095. P. Duchet and V. Kaneti, Sur la contractibilité d'un graphe orienté en K^*_4 **130** (1-3) (1994) 57–68
4096. G. Fournier and L. Gagnon, Théorème de point fixe asymptotique dans les ordonnés infinis **130** (1-3) (1994) 69–76
4097. S. Hazan and I.G. Rosenberg, TC-clones maximaux, graphes et relations **130** (1-3) (1994) 77–82
4098. F. Laviolette, Decomposition of infinite eulerian graphs with a small number of vertices of infinite degree **130** (1-3) (1994) 83–87
4099. N. Polat, Minimax theorems for infinite graphs with the ends as ideal points **130** (1-3) (1994) 89–96
4100. N. Polat and G. Sabidussi, Fixed elements of infinite trees **130** (1-3) (1994) 97–102
4101. M. Pouzet and I.G. Rosenberg, General metrics and contracting operations **130** (1-3) (1994) 103–169

4102. P. Solé, The edge-forwarding index of orbital regular graphs **130** (1-3) (1994) 171–176
4103. M.E. Watkins, Sur les graphes infinis possedant un groupe d'automorphismes primitif **130** (1-3) (1994) 177–182
4104. R. Aharoni and V. Korman, Strong LP duality in weighted infinite bipartite graphs **131** (1-3) (1994) 1–7
4105. C. De Simone and A. Galluccio, New classes of Berge perfect graphs **131** (1-3) (1994) 67–79
4106. R.B. Gardner, Steiner triple systems with transrotational automorphisms **131** (1-3) (1994) 99–104
4107. K.W. Hoke and M.F. Troyon, The struction algorithm for the maximum stable set problem revisited **131** (1-3) (1994) 105–113
4108. H.A. Jung, On finite fixed sets in infinite graphs **131** (1-3) (1994) 115–125
4109. J. Liu, Hamiltonian decompositions of Cayley graphs on Abelian groups **131** (1-3) (1994) 163–171
4110. Z. Lonc, Partitions of large Boolean lattices **131** (1-3) (1994) 173–181
4111. Z. Miller and D. Pritikin, Applying a result of Frankl and Rödl to the construction of Steiner trees in the hypercube **131** (1-3) (1994) 183–194
4112. D. Moak, K. Heuvers, K.P.S.B. Rao and K. Collins, An inversion relation of multinomial type **131** (1-3) (1994) 195–204
4113. A. Sidorenko, A partially ordered set of functionals corresponding to graphs **131** (1-3) (1994) 263–277
4114. G. Bohus, W. Jockusch, C.W. Lee and N. Prabhu, On a triangulation of the 3-ball and the solid torus **187** (1-3) (1998) 259–264
4115. G. Stachowiak, On a long cycle in the graph of all linear extensions of a poset consisting of two disjoint chains **131** (1-3) (1994) 375–378
4116. R. Ahlswede and L.H. Khachatrian, The maximal length of cloud-antichains **131** (1-3) (1994) 9–15
4117. A. Riskin and D.W. Barnette, On the noninterpolation of polyhedral maps **131** (1-3) (1994) 211–219
4118. G.L. Ebert, Inverse planes with a given collection of common blocks **131** (1-3) (1994) 81–90
4119. M. Lemos, Matroids having the same connectivity function **131** (1-3) (1994) 153–161
4120. B.R. Nair and A. Vijayakumar, About triangles in a graph and its complement **131** (1-3) (1994) 205–210
4121. W. Siemes, J. Topp and L. Volkmann, On unique independent sets in graphs **131** (1-3) (1994) 279–285
4122. L. Tan, Signs in the Laplace expansions and the parity of the distinguished representatives **131** (1-3) (1994) 287–299
4123. Y.-N. Yeh, The generating polynomial and Euler characteristic of intersection graphs **131** (1-3) (1994) 325–333
4124. D. Michalak, The binding numbers of some Cartesian products of graphs **131** (1-3) (1994) 363–366
4125. P. Headley, R-sequenceability and R^*-sequenceability of abelian 2-groups **131** (1-3) (1994) 345–350
4126. M.D. Hirschhorn, Ramanujan's partition congruences **131** (1-3) (1994) 351–355
4127. J. Sellers, New congruences for generalized Frobenius partitions with two or three colors **131** (1-3) (1994) 367–373
4128. J. Žerovnik, A randomized algorithm for k-colorability **131** (1-3) (1994) 379–393
4129. D. Avis and H. Maehara, Metric extensions and the L^1 hierarchy **131** (1-3) (1994) 17–28
4130. S. Chadjiconstantinidis and T. Chadjipadelis, A construction method of new D-, A-optimal weighing designs when $N \equiv 3 \bmod 4$ and $k \leqslant N-1$. **131** (1-3) (1994) 39–50
4131. E.R. Lamken, Constructions for generalized balanced tournament designs **131** (1-3) (1994) 127–151
4132. E. Schulte and A.I. Weiss, Chirality and projective linear groups **131** (1-3) (1994) 221–261
4133. T. Wang, Factors of trees **131** (1-3) (1994) 301–310
4134. H.N. Ward, Divisors of codes of Reed–Muller type **131** (1-3) (1994) 311–323
4135. A. Blokhuis and T. Szőnyi, Irregular weighting of 1-designs **131** (1-3) (1994) 339–343
4136. P. Katerinis, Regular factors in vertex-deleted subgraphs of regular graphs **131** (1-3) (1994) 357–361
4137. Y. Caro, On induced subgraphs with odd degrees **132** (1-3) (1994) 23–28
4138. D.P. Dailey, On the graphical containment of discrete metric spaces **131** (1-3) (1994) 51–66
4139. S.I. El-Zanati, Maximum packings with odd cycles **131** (1-3) (1994) 91–97
4140. D.A. Grable, Hypergraphs and sharpened sieve inequalities **132** (1-3) (1994) 75–82
4141. M. Kochol, Compatible systems of representatives **132** (1-3) (1994) 115–126
4142. X. Li and F. Zhang, n-Dimensional line digraphs **132** (1-3) (1994) 127–135
4143. C. Malvenuto and C. Reutenauer, Evacuation of labelled graphs **132** (1-3) (1994) 137–143
4144. R. Sprugnoli, Riordan arrays and combinatorial sums **132** (1-3) (1994) 267–290
4145. K.P. Bogart and A.N. Trenk, Bipartite tolerance orders **132** (1-3) (1994) 11–22
4146. H. Verrall, Hamilton decompositions of complete 3-uniform hypergraphs **132** (1-3) (1994) 333–348

4147. A. Björner and K. Eriksson, Extendable shellability for rank 3 matroid complexes **132** (1-3) (1994) 373–376
4148. V. Domocoş and W.R. Schmitt, An application of linear species **132** (1-3) (1994) 377–381
4149. Y. Ishigami, An extremal problem of orthants containing at most one point besides the origin **132** (1-3) (1994) 383–386
4150. J. Liu and H. Zhou, Graphs and digraphs with given girth and connectivity **132** (1-3) (1994) 387–390
4151. L'. Šoltés, Forbidden induced subgraphs for line graphs **132** (1-3) (1994) 391–394
4152. A. Tucker, Balanced matrices with row sum 3 **132** (1-3) (1994) 395–398
4153. S.S. Abhyankar and I. Yie, Small degree coverings of the affine line in characteristic two **133** (1-3) (1994) 1–23
4154. C. Bessenrodt, A bijection for Lebesgue's partition identity in the spirit of Sylvester **132** (1-3) (1994) 1–10
4155. B.-L. Chen and H.-L. Fu, Edge domination in complete partite graphs **132** (1-3) (1994) 29–35
4156. G. Gierz, Level sets in finite distributive lattices of breadth 3 **132** (1-3) (1994) 51–63
4157. W. Goddard, O.R. Oellermann and H.C. Swart, Steiner distance stable graphs **132** (1-3) (1994) 65–73
4158. N.L. Johnson and V. Jha, Regulus codes **132** (1-3) (1994) 97–106
4159. H. Niederhausen, Factorials and Stirling numbers in the algebra of formal Laurent series II: $z^a - z^b = t$ **132** (1-3) (1994) 197–213
4160. S. Park, Inverse descents of r-multipermutations **132** (1-3) (1994) 215–229
4161. M.R. Pinter, Strongly well-covered graphs **132** (1-3) (1994) 231–246
4162. J.F. Weng, Variational approach and Steiner minimal trees on four points **132** (1-3) (1994) 349–362
4163. H.L. Abbott, M. Katchalski and B. Zhou, Proof of a conjecture of Dirac concerning 4-critical planar graphs **132** (1-3) (1994) 367–371
4164. D.F. Hsu and T. Łuczak, On the k-diameter of k-regular k-connected graphs **133** (1-3) (1994) 291–296
4165. J. Komlós and W.O.J. Moser, Almost all trees have tribe number 2 or 3 **143** (1-3) (1995) 281–285
4166. D. Dumont and A. Randrianarivony, Dérangements et nombres de Genocchi **132** (1-3) (1994) 37–49
4167. P. Hell and X. Zhu, Homomorphisms to oriented paths **132** (1-3) (1994) 107–113
4168. R.H. Jeurissen, C.H. van Os and J.H.M. Steenbrink, The configuration of bitangents of the Klein curve **132** (1-3) (1994) 83–96
4169. M.V. Ramana, E.R. Scheinerman and D. Ullman, Fractional isomorphism of graphs **132** (1-3) (1994) 247–265
4170. Z.E. Stankova, Forbidden subsequences **132** (1-3) (1994) 291–316
4171. S.-T. Ting and S.-y. Zhao, The geometry of Boolean space and its elementary figures I **132** (1-3) (1994) 317–332
4172. B. Uhrin, The set of neighbours of a set in a point-lattice **133** (1-3) (1994) 259–266
4173. S. Xu, Classes of chromatically equivalent graphs and polygon trees **133** (1-3) (1994) 267–278
4174. M.N. Ellingham, R.L. Hemminger and K.E. Johnson, Contractible edges in longest cycles in non-Hamiltonian graphs **133** (1-3) (1994) 89–98
4175. M. Jiang and F. Ruskey, Determining the Hamilton-connectedness of certain vertex-transitive graphs **133** (1-3) (1994) 159–169
4176. R. Klein, On the colorability of m-composed graphs **133** (1-3) (1994) 181–190
4177. G. Moran, The r-majority vote action on 0–1 sequences **132** (1-3) (1994) 145–174
4178. G. Moran, Parametrization for stationary patterns of the r-majority operators on 0–1 sequences **132** (1-3) (1994) 175–195
4179. J.H. Schmerl, Tiling space with notched cubes **133** (1-3) (1994) 225–235
4180. M.J. Schroeder, Dependence systems with the operator–image exchange property **133** (1-3) (1994) 237–248
4181. Y. Shi, The number of cycles in a hamilton graph **133** (1-3) (1994) 249–257
4182. H. Jacob and H. Meyniel, About quasi-kernels in a digraph **154** (1-3) (1996) 279–280
4183. K.M. Zhang, Y. Manoussakis and Z.M. Song, Complementary cycles containing a fixed arc in diregular bipartite tournaments **133** (1-3) (1994) 325–328
4184. V. Batagelj, Inductive classes of bipartite cubic graphs **134** (1-3) (1994) 3–8
4185. A.M. Assaf, Bipacking pairs by quintuples: The case $v \equiv 13 \pmod{20}$ **133** (1-3) (1994) 47–54
4186. L. Cerlienco and M. Mureddu, Generalized Robinson–Schensted correspondences: A new algorithm **133** (1-3) (1994) 79–88

4187. W. Geyer, On Tamari lattices **133** (1-3) (1994) 99–122
4188. R.B. Hughes, Lower bounds on cube simplexity **133** (1-3) (1994) 123–138
4189. A.V. Ivashchenko, Some properties of contractible transformations on graphs **133** (1-3) (1994) 139–145
4190. H. Kimura, Classification of Hadamard matrices of order 28 **133** (1-3) (1994) 171–180
4191. J. Kratochvíl, Regular codes in regular graphs are difficult **133** (1-3) (1994) 191–205
4192. E. Mendelsohn and P. Rodney, The existence of court balanced tournament designs **133** (1-3) (1994) 207–216
4193. D.J. Rasmussen and C.D. Savage, Hamilton-connected derangement graphs on S_n **133** (1-3) (1994) 217–223
4194. H. Alzer, An inequality for increasing sequences and its integral analogue **133** (1-3) (1994) 279–283
4195. A. Li, On the conjecture at two counterfeit coins **133** (1-3) (1994) 301–306
4196. S. Klavžar and U. Milutinović, Strong products of Kneser graphs **133** (1-3) (1994) 297–300
4197. M.S. Zeng and Z.K. Min, Neighborhood unions and Hamiltonian properties **133** (1-3) (1994) 319–324
4198. R. Bodendiek and G. Walther, On the relations between certain graph labelings **134** (1-3) (1994) 9–16
4199. V. Batagelj, Inductive classes of bipartite cubic graphs **134** (1-3) (1994) 3–8
4200. N. Čižek and S. Klavžar, On the chromatic number of the lexicographic product and the Cartesian sum of graphs **134** (1-3) (1994) 17–24
4201. T. Dakić and T. Pisanski, On the genus of the tensor product of graphs where one factor is a regular graph **134** (1-3) (1994) 25–39
4202. S. Fisk, Complementary colorings **134** (1-3) (1994) 41–47
4203. S. Fisk and B. Mohar, Surface triangulations with isometric boundary **134** (1-3) (1994) 49–62
4204. A. Gardiner, Distance-transitive antipodal covers: the extremal case **134** (1-3) (1994) 63–64
4205. H. Gropp, Graph-like combinatorial structures in $(r,1)$-designs **134** (1-3) (1994) 65–73
4206. S. Klavžar, Absolute retracts of split graphs **134** (1-3) (1994) 75–84
4207. M.L. Saražin, A simple upper bound for the hamiltonian index of a graph **134** (1-3) (1994) 85–91
4208. D. Marušič and R. Scapellato, Permutation groups with conjugacy complete stabilizers **134** (1-3) (1994) 93–98
4209. D. Marušič and R. Scapellato, A class of graphs arising from the action of PSL(2, q^2) on cosets of PGL(2, q) **134** (1-3) (1994) 99–110
4210. R. Nedela, Covering projections of graphs preserving links of vertices and edges **134** (1-3) (1994) 111–124
4211. M. Petkovšek, A generalization of Gosper's algorithm **134** (1-3) (1994) 125–131
4212. H. Sachs, Coin graphs, polyhedra, and conformal mapping **134** (1-3) (1994) 133–137
4213. B. Servatius and H. Servatius, Self-dual maps on the sphere **134** (1-3) (1994) 139–150
4214. J. Shawe-Taylor, Coverings of complete bipartite graphs and associated structures **134** (1-3) (1994) 151–160
4215. J. Širáň, M. Škoviera and H.-J. Voss, Sachs triangulations and regular maps **134** (1-3) (1994) 161–175
4216. S.S. Abhyankar and I. Yie, Small degree coverings of the affine line in characteristic two **133** (1-3) (1994) 1–23
4217. S.S. Abhyankar, J. Ou and A. Sathaye, Alternating group coverings of the affine line for characteristic two **133** (1-3) (1994) 25–46
4218. F.W. Barnes, How many $1\times2\times4$ bricks can you get into an odd box? **133** (1-3) (1994) 55–78
4219. J.H. Kwak and J. Lee, Enumeration of graph embeddings **135** (1-3) (1994) 129–151
4220. H. Li and Y. Lin, The existence of infinitely many primary trees **135** (1-3) (1994) 153–161
4221. N.V.R. Mahadev and U.N. Peled, Longest cycles in threshold graphs **135** (1-3) (1994) 169–176
4222. P.A. Picon, Conditions d'integrité de certains coefficients hypergéometriques: généralisation d'un théorème de Landau **135** (1-3) (1994) 245–263
4223. P.L. Check and C.J. Colbourn, Concerning difference families with block size four **133** (1-3) (1994) 285–289
4224. H.S. Snevily, The snake-in-the-box problem: A new upper bound **133** (1-3) (1994) 307–314
4225. J.-M. Xu, A sufficient condition for equality of arc-connectivity and minimum degree of a digraph **133** (1-3) (1994) 315–318
4226. E.J. Billington and C.C. Lindner, The spectrum for 2-perfect bowtie systems **135** (1-3) (1994) 61–68
4227. X. Guo and F. Zhang, k-Cycle resonant graphs **135** (1-3) (1994) 113–120
4228. Z. Jackowski, Characterizations of two classes of digraphs **133** (1-3) (1994) 147–157

4229. P.S. Montague, A new construction of lattices from codes over GF(3) **135** (1-3) (1994) 193–223
4230. I. Robertson, T-chromatic polynomials **135** (1-3) (1994) 279–286
4231. A.B. Sørensen, On the number of rational points on codimension-1 algebraic sets in $\mathbf{P}^n(\mathbf{F}_q)$ **135** (1-3) (1994) 321–334
4232. S. Xu, J. Liu and Y. Peng, The chromaticity of s-bridge graphs and related graphs **135** (1-3) (1994) 349–358
4233. Y.-N. Yeh and I. Gutman, On the sum of all distances in composite graphs **135** (1-3) (1994) 359–365
4234. K. Ando, An upper bound for orders of certain $(k, \tilde{k})$-connected graphs **135** (1-3) (1994) 371–375
4235. L. Traldi, Generalized activities and K-terminal reliability. II **135** (1-3) (1994) 381–385
4236. J. Abrham and A. Kotzig, All 2-regular graphs consisting of 4-cycles are graceful **135** (1-3) (1994) 1–14
4237. S. Ajoodani-Namini and G.B. Khosrovashahi, More on halving the complete designs **135** (1-3) (1994) 29–37
4238. A.S. Fraenkel, H. Porta and K.B. Stolarsky, The almost PV behavior of some far from PV algebraic integers **135** (1-3) (1994) 93–101
4239. J.P. Georges, D.W. Mauro and M.A. Whittlesey, Relating path coverings to vertex labellings with a condition at distance two **135** (1-3) (1994) 103–111
4240. Y. Guo and L. Volkmann, On complementary cycles in locally semicomplete digraphs **135** (1-3) (1994) 121–127
4241. F. Matúš, Extreme convex set functions with many nonnegative differences **135** (1-3) (1994) 177–191
4242. S. Negami, Diagonal flips in triangulations of surfaces **135** (1-3) (1994) 225–232
4243. F. Rhodes, Digital metrics generated by families of paths **135** (1-3) (1994) 265–277
4244. D.G. Rogers, On critical perfect systems of difference sets **135** (1-3) (1994) 287–301
4245. M. Razpet, On divisibility of binomial coefficients **135** (1-3) (1994) 377–379
4246. K. Xing and B. Hu, On Kotzig's conjecture for graphs with a regular path-connectedness **135** (1-3) (1994) 387–393
4247. M.E. Adams and W. Dziobiak, Quasivarieties of distributive lattices with a quantifier **135** (1-3) (1994) 15–28
4248. H. Alzer, Refinement of an inequality of G. Bennett **135** (1-3) (1994) 39–46
4249. A. Blass, On exponentiation of G-sets **135** (1-3) (1994) 69–79
4250. B. Du, On the existence of incomplete transversal designs with block size five **135** (1-3) (1994) 81–92
4251. J. Liu and H. Zhou, Dominating subgraphs in graphs with some forbidden structures **135** (1-3) (1994) 163–168
4252. V. Neumann-Lara, The 3 and 4-dichromatic tournaments of minimum order **135** (1-3) (1994) 233–243
4253. R.E.L. Aldred and R.P. Anstee, On the density of sets of divisors **137** (1-3) (1995) 345–349
4254. A.G. de Oliveira, On the Steinitz exchange lemma **137** (1-3) (1995) 367–370
4255. K. McDougal, On asymmetric (0,1)-matrices with given row and column sum vectors **137** (1-3) (1995) 377–381
4256. S. Zhou, Matroid tree graphs and interpolation theorems **137** (1-3) (1995) 395–397
4257. T. Adelgren, Triangle-free eulerian tours in graphs with maximum degree at most 4 **138** (1-3) (1995) 5–14
4258. J. van den Heuvel, Long cycles in graphs containing a 2-factor with many odd components **137** (1-3) (1995) 389–393
4259. A. Batbedat, Two representations of finite ordered sets **135** (1-3) (1994) 47–59
4260. R.A. Beezer and E.J. Farrell, The matching polynomial of a regular graph **137** (1-3) (1995) 7–18
4261. J.L. Blanchard, A construction for orthogonal arrays with strength $t \geqslant 3$ **137** (1-3) (1995) 35–44
4262. J. Czyzowicz, E. Rivera-Campo, J. Urrutia and J. Zaks, On illuminating line segments in the plane **137** (1-3) (1995) 147–153
4263. H. Enomoto and M. Kano, Disjoint odd integer subsets having a constant even sum **137** (1-3) (1995) 189–193
4264. D.-Y. Jeong, Realizations with a cut-through Eulerian circuit **137** (1-3) (1995) 265–275
4265. J. Meng, The generalized S-graphs of diameter 3 **140** (1-3) (1995) 95–106
4266. R.A. Proctor and D.C. Wilson, Interpretation of a basic hypergeometric identity with Lie characters and Young tableaux **137** (1-3) (1995) 297–302
4267. I. Rival and N. Zaguia, Perpendicular orders **137** (1-3) (1995) 303–313

4268. Y. Zhao, On the edge-reconstruction of 3-connected planar graphs with minimum valency 4 **137** (1-3) (1995) 333–344
4269. D.W. Barnette, A short proof of the d-connectedness of d-polytypes **137** (1-3) (1995) 351–352
4270. P. Brass, Packing constants in graphs and connectivity **137** (1-3) (1995) 353–355
4271. K. Dale and I. Skau, The (Generalized) Secretary's Packet Problem and the Bell numbers **137** (1-3) (1995) 357–360
4272. W. Qiu, A necessary condition on the existence of abelian difference sets **137** (1-3) (1995) 383–386
4273. V. Bruyère and C. De Felice, Synchronization and decomposability for a family of codes: Part 2 **140** (1-3) (1995) 47–77
4274. D. Duffus, H. Lefmann and V. Rödl, Shift graphs and lower bounds on Ramsey numbers $r_k(l;r)$ **137** (1-3) (1995) 177–187
4275. D.R. Hare, Cycles in the block-intersection graph of pairwise balanced designs **137** (1-3) (1995) 211–221
4276. S. Jendroľ and P.J. Owens, Pentagonal 3-polytopal graphs with edges of only two types and shortness parameters **137** (1-3) (1995) 251–263
4277. M. Li, Longest cycles in regular 2-connected claw-free graphs **137** (1-3) (1995) 277–295
4278. A. Stacey, Universal minimal total dominating functions of trees **140** (1-3) (1995) 287–290
4279. O.V. Borodin, Triangles with restricted degree sum of their boundary vertices in plane graphs **137** (1-3) (1995) 45–51
4280. M.R. Casali, Coloured knots and coloured graphs representing 3-fold simple coverings of $\mathbb{S}^3$ **137** (1-3) (1995) 87–98
4281. A. Cavicchioli and M. Meschiari, A homology theory for colored graphs **137** (1-3) (1995) 99–136
4282. A. Denise and R. Simion, Two combinatorial statistics on Dyck paths **137** (1-3) (1995) 155–176
4283. A. Bialostocki, P. Erdős and H. Lefmann, Monochromatic and zero-sum sets of nondecreasing diameter **137** (1-3) (1995) 19–34
4284. W. Goddard, Mistilings with dominoes **137** (1-3) (1995) 361–365
4285. F. Li and W. Gao, Addition theorems on Z_n **137** (1-3) (1995) 371–376
4286. B.D. Thatte, On a reconstruction problem **137** (1-3) (1995) 387–388
4287. D. Banković, All solutions of finite equations **137** (1-3) (1995) 1–6
4288. M. Bousquet-Mélou and J.-M. Fédou, The generating function of convex polyominoes: the resolution of a q-differential system **137** (1-3) (1995) 53–75
4289. G. Burosch and P.V. Ceccherini, Isometric embeddings into cube-hypergraphs **137** (1-3) (1995) 77–85
4290. Z. Chen, On polynomial functions from Z_n to Z_m **137** (1-3) (1995) 137–145
4291. A. Goupil, Reflection decompositions in the classical Weyl groups **137** (1-3) (1995) 195–209
4292. M. Hartmann and M.H. Schneider, Max-balanced flows in oriented matroids **137** (1-3) (1995) 223–240
4293. G. Hurlbert, Multicover Ucycles **137** (1-3) (1995) 241–249
4294. S.J. Rosenberg, A large index theorem for orthogonal arrays, with bounds **137** (1-3) (1995) 315–318
4295. E. Spence, Classification of Hadamard matrices of order 24 and 28 **140** (1-3) (1995) 185–243
4296. P. Terwilliger, A new inequality for distance-regular graphs **137** (1-3) (1995) 319–332
4297. X. Zhu, On the bounds for the ultimate independence ratio of a graph **156** (1-3) (1996) 229–236
4298. P. Frankl, H. Maehara and J. Nakashima, On the section of a convex polyhedron **140** (1-3) (1995) 265–267
4299. M. Wojtas, Five mutually orthogonal Latin squares of orders 24 and 40 **140** (1-3) (1995) 291–294
4300. D. Bauer, H.J. Broersma, J. van den Heuvel and H.J. Veldman, Long cycles in graphs with prescribed toughness and minimum degree **141** (1-3) (1995) 1–10
4301. M. Laczkovich, Tilings of triangles **140** (1-3) (1995) 79–94
4302. M. Mulazzani, Lins–Mandel graphs representing 3-manifolds **140** (1-3) (1995) 107–118
4303. N. Polat, A Helly theorem for geodesic convexity in strongly dismantlable graphs **140** (1-3) (1995) 119–127
4304. V. Reiner, Descents and one-dimensional characters for classical Weyl groups **140** (1-3) (1995) 129–140
4305. L.A. Sanchis, Some results on characterizing the edges of connected graphs with a given domination number **140** (1-3) (1995) 149–166
4306. R. Shen and F. Tian, Neighborhood unions and hamiltonicity of graphs **141** (1-3) (1995) 213–225
4307. J.L. Szwarcfiter, On edge transitivity of directed graphs **141** (1-3) (1995) 227–235
4308. J.F. Weng and R.S. Booth, Steiner minimal trees on regular polygons with centre **141** (1-3) (1995) 259–274

4309. F. Zhang and X. Li, Hexagonal systems with forcing edges **140** (1-3) (1995) 253–263
4310. D. Peleg, On the maximum density of 0–1 matrices with no forbidden rectangles **140** (1-3) (1995) 269–274
4311. A.J. Radcliffe and A.D. Scott, Every tree contains a large induced subgraph with all degrees odd **140** (1-3) (1995) 275–279
4312. A. Sanchez-Flores, An improved upper bound for Ramsey number $N(3,3,3,3;2)$ **140** (1-3) (1995) 281–286
4313. A. Adelberg, A finite difference approach to degenerate Bernoulli and Stirling polynomials **140** (1-3) (1995) 1–21
4314. C. Bessenrodt, Generalisations of the Andrews–Olsson partition identity and applications **141** (1-3) (1995) 11–22
4315. J.L. Blanchard, An extension theorem for Steiner systems **141** (1-3) (1995) 23–35
4316. C. Wang, Boolean minors **141** (1-3) (1995) 237–258
4317. E.J. Cockayne and C.M. Mynhardt, A characterisation of universal minimal total dominating functions in trees **141** (1-3) (1995) 75–84
4318. R.J. Faudree, R.J. Gould, M.S. Jacobson and L.M. Lesniak, Degree conditions and cycle extendability **141** (1-3) (1995) 109–122
4319. A.S. Fraenkel and M. Loebl, Complexity of circuit intersection in graphs **141** (1-3) (1995) 135–151
4320. G. Gutin, Characterizations of vertex pancyclic and pancyclic ordinary complete multipartite digraphs **141** (1-3) (1995) 153–162
4321. N. Hartsfield and W.F. Smyth, A family of sparse graphs of large sum number **141** (1-3) (1995) 163–171
4322. E. Knill, A. Ehrenfeucht and D. Haussler, The size of k-pseudotrees **141** (1-3) (1995) 185–194
4323. R. Huang and G.-C. Rota, On the relations of various conjectures on Latin squares and straightening coefficients **128** (1-3) (1994) 225–236
4324. O.V. Borodin, Simultaneous coloring of edges and faces of plane graphs **128** (1-3) (1994) 21–33
4325. D. Bauer, H.J. Broersma, J. van den Heuvel and H.J. Veldman, Long cycles in graphs with prescribed toughness and minimum degree **141** (1-3) (1995) 1–10
4326. P.A. Catlin and H.-J. Lai, Vertex arboricity and maximum degree **141** (1-3) (1995) 37–46
4327. A.G. Chetwynd and S.J. Rhodes, Chessboard squares **141** (1-3) (1995) 47–59
4328. N.-P. Chiang and H.-L. Fu, The achromatic indices of the regular complete multipartite graphs **141** (1-3) (1995) 61–66
4329. S.A. Choudum and K. Kayathri, There are no edge-chromatic 4-critical graphs of order 12 **141** (1-3) (1995) 67–73
4330. J.A. Dias da Silva and A. Fonseca, The r-depth of a matroid **141** (1-3) (1995) 85–93
4331. D. Dunham, D.S. Jungreis and D. Witte, Infinite Hamiltonian paths in Cayley digraphs of hyperbolic symmetry groups **143** (1-3) (1995) 1–30
4332. W.M. Dymàček and T. Whaley, Generating strings for bipartite Steinhaus graphs **141** (1-3) (1995) 95–107
4333. P. Haukkanen, An abstract Möbius inversion formula with number-theoretic applications **142** (1-3) (1995) 87–96
4334. M.A. Henning, Irredundance perfect graphs **142** (1-3) (1995) 107–120
4335. C.T. Hoàng, Hamiltonian degree conditions for tough graphs **142** (1-3) (1995) 121–139
4336. A. Joseph, The isomorphism problem for Cayley digraphs on groups of prime-squared order **141** (1-3) (1995) 173–183
4337. M. Katchalski, W. McCuaig and S. Seager, Ordered colourings **142** (1-3) (1995) 141–154
4338. V.P. Korzhik, A nonorientable triangular embedding of $K_n - K_2$, $n \equiv 8 (\mathrm{mod}\ 12)$ **141** (1-3) (1995) 195–211
4339. X. Lu, A Hamiltonian game on $K_{n,n}$ **142** (1-3) (1995) 185–191
4340. L. Smithline, Bandwidth of the complete k-ary tree **142** (1-3) (1995) 203–212
4341. R. Sprugnoli, Riordan arrays and the Abel–Gould identity **142** (1-3) (1995) 213–233
4342. S. Stahl, Bounds for the average genus of the vertex-amalgamation of graphs **142** (1-3) (1995) 235–245
4343. X. Qing, Reversible $(m, n, k, \lambda_1, \lambda_2)$-abelian divisible difference sets with k-λ_1 nonsquare **142** (1-3) (1995) 193–201
4344. A.H. Zemanian, Connectedness in transfinite graphs and the existence and uniqueness of node voltages **142** (1-3) (1995) 247–269

4345. X. Bao, Two new symmetric inseparable double squares **141** (1-3) (1995) 275–277
4346. A.C. Burris, The irregular coloring number of a tree **141** (1-3) (1995) 279–283
4347. P. Erdős, R. Faudree, T.J. Reid, R. Schelp and W. Staton, Degree sequence and independence in $K(4)$-free graphs **141** (1-3) (1995) 285–290
4348. G.-G. Gao and G. Hahn, Minimal graphs that fold onto K_n **142** (1-3) (1995) 277–280
4349. M. Krivelevich, On a conjecture of Tuza about packing and covering of triangles **142** (1-3) (1995) 281–286
4350. C. Lin, G. Hu and Z. Zhang, A six-color theorem for the edge-face coloring of plane graphs **141** (1-3) (1995) 291–297
4351. A. Ainouche, A common generalization of Chvátal–Erdős' and Fraisse's sufficient conditions for hamiltonian graphs **142** (1-3) (1995) 1–19
4352. C.D. Maranas, C.A. Floudas and P.M. Pardalos, New results in the packing of equal circles in a square **142** (1-3) (1995) 287–293
4353. I.E. Zverovich, Proof of a conjecture in domination theory **184** (1-3) (1998) 297–298
4354. N.J. Calkin, A curious binomial identity **131** (1-3) (1994) 335–337
4355. A. Berrachedi, A new characterization of median graphs **128** (1-3) (1994) 385–387
4356. A. Ainouche, A common generalization of Chvátal–Erdős' and Fraisse's sufficient conditions for hamiltonian graphs **142** (1-3) (1995) 1–19
4357. D. Archdeacon and D.A. Grable, The genus of a random graph **142** (1-3) (1995) 21–37
4358. R.J. Chapman, Shrinking integer lattices **142** (1-3) (1995) 39–48
4359. B. Gao, D.-Z. Du and R.L. Graham, A tight lower bound for the Steiner ratio in Minkowski planes **142** (1-3) (1995) 49–63
4360. F. Granot and M. Penn, On the integral 4-packing of T-cuts **142** (1-3) (1995) 65–75
4361. M. Gutierrez and L. Oubiña, Minimum proper interval graphs **142** (1-3) (1995) 77–85
4362. O. Heden, Maximal partial spreads and the modular n-queen problem II **142** (1-3) (1995) 97–106
4363. M. Hofmeister, Graph covering projections arising from finite vector spaces over finite fields **143** (1-3) (1995) 87–97
4364. G.T. Kennedy and V. Pless, A coding theoretic approach to extending designs **142** (1-3) (1995) 155–168
4365. J. Körner, Intersection number and capacities of graphs **142** (1-3) (1995) 169–184
4366. H.-J. Lai and G. Weng, Strength and fractional arboricity of complementary graphs **143** (1-3) (1995) 141–151
4367. J. Liu and K. Williams, On bandwidth and edgesum for the composition of two graphs **143** (1-3) (1995) 159–166
4368. K. Metsch, Quasi-residual designs, $1\frac{1}{2}$-designs, and strongly regular multigraphs **143** (1-3) (1995) 167–188
4369. Y. Miao and L. Zhu, Perfect Mendelsohn designs with block size six **143** (1-3) (1995) 189–207
4370. X. Shen, Generalized Latin squares II **143** (1-3) (1995) 221–242
4371. X.-Y. Su, On complete subgraphs of color-critical graphs **143** (1-3) (1995) 243–249
4372. W. Ulatowski, Cycle interpolation properties of graphs **143** (1-3) (1995) 251–257
4373. W. Zang, Generalizations of Grillet's theorem on maximal stable sets and maximal cliques in graphs **143** (1-3) (1995) 259–268
4374. F.W. Barnes, Best packing of rods into boxes **142** (1-3) (1995) 271–275
4375. H. Galeana-Sánchez, B_1- and B_2-orientable graphs in kernel theory **143** (1-3) (1995) 269–274
4376. J. Haviland, Independent domination in regular graphs **143** (1-3) (1995) 275–280
4377. L. Yan, A Family of special outerplanar graphs with only one triangle satisfying the cycle basis interpolation property **143** (1-3) (1995) 293–297
4378. M. Aigner, E. Triesch and Z. Tuza, Searching for acyclic orientations of graphs **144** (1-3) (1995) 3–10
4379. H. Mizuno and I. Sato, Characteristic polynomials of some graph coverings **142** (1-3) (1995) 295–298
4380. D. Dunham, D.S. Jungreis and D. Witte, Infinite Hamiltonian paths in Cayley digraphs of hyperbolic symmetry groups **143** (1-3) (1995) 1–30
4381. S. Tazawa, C. Nara and J.W. Moon, The number of 4-cycles in triangle-free oriented graphs **143** (1-3) (1995) 287–291
4382. R. Balakrishnan and R. Sampathkumar, Decompositions of regular graphs into $K_n^c \vee 2K_2$ **156** (1-3) (1996) 19–28
4383. J.-M. Fedou and D. Rawlings, Statistics on pairs of permutations **143** (1-3) (1995) 31–45

4384. J.R. Griggs and Y.-C. Lin, Planar graphs with few vertices of small degree **143** (1-3) (1995) 47–70
4385. J.L. Gross and T.W. Tucker, Stratified graphs for imbedding systems **143** (1-3) (1995) 71–85
4386. T. Helleseth and P.V. Kumar, The weight hierarchy of the Kasami codes **145** (1-3) (1995) 133–143
4387. R. Labahn, Kernels of minimum size gossip schemes **143** (1-3) (1995) 99–139
4388. P. Lalonde, Lyndon heaps:An analogue of Lyndon words in free partially commutative monoids **145** (1-3) (1995) 171–189
4389. G. Liu, Orthogonal (g,f)-factorizations in graphs **143** (1-3) (1995) 153–158
4390. S. Milici, G. Quattrocchi and H. Shen, Embeddings of Simple Maximum Packings of triples with λ Even **145** (1-3) (1995) 191–200
4391. B.P. Mull, D. Kountanis and R. Rashidi, Uniform strong 2-cell imbeddings of bridgeless graphs **143** (1-3) (1995) 209–220
4392. K. Ota, Cycles through prescribed vertices with large degree sum **145** (1-3) (1995) 201–210
4393. A. Riskin, The genus 2 crossing number of K_9 **145** (1-3) (1995) 211–227
4394. P.F. Stadler, Random walks and orthogonal functions associated with highly symmetric graphs **145** (1-3) (1995) 229–237
4395. S. Yang, The isomorphic factorization of complete tripartite graphs $K(m, n, s)$ — A proof of F. Harary, R.W. Robinson and N.C. Wormald's conjecture **145** (1-3) (1995) 239–257
4396. X. Zha, The closed 2-cell embeddings of 2-connected doubly toroidal graphs **145** (1-3) (1995) 259–271
4397. D.H. Griffel and C.A.N. Morris, Complete latin squares of order 2^k **145** (1-3) (1995) 291–293
4398. M.S. Jacobson and J. Lehel, Irregular embeddings of multigraphs with fixed chromatic number **145** (1-3) (1995) 295–299
4399. S. Jendroľ and M. Tkáč, The irregularity strength of tK_p **145** (1-3) (1995) 301–305
4400. M.N. Kolountzakis, An effective additive basis for the integers **145** (1-3) (1995) 307–313
4401. M. Lepović, On strongly asymmetric graphs **145** (1-3) (1995) 315–320
4402. L. Libkin and V. Gurvich, Trees as semilattices **145** (1-3) (1995) 321–327
4403. F. Maurin, On the existence of $(v, 4, 3, 1)$-BHDs **145** (1-3) (1995) 329–331
4404. J.B.M. Melissen and P.C. Schuur, Packing 16, 17 or 18 circles in an equilateral triangle **145** (1-3) (1995) 333–342
4405. E. Song, W. Ye and Y. Liu, New lower bounds for Ramsey number $R(p,q;4)$ **145** (1-3) (1995) 343–346
4406. S. Akkari, Random packing by matroid bases and triangles **145** (1-3) (1995) 1–9
4407. P. Aluffi, A blow-up construction and graph coloring **145** (1-3) (1995) 11–35
4408. H.-J. Bandelt, A. Henkmann and F. Nicolai, Powers of distance-hereditary graphs **145** (1-3) (1995) 37–60
4409. J.C. Bioch and T. Ibaraki, Decompositions of positive self-dual Boolean functions **140** (1-3) (1995) 23–46
4410. C.P. Bonnington, W. Imrich and M.E. Watkins, Separating double rays in locally finite planar graphs **145** (1-3) (1995) 61–72
4411. T.Y. Chow, On the Dinitz conjecture and related conjectures **145** (1-3) (1995) 73–82
4412. F.-M. Dong and Y. Liu, On the chromatic uniqueness of the graph $W(n, n-2) + K_k$ **145** (1-3) (1995) 95–103
4413. E.R. Hauge, On the cycles and adjacencies in the complementary circulating register **145** (1-3) (1995) 105–132
4414. O. Heden, On Bruen chains **146** (1-3) (1995) 69–96
4415. Z. Tuza, Characterization of $(m, 1)$-transitive and (3,2)-transitive semi-complete directed graphs **135** (1-3) (1994) 335–347
4416. D.G. Hoffman, S. Hobart and R.C. Mullin, Near subgroups of groups **146** (1-3) (1995) 97–108
4417. R. Huang, Muir's identity — A supersymmetric approach **146** (1-3) (1995) 123–131
4418. G. Jin, Triangle-free four-chromatic graphs **145** (1-3) (1995) 151–170
4419. H. Li, Circumferences in 1-tough graphs **146** (1-3) (1995) 145–151
4420. M. Serfati, Boolean differential equations **146** (1-3) (1995) 235–246
4421. H. Wan, On nearly self-conjugate partitions of a finite set **175** (1-3) (1997) 239–247
4422. J. West, Generating trees and the Catalan and Schröder numbers **146** (1-3) (1995) 247–262
4423. J.E. Wetzel, Regular dissections of an infinite strip **146** (1-3) (1995) 263–269
4424. K.-W. Yang, Matrix q-hypergeometric series **146** (1-3) (1995) 271–284
4425. P. Boisen, Polynomials and packings: a new proof of de Bruijn's theorem **146** (1-3) (1995) 285–287
4426. W. Chan, An exchange property of matroid **146** (1-3) (1995) 299–302

4427. J.D. Fanning, A family of symmetric designs **146** (1-3) (1995) 307–312
4428. R. Michel, G. Taubenfeld and A. Berman, A connection between random variables and latin k-cubes **146** (1-3) (1995) 313–320
4429. N. Achuthan, N.R. Achuthan and L. Caccetta, On mixed Ramsey numbers **151** (1-3) (1996) 3–13
4430. J. Akiyama, Y. Ishigami, M. Urabe and J. Urrutia, On circles containing the maximum number of points **151** (1-3) (1996) 15–18
4431. B. Alspach, C.C. Chen and K. McAvaney, On a class of Hamiltonian laceable 3-regular graphs **151** (1-3) (1996) 19–38
4432. K. Ando and A. Kaneko, A remark on the connectivity of the complement of a 3-connected graph **151** (1-3) (1996) 39–47
4433. E.B. Arugay and S.V. Gervacio, On path-chromatically unique graphs **151** (1-3) (1996) 49–53
4434. J.M.P. Balmaceda, A note on multiplicity-free permutation characters **151** (1-3) (1996) 55–58
4435. C. Berge, Combinatorial games on a graph **151** (1-3) (1996) 59–65
4436. J.M. Bernaldez, On k-complementing permutations of cyclically k-complementary graphs **151** (1-3) (1996) 67–70
4437. C.-L. Deng and C.-K. Lim, A Characterization of graphs G with $G \cong K^2(G)$ **151** (1-3) (1996) 71–79
4438. D.Z. Du, D.F. Hsu and Y.D. Lyuu, On the diameter vulnerability of Kautz digraphs **151** (1-3) (1996) 81–85
4439. Y. Egawa and M. Kano, Sufficient conditions for graphs to have (g, f)-factors **151** (1-3) (1996) 87–90
4440. S.V. Gervacio, Trees with diameter less than 5 and non-singular complement **151** (1-3) (1996) 91–97
4441. K. Hosono, M. Urabe and M. Watanabe, Topics on line segments and polygons **151** (1-3) (1996) 99–104
4442. N. Ito, Even tournaments and Hadamard tournaments **151** (1-3) (1996) 105–111
4443. M. Kano, Edge-removing games of star type **151** (1-3) (1996) 113–119
4444. K.M. Koh and K.S. Poh, On the lower length of the closed-set lattice of a tree **151** (1-3) (1996) 121–130
4445. M. Laurent, Graphic vertices of the metric polytope **151** (1-3) (1996) 131–153
4446. K.-W. Lih and P.-L. Wu, On equitable coloring of bipartite graphs **151** (1-3) (1996) 155–160
4447. C.-K. Lim and K.S. Lam, The characteristic polynomial of ladder digraph and an annihilating uniqueness theorem **151** (1-3) (1996) 161–167
4448. J.W. Moon, On the total distance between nodes in tournaments **151** (1-3) (1996) 169–174
4449. C.M. O'Keefe, Ovoids in PG(3,q): a survey **151** (1-3) (1996) 175–188
4450. C.M. O'Keefe and A.A. Pascasio, Images of conics under derivation **151** (1-3) (1996) 189–199
4451. C.E. Praeger and B.P. Raposa, Non-symmetric nearly triply regular designs **151** (1-3) (1996) 201–212
4452. H.M. Rara, Reduction procedures for calculating the determinant of the adjacency matrix of some graphs and the singularity of square planar grids **151** (1-3) (1996) 213–219
4453. S.-C. Shee and Y.-S. Ho, The cordiality of the path-union of n copies of a graph **151** (1-3) (1996) 221–229
4454. N.D. Tan, On the isomorphism problem for a family of cubic metacirculant graphs **151** (1-3) (1996) 231–242
4455. R. Aharoni and U. Keich, A generalization of the Ahlswede–Daykin inequality **152** (1-3) (1996) 1–12
4456. M.S. Jacobson and J. Lehel, Irregular embeddings of hypergraphs with fixed chromatic number **145** (1-3) (1995) 145–150
4457. S.M. Selkow, A Probabilistic lower bound on the independence number of graphs **132** (1-3) (1994) 363–365
4458. M. Aigner and E. Triesch, Realizability and uniqueness in graphs **136** (1-3) (1994) 3–20
4459. H.-J. Bandelt and A.W.M. Dress, An order theoretic framework for overlapping clustering **136** (1-3) (1994) 21–37
4460. C.A. Christen, Search problems: one, two or many rounds **136** (1-3) (1994) 39–51
4461. P. Erdős, Problems and results in discrete mathematics **136** (1-3) (1994) 53–73
4462. P. Erdős, A. Sárközy and V.T. Sós, On additive properties of general sequences **136** (1-3) (1994) 75–99
4463. S. Felsner and W.T. Trotter, On the fractional dimension of partially ordered sets **136** (1-3) (1994) 101–117
4464. R.L. Graham, Recent trends in Euclidean Ramsey theory **136** (1-3) (1994) 119–127
4465. P. Gritzmann and V. Klee, On the complexity of some basic problems in computational convexity: I. Containment problems **136** (1-3) (1994) 129–174

4466. S. Hougardy, H.J. Prömel and A. Steger, Probabilistically checkable proofs and their consequences for approximation algorithms **136** (1-3) (1994) 175–223
4467. T. Łuczak, Phase transition phenomena in random discrete structures **136** (1-3) (1994) 225–242
4468. E.C. Milner, The use of elementary substructures in combinatorics **136** (1-3) (1994) 243–252
4469. P. Pudlák and V. Rödl, Some combinatorial-algebraic problems from complexity theory **136** (1-3) (1994) 253–279
4470. J.J. Seidel, Isometric embeddings and geometric designs **136** (1-3) (1994) 281–293
4471. J. Spencer, From Erdős to algorithms **136** (1-3) (1994) 295–307
4472. V. Strehl, Binomial identities — combinatorial and algorithmic aspects **136** (1-3) (1994) 309–346
4473. I. Wegener, Efficient data structures for Boolean functions **136** (1-3) (1994) 347–372
4474. D.J.A. Welsh, The random cluster process **136** (1-3) (1994) 373–390
4475. D. Banković, All solutions of finite equations **137** (1-3) (1995) 1–6
4476. E. Barcucci, R. Pinzani and R. Sprugnoli, The random generation of underdiagonal walks **139** (1-3) (1995) 3–18
4477. F. Bergeron and L. Favreau, Fourier transform over semi-simple algebras and harmonic analysis for probabilistic algorithms **139** (1-3) (1995) 19–32
4478. N. Bergeron, Décomposition hyperoctahédrale de l'homologie de Hochschild **139** (1-3) (1995) 33–48
4479. P. Bouchard, Y. Chiricota and G. Labelle, Arbres, arborescences et racines carrées symétriques **139** (1-3) (1995) 49–56
4480. M. Bousquet-Mélou and L. Habsieger, Sur les matrices à signes alternants **139** (1-3) (1995) 57–72
4481. L. Cerlienco and M. Mureddu, From algebraic sets to monomial linear bases by means of combinatorial algorithms **139** (1-3) (1995) 73–87
4482. I. Constantineau, Le nombre d'arbres m-Husimis invariants sous une permutation des sommets **139** (1-3) (1995) 89–103
4483. K. Ding, Invisible permutations and rook placements on a Ferrers board **139** (1-3) (1995) 105–127
4484. S. Dulucq and B.E. Sagan, La correspondance de Robinson–Schensted pour les tableaux oscillants gauches **139** (1-3) (1995) 129–142
4485. P. Dumas and L. Thimonier, Random palindromes: multivariate generating function and Bernoulli density **139** (1-3) (1995) 143–154
4486. K. Eriksson, The numbers game and Coxeter groups **139** (1-3) (1995) 155–166
4487. D. Foata, Les distributions Euler–Mahoniennes sur les mots **139** (1-3) (1995) 167–187
4488. D. Gardy, Some results on the asymptotic behaviour of coefficients of large powers of functions **139** (1-3) (1995) 189–217
4489. A.M. Garsia and M. Haiman, Factorizations of Pieri rules for Macdonald polynomials **139** (1-3) (1995) 219–256
4490. I.M. Gessel, Enumerative applications of a decomposition for graphs and digraphs **139** (1-3) (1995) 257–271
4491. C. Krattenthaler and S.G. Mohanty, Counting tableaux with row and column bounds **139** (1-3) (1995) 273–285
4492. G. Labelle and L. Laforest, Sur la distribution de l'arité de la racine d'une arborescence hyperquaternaire á d dimensions **139** (1-3) (1995) 287–302
4493. A. Lascoux, Polynômes de Schubert Une approche historique **139** (1-3) (1995) 303–317
4494. S.C. Milne and G.M. Lilly, Consequences of the A_l and C_l Bailey transform and Bailey lemma **139** (1-3) (1995) 319–346
4495. J.-G. Penaud, Une preuve bijective d'une formule de Touchard–Riordan **139** (1-3) (1995) 347–360
4496. M.A. Readdy, Extremal problems for the Möbius function in the face lattice of the n-octahedron **139** (1-3) (1995) 361–380
4497. P. Solé, Counting lattice points in pyramids **139** (1-3) (1995) 381–392
4498. E.J. Taft, Hadamard invertibility of linearly recursive sequences in several variables **139** (1-3) (1995) 393–397
4499. D.G. Wagner, Zeros of rank-generating functions of Cohen–Macaulay complexes **139** (1-3) (1995) 399–411
4500. J.S. Yang, The plethystic inverse of a formal power series **139** (1-3) (1995) 413–442
4501. P. Zimmermann, Function composition and automatic average case analysis **139** (1-3) (1995) 443–453

4502. J.-P. Allouche, A. Arnold, J. Berstel, S. Brlek, W. Jockusch, S. Plouffe and B.E. Sagan, A relative of the Thue–Morse sequence **139** (1-3) (1995) 455–461
4503. F. Bergeron, L. Favreau and D. Krob, Conjectures on the enumeration of tableaux of bounded height **139** (1-3) (1995) 463–468
4504. D. Dumont, Conjectures sur des symétries ternaires liées aux nombres de Genocchi (*Note*) **139** (1-3) (1995) 469–472
4505. J.M. Fedou, Sur les fonctions de Bessel **139** (1-3) (1995) 473–480
4506. T. Roby, The connection between the Robinson–Schensted correspondence for skew oscillating tableaux and graded graphs (*Note*) **139** (1-3) (1995) 481–485
4507. A. Adelberg, A finite difference approach to degenerate Bernoulli and Stirling polynomials **140** (1-3) (1995) 1–21
4508. C.A. Akemann and J. Anderson, The continuous Beck–Fiala theorem is optimal **146** (1-3) (1995) 1–9
4509. D. Barraez, E. Flandrin, H. Li and O. Ordaz, Dominating cycles in bipartite biclaw-free graphs **146** (1-3) (1995) 11–18
4510. O. Chan, C.C. Chen and Q. Yu, On 2-extendable abelian Cayley graphs **146** (1-3) (1995) 19–32
4511. J.-L. Fzouquet, V. Giakoumakis, F. Maire and H. Thuillier, On graphs without P_5 and $\overline{P_5}$ **146** (1-3) (1995) 33–44
4512. L. Haddad and H. Zhou, Star chromatic numbers of hypergraphs and partial Steiner triple systems **146** (1-3) (1995) 45–58
4513. N. Hamada and T. Helleseth, A characterization of some $\{3v_{\mu+1}, 3v_{\mu}; k-1, q\}$-minihypers and some $[n, k, q^{k-1} - 3q^{\mu}; q]$-codes ($k \geqslant 3$, $q \geqslant 5$, $1 \leqslant \mu < k-1$) meeting the Griesmer bound **146** (1-3) (1995) 59–67
4514. M. Horňák, R. Lauff and R. Soták, On existence of hypergraphs with prescribed edge degree profile **146** (1-3) (1995) 109–121
4515. H.-J. Lai, Supereulerian graphs and excluded induced minors **146** (1-3) (1995) 133–143
4516. P. Lisoněk, Local and global majorities revisited **146** (1-3) (1995) 153–158
4517. S.P. Nudelman, The modular n-queens problem in higher dimensions **146** (1-3) (1995) 159–167
4518. A.M. Odlyzko and W.D. Smith, Nonabelian sets with distinct k-sums **146** (1-3) (1995) 169–177
4519. B.S. Panda and S.P. Mohanty, Intersection graphs of vertex disjoint paths in a tree **146** (1-3) (1995) 179–209
4520. P. Préa, Distance sequences in infinite regular tessellations **146** (1-3) (1995) 211–233
4521. K.B. Reid and W. Gu, Plurality preference digraphs realized by trees—I. Necessary and sufficient conditions **147** (1-3) (1995) 185–196
4522. P. Savický, Bent functions and random boolean formulas **147** (1-3) (1995) 211–234
4523. M.K. Sen, B.K. Sanyal and D.B. West, Representing digraphs using intervals or circular arcs **147** (1-3) (1995) 235–245
4524. E.C. Sewell and L.E. Trotter Jr., Stability critical graphs and ranks facets of the stable set polytope **147** (1-3) (1995) 247–255
4525. K.M. Koh and B.P. Tan, Kings in multipartite tournaments **147** (1-3) (1995) 171–183
4526. S. Tseng and M.-C. Horng, Partitions of a finite three-complete poset **148** (1-3) (1996) 205–216
4527. M. Wild, Base exchange properties of graphic matroids **148** (1-3) (1996) 253–264
4528. W. Wenzel, Pfaffian forms and Δ-matroids with coefficients **148** (1-3) (1996) 227–252
4529. J.A. Bondy, A short proof of the Chen–Manalastas theorem **146** (1-3) (1995) 289–292
4530. R.A. Brualdi and A. Fonseca, On the quasi-transversals of a matroid **146** (1-3) (1995) 293–297
4531. C. Chen, Binding number and toughness for matching extension **146** (1-3) (1995) 303–306
4532. V. Domocoş and Ş.N. Buzeţeanu, The generating function of irreducible coverings by edges of complete k-partite graphs **147** (1-3) (1995) 287–292
4533. J. Harant and P.J. Owens, Non-hamiltonian $\frac{5}{4}$-tough maximal planar graphs **147** (1-3) (1995) 301–305
4534. K. Nomura, A remark on Mulder's conjecture about interval-regular graphs **147** (1-3) (1995) 307–311
4535. J. Oxley and H. Wu, On matroid connectivity **146** (1-3) (1995) 321–324
4536. M. Voigt, A not 3-choosable planar graph without 3-cycles **146** (1-3) (1995) 325–328
4537. K.T. Arasu, D. Jungnickel, S.L. Ma and A. Pott, Relative difference sets with n=2 **147** (1-3) (1995) 1–17
4538. T. Adelgren, Triangle-free eulerian tours in graphs with maximum degree at most 4 **138** (1-3) (1995) 5–14

4539. F. Aguiló and M.A. Fiol, An efficient algorithm to find optimal double loop networks **138** (1-3) (1995) 15–29
4540. M. Axenovich, D. Fon-Der-Flaass and A. Kostochka, On set systems without weak 3-Δ-subsystems **138** (1-3) (1995) 57–62
4541. I. Anderson, S.D. Cohen and N.J. Finizio, An existence theorem for cyclic triplewhist tournaments **138** (1-3) (1995) 31–41
4542. M. Anthony, G. Brightwell and C. Cooper, The Vapnik–Chervonenkis Dimension of a Random Graph **138** (1-3) (1995) 43–56
4543. J. Bang-Jensen, G. Gutin and J. Huang, Weakly Hamiltonian-connected ordinary multipartite tournaments **138** (1-3) (1995) 63–74
4544. J. Bang-Jensen, P. Hell and G. MacGillivray, Hereditarily hard H-colouring problems **138** (1-3) (1995) 75–92
4545. C. Barefoot, K. Casey, D. Fisher, K. Fraughnaugh and F. Harary, Size in maximal triangle-free graphs and minimal graphs of diameter 2 **138** (1-3) (1995) 93–99
4546. B. Bauslaugh, Core-like properties of infinite graphs and structures **138** (1-3) (1995) 101–111
4547. J. Bierbrauer, A family of 4-designs with block size 9 **138** (1-3) (1995) 113–117
4548. A. Bowler, On the fixed points of an automorphism of a symmetric design **138** (1-3) (1995) 119–124
4549. I. Broere, J.H. Hattingh, M.A. Henning and A.A. McRae, Majority domination in graphs **138** (1-3) (1995) 125–135
4550. A.E. Brouwer, Variations on a theme by Weetman **138** (1-3) (1995) 137–145
4551. J.M. Brunat, M. Espona, M.A. Fiol and O. Serra, On Cayley line digraphs **138** (1-3) (1995) 147–159
4552. D.E. Bryant and S. Oates-Williams, Mendelsohn designs associated with a class of idempotent quasigroups **138** (1-3) (1995) 161–167
4553. M. Buratti, Constructions of $(q,k,1)$ difference families with q a prime power and k=4,5 **138** (1-3) (1995) 169–175
4554. Y. Caro, Y. Roditty and J. Schönheim, On colored designs — II **138** (1-3) (1995) 177–186
4555. R.J. Chapman and B.S. Webb, A note on a lemma of Brauer **138** (1-3) (1995) 187–191
4556. D.V. Chopra, On arrays with some combinatorial structure **138** (1-3) (1995) 193–198
4557. E.J. Cockayne, G. Fricke and C.M. Mynhardt, On a Nordhaus–Gaddum type problem for independent domination **138** (1-3) (1995) 199–205
4558. P. Cowling, Strong total chromatic numbers of complete hypergraphs **138** (1-3) (1995) 207–212
4559. D. Cvetković and S. Simić, On graphs whose second largest eigenvalue does not exceed $(\sqrt{5}-1)/2$ **138** (1-3) (1995) 213–227
4560. J.E. Dunbar, F.C. Harris Jr., S.M. Hedetniemi, S.T. Hedetniemi, A.A. McRae and R.C. Laskar, Nearly perfect sets in graphs **138** (1-3) (1995) 229–246
4561. M.J. Grannell, T.S. Griggs and J.S. Phelan, Continuity of Mendelsohn and Steiner triple systems **138** (1-3) (1995) 247–253
4562. E. Harzheim, On weakly arithmetic progressions **138** (1-3) (1995) 255–260
4563. R. Hochberg, C. McDiarmid and M. Saks, On the bandwidth of triangulated triangles **138** (1-3) (1995) 261–265
4564. S.G. Hoggar and I. McFarlane, Faster fractal pictures by finite fields and far rings **138** (1-3) (1995) 267–280
4565. R.H. Jones, Enumerating uniform polyhedral surfaces with triangular faces **138** (1-3) (1995) 281–292
4566. D. Jennings, On packings of squares and rectangles **138** (1-3) (1995) 293–300
4567. S. Klavžar and B. Mohar, The chromatic numbers of graph bundles over cycles **138** (1-3) (1995) 301–314
4568. R.P. Lewis and S.P. Norton, On a problem raised by P.J. Cameron **138** (1-3) (1995) 315–318
4569. A. Meir and J.W. Moon, On path entropy functions for rooted trees **138** (1-3) (1995) 319–326
4570. K.G. Paterson and M.J.B. Robshaw, Storage efficient decoding for a class of binary be Bruijn sequences **138** (1-3) (1995) 327–341
4571. D.A. Preece, How many 7×7 Latin squares can be partitioned into Youden squares? **138** (1-3) (1995) 343–352
4572. D.A. Preece and B.J. Vowden, Graeco-Latin squares with embedded balanced superimpositions of Youden squares **138** (1-3) (1995) 353–363
4573. Z. Ryjáček and I. Schiermeyer, On the independence number in $K_{1,r+1}$-free graphs **138** (1-3) (1995) 365–374

4574. A. Sánchez-Arroyo, A new upper bound for total colourings of graphs **138** (1-3) (1995) 375–377
4575. E. van Blanken, J. van den Heuvel and H.J. Veldman, Pancyclicity of hamiltonian line graphs **138** (1-3) (1995) 379–385
4576. N. Van Ngoc and Z. Tuza, 4-chromatic graphs with large odd girth **138** (1-3) (1995) 387–392
4577. D.B. West, Acyclic orientations of complete bipartite graphs **138** (1-3) (1995) 393–396
4578. P. Wild, Some families of semibiplanes **138** (1-3) (1995) 397–403
4579. E. Barcucci, R. Pinzani and R. Sprugnoli, The random generation of underdiagonal walks **139** (1-3) (1995) 3–18
4580. C.-D. Wang, A short proof of the existence of 2-sequencings in dihedral groups **145** (1-3) (1995) 287–289
4581. S. Lawrencenko, S. Negami and A.T. White, Three nonisomorphic triangulations of an orientable surface with the same complete graph **135** (1-3) (1994) 367–369
4582. K.T. Arasu, D. Jungnickel, S.L. Ma and A. Pott, Relative difference sets with n=2 **147** (1-3) (1995) 1–17
4583. T.L. Brewster, M.J. Dinneen and V. Faber, A computational attack on the conjectures of Graffiti: New counterexamples and proofs **147** (1-3) (1995) 35–55
4584. R.A. Brualdi, J.S. Graves and K.M. Lawrence, Codes with a poset metric **147** (1-3) (1995) 57–72
4585. P.H. Edelman, Lexicographically first reduced words **147** (1-3) (1995) 95–106
4586. A.V. Evako, Topological properties of the intersection graph of covers of n-dimensional surfaces **147** (1-3) (1995) 107–120
4587. S. Fishel, Nonnegativity results for generalized q-binomial coefficients **147** (1-3) (1995) 121–137
4588. L. Halbeisen and N. Hungerbühler, The general counterfeit coin problem **147** (1-3) (1995) 139–150
4589. D. Hartvigsen, Generalizing the all-pairs min cut problem **147** (1-3) (1995) 151–169
4590. T. Helleseth and P.V. Kumar, On the weight hierarchy of the semiprimitive codes **152** (1-3) (1996) 185–190
4591. D. Lou and Q. Zhu, The 2-extendability of strongly regular graphs **148** (1-3) (1996) 133–140
4592. G. Pirillo, Fibonacci numbers and words **173** (1-3) (1997) 197–207
4593. G. Ratier, On the stable marriage polytope **148** (1-3) (1996) 141–159
4594. F. Rhodes, Metric subgraphs of the chamfer metrics and the Melter–Tomescu path generated metrics **147** (1-3) (1995) 197–209
4595. Ö.J. Rödseth, Weighted multi-connected loop networks **148** (1-3) (1996) 161–173
4596. S. Sevast'janov and W. Banaszczyk, To the Steinitz lemma in coordinate form **169** (1-3) (1997) 145–152
4597. I. Tomescu, An asymptotic formula for the number of graphs having small diameter **156** (1-3) (1996) 219–228
4598. W. Wang, On the colorings of outerplanar graphs **147** (1-3) (1995) 257–269
4599. G. Wirsching, On the combinatorial structure of $3N+1$ predecessor sets **148** (1-3) (1996) 265–286
4600. H. Zhou, On the ultimate normalized chromatic difference sequence of a graph **148** (1-3) (1996) 287–297
4601. Q. Zhu, The largest transversal numbers of uniform hypergraphs **147** (1-3) (1995) 271–282
4602. K. Ando, S. Fujishige and T. Naitoh, A characterization of bisubmodular functions **148** (1-3) (1996) 299–303
4603. D.E. Bryant, A special class of nested Steiner triple systems **152** (1-3) (1996) 315–320
4604. G.L. Chia, The chromaticity of wheels with a missing spoke II **148** (1-3) (1996) 305–310
4605. G. Révész and J. Szigeti, Eulerian trace identities (*Note*) **147** (1-3) (1995) 313–319
4606. T.D. Rogers, The graph of the square mapping on the prime fields **148** (1-3) (1996) 317–324
4607. J. Yuan, A local reductive elimination for the fill-in of graphs **147** (1-3) (1995) 321–327
4608. M.O. Albertson and R. Haas, Parsimonious edge coloring **148** (1-3) (1996) 1–7
4609. Z. Zhang, Parsons graphs of matrices on $\mathcal{Z}_{p^n}$ (*Note*) **148** (1-3) (1996) 325–327
4610. P. Adams, E.J. Billington and D.E. Bryant, Partitionable perfect cycle systems with cycle lengths 6 and 8 **149** (1-3) (1996) 1–9
4611. M.O. Albertson and R. Haas, Parsimonious edge coloring **148** (1-3) (1996) 1–7
4612. F. Barahona and A.R. Mahjoub, On two-connected subgraph polytopes **147** (1-3) (1995) 19–34
4613. G. Burosch, H.-D.O.F. Gronau, J.-M. Laborde and I. Warnke, On posets of m-ary words **152** (1-3) (1996) 69–91
4614. G.J. Chang and Y.-J. Tsay, The partial gossiping problem **148** (1-3) (1996) 9–14
4615. G. Chartrand, H. Gavlas and M. Schultz, Convergent sequences of iterated H-line graphs **147** (1-3) (1995) 73–86
4616. W. Chen and T. Kløve, Lower bounds on multiple distinct sums sets **148** (1-3) (1996) 15–35

4617. B. Du, The existence of orthogonal diagonal Latin squares with subsquares **148** (1-3) (1996) 37–48
4618. H. Galeana-Sánchez and H.A. Rincón-Mejía, Independent sets which meet all longest paths **152** (1-3) (1996) 141–145
4619. M. Gehrke and E. Walker, Iterating conditionals and symmetric Stone algebras **148** (1-3) (1996) 49–63
4620. J. Griggs and O. Murphy, Edge density and independence ratio in triangle-free graphs with maximum degree three **152** (1-3) (1996) 157–170
4621. T.A. Gulliver, Two new optimal ternary two-weight codes and strongly regular graphs **149** (1-3) (1996) 83–92
4622. E.R. Hauge and J. Mykkeltveit, On the classification of deBruijn sequences **148** (1-3) (1996) 65–83
4623. S. Hong, J.H. Kwak and J. Lee, Regular graph coverings whose covering transformation groups have the isomorphism extension property **148** (1-3) (1996) 85–105
4624. C.H. Jepsen, Dissections into 1:2 rectangles **148** (1-3) (1996) 107–117
4625. J. Liu and C. Zhao, A new bound on the feedback vertex sets in cubic graphs **148** (1-3) (1996) 119–131
4626. S.R. Kingan, Binary matroids without prisms, prism duals, and cubes **152** (1-3) (1996) 211–224
4627. B. Runge, Codes and Siegel modular forms **148** (1-3) (1996) 175–204
4628. M. Serfati, On postian algebraic equations **152** (1-3) (1996) 269–285
4629. J. Wang, Long cycles in bipartite tournaments **148** (1-3) (1996) 217–225
4630. D.R. Woodall, An identity involving 3-regular graphs **152** (1-3) (1996) 287–293
4631. T. Andreae, On independent cycles and edges in graphs **149** (1-3) (1996) 291–297
4632. T. Andreae and C. Flotow, On covering all cliques of a chordal graph **149** (1-3) (1996) 299–302
4633. R.D. Dutton and R.C. Brigham, On the radius and diameter of the clique graph **147** (1-3) (1995) 293–295
4634. G. Gordon and E. McDonnell, Trees with the same degree sequence and path numbers **147** (1-3) (1995) 297–300
4635. T. Łuczak, A. Ruciński and J. Gruszka, On the evolution of a random tournament (*Note*) **148** (1-3) (1996) 311–316
4636. B. Xu and H. Fan, On the fixed edge of planar graphs with minimum degree five **152** (1-3) (1996) 325–328
4637. D.A. Beck, J.B. Remmel and T. Whitehead, The combinatorics of transition matrices between the bases of the symmetric functions and the B_n analogues **153** (1-3) (1996) 3–27
4638. M. Aigner, E. Triesch and Z. Tuza, Searching for acyclic orientations of graphs **144** (1-3) (1995) 3–10
4639. P.L. Erdős, U. Faigle and W. Kern, On the average rank of LYM-sets **144** (1-3) (1995) 11–22
4640. S. Felsner and W.T. Trotter, Colorings of diagrams of interval orders and α-sequences of sets **144** (1-3) (1995) 23–31
4641. J.R. Griggs, Matchings, cutsets, and chain partitions in graded posets **144** (1-3) (1995) 33–46
4642. H.A. Kierstead and J. Qin, Coloring interval graphs with First-Fit **144** (1-3) (1995) 47–57
4643. W.-P. Liu, I. Rival and N. Zaguia, Automorphisms, Isotone self-maps and cycle-free orders **144** (1-3) (1995) 59–66
4644. T. Madej and D.B. West, Interval number of special posets and random posets **144** (1-3) (1995) 67–74
4645. J. Mitas, Interval orders based on arbitrary ordered sets **144** (1-3) (1995) 75–95
4646. S. Strahringer, Dimensionality of ordinal structures **144** (1-3) (1995) 97–117
4647. M.M. Sysło, The jump number problem on interval orders: A 3/2 approximation algorithm **144** (1-3) (1995) 119–130
4648. S. Akkari, Random packing by matroid bases and triangles **145** (1-3) (1995) 1–9
4649. H.P. Yap, Generalization of two results of Hilton on total-colourings of a graph **140** (1-3) (1995) 245–252
4650. Z. Ryjáček, Hamiltonicity in claw-free graphs through induced bulls **140** (1-3) (1995) 141–147
4651. B. Servatius and H. Servatius, The 24 symmetry pairings of self-dual maps on the sphere **140** (1-3) (1995) 167–183
4652. R. Aharoni and U. Keich, A generalization of the Ahlswede–Daykin inequality **152** (1-3) (1996) 1–12
4653. P. Berrizbeitia and R.E. Giudici, Counting pure k-cycles in sequences of Cayley graphs **149** (1-3) (1996) 11–18
4654. A. Brandstädt, Partitions of graphs into one or two independent sets and cliques **152** (1-3) (1996) 47–54
4655. G. Burosch and P.V. Ceccherini, A characterization of cube-hypergraphs **152** (1-3) (1996) 55–68
4656. D. Duffus and N. Sauer, Lattices arising in categorial investigations of Hedetniemi's conjecture **152** (1-3) (1996) 125–139
4657. C. Guido, A larger class of reconstructible tournaments **152** (1-3) (1996) 171–184

4658. C. Kenyon and E. Rémila, Perfect matchings in the triangular lattice **152** (1-3) (1996) 191–210
4659. D.W. Krumme, Reordered gossip schemes **156** (1-3) (1996) 113–140
4660. T. Kubo and R. Vakil, On Conway's recursive sequence **152** (1-3) (1996) 225–252
4661. D. Lou, The Chvátal–Erdős condition for cycles in triangle-free graphs **152** (1-3) (1996) 253–257
4662. P. Adams, E.J. Billington and D.E. Bryant, Partitionable perfect cycle systems with cycle lengths 6 and 8 **149** (1-3) (1996) 1–9
4663. D. Banković, Formulas of general solutions of Boolean equations **152** (1-3) (1996) 25–32
4664. A. Baranga, Z-continuous posets **152** (1-3) (1996) 33–45
4665. Y. Caro, Zero-sum problems — A survey **152** (1-3) (1996) 93–113
4666. T. Denley, The Ramsey numbers for disjoint unions of cycles **149** (1-3) (1996) 31–44
4667. V. Domocoş, A combinatorial method for the enumeration of column-convex polyominoes **152** (1-3) (1996) 115–123
4668. G. Gao and X. Zhu, Star-extremal graphs and the lexicographic product **152** (1-3) (1996) 147–156
4669. A.J. Guelzow, Representation of finite nilpotent squags **154** (1-3) (1996) 63–76
4670. S.L. Hakimi, J. Mitchem and E. Schmeichel, Star arboricity of graphs **149** (1-3) (1996) 93–98
4671. G. Hurlbert and G. Isaak, Equivalence class universal cycles for permutations **149** (1-3) (1996) 123–129
4672. K.M. Koh and B.P. Tan, The diameter of an orientation of a complete multipartite graph **149** (1-3) (1996) 131–139
4673. S. McGuinness, On bounding the chromatic number of L-graphs **154** (1-3) (1996) 179–187
4674. F.R. McMorris and H.M. Mulder, Subpath acyclic digraphs **154** (1-3) (1996) 189–201
4675. D.Q. Naiman and H.P. Wynn, Independence number and the complexity of families of sets **154** (1-3) (1996) 203–216
4676. C. Padró and P. Morillo, Diameter vulnerability of iterated line digraphs **149** (1-3) (1996) 189–204
4677. F. Rodier, Estimation asymptotique de la distance minimale du dual des codes BCH et polynômes de Dickson **149** (1-3) (1996) 205–221
4678. N.D. Tan, Cubic (m,n)-metacirculant graphs which are not Cayley graphs **154** (1-3) (1996) 237–244
4679. G. Whittle, Inequivalent representations of ternary matroids **149** (1-3) (1996) 233–238
4680. R. Willard, Essential arities of term operations in finite algebras **149** (1-3) (1996) 239–259
4681. B. Zelinka, Some remarks on domination in cubic graphs **158** (1-3) (1996) 249–255
4682. X. Zha, On minimum-genus embeddings **149** (1-3) (1996) 261–278
4683. R. Cimikowski and D. Coppersmith, The sizes of maximal planar, outerplanar, and bipartite planar subgraphs **149** (1-3) (1996) 303–309
4684. B.G. Eke, Coprimes in blocks of successive integers **149** (1-3) (1996) 313–317
4685. C. Flores and O. Ordaz, On the Erdős–Ginzburg–Ziv theorem **152** (1-3) (1996) 321–324
4686. J. Dunbar, S. Hedetniemi, M.A. Henning and A.A. McRae, Minus domination in regular graphs **149** (1-3) (1996) 311–312
4687. S. Hougardy, Even pairs and the strong perfect graph conjecture **154** (1-3) (1996) 277–278
4688. F. Hurtado and M. Noy, Ears of triangulations and Catalan numbers **149** (1-3) (1996) 319–324
4689. X. Li and H. Zhang, A solution to Gutman's problem on the characteristic polynomial of a bipartite graph **154** (1-3) (1996) 297–300
4690. N. Macris and J.V. Pulé, An alternative formula for the number of Euler trails for a class of digraphs **154** (1-3) (1996) 301–305
4691. H.J. Prömel and A. Steger, Counting H-free graphs **154** (1-3) (1996) 311–315
4692. U. Schulte, Constructing trees in bipartite graphs **154** (1-3) (1996) 317–320
4693. J. Chen, D. Archdeacon and J.L. Gross, Maximum genus and connectivity **149** (1-3) (1996) 19–29
4694. G. Ding and B. Oporowski, On tree-partitions of graphs **149** (1-3) (1996) 45–58
4695. K. Ding and P. Terwilliger, On Garsia–Remmel problem of rook equivalence **149** (1-3) (1996) 59–68
4696. M. Goldstern, R. Grossberg and M. Kojman, Infinite homogeneous bipartite graphs with unequal sides **149** (1-3) (1996) 69–82
4697. P.J. Grabner, R.F. Tichy and U.T. Zimmermann, Inequalities for the gamma function with applications to permanents **154** (1-3) (1996) 53–62
4698. J. Heath and A.J.W. Hilton, At most k-to-1 mappings between graphs, II **154** (1-3) (1996) 85–102
4699. X.-d. Hou, $GL(m,2)$ Acting on $R(r,m)/R(r\text{-}1,m)$ **149** (1-3) (1996) 99–122
4700. W.C. Huffman, The equivalence of two cyclic objects on pq elements **154** (1-3) (1996) 103–127
4701. K. Jansen, A rainbow about T-colorings for complete graphs **154** (1-3) (1996) 129–139

4702. D.M. Kulkarni, Counting of paths and coefficients of the Hilbert polynomial of a determinantal ideal **154** (1-3) (1996) 141–151
4703. J.H. Kwak, S.-G. Kim and J. Lee, Distributions of regular branched prime-fold coverings of surfaces **156** (1-3) (1996) 141–170
4704. V.A. Liskovets, A reductive technique for enumerating non-isomorphic planar maps **156** (1-3) (1996) 197–217
4705. M. Li, Hamiltonian cycles in regular 3-connected claw-free graphs **156** (1-3) (1996) 171–196
4706. B. Mohar, N. Robertson and R.P. Vitray, Planar graphs on the projective plane **149** (1-3) (1996) 141–157
4707. H. Müller, On edge perfectness and classes of bipartite graphs **149** (1-3) (1996) 159–187
4708. B. Servatius and H. Servatius, Self-dual graphs **149** (1-3) (1996) 223–232
4709. J.O. Cerdeira and P. Barcia, Ordered matroids and regular independence systems **154** (1-3) (1996) 255–261
4710. P. Erdős, A. Gyárfás and T. Łuczak, Graphs in which each C_4 spans K_4 **154** (1-3) (1996) 263–268
4711. F. Gerth III, Some probabilities for eigenvalues of matrices with entries in finite fields **154** (1-3) (1996) 269–275
4712. K.M. Koh and C.P. Teo, Chromaticity of series–parallel graphs **154** (1-3) (1996) 289–295
4713. M. Tkáč, On the shortness exponent of 1-tough, maximal planar graphs **154** (1-3) (1996) 321–328
4714. L.D. Andersen and P.D. Vestergaard, Graphs with all spanning trees nonisomorphic **155** (1-3) (1996) 3–12
4715. A. Umar, Enumeration of certain finite semigroups of transformations **189** (1-3) (1998) 291–297
4716. X. Zhang, Construction for indecomposable simple (v,k,λ)-BIBDs **156** (1-3) (1996) 317–322
4717. R.M. Adin, A new cubical h-vector **157** (1-3) (1996) 3–14
4718. K.P. Bogart and A.N. Trenk, Corrigendum **145** (1-3) (1995) 347
4719. C.A. Akemann and J. Anderson, The continuous Beck–Fiala theorem is optimal **146** (1-3) (1995) 1–9
4720. M.A. Fiol, On congruence in Z^n and the dimension of a multidimensional circulant **141** (1-3) (1995) 123–134
4721. L.D. Andersen and P.D. Vestergaard, Graphs with all spanning trees nonisomorphic **155** (1-3) (1996) 3–12
4722. D. Bauer, E. Schmeichel and H.J. Veldman, A note on dominating cycles in 2-connected graphs **155** (1-3) (1996) 13–18
4723. B.E. Brunton, B.J. Wilson and T.S. Griggs, Graphs which have $n/2$-minimal line-distinguishing colourings **155** (1-3) (1996) 19–26
4724. M. Burzio and J. Pelant, On complete strongly connected digraphs with the least number of 3-cycles **155** (1-3) (1996) 27–30
4725. W. Cherowitzo, Hyperovals in Desarguesian planes: An update **155** (1-3) (1996) 31–38
4726. D. Cieslik and J. Linhart, Steiner minimal trees in L_p^2 **155** (1-3) (1996) 39–48
4727. J. Fàbrega and M.A. Fiol, On the extraconnectivity of graphs **155** (1-3) (1996) 49–57
4728. P.B. Gibbons and E. Mendelsohn, The construction of antipodal triple systems by simulated annealing **155** (1-3) (1996) 59–76
4729. M. Gionfriddo and S. Milici, A result concerning two conjectures of Berge and Chvátal **155** (1-3) (1996) 77–79
4730. H. Gropp, On tactical configurations, regular bipartite graphs, and (v,k,even)-designs **155** (1-3) (1996) 81–98
4731. F. Harary and T.W. Haynes, Nordhaus–Gaddum inequalities for domination in graphs **155** (1-3) (1996) 99–105
4732. J.W.P. Hirschfeld and G. Kiss, Tangent sets in finite spaces **155** (1-3) (1996) 107–119
4733. H. Hotje, Kinematic mappings of plane affinities **155** (1-3) (1996) 121–125
4734. V. Jha and G. Wene, An oval partition of the central units of certain semifield planes **155** (1-3) (1996) 127–134
4735. S. Klavžar, Coloring graph products — A survey **155** (1-3) (1996) 135–145
4736. E. Kolb, Hjelmslev planes over nearrings **155** (1-3) (1996) 147–155
4737. J. Lauri, Large sets of pseudosimilar vertices **155** (1-3) (1996) 157–160
4738. H. Martini, Shadow-boundaries of convex bodies **155** (1-3) (1996) 161–172
4739. B. Mohar, Straight-line representations of maps on the torus and other flat surfaces **155** (1-3) (1996) 173–181

4740. A. Pasini and S. Tsaranov, Bounding the size of certain rank 3 geometries with designs as rank 2 residues **155** (1-3) (1996) 183–204
4741. G. Pica, On finite C_n-geometries with thick lines **155** (1-3) (1996) 205–210
4742. R.P. Ciampi, Stone's representation theorem for Boolean hyperalgebras topological version **155** (1-3) (1996) 211–214
4743. R. Rota, Hyperaffine planes over hyperrings **155** (1-3) (1996) 215–223
4744. S. Spartalis, On the number of H_V-rings with P-hyperoperations **155** (1-3) (1996) 225–231
4745. A. Giorgio Spera, Transitive extensions of imprimitive groups **155** (1-3) (1996) 233–241
4746. Y. Sureau, On structure of cogroups **155** (1-3) (1996) 243–246
4747. J. Topp and P.D. Vestergaard, On numbers of vertices of maximum degree in the spanning trees of a graph **155** (1-3) (1996) 247–258
4748. T. Vougiouklis, H_v-groups defined on the same set **155** (1-3) (1996) 259–265
4749. N.Z. Salvi, Maximal intersection critical families of finite sets **155** (1-3) (1996) 267–269
4750. S.J. Curran and J.A. Gallian, Hamiltonian cycles and paths in Cayley graphs and digraphs — A survey **156** (1-3) (1996) 1–18
4751. B. Bollobás, Degree multiplicities and independent sets in K_4-free graphs **158** (1-3) (1996) 27–35
4752. M. Bousquet-Mélou, A method for the enumeration of various classes of column-convex polygons **154** (1-3) (1996) 1–25
4753. J.I. Brown and S. Watson, The number of complements of a topology on n points is at least 2^n (except for some special cases) **154** (1-3) (1996) 27–39
4754. K.H. Chew, Total chromatic number of regular graphs of odd order and high degree **154** (1-3) (1996) 41–51
4755. C. Fan, D.R. Lick and J. Liu, Pseudo-cartesian product and hamiltonian decompositions of Cayley graphs on abelian groups **158** (1-3) (1996) 49–62
4756. H. Galeana-Sánchez, On monochromatic paths and monochromatic cycles in edge coloured tournaments **156** (1-3) (1996) 103–112
4757. G. Gordon, Series–parallel posets and the Tutte polynomial **158** (1-3) (1996) 63–75
4758. I.P. Goulden, D.M. Jackson and C.M. Springer, An umbral relation between pattern and commutation in strings **158** (1-3) (1996) 77–85
4759. P. Gvozdjak and J. Nešetřil, High girth and extendability **154** (1-3) (1996) 77–84
4760. P. Lalonde, A non-commutative version of Jacobi's equality on the cofactors of a matrix **158** (1-3) (1996) 161–172
4761. T. Lu, The enumeration of trees with and without given limbs **154** (1-3) (1996) 153–165
4762. P. Maschlanka and L. Volkmann, Independence number in n-extendable graphs **154** (1-3) (1996) 167–178
4763. J.L. Pfaltz, Closure lattices **154** (1-3) (1996) 217–236
4764. N. Polat, Finite invariant sets in infinite graphs **158** (1-3) (1996) 211–221
4765. I. Rusu, Properly orderable graphs **158** (1-3) (1996) 223–229
4766. C. Wrathall, The lattices of prefixes and overlaps of traces **158** (1-3) (1996) 231–248
4767. C.-Q. Zhang, Nowhere-zero 4-flows and cycle double covers **154** (1-3) (1996) 245–253
4768. H. Zhang, The connectivity of Z-transformation graphs of perfect matchings of polyominoes **158** (1-3) (1996) 257–272
4769. R.P. Anstee and J.R. Griggs, An application of matching theory of edge-colourings **156** (1-3) (1996) 253–256
4770. K. Edwards, On a problem concerning piles of counters **156** (1-3) (1996) 263–264
4771. K.M. Koh and B.P. Tan, Number of 4-kings in bipartite tournaments with no 3-kings **154** (1-3) (1996) 281–287
4772. D.L. Kreher, G.F. Royle and W.D. Wallis, A family of resolvable regular graph designs **156** (1-3) (1996) 269–275
4773. V. Lashkia, M. Miyakawa, A. Nozaki, G. Pogosyan and I.G. Rosenberg, Semirigid sets of diamond orders **156** (1-3) (1996) 277–283
4774. R. Meshulam, On products of projections **154** (1-3) (1996) 307–310
4775. M. Mishima and M. Jimbo, A series of identities for the coefficients of inverse matrices on a Hamming scheme **156** (1-3) (1996) 285–290
4776. H. Müller, HAMILTONian circuits in chordal bipartite graphs **156** (1-3) (1996) 291–298

4777. E. Olaru, The structure of imperfect critically strongly-imperfect graphs **156** (1-3) (1996) 299–302
4778. J.A. Sellers, Recurrences for 2-colored and 3-colored F-partitions **156** (1-3) (1996) 303–310
4779. J. Shen, An improvement of the Dulmage–Mendelsohn theorem **158** (1-3) (1996) 295–297
4780. D.W. Bange, A.E. Barkauskas, L.H. Host and P.J. Slater, Generalized domination and efficient domination in graphs **159** (1-3) (1996) 1–11
4781. M. Stern, On the covering graph of balanced lattices **156** (1-3) (1996) 311–316
4782. U. Baumann, Automorphism groups of graphs with 1-factorizations **158** (1-3) (1996) 1–10
4783. F.E. Bennett and L. Zhu, The spectrum of HSOLSSOM(h^n) where h is even **158** (1-3) (1996) 11–25
4784. B. Li, The ANTI-order for caccc posets — Part I **158** (1-3) (1996) 173–184
4785. B. Li, The ANTI-order for caccc posets — Part II **158** (1-3) (1996) 185–199
4786. P. Bugata, M. Horňák and A. Nagy, On (1,2)-realizable graphs **158** (1-3) (1996) 37–47
4787. J. Chen, S.P. Kanchi and J.L. Gross, A tight lower bound on the maximum genus of a simplicial graph **156** (1-3) (1996) 83–102
4788. T. Cole, Non-crossing of plane minimal spanning and minimal T1 networks **177** (1-3) (1997) 51–65
4789. S.J. Curran and J.A. Gallian, Hamiltonian cycles and paths in Cayley graphs and digraphs — A survey **156** (1-3) (1996) 1–18
4790. W. Goddard and H.C. Swart, Distances between graphs under edge operations **161** (1-3) (1996) 121–132
4791. M.A. Henning, O.R. Oellermann and H.C. Swart, The diversity of domination **161** (1-3) (1996) 161–173
4792. R.B. Hughes and M.R. Anderson, Simplexity of the cube **158** (1-3) (1996) 99–150
4793. R. Jajcay, Characterization and construction of Cayley graphs admitting regular Cayley maps **158** (1-3) (1996) 151–160
4794. B.R. Nair and A. Vijayakumar, Strongly edge triangle regular graphs and a conjecture of Kotzig **158** (1-3) (1996) 201–209
4795. M. Ploščica and M. Zelina, Cancellation among finite unary algebras **159** (1-3) (1996) 191–198
4796. D.P. Sanders, On circuits through five edges **159** (1-3) (1996) 199–215
4797. S.J. Winters, Connected graphs with prescribed median and periphery **159** (1-3) (1996) 223–236
4798. A. Brandstädt, V.D. Chepoi and F.F. Dragan, Perfect elimination orderings of chordal powers of graphs **158** (1-3) (1996) 273–278
4799. V. Bryant, A characterisation of some 2-connected graphs and a comment on an algorithmic proof of Brooks' theorem **158** (1-3) (1996) 279–281
4800. M.K. Chari, Reversible shellings and an inequality for h-vectors **159** (1-3) (1996) 255–259
4801. V. Domocoş, Minimal coverings of uniform hypergraphs and P-recursiveness **159** (1-3) (1996) 265–271
4802. P. Erdős, T.J. Reid, R. Schelp and W. Staton, Sizes of graphs with induced subgraphs of large maximum degree **158** (1-3) (1996) 283–286
4803. M. Hirschhorn, Calkin's binomial identity **159** (1-3) (1996) 273–278
4804. Y. Ishigami, An extremal problem of d permutations containing every permutation of every t elements **159** (1-3) (1996) 279–283
4805. C. Bo and B. Liu, Some inequalities about connected domination number **159** (1-3) (1996) 241–245
4806. C. Mauk and S. Stahl, Cubic graphs whose average number of regions is small **159** (1-3) (1996) 285–290
4807. X.-D. Zhang, On the spiral property of the q-derangement numbers **159** (1-3) (1996) 295–298
4808. F.K. Hwang, U.G. Rothblum and Y.-C. Yao, Localizing combinatorial properties of partitions **160** (1-3) (1996) 1–23
4809. S. Gravier and A. Khelladi, On the domination number of cross products of graphs **145** (1-3) (1995) 273–277
4810. K. Dilcher, Some q-series identities related to divisor functions **145** (1-3) (1995) 83–93
4811. I. Rusu, A new class of perfect Hoàng graphs **145** (1-3) (1995) 279–285
4812. D.W. Bange, A.E. Barkauskas, L.H. Host and P.J. Slater, Generalized domination and efficient domination in graphs **159** (1-3) (1996) 1–11
4813. M. Benoumhani, On Whitney numbers of Dowling lattices **159** (1-3) (1996) 13–33
4814. E. Boros and V. Gurvich, Perfect graphs are kernel solvable **159** (1-3) (1996) 35–55
4815. E.J. Cockayne, O. Favaron and C.M. Mynhardt, Universal maximal packing functions of graphs **159** (1-3) (1996) 57–68
4816. D. Dikranjan and A. Policriti, Complementation in the lattice of equivalence relations **159** (1-3) (1996) 83–94
4817. E. Dobson, Isomorphism problem for Cayley graphs of $\mathbf{Z}_p^3$ **147** (1-3) (1995) 87–94

4818. S. Fan, On End-regular graphs **159** (1-3) (1996) 95–102
4819. O. Favaron, H. Li and R.H. Schelp, Strong edge colorings of graphs **159** (1-3) (1996) 103–109
4820. R.W. Goldbach and H.L. Claasen, Feasibility conditions for non-symmetric 3-class association schemes **159** (1-3) (1996) 111–118
4821. S. Gutner, The complexity of planar graph choosability **159** (1-3) (1996) 119–130
4822. Y.O. Hamidoune, A.S. Lladó and O. Serra, Small cutsets in quasiminimal Cayley graphs **159** (1-3) (1996) 131–142
4823. E.R. Hauge and T. Helleseth, De Bruijn sequences, irreducible codes and cyclotomy **159** (1-3) (1996) 143–154
4824. C.R. Johnson and T.A. McKee, Structural conditions for cycle completable graphs **159** (1-3) (1996) 155–160
4825. W.P. Johnson, q-Extensions of identities of Abel–Rothe type **159** (1-3) (1996) 161–177
4826. Van Bang Le, Gallai graphs and anti-Gallai graphs **159** (1-3) (1996) 179–189
4827. R. Schneider, On the chairman assignment problem **159** (1-3) (1996) 217–222
4828. R. van Dal, G. Tijssen, Z. Tuza, J.A.A. van der Veen, C. Zamfirescu and T. Zamfirescu, Hamiltonian properties of Toeplitz graphs **159** (1-3) (1996) 69–81
4829. C.G. Wagner, Generalized Stirling and Lah numbers **160** (1-3) (1996) 199–218
4830. A. Borobia, Vertices of the generalized transitive tournament polytope **163** (1-3) (1997) 229–234
4831. O.V. Borodin, Irreducible graphs in the Grünbaum–Havel 3-colour problem **159** (1-3) (1996) 247–249
4832. M.J. Caulfield, Full and quarter plane complete infinite latin squares **159** (1-3) (1996) 251–253
4833. W.Y.C. Chen, The skew, relative, and classical derangements **160** (1-3) (1996) 235–239
4834. L.G. Chouinard II, Bounding graphical t-wise balanced designs **159** (1-3) (1996) 261–263
4835. K. Culik II, An aperiodic set of 13 Wang tiles **160** (1-3) (1996) 245–251
4836. I.M. Gessel, Counting acyclic digraphs by sources and sinks **160** (1-3) (1996) 253–258
4837. J. Kari, A small aperiodic set of Wang tiles **160** (1-3) (1996) 259–264
4838. T. Szabó, On nearly regular co-critical graphs **160** (1-3) (1996) 279–281
4839. M.K. Chari, Matroid inequalities (*Communication*) **147** (1-3) (1995) 283–286
4840. D.A. Beck, J.B. Remmel and T. Whitehead, The combinatorics of transition matrices between the bases of the symmetric functions and the B_n analogues **153** (1-3) (1996) 3–27
4841. J. Berstel and M. Pocchiola, Random generation of finite Sturmian words **153** (1-3) (1996) 29–39
4842. L. Bessis, Fixed points of induced automorphisms of hypermaps **153** (1-3) (1996) 41–46
4843. J. Bétréma and A. Zvonkin, Plane trees and Shabat polynomials **153** (1-3) (1996) 47–58
4844. H. Décoste and G. Labelle, Le q-dénombrement générique d'une espèce: Existence et méthode de calcul **153** (1-3) (1996) 59–67
4845. A. Denise, Génération aléatoire et uniforme de mots **153** (1-3) (1996) 69–84
4846. S. Dulucq, S. Gire and J. West, Permutations with forbidden subsequences and nonseparable planar maps **153** (1-3) (1996) 85–103
4847. K. Eriksson, Strong convergence and the polygon property of 1-player games **153** (1-3) (1996) 105–122
4848. S. Fomin and A.N. Kirillov, The Yang-Baxter equation, symmetric functions, and Schubert polynomials **153** (1-3) (1996) 123–143
4849. X. Gourdon and B. Salvy, Effective asymptotics of linear recurrences with rational coefficients **153** (1-3) (1996) 145–163
4850. W. Hochstättler, M. Loebl and C. Moll, Generating convex polyominoes at random **153** (1-3) (1996) 165–176
4851. G. Ivanyos and Á. Szántó, Lattice basis reduction for indefinite forms and an application **153** (1-3) (1996) 177–188
4852. C. Krattenthaler and R.A. Sulanke, Counting pairs of nonintersecting lattice paths with respect to weighted turns **153** (1-3) (1996) 189–198
4853. G. Labelle and L. Laforest, Etude de constantes universelles pour les arborescences hyperquaternaires de recherche **153** (1-3) (1996) 199–211
4854. B. Leclerc, Powers of staircase Schur functions and symmetric analogues of Bessel polynomials **153** (1-3) (1996) 213–227
4855. A.M. Odlyzko, Analytic methods in asymptotic enumeration **153** (1-3) (1996) 229–238
4856. G. Pirillo and S. Varricchio, Some combinatorial properties of infinite words and applications to semigroup theory **153** (1-3) (1996) 239–251

4857. H. Prodinger, Combinatorics of geometrically distributed random variables: Left-to-right maxima **153** (1-3) (1996) 253–270
4858. E. Roblet and X.G. Viennot, Théorie combinatoire des T-fractions et approximants de Padé en deux points **153** (1-3) (1996) 271–288
4859. G.-C. Rota, Report on the present state of combinatorics **153** (1-3) (1996) 289–303
4860. B. Shapiro, M. Shapiro and A. Vainshtein, Topology of intersections of Schubert cells and Hecke algebra **153** (1-3) (1996) 305–318
4861. J. Zeng, Sur quelques propriétés de symétrie des nombres de Genocchi **153** (1-3) (1996) 319–333
4862. A.V. Kostochka, The total chromatic number of any multigraph with maximum degree five is at most seven **162** (1-3) (1996) 199–214
4863. F.K. Hwang, U.G. Rothblum and Y.-C. Yao, Localizing combinatorial properties of partitions **160** (1-3) (1996) 1–23
4864. L.W. Beineke, P. Hamburger and W.D. Weakley, Random packing by ρ-connected ρ-regular graphs **160** (1-3) (1996) 41–47
4865. F.E. Bennett, C.J. Colbourn and L. Zhu, Existence of three HMOLS of types h^n and $2^n 3^1$ **160** (1-3) (1996) 49–65
4866. P.A. Catlin, Z.-Y. Han and H.-J. Lai, Graphs without spanning closed trails **160** (1-3) (1996) 81–91
4867. P.A. Catlin, The reduction of graph families closed under contraction **160** (1-3) (1996) 67–80
4868. M. Chastand and N. Polat, Invariant Hamming graphs in infinite quasi-median graphs **160** (1-3) (1996) 93–104
4869. R. Cordovil, A.G. de Oliveira and M.L. Vergnas, A generalized Desargues configuration and the pure braid group **160** (1-3) (1996) 105–113
4870. P. Erdős and P. Fishburn, Maximum planar sets that determine k distances **160** (1-3) (1996) 115–125
4871. P.C. Fishburn and P.L. Hammer, Bipartite dimensions and bipartite degrees of graphs **160** (1-3) (1996) 127–148
4872. H.H. Glover and T.Y. Yang, A Hamilton cycle in the Cayley graph of the $\langle 2, p, 3\rangle$ presentation of $\mathrm{PS}L_2(p)$ **160** (1-3) (1996) 149–163
4873. C.T. Hoàng, Some properties of minimal imperfect graphs **160** (1-3) (1996) 165–175
4874. D.G. Hoffman and C.A. Rodger, On the number of edge-disjoint one factors and the existence of k-factors in complete multipartite graphs **160** (1-3) (1996) 177–187
4875. E. Rémila, Tiling a simply connected figure with bars of length 2 or 3 **160** (1-3) (1996) 189–198
4876. H.S. Snevily, New families of graphs that have α-labelings **170** (1-3) (1997) 185–194
4877. J. Zeng, Multinomial convolution polynomials **160** (1-3) (1996) 219–228
4878. A. Abrams, The kth upper chromatic number of the line **169** (1-3) (1997) 157–162
4879. Y. Caro, On the generalized Erdős–Szekeres Conjecture — a new upper bound **160** (1-3) (1996) 229–233
4880. Z. Chen, Harary's conjectures on integral sum graphs **160** (1-3) (1996) 241–244
4881. X. Gourdon and H. Prodinger, A generating function approach to random subgraphs of the n-cycle **169** (1-3) (1997) 227–232
4882. H. Wang, C. Little and K. Teo, Partition of a directed bipartite graph into two directed cycles **160** (1-3) (1996) 283–289
4883. S.R. Kingan and J.G. Oxley, On the matroids in which all hyperplanes are binary **160** (1-3) (1996) 265–271
4884. I. Krasikov, Degree conditions for vertex switching reconstruction **160** (1-3) (1996) 273–278
4885. E. Steffen, Counterexamples to a conjecture about bottlenecks in non-Tait-colourable cubic graphs (*Note*) **161** (1-3) (1996) 315
4886. Gh. Toader, On Chebyshev's inequality for sequences **161** (1-3) (1996) 317–322
4887. L. Zhang, L. Li and J. Wu, On the descriptive power of special Thue systems **160** (1-3) (1996) 291–297
4888. J. Bang-Jensen, G. Gutin and J. Huang, A sufficient condition for a semicomplete multipartite digraph to be Hamiltonian **161** (1-3) (1996) 1–12
4889. J. Abrham and A. Kotzig, Graceful valuations of 2-regular graphs with two components **150** (1-3) (1996) 3–15
4890. K.T. Balińska and L.V. Quintas, Degrees in a digraph whose nodes are graphs **150** (1-3) (1996) 17–29
4891. C.A. Barefoot, L.H. Clark, R.C. Entringer, T.D. Porter, L.A. Székely and Z. Tuza, Cycle-saturated graphs of minimum size **150** (1-3) (1996) 31–48

4892. A. Bialostocki, H. Lefmann and T. Meerdink, On the degree of regularity of some equations **150** (1-3) (1996) 49–60
4893. M. Bóna and G. Tóth, A Ramsey-type problem on right-angled triangles in space **150** (1-3) (1996) 61–67
4894. M.S. Chung and D.B. West, Large $2P_3$-free graphs with bounded degree **150** (1-3) (1996) 69–79
4895. G. Csizmadia, Furthest neighbours in space **150** (1-3) (1996) 81–88
4896. P. Erdős, T. Gallai and Z. Tuza, Covering and independence in triangle structures **150** (1-3) (1996) 89–101
4897. R.J. Faudree, R.J. Gould, M.S. Jacobson, J. Lehel and L.M. Lesniak, Graph spectra **150** (1-3) (1996) 103–113
4898. O. Favaron, Least domination in a graph **150** (1-3) (1996) 115–122
4899. A. Geroldinger and R. Schneider, The cross number of finite abelian groups III **150** (1-3) (1996) 123–130
4900. I. Gutman and A. Ivić, On Matula numbers **150** (1-3) (1996) 131–142
4901. J. Harant, P.J. Owens, M. Tkáč and H. Walther, 5-regular 3-polytopal graphs with edges of only two types and shortness exponents less than one **150** (1-3) (1996) 143–153
4902. P.E. Haxell, Atoms of set systems with a fixed number of pairwise unions **150** (1-3) (1996) 155–166
4903. W. Imrich and J. Žerovnik, On the weak reconstruction of Cartesian-product graphs **150** (1-3) (1996) 167–178
4904. S. Jendroľ, M. Tkáč and Z. Tuza, The irregularity strength and cost of the union of cliques **150** (1-3) (1996) 179–186
4905. H.A. Kierstead and V. Rodl, Applications of hypergraph coloring to coloring graphs not inducing certain trees **150** (1-3) (1996) 187–193
4906. M. Klazar, Extremal functions for sequences **150** (1-3) (1996) 195–203
4907. K. Kolossa, On the on-line chromatic number of the family of on-line 3-chromatic graphs **150** (1-3) (1996) 205–230
4908. D. Kratsch, J. Lehel and H. Müller, Toughness, hamiltonicity and split graphs **150** (1-3) (1996) 231–245
4909. M. Kubale and K. Piwakowski, A linear time algorithm for edge coloring of binomial trees **150** (1-3) (1996) 247–256
4910. M. Laurent, Hilbert bases of cuts **150** (1-3) (1996) 257–279
4911. T. Lengyel, On some properties of the series $\sum_{k=0}^{\infty} k^n x^k$ and the Stirling numbers of the second kind **150** (1-3) (1996) 281–292
4912. R.-M. Madani, Characterization of Laborde–Mulder graphs (extended odd graphs) **150** (1-3) (1996) 293–301
4913. S. Matić-Kekić, D.M. Acketa and J.D. Žunić, An exact construction of digital convex polygons with minimal diameter **150** (1-3) (1996) 303–313
4914. M.D. Plummer, Extending matchings in planar graphs V **150** (1-3) (1996) 315–324
4915. N. Polat, Stable graphs for a family of endomorphisms **150** (1-3) (1996) 325–335
4916. D.-R. Popescu, Une méthode d'énumération des cycles négatifs d'un graphe signé **150** (1-3) (1996) 337–345
4917. M. Raczunas and P. Chrząstowski-Wachtel, A Diophantine problem of Frobenius in terms of the least common multiple **150** (1-3) (1996) 347–357
4918. J.-F. Saclé, Lower bounds for the size in four families of minimum broadcast graphs **150** (1-3) (1996) 359–369
4919. S.-i. Tokunaga, On a straight-line embedding problem of graphs **150** (1-3) (1996) 371–379
4920. K. Vesztergombi, The two largest distances in finite planar sets **150** (1-3) (1996) 381–386
4921. H. Walther, A nonhamiltonian five-regular multitriangular polyhedral graph **150** (1-3) (1996) 387–392
4922. M. Woźniak, Packing three trees **150** (1-3) (1996) 393–402
4923. K. Ando, A. Kaneko and S. Gervacio, The bandwidth of a tree with k leaves is at most $\lceil \frac{k}{2} \rceil$ **150** (1-3) (1996) 403–406
4924. E. Boros and R. Meshulam, On the number of flats spanned by a set of points in $PG(d,q)$ **150** (1-3) (1996) 407–409
4925. S. Brandt and E. Dobson, The Erdős–Sós conjecture for graphs of girth 5 **150** (1-3) (1996) 411–414
4926. P. Brass, On the Erdős-diameter of sets **150** (1-3) (1996) 415–419
4927. Ş.N. Buzeţeanu and V. Domocoş, Polynomial identities from weighted lattice path counting **150** (1-3) (1996) 421–425
4928. I. Hoffman and A. Soifer, Another six-coloring of the plane **150** (1-3) (1996) 427–429

4929. P. Mihók, On the minimal reducible bound for outerplanar and planar graphs **150** (1-3) (1996) 431–435
4930. D. Miklós and A. Telcs, On fully extended self-avoiding polygons **150** (1-3) (1996) 437–440
4931. D. Miklós, On product of association schemes and Shannon capacity **150** (1-3) (1996) 441–447
4932. V. Petrović, Decomposition of some planar graphs into trees **150** (1-3) (1996) 449–451
4933. I. Tomescu, On the number of irreducible coverings by edges of complete bipartite graphs **150** (1-3) (1996) 453–456
4934. M. Voigt, Choosability of planar graphs **150** (1-3) (1996) 457–460
4935. N. Achuthan, N.R. Achuthan and L. Caccetta, On mixed Ramsey numbers **151** (1-3) (1996) 3–13
4936. H.-J. Bandelt and V. Chepoi, A Helly theorem in weakly modular space **160** (1-3) (1996) 25–39
4937. A. Barg, A large family of sequences with low periodic correlation **176** (1-3) (1997) 21–27
4938. A. Bouchet and L. Ghier, Connectivity and β-invariants of isotropic systems and 4-regular graphs **161** (1-3) (1996) 25–44
4939. D. Dorrough, Convergence of sequences of iterated triangular line graphs **161** (1-3) (1996) 79–86
4940. A. Filipoiu and G. Georgescu, On values in relatively normal lattices **161** (1-3) (1996) 87–100
4941. M.A. Henning, O.R. Oellermann and H.C. Swart, Local edge domination critical graphs **161** (1-3) (1996) 175–184
4942. T.E. Hall and M.V. Sapir, Idempotents, regular elements and sequences from finite semigroups **161** (1-3) (1996) 151–160
4943. J. Li and F. Tian, A proof of a conjecture about D_λ-paths in graphs with large neighborhood unions **161** (1-3) (1996) 185–196
4944. D.D.-F. Liu, T-graphs and the channel assignment problem **161** (1-3) (1996) 197–205
4945. X. Liu, Lower bounds of length of longest cycles in graphs involving neighborhood unions **169** (1-3) (1997) 133–144
4946. W.P. Miller, Techniques in matroid reconstruction **170** (1-3) (1997) 173–183
4947. O. Ordaz, D. Amar and A. Raspaud, Hamiltonian properties and the bipartite independence number **161** (1-3) (1996) 207–215
4948. T. Politof and A. Satyanarayana, The structure of quasi 4-connected graphs **161** (1-3) (1996) 217–228
4949. S. Ren, A sufficient condition for graphs with large neighborhood unions to be traceable **161** (1-3) (1996) 229–234
4950. E. Sampathkumar and L.P. Latha, Strong weak domination and domination balance in a graph **161** (1-3) (1996) 235–242
4951. R.S. Sankaranarayana and L.K. Stewart, Recursively decomposable well-covered graphs **161** (1-3) (1996) 243–263
4952. R.I. Tyshkevich and V.E. Zverovich, Line hypergraphs **161** (1-3) (1996) 265–283
4953. S. Arumugam and K.A. Germina, On indexable graphs **161** (1-3) (1996) 285–289
4954. M. Buratti, Edge-colourings characterizing a class of Cayley graphs and a new characterization of hypercubes **161** (1-3) (1996) 291–295
4955. H. Zhang, Characterization of self-complementary symmetric digraphs **161** (1-3) (1996) 323–327
4956. D. Alevras, Order preserving assignments without contiguity **163** (1-3) (1997) 1–11
4957. M. Kochol, A cyclically 6-edge-connected snark of order 118 **161** (1-3) (1996) 297–300
4958. A. Kreinin and A. Vainshtein, Asymptotics for Morgan numbers of fractional orders **161** (1-3) (1996) 301–308
4959. D.S. Rajan and A.M. Shende, A characterization of root lattices **161** (1-3) (1996) 309–314
4960. P. Hoffmann, Counting maximal cycles in binary matroids **162** (1-3) (1996) 291–292
4961. M. Bauer and C. Itzykson, Triangulations **156** (1-3) (1996) 29–81
4962. N. Alon and E. Fischer, 2-factors in dense graphs **152** (1-3) (1996) 13–23
4963. R. Ahlswede and L.H. Khachatrian, A counterexample to Aharoni's strongly maximal matching conjecture **149** (1-3) (1996) 289
4964. J.J. Quinn, Cycle packings in graphs and digraphs **149** (1-3) (1996) 325–328
4965. J. Abrham and A. Kotzig, Graceful valuations of 2-regular graphs with two components **150** (1-3) (1996) 3–15
4966. V.D. Tonchev, The uniformly packed binary [27,21,3] and [35,29,3] codes **149** (1-3) (1996) 283–287
4967. C.A. Christen, G. Coray and S.M. Selkow, A characterization of n-component graphs **149** (1-3) (1996) 279–281

4968. J. Noonan, The number of permutations containing exactly one increasing subsequence of length three **152** (1-3) (1996) 307–313
4969. S.D. Noble, Recognising a partitionable simplicial complex is in NP **152** (1-3) (1996) 303–305
4970. R.M. Adin, A new cubical h-vector **157** (1-3) (1996) 3–14
4971. T.V. Alekseyevskaya, Combinatorial bases in systems of simplices and chambers **157** (1-3) (1996) 15–37
4972. L. Bessis, Harvey–Wiman hypermaps **157** (1-3) (1996) 39–52
4973. I. Constantineau and G. Labelle, Une généralisation automorphe des nombres de Stirling **157** (1-3) (1996) 53–64
4974. A. Del Lungo, M. Nivat and R. Pinzani, The number of convex polyominoes reconstructible from their orthogonal projections **157** (1-3) (1996) 65–78
4975. J.P. Dubernard and I. Dutour, Enumération de polyominos convexes dirigés **157** (1-3) (1996) 79–90
4976. S. Dulucq and O. Guibert, Stack words, standard tableaux and Baxter permutations **157** (1-3) (1996) 91–106
4977. R. Ehrenborg and M. Readdy, Juggling and applications to q-analogues **157** (1-3) (1996) 107–125
4978. K. Eriksson, Reduced words in affine Coxeter groups **157** (1-3) (1996) 127–146
4979. S. Feretić and D. Svrtan, Combinatorics of diagonally convex directed polyominoes **157** (1-3) (1996) 147–168
4980. J. Galovich and D. White, Recursive statistics on words **157** (1-3) (1996) 169–191
4981. V. Gasharov, Incomparability graphs of (3+1)-free posets are s-positive **157** (1-3) (1996) 193–197
4982. R. Häggkvist and J.C.M. Janssen, All-even latin squares **157** (1-3) (1996) 199–206
4983. W.P. Johnson, Some applications of the q-exponential formula **157** (1-3) (1996) 207–225
4984. G. Labelle and P. Leroux, Enumeration of (uni- or bicolored) plane trees according to their degree distribution **157** (1-3) (1996) 227–240
4985. T.K. Lam, B_n Stanley symmetric functions **157** (1-3) (1996) 241–270
4986. F. Lazebnik, V.A. Ustimenko and A.J. Woldar, A characterization of the components of the graphs $D(k,q)$ **157** (1-3) (1996) 271–283
4987. A. Nica, Crossings and embracings of set-partitions and q-analogues of the logarithm of the Fourier transform **157** (1-3) (1996) 285–309
4988. N. Terai and T. Hibi, Some results on Betti numbers of Stanley–Reisner rings **157** (1-3) (1996) 311–320
4989. M.A.A. van Leeuwen, Tableau algorithms defined naturally for pictures **157** (1-3) (1996) 321–362
4990. J. West, Generating trees and forbidden subsequences **157** (1-3) (1996) 363–374
4991. U. Baumann, Automorphism groups of graphs with 1-factorizations **158** (1-3) (1996) 1–10
4992. J. Bang-Jensen, G. Gutin and J. Huang, A sufficient condition for a semicomplete multipartite digraph to be Hamiltonian **161** (1-3) (1996) 1–12
4993. A. Bonisoli and G. Korchmáros, Suzuki groups, one-factorizations and Lüneburg planes **161** (1-3) (1996) 13–24
4994. L. Boza, A. Diánez and A. Márquez, The center of an infinite graph **161** (1-3) (1996) 45–52
4995. R.E. Burkard, T. Dudás and T. Maier, Cut and patch Steiner trees for ladders **161** (1-3) (1996) 53–61
4996. M.B. Dillencourt and W.D. Smith, Graph-theoretical conditions for inscribability and Delaunay realizability **161** (1-3) (1996) 63–77
4997. F.F. Dragan and A. Brandstädt, r-Dominating cliques in graphs with hypertree structure **162** (1-3) (1996) 93–108
4998. M. Fulmek and C. Krattenthaler, A bijection between Proctor's and Sundaram's odd orthogonal tableaux **161** (1-3) (1996) 101–120
4999. J. Grytczuk, Infinite self-similar words **161** (1-3) (1996) 133–141
5000. J. Hagauer and S. Klavžar, Chque-gated graphs **161** (1-3) (1996) 143–149
5001. Y.O. Hamidoune, On weighted sums in abelian groups **162** (1-3) (1996) 127–132
5002. N. Hindman and H. Lefmann, Canonical partition relations for (m,p,c)-systems **162** (1-3) (1996) 151–174
5003. F.T. Howard, Explicit formulas for degenerate Bernoulli numbers **162** (1-3) (1996) 175–185
5004. F. Hurtado, O. Serra and J. Urrutia, Hiding points in arrangements of segments **162** (1-3) (1996) 187–197
5005. A.V. Kostochka, The total chromatic number of any multigraph with maximum degree five is at most seven **162** (1-3) (1996) 199–214
5006. W. Kühnel and G. Lassmann, Permuted difference cycles and triangulated sphere bundles **162** (1-3) (1996) 215–227

5007. S. Shahriari, On the structure of maximum 2-part Sperner families **162** (1-3) (1996) 229–238
5008. J.M. Vanderkam, Path-sequential labellings of cycles **162** (1-3) (1996) 239–249
5009. X. Zha, Closed 2-cell embeddings of 4 cross-cap embeddable graphs **162** (1-3) (1996) 251–266
5010. I. Althöfer and M. Löwe, Edge search in hypergraphs **162** (1-3) (1996) 267–271
5011. G.L. Chia, On graphs uniquely colorable under the action of their automorphism groups **162** (1-3) (1996) 281–284
5012. B. Jackson and N.C. Wormald, On the linear k-arboricity of cubic graphs **162** (1-3) (1996) 293–297
5013. A.V. Kostochka, M. Stiebitz and B. Wirth, The colour theorems of Brooks and Gallai extended **162** (1-3) (1996) 299–303
5014. D. Kratsch and J.-X. Rampon, Width two posets are reconstructible **162** (1-3) (1996) 305–310
5015. A.J. Macula, A simple construction of d-disjunct matrices with certain constant weights **162** (1-3) (1996) 311–312
5016. F. Maffray and M. Preissmann, On the NP-completeness of the k-colorability problem for triangle-free graphs **162** (1-3) (1996) 313–317
5017. T. Nishimura and A. Saito, Two recursive theorems on n-extendibility **162** (1-3) (1996) 319–323
5018. I. Pak and A. Postnikov, A generalization of Sylvester's identity **178** (1-3) (1998) 277–281
5019. J. Bang-Jensen, G. Gutin and A. Yeo, On k-strong and k-cyclic digraphs **162** (1-3) (1996) 1–11
5020. G. Benadé, I. Broere, B. Jonck and M. Frick, Uniquely $(m,k)^{\tau}$-colourable graphs and k-τ-saturated graphs **162** (1-3) (1996) 13–22
5021. F.E. Bennett and J. Yin, Packings and coverings of the complete directed multigraph with 3- and 4-circuits **162** (1-3) (1996) 23–29
5022. B. Bollobás and I. Leader, Sums in the grid **162** (1-3) (1996) 31–48
5023. M. Caragiu, On a class of finite upper half-planes **162** (1-3) (1996) 49–66
5024. Z. Chen, On polynomial functions from $Z_{n_1} \times Z_{n_2} \times \cdots \times Z_{n_r}$ to Z_m **162** (1-3) (1996) 67–76
5025. K.H. Chew, The chromatic index of graphs of high maximum degree **162** (1-3) (1996) 77–91
5026. D.L. Craft, On the genus of joins and compositions of graphs **178** (1-3) (1998) 25–50
5027. Q. Du, Chromaticity of the complements of paths and cycles **162** (1-3) (1996) 109–125
5028. G.M. Hamilton, C. Ramsay, I.T. Roberts and D.G. Rogers, Uniform perfect systems of sets of iterated differences of size 4 **162** (1-3) (1996) 133–150
5029. F. Kalhoff, On projective embeddings of partial planes and rank-three matroids **163** (1-3) (1997) 67–79
5030. M. Klazar, On well quasiordering of finite languages **163** (1-3) (1997) 81–88
5031. B. Larose and L. Zádori, Algebraic properties and dismantlability of finite posets **163** (1-3) (1997) 89–99
5032. X. Li, A lower bound for the connectivity of directed Euler tour transformation graphs **163** (1-3) (1997) 101–108
5033. P.-J. Wan and D.-Z. Du, A $(\log_2 3 + \frac{1}{2})$-competitive algorithm for the counterfeit coin problem **163** (1-3) (1997) 173–200
5034. M. Salvetti and F. Stumbo, Artin groups associated to infinite Coxeter groups **163** (1-3) (1997) 129–138
5035. Z.-H. Sun, Congruences for Bernoulli numbers and Bernoulli polynomials **163** (1-3) (1997) 153–163
5036. Y.-J. Tsay and G.J. Chang, The exact gossiping problem **163** (1-3) (1997) 165–172
5037. J. Bang-Jensen and G. Gutin, Vertex heaviest paths and cycles in quasi-transitive digraphs **163** (1-3) (1997) 217–223
5038. Y.-g. Chen, On m-harmonic sequences **162** (1-3) (1996) 273–280
5039. G.L. Chia, On the chromatic equivalence class of a family of graphs **162** (1-3) (1996) 285–289
5040. E. Győri, A.V. Kostochka and T. Łuczak, Graphs without short odd cycles are nearly bipartite **163** (1-3) (1997) 279–284
5041. J. Lehel, The partition of a uniform hypergraph into pairs of dependent hyperedges **163** (1-3) (1997) 313–318
5042. X. Liu and B. Wei, A generalization of Bondy's and Fan's sufficient conditions for Hamiltonian graphs **169** (1-3) (1997) 249–255
5043. I.A. Stewart, On locating cubic subgraphs in bounded-degree connected bipartite graphs **163** (1-3) (1997) 319–324
5044. D. Alevras, Order preserving assignments without contiguity **163** (1-3) (1997) 1–11
5045. D.A. Beck, The combinatorics of symmetric functions and permutation enumeration of the hyperoctahedral group **163** (1-3) (1997) 13–45

5046. A.P. Burger, E.J. Cockayne and C.M. Mynhardt, Domination and irredundance in the queens' graph **163** (1-3) (1997) 47–66
5047. M.-c. Cai, Connected [k,k+1]-factors of graphs **169** (1-3) (1997) 1–16
5048. G.F. Clements, The cubical poset is additive **169** (1-3) (1997) 17–28
5049. K.L. Collins and L.B. Krompart, The number of Hamiltonian paths in a rectangular grid **169** (1-3) (1997) 29–38
5050. F.M. Dong and K.M. Koh, On graphs in which any pair of colour classes but one induces a tree **169** (1-3) (1997) 39–54
5051. G. Etienne and M.L. Vergnas, External and internal elements of a matroid basis **179** (1-3) (1998) 111–119
5052. T. Etzion, Optimal constant weight codes over Z_k and generalized designs **169** (1-3) (1997) 55–82
5053. J.W. Grossman, Dominating sets whose closed stars form spanning trees **169** (1-3) (1997) 83–94
5054. V.P. Korzhik, A tighter bounding interval for the 1-chromatic number of a surface **169** (1-3) (1997) 95–120
5055. D. Kuo, G.J. Chang and Y.H.H. Kwong, Cordial labeling of mK_n **169** (1-3) (1997) 121–131
5056. E. Prisner, Radius versus diameter in cocomparability and intersection graphs **163** (1-3) (1997) 109–117
5057. T.J. Reid and L.I. Virden, On rounded five-element lines of matroids **163** (1-3) (1997) 119–127
5058. G. Stachowiak, Finding parity difference by involutions **163** (1-3) (1997) 139–151
5059. G. Chen, A result on C_4-star Ramsey numbers **163** (1-3) (1997) 243–246
5060. Z.-H. Chen, The size of graphs with clique number m and without nowhere-zero 4-flows **163** (1-3) (1997) 247–249
5061. B. Guiduli, On incidence coloring and star arboricity of graphs **163** (1-3) (1997) 275–278
5062. C.-W. Ko, J. Lee and E. Steingrímsson, The volume of relaxed Boolean-quadric and cut polytopes **163** (1-3) (1997) 293–298
5063. A. Kostochka and J. Kratochvíl, Covering and coloring polygon–circle graphs **163** (1-3) (1997) 299–305
5064. J. Lauri, On a formula for the number of Euler trails for a class of digraphs **163** (1-3) (1997) 307–312
5065. J. Meng and Q. Huang, Almost all Cayley graphs have diameter 2 **178** (1-3) (1998) 267–269
5066. Y.-L. Wang, On the bondage number of a graph **159** (1-3) (1996) 291–294
5067. A.A. Ageev, A triangle-free circle graph with chromatic number 5 **152** (1-3) (1996) 295–298
5068. S. Gravier, A Hajós-like theorem for list coloring **152** (1-3) (1996) 299–302
5069. S. Marshall, On the existence of k-tournaments with given automorphism group **152** (1-3) (1996) 259–268
5070. N. Ananchuen and L. Caccetta, Matching extension and minimum degree **170** (1-3) (1997) 1–13
5071. F.E. Bennett and R. Wei, The existence of Schröder designs with equal-sized holes **170** (1-3) (1997) 15–28
5072. M. Bernstein, N.J.A. Sloane and P.E. Wright, On sublattices of the hexagonal lattice **170** (1-3) (1997) 29–39
5073. B. Bollobás and A.D. Scott, Independent sets and repeated degrees **170** (1-3) (1997) 41–49
5074. I. Bouchemakh and K. Engel, The order-interval hypergraph of a finite poset and the König property **170** (1-3) (1997) 51–61
5075. G. Chartrand, H. Hevia, E.B. Jarrett and M. Schultz, Subgraph distances in graphs defined by edge transfers **170** (1-3) (1997) 63–79
5076. D. Crippa and K. Simon, q-distributions and Markov processes **170** (1-3) (1997) 81–98
5077. J.S. Deogun, D. Kratsch and G. Steiner, 1-tough cocomparability graphs are hamiltonian **170** (1-3) (1997) 99–106
5078. K. Ding, Rook placements and cellular decomposition of partition varieties **170** (1-3) (1997) 107–151
5079. J.H. Hattingh and E. Ungerer, Minus k-subdomination in graphs II **171** (1-3) (1997) 141–151
5080. A.R. Mahjoub, On perfectly two-edge connected graphs **170** (1-3) (1997) 153–172
5081. J. Mitchem and P. Morriss, On the cost-chromatic number of graphs **171** (1-3) (1997) 201–211
5082. C. Tardif, A fixed box theorem for the cartesian product of graphs and metric spaces **171** (1-3) (1997) 237–248
5083. U. Teschner, New results about the bondage number of a graph **171** (1-3) (1997) 249–259
5084. B. Wei, Longest cycles in 3-connected graphs **170** (1-3) (1997) 195–201
5085. H.A. Haddadène and F. Maffray, Coloring perfect degenerate graphs **163** (1-3) (1997) 211–215
5086. P.L. Erdős, Splitting property in infinite posets **163** (1-3) (1997) 251–256
5087. W. Gao, An addition theorem for finite cyclic groups **163** (1-3) (1997) 257–265

5088. W. Gao, On the number of zero sum subsequences **163** (1-3) (1997) 267–273
5089. X. Keyi and L. Junming, On Srivastava's problems and the properties of Hadamard matrices **163** (1-3) (1997) 285–291
5090. R. Yuster, On packing trees into complete bipartite graphs **163** (1-3) (1997) 325–327
5091. M. Minoux, Bideterminants, arborescences and extension of the Matrix-Tree Theorem to semirings **171** (1-3) (1997) 191–200
5092. C. Berge and J.-L. Fouquet, On the optimal transversals of the odd cycles **169** (1-3) (1997) 169–175
5093. Y. Egawa, Contractible cycles in graphs with large minimum degree **171** (1-3) (1997) 103–119
5094. H. Jacob, Kernels in graphs with a clique-cutset **156** (1-3) (1996) 265–267
5095. B. Alspach, Research problems **162** (1-3) (1996) 325–328
5096. J. Bang-Jensen, G. Gutin and A. Yeo, On k-strong and k-cyclic digraphs **162** (1-3) (1996) 1–11
5097. S. Benchekroun and P. Moszkowski, A bijective proof of an enumerative property of legal bracketings **176** (1-3) (1997) 273–277
5098. D.M. Acketa and V. Mudrinski, Two 5-designs on 32 points (*Note*) **163** (1-3) (1997) 209–210
5099. A. Blokhuis and A.E. Brouwer, Determination of the distance-regular graphs without 3-claws **163** (1-3) (1997) 225–227
5100. J.S. Caughman, IV, Intersection numbers of bipartite distance-regular graphs **163** (1-3) (1997) 235–241
5101. B. Bollobás, Turán–Ramsey problems **156** (1-3) (1996) 257–261
5102. M.A. Henning and P.J. Slater, Inequalities relating domination parameters incubic graphs **158** (1-3) (1996) 87–98
5103. O. Favaron, Signed domination in regular graphs **158** (1-3) (1996) 287–293
5104. T.A. McKee, Clique neighborhoods and nearly chordal graphs **171** (1-3) (1997) 179–189
5105. P. Zörnig, On the line graphs of the complete r-partite graphs **171** (1-3) (1997) 277–282
5106. H. Ait Haddadene and S. Gravier, On weakly diamond-free Berge graphs **159** (1-3) (1996) 237–240
5107. S. Klavžar and B. Zmazek, On a Vizing-like conjecture for direct product graphs **156** (1-3) (1996) 243–246
5108. P. Zhang, The characteristic polynomials of subarrangements of Coxeter arrangements **177** (1-3) (1997) 245–248
5109. W. Yang, Bell numbers and k-trees **156** (1-3) (1996) 247–252
5110. J.H.E. Cohn, Complex D-optimal designs **156** (1-3) (1996) 237–241
5111. R. Gardner, B. Micale, M. Pennisi and R. Zijlstra, Cyclic and rotational hybrid triple systems **171** (1-3) (1997) 121–139
5112. J. Bang-Jensen and G. Gutin, Paths and cycles in extended and decomposable digraphs **164** (1-3) (1997) 5–19
5113. H. Bielak, Chromatic uniqueness in a family of 2-connected graphs **164** (1-3) (1997) 21–28
5114. H.J. Broersma, A note on the minimum size of a vertex pancyclic graph **164** (1-3) (1997) 29–32
5115. S. Bylka and J. Komar, Intersection properties of line graphs **164** (1-3) (1997) 33–45
5116. Y. Caro, Y. Roditty and J. Schönheim, On colored designs — I **164** (1-3) (1997) 47–65
5117. P. Dell'Olmo, M.G. Speranza and Zs. Tuza, Efficiency and effectiveness of normal schedules on three dedicated processors **164** (1-3) (1997) 67–79
5118. P. Erdős, Some recent problems and results in graph theory **164** (1-3) (1997) 81–85
5119. R. Faudree, E. Flandrin and Z. Ryjáček, Claw-free graphs — A survey **164** (1-3) (1997) 87–147
5120. I. Gorgol, On bounds for size Ramsey numbers of a complete tripartite graph **164** (1-3) (1997) 149–153
5121. H. Gropp, Configurations and graphs — II **164** (1-3) (1997) 155–163
5122. Y. Guo, A. Pinkernell and L. Volkmann, On cycles through a given vertex in multipartite tournaments **164** (1-3) (1997) 165–170
5123. M. Horňák and S. Jendroľ, On the d-distance face chromatic number of plane graphs **164** (1-3) (1997) 171–174
5124. G.O.H. Katona, Extremal problems for finite sets and convex hulls — A survey **164** (1-3) (1997) 175–185
5125. G.Y. Katona, Toughness and edge-toughness **164** (1-3) (1997) 187–196
5126. M. Kubale, J. Pakulski and K. Piwakowski, The smallest hard-to-color graph for the SL algorithm **164** (1-3) (1997) 197–212
5127. M. Kwaśnik and A. Szelecka, Strong perfectness of the generalized Cartesian product of graphs **164** (1-3) (1997) 213–220
5128. Z. Lonc, Delta-system decompositions of graphs **164** (1-3) (1997) 221–224

5129. Z. Majcher and J. Michael, Degree sequences of highly irregular graphs **164** (1-3) (1997) 225–236
5130. Z. Majcher and J. Michael, Highly irregular graphs with extreme numbers of edges **164** (1-3) (1997) 237–242
5131. K. Piwakowski, On Ramsey number $R(4,3,3)$ and triangle-free edge-chromatic graphs in three colors **164** (1-3) (1997) 243–249
5132. A. Ruciński and M. Truszczyński, A note on local colorings of graphs **164** (1-3) (1997) 251–255
5133. Z. Ryjáček, Matching extension in $K_{1,r}$-free graphs with independent claw centers **164** (1-3) (1997) 257–263
5134. J.-F. Saclé and M. Woźniak, A note on packing of three forests **164** (1-3) (1997) 265–274
5135. G. Schaar, On the Hamiltonicity exponent of directed cacti **164** (1-3) (1997) 275–284
5136. J. Topp and P.D. Vestergaard, Totally equimatchable graphs **164** (1-3) (1997) 285–290
5137. H.V. Dinh, Path partition number in tough graphs **164** (1-3) (1997) 291–294
5138. A. Włoch and I. Włoch, On (k,l)-kernels in generalized products **164** (1-3) (1997) 295–301
5139. A.P. Wojda and P. Vaderlind, Packing bipartite graphs **164** (1-3) (1997) 303–311
5140. G. Schaar and A.P. Wojda, An upper bound for the Hamiltonicity exponent of finite digraphs **164** (1-3) (1997) 313–316
5141. R. Aharoni, G.T. Herman and A. Kuba, Binary vectors partially determined by linear equation systems **171** (1-3) (1997) 1–16
5142. M.H. Armanious, Construction of nilpotent sloops of class n **171** (1-3) (1997) 17–25
5143. A. Brandstädt, F.F. Dragan and F. Nicolai, LexBFS-orderings and powers of chordal graphs **171** (1-3) (1997) 27–42
5144. H. Broersma, H. Li, J. Li, F. Tian and H.J. Veldman, Cycles through subsets with large degree sums **171** (1-3) (1997) 43–54
5145. D.E. Bryant, C.A. Rodger and E.R. Spicer, Embeddings of m-cycle systems and incomplete m-cycle systems: $m \leqslant 14$ **171** (1-3) (1997) 55–75
5146. I.P.F. da Silva, Note on inseparability graphs of matroids having exactly one class of orientations **171** (1-3) (1997) 77–87
5147. T. Dvořák, I. Havel and P. Liebl, Euler cycles in the complete graph K_{2m+1} **171** (1-3) (1997) 89–102
5148. R. Gallant and C.J. Colbourn, Tight 4-factor orthogonal main effect plans **184** (1-3) (1998) 101–110
5149. M. Karoński and T. Łuczak, The number of connected sparsely edged uniform hypergraphs **171** (1-3) (1997) 153–167
5150. M. Koskas, Complexités de suites de Toeplitz **183** (1-3) (1998) 161–183
5151. R.-Y. Liu and L.-C. Zhao, A new method for proving chromatic uniqueness of graphs **171** (1-3) (1997) 169–177
5152. P.-J. Wan, D.-Z. Du and R.L. Graham, The Steiner ratio for the dual normed plane **171** (1-3) (1997) 261–275
5153. I. Rusu, Building counterexamples **171** (1-3) (1997) 213–227
5154. J.M. Santmyer, A Stirling like sequence of rational numbers **171** (1-3) (1997) 229–235
5155. C. Zhu, Some results on intersecting families of subsets **184** (1-3) (1998) 213–224
5156. O.V. Borodin, A new proof of Grünbaum's 3 color theorem **169** (1-3) (1997) 177–183
5157. B. Chen, Parametric Möbius inversion formulas **169** (1-3) (1997) 211–215
5158. K.H. Chew, On Vizing's theorem, Adjacency lemma and fan argument generalized to multigraphs **171** (1-3) (1997) 283–286
5159. L.H. Clark and D. Haile, Remarks on the size of critical edge-chromatic graphs **171** (1-3) (1997) 287–293
5160. D.G. Fon-Der-Flaass, Arrays of distinct representatives — a very simple NP-complete problem **171** (1-3) (1997) 295–298
5161. H. Galeana-Sánchez, A characterization of normal fraternally orientable perfect graphs **169** (1-3) (1997) 221–225
5162. V. Gurvich and L. Khachiyan, On the frequency of the most frequently occurring variable in dual monotone DNFs **169** (1-3) (1997) 245–248
5163. A.J. Macula, Two applications of separating systems to nonadaptive procedures **169** (1-3) (1997) 257–262
5164. X.-r. Yong and T. Acenjian, The numbers of spanning trees of the cubic cycle C_N^3 and the quadruple cycle C_N^4 **169** (1-3) (1997) 293–298
5165. M. Bhargava, Congruence preservation and polynomial functions from $\mathbb{Z}_n$ to $\mathbb{Z}_m$ **173** (1-3) (1997) 15–21

5166. M. Darrah, Y.-P. Liu and C.-Q. Zhang, Cycles of all lengths in arc-3-cyclic semicomplete digraphs **173** (1-3) (1997) 23–33
5167. J.-P. Doignon and J.-C. Falmagne, Well-graded families of relations **173** (1-3) (1997) 35–44
5168. P. Gvozdjak, On the Oberwolfach problem for complete multigraphs **173** (1-3) (1997) 61–69
5169. P. Ille, Indecomposable graphs **173** (1-3) (1997) 71–78
5170. J. Kaneko, Constant term identities of Forrester–Zeilberger–Cooper **173** (1-3) (1997) 79–90
5171. J. Katriel, Minimal set of class-sums characterizing the ordinary irreducible representations of the symmetric group, and the Tarry–Escott problem **173** (1-3) (1997) 91–95
5172. S.R. Kingan, A generalization of a graph result of D.W. Hall **173** (1-3) (1997) 129–135
5173. V.P. Korzhik, A possibly infinite series of surfaces with known 1-chromatic number **173** (1-3) (1997) 137–149
5174. J.F. Moran, The growth rate and balance of homogeneous tilings in the hyperbolic plane **173** (1-3) (1997) 151–186
5175. D. Banković, General reproductive solutions of Postian equations **169** (1-3) (1997) 163–168
5176. I.G. Boukliev, New bounds for the minimum length of quaternary linear codes of dimension five **169** (1-3) (1997) 185–192
5177. G. Brinkmann and E. Steffen, 3- and 4-critical graphs of small even order **169** (1-3) (1997) 193–197
5178. R.A. Brualdi and J.A.D. da Silva, A retract characterization of posets with the fixed-point property **169** (1-3) (1997) 199–203
5179. D. de Caen, A lower bound on the probability of a union **169** (1-3) (1997) 217–220
5180. P. Li, Sequencing the dihedral groups D_{4k} **175** (1-3) (1997) 271–276
5181. A.D. Scott, On graph decompositions modulo k **175** (1-3) (1997) 289–291
5182. L. Stacho, A sufficient condition guaranteeing large cycles in graphs **169** (1-3) (1997) 273–277
5183. I. Tomescu, On the number of trees having k edges in common with a graph of bounded degrees **169** (1-3) (1997) 283–286
5184. B.S. Webb, Orbits of infinite block designs **169** (1-3) (1997) 287–292
5185. K. Cameron, Coloured matchings in bipartite graphs **169** (1-3) (1997) 205–209
5186. J.R. Griggs and Y.-C. Lin, The maximum sum of degrees above a threshold in planar graphs **169** (1-3) (1997) 233–243
5187. K. Ono, Odd values of the partition function **169** (1-3) (1997) 263–268
5188. S. Riis, Bootstrapping the primitive recursive functions by only 27 colors **169** (1-3) (1997) 269–272
5189. X. Tang and A. Ben-Israel, Two consequences of Minkowski's 2^n theorem **169** (1-3) (1997) 279–282
5190. C. Zamfirescu, Cyclic and cliquewise connectedness of line graphs **170** (1-3) (1997) 293–297
5191. C.C. Lindner and C.A. Rodger, On equationally defining extended cycle systems **173** (1-3) (1997) 1–14
5192. A.K. Kelmans, Optimal packing of induced stars in a graph **173** (1-3) (1997) 97–127
5193. B. Bollobás, N. Hegyvári and G. Jin, On a problem of Erdős and Graham **175** (1-3) (1997) 253–257
5194. G. Chen, R.H. Schelp and W.E. Shreve, A special k-coloring for a connected k-chromatic graph **170** (1-3) (1997) 231–236
5195. P. Erdös and L. Pyber, Covering a graph by complete bipartite graphs **170** (1-3) (1997) 249–251
5196. J. Liua and H. Zhou, Maximum induced matchings in graphs **170** (1-3) (1997) 277–281
5197. X. Lin, M. Zhu, Z. Yu, C. Zhang and Y. Yang, On distinct distance sets in a graph **175** (1-3) (1997) 277–282
5198. P.S. Nair, Construction of self-complementary graphs **175** (1-3) (1997) 283–287
5199. V. Neumann-Lara, The vertex critical 4-dichromatic circulant tournaments **170** (1-3) (1997) 289–291
5200. X.-Y. Su, Some generalizations of Menger's theorem concerning arc-connected digraphs **175** (1-3) (1997) 293–296
5201. J. Stefan and P. Charles, Une caracterisation des produits d'arbres et des grilles **163** (1-3) (1997) 201–208
5202. V. Petrovic, Kings in bipartite tournaments **173** (1-3) (1997) 187–196
5203. T.M. Przytycka and J.H. Przytycki, A simple construction of high representativity triangulations **173** (1-3) (1997) 209–228
5204. D. Senato, A. Venezia and J. Yang, Möbius polynomial species **173** (1-3) (1997) 229–256
5205. E. Vallejo, Reductions of additive sets, sets of uniqueness and pyramids **173** (1-3) (1997) 257–267
5206. C.C. Lindner and C.A. Rodger, On equationally defining extended cycle systems **173** (1-3) (1997) 1–14
5207. R.P. Anstee and A. Sali, Sperner families of bounded VC-dimension **175** (1-3) (1997) 13–21

5208. J. Berenbom, J. Fendel, G.T. Gilbert and R.L. Hatcher, Sliding piece puzzles with oriented tiles **175** (1-3) (1997) 23–33
5209. P. Biane, Some properties of crossings and partitions **175** (1-3) (1997) 41–53
5210. M. Bóna, Permutations avoiding certain patterns: The case of length 4 and some generalizations **175** (1-3) (1997) 55–67
5211. B. Li and E.C. Milner, The ANTI-order and the fixed point property for caccc posets **175** (1-3) (1997) 197–209
5212. W. Chen and T. Kløve, Disjoint sets of distinct sum sets **175** (1-3) (1997) 69–77
5213. M.A.C.M. Gurgel and Y. Wakabayashi, Adjacency of vertices of the complete pre-order polytope **175** (1-3) (1997) 163–172
5214. T. Endo, The pagenumber of toroidal graphs is at most seven **175** (1-3) (1997) 87–96
5215. P. Erdős and P. Fishburn, Distinct distances in finite planar sets **175** (1-3) (1997) 97–132
5216. J.M. Ettinger, Finitely presented partially ordered abelian groups **175** (1-3) (1997) 133–141
5217. R.J. Faudree and R.J. Gould, Characterizing forbidden pairs for hamiltonian properties **173** (1-3) (1997) 45–60
5218. R. Gardner, B. Micale, M. Pennisi and R. Zijlstra, Cyclic and rotational hybrid triple systems **175** (1-3) (1997) 143–161
5219. T. Kløve, On codes satisfying the double chain condition **175** (1-3) (1997) 173–195
5220. J.W. Leo, On coefficients of the Tutte polynomial **184** (1-3) (1998) 121–135
5221. A. Petrovich, Equations in the theory of Q-distributive lattices **175** (1-3) (1997) 211–219
5222. J.L. Ramírez-Alfonsín, The spread of K_n **175** (1-3) (1997) 221–229
5223. A.D. Scott, Reconstructing sequences **175** (1-3) (1997) 231–238
5224. R. Stong, Permutations of the positive integers with specified differences **176** (1-3) (1997) 223–231
5225. J.L. Fouquet and R. Rosenstiehl, Preface **165-166** (1-3) (1997) 1–2
5226. V. Chvátal, In praise of Claude Berge **165-166** (1-3) (1997) 3–9
5227. M. El Kadi Abderrezzak, E. Flandrin, A. Harkat-Benhamdine and H. Li, D_λ-cycles in λ-claw-free graphs **165-166** (1-3) (1997) 11–20
5228. D. Achlioptas, The complexity of G-free colourability **165-166** (1-3) (1997) 21–30
5229. N. Alon, Zs. Tuza and M. Voigt, Choosability and fractional chromatic numbers **165-166** (1-3) (1997) 31–38
5230. J. Bang-Jensen and G. Gutin, Alternating cycles and paths in edge-coloured multigraphs: A survey **165-166** (1-3) (1997) 39–60
5231. C. Berge, Motivations and history of some of my conjectures **165-166** (1-3) (1997) 61–70
5232. J.A. Bondy, Counting subgraphs A new approach to the Caccetta–Häggkvist conjecture **165-166** (1-3) (1997) 71–80
5233. E. Boros and O. Čepek, On perfect $0,\pm1$ matrices **165-166** (1-3) (1997) 81–100
5234. M. Bouchakour and A.R. Mahjoub, One-node cutsets and the dominating set polytope **165-166** (1-3) (1997) 101–123
5235. J.M. Brunat, M. Maureso and M. Mora, Characterization of c-circulant digraphs of degree two which are circulant **165-166** (1-3) (1997) 125–137
5236. I. Charon, A. Guénoche, O. Hudry and F. Woirgard, New results on the computation of median orders **165-166** (1-3) (1997) 139–153
5237. R. Cordovil, Coloring matroids **165-166** (1-3) (1997) 155–160
5238. C. Delorme and J.P. Tillich, Eigenvalues, eigenspaces and distances to subsets **165-166** (1-3) (1997) 161–184
5239. M. Deza and V. Grishukhin, The skeleton of the 120-cell is not penta-gonal **165-166** (1-3) (1997) 185–190
5240. W.A. Deuber and X. Zhu, The chromatic numbers of distance graphs **165-166** (1-3) (1997) 191–200
5241. G. Ding and P.L. Hammer, Matroids arisen from matrogenic graphs **165-166** (1-3) (1997) 201–207
5242. J. Edmonds, M. Laurent and A. Schrijver, A minor-monotone graph parameter based on oriented matroids **165-166** (1-3) (1997) 209–216
5243. P. Erdős, Some old and new problems in various branches of combinatorics **165-166** (1-3) (1997) 217–221
5244. H. Everett, C.M.H. de Figueiredo, C. Linhares-Sales, F. Maffray, O. Porto and B.A. Reed, Path parity and perfection **165-166** (1-3) (1997) 223–242

5245. O. Favaron and Y. Redouane, Minimum independent generalized t-degree and independence number in $K_{1,r+1}$-free graphs **165-166** (1-3) (1997) 243–251
5246. H. Fleischner, A numbering of the vertices of special networks **165-166** (1-3) (1997) 253–266
5247. J.-L. Fouquet and V. Giakoumakis, On semi-P_4-sparse graphs **165-166** (1-3) (1997) 267–290
5248. J.-L. Fouquet, F. Maire, I. Rusu and H. Thuillier, On transversals in minimal imperfect graphs **165-166** (1-3) (1997) 291–302
5249. J.C. Fournier, Tiling pictures of the plane with dominoes **165-166** (1-3) (1997) 303–310
5250. V. Giakoumakis, F. Roussel and H. Thuillier, Scattering number and modular decomposition **165-166** (1-3) (1997) 311–332
5251. J. Gimbel, M. Mahéo and C. Virlouvet, Double total domination of graphs **165-166** (1-3) (1997) 333–341
5252. S. Gravier and F. Maffray, Choice number of 3-colorable elementary graphs **165-166** (1-3) (1997) 343–348
5253. H. Gropp, Blocking set free configurations and their relations to digraphs and hypergraphs **165-166** (1-3) (1997) 349–360
5254. E. Györi, C_6-free bipartite graphs and product representation of squares **165-166** (1-3) (1997) 361–365
5255. M. Hadjiat and J.F. Maurras, A strongly polynomial algorithm for the minimum cost tension problem **165-166** (1-3) (1997) 367–384
5256. Y.O. Hamidoune and M.L. Vergnas, Directed switching games II The Arborescence Game **165-166** (1-3) (1997) 385–392
5257. P. Hansen, A. Hertz and N. Quinodoz, Splitting trees **165-166** (1-3) (1997) 393–409
5258. S. Hougardy, Perfect graphs with unique P_4-structure **165-166** (1-3) (1997) 411–420
5259. M. Klazar, Combinatorial aspects of Davenport–Schinzel sequences **165-166** (1-3) (1997) 421–435
5260. B. Leclerc, Families of chains of a poset and Sperner properties **165-166** (1-3) (1997) 437–444
5261. J.M. Laborde and R.M. Madani, Generalized hypercubes and (0,2)-graphs **165-166** (1-3) (1997) 445–457
5262. H. Lia, M. Lu, F. Tian and B. Wei, Hamiltonicity of 2-connected claw-center independent graphs **165-166** (1-3) (1997) 459–469
5263. G. Ringel, A.S. Lladó and O. Serra, On the tree number of regular graphs **165-166** (1-3) (1997) 471–479
5264. J.-F. Maurras and Y. Vaxès, Multicommodity network flow with jump constraints **165-166** (1-3) (1997) 481–486
5265. L. Milazzo, The monochromatic block number **165-166** (1-3) (1997) 487–496
5266. B. Monjardet, On a dependence relation in finite lattices **165-166** (1-3) (1997) 497–505
5267. H. Müller and J.-X. Rampon, Partial orders and their convex subsets **165-166** (1-3) (1997) 507–517
5268. J. Nešetřil, A. Raspaud and E. Sopena, Colorings and girth of oriented planar graphs **165-166** (1-3) (1997) 519–530
5269. M. Padberg and T.-Y. Sung, An analytic symmetrization of max flow–min cut **165-166** (1-3) (1997) 531–545
5270. R. Palisse, Subsets of a finite set that almost always intersect each other in λ elements **165-166** (1-3) (1997) 547–553
5271. C. Payan, Empilement de cercles égaux dans un triangle équilatéral A propos d'une conjecture d'Erdös–Oler **165-166** (1-3) (1997) 555–565
5272. L. Perkovic and B. Reed, Edge coloring regular graphs of high degree **165-166** (1-3) (1997) 567–578
5273. P. Préa, About weak connectivity **165-166** (1-3) (1997) 579–586
5274. G. Ringel, A.S. Lladó and O. Serra, On the tree number of regular graphs **165-166** (1-3) (1997) 587–588
5275. J.-F. Saclé and M. Woźniak, On graphs which contain each tree of given size **165-166** (1-3) (1997) 589–595
5276. H. Sachs, Graph Theory in Organic Chemistry: Problems and Methods in the Chemistry of Carbon Footballs and Tubes (Fullerenes) **165-166** (1-3) (1997) 597–598
5277. O. Togni, Irregularity strength of the toroidal grid **165-166** (1-3) (1997) 599–610
5278. D. de Werra, Restricted coloring models for timetabling **165-166** (1-3) (1997) 611–620
5279. A.P. Wojda and I.A. Zioło, Embedding digraphs of small size **165-166** (1-3) (1997) 621–638
5280. Y. Yamasaki, The arithmetic of reversed positional games **165-166** (1-3) (1997) 639–641
5281. D. Woodall, Preface **167-168** (1-3) (1997) 1–2
5282. P. Cameron, Research problems **167-168** (1-3) (1997) 605–615
5283. F. Aguiló, M.A. Fiol and C. Garcia, Triple loop networks with small transmission delay **167-168** (1-3) (1997) 3–16

5284. L.D. Andersen and A.J.W. Hilton, Triangulations of 3-way regular tripartite graphs of degree 4, with applications to orthogonal latin squares **167-168** (1-3) (1997) 17–34
5285. K. Ando and Y. Egawa, The minimum number of edges in a vertex diameter-2-critical graph **167-168** (1-3) (1997) 35–63
5286. R.A. Bailey, A Howell design admitting A_5 **167-168** (1-3) (1997) 65–71
5287. R.A. Bailey and P.E. Chigbu, Enumeration of semi-Latin squares **167-168** (1-3) (1997) 73–84
5288. C. Balbuena, A. Carmona, J. Fàbrega and M.A. Fiol, Extraconnectivity of graphs with large minimum degree and girth **167-168** (1-3) (1997) 85–100
5289. J. Bang-Jensen, Y. Guo, G. Gutin and L. Volkmann, A classification of locally semicomplete digraphs **167-168** (1-3) (1997) 101–114
5290. B.L. Bauslaugh, Compactness and finite equivalence of infinite digraphs **167-168** (1-3) (1997) 115–126
5291. L.W. Beineke and M.A. Henning, Opinion functions on trees **167-168** (1-3) (1997) 127–139
5292. A. Bowler, Orthomorphisms of dihedral groups **167-168** (1-3) (1997) 141–144
5293. R.C. Brewster, P. Hell and G. MacGillivray, The complexity of restricted graph homomorphisms **167-168** (1-3) (1997) 145–154
5294. H.J. Broersma, Z. Ryjáček and I. Schiermeyer, Dirac's minimum degree condition restricted to claws **167-168** (1-3) (1997) 155–166
5295. D.E. Bryant and S. Oates-Williams, Strongly 2-perfect cycle systems and their quasigroups **167-168** (1-3) (1997) 167–174
5296. P.J. Cameron, On the probability of connectedness **167-168** (1-3) (1997) 175–187
5297. A. Černý, P. Horák and W.D. Wallis, Kirkman's school projects **167-168** (1-3) (1997) 189–196
5298. W.W. Chernoff, Interwoven polygonal frames **167-168** (1-3) (1997) 197–204
5299. E.J. Cockayne and C.M. Mynhardt, Domination and irredundance in cubic graphs **167-168** (1-3) (1997) 205–214
5300. P. Cowling, The total graph of a hypergraph **167-168** (1-3) (1997) 215–236
5301. G.S. Domke, J.E. Dunbar and L.R. Markus, Gallai-type theorems and domination parameters **167-168** (1-3) (1997) 237–248
5302. G.S. Domke and R.C. Laskar, The bondage and reinforcement numbers of γ_f for some graphs **167-168** (1-3) (1997) 249–259
5303. J.E. Dunbar, J.W. Grossman, J.H. Hattingh, S.T. Hedetniemi and A.A. McRae, On weakly connected domination in graphs **167-168** (1-3) (1997) 261–269
5304. J.D. Farley, Perfect sequences of chain-complete posets **167-168** (1-3) (1997) 271–296
5305. M.A. Fiol, E. Garriga and J.L.A. Yebra, The alternating polynomials and their relation with the spectra and conditional diameters of graphs **167-168** (1-3) (1997) 297–307
5306. W.L. Fouché, Symmetry and the Ramsey degree of posets **167-168** (1-3) (1997) 309–315
5307. D. Fronček, Almost self-complementary factors of complete bipartite graphs **167-168** (1-3) (1997) 317–327
5308. W. Goddard, M.D. Plummer and H.C. Swart, Maximum and minimum toughness of graphs of small genus **167-168** (1-3) (1997) 329–339
5309. M.J. Grannell, T.S. Griggs and J.P. Murphy, Twin Steiner triple systems **167-168** (1-3) (1997) 341–352
5310. Y. Guo, Path-connectivity in local tournaments **167-168** (1-3) (1997) 353–372
5311. S.G. Hoggar, Weight enumerators of codes derived from polynomial product algorithms **167-168** (1-3) (1997) 373–391
5312. W. Imrich, T. Pisanski and J. Žerovnik, Recognizing Cartesian graph bundles **167-168** (1-3) (1997) 393–403
5313. D. Jennings and K. Byard, An extension for residue difference sets **167-168** (1-3) (1997) 405–410
5314. K.M. Koh and B.P. Tan, The number of kings in a multipartite tournament **167-168** (1-3) (1997) 411–418
5315. C. Lenart and N. Ray, Chromatic polynomials of partition systems **167-168** (1-3) (1997) 419–444
5316. R.P. Lewis, The ranks of partitions modulo 2 **167-168** (1-3) (1997) 445–449
5317. E.S. Mahmoodian, R. Naserasr and M. Zaker, Defining sets in vertex colorings of graphs and latin rectangles **167-168** (1-3) (1997) 451–460
5318. N. Martin, Complete bipartite factorisations by complete bipartite graphs **167-168** (1-3) (1997) 461–480
5319. C. McDiarmid, Hypergraph colouring and the Lovász Local Lemma **167-168** (1-3) (1997) 481–486
5320. J.W. Moon, On the number of induced subgraphs of trees **167-168** (1-3) (1997) 487–496
5321. M. Muzychuk, On Ádám's conjecture for circulant graphs **167-168** (1-3) (1997) 497–510

5322. V. Neumann-Lara and E. Rivera-Campo, Euler tours and a game with dominoes **167-168** (1-3) (1997) 511–517
5323. P.J. Owens and D.A. Preece, Aspects of complete sets of 9×9 pairwise orthogonal latin squares **167-168** (1-3) (1997) 519–525
5324. D.A. Preece, Some 6×11 Youden squares and double Youden rectangles **167-168** (1-3) (1997) 527–541
5325. R.C. Read, Combinatorial problems in the theory of music **167-168** (1-3) (1997) 543–551
5326. P.A. Sinclair, The construction and reduction of strong snarks **167-168** (1-3) (1997) 553–570
5327. D.H. Smith and S. Hurley, Bounds for the frequency assignment problem **167-168** (1-3) (1997) 571–582
5328. C.J. Swanepoel and L.M. Pretorius, Factor-complement partitions of ascending k-parameter words **167-168** (1-3) (1997) 583–592
5329. K. Ushio, Star-factorization of symmetric complete bipartite digraphs **167-168** (1-3) (1997) 593–596
5330. A. Valette, An application of Ramanujan graphs to C^*-algebra tensor products **167-168** (1-3) (1997) 597–603
5331. C.C. Chen, G.L. Chia, K.M. Koh, N.Z. Li and K.L. Teo, Preface **172** (1-3) (1997) 1
5332. C.-Y. Chao, A critically chromatic graph **172** (1-3) (1997) 3–7
5333. C.-Y. Chao, Z.-Y. Guo and N.-Z. Li, On q-graphs **172** (1-3) (1997) 9–16
5334. X.E. Chen and K.Z. Ouyang, Chromatic classes of certain 2-connected $(n,n+2)$-graphs homeomorphic to K_4 **172** (1-3) (1997) 17–29
5335. X.E. Chen and K.Z. Ouyang, Chromatic classes of certain 2-connected $(n,n+2)$-graphs II **172** (1-3) (1997) 31–38
5336. G.L. Chia, Some problems on chromatic polynomials **172** (1-3) (1997) 39–44
5337. Z.-Y. Guo, On T-chromatic uniqueness of graphs **172** (1-3) (1997) 45–51
5338. Z.-Y. Guo and E.G. Whitehead Jr., Chromaticity of a family of K_4 homeomorphs **172** (1-3) (1997) 53–58
5339. K.M. Koh and K.L. Teo, The search for chromatically unique graphs — II **172** (1-3) (1997) 59–78
5340. N.-Z. Li, X.-W. Bao and R.-Y. Liu, Chromatic uniqueness of the complements of certain forests **172** (1-3) (1997) 79–84
5341. R.-Y. Liu, Adjoint polynomials and chromatically unique graphs **172** (1-3) (1997) 85–92
5342. Z. Lu, The exact value of the harmonious chromatic number of a complete binary tree **172** (1-3) (1997) 93–101
5343. Y.-H. Peng, C.H.C. Little, K.L. Teo and H. Wang, Chromatic equivalence classes of certain generalized polygon trees **172** (1-3) (1997) 103–114
5344. J. Rodriguez and A. Satyanarayana, Chromatic polynomials with least coefficients **172** (1-3) (1997) 115–119
5345. A. Sakaloglu and A. Satyanarayana, Planar graphs with least chromatic coefficients **172** (1-3) (1997) 121–130
5346. I. Tomescu, Maximum chromatic polynomial of 3-chromatic blocks **172** (1-3) (1997) 131–139
5347. D.R. Woodall, The largest real zero of the chromatic polynomial **172** (1-3) (1997) 141–153
5348. C. Ye and X. Bao, New families of adjointly unique graphs **172** (1-3) (1997) 155–162
5349. H. Zhang, The Clar covering polynomial of hexagonal systems with an application to chromatic polynomials **172** (1-3) (1997) 163–173
5350. G.L. Chia, A bibliography on chromatic polynomials **172** (1-3) (1997) 175–191
5351. N.-Z. Li, The list of chromatically unique graphs of order seven and eight **172** (1-3) (1997) 193–221
5352. J. Alpin and R. Mubarakzianow, The bases of weighted graphs **175** (1-3) (1997) 1–11
5353. D.M. Berman, A.J. Radcliffe, A.D. Scott, H. Wang and L. Wargo, All trees contain a large induced subgraph having all degrees 1(mod k) **175** (1-3) (1997) 35–40
5354. T. Bier and A. Kleinschmidt, Centrally symmetric and magic rectangles **176** (1-3) (1997) 29–42
5355. B. Li and E.C. Milner, Isomorphic ANTI-cores of caccc posets **176** (1-3) (1997) 185–195
5356. N.-P. Chiang and H.-L. Fu, On upper bounds for the pseudo-achromatic index **175** (1-3) (1997) 79–86
5357. K. Ding, Rook placements and generalized partition varieties **176** (1-3) (1997) 63–95
5358. F.M. Dong and Y.P. Liu, All wheels with two missing consecutive spokes are chromatically unique **184** (1-3) (1998) 71–85
5359. F.M. Dong and K.M. Koh, On the structure and chromaticity of graphs in which any two colour classes induce a tree **176** (1-3) (1997) 97–113
5360. L. Habsieger, Binary codes with covering radius one: Some new lower bounds **176** (1-3) (1997) 115–130

5361. P. Hansen, F. Zhang and M. Zheng, Perfect matchings and ears in elementary bipartite graphs **176** (1-3) (1997) 131–138
5362. M. Horňák and R. Soták, Asymptotic behaviour of the observability of Q_n **176** (1-3) (1997) 139–148
5363. M. Jacobson, G.M. Levin and E.R. Scheinerman, On fractional Ramsey numbers **176** (1-3) (1997) 159–175
5364. C. Jagger, Tournaments as strong subcontractions **176** (1-3) (1997) 177–184
5365. C.H. Li, On isomorphisms of connected Cayley graphs **178** (1-3) (1998) 109–122
5366. H. Mizuno and I. Sato, Enumeration of finite field labels on graphs **176** (1-3) (1997) 197–202
5367. M.E. Raines and C.A. Rodger, Embedding partial extended triple systems and totally symmetric quasigroups **176** (1-3) (1997) 211–222
5368. Q.F. Yang, R.E. Burkard, E. Çela and G.J. Woeginger, Hamiltonian cycles in circulant digraphs with two stripes **176** (1-3) (1997) 233–254
5369. Y. Huang and Y. Liu, Maximum genus and maximum nonseparating independent set of a 3-regular graph **176** (1-3) (1997) 149–158
5370. R. Yuster, Independent transversals in r-partite graphs **176** (1-3) (1997) 255–261
5371. H. Zhou, Multiplicativity of acyclic digraphs **176** (1-3) (1997) 263–271
5372. Y. Li and C. Rousseau, A note on the Ramsey number $r(H + \overline{K_n}, K_n)$ **170** (1-3) (1997) 265–267
5373. E. Barcucci, A. Del Lungo, S. Fezzi and R. Pinzani, Nondecreasing Dyck paths and q-Fibonacci numbers **170** (1-3) (1997) 211–217
5374. S. Gravier, Hamiltonicity of the cross product of two Hamiltonian graphs **170** (1-3) (1997) 253–257
5375. K. McDougal, A generalization of Ryser's theorem on term rank **170** (1-3) (1997) 283–288
5376. T. Böhme, H.J. Broersma, F. Göbel, A.V. Kostochka and M. Stiebitz, Spanning trees with pairwise nonadjacent endvertices **170** (1-3) (1997) 219–222
5377. C. Chen, C.-C. Chang and G.J. Chang, Proper interval graphs and the guard problem **170** (1-3) (1997) 223–230
5378. A.A. Chernyak and Zh.A. Chernyak, r-Multihypergraphs with prescribed edge degree sequences **170** (1-3) (1997) 237–240
5379. D. Coulson, An 18-colouring of 3-space omitting distance one **170** (1-3) (1997) 241–247
5380. M. Krivelevich, Almost perfect matchings in random uniform hypergraphs **170** (1-3) (1997) 259–263
5381. Y. Li, C.C. Rousseau and L. Šoltés, Ramsey linear families and generalized subdivided graphs **170** (1-3) (1997) 269–275
5382. B.D. Thatte, A reconstruction problem related to balance equations **176** (1-3) (1997) 279–284
5383. M.C. Balbuena, A. Carmona, J. Fàbrega and M.A. Fiol, Connectivity of large bipartite digraphs and graphs **174** (1-3) (1997) 3–17
5384. M.C. Balbuena, A. Carmona, J. Fàbrega and M.A. Fiol, On the order and size of s-geodetic digraphs with given connectivity **174** (1-3) (1997) 19–27
5385. S. Ball, On small complete arcs in a finite plane **174** (1-3) (1997) 29–34
5386. L. Berardi, M. Buratti and S. Innamorati, 4-Blocked Hadamard 3-designs **174** (1-3) (1997) 35–46
5387. P. Biondi, A classification of finite n-2,n-1-point-biregular spaces **174** (1-3) (1997) 47–71
5388. J.M. Brunat, M.A. Fiol and M.L. Fiol, Digraphs on permutations **174** (1-3) (1997) 73–86
5389. J.M. Chao and H. Kaneta, Classical arcs in PG(r,q) for $11 \leqslant q \leqslant 19$ **174** (1-3) (1997) 87–94
5390. W. Chu, Distributivity and decomposability on the lattices satisfying the chain conditions **174** (1-3) (1997) 95–97
5391. C. Perelli Cippo, A geometric interpretation of an equality by Sylvester **174** (1-3) (1997) 271–276
5392. A. Del Fra and G. Pica, Flag-transitive $C_2.L_n$ geometries **174** (1-3) (1997) 99–105
5393. A. Del Fra, On two new classes of semibiplanes **174** (1-3) (1997) 107–116
5394. G. Faina and F. Pambianco, Small complete caps in PG(r,q), $r \geqslant 3$ **174** (1-3) (1997) 117–123
5395. M. Gionfriddo, F. Harary and Z. Tuza, The color cost of a caterpillar **174** (1-3) (1997) 125–130
5396. T.S. Griggs and B.J. Wilson, Distance-regular graphs, MH-colourings and MLD-colourings **174** (1-3) (1997) 131–135
5397. H. Gropp, Configurations and their realization **174** (1-3) (1997) 137–151
5398. H. Havlicek, Affine circle geometry over quaternion skew fields **174** (1-3) (1997) 153–165
5399. U. Heim, Proper blocking sets in projective spaces **174** (1-3) (1997) 167–176
5400. J.W.P. Hirschfeld, Complete arcs **174** (1-3) (1997) 177–184
5401. H. Hotje, A remark on the Beckman/Quarles theorem **174** (1-3) (1997) 185–186

5402. G. Lo Faro, Constructing 3-chromatic Steiner triple systems **174** (1-3) (1997) 187–190
5403. G. Lunardon and P. Polito, On q-clans in even characteristic **174** (1-3) (1997) 191–198
5404. T. Maruta, Cyclic arcs and pseudo-cyclic MDS codes **174** (1-3) (1997) 199–205
5405. T. Meixner and A. Pasini, On flat extended grids **174** (1-3) (1997) 207–226
5406. K. Metsch, Embedding theorems for locally projective three-dimensional linear spaces **174** (1-3) (1997) 227–245
5407. L. Milazzo and Z. Tuza, Upper chromatic number of Steiner triple and quadruple systems **174** (1-3) (1997) 247–259
5408. J. Misfeld and C. Zanella, The line geometry of a class of linear spaces **174** (1-3) (1997) 261–269
5409. A.R. Prince, Oval configurations of involutions in symmetric groups **174** (1-3) (1997) 277–282
5410. G. Quattrocchi, On arcs in path designs of block size four **174** (1-3) (1997) 283–292
5411. I. Sciriha and S. Fiorini, On the characteristic polynomial of homeomorphic images of a graph **174** (1-3) (1997) 293–308
5412. I.J. Siemons, Kernels of modular inclusion maps **174** (1-3) (1997) 309–315
5413. E. Simó and J.L.A. Yebra, The vulnerability of the diameter of folded n-cubes **174** (1-3) (1997) 317–322
5414. P. Sziklai, Nuclei of pointsets in PG(n,q) **174** (1-3) (1997) 323–327
5415. J.A. Thas, Symplectic spreads in PG(3,q), inversive planes and projective planes **174** (1-3) (1997) 329–336
5416. J. Ueberberg, Projective planes and dihedral groups **174** (1-3) (1997) 337–345
5417. T. Vougiouklis, Convolutions on WASS hyperstructures **174** (1-3) (1997) 347–355
5418. A.O. Waller, Some results on list T-colourings **174** (1-3) (1997) 357–363
5419. Z.-x. Wan, Geometry of classical groups over finite fields and its applications **174** (1-3) (1997) 365–381
5420. J. Zaks, Monohedrally knotted tilings of the 3-space **174** (1-3) (1997) 383–386
5421. E. Zizioli, Embedding of incidence structures in projective spaces **174** (1-3) (1997) 387–395
5422. G. Bacsó, On a conjecture about uniquely colorable perfect graphs **176** (1-3) (1997) 1–19
5423. A.G. Chetwynd and S.J. Rhodes, Avoiding partial Latin squares and intricacy **177** (1-3) (1997) 17–32
5424. W.-F. Chuan, α-Words and factors of characteristic sequences **177** (1-3) (1997) 33–50
5425. E.J. Cockayne, J.H. Hattingh, S.M. Hedetniemi, S.T. Hedetniemi and A.A. McRae, Using maximality and minimality conditions to construct inequality chains **176** (1-3) (1997) 43–61
5426. M. Fulmek, Dual rook polynomials **177** (1-3) (1997) 67–81
5427. V. Giakoumakis, On the closure of graphs under substitution **177** (1-3) (1997) 83–97
5428. A. Gyárfás, Z. Király and J. Lehel, On-line 3-chromatic graphs — II Critical graphs **177** (1-3) (1997) 99–122
5429. B. Jackson and J. Sheehan, The structure of transform graphs **177** (1-3) (1997) 123–144
5430. S. Lins, Twistors Bridges among 3-manifolds **177** (1-3) (1997) 145–165
5431. H. Maharaj, Edge frames of graphs: A graph embedding problem **177** (1-3) (1997) 167–184
5432. B. Mohar, Apex graphs with embeddings of face-width three **176** (1-3) (1997) 203–210
5433. M.J. Plantholt and S.K. Tipnis, The chromatic index of multigraphs of order at most 10 **177** (1-3) (1997) 185–193
5434. V. Reiner, Non-crossing partitions for classical reflection groups **177** (1-3) (1997) 195–222
5435. Z. Wan and X. Wu, The weight hierarchies and generalized weight spectra of the projective codes from degenerate quadrics **177** (1-3) (1997) 223–243
5436. A.E. Brouwer and H.M. Mulder, The vertex connectivity of a 0,2-graph equals its degree **169** (1-3) (1997) 153–155
5437. M.O. Albertson and R. Haas, The edge chromatic difference sequence of a cubic graph **177** (1-3) (1997) 1–8
5438. D.W. Bange, A.E. Barkauskas, L.H. Host and L.H. Clark, Efficient domination of the orientations of a graph **178** (1-3) (1998) 1–14
5439. A. Brandstädt, Van Bang Le and T. Szymczak, Duchet-type theorems for powers of HHD-free graphs **177** (1-3) (1997) 9–16
5440. G.L. Chia, On the chromatic equivalence class of graphs **178** (1-3) (1998) 15–23
5441. O. Flandre, Four results about self-blocking clutters **178** (1-3) (1998) 51–62
5442. H.L. Fu, C.C. Lindner and C.A. Rodger, Two Doyen–Wilson theorems for maximum packings with triples **178** (1-3) (1998) 63–71
5443. H. Galeana-Sánchez and X. Li, Kernels in a special class of digraphs **178** (1-3) (1998) 73–80

5444. H.A. Kierstead and J. Quintana, Square Hamiltonian cycles in graphs with maximal 4-cliques **178** (1-3) (1998) 81–92
5445. H.-J. Lai, Eulerian subgraphs containing given vertices and hamiltonian line graphs **178** (1-3) (1998) 93–107
5446. Y.S. Liaw, Construction of referee squares **178** (1-3) (1998) 123–135
5447. S. Markossian, G. Gasparian, I. Karapetian and A. Markosian, On essential components and critical sets of a graph **178** (1-3) (1998) 137–153
5448. Q. Mushtaq, On word structure of the modular group over finite and real quadratic fields **178** (1-3) (1998) 155–164
5449. P.R.J. Östergård and M.K. Kaikkonen, New upper bounds for binary covering codes **178** (1-3) (1998) 165–179
5450. J. Oxley, On packing 3-connected restrictions into 3-connected matroids **178** (1-3) (1998) 181–198
5451. A. Randrianarivony, q,p-Analogue des nombres de Catalan **178** (1-3) (1998) 199–211
5452. W.F.D. Theron and G. Geldenhuys, Domination by queens on a square beehive **178** (1-3) (1998) 213–220
5453. L. Volkmann, The ratio of the irredundance and domination number of a graph **178** (1-3) (1998) 221–228
5454. H. Wu, On contractible and vertically contractible elements in 3-connected matroids and graphs **179** (1-3) (1998) 185–203
5455. T. Zaslavsky, Signed analogs of bipartite graphs **179** (1-3) (1998) 205–216
5456. J. Zuther, Ends in digraphs **184** (1-3) (1998) 225–244
5457. D.B. West, Short proofs for interval digraphs **178** (1-3) (1998) 287–292
5458. K.J. Cohn, Cyclomatic numbers of planar graphs **178** (1-3) (1998) 245–250
5459. P. Erdős, A. Gyárfás and Y. Kohayakawa, The size of the largest bipartite subgraphs **177** (1-3) (1997) 267–271
5460. R. Shen and F. Tian, Long dominating cycles in graphs **177** (1-3) (1997) 287–294
5461. M. Greferath, Cyclic codes over finite rings **177** (1-3) (1997) 273–277
5462. M.M. Maxwell, On rational structures and their asymptotics **178** (1-3) (1998) 257–266
5463. J. Berman and G. Bordalo, Finite distributive lattices and doubly irreducible elements **178** (1-3) (1998) 237–243
5464. V. Bálint, Two packing problems **178** (1-3) (1998) 233–236
5465. C.M. Campbell, On cages for girth pair $(6, b)$ **177** (1-3) (1997) 259–266
5466. A. Apartsin, E. Ferapontova and V. Gurvich, A circular graph — counterexample to the Duchet kernel conjecture **178** (1-3) (1998) 229–231
5467. J. Kratochvíl and A. Kuběna, On intersection representations of co-planar graphs **178** (1-3) (1998) 251–255
5468. S.A. Wong, Extending fixed vertex-colourings to total colourings **177** (1-3) (1997) 295–297
5469. R.G. Möller, Topological groups, automorphisms of infinite graphs and a theorem of Trofimov **178** (1-3) (1998) 271–275
5470. K. Yokomura, A degree sum condition on hamiltonian cycles in balanced 3-partite graphs **178** (1-3) (1998) 293–297
5471. B. Schmidt, Nonexistence of a (783,69,6)-difference set **178** (1-3) (1998) 283–285
5472. L.L. Ng, Hamiltonian decomposition of complete regular multipartite digraphs **177** (1-3) (1997) 279–285
5473. W. Pacco and R. Scapellato, Digraphs having the same canonical double covering **173** (1-3) (1997) 291–296
5474. D. Banković, Horn sentences in Post algebras **173** (1-3) (1997) 269–275
5475. L. Berardi, On blocking sets in a design **177** (1-3) (1997) 249–257
5476. R.J.R. Abel and H. Zhang, Direct constructions for certain types of HMOLS **181** (1-3) (1998) 1–17
5477. D. Achlioptas, J.I. Brown, D.G. Corneil and M.S.O. Molloy, The existence of uniquely -G colourable graphs **179** (1-3) (1998) 1–11
5478. A. Ainouche, Quasi-claw-free graphs **179** (1-3) (1998) 13–26
5479. S. Ajoodani-Namini, All block designs with $b = \binom{v}{k}/2$ exist **179** (1-3) (1998) 27–35
5480. R.P. Anstee and L. Caccetta, Orthogonal matchings **179** (1-3) (1998) 37–47
5481. A. Borobia and V. Chumillas, *-graphs of vertices of the generalized transitive tournament polytope **179** (1-3) (1998) 49–57
5482. A.V. Borovik, I. Gelfand and N. White, On exchange properties for Coxeter matroids and oriented matroids **179** (1-3) (1998) 59–72

5483. Z.-H. Chen, Supereulerian graphs, independent sets, and degree-sum conditions **179** (1-3) (1998) 73–87
5484. F. Durand, A characterization of substitutive sequences using return words **179** (1-3) (1998) 89–101
5485. J.H. Kwak and J. Lee, Distribution of branched $\mathbb{D}_p$-coverings of surfaces **183** (1-3) (1998) 193–212
5486. D.A. Klain, Kinematic formulas for finite vector spaces **179** (1-3) (1998) 121–132
5487. R. Molina, The centroidal branches of a separable graph are edge reconstructible **179** (1-3) (1998) 133–143
5488. Q. Mushtaq and M. Aslam, Group generated by two elements of orders two and six acting on $\mathbb{R}$ and $\mathbb{Q}(\sqrt{n})$ **179** (1-3) (1998) 145–154
5489. L. Petingi, F. Boesch and C. Suffel, On the characterization of graphs with maximum number of spanning trees **179** (1-3) (1998) 155–166
5490. B.S.W. Schröder, On CC-comparability invariance of the fixed point property **179** (1-3) (1998) 167–183
5491. I. Sciriha, On the construction of graphs of nullity one **181** (1-3) (1998) 193–211
5492. H.J. Shyr and Y.S. Tsai, Free submonoids in the monoid of languages **181** (1-3) (1998) 213–222
5493. A.N. Trenk, On k-weak orders: Recognition and a tolerance result **181** (1-3) (1998) 223–237
5494. J. Wojciechowski, On constructing snakes in powers of complete graphs **181** (1-3) (1998) 239–254
5495. S. Zhou and J. Yuan, Harper-type lower bounds and the bandwidths of the compositions of graphs **181** (1-3) (1998) 255–266
5496. N. Alon and E. Halperin, Bipartite subgraphs of integer weighted graphs **181** (1-3) (1998) 19–29
5497. D. Amar, S. Brandt, D. Brito and O. Ordaz, Neighborhood conditions for balanced independent sets in bipartite graphs **181** (1-3) (1998) 31–36
5498. K.P. Bogart and G. Isaak, Proper and unit bitolerance orders and graphs **181** (1-3) (1998) 37–51
5499. A. Bouchet and W. Schwärzler, The delta-sum of matching delta-matroids **181** (1-3) (1998) 53–63
5500. M. Burlet and A.V. Karzanov, Minimum weight (T,d)-joins and multi-joins **181** (1-3) (1998) 65–76
5501. Z. Chen, Integral sum graphs from identification **181** (1-3) (1998) 77–90
5502. K. Deiters and M. Erné, Negations and contrapositions of complete lattices **181** (1-3) (1998) 91–111
5503. H. Era and M. Tsuchiya, On upper bound graphs whose complements are also upper bound graphs **179** (1-3) (1998) 103–109
5504. C.M. Fiduccia, E.R. Scheinerman, A. Trenk and J.S. Zito, Dot product representations of graphs **181** (1-3) (1998) 113–138
5505. R.L. Graham, B.D. Lubachevsky, K.J. Nurmela and P.R.J. Östergård, Dense packings of congruent circles in a circle **181** (1-3) (1998) 139–154
5506. J.H. Hattingh and E. Ungerer, The signed and minus k-subdomination numbers of comets **183** (1-3) (1998) 141–152
5507. A. Iorgulescu, Connections between MV_n algebras and n-valued Lukasiewicz–Moisil algebras Part I **181** (1-3) (1998) 155–177
5508. K. Kilakos and F.B. Shepherd, Face extensions in planar cubic graphs **181** (1-3) (1998) 179–191
5509. K.M. Koh and B.P. Tan, The diameter of an orientation of a complete multipartite graph [Discrete Math. 149 (1996) 131–139] (*Addendum*) **173** (1-3) (1997) 297–298
5510. M. Krivelevich, A lower bound for irredundant Ramsey numbers **183** (1-3) (1998) 185–192
5511. H. Li, M. Lu and Z. Sun, Hamiltonicity in 2-connected graphs with claws **183** (1-3) (1998) 223–236
5512. X. Li, The connectivity of the *SEE*-graph and *AEE*-graph for the connected spanning k-edge subgraphs of a graph **183** (1-3) (1998) 237–245
5513. C. Nara and S. Tazawa, Enumeration of unlabelled graphs with specified degree parities **183** (1-3) (1998) 255–264
5514. C. Ramsay, I.T. Roberts and F. Ruskey, Completely separating systems of k-sets **183** (1-3) (1998) 265–275
5515. Z. Stojaković and W.A. Dudek, Single identities for varieties equivalent to quadruple systems **183** (1-3) (1998) 277–284
5516. C.H. Yan, Distributive laws for commuting equivalence relations **181** (1-3) (1998) 295–298
5517. M. Bóna, Permutations with one or two 132-subsequences **181** (1-3) (1998) 267–274
5518. P.C.B. Lam, W.C. Shiu, W.H. Chan and Y. Lin, On the bandwidth of convex triangulation meshes **173** (1-3) (1997) 285–289
5519. T. Łuczak, V. Rödl and T. Schoen, Independent finite sums in graphs defined on the natural numbers **181** (1-3) (1998) 289–294

5520. V. Ćepulić, The unique symmetric block design (61, 16, 4) admitting an automorphism of order 15 operating standardly (*Note*) **175** (1-3) (1997) 259–263
5521. D.C. Isaksen and D.P. Moulton, Randomly planar graphs **175** (1-3) (1997) 265–269
5522. L. Lipták, Sperner systems containing at most k sets of every cardinality **170** (1-3) (1997) 203–209
5523. E. Gasse, A proof of a circle graph characterization **173** (1-3) (1997) 277–283
5524. M. Burzio and G. Ferrarese, The subdivision graph of a graceful tree is a graceful tree **181** (1-3) (1998) 275–281
5525. V.P. Korzhik, Nonadditivity of the 1-genus of a graph **184** (1-3) (1998) 253–258
5526. N. Alon, Packings with large minimum kissing numbers **175** (1-3) (1997) 249–251
5527. D. Jennings and K. Byard, Qualified residue difference sets with zero **181** (1-3) (1998) 283–288
5528. B. Li and E.C. Milner, Isomorphic ANTI-cores of Caccc posets — an improvement **183** (1-3) (1998) 213–221
5529. S. Brandt, The local density of triangle-free graphs **183** (1-3) (1998) 17–25
5530. B. Chen and M. Yan, The geometric cone relations for simplicial and cubical complexes **183** (1-3) (1998) 39–46
5531. V. Chepoi, A note on r-dominating cliques **183** (1-3) (1998) 47–60
5532. A. Cournier and P. Ille, Minimal indecomposable graphs **183** (1-3) (1998) 61–80
5533. R.J. Faudree and J. Sheehan, The maximum number of edges in a graph with fixed edge-degree **183** (1-3) (1998) 81–101
5534. F. Cao, D.-Z. Du, D. Frank Hsu, L. Hwang and W. Wu, Super line-connectivity of consecutive-d digraphs **183** (1-3) (1998) 27–38
5535. H.-L. Fu and C.C. Lindner, The Doyen–Wilson theorem for maximum packings of K_n with 4-cycles **183** (1-3) (1998) 103–117
5536. M. Ginocchio, On the Hopf algebra of functional graphs and differential algebras **183** (1-3) (1998) 119–140
5537. H. Aït Haddadène, S. Gravier and F. Maffray, An algorithm for coloring some perfect graphs **183** (1-3) (1998) 1–16
5538. P. Heijnen and H. van Tilborg, Two observations concerning optimum cyclic burst-correcting codes **184** (1-3) (1998) 111–120
5539. Z. Jiang and C.J. Colbourn, Completing the spectrum of rotational Mendelsohn triple systems **183** (1-3) (1998) 153–160
5540. C.L. Lucchesi, C.P. de Mello and J.L. Szwarcfiter, On clique-complete graphs **183** (1-3) (1998) 247–254
5541. J.P. McSorley, Counting structures in the Möbius ladder **184** (1-3) (1998) 137–164
5542. Y. Tsukui, Transformations of edge-coloured cubic graphs **184** (1-3) (1998) 183–194
5543. C.H. Yan, Commuting quasi-order relations **183** (1-3) (1998) 285–292
5544. W. Zang, Coloring graphs with no odd-K_4 **184** (1-3) (1998) 205–212
5545. M. Morayne, Partial-order analogue of the secretary problem The binary tree case **184** (1-3) (1998) 165–181
5546. E.J. Billington and D.G. Hoffman, The intersection problem for star designs **179** (1-3) (1998) 217–222
5547. B. Bollobás and O. Riordan, On some conjectures of Graffiti **179** (1-3) (1998) 223–230
5548. E. Boros and V. Gurvich, A corrected version of the Duchet kernel conjecture **179** (1-3) (1998) 231–233
5549. S.G. Boswell and J. Simpson, Edge-disjoint maximal planar graphs **179** (1-3) (1998) 235–241
5550. C.J. Bouwkamp, On step-2 transforms for simple perfect squared squares **179** (1-3) (1998) 243–252
5551. E. Deutsch, A bijection on Dyck paths and its consequences **179** (1-3) (1998) 253–256
5552. O. Favaron and J. Puech, Irredundance in grids **179** (1-3) (1998) 257–265
5553. A. Higuchi, Lattices of closure operators **179** (1-3) (1998) 267–272
5554. T. Jordán, On the existence of (k,l)-critical graphs **179** (1-3) (1998) 273–275
5555. J.M. Nolan, C.D. Savage and H.S. Wilf, Basis partitions **179** (1-3) (1998) 277–283
5556. P.R.J. Östergård, On the structure of optimal error-correcting codes **179** (1-3) (1998) 285–287
5557. S. Shiraishi, A remark on maximum matching of line graphs **179** (1-3) (1998) 289–291
5558. J. Wang, T.E. Lindquester, B. Yao and D.B. West, Maximum bandwidth of a graph and its complement **179** (1-3) (1998) 293–298
5559. B. Leclerc and J.-Y. Thibon, Preface **180** (1-3) (1998) 1
5560. S.A. Abramov, P. Paule and M. Petkovšek, q-Hypergeometric solutions of q-difference equations **180** (1-3) (1998) 3–22

5561. T.V. Alekseyevskaya and I.M. Gelfand, Incidence matrices, geometrical bases, combinatorial prebases and matroids **180** (1-3) (1998) 23–44
5562. A. Bottreau, A. Di Bucchianico and D.E. Loeb, Computer algebra and Umbral Calculus **180** (1-3) (1998) 65–72
5563. M. Bousquet-Mélou, New enumerative results on two-dimensional directed animals **180** (1-3) (1998) 73–106
5564. C. Corsani, D. Merlini and R. Sprugnoli, Left-inversion of combinatorial sums **180** (1-3) (1998) 107–122
5565. P. de la Torre and D.T. Kao, An algebraic approach to the prefix model analysis of binary trie structures and set intersection algorithms **180** (1-3) (1998) 123–142
5566. S. Dulucq and O. Guibert, Baxter permutations **180** (1-3) (1998) 143–156
5567. P. Feinsilver and R. Schott, Formal power series, operator calculus, and duality on Lie algebras **180** (1-3) (1998) 157–171
5568. S. Feretić, A new way of counting the column-convex polyominoes by perimeter **180** (1-3) (1998) 173–184
5569. X. Gourdon, Largest component in random combinatorial structures **180** (1-3) (1998) 185–209
5570. C. Hespel and G. Jacob, First steps towards exact algebraic identification **180** (1-3) (1998) 211–219
5571. H.N. Minh, Fonctions de Dirichlet d'ordre n et de paramètre t **180** (1-3) (1998) 221–241
5572. P.-V. Koseleff, Relations among Lie-series transformations and isomorphisms between free Lie algebras **180** (1-3) (1998) 243–254
5573. C. Lenart and N. Ray, Hopf algebras of set systems **180** (1-3) (1998) 255–280
5574. A.I. Molev, Stirling partitions of the symmetric group and Laplace operators for the orthogonal Lie algebra **180** (1-3) (1998) 281–300
5575. M. Noy, Enumeration of noncrossing trees on a circle **180** (1-3) (1998) 301–313
5576. E. Barcucci, A. Del Lungo, E. Pergola and R. Pinzani, A methodology for plane tree enumeration **180** (1-3) (1998) 45–64
5577. S. Poirier, Cycle type and descent set in wreath products **180** (1-3) (1998) 315–343
5578. B. Shapiro, M. Shapiro and A. Vainshtein, Kazhdan–Lusztig polynomials for certain varieties of incomplete flags **180** (1-3) (1998) 345–355
5579. E. Steingrímsson, A chromatic partition polynomial **180** (1-3) (1998) 357–368
5580. R.A. Sulanke, Catalan path statistics having the Narayana distribution **180** (1-3) (1998) 369–389
5581. M. Yang, An algorithm for computing plethysm coefficients **180** (1-3) (1998) 391–402
5582. A. Zvonkin, How to draw a group? **180** (1-3) (1998) 403–413
5583. D. Marušič and B. Mohar, Preface **182** (1-3) (1998) 1
5584. G.A. Asmerom, Imbeddings of the tensor product of graphs where the second factor is a complete graph **182** (1-3) (1998) 13–19
5585. T. Bilski, Optimum embedding of complete graphs in books **182** (1-3) (1998) 21–28
5586. B. Courcelle and G. Sénizergues, The obstructions of a minor-closed set of graphs defined by a context-free grammar **182** (1-3) (1998) 29–51
5587. F. Dacar, The cyclicity of a hypergraph **182** (1-3) (1998) 53–67
5588. I.J. Dejter, H. Hevia and O. Serra, Hidden Cayley graph structures **182** (1-3) (1998) 69–83
5589. L. Grasselli and S. Piccarreta, Tetrahedron manifolds via coloured graphs **182** (1-3) (1998) 125–137
5590. B. Guiduli and Z. Király, On intersecting hypergraphs **182** (1-3) (1998) 139–151
5591. H.L. Abbott, D.R. Hare and B. Zhou, Color-critical graphs and hypergraphs with few edges and no short cycles **182** (1-3) (1998) 3–11
5592. P.K. Jha, Kronecker products of paths and cycles: Decomposition, factorization and bi-pancyclicity **182** (1-3) (1998) 153–167
5593. A. Jurišić, Antipodal covers of strongly regular graphs **182** (1-3) (1998) 177–189
5594. M. Lovrečič Saražin, On the hamiltonian index and the radius of a graph **182** (1-3) (1998) 197–202
5595. A. Malnič, Group actions, coverings and lifts of automorphisms **182** (1-3) (1998) 203–218
5596. D. Marušič, Recent developments in half-transitive graphs **182** (1-3) (1998) 219–231
5597. L. Milazzo and Zs. Tuza, Strict colourings for classes of steiner triple systems **182** (1-3) (1998) 233–243
5598. B. Mohar, On the orientable genus of graphs with bounded nonorientable genus **182** (1-3) (1998) 245–253
5599. E.T. Neufeld, Orienting cycle elements in orientable rotation systems **182** (1-3) (1998) 255–265

5600. M. Jünger, P. Mutzel, T. Odenthal and M. Scharbrodt, The thickness of a minor-excluded class of graphs **182** (1-3) (1998) 169–176
5601. M.A. Langston and B.C. Plaut, On algorithmic applications of the immersion order **182** (1-3) (1998) 191–196
5602. X.G. Fang, C.H. Li and C.E. Praeger, On orbital regular graphs and frobenius graphs **182** (1-3) (1998) 85–99
5603. Á. Seress, On vertex-transitive, non-Cayley graphs of order *pqr* **182** (1-3) (1998) 279–292
5604. E.R. van Dam and W.H. Haemers, Graphs with constant μ and $\bar{\mu}$ **182** (1-3) (1998) 293–307
5605. H. Pulapaka and A. Vince, Non-revisiting paths on surfaces with low genus **182** (1-3) (1998) 267–277
5606. M.-Y. Xu, Automorphism groups and isomorphisms of Cayley digraphs **182** (1-3) (1998) 309–319
5607. M.A. Fiol, E. Garriga and J.L.A. Yebra, Boundary graphs — II The limit case of a spectral property **182** (1-3) (1998) 101–111
5608. Z. Gao and X. Yu, Tutte cycles in circuit graphs **182** (1-3) (1998) 113–124
5609. B. Zgrablić, On adjacency-transitive graphs **182** (1-3) (1998) 321–332
5610. A. Vesel and J. Žerovnik, The independence number of the strong product of odd cycles **182** (1-3) (1998) 333–336
5611. A. Ainouche, O. Favaron and H. Li, Global insertion and hamiltonicity in DCT-graphs **184** (1-3) (1998) 1–13
5612. R.P. Anstee and Y. Nam, More sufficient conditions for a graph to have factors **184** (1-3) (1998) 15–24
5613. G. Blind and R. Blind, The almost simple cubical polytopes **184** (1-3) (1998) 25–48
5614. B.-L. Chen, C.-K. Cheng, H.-L. Fu and K.-C. Huang, A study of the total chromatic number of equibipartite graphs **184** (1-3) (1998) 49–60
5615. G.F. Clements, Yet another generalization of the Kruskal–Katona theorem **184** (1-3) (1998) 61–70
5616. H. Galeana-Sánchez, Kernels in edge-colored digraphs **184** (1-3) (1998) 87–99
5617. D. Klabjan and B. Mohar, The number of matchings of low order in hexagonal systems **186** (1-3) (1998) 167–175
5618. M. Klazar, On numbers of Davenport–Schinzel sequences **185** (1-3) (1998) 77–87
5619. S. Neufeld and R. Nowakowski, A game of cops and robbers played on products of graphs **186** (1-3) (1998) 253–268
5620. T. Niessen and B. Randerath, Regular factors of simple regular graphs and factor-spectra **185** (1-3) (1998) 89–103
5621. G.F. Royle, An orderly algorithm and some applications in finite geometry **185** (1-3) (1998) 105–115
5622. M. Šajna, Half-transitivity of some metacirculants **185** (1-3) (1998) 117–136
5623. N. Sauer, Edge partitions of the countable triangle free homogeneous graph **185** (1-3) (1998) 137–181
5624. S.M. Selkow, The enumeration of labeled graphs by number of cutpoints **185** (1-3) (1998) 183–191
5625. C. Tardif, Graph products and the chromatic difference sequence of vertex-transitive graphs **185** (1-3) (1998) 193–200
5626. J. Yin, Some combinatorial constructions for optical orthogonal codes **185** (1-3) (1998) 201–219
5627. S. Zhou, Interpolation theorems for graphs, hypergraphs and matroids **185** (1-3) (1998) 221–229
5628. A. Barlotti, A. Bichara, P.V. Ceccherini and F. Eugeni, Foreword **174** (1-3) (1997) 1
5629. S.K. Park, The r-complete partitions **183** (1-3) (1998) 293–297
5630. T. Albu, Classes of lattices (co)generated by a lattice and their global (dual) Krull dimension **185** (1-3) (1998) 1–18
5631. J. Bang-Jensen and J. Huang, Kings in quasi-transitive digraphs **185** (1-3) (1998) 19–27
5632. D.K. Biss, A lower bound on the number of functions satisfying the strict avalanche criterion **185** (1-3) (1998) 29–39
5633. K. Bryś and Z. Lonc, Clique and anticlique partitions of graphs **185** (1-3) (1998) 41–49
5634. C. Chen, Matchings and matching extensions in graphs **186** (1-3) (1998) 95–103
5635. B. Corbas and G.D. Williams, Matrix representatives for three-dimensional bilinear forms over finite fields **185** (1-3) (1998) 51–61
5636. N. Eaton, Ramsey numbers for sparse graphs **185** (1-3) (1998) 63–75
5637. F. Forbes and B. Ycart, Counting stable sets on Cartesian products of graphs **186** (1-3) (1998) 105–116
5638. T. Gangopadhyay, Packing graphs in their complements **186** (1-3) (1998) 117–124
5639. R. Gill, The number of elements in a generalized partition semilattice **186** (1-3) (1998) 125–134
5640. G. Greco, Capacities of graphs and 2-matchings **186** (1-3) (1998) 135–143

5641. G. Jin, The number of complete subgraphs of equi-partite graphs **186** (1-3) (1998) 157–165
5642. K. Kotani, k-Regular factors and semi-k-regular factors in graphs **186** (1-3) (1998) 177–193
5643. E.R. Lamken, The existence of $KS_3(v; 2, 4)$ **186** (1-3) (1998) 195–216
5644. T. Lindquester and N.C. Wormald, Factorisation of regular graphs into forests of short paths **186** (1-3) (1998) 217–226
5645. A. Lukács and N. Seifter, Lattices in graphs with polynomial growth **186** (1-3) (1998) 227–236
5646. I.H. Morgan, Construction of complete sets of mutually equiorthogonal frequency hypercubes **186** (1-3) (1998) 237–251
5647. B. Šešelja and A. Tepavčević, On generation of finite posets by meet-irreducibles **186** (1-3) (1998) 269–275
5648. B.-Y. Wang and F. Zhang, On the precise number of (0,1)-matrices in $\mathfrak{A}(R,S)$ **187** (1-3) (1998) 211–220
5649. J. Recasens, On a geometric combinatorial problem **184** (1-3) (1998) 273–279
5650. J.K. Kim and S.G. Hahn, A new upper bound for binary codes with minimum distance four **187** (1-3) (1998) 291–295
5651. F. Zhang and G. Lin, When a digraph and its line digraph are connected and cospectral **184** (1-3) (1998) 289–295
5652. C.D. Savage and C.-Q. Zhang, The connectivity of acyclic orientation graphs **184** (1-3) (1998) 281–287
5653. T.T. Raghunathan, M.M. Shikare and B.N. Waphare, Splitting in a binary matroid **184** (1-3) (1998) 267–271
5654. X. Chen, Some families of chromatically unique bipartite graphs **184** (1-3) (1998) 245–252
5655. B. Chen and S. Zhou, Upper bounds for f-domination number of graphs **185** (1-3) (1998) 239–243
5656. J.H. Hattingh and M.A. Henning, Star-path bipartite Ramsey numbers **185** (1-3) (1998) 255–258
5657. X. Ma, Nonexistence of extremal doubly even self-dual codes with large length **185** (1-3) (1998) 265–273
5658. X. Lu, D.-W. Wang and C.K. Wong, On avoidable and unavoidable claws **184** (1-3) (1998) 259–265
5659. M.H. El-Zahar and L.A. Fateen, On sphere orders **185** (1-3) (1998) 249–253
5660. R. Yuster, Linear coloring of graphs **185** (1-3) (1998) 293–297
5661. H.J. Broersma and H. Trommel, Closure concepts for claw-free graphs **185** (1-3) (1998) 231–238
5662. S. Stahl, The multichromatic numbers of some Kneser graphs **185** (1-3) (1998) 287–291
5663. S. Klavžar, On the fractional chromatic number and the lexicographic product of graphs **185** (1-3) (1998) 259–263
5664. D. de Caen, An upper bound on the sum of squares of degrees in a graph **185** (1-3) (1998) 245–248
5665. M. Muzychuk, On Ádám's conjecture for circulant graphs **176** (1-3) (1997) 285–298
5666. R. Balakrishnan and P. Paulraja, Hamilton cycles in tensor product of graphs **186** (1-3) (1998) 1–13
5667. R. Balakrishnan, R. Sampathkumar and V. Yegnanarayanan, Extremal graphs in some coloring problems **186** (1-3) (1998) 15–24
5668. A. Sali and G. Simonyi, Intersecting set systems and graphic matroids **185** (1-3) (1998) 279–285
5669. A.V. Pyatkin, Proof of Melnikov–Vizing conjecture for multigraphs with maximum degree at most 3 **185** (1-3) (1998) 275–278
5670. G.R.T. Hendry, C.J. Knickerbocker, P.F. Lock and M. Sheard, Forbidden subgraphs of graphs uniquely Hamiltonian-connected from a vertex **187** (1-3) (1998) 281–290
5671. J. Bae, An extremal problem for subset-sum-distinct sequences with congruence conditions **189** (1-3) (1998) 1–20
5672. J. Bevis and M. Grady, Toroidal maps of modular quotient groups **186** (1-3) (1998) 25–38
5673. N.S. Bhave, Characterisation of potentially generalised bipartite self-complementary bi-graphic sequences **186** (1-3) (1998) 39–54
5674. B. Bollobás and T. Szabó, The oriented cycle game **186** (1-3) (1998) 55–67
5675. F. Buekenhout and M. Parker, The number of nets of the regular convex polytopes in dimension $\leqslant 4$ **186** (1-3) (1998) 69–94
5676. B. Curtin, 2-Homogeneous bipartite distance-regular graphs **187** (1-3) (1998) 39–70
5677. S. Dulucq, S. Gire and O. Guibert, A combinatorial proof of J. West's conjecture **187** (1-3) (1998) 71–96
5678. M.A. Henning, Packing in trees **186** (1-3) (1998) 145–155
5679. D.S. Herscovici and A.W. Higgins, The pebbling number of $C_5 \times C_5$ **187** (1-3) (1998) 123–135
5680. M. Juvan, B. Mohar and R. Škrekovski, On list edge-colorings of subcubic graphs **187** (1-3) (1998) 137–149
5681. V.F. Lev, On consecutive subset sums **187** (1-3) (1998) 151–160

5682. J. Meng and M. Xu, On the isomorphism problem of Cayley graphs of Abelian groups **187** (1-3) (1998) 161–169
5683. D. Pascovici, On the forced unilateral orientation number of a graph **187** (1-3) (1998) 171–183
5684. D. Rautenbach and L. Volkmann, The domatic number of block-cactus graphs **187** (1-3) (1998) 185–193
5685. Y. Rho, An extremal problem concerning graphs not containing K_t and $K_{t,n-t}$ **187** (1-3) (1998) 195–209
5686. H. Wang, Vertex-disjoint hexagons with chords in a bipartite graph **187** (1-3) (1998) 221–231
5687. H. Wang, Triangles in claw-free graphs **187** (1-3) (1998) 233–244
5688. J. Žunić, Limit shape of convex lattice polygons having the minimal L_∞ diameter w.r.t. the number of their vertices **187** (1-3) (1998) 245–254
5689. M. Klugerman, A. Russell and R. Sundaram, On embedding complete graphs into hypercubes **186** (1-3) (1998) 289–293
5690. O.V. Borodin, Triangulated 3-polytopes without faces of low weight **186** (1-3) (1998) 281–285
5691. Y.-G. Chen, A theorem on harmonic sequences **186** (1-3) (1998) 287–288
5692. A.T. Amin, L.H. Clark and P.J. Slater, Parity dimension for graphs **187** (1-3) (1998) 1–17
5693. D.W. Barnette, Contractible circuits in 3-connected graphs **187** (1-3) (1998) 19–29
5694. A. Behr and L. Camarinopoulos, On the domination of hypergraphs by their edges **187** (1-3) (1998) 31–38
5695. M. Fiedler, Additive compound graphs **187** (1-3) (1998) 97–108
5696. D. Forge and J.L. Ramírez Alfonsín, Connected coverings and an application to oriented matroids **187** (1-3) (1998) 109–122
5697. A.M.H. Gerards and F.B. Shepherd, Strong orientations without even directed circuits **188** (1-3) (1998) 111–125
5698. P. Gibson and R. Maltby, Posets in which every cutset meets every fibre **194** (1-3) (1999) 107–127
5699. R.J. Gould and J.M. Harris, Traceability in graphs with forbidden triples of subgraphs **189** (1-3) (1998) 123–132
5700. M. Harada, T. Aaron Gulliver and H. Kaneta, Classification of extremal double-circulant self-dual codes of length up to 62 **188** (1-3) (1998) 127–136
5701. M. Lepović, On formal products and spectra of graphs **188** (1-3) (1998) 137–149
5702. M. Li, Vertex pancyclism in claw-free graphs **188** (1-3) (1998) 151–173
5703. X. Li, Edge-disjoint minimum-weight connected spanning k-edge subgraphs in a weighted graph: A connectedness theorem **188** (1-3) (1998) 175–182
5704. R. Maltby, Every cutset meets every fibre in certain poset products **194** (1-3) (1999) 195–203
5705. E. Steffen, Classifications and characterizations of snarks **188** (1-3) (1998) 183–203
5706. S. Todorcevic, Countable chain condition in partition calculus **188** (1-3) (1998) 205–223
5707. L. Xiong, Edge degree conditions for subpancyclicity in line graphs **188** (1-3) (1998) 225–232
5708. S.S. Yu, A characterization of local regular languages **184** (1-3) (1998) 195–203
5709. B. Du, K_{1,p^2}-factorization of complete bipartite graphs **187** (1-3) (1998) 273–279
5710. T.B. Moorhouse and D.G. Corneil, Completeness for intersection classes **190** (1-3) (1998) 277–286
5711. L. Pachter and P. Kim, Forcing matchings on square grids **190** (1-3) (1998) 287–294
5712. N.I. Glebov and A.V. Kostochka, On the independent domination number of graphs with given minimum degree **188** (1-3) (1998) 261–266
5713. E. Dahlhaus, P.D. Manuel and M. Miller, A characterization of strongly chordal graphs **187** (1-3) (1998) 269–271
5714. J.E. Bonin, On basis-exchange properties for matroids **187** (1-3) (1998) 265–268
5715. R. Ahlswede and Z. Zhang, Code pairs with specified parity of the Hamming distances **188** (1-3) (1998) 1–11
5716. S.Y. Alsardary and J. Wojciechowski, The basis number of the powers of the complete graph **188** (1-3) (1998) 13–25
5717. A.M. Assaf, Directed covering with block size 5 and index even **188** (1-3) (1998) 27–40
5718. B. Bagchi and B. Datta, A structure theorem for pseudomanifolds **188** (1-3) (1998) 41–60
5719. J. Bang-Jensen and G. Gutin, Alternating cycles and trails in 2-edge-coloured complete multigraphs **188** (1-3) (1998) 61–72
5720. E. Barcucci, A. Del Lungo, J.M. Fédou and R. Pinzani, Steep polyominoes, q-Motzkin numbers and q-Bessel functions **189** (1-3) (1998) 21–42

5721. O.V. Borodin, A.V. Kostochka, J. Nešetřil, A. Raspaud and E. Sopena, On universal graphs for planar oriented graphs of a given girth **188** (1-3) (1998) 73–85
5722. J.I. Brown, Chromatic polynomials and order ideals of monomials **189** (1-3) (1998) 43–68
5723. N. Cairnie and K. Edwards, The achromatic number of bounded degree trees **188** (1-3) (1998) 87–97
5724. J.A. Davis, New semiregular divisible difference sets **188** (1-3) (1998) 99–109
5725. E. Dobson, H. Gavlas, J. Morris and D. Witte, Automorphism groups with cyclic commutator subgroup and Hamilton cycles **189** (1-3) (1998) 69–78
5726. J. Eisfeld, On the common nature of Spreads and Pencils in PG(d,q) **189** (1-3) (1998) 95–104
5727. D. Fortin and R. Rudolf, Weak Monge arrays in higher dimensions **189** (1-3) (1998) 105–115
5728. Y. Fukuchi, Graph labelings in elementary abelian groups **189** (1-3) (1998) 117–122
5729. E.R. Hauge and J. Mykkeltveit, The analysis of De Bruijn sequences of non-extremal weight **189** (1-3) (1998) 133–147
5730. X.-d. Hou, Cubic bent functions **189** (1-3) (1998) 149–161
5731. L.T.Q. Hung, M.M. Sysło, M.L. Weaver and D.B. West, Bandwidth and density for block graphs **189** (1-3) (1998) 163–176
5732. L.F. Monteiro, M. Abad, S. Savini and J. Sewald, Finite free generating sets **189** (1-3) (1998) 177–189
5733. R. Scurr and G. Olive, Stirling numbers revisited **189** (1-3) (1998) 209–219
5734. M. Shi, Y. Li and F. Tian, Tree decompositions for a class of graphs **189** (1-3) (1998) 221–232
5735. G. Gutin, A note on the cardinality of certain classes of unlabeled multipartite tournaments **186** (1-3) (1998) 277–280
5736. A. Brandstädt, Corrigendum **186** (1-3) (1998) 295
5737. B. Alspach, Research problems **186** (1-3) (1998) 297–298
5738. S. Klavžar, H.M. Mulder and R. Škrekovski, An Euler-type formula for median graphs **187** (1-3) (1998) 255–258
5739. N.J. Calkin, On the structure of a random sum-free set of positive integers **190** (1-3) (1998) 247–257
5740. X. Liu and D.B. West, Line digraphs and coreflexive vertex sets **188** (1-3) (1998) 269–277
5741. I. Bluskov, Some t-designs are minimal $(t+1)$-coverings **188** (1-3) (1998) 245–251
5742. O. Heden, Another Bruen chain **188** (1-3) (1998) 267
5743. M.R. Sridharan and K. Balaji, Characterisation of self-complementary chordal graphs **188** (1-3) (1998) 279–283
5744. E. Alarcon, An extremal result on convex lattice polygons **190** (1-3) (1998) 227–234
5745. L. Zhao, The kissing number of the regular polygon **188** (1-3) (1998) 293–296
5746. L. Xie, G. Liu and B. Xu, On endo-homology of complexes of graphs **188** (1-3) (1998) 285–291
5747. E.J. Cockayne, S.M. Hedetniemi, S.T. Hedetniemi and C.M. Mynhardt, Irredundant and perfect neighbourhood sets in trees **188** (1-3) (1998) 253–260
5748. R.J.R. Abel and F.E. Bennett, The existence of perfect Mendelsohn designs with block size 7 **190** (1-3) (1998) 1–14
5749. B. Ábrego, J.L. Arocha, S. Fernández-Merchant and V. Neumann-Lara, Tightness problems in the plane **194** (1-3) (1999) 1–11
5750. S. Arumugam and J.S. Suseela, Acyclic graphoidal covers and path partitions in a graph **190** (1-3) (1998) 67–77
5751. R. Ayala, M.J. Chávez, A. Márquez and A. Quintero, On the connectivity of infinite graphs and 2-complexes **194** (1-3) (1999) 13–37
5752. D.Ž. Đoković, Equivalence classes and representatives of Golay sequences **189** (1-3) (1998) 79–93
5753. T.A. Gulliver and M. Harada, Extremal double circulant Type II codes over $\mathbb{Z}_4$ and construction of 5-(24,10,36) designs **194** (1-3) (1999) 129–137
5754. G. Gutin and V.E. Zverovich, Upper domination and upper irredundance perfect graphs **190** (1-3) (1998) 95–105
5755. Y. Huang and Y. Liu, The maximum genus of graphs with diameter three **194** (1-3) (1999) 139–149
5756. K.M. Koh and E.G. Tay, On optimal orientations of cartesian products of graphs (I) **190** (1-3) (1998) 115–136
5757. K. Kołodziejczyk, The boundary characteristic and the volume of lattice polyhedra **190** (1-3) (1998) 137–148
5758. V.P. Korzhik, Triangular embeddings of $K_n - K_m$ with unboundedly large m **190** (1-3) (1998) 149–162
5759. D. Kratsch and J.-X. Rampon, Tree-visibility orders **190** (1-3) (1998) 163–175

5760. F. Laviolette and N. Polat, Spanning trees of countable graphs omitting sets of dominated ends **194** (1-3) (1999) 151–172
5761. J.W. Leo, Triads and triangles in 3-connected matroids **194** (1-3) (1999) 173–193
5762. S.B. Mulay and C.G. Wagner, Finitary bases and formal generating functions **190** (1-3) (1998) 177–189
5763. S. Rajpal, On binary k-paving matroids and Reed–Muller codes **190** (1-3) (1998) 191–200
5764. V. Yorgov, The extremal codes of length 42 with automorphism of order 7 **190** (1-3) (1998) 201–213
5765. X. Zhu, Chromatic Ramsey numbers **190** (1-3) (1998) 215–222
5766. J. Harant, A lower bound on the independence number of a graph **188** (1-3) (1998) 239–243
5767. H. Hind and Y. Zhao, Edge colorings of graphs embeddable in a surface of low genus **190** (1-3) (1998) 107–114
5768. E. Deutsch, A bijection on Dyck paths and its consequences (*Note*) [Discrete Math. 179 (1998) 253–256] **187** (1-3) (1998) 297
5769. B. Chen and S. Lawrencenko, Structural characterization of projective flexibility **188** (1-3) (1998) 233–238
5770. S. El-Zanati and C.V. Eynden, Cycle factorizations of cycle products **189** (1-3) (1998) 267–275
5771. B.D. Thatte, A reconstruction problem related to balance equations II: The general case **194** (1-3) (1999) 281–284
5772. M. Lemos and J. Oxley, On packing minors into connected matroids **189** (1-3) (1998) 283–289
5773. C.-Y. Chao and Z. Chen, On uniquely 3-colorable graphs II **189** (1-3) (1998) 259–265
5774. R. Xu, Some Ore-type conditions for the existence of connected $[2,k]$-factors in graphs **194** (1-3) (1999) 295–298
5775. H. Enomoto, Toughness and the existence of k-factors. III **189** (1-3) (1998) 277–282
5776. M. Cochand and G. Károlyi, On a graph colouring problem **194** (1-3) (1999) 249–252
5777. H. Abels, A projection property for buildings **192** (1-3) (1998) 3–10
5778. P.J. Cameron, A census of infinite distance-transitive graphs **192** (1-3) (1998) 11–26
5779. V. Chepoi and S. Klavžar, Distances in benzenoid systems: Further developments **192** (1-3) (1998) 27–39
5780. A. Deza, M. Deza and V. Grishukhin, Fullerenes and coordination polyhedra versus half-cube embeddings **192** (1-3) (1998) 41–80
5781. J. Diatta, Approximating dissimilarities by quasi-ultrametrics **192** (1-3) (1998) 81–86
5782. J. Diatta and B. Fichet, Quasi-ultrametrics and their 2-ball hypergraphs **192** (1-3) (1998) 87–102
5783. A. Guénoche, Ordinal properties of tree distances **192** (1-3) (1998) 103–117
5784. W. Imrich, Factoring cardinal product graphs in polynomial time **192** (1-3) (1998) 119–144
5785. M. Kabil and M. Pouzet, Injective envelope of graphs and transition systems **192** (1-3) (1998) 145–186
5786. A.V. Karzanov, On one maximum multiflow problem and related metrics **192** (1-3) (1998) 187–204
5787. J. Koolen, V. Moulton and U. Tönges, The coherency index **192** (1-3) (1998) 205–222
5788. B. Leclerc and V. Makarenkov, On some relations between 2-trees and tree metrics **192** (1-3) (1998) 223–249
5789. V. Levenshtein, On designs in compact metric spaces and a universal bound on their size **192** (1-3) (1998) 251–271
5790. H. Maehara, Embedding a set of rational points in lower dimensions **192** (1-3) (1998) 273–279
5791. B. Monjardet, On the comparison of the Spearman and Kendall metrics between linear orders **192** (1-3) (1998) 281–292
5792. M. Pouzet, A projection property and Arrow's impossibility theorem **192** (1-3) (1998) 293–308
5793. A. Quilliot, On the properties of the subsets of a discrete domain defined by the local optimae of a function endowed with some geometrical properties **192** (1-3) (1998) 309–322
5794. S. Shpectorov, Complementary l_1-graphs **192** (1-3) (1998) 323–331
5795. P. Solé and J.-P. Tillich, On the dual distance and the gap of a binary code **192** (1-3) (1998) 333–336
5796. S.C. Varone, Trees related to realizations of distance matrices **192** (1-3) (1998) 337–346
5797. N.D. Nenov, On the small graphs with chromatic number 5 without 4-cliques (*Letter to the editor*) **188** (1-3) (1998) 297–298
5798. M. Muzychuk and M. Klin, On graphs with three eigenvalues **189** (1-3) (1998) 191–207
5799. E.R. van Dam and E. Spence, Small regular graphs with four eigenvalues **189** (1-3) (1998) 233–257
5800. T. Andreae, On the clique-transversal number of chordal graphs **191** (1-3) (1998) 3–11
5801. L. Babel, Tree-like P_4-connected graphs **191** (1-3) (1998) 13–23

5802. T. Böhme and J. Harant, On Hamiltonian cycles in 4- and 5-connected plane triangulations **191** (1-3) (1998) 25–30
5803. T. Böhme, J. Harant, A. Pruchnewski and I. Schiermeyer, A planarity criterion for cubic bipartite graphs **191** (1-3) (1998) 31–43
5804. O.V. Borodin, A.V. Kostochka and D.R. Woodall, On kernel-perfect orientations of line graphs **191** (1-3) (1998) 45–49
5805. M. Borowiecki and D. Michalak, Generalized independence and domination in graphs **191** (1-3) (1998) 51–56
5806. J. Brousek, Minimal 2-connected non-hamiltonian claw-free graphs **191** (1-3) (1998) 57–64
5807. G. Chen, A. Gyárfás and R.H. Schelp, Vertex colorings with a distance restriction **191** (1-3) (1998) 65–82
5808. I. Fabrici and S. Jendroľ, Subgraphs with restricted degrees of their vertices in planar graphs **191** (1-3) (1998) 83–90
5809. H. Gropp, On configurations and the book of Sainte-Laguë **191** (1-3) (1998) 91–99
5810. G. Gutin, B. Sudakov and A. Yeo, Note on alternating directed cycles **191** (1-3) (1998) 101–107
5811. H. Harborth, Empty triangles in drawings of the complete graph **191** (1-3) (1998) 109–111
5812. A. Kemnitz and H. Kolberg, Coloring of integer distance graphs **191** (1-3) (1998) 113–123
5813. A.V. Kostochka and M. Stiebitz, Colour-critical graphs with few edges **191** (1-3) (1998) 125–137
5814. J. Kratochvíl, Zs. Tuza and M. Voigt, Complexity of choosing subsets from color sets **191** (1-3) (1998) 139–148
5815. P. Mihók, J. Bucko and M. Voigt, On uniquely partitionable planar graphs **191** (1-3) (1998) 149–158
5816. B. Randerath and L. Volkmann, Characterization of graphs with equal domination and covering number **191** (1-3) (1998) 159–169
5817. Z. Ryjáček and I. Schiermeyer, 2-factors and hamiltonicity **191** (1-3) (1998) 171–177
5818. A. Schelten and U. Schelten, Neighborhood conditions for graphs with induced claws **191** (1-3) (1998) 179–189
5819. A. Schelten and I. Schiermeyer, Ramsey numbers $r(K_3, G)$ for $G \cong K_7 - 2P_2$ and $G \cong K_7 - 3P_2$ **191** (1-3) (1998) 191–196
5820. P. Smutný and M. Tkáč, On cubic polyhedral graphs with prescribed adjacency properties of their faces **191** (1-3) (1998) 197–206
5821. J. Topp and P. Dahl Vestergaard, Interpolation theorems for domination numbers of a graph **191** (1-3) (1998) 207–221
5822. H.-J. Voss, Sachs triangulations and infinite sequences of regular maps on given type **191** (1-3) (1998) 223–240
5823. W. Wessel, A short solution of Heawood's empire problem in the plane **191** (1-3) (1998) 241–245
5824. D. Amar and O. Togni, Irregularity strength of trees **190** (1-3) (1998) 15–38
5825. A. Andrzejak, An algorithm for the Tutte polynomials of graphs of bounded treewidth **190** (1-3) (1998) 39–54
5826. E.M. Arkin and R. Hassin, Graph partitions with minimum degree constraints **190** (1-3) (1998) 55–65
5827. S. Bylka, A. Idzik and Z. Tuza, Maximum cuts: Improvements and local algorithmic analogues of the Edwards–Erdős inequality **194** (1-3) (1999) 39–58
5828. G. Csizmadia, The multiplicity of the two smallest distances among points **194** (1-3) (1999) 67–86
5829. B.-L. Chen, L. Dong, Q.-Z. Liu and K.-C. Huang, Total colorings of equibipartite graphs **194** (1-3) (1999) 59–65
5830. D.A. Drake, G.H.J. van Rees and W.D. Wallis, Maximal sets of mutually orthogonal Latin squares **194** (1-3) (1999) 87–94
5831. J. Eckhoff, The maximum number of triangles in a K_4-free graph **194** (1-3) (1999) 95–106
5832. W. Gao, On the number of subsequences with given sum **195** (1-3) (1999) 127–138
5833. A.P. Godbole, L.K. Potter and E.J. Sandquist, Sign-balanced covering matrices **190** (1-3) (1998) 79–93
5834. T. Helleseth, C. Rong and K. Yang, New infinite families of 3-designs from preparata codes over $\mathbb{Z}_4$ **195** (1-3) (1999) 139–156
5835. H. Martini and P. Soltan, On convex partitions of polygonal regions **195** (1-3) (1999) 167–180
5836. B. Oporowski, Minor-equivalence for infinite graphs **195** (1-3) (1999) 203–227
5837. B.S. Panda, The forbidden subgraph characterization of directed vertex graphs **196** (1-3) (1999) 239–256
5838. M. Serfati, The lattice theory of r-ordered partitions **194** (1-3) (1999) 205–227

5839. G.-C. Rota, Combinatorics, representation theory and invariant theory: The story of a ménage à trois **193** (1-3) (1998) 5–16
5840. J. Alfano, A basis for the $\mathbf{Y}^1$ subspace of diagonal harmonic polynomials **193** (1-3) (1998) 17–31
5841. E.E. Allen, A conjecture of a basis for the diagonal harmonic alternants **193** (1-3) (1998) 33–42
5842. G.E. Andrews, Pfaff's method (I): The Mills–Robbins–Rumsey determinant **193** (1-3) (1998) 43–60
5843. H. Barcelo and E. Ihrig, Modular elements in the lattice $L(A)$ when A is a real reflection arrangement **193** (1-3) (1998) 61–68
5844. S. Billey, Transition equations for isotropic flag manifolds **193** (1-3) (1998) 69–84
5845. A. Björner, A general homotopy complementation formula **193** (1-3) (1998) 85–91
5846. F. Brenti, Kazhdan–Lusztig and R-polynomials from a combinatorial point of view **193** (1-3) (1998) 93–116
5847. J.O. Carbonara, A combinatorial interpretation of the inverse t-Kostka matrix **193** (1-3) (1998) 117–145
5848. L. Carini and J.B. Remmel, Formulas for the expansion of the plethysms $s_2[s_{(a,b)}]$ and $s_2[s_{(n^k)}]$ **193** (1-3) (1998) 147–177
5849. S. Fomin and C. Greene, Noncommutative Schur functions and their applications **193** (1-3) (1998) 179–200
5850. M. Haiman, t,q-Catalan numbers and the Hilbert scheme **193** (1-3) (1998) 201–224
5851. C. Malvenuto and C. Reutenauer, Plethysm and conjugation of quasi-symmetric functions **193** (1-3) (1998) 225–233
5852. S.C. Milne and G. Bhatnagar, A characterization of inverse relations **193** (1-3) (1998) 235–245
5853. E. Reiner, Variation on a theme of Solomon **193** (1-3) (1998) 247–255
5854. J.B. Remmel and M. Shimozono, A simple proof of the Littlewood–Richardson rule and applications **193** (1-3) (1998) 257–266
5855. R.P. Stanley, Graph colorings and related symmetric functions: ideas ans applications **193** (1-3) (1998) 267–286
5856. M.L. Wachs, On the (co)homology of the partition lattice and the free Lie algebra **193** (1-3) (1998) 287–319
5857. A.E. Kézdy and C. Wang, Alternating walks in partially 2-edge-colored graphs and optimal strength of graph labeling **194** (1-3) (1999) 261–265
5858. L. Caccetta and R.Z. Jia, On a problem concerning ordered colourings **190** (1-3) (1998) 241–245
5859. B. Xu, On integral sum graphs **194** (1-3) (1999) 285–294
5860. W.H. Holzmann and H. Kharaghani, A D-optimal design of order 150 **190** (1-3) (1998) 265–269
5861. Y. Huang, Maximum genus and girth of graphs **194** (1-3) (1999) 253–259
5862. F. Rhodes and R.A. Melter, Geodetic metrizations of graphs **194** (1-3) (1999) 267–279
5863. D. Moews, Optimally pebbling hypercubes and powers **190** (1-3) (1998) 271–276
5864. A. Ehrenfeucht, T. Harju, P. ten Pas and G. Rozenberg, Permutations, parenthesis words, and Schröder numbers **190** (1-3) (1998) 259–264
5865. G.J. Woeginger, The toughness of split graphs **190** (1-3) (1998) 295–297
5866. E. Barcucci, S. Brunetti, A. Del Lungo and F. Del Ristoro, A combinatorial interpretation of the recurrence $f_{n+1} = 6f_n - f_{n-1}$ **190** (1-3) (1998) 235–240
5867. R. Škrekovski, Choosability of K_5-minor-free graphs **190** (1-3) (1998) 223–226
5868. B.D. Acharya and P. Gupta, On point-set domination in graphs IV: Separable graphs with unique minimum psd-sets **195** (1-3) (1999) 1–13
5869. A.M. Assaf and R. Wei, Modified group divisible designs with block size 4 and λ=1 **195** (1-3) (1999) 15–25
5870. M.D. Atkinson, Restricted permutations **195** (1-3) (1999) 27–38
5871. C. Balbuena, Extraconnectivity of s-geodetic digraphs and graphs **195** (1-3) (1999) 39–52
5872. L.B. Beasley, S.D. Monson and N.J. Pullman, Linear operators that strongly preserve graphical properties of matrices — II **195** (1-3) (1999) 53–66
5873. B. Bollobás, O. Riordan, Z. Ryjáček, A. Saito and R.H. Schelp, Closure and Hamiltonian-connectivity of claw-free graphs **195** (1-3) (1999) 67–80
5874. B. Chen and S. Zhou, Domination number and neighbourhood conditions **195** (1-3) (1999) 81–91
5875. C.T. Cheng and L.J. Cowen, On the local distinguishing numbers of cycles **196** (1-3) (1999) 97–108
5876. D. de Werra and A. Hertz, On perfectness of sums of graphs **195** (1-3) (1999) 93–101

5877. M. Dror, G. Finke, S. Gravier and W. Kubiak, On the complexity of a restricted list-coloring problem **195** (1-3) (1999) 103–109
5878. P.C. Fishburn and W.T. Trotter, Split semiorders **195** (1-3) (1999) 111–126
5879. T.-S. Fu, Erdős–Ko–Rado-type results over $J_q(n,d), H_q(n,d)$ and their designs **196** (1-3) (1999) 137–151
5880. S. Jendroľ, Triangles with restricted degrees of their boundary vertices in plane triangulations **196** (1-3) (1999) 177–196
5881. S.R. Kingan, Intersections of circuits and cocircuits in binary matroids **195** (1-3) (1999) 157–165
5882. A. Knopfmacher, On the degrees of irreducible factors of polynomials over a finite field **196** (1-3) (1999) 197–206
5883. S.-C. Liaw and G.J. Chang, Rabin numbers of Butterfly networks **196** (1-3) (1999) 219–227
5884. A. Muthusamy and P. Paulraja, Path factorizations of complete multipartite graphs **195** (1-3) (1999) 181–201
5885. Z. Zhizheng, A binomial identity related to Calkin's **196** (1-3) (1999) 287–289
5886. Y. Kashiwagi and I. Kikumasa, Indecomposability of cyclic codes **196** (1-3) (1999) 277–280
5887. D. Lou, A local independence number condition for n-extendable graphs **195** (1-3) (1999) 263–268
5888. J.-S. Li and Z.-X. Song, On the potentially P_k-graphic sequences **195** (1-3) (1999) 255–262
5889. P.E. Haxell, Packing and covering triangles in graphs **195** (1-3) (1999) 251–254
5890. M. Sutton, M. Miller, J. Ryan and Slamin, Connected graphs which are not mod sum graphs **195** (1-3) (1999) 287–293
5891. D.W. Barnette and S. Gillett, Paths and circuits in partially directed graphs **195** (1-3) (1999) 239–243
5892. Y. Miao and S. Kageyama, Two classes of q-ary codes based on group divisible association schemes **195** (1-3) (1999) 269–276
5893. J. Qian, On the upper bound of the diameter of interchange graphs **195** (1-3) (1999) 277–285
5894. M. Conder, Explicit definition of the binary reflected Gray codes **195** (1-3) (1999) 245–249
5895. Z. Zhang, B. Xu, Y. Li and L. Liu, A note on the lower bounds of signed domination number of a graph **195** (1-3) (1999) 295–298
5896. A.C. Atkins, G.N. Sarkozy and S.M. Selkow, Counting irregular multigraphs **195** (1-3) (1999) 235–237
5897. Z. Zhang, A kind of binomial identity **196** (1-3) (1999) 291–298
5898. A.A. Ageev, Every circle graph of girth at least 5 is 3-colourable **195** (1-3) (1999) 229–233
5899. K. Alladi, A variation on a theme of Sylvester — a smoother road to Göllnitz's (Big) theorem **196** (1-3) (1999) 1–11
5900. J. Bang-Jensen, Linkages in locally semicomplete digraphs and quasi-transitive digraphs **196** (1-3) (1999) 13–27
5901. O.D. Byer, Two path extremal graphs and an application to a Ramsey-type problem **196** (1-3) (1999) 51–64
5902. J.S. Caughman IV, The Terwilliger algebras of bipartite P- and Q-polynomial schemes **196** (1-3) (1999) 65–95
5903. T. Dinski and X. Zhu, A bound for the game chromatic number of graphs **196** (1-3) (1999) 109–115
5904. S.T. Dougherty, T.A. Gulliver and M. Harada, Optimal ternary formally self-dual codes **196** (1-3) (1999) 117–135
5905. A. Gräf, Distance graphs and the T-coloring problem **196** (1-3) (1999) 153–166
5906. Z. Hu, A generalization of Fan's condition and forbidden subgraph conditions for hamiltonicity **196** (1-3) (1999) 167–175
5907. W. Kordecki and T. Łuczak, On the connectivity of random subsets of projective spaces **196** (1-3) (1999) 207–217
5908. V. Linek and Z. Jiang, Hooked k-extended Skolem sequences **196** (1-3) (1999) 229–238
5909. J. Mazoyer and I. Rapaport, Global fixed point attractors of circular cellular automata and periodic tilings of the plane: Undecidability results **199** (1-3) (1999) 103–122
5910. M. Minoux, A generalization of the all minors matrix tree theorem to semirings **199** (1-3) (1999) 139–150
5911. M.-O. Pavčević and E. Spence, Some new symmetric designs with λ=10 having an automorphism of order 5 **196** (1-3) (1999) 257–266
5912. J.A. Rodríguez and J.L.A. Yebra, Bounding the diameter and the mean distance a graph from its eigenvalues: Laplacian versus adjacency matrix methods **196** (1-3) (1999) 267–275
5913. J. Schmid, On maximal sublattices of finite lattices **199** (1-3) (1999) 151–159

5914. P. Wójcik, Union-closed families of sets **199** (1-3) (1999) 173–182
5915. W. Zang, Acyclic digraphs with the Gallai–Milgram–Linial property for clique-covers **199** (1-3) (1999) 183–192
5916. C. Choffrut and M. Goldwurm, Determinants and Möbius functions in trace monoids **194** (1-3) (1999) 239–247
5917. O. du Merle, D. Villeneuve, J. Desrosiers and P. Hansen, Stabilized column generation **194** (1-3) (1999) 229–237
5918. Z. Yang, On F-Hamiltonian graphs **196** (1-3) (1999) 281–286
5919. H.L. Abbott and D.R. Hare, Square critically 3-chromatic hypergraphs **197-198** (1-3) (1999) 3–13
5920. F. Aguiló-Gost, New dense families of triple loop networks **197-198** (1-3) (1999) 15–27
5921. R.E.L. Aldred and M.D. Plummer, On matching extensions with prescribed and proscribed edge sets II **197-198** (1-3) (1999) 29–40
5922. S.M. Allen, D.H. Smith and S. Hurley, Lower bounding techniques for frequency assignment **197-198** (1-3) (1999) 41–52
5923. I. Anderson, On the construction of balanced Room squares **197-198** (1-3) (1999) 53–60
5924. C. Balbuena, A. Carmona, J. Fàbrega and M.A. Fiol, Superconnectivity of bipartite digraphs and graphs **197-198** (1-3) (1999) 61–75
5925. D. Bedford and R.M. Whitaker, Enumeration of transversals in the Cayley tables of the non-cyclic groups of order 8 **197-198** (1-3) (1999) 77–81
5926. A. Betten, M. Klin, R. Laue and A. Wassermann, Graphical t-designs via polynomial Kramer–Mesner matrices **197-198** (1-3) (1999) 83–109
5927. A. Betten, R. Laue and A. Wassermann, New t-designs and large sets of t-designs **197-198** (1-3) (1999) 111–121
5928. E.J. Billington, Decomposing complete tripartite graphs into cycles of lengths 3 and 4 **197-198** (1-3) (1999) 123–135
5929. A. Blokhuis and C.M. O'Keefe, On deriving unitals **197-198** (1-3) (1999) 137–141
5930. J. Brousek, Z. Ryjáček and I. Schiermeyer, Forbidden subgraphs, stability and hamiltonicity **197-198** (1-3) (1999) 143–155
5931. J.M. Brunat, M. Maureso and M. Mora, Endo-circulant digraphs: connectivity and generalized cycles **197-198** (1-3) (1999) 157–167
5932. G.J. Chang and M.-J. Jou, The number of maximal independent sets in connected triangle-free graphs **197-198** (1-3) (1999) 169–178
5933. G. Chartrand, F. Harary and B.Q. Yue, On the out-domination and in-domination numbers of a digraph **197-198** (1-3) (1999) 179–183
5934. G. Chen, R.J. Gould and M.S. Jacobson, On 2-factors containing 1-factors in bipartite graphs **197-198** (1-3) (1999) 185–194
5935. C.-C. Chou, C.-M. Fu and W.-C. Huang, Decomposition of $K_{m,n}$ into short cycles **197-198** (1-3) (1999) 195–203
5936. B. Curtin, Distance-regular graphs which support a spin model are thin **197-198** (1-3) (1999) 205–216
5937. D.P. Day, O.R. Oellermann and H.C. Swart, Bounds on the size of graphs of given order and ℓ-connectivity **197-198** (1-3) (1999) 217–223
5938. Y. Egawa and K. Ota, Vertex-disjoint claws in graphs **197-198** (1-3) (1999) 225–246
5939. S. Evdokimov, M. Karpinski and I. Ponomarenko, Compact cellular algebras and permutation groups **197-198** (1-3) (1999) 247–267
5940. O. Favaron and J. Puech, Irredundant and perfect neighborhood sets in graphs and claw-free graphs **197-198** (1-3) (1999) 269–284
5941. D. Ferrero and C. Padró, Disjoint paths of bounded length in large generalized cycles **197-198** (1-3) (1999) 285–298
5942. N.J. Finizio and P.A. Leonard, Inductive extensions of some Z-cyclic whist tournaments **197-198** (1-3) (1999) 299–307
5943. E. Fischer, Cycle factors in dense graphs **197-198** (1-3) (1999) 309–323
5944. W.L. Fouché, Symmetries and Ramsey properties of trees **197-198** (1-3) (1999) 325–330
5945. W.L. Fouché, L.M. Pretorius and C.J. Swanepoel, Partition theorems for factorisations of ascending parameter words **197-198** (1-3) (1999) 331–350

5946. J.D. Gilbey and L.H. Kalikow, Parking functions, valet functions and priority queues **197-198** (1-3) (1999) 351–373
5947. J. Gimbert, On the existence of (d,k)-digraphs **197-198** (1-3) (1999) 375–391
5948. W.H. Haemers, Minimum resolvable coverings with small parallel classes **197-198** (1-3) (1999) 393–396
5949. H. Harborth and S. Maasberg, All two-color Rado numbers for $a(x+y)=bz$ **197-198** (1-3) (1999) 397–407
5950. B.L. Hartnell and D.F. Rall, A bound on the size of a graph with given order and bondage number **197-198** (1-3) (1999) 409–413
5951. M.A. Henning, Graphs with large restrained domination number **197-198** (1-3) (1999) 415–429
5952. C. Huybrechts, L·L*-geometries and D_n-building **197-198** (1-3) (1999) 431–451
5953. S. Jendroľ, T. Madaras, R. Soták and Z. Tuza, On light cycles in plane triangulations **197-198** (1-3) (1999) 453–467
5954. M. Klazar, Extremal problems for colored trees and Davenport–Schinzel sequences **197-198** (1-3) (1999) 469–482
5955. E. Kolev and R. Hill, An improved lower bound on the covering number $K_2(9,1)$ **197-198** (1-3) (1999) 483–489
5956. F. Larrión and V. Neumann-Lara, Clique divergent graphs with unbounded sequence of diameters **197-198** (1-3) (1999) 491–501
5957. F. Lazebnik, V.A. Ustimenko and A.J. Woldar, Polarities and $2k$-cycle-free graphs **197-198** (1-3) (1999) 503–513
5958. V.I. Levenshtein, Equivalence of Delsarte's bounds for codes and designs in symmetric association schemes, and some applications **197-198** (1-3) (1999) 515–536
5959. R.P. Lewis, The number of spanning trees of a complete multipartite graph **197-198** (1-3) (1999) 537–541
5960. E.S. Mahmoodian and E. Mendelsohn, On defining numbers of vertex colouring of regular graphs **197-198** (1-3) (1999) 543–554
5961. J. Martí-Farré, Sets defining minimal vertex covers **197-198** (1-3) (1999) 555–559
5962. J.P. McSorley, Single-change circular covering designs **197-198** (1-3) (1999) 561–588
5963. M. Muzychuk, On the isomorphism problem for cyclic combinatorial objects **197-198** (1-3) (1999) 589–606
5964. A. Nakamoto, Transformations in closed 2-cell embeddings on surfaces preserving specified properties **197-198** (1-3) (1999) 607–615
5965. V. Neumann-Lara, The acyclic disconnection of a digraph **197-198** (1-3) (1999) 617–632
5966. V. Neumann-Lara, E. Rivera-Campo and J. Urrutia, A note on covering the edges of a graph with bonds **197-198** (1-3) (1999) 633–636
5967. S. Perkins and A.E. Escott, Synchronizing codewords of q-ary Huffman codes **197-198** (1-3) (1999) 637–655
5968. N.C.K. Phillips and D.A. Preece, Tight single-change covering designs with $v=12$, $k=4$ **197-198** (1-3) (1999) 657–670
5969. D.A. Preece and B.J. Vowden, Some series of cyclic balanced hyper-Graeco-Latin superimpositions of three Youden squares **197-198** (1-3) (1999) 671–682
5970. D. Rautenbach, The influence of special vertices on strong domination **197-198** (1-3) (1999) 683–690
5971. D.H. Rees and D.A. Preece, Perfect Graeco-Latin balanced incomplete block designs (pergolas) **197-198** (1-3) (1999) 691–712
5972. I. Sarmiento, A characterisation of jointless Dowling geometries **197-198** (1-3) (1999) 713–731
5973. R. Shaw, A property of A_7, and a maximal 3-dimensional linear section of GL(4,2) **197-198** (1-3) (1999) 733–747
5974. A. Sonnino, Linear collineation groups preserving an arc in a Möbius plane **197-198** (1-3) (1999) 749–757
5975. K.J. Swanepoel, Cardinalities of k-distance sets in Minkowski spaces **197-198** (1-3) (1999) 759–767
5976. M. Tewes and L. Volkmann, Vertex deletion and cycles in multipartite tournaments **197-198** (1-3) (1999) 769–779
5977. H. Trommel, H.J. Veldman and A. Verschut, Pancyclicity of claw-free hamiltonian graphs **197-198** (1-3) (1999) 781–789
5978. K. Ushio, $\frac{S}{k}$-factorization of symmetric complete tripartite digraphs **197-198** (1-3) (1999) 791–797
5979. R.A. Britto-Pacumio, Limits of iterated H-line graphs **199** (1-3) (1999) 1–10

5980. G.J. Chang, B. DasGupta, W.M. Dymàček, M. Fürer, M. Koerlin, Y.-S. Lee and T. Whaley, Characterizations of bipartite Steinhaus graphs **199** (1-3) (1999) 11–25
5981. M. Conforti, G. Cornuéjols and K. Vušković, Balanced cycles and holes in bipartite graphs **199** (1-3) (1999) 27–33
5982. J. Dunbar, S. Hedetniemi, M.A. Henning and A. McRae, Minus domination in graphs **199** (1-3) (1999) 35–47
5983. H. Fripertinger, Enumeration of mosaics **199** (1-3) (1999) 49–60
5984. W. Goddard and M.A. Henning, Real and integer domination in graphs **199** (1-3) (1999) 61–75
5985. D.J. Grabiner, Posets in which every interval is a product of chains, and natural local actions of the symmetric group **199** (1-3) (1999) 77–84
5986. M.D. Hirschhorn and J.A. Sellers, On representations of a number as a sum of three squares **199** (1-3) (1999) 85–101
5987. C. McDiarmid and B. Reed, Colouring proximity graphs in the plane **199** (1-3) (1999) 123–137
5988. A.E. Schroth, How to draw a hexagon **199** (1-3) (1999) 161–171
5989. R. Csákány and J. Komlós, The smallest Ramsey numbers **199** (1-3) (1999) 193–199
5990. L. Volkmann, Longest paths in semicomplete multipartite digraphs **199** (1-3) (1999) 279–284
5991. K. Ushio, Cycle-factorization of symmetric complete multipartite digraphs **199** (1-3) (1999) 273–278
5992. X. Baogen and Z. Zhongfu, A note on mixed Ramsey numbers **199** (1-3) (1999) 285–289
5993. H. Hajiabolhassan, M.L. Mehrabadi, R. Tusserkani and M. Zaker, A characterization of uniquely vertex colorable graphs using minimal defining sets **199** (1-3) (1999) 233–236
5994. B. Brešar, On clique-gated graphs **199** (1-3) (1999) 201–205
5995. G.H. Fricke, T.W. Haynes, S. Hedetniemi, S.T. Hedetniemi and M.A. Henning, A note on perfect neighborhood sets in graphs **199** (1-3) (1999) 221–225
5996. M. Treml, Some partitions of positive integers **199** (1-3) (1999) 267–271
5997. B. Bollobás, P. Erdős and A. Sarkar, Extremal graphs for weights **200** (1-3) (1999) 5–19
5998. J.A. Bondy, P. Erdős and S. Fajtlowicz, Graphs of diameter two with no 4-circuits **200** (1-3) (1999) 21–25
5999. J.-M. Deshouillers, P. Erdős and G. Melfi, On a question about sum-free sequences **200** (1-3) (1999) 49–54
6000. P. Erdős and A. Gyárfás, Split and balanced colorings of complete graphs **200** (1-3) (1999) 79–86
6001. P. Erdős, R.J. Faudree, C.C. Rousseau and R.H. Schelp, The number of cycle lengths in graphs of given minimum degree and girth **200** (1-3) (1999) 55–60
6002. P. Erdős and P.P. Pálfy, On the orders of directly indecomposable groups **200** (1-3) (1999) 165–179
6003. P. Erdős and G. Kolesnik, Prime power divisors of binomial coefficients **200** (1-3) (1999) 101–117
6004. P. Erdős and G. Tenenbaum, Ensembles de multiples de suites finies **200** (1-3) (1999) 181–203
6005. P. Erdős, G. Harcos and J. Pach, Popular distances in 3-space **200** (1-3) (1999) 95–99
6006. P. Erdős and R.R. Hall, On the angular distribution of Gaussian integers with fixed norm **200** (1-3) (1999) 87–94
6007. M. Deléglise, P. Erdős and J.-L. Nicolas, Sur les ensembles représentés par les partitions d'un entier n **200** (1-3) (1999) 27–48
6008. P. Erdős, C. Mauduit and A. Sárközy, On arithmetic properties of integers with missing digits II: Prime factors **200** (1-3) (1999) 149–164
6009. P. Erdős, J.L. Malouf, J.L. Selfridge and E. Szekeres, Subsets of an interval whose product is a power **200** (1-3) (1999) 137–147
6010. J. Brousek, Z. Ryjáček and O. Favaron, Forbidden subgraphs, hamiltonicity and closure in claw-free graphs **196** (1-3) (1999) 29–50
6011. H. Ren, Another cycle structure theorem for hamiltonian graphs **199** (1-3) (1999) 237–243
6012. A. Kelmans and X. Yong, The distribution of eigenvalues of graphs **199** (1-3) (1999) 251–258
6013. A. Huck, Independent branchings in acyclic digraphs **199** (1-3) (1999) 245–249
6014. P. Komjáth, Some remarks on universal graphs **199** (1-3) (1999) 259–265
6015. S. Zhou, A sequential coloring algorithm for finite sets **199** (1-3) (1999) 291–297
6016. A. Dujella, A bijective proof of Riordan's theorem on powers of Fibonacci numbers **199** (1-3) (1999) 217–220
6017. M. Daven and C.A. Rodger, (k,g)-cages are 3-connected **199** (1-3) (1999) 207–215
6018. G. Haggard and T.R. Mathies, The computation of chromatic polynomials **199** (1-3) (1999) 227–231
6021. K. Metsch, Linear spaces with few lines **110** (1992) 215–222

6022. S. Parnes and S.B. Ekhad, A WZ-style proof of Jacobi polynomials' generating function (*Communication*) **110** (1992) 263–264
6023. J.H. Wood, Is every compact code Huffman? (*Note*) **110** (1992) 297–299
6024. B. Lindström, On algebraic matroids **111** (1993) 357–359
6025. J.F. Maurras, Hypergraphes de Petersen! Hypergraphes de Moore? **111** (1993) 373–379
6026. R. Palisse, A short proof of Fisher's inequality **111** (1993) 421–422
6027. L. Habsieger, Inégalités entre fonctions symétriques élémentaires: applications à des problèmes de log-concavité **115** (1993) 167–174
6028. S. Kageyama, Experimental design: methods and applications. An updated bibliography of books in English **118** (1993) 251–252
6029. I.M. Chakravarti, A three-class association scheme on the flags of a finite projective plane and a (PBIB) design defined by the incidence of the flags and the Baer subplanes in PG$(2, q^2)$ (*Note*) **120** (1993) 249–252
6030. H. Wang, P_{2p}-factorization of a complete bipartite graph (*Note*) **120** (1993) 307–308
6031. S. Rudeanu, Unique solutions of Boolean ring equations (*Note*) **122** (1993) 381–383
6032. J. Bierbrauer, A family of perpendicular arrays achieving perfect 4-fold secrecy **125** (1994) 63–66
6033. M. Stiebitz, The forest plus stars colouring problem (*Communication*) **126** (1994) 385–389
6034. M. Erickson, A conjecture concerning Ramsey's theorem (*Note*) **126** (1994) 395–398

ELSEVIER

Discrete Mathematics 227/228 (2001) 449–648

DISCRETE MATHEMATICS

Author Index Volumes 1–200

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Aaltonen, M., A new upper bound on nonbinary block codes **83** (1990) 139–160
Aaron Gulliver, T., *see* M. Harada **188** (1-3) (1998) 127–136
Aarts, E.H.L. and P.J.M. van Laarhoven, Local search in coding theory **106/107** (1992) 11–18
Abad, M., *see* L.F. Monteiro **189** (1-3) (1998) 177–189
Abbott, H. and M. Katchalski, A Turán type problem for interval graphs (*Note*) **25** (1979) 85–88
Abbott, H.L., Lower bounds for some Ramsey numbers **2** (1972) 289–293
Abbott, H.L. and D. Hanson, On finite Δ-systems **8** (1974) 1–12
Abbott, H.L., Some results in combinatorial geometry **9** (1974) 199–204
Abbott, H.L. and D. Hanson, On a combinatorial problem in geometry (*Note*) **12** (1975) 389–392
Abbott, H.L. and A.C. Liu, Ramsey numbers for triples **13** (1975) 299–305
Abbott, H.L. and D. Hanson, On finite Δ-systems II **17** (1977) 121–126
Abbott, H.L. and A.C. Liu, Bounds for the covering number of a graph (*Note*) **25** (1979) 281–284
Abbott, H.L. and A.C. Liu, On property $B(s)$, II **37** (1981) 135–141
Abbott, H.L. and A. Liu, Remarks on a paper of Hirschfeld concerning Ramsey numbers (*Note*) **39** (1982) 327–328
Abbott, H.L. and M. Katchalski, Further results on snakes in powers of complete graphs **91** (1991) 111–120
Abbott, H.L. and B. Zhou, On a conjecture of Gallai concerning complete subgraphs of k-critical graphs **100** (1992) 223–228
Abbott, H.L., M. Katchalski and B. Zhou, Proof of a conjecture of Dirac concerning 4-critical planar graphs **132** (1-3) (1994) 367–371
Abbott, H.L., D.R. Hare and B. Zhou, Color-critical graphs and hypergraphs with few edges and no short cycles **182** (1-3) (1998) 3–11
Abbott, H.L. and D.R. Hare, Square critically 3-chromatic hypergraphs **197-198** (1-3) (1999) 3–13
Abbout, H.L. and M. Katchalski, Snakes and pseudo-snakes in powers of complete graphs **68** (1988) 1–8
Abbw-Jackson, D., *see* S. Fisk **32** (1980) 19–25
Abe, G., Unsolved problems on magic squares **127** (1-3) (1994) 3–13
Abel, R.J.R. and H. Zhang, Direct constructions for certain types of HMOLS **181** (1-3) (1998) 1–17
Abel, R.J.R. and F.E. Bennett, The existence of perfect Mendelsohn designs with block size 7 **190** (1-3) (1998) 1–14
Abels, H., A projection property for buildings **192** (1-3) (1998) 3–10
Abhyankar, S.S. and D.M. Kulkarni, Bijection between indexed monomials and standard bitableaux (*Invited paper*) **79** (1989/90) 1–48
Abhyankar, S.S. and D.M. Kulkarni, Coinsertion and standard bitableaux **85** (1990) 115–166
Abhyankar, S.S. and S.B. Joshi, Generalized roinsertive correspondence between multitableaux and multimonomials **90** (1991) 111–135

Elsevier Science B.V.

Abhyankar, S.S. and S.B. Joshi, Generalized rodeletive correspondence between multitableaux and multimonomials **93** (1991) 1–17
Abhyankar, S.S. and S.R. Ghorpade, Young tableaux and linear independence of standard monomials in multiminors of multimatrix **96** (1991) 1–32
Abhyankar, S.S., Wreath products and enlargements of groups **120** (1993) 1–12
Abhyankar, S.S. and I. Yie, Small degree coverings of the affine line in characteristic two **133** (1-3) (1994) 1–23
Abhyankar, S.S., J. Ou and A. Sathaye, Alternating group coverings of the affine line for characteristic two **133** (1-3) (1994) 25–46
Abramov, S.A., P. Paule and M. Petkovšek, q-Hypergeometric solutions of q-difference equations **180** (1-3) (1998) 3–22
Abrams, A., The kth upper chromatic number of the line **169** (1-3) (1997) 157–162
Abramson, M. and W.O.J. Moser, Arrays with fixed row and column sums **6** (1973) 1–14
Abramson, M., Enumeration of sequences by levels and rises **12** (1975) 101–112
Ábrego, B., J.L. Arocha, S. Fernández-Merchant and V. Neumann-Lara, Tightness problems in the plane **194** (1-3) (1999) 1–11
Abrham, J. and A. Kotzig, Skolem sequences and additive permutations **37** (1981) 143–146
Abrham, J. and A. Kotzig, Inequalities for perfect systems of difference sets (*Note*) **52** (1984) 287–291
Abrham, J., Graceful 2-regular graphs and Skolem sequences **93** (1991) 115–121
Abrham, J. and A. Kotzig, All 2-regular graphs consisting of 4-cycles are graceful **135** (1-3) (1994) 1–14
Abrham, J. and A. Kotzig, Graceful valuations of 2-regular graphs with two components **150** (1-3) (1996) 3–15
Abu-Sbeih, M.Z., Generalizing the duality theorem of graph embeddings **78** (1989) 11–23
Abu-Sbeih, M.Z., On the number of spanning trees of K_n and $K_{m,n}$ (*Note*) **84** (1990) 205–207
Acenjian, T., *see* X.-r. Yong **169** (1-3) (1997) 293–298
Achache, A. and A.A.L. Sangalli, Préordres, résiduation et espaces de fermeture **130** (1-3) (1994) 3–7
Acharya, B.D., On the cyclomatic number of a hypergraph **27** (1979) 111–116
Acharya, B.D., Connected graphs switching equivalent to their iterated line graphs **41** (1982) 115–122
Acharya, B.D. and S.M. Hegde, Strongly indexable graphs **93** (1991) 123–129
Acharya, B.D. and P. Gupta, On point-set domination in graphs IV: Separable graphs with unique minimum psd-sets **195** (1-3) (1999) 1–13
Achlioptas, D., The complexity of G-free colourability **165-166** (1-3) (1997) 21–30
Achlioptas, D., J.I. Brown, D.G. Corneil and M.S.O. Molloy, The existence of uniquely -G colourable graphs **179** (1-3) (1998) 1–11
Achuthan, N., N.R. Achuthan and L. Caccetta, On mixed Ramsey numbers **151** (1-3) (1996) 3–13
Achuthan, N.R., *see* N. Achuthan **151** (1-3) (1996) 3–13
Acketa, D.M., On binary paving matroids (*Note*) **70** (1988) 109–110
Acketa, D.M., *see* S. Matić-Kekić **150** (1-3) (1996) 303–313
Acketa, D.M. and V. Mudrinski, Two 5-designs on 32 points (*Note*) **163** (1-3) (1997) 209–210
Adamec, R., M. Klazar and P. Valtr, Generalized Davenport–Schinzel sequences with linear upper bound **108** (1992) 219–229
Adámek, J. and J. Rosický, On orthogonal subcategories of locally presentable categories **108** (1992) 133–137
Adams, M.E. and H.A. Priestley, De Morgan algebras are universal **66** (1987) 1–13
Adams, M.E. and W. Dziobiak, Quasivarieties of distributive lattices with a quantifier **135** (1-3) (1994) 15–28
Adams, P., E.J. Billington and D.E. Bryant, Partitionable perfect cycle systems with cycle lengths 6 and 8 **149** (1-3) (1996) 1–9
Adelberg, A., A finite difference approach to degenerate Bernoulli and Stirling polynomials **140** (1-3) (1995) 1–21
Adelgren, T., Triangle-free eulerian tours in graphs with maximum degree at most 4 **138** (1-3) (1995) 5–14
Adin, R.M., A new cubical h-vector **157** (1-3) (1996) 3–14
Adleman, L., Short permutation strings **10** (1974) 197–200
Aït Haddadène, H., S. Gravier and F. Maffray, An algorithm for coloring some perfect graphs **183** (1-3) (1998) 1–16
Ageev, A.A., A triangle-free circle graph with chromatic number 5 **152** (1-3) (1996) 295–298
Ageev, A.A., Every circle graph of girth at least 5 is 3-colourable **195** (1-3) (1999) 229–233
Aguiló, F., *see* P. Esqué **114** (1993) 147–157
Aguiló, F. and M.A. Fiol, An efficient algorithm to find optimal double loop networks **138** (1-3) (1995) 15–29

Aguiló, F., M.A. Fiol and C. Garcia, Triple loop networks with small transmission delay **167-168** (1-3) (1997) 3–16
Aguiló-Gost, F., New dense families of triple loop networks **197-198** (1-3) (1999) 15–27
Agur, Z., A.S. Fraenkel and S.T. Klein, The number of fixed points of the majority rule **70** (1988) 295–302
Aharoni, R., A problem in rearrangements of (0, 1) matrices **30** (1980) 191–201
Aharoni, R., A principle of symmetry in networks **44** (1983) 1–11
Aharoni, R., B. Wajnryb and R. Manber, Special parity of perfect matchings in bipartite graphs **79** (1989/90) 221–228
Aharoni, R. and O. Kessler, On a possible extension of Hall's theorem to bipartite hypergraphs (*Note*) **84** (1990) 309–313
Aharoni, R., Infinite matching theory **95** (1991) 5–22
Aharoni, R. and I. Ben-Arroyo Hartman, On Greene–Kleitman's theorem for general digraphs **120** (1993) 13–24
Aharoni, R. and V. Korman, Strong LP duality in weighted infinite bipartite graphs **131** (1-3) (1994) 1–7
Aharoni, R. and U. Keich, A generalization of the Ahlswede–Daykin inequality **152** (1-3) (1996) 1–12
Aharoni, R., G.T. Herman and A. Kuba, Binary vectors partially determined by linear equation systems **171** (1-3) (1997) 1–16
Ahlswede, R. and G.O.H. Katona, Contributions to the geometry of Hamming spaces **17** (1977) 1–22
Ahlswede, R. and K.U. Koschnick, Note on an extremal problem arising for unreliable networks in parallel computing **47** (1983) 137–152
Ahlswede, R., A. El Gamal and K.F. Pang, A two-family extremal problem in Hamming space **49** (1984) 1–5
Ahlswede, R. and Z. Zhang, On cloud-antichains and related configurations **85** (1990) 225–245
Ahlswede, R. and G. Simonyi, On the optimal structure of recovering set pairs in lattices: the sandglass conjecture **128** (1-3) (1994) 389–394
Ahlswede, R. and L.H. Khachatrian, The maximal length of cloud-antichains **131** (1-3) (1994) 9–15
Ahlswede, R. and L.H. Khachatrian, A counterexample to Aharoni's strongly maximal matching conjecture **149** (1-3) (1996) 289
Ahlswede, R. and Z. Zhang, Code pairs with specified parity of the Hamming distances **188** (1-3) (1998) 1–11
Aigner, M., Producing posets **35** (1981) 1–15
Aigner, M., D. Duffus and D.J. Kleitman, Partitioning a power set into union-free classes **88** (1991) 113–119
Aigner, M. and E. Triesch, Realizability and uniqueness in graphs **136** (1-3) (1994) 3–20
Aigner, M., E. Triesch and Z. Tuza, Searching for acyclic orientations of graphs **144** (1-3) (1995) 3–10
Aigner, M.S., The double selection problem **73** (1988/89) 3–12
Ainouche, A., Four sufficient conditions for hamiltonian graphs (*Communication*) **89** (1991) 195–200
Ainouche, A., A common generalization of Chvátal–Erdős' and Fraisse's sufficient conditions for hamiltonian graphs **142** (1-3) (1995) 1–19
Ainouche, A., Quasi-claw-free graphs **179** (1-3) (1998) 13–26
Ainouche, A., O. Favaron and H. Li, Global insertion and hamiltonicity in DCT-graphs **184** (1-3) (1998) 1–13
Ait Haddadene, H. and S. Gravier, On weakly diamond-free Berge graphs **159** (1-3) (1996) 237–240
Ajoodani-Namini, S. and G.B. Khosrovashahi, More on halving the complete designs **135** (1-3) (1994) 29–37
Ajoodani-Namini, S., All block designs with $b = \binom{v}{k}/2$ exist **179** (1-3) (1998) 27–35
Akemann, C.A. and J. Anderson, The continuous Beck–Fiala theorem is optimal **146** (1-3) (1995) 1–9
Akiyama, J. and T. Hamada, The decompositions of line graphs, middle graphs and total graphs of complete graphs into forests **26** (1979) 203–208
Akiyama, J., H. Era and G. Exoo, Further results on graph equations for line graphs and n-th power graphs **34** (1981) 209–218
Akiyama, J., K. Ando and D. Avis, Eccentric graphs **56** (1985) 1–6
Akiyama, J., F. Nakada and S. Tokunaga, Packing smaller graphs into a graph **75** (1989) 7–9
Akiyama, J. and J. Urrutia, A note on balanced colourings for lattice points (*Note*) **83** (1990) 123–126
Akiyama, J. and J. Urrutia, Simple alternating path problem (*Note*) **84** (1990) 101–103
Akiyama, J. and V. Chvátal, Packing paths perfectly **85** (1990) 247–255
Akiyama, J., K. Hosono and M. Urabe, Some combinatorial problems **116** (1993) 291–298
Akiyama, J., Y. Ishigami, M. Urabe and J. Urrutia, On circles containing the maximum number of points **151** (1-3) (1996) 15–18
Akkari, S., A minimal 3-connectedness result for matroids **103** (1992) 221–232

Akkari, S., Random packing by matroid bases and triangles **145** (1-3) (1995) 1–9
Aksionov, V.A., On uniquely 3-colorable planar graphs **20** (1977) 209–216
Alarcon, E., An extremal result on convex lattice polygons **190** (1-3) (1998) 227–234
Alavi, Y., G. Chartrand, O.R. Oellermann and L. Lesniak, Bipartite regulation numbers **62** (1986) 113–118
Alavi, Y., F. Buckley, M. Shamula and S. Ruiz, Highly irregular m-chromatic graph **72** (1988) 3–13
Alavi, Y., J. Liu, J. Wang and Z. Zhang, On total covers of graphs **100** (1992) 229–233
Alavi, Y., J. Liu and J. Wang, Highly irregular digraphs **111** (1993) 3–10
Albert, M.H. and A.M. Frieze, Occupancy problems and random algebras **87** (1991) 1–8
Albertson, M.O., A case of Hadwiger's Conjecture **4** (1973) 197–199
Albertson, M.O. and J.P. Hutchinson, Hadwiger's conjecture for graphs on the Klein bottle **29** (1980) 1–11
Albertson, M.O. and D.M. Berman, Critical graphs for chromatic difference sequences **31** (1980) 225–233
Albertson, M.O. and K.L. Collins, Homomorphisms of 3-chromatic graphs **54** (1985) 127–132
Albertson, M.O., R.E. Jamison, S.T. Hedetniemi and S.C. Locke, The subchromatic number of a graph **74** (1989) 33–49
Albertson, M.O. and D.M. Berman, The number of cut-vertices in a graph of given minimum degree (*Note*) **89** (1991) 97–100
Albertson, M.O., Turán theorems with repeated degrees **100** (1992) 235–241
Albertson, M.O. and D.L. Boutin, Lower bounds for constant degree independent sets **127** (1-3) (1994) 15–21
Albertson, M.O. and R. Haas, Parsimonious edge coloring **148** (1-3) (1996) 1–7
Albertson, M.O. and R. Haas, The edge chromatic difference sequence of a cubic graph **177** (1-3) (1997) 1–8
Albu, T., Classes of lattices (co)generated by a lattice and their global (dual) Krull dimension **185** (1-3) (1998) 1–18
Aldous, D., The harmonic mean formula for probabilities of unions: Applications to sparse random graphs **76** (1989) 167–176
Aldred, R.E.L., B. Jackson, D. Lou and A. Saito, Partitioning regular graphs into equicardinal linear forests **88** (1991) 1–9
Aldred, R.E.L., D.A. Holton and Z. Ke Min, A degree characterisation of pancyclicity **127** (1-3) (1994) 23–29
Aldred, R.E.L. and R.P. Anstee, On the density of sets of divisors **137** (1-3) (1995) 345–349
Aldred, R.E.L. and M.D. Plummer, On matching extensions with prescribed and proscribed edge sets II **197-198** (1-3) (1999) 29–40
Alekseyevskaya, T.V., Combinatorial bases in systems of simplices and chambers **157** (1-3) (1996) 15–37
Alekseyevskaya, T.V. and I.M. Gelfand, Incidence matrices, geometrical bases, combinatorial prebases and matroids **180** (1-3) (1998) 23–44
Alevras, D., Order preserving assignments without contiguity **163** (1-3) (1997) 1–11
Alexanderson, G.L. and J.E. Wetzel, Arrangements of planes in space **34** (1981) 219–240
Alexanderson, G.L. and J.E. Wetzel, A simplicial 3-arrangement of 21 planes **60** (1986) 67–73
Alexanderson, G.L. and J.E. Wetzel, On d-arrangements associated with a simplex (*Note*) **62** (1986) 325–328
Alfano, J., A basis for the $\mathbf{Y}^1$ subspace of diagonal harmonic polynomials **193** (1-3) (1998) 17–31
Alfonsin, J.R., *see* C.J.H. McDiarmid **125** (1994) 279–287
Algor, I. and N. Alon, The star Arboricity of craphs **75** (1989) 11–22
Alladi, K., P. Erdös and V.E. Hoggatt Jr., On additive partitions of integers **22** (1978) 201–211
Alladi, K., A variation on a theme of Sylvester — a smoother road to Göllnitz's (Big) theorem **196** (1-3) (1999) 1–11
Allan, R.B. and R. Laskar, On domination and independent domination numbers of a graph **23** (1978) 73–76
Allan, R.B., R. Laskar and S. Hedetniemi, A note on total domination **49** (1984) 7–13
Allen, E.E., A conjecture of a basis for the diagonal harmonic alternants **193** (1-3) (1998) 33–42
Allen, S.M., D.H. Smith and S. Hurley, Lower bounding techniques for frequency assignment **197-198** (1-3) (1999) 41–52
Alles, P., The dimension of sums of graphs (*Note*) **54** (1985) 229–233
Allouche, J.-P., A. Arnold, J. Berstel, S. Brlek, W. Jockusch, S. Plouffe and B.E. Sagan, A relative of the Thue–Morse sequence **139** (1-3) (1995) 455–461
Alon, N., On the density of sets of vectors (*Note*) **46** (1983) 199–202
Alon, N., A note on subdigraphs of digraphs with large outdegrees (*Communication*) **49** (1984) 321–322
Alon, N., Explicit construction of exponential sized families of k-independent sets (*Note*) **58** (1986) 191–193
Alon, N. and M.A. Perles, On the intersection of edges of a geometric graph by straight lines **60** (1986) 75–90

Alon, N., Sums of subsequences modulo prime powers (*Communication*) **71** (1988) 87–88
Alon, N. and F.R.K. Chung, Explicit construction of linear sized tolerant networks **72** (1988) 15–19
Alon, N., *see* I. Algor **75** (1989) 11–22
Alon, N. and B. Bollobás, Graphs with a small number of distinct induced subgraphs **75** (1989) 23–30
Alon, N. and D.J. Kleitman, Partitioning a rectangle into small perimeter rectangles **103** (1992) 111–119
Alon, N., Y. Caro and I. Krasikov, Bisection of trees and sequences **114** (1993) 3–7
Alon, N., Probabilistic methods in coloring and decomposition problems **127** (1-3) (1994) 31–46
Alon, N. and E. Fischer, 2-factors in dense graphs **152** (1-3) (1996) 13–23
Alon, N., Zs. Tuza and M. Voigt, Choosability and fractional chromatic numbers **165-166** (1-3) (1997) 31–38
Alon, N., Packings with large minimum kissing numbers **175** (1-3) (1997) 249–251
Alon, N. and E. Halperin, Bipartite subgraphs of integer weighted graphs **181** (1-3) (1998) 19–29
Alperin, J.L., Trees and Brauer trees (*Note*) **83** (1990) 127–128
Alpin, J. and R. Mubarakzianow, The bases of weighted graphs **175** (1-3) (1997) 1–11
Alsardary, S.Y. and J. Wojciechowski, The basis number of the powers of the complete graph **188** (1-3) (1998) 13–25
Alspach, B., L.T. Ollmann and K.B. Reid, Mutually disjoint families of 0–1 sequences **12** (1975) 205–209
Alspach, B. and M. Rosenfeld, On embedding triangle-free graphs in unit spheres **19** (1977) 103–111
Alspach, B. and T.D. Parsons, Isomorphism of circulant graphs and digraphs **25** (1979) 97–108
Alspach, B. and M. Rosenfeld, Realization of certain generalized paths in tournaments (*Note*) **34** (1981) 199–202
Alspach, B., Lifting Hamilton cycles of quotient graphs **78** (1989) 25–36
Alspach, B., S.C. Locke and D. Witte, The Hamilton spaces of Cayley graphs on abelian groups **82** (1990) 113–126
Alspach, B. and D. Hare, Edge-pancyclic block-intersection graphs **97** (1991) 17–24
Alspach, B. and C.-Q. Zhang, Cycle covers of cubic multigraphs **111** (1993) 11–17
Alspach, B., C.C. Chen and K. McAvaney, On a class of Hamiltonian laceable 3-regular graphs **151** (1-3) (1996) 19–38
Alspach, B., Research problems **162** (1-3) (1996) 325–328
Alspach, B., Research problems **186** (1-3) (1998) 297–298
Alter, R. and Chung.C. Wang, Uniquely intersectable graphs **18** (1977) 217–226
Althöfer, I. and E. Triesch, Edge search in graphs and hypergraphs of bounded rank **115** (1993) 1–9
Althöfer, I. and M. Löwe, Edge search in hypergraphs **162** (1-3) (1996) 267–271
Altshuler, A., Polyhedral realization in $\mathbf{R}^3$ of triangulations of the torus and 2-manifolds in cyclic 4-polytopes **1** (1971) 211–238
Altshuler, A., Hamiltonian circuits in some maps on the torus **1** (1972) 299–314
Altshuler, A., Construction and enumeration of regular maps on the torus **4** (1973) 201–217
Altshuler, A. and L. Steinberg, Neighborly combinatorial 3-manifolds with 9 vertices **8** (1974) 113–137
Altshuler, A. and L. Steinberg, An enumeration of combinatorial 3-manifolds with nine vertices **16** (1976) 91–108
Altshuler, A., J. Bokowski and L. Steinberg, The classification of simplicial 3-spheres with nine vertices into polytopes and nonpolytopes **31** (1980) 115–124
Aluffi, P., A blow-up construction and graph coloring **145** (1-3) (1995) 11–35
Alzer, H., An inequality for increasing sequences and its integral analogue **133** (1-3) (1994) 279–283
Alzer, H., Refinement of an inequality of G. Bennett **135** (1-3) (1994) 39–46
Amahashi, A. and M. Kano, On factors with given components **42** (1982) 1–6
Amar, D., E. Flandrin, I. Fournier and A. Germa, Hamiltonian pancyclic graphs (*Communication*) **46** (1983) 327
Amar, D., Partition of a bipartite hamiltonian graph into two cycles **58** (1986) 1–10
Amar, D. and A. Raspaud, Covering the vertices of a digraph by cycles of prescribed length **87** (1991) 111–118
Amar, D., E. Flandrin, I. Fournier and A. Germa, Pancyclism in hamiltonian graphs **89** (1991) 111–131
Amar, D., A condition for a hamiltonian bipartite graph to be bipancyclic **102** (1992) 221–227
Amar, D., *see* Y. Manoussakis **105** (1992) 157–172
Amar, D., Applying a condition for a hamiltonian bipartite graph to be bipancyclic **111** (1993) 19–25
Amar, D., Irregularity strength of regular graphs of large degree **114** (1993) 9–17
Amar, D., *see* O. Ordaz **161** (1-3) (1996) 207–215

Amar, D., S. Brandt, D. Brito and O. Ordaz, Neighborhood conditions for balanced independent sets in bipartite graphs **181** (1-3) (1998) 31–36
Amar, D. and O. Togni, Irregularity strength of trees **190** (1-3) (1998) 15–38
Amin, A.T., L.H. Clark and P.J. Slater, Parity dimension for graphs **187** (1-3) (1998) 1–17
Anacker, S.E., The reconstruction of separable graphs with 2-connected trunks that are series-parallel networks **70** (1988) 257–275
Ananchuen, N. and L. Caccetta, Matching extension and minimum degree **170** (1-3) (1997) 1–13
Andersen, L.D., Lower bounds on the cover-index of a graph **25** (1979) 199–210
Andersen, L.D. and A.J.W. Hilton, Generalized latin rectangles I: Construction and decomposition **31** (1980) 125–152
Andersen, L.D. and A.J.W. Hilton, Generalized latin rectangles II: Embedding **31** (1980) 235–260
Andersen, L.D., The strong chromatic index of a cubic graph is at most 10 **108** (1992) 231–252
Andersen, L.D. and P.D. Vestergaard, Graphs with all spanning trees nonisomorphic **155** (1-3) (1996) 3–12
Andersen, L.D. and A.J.W. Hilton, Triangulations of 3-way regular tripartite graphs of degree 4, with applications to orthogonal latin squares **167-168** (1-3) (1997) 17–34
Anderson, B.A., Symmetry groups of some perfect 1-factorizations of complete graphs **18** (1977) 227–234
Anderson, B.A., K.B. Gross and P.A. Leonard, Some Howell Designs of prime side **28** (1979) 113–134
Anderson, B.A. and P.A. Leonard, Some Howell Designs of prime side II **37** (1981) 1–18
Anderson, B.A., A product theorem for 2-sequencings **87** (1991) 221–236
Anderson, I., Intersection theorems and a lemma of Kleitman **16** (1976) 181–185
Anderson, I., An Erdös–Ko–Rado theorem for multisets **69** (1988) 1–9
Anderson, I. and N.J. Finizio, Cyclic Whist tournaments **125** (1994) 5–10
Anderson, I., S.D. Cohen and N.J. Finizio, An existence theorem for cyclic triplewhist tournaments **138** (1-3) (1995) 31–41
Anderson, I., On the construction of balanced Room squares **197-198** (1-3) (1999) 53–60
Anderson, J., *see* C.A. Akemann **146** (1-3) (1995) 1–9
Anderson, M.R., *see* R.B. Hughes **117** (1993) 253–256
Anderson, M.R., *see* R.B. Hughes **158** (1-3) (1996) 99–150
Ando, K., *see* J. Akiyama **56** (1985) 1–6
Ando, K., Y. Egawa and H. Mizuno, Graphs G for which G and $\bar{G}$ are both semidecomposable **65** (1987) 109–114
Ando, K. and Y. Usami, Critically (k,k)-connected graphs **66** (1987) 15–20
Ando, K., S. Gervacio and M. Kano, Disjoint subsets of integers having a constant sum **82** (1990) 7–11
Ando, K., An upper bound for orders of certain $(k,\tilde{k})$-connected graphs **135** (1-3) (1994) 371–375
Ando, K., S. Fujishige and T. Naitoh, A characterization of bisubmodular functions **148** (1-3) (1996) 299–303
Ando, K., A. Kaneko and S. Gervacio, The bandwidth of a tree with k leaves is at most $\lceil \frac{k}{2} \rceil$ **150** (1-3) (1996) 403–406
Ando, K. and A. Kaneko, A remark on the connectivity of the complement of a 3-connected graph **151** (1-3) (1996) 39–47
Ando, K. and Y. Egawa, The minimum number of edges in a vertex diameter-2-critical graph **167-168** (1-3) (1997) 35–63
Andrásfai, B., P. Erdös and V.T. Sós, On the connection between chromatic number, maximal clique and minimal degree of a graph **8** (1974) 205–218
Andreae, T., On a problem of R. Halin concerning infinite graphs **23** (1978) 1–15
Andreae, T., On a problem of R. Halin concerning infinite graphs II **29** (1980) 219–227
Andreae, T., Reconstructing the degree sequence and the number of components of an infinite graph **39** (1982) 1–7
Andreae, T., M. Schughart and Z. Tuza, Clique-transversal sets of line graphs and complements of line graphs **88** (1991) 11–20
Andreae, T., A search problem on graphs which generalizes some group testing problems with two defectives **88** (1991) 121–127
Andreae, T., On independent cycles and edges in graphs **149** (1-3) (1996) 291–297
Andreae, T. and C. Flotow, On covering all cliques of a chordal graph **149** (1-3) (1996) 299–302
Andreae, T., On the clique-transversal number of chordal graphs **191** (1-3) (1998) 3–11

Andresen, E. and K. Kjeldsen, On certain subgraphs of a complete transitively directed graph **14** (1976) 103–119
Andrews, G.E., Identities in combinatorics, I: On sorting two ordered sets **11** (1975) 97–106
Andrews, G.E. and D.M. Bressoud, Identities in combinatorics III: Further aspects of ordered set sorting **49** (1984) 223–236
Andrews, G.E., Pfaff's method (I): The Mills–Robbins–Rumsey determinant **193** (1-3) (1998) 43–60
Andrzejak, A., An algorithm for the Tutte polynomials of graphs of bounded treewidth **190** (1-3) (1998) 39–54
Anstee, R.P., Triangular (0,1)-matrices with prescribed row and column sums **40** (1982) 1–10
Anstee, R.P., The network flows approach for matrices with given row and column sums **44** (1983) 125–138
Anstee, R.P. and U.S.R. Murty, Matrices with forbidden subconfigurations (*Note*) **54** (1985) 113–116
Anstee, R.P. and Z. Füredi, Forbidden submatrices **62** (1986) 225–243
Anstee, R.P., *see* R.E.L. Aldred **137** (1-3) (1995) 345–349
Anstee, R.P. and J.R. Griggs, An application of matching theory of edge-colourings **156** (1-3) (1996) 253–256
Anstee, R.P. and A. Sali, Sperner families of bounded VC-dimension **175** (1-3) (1997) 13–21
Anstee, R.P. and L. Caccetta, Orthogonal matchings **179** (1-3) (1998) 37–47
Anstee, R.P. and Y. Nam, More sufficient conditions for a graph to have factors **184** (1-3) (1998) 15–24
Anthony, M. and N. Biggs, The mean chromatic number of paths and cycles (*Note*) **120** (1993) 227–231
Anthony, M., On the mean chromatic number **125** (1994) 11–14
Anthony, M., G. Brightwell and C. Cooper, The Vapnik–Chervonenkis Dimension of a Random Graph **138** (1-3) (1995) 43–56
Aoki, Y., The star-arboricity of the complete regular multipartite graphs **81** (1990) 115–122
Apartsin, A., E. Ferapontova and V. Gurvich, A circular graph — counterexample to the Duchet kernel conjecture **178** (1-3) (1998) 229–231
Appel, K. and W. Haken, A proof of the four color theorem (*Special announcement*) **16** (1976) 179–180
Arasu, K.T., Number theoretic consequences on the parameters of a symmetric design **65** (1987) 1–4
Arasu, K.T., Cyclic affine planes of even order **76** (1989) 177–181
Arasu, K.T., D. Jungnickel and A. Pott, Symmetric divisible designs with $k - \lambda_1 = 1$ **97** (1991) 25–38
Arasu, K.T. and A. Pott, Some constructions of group divisible designs with Singer groups **97** (1991) 39–45
Arasu, K.T. and A. Pott, Cyclic affine planes and Paley difference sets **106/107** (1992) 19–23
Arasu, K.T., D. Jungnickel, S.L. Ma and A. Pott, Relative difference sets with $n = 2$ **147** (1-3) (1995) 1–17
Aravamudhan, R. and B. Rajendran, On antipodal graphs (*Note*) **49** (1984) 193–195
Aravamudhan, R. and B. Rajendran, A note on 'On antipodal graphs' (*Note*) **58** (1986) 303–305
Arbouz, P., Permutations representatives d'un graphe a seuil (*Communication*) **50** (1984) 109–112
Archdeacon, D. and J.H. Dinitz, Constructing indecomposable 1-factorizations of the complete multigraph **92** (1991) 9–19
Archdeacon, D., The medial graph and voltage-current duality **104** (1992) 111–141
Archdeacon, D. and J. Dinitz, Indecomposable triple systems exist for all lambda **113** (1993) 1–6
Archdeacon, D. and D.A. Grable, The genus of a random graph **142** (1-3) (1995) 21–37
Archdeacon, D., *see* J. Chen **149** (1-3) (1996) 19–29
Arditti, J.-C., Denombrement des arborescences dont le graphe de comparabilite est hamiltonien **5** (1973) 189–200
Arkin, E.M. and R. Hassin, Graph partitions with minimum degree constraints **190** (1-3) (1998) 55–65
Armanious, M.H., Construction of nilpotent sloops of class n **171** (1-3) (1997) 17–25
Arnborg, S., A. Proskurowski and D.G. Corneil, Forbidden minors characterization of partial 3-trees **80** (1990) 1–19
Arnold, A., *see* J.-P. Allouche **139** (1-3) (1995) 455–461
Arocha, J.L., *see* B. Ábrego **194** (1-3) (1999) 1–11
Arora, S., *see* J. Srivastava **98** (1991) 35–56
Arques, D., Les hypercartes planaires sont des arbres tres bien etiquetes **58** (1986) 11–24
Arrowsmith, D.K., M.A.A. Cox and J.W. Essam, The family of $\mathcal{D}$-weights for a two-rooted graph **27** (1979) 215–223
Arugay, E.B. and S.V. Gervacio, On path-chromatically unique graphs **151** (1-3) (1996) 49–53
Arumugam, S. and K.A. Germina, On indexable graphs **161** (1-3) (1996) 285–289
Arumugam, S. and J.S. Suseela, Acyclic graphoidal covers and path partitions in a graph **190** (1-3) (1998) 67–77

Asano, T., N. Saito, G. Exoo and F. Harary, The smallest 2-connected cubic bipartite planar nonhamiltonian graph **38** (1982) 1–6
Ash, P., The maximum number of diagonals of a cycle in a block (*Note*) **55** (1985) 305–309
Aslam, M., *see* Q. Mushtaq **179** (1-3) (1998) 145–154
Asmerom, G.A., Imbeddings of the tensor product of graphs where the second factor is a complete graph **182** (1-3) (1998) 13–19
Assaf, A.M., On the covering of pairs by quadruples **61** (1986) 119–132
Assaf, A.M. and A. Hartman, Resolvable group divisible designs with block size 3 **77** (1989) 5–20
Assaf, A.M. and A. Hartman, On packing designs with block size 5 and index 4 **79** (1989/90) 111–121
Assaf, A.M., The packing of pairs by quadruples **90** (1991) 221–231
Assaf, A.M., A. Hartman and N. Shalaby, Packing designs with block size 6 and index 5 **103** (1992) 121–128
Assaf, A.M. and L.P.S. Singh, Packing pairs by quintuples with index 2: v odd, $v \not\equiv 13 \pmod{20}$ **126** (1994) 1–12
Assaf, A.M., Bipacking pairs by quintuples: The case $v \equiv 13 \pmod{20}$ **133** (1-3) (1994) 47–54
Assaf, A.M., Directed covering with block size 5 and index even **188** (1-3) (1998) 27–40
Assaf, A.M. and R. Wei, Modified group divisible designs with block size 4 and $\lambda = 1$ **195** (1-3) (1999) 15–25
Assmus Jr., E.F. and H.F. Mattson Jr., On weights quadratic-residue codes **3** (1972) 1–20
Assmus Jr., E.F. and H.F. Mattson Jr., Contractions of self-orthogonal codes **3** (1972) 21–32
Assmus Jr., E.F. and J.D. Key, Affine and projective planes **83** (1990) 161–187
Assmus Jr., E.F., On the Reed–Muller codes **106/107** (1992) 25–33
Assouad, P., Binary contraction of graphs (*Note*) **47** (1983) 315–319
Assous, R. and M. Pouzet, Une caracterisation des mots periodiques **25** (1979) 1–5
Assous, R., Enchainabilite et seuil de monomorphie des tournois n-aires **62** (1986) 119–125
Astie, A., Groupes de permutations primitifs d'ordre impair et denombrement de tournois sommet-primitifs **14** (1976) 1–15
Astie-Vidal, A., Factor group of the automorphism group of a matroid basis graph with respect to the automorphism group of the matroid **32** (1980) 217–224
Astié-Vidal, A. and V. Dugat, Near-homogeneous tournaments and permutation groups **102** (1992) 111–120
Astié-Vidal, A. and V. Dugat, Autonomous parts and decomposition of regular tournaments **111** (1993) 27–36
Atanassov, K.T., *see* A.G. Shannon **92** (1991) 329–340
Atkins, A.C., G.N. Sarkozy and S.M. Selkow, Counting irregular multigraphs **195** (1-3) (1999) 235–237
Atkinson, M.D., N. Santoro and A. Negro, Sums of lexicographically ordered sets **80** (1990) 115–122
Atkinson, M.D., Restricted permutations **195** (1-3) (1999) 27–38
Aubert, J. and B. Schneider, Decomposition de $K_m + K_n$ en cycles hamiltoniens **37** (1981) 19–27
Aubert, J. and B. Schneider, Decomposition de la somme cartesienne d'un cycle et de l'union de deux cycles hamiltoniens en cycles hamiltoniens **38** (1982) 7–16
Auerbach, B., *see* R. Laskar **14** (1976) 265–268
Auerbach, B., *see* R. Laskar **24** (1978) 113–118
Aurenhammer, F. and J. Hagauer, Computing equivalence classes among the edges of a graph with applications **109** (1992) 3–12
Avis, D., *see* J. Akiyama **56** (1985) 1–6
Avis, D. and H. Maehara, Metric extensions and the L^1 hierarchy **131** (1-3) (1994) 17–28
Axenovich, M., D. Fon-Der-Flaass and A. Kostochka, On set systems without weak 3-Δ-subsystems **138** (1-3) (1995) 57–62
Ayala, R., M.J. Chávez, A. Márquez and A. Quintero, On the connectivity of infinite graphs and 2-complexes **194** (1-3) (1999) 13–37
Ayel, J., Longest paths in bipartite digraphs (*Note*) **40** (1982) 115–118
Azzena, L. and F. Piras, Incidence algebras and coalgebras of decomposition structures **79** (1989/90) 123–146
Baartmans, A. and K.J. Danhof, Block designs admitting regular automorphisms **10** (1974) 1–8
Baartmans, A., K. Danhof and S.-t. Tan, Quasi-residual quasi-symmetric designs **30** (1980) 69–81
Baartmans, A. and M. Shrikhande, Designs with no three mutually disjoint blocks **40** (1982) 129–139
Baartmans, A. and M.S. Shrikhande, A characterization of the extensions of symmetric designs (*Note*) **57** (1985) 301–305
Baartmans, A., W. Wallis and J. Yucas, A geometric construction of the Steiner system $S(4, 7, 23)$ **102** (1992) 177–186

Baartmans, A.H. and W.D. Wallis, Indecomposable factorizations of multigraphs **78** (1989) 37–43
Babai, L., Automorphism groups of planar graphs, I **2** (1972) 295–307
Babai, L. and W. Imrich, On groups of polyhedral graphs (*Note*) **5** (1973) 101–103
Babai, L., Automorphism groups of graphs and edge-contraction **8** (1974) 13–20
Babai, L., Vector representable matroids of given rank with given automorphism group **24** (1978) 119–125
Babai, L., On the Nonuniform Fisher Inequality (*Note*) **66** (1987) 303–307
Babel, L., Tree-like P_4-connected graphs **191** (1-3) (1998) 13–23
Bača, M., On magic labelings of honeycomb (*Note*) **105** (1992) 305–311
Bachem, A. and W. Kern, On sticky matroids **69** (1988) 11–18
Bachem, A. and A. Wanka, Separation theorems for oriented matroids **70** (1988) 303–310
Bacsó, G. and Z. Tuza, Domination properties and induced subgraphs **111** (1993) 37–40
Bacsó, G., On a conjecture about uniquely colorable perfect graphs **176** (1-3) (1997) 1–19
Bae, J., An extremal problem for subset-sum-distinct sequences with congruence conditions **189** (1-3) (1998) 1–20
Bagchi, B. and N.S.N. Sastry, Minimum weight words of binary codes associated with finite projective geometries (*Note*) **57** (1985) 307–310
Bagchi, B. and B. Datta, A structure theorem for pseudomanifolds **188** (1-3) (1998) 41–60
Bagga, K.S., L.W. Beineke, M.J. Lipman and R.E. Pippert, On the honesty of graph complements **122** (1993) 1–6
Bagga, K.S., L.W. Beineke, M.J. Lipman and R.E. Pippert, Edge-integrity: a survey **124** (1994) 3–12
Baggen, C.P.M.J., *see* L.M.G.M. Tolhuizen **106/107** (1992) 483–488
Bagiatis, C., *see* S. Kounias **46** (1983) 21–31
Baica, M., Some new combinatorial identities derived from units in algebraic number fields **54** (1985) 133–141
Bailey, R.A., A Howell design admitting A_5 **167-168** (1-3) (1997) 65–71
Bailey, R.A. and P.E. Chigbu, Enumeration of semi-Latin squares **167-168** (1-3) (1997) 73–84
Baker, B. and R. Shostak, Gossips and telephones **2** (1972) 191–193
Baker, R.D., Partitioning the planes of $AG_{2m}(2)$ into 2-designs **15** (1976) 205–211
Baker, R.D., Resolvable BIBD and SOLS **44** (1983) 13–29
Balaji, K., *see* M.R. Sridharan **188** (1-3) (1998) 279–283
Balakrishnan, R. and R. Sampathkumar, Decompositions of regular graphs into $K_n^c \vee 2K_2$ **156** (1-3) (1996) 19–28
Balakrishnan, R. and P. Paulraja, Hamilton cycles in tensor product of graphs **186** (1-3) (1998) 1–13
Balakrishnan, R., R. Sampathkumar and V. Yegnanarayanan, Extremal graphs in some coloring problems **186** (1-3) (1998) 15–24
Balas, E., Ranking the facets of the octahedron **2** (1972) 1–15
Balbuena, C., A. Carmona, J. Fàbrega and M.A. Fiol, Extraconnectivity of graphs with large minimum degree and girth **167-168** (1-3) (1997) 85–100
Balbuena, C., Extraconnectivity of s-geodetic digraphs and graphs **195** (1-3) (1999) 39–52
Balbuena, C., A. Carmona, J. Fàbrega and M.A. Fiol, Superconnectivity of bipartite digraphs and graphs **197-198** (1-3) (1999) 61–75
Balbuena, M.C., A. Carmona, J. Fàbrega and M.A. Fiol, Connectivity of large bipartite digraphs and graphs **174** (1-3) (1997) 3–17
Balbuena, M.C., A. Carmona, J. Fàbrega and M.A. Fiol, On the order and size of s-geodetic digraphs with given connectivity **174** (1-3) (1997) 19–27
Balcar, B. and P. Simon, Reaping number and π-character of Boolean algebras **108** (1992) 5–12
Balcer, Y. and A.F. Veinott Jr., Computing a graph's period quadratically by node condensation **4** (1973) 295–303
Balcza, L., Sum of lengths of inversions in permutations **111** (1993) 41–48
Baldwin, S., Generalizations of a theorem of Sarkovskii on orbits of continuous real-valued functions **67** (1987) 111–127
Balińska, K.T. and L.V. Quintas, The sequential generation of random f-graphs. Distributions and predominant types of edge maximal f-graphs with $f > 4$ **114** (1993) 19–22
Balińska, K.T. and L.V. Quintas, Degrees in a digraph whose nodes are graphs **150** (1-3) (1996) 17–29
Bálint, V., Two packing problems **178** (1-3) (1998) 233–236
Ball, S., On small complete arcs in a finite plane **174** (1-3) (1997) 29–34

Balmaceda, J.M.P., A note on multiplicity-free permutation characters **151** (1-3) (1996) 55–58
Bammel, S.E. and J. Rothstein, The number of 9×9 Latin squares (*Note*) **11** (1975) 93–95
Banaszczyk, W., *see* S. Sevast'janov **169** (1-3) (1997) 145–152
Bandelt, H.-J. and J. Hedlíková, Median algebras **45** (1983) 1–30
Bandelt, H.-J. and H.M. Mulder, Interval-regular graphs of diameter two **50** (1984) 117–134
Bandelt, H.-J. and H.M. Mulder, Pseudo-modular graphs **62** (1986) 245–260
Bandelt, H.-J. and E. Wilkeit, Dwarf, brick, and triangulation of the torus **67** (1987) 1–14
Bandelt, H.-J. and M. van de Vel, A fixed cube theorem for median graphs **67** (1987) 129–137
Bandelt, H.-J. and H.M. Mulder, Metric characterization of parity graphs **91** (1991) 221–230
Bandelt, H.-J. and H.M. Mulder, Pseudo-median graphs: decomposition via amalgamation and Cartesian multiplication **94** (1991) 161–180
Bandelt, H.-J., Graphs with edge-preserving majority functions **103** (1992) 1–5
Bandelt, H.-J. and H.M. Mulder, Pseudo-median graphs are join spaces **109** (1992) 13–26
Bandelt, H.-J. and A.W.M. Dress, An order theoretic framework for overlapping clustering **136** (1-3) (1994) 21–37
Bandelt, H.-J., A. Henkmann and F. Nicolai, Powers of distance-hereditary graphs **145** (1-3) (1995) 37–60
Bandelt, H.-J. and V. Chepoi, A Helly theorem in weakly modular space **160** (1-3) (1996) 25–39
Bandieri, P., Contracted k-tessellations of closed surfaces **122** (1993) 7–13
Bang, C., H. Sharp Jr. and P. Winkler, On families of finite sets with bounds on unions and intersections (*Note*) **45** (1983) 123–126
Bange, D.W., A.E. Barkauskas and P.J. Slater, Sequentially additive graphs **44** (1983) 235–241
Bange, D.W., A.E. Barkauskas, L.H. Host and P.J. Slater, Generalized domination and efficient domination in graphs **159** (1-3) (1996) 1–11
Bange, D.W., A.E. Barkauskas, L.H. Host and L.H. Clark, Efficient domination of the orientations of a graph **178** (1-3) (1998) 1–14
Bang-Jensen, J., P. Hell and G. MacGillivray, On the complexity of colouring by superdigraphs of bipartite graphs **92** (1992) 27–44
Bang-Jensen, J., On the structure of locally semicomplete digraphs **100** (1992) 243–265
Bang-Jensen, J. and B. Toft, Unsolved problems presented at the Julius Petersen Graph Theory Conference **101** (1992) 351–360
Bang-Jensen, J. and P. Hell, On chordal proper circular arc graphs **128** (1-3) (1994) 395–398
Bang-Jensen, J., G. Gutin and J. Huang, Weakly Hamiltonian-connected ordinary multipartite tournaments **138** (1-3) (1995) 63–74
Bang-Jensen, J., P. Hell and G. MacGillivray, Hereditarily hard H-colouring problems **138** (1-3) (1995) 75–92
Bang-Jensen, J., G. Gutin and J. Huang, A sufficient condition for a semicomplete multipartite digraph to be Hamiltonian **161** (1-3) (1996) 1–12
Bang-Jensen, J., G. Gutin and A. Yeo, On k-strong and k-cyclic digraphs **162** (1-3) (1996) 1–11
Bang-Jensen, J. and G. Gutin, Vertex heaviest paths and cycles in quasi-transitive digraphs **163** (1-3) (1997) 217–223
Bang-Jensen, J. and G. Gutin, Paths and cycles in extended and decomposable digraphs **164** (1-3) (1997) 5–19
Bang-Jensen, J. and G. Gutin, Alternating cycles and paths in edge-coloured multigraphs: A survey **165-166** (1-3) (1997) 39–60
Bang-Jensen, J., Y. Guo, G. Gutin and L. Volkmann, A classification of locally semicomplete digraphs **167-168** (1-3) (1997) 101–114
Bang-Jensen, J. and J. Huang, Kings in quasi-transitive digraphs **185** (1-3) (1998) 19–27
Bang-Jensen, J. and G. Gutin, Alternating cycles and trails in 2-edge-coloured complete multigraphs **188** (1-3) (1998) 61–72
Bang-Jensen, J., Linkages in locally semicomplete digraphs and quasi-transitive digraphs **196** (1-3) (1999) 13–27
Banković, D., Solving systems of arbitrary equations (*Note*) **46** (1983) 305–309
Banković, D., Some remarks on number of parameters of the solutions of Boolean equations **79** (1989/90) 229–234
Banković, D., All solutions of finite equations **137** (1-3) (1995) 1–6
Banković, D., Formulas of general solutions of Boolean equations **152** (1-3) (1996) 25–32
Banković, D., General reproductive solutions of Postian equations **169** (1-3) (1997) 163–168

Banković, D., Horn sentences in Post algebras **173** (1-3) (1997) 269–275
Bannai, E., Examples of groups which have a graphical regular representation (*Note*) **19** (1977) 287–288
Bannai, E. and T. Ito, Regular graphs with excess one **37** (1981) 147–158
Bao, X., On a Mouyart's conjecture (*Note*) **98** (1991) 141–145
Bao, X., A constructing method of a class of SIDS(n) (*Note*) **120** (1993) 233–239
Bao, X., Two new symmetric inseparable double squares **141** (1-3) (1995) 275–277
Bao, X., *see* C. Ye **172** (1-3) (1997) 155–162
Bao, X.-W., *see* N.-Z. Li **172** (1-3) (1997) 79–84
Baogen, X. and Z. Zhongfu, A note on mixed Ramsey numbers **199** (1-3) (1999) 285–289
Barahona, F. and M. Conforti, A construction for binary matroids **66** (1987) 213–218
Barahona, F. and A.R. Mahjoub, On two-connected subgraph polytopes **147** (1-3) (1995) 19–34
Baranga, A., The contraction principle as a particular case of Kleene's fixed point theorem (*Note*) **98** (1991) 75–79
Baranga, A., Z-continuous posets **152** (1-3) (1996) 33–45
Bárány, I., A generalization of Carathéodory's theorem **40** (1982) 141–152
Bárány, I., *see* K. Böröczky **60** (1986) 101–120
Barbut, E. and A. Bialostocki, A generalization of rotational tournaments **76** (1989) 81–87
Barcelo, H. and E. Ihrig, Modular elements in the lattice $L(A)$ when A is a real reflection arrangement **193** (1-3) (1998) 61–68
Barcia, P., *see* J.O. Cerdeira **154** (1-3) (1996) 255–261
Barcucci, E. and M.C. Verri, Some more properties of Catalan numbers **102** (1992) 229–237
Barcucci, E., R. Pinzani and R. Sprugnoli, The random generation of underdiagonal walks **139** (1-3) (1995) 3–18
Barcucci, E., A. Del Lungo, S. Fezzi and R. Pinzani, Nondecreasing Dyck paths and q-Fibonacci numbers **170** (1-3) (1997) 211–217
Barcucci, E., A. Del Lungo, E. Pergola and R. Pinzani, A methodology for plane tree enumeration **180** (1-3) (1998) 45–64
Barcucci, E., A. Del Lungo, J.M. Fédou and R. Pinzani, Steep polyominoes, q-Motzkin numbers and q-Bessel functions **189** (1-3) (1998) 21–42
Barcucci, E., S. Brunetti, A. Del Lungo and F. Del Ristoro, A combinatorial interpretation of the recurrence $f_{n+1} = 6f_n - f_{n-1}$ **190** (1-3) (1998) 235–240
Barefoot, C., K. Casey, D. Fisher, K. Fraughnaugh and F. Harary, Size in maximal triangle-free graphs and minimal graphs of diameter 2 **138** (1-3) (1995) 93–99
Barefoot, C.A., Interpolation theorem for the number of pendant vertices of connected spanning subgraphs of equal size **49** (1984) 109–112
Barefoot, C.A., L.H. Clark, A.J. Depew, R.C. Entringer and L.A. Székely, Subdivision thresholds for two classes of graphs **125** (1994) 15–30
Barefoot, C.A., L.H. Clark, R.C. Entringer, T.D. Porter, L.A. Székely and Z. Tuza, Cycle-saturated graphs of minimum size **150** (1-3) (1996) 31–48
Barg, A., A large family of sequences with low periodic correlation **176** (1-3) (1997) 21–27
Barkauskas, A.E., *see* D.W. Bange **44** (1983) 235–241
Barkauskas, A.E., *see* D.W. Bange **159** (1-3) (1996) 1–11
Barkauskas, A.E., *see* D.W. Bange **178** (1-3) (1998) 1–14
Barlotti, A., A. Bichara, P.V. Ceccherini and F. Eugeni, Foreword **174** (1-3) (1997) 1
Barnabei, M. and A. Brini, A class of PBIB-designs obtained from projective geometries **29** (1980) 13–17
Barnabei, M. and A. Brini, Some properties of characteristics polynomials and applications to T-lattices **31** (1980) 261–270
Barnes, F.W., Packing the maximum number of $m \times n$ tiles in a large $p \times q$ restangle **26** (1979) 93–100
Barnes, F.W., Algebraic theory of brick packing I **42** (1982) 7–26
Barnes, F.W., Algebraic theory of brick packing II **42** (1982) 129–144
Barnes, F.W., How many $1\times2\times4$ bricks can you get into an odd box? **133** (1-3) (1994) 55–78
Barnes, F.W., Best packing of rods into boxes **142** (1-3) (1995) 271–275
Barnette, D., *see* M. Rosenfeld **5** (1973) 389–394
Barnette, D., On generating planar graphs **7** (1974) 199–208
Barnette, D., An upper bound for the diameter of a polytope **10** (1974) 9–13

Barnette, D., The projection of the f-vectors of 4-polytopes onto the (E, S)-plane **10** (1974) 201–216
Barnette, D. and D. Gannon, Manifolds with few vertices **16** (1976) 291–298
Barnette, D., Nonconvex vertices of polyhedral 2-manifolds **41** (1982) 123–130
Barnette, D.W., Every simple 3-polytype with 34 vertices is Hamiltonian **62** (1986) 1–20
Barnette, D.W., W_v paths in the projective plane **62** (1986) 127–131
Barnette, D.W., Two "simple" 3-spheres (*Communication*) **67** (1987) 97–99
Barnette, D.W., Decomposition theorems for the torus, projective plane and Klein bottle **70** (1988) 1–16
Barnette, D.W., Generating the 4-connected and strongly 4-connected triangulations on the torus and projective plane **85** (1990) 1–16
Barnette, D.W., *see* A. Riskin **131** (1-3) (1994) 211–219
Barnette, D.W., A short proof of the d-connectedness of d-polytypes **137** (1-3) (1995) 351–352
Barnette, D.W., Contractible circuits in 3-connected graphs **187** (1-3) (1998) 19–29
Barnette, D.W. and S. Gillett, Paths and circuits in partially directed graphs **195** (1-3) (1999) 239–243
Barr, O., On extremal graphs without compatible triangles or quadrilaterals **125** (1994) 31–43
Barraez, D., E. Flandrin, H. Li and O. Ordaz, Dominating cycles in bipartite biclaw-free graphs **146** (1-3) (1995) 11–18
Barrett, A.J., *see* C. Domb **9** (1974) 341–358
Barrett, W.W., *see* C.R. Johnson **119** (1993) 97–106
Barthelemy, J.P., An asymptotic equivalent for the number of total preorders on a finite set (*Note*) **29** (1980) 311–313
Barthelemy, J.-P., About the shorterst chain between two vertices in a quasi strongly connected digraph with a potential (*Communication*) **34** (1981) 321–324
Barthelemy, J.P., From copair hypergraphs to median graphs with latent vertices **76** (1989) 9–28
Barthélemy, J.-P. and J. Constantin, Median graphs, parallelism and posets **111** (1993) 49–63
Basu, S.K., *see* V.G. Kane **14** (1976) 63–67
Batagelj, V. and T. Pisanski, Hamiltonian cycles in the Cartesian product of a tree and a cycle (*Communication*) **38** (1982) 311–312
Batagelj, V., Inductive definition of two restricted classes of triangulations **52** (1984) 113–121
Batagelj, V., An inductive definition of the class of 3-connected quadrangulations of the plane **78** (1989) 45–53
Batagelj, V., Inductive classes of bipartite cubic graphs **134** (1-3) (1994) 3–8
Batbedat, A., Two representations of finite ordered sets **135** (1-3) (1994) 47–59
Bate, N.G., Complete graphs without polychromatic circuits **46** (1983) 1–8
Batten, L.M., Rank functions of closure spaces of finite rank **49** (1984) 113–116
Batten, L.M., Embedding the complement of a minimal blocking set in a projective plane **52** (1984) 1–5
Batten, L.M., Minimally projectively embeddable Steiner systems **77** (1989) 21–27
Batten, L.M., An extension of Wagner's theorem **92** (1991) 21–23
Batten, L.M., The nonexistence of finite linear spaces with $v = n^2$ points and $b = n^2 + n + 2$ lines **115** (1993) 11–15
Batten, L.M., A characterization of finite linear spaces on v points, $n^2 \leqslant v < (n+1)^2$, and $b = n^2 + n + 3$ lines, $n \geqslant 10$ **118** (1993) 1–9
Bauer, D. and R. Tindell, Graphs isomorphic to subgraphs of their line-graphs **41** (1982) 1–6
Bauer, D., F. Harary, J. Nieminen and C.L. Suffel, Domination alteration sets in graphs **47** (1983) 153–161
Bauer, D., H.J. Veldman, A. Morgana and E.F. Schmeichel, Long cycles in graphs with large degree sums **79** (1989/90) 59–70
Bauer, D., A. Morgana and E.F. Schmeichel, A simple proof of a theorem of Jung **79** (1989/90) 147–152
Bauer, D., G. Fan and H.J. Veldman, Hamiltonian properties of graphs with large neighborhood unions **96** (1991) 33–49
Bauer, D., A. Morgana and E. Schmeichel, On the complexity of recognizing tough graphs **124** (1994) 13–17
Bauer, D., H.J. Broersma, J. van den Heuvel and H.J. Veldman, Long cycles in graphs with prescribed toughness and minimum degree **141** (1-3) (1995) 1–10
Bauer, D., E. Schmeichel and H.J. Veldman, A note on dominating cycles in 2-connected graphs **155** (1-3) (1996) 13–18
Bauer, M. and C. Itzykson, Triangulations **156** (1-3) (1996) 29–81
Baumann, U., Automorphism groups of graphs with 1-factorizations **158** (1-3) (1996) 1–10
Baumgartner, J.E. and K. Prikry, On a theorem of Silver **14** (1976) 17–21

Bauslaugh, B., Core-like properties of infinite graphs and structures **138** (1-3) (1995) 101–111
Bauslaugh, B.L., Compactness and finite equivalence of infinite digraphs **167-168** (1-3) (1997) 115–126
Baybars, I., *see* T. Nishizeki **28** (1979) 255–267
Baybars, İ., On k-path hamiltonian maximal planar graphs (*Note*) **40** (1982) 119–121
Bayoumi, B.I., M.H. El-Zahar and S.M. Khamis, Counting two-dimensional posets **131** (1-3) (1994) 29–37
Beasley, L.B. and N.J. Pullman, Linear operators that strongly preserve graphical properties of matrices **104** (1992) 143–157
Beasley, L.B., S.D. Monson and N.J. Pullman, Linear operators that strongly preserve graphical properties of matrices — II **195** (1-3) (1999) 53–66
Beck, D.A., J.B. Remmel and T. Whitehead, The combinatorics of transition matrices between the bases of the symmetric functions and the B_n analogues **153** (1-3) (1996) 3–27
Beck, D.A., The combinatorics of symmetric functions and permutation enumeration of the hyperoctahedral group **163** (1-3) (1997) 13–45
Beck, I. and S. Krogdahl, On log concave sequences (*Note*) **94** (1991) 141–145
Beck, J., On a combinatorial problem of P. Erdös and L. Lovász **17** (1977) 127–131
Beck, J., On 3-chromatic hypergraphs **24** (1978) 127–137
Beck, J., On a generalization of Kaplansky's game **42** (1982) 27–35
Beck, J., A 'large deviation' phenomenon in discrete geometry, I **60** (1986) 91–99
Beck, J., Balanced two-colorings of finite sets in the cube **73** (1988/89) 13–25
Bedford, D., Construction of orthogonal latin squares using left neofields **115** (1993) 17–38
Bedford, D. and R.M. Whitaker, Enumeration of transversals in the Cayley tables of the non-cyclic groups of order 8 **197-198** (1-3) (1999) 77–81
Bednarek, A.R. and E.L. Sanders, A characterization of bivariegated trees **5** (1973) 1–14
Bednarek, A.R., Whitney's theorem for infinite graphs (*Communication*) **56** (1985) 83–85
Bednarek, A.R. and R.E. Osteen, A characterization of graphical covers (*Communication*) **57** (1985) 155–158
Beeler, M.D. and P.E. O'Neil, Some new Van der Waerden numbers **28** (1979) 135–146
Beezer, R.A., Orbit polynomial graphs of prime order **67** (1987) 139–147
Beezer, R.A. and E.J. Farrell, The matching polynomial of a regular graph **137** (1-3) (1995) 7–18
Behr, A. and L. Camarinopoulos, On the domination of hypergraphs by their edges **187** (1-3) (1998) 31–38
Behrendt, G., Sharply transitive partially ordered sets **61** (1986) 133–139
Behrendt, G., Covering posets **71** (1988) 189–195
Behrendt, G., The lattice of antichain cutsets of a partially ordered set (*Note*) **89** (1991) 201–202
Behrendt, G., Automorphism groups of posets with forbidden subposets **105** (1992) 1–11
Behzad, M. and J.E. Simpson, Eccentric sequences and eccentric sets in graphs **16** (1976) 187–193
Behzad, M. and E.S. Mahmoodian, Eccentric sequences and triangle sequences of block designs **127** (1-3) (1994) 47–56
Beineke, L., R. Ringeisen and H.J. Straight, The cochromatic index of a graph **31** (1980) 153–159
Beineke, L.W. and R.J. Wilson, On the edge-chromatic number of a graph **5** (1973) 15–20
Beineke, L.W. and S. Fiorini, On small graphs critical with respect to edge colourings **16** (1976) 109–121
Beineke, L.W. and C.M. Zamfirescu, Connection digraphs and second-order line digraphs **39** (1982) 237–254
Beineke, L.W., *see* K.S. Bagga **122** (1993) 1–6
Beineke, L.W., *see* K.S. Bagga **124** (1994) 3–12
Beineke, L.W., P. Hamburger and W.D. Goddard, Random packings of graphs **125** (1994) 45–54
Beineke, L.W., P. Hamburger and W.D. Weakley, Random packing by ρ-connected ρ-regular graphs **160** (1-3) (1996) 41–47
Beineke, L.W. and M.A. Henning, Opinion functions on trees **167-168** (1-3) (1997) 127–139
Beissinger, J.S., Similar constructions for Young tableaux and involutions, and their application to shiftable tableaux **67** (1987) 149–163
Békéssy, A. and J. Demetrovics, Contribution to the theory of data base relations **27** (1979) 1–10
Békéssy, A., J. Demetrovics, L. Hannák, P. Frankl and Gy. Katona, On the number of maximal dependencies in a data base relation of fixed order **30** (1980) 83–88
Bekkali, M. and R. Bonnet, On Fodor's theorem: A topological version **53** (1985) 3–19
Bélanger, M.-F., J. Constantin and G. Fournier, Graphes et ordonnés démontables, propriété de la clique fixe **130** (1-3) (1994) 9–17
Belding, R., Structures characterizing partially ordered sets, and their automorphism groups **27** (1979) 117–126

Belfer, A. and M.C. Golumbic, Counting endpoint sequences for interval orders and interval graphs **114** (1993) 23–39
Bellantoni, S., I.B.-A. Hartman, T. Przytycka and S. Whitesides, Grid intersection graphs and boxicity **114** (1993) 41–49
Beltrametti, E.G., Note on the p-adic generalization of Lorentz transformations **1** (1971) 239–246
Benadé, G., I. Broere, B. Jonck and M. Frick, Uniquely $(m, k)^{\tau}$-colourable graphs and k-τ-saturated graphs **162** (1-3) (1996) 13–22
Benard, D., A. Bouchet and J.-L. Fouquet, (m)-covering of a triangulation **62** (1986) 261–270
Ben-Arroyo Hartman, I., *see* R. Aharoni **120** (1993) 13–24
Benchekroun, S. and P. Moszkowski, A bijective proof of an enumerative property of legal bracketings **176** (1-3) (1997) 273–277
Bencherif Ait-Djafer, H., On cycle lengths in graphs of moderate degree **125** (1994) 55–62
Bendali, F. and A. Quilliot, Compatibilité entre structures d'intervalles et relations d'ordre **130** (1-3) (1994) 19–37
Bender, E.A., A generalized q-binomial Vandermonde convolution **1** (1971) 115–119
Bender, E.A., Convex n-ominoes **8** (1974) 219–226
Bender, E.A., Partitions of multisets **9** (1974) 301–311
Bender, E.A., The asymptotic number of non-negative integer matrices with given row and column sums **10** (1974) 217–223
Bender, E.A., J.S. Devitt and L.B. Richmond, Partitions of multisets II **50** (1984) 1–8
Bender, E.A. and L.B. Richmond, An asymptotic expansion for the coefficients of some power series II: Lagrange inversion **50** (1984) 135–141
Bender, E.A. and N.C. Wormald, The number of loopless planar maps (*Note*) **54** (1985) 235–237
Bendrossian, P., G. Chen and R.H. Schelp, A generalization of Fan's condition for Hamiltonicity, pancyclicity, and Hamiltonian connectedness **115** (1993) 39–50
Bénéteau, L., L'irréductibilité centrale dans les boucles de Moufang commutatives et dans les systèmes triples de Hall **45** (1983) 31–44
Benhocine, A., Nombres de Ramsey dans le cas orienté **22** (1978) 213–217
Benhocine, A., Pancyclism and Meyniel's conditions **58** (1986) 113–120
Benhocine, A. and J.-L. Fouquet, The Chvátal–Erdös condition and pancyclic line-graphs **66** (1987) 21–26
Benhocine, A. and A.P. Wojda, Graphs with every matching contained in a cycle **118** (1993) 11–21
Ben-Israel, A., *see* X. Tang **169** (1-3) (1997) 279–282
Bennett, F.E., Extended cyclic triple systems **24** (1978) 139–146
Bennett, F.E., Latin squares with pairwise orthogonal conjugates **36** (1981) 117–137
Bennett, F.E. and L. Zhu, Incomplete conjugate orthogonal idempotent Latin squares **65** (1987) 5–21
Bennett, F.E., The spectra of a variety of quasigroups and related combinatorial designs **77** (1989) 29–50
Bennett, F.E., L. Wu and L. Zhu, Further results on incomplete (3, 2, 1)-conjugate orthogonal idempotent Latin squares **84** (1990) 1–14
Bennett, F.E., B. Du and L. Zhu, On the existence of $(v, 7, 1)$-perfect Mendelsohn designs **84** (1990) 221–239
Bennett, F.E. and H. Shen, On indecomposable pure Mendelsohn triple systems **97** (1991) 47–57
Bennett, F.E., K.T. Phelps, C.A. Rodger, J. Yin and L. Zhu, Existence of perfect Mendelsohn designs with $k = 5$ and $\lambda > 1$ **103** (1992) 129–137
Bennett, F.E., K.T. Phelps, C.A. Rodger and L. Zhu, Constructions of perfect Mendelsohn designs **103** (1992) 139–151
Bennett, F.E., J. Yin and L. Zhu, On the existence of perfect Mendelsohn designs with $k = 7$ and λ even **113** (1993) 7–25
Bennett, F.E. and L. Zhu, The spectrum of HSOLSSOM(h^n) where h is even **158** (1-3) (1996) 11–25
Bennett, F.E., C.J. Colbourn and L. Zhu, Existence of three HMOLS of types h^n and $2^n 3^1$ **160** (1-3) (1996) 49–65
Bennett, F.E. and J. Yin, Packings and coverings of the complete directed multigraph with 3- and 4-circuits **162** (1-3) (1996) 23–29
Bennett, F.E. and R. Wei, The existence of Schröder designs with equal-sized holes **170** (1-3) (1997) 15–28
Bennett, F.E., *see* R.J.R. Abel **190** (1-3) (1998) 1–14
Bennett, G., Coin tossing and moment sequences **84** (1990) 111–118
Bennett, M.K., Coordinatization of affine and projective space **4** (1973) 219–231

Bennett, M.K., Rectangular products of lattices **79** (1989/90) 235–249
Benoumhani, M., On Whitney numbers of Dowling lattices **159** (1-3) (1996) 13–33
Benzait, A. and B. Voigt, A combinatorial interpretation of $(1/k!)\Delta^k t^n$ **73** (1988/89) 27–35
Benzaken, C., Post's closed systems and the weak chromatic number of hypergraphs **23** (1978) 77–84
Benzaken, C., P.L. Hammer and D. de Werra, Split graphs of Dilworth number 2 **55** (1985) 123–127
Benzaken, C. and P.L. Hammer, Boolean techniques for matroidal decomposition of independence systems and applications to graphs **56** (1985) 7–34
Berardi, L., Constructing 3-designs from spreads and lines (*Note*) **74** (1989) 331–332
Berardi, L., M. Buratti and S. Innamorati, 4-Blocked Hadamard 3-designs **174** (1-3) (1997) 35–46
Berardi, L., On blocking sets in a design **177** (1-3) (1997) 249–257
Berenbom, J., J. Fendel, G.T. Gilbert and R.L. Hatcher, Sliding piece puzzles with oriented tiles **175** (1-3) (1997) 23–33
Berge, C. and A. Ramachandra Rao, A combinatorial problem in logic **17** (1977) 23–26
Berge, C., Regularisable graphs I **23** (1978) 58–89
Berge, C., Regularisable graphs, II **23** (1978) 91–95
Berge, C. and M. Las Vergnas, Transversals of circuits and acyclic orientations in graphs and matroids (*Note*) **50** (1984) 107–108
Berge, C., Minimax relations for the partial q-colorings of a graph **74** (1989) 3–14
Berge, C. and P. Duchet, Recent problems and results about kernels in directed graphs **86** (1990) 27–31
Berge, C., Combinatorial games on a graph **151** (1-3) (1996) 59–65
Berge, C., Motivations and history of some of my conjectures **165-166** (1-3) (1997) 61–70
Berge, C. and J.-L. Fouquet, On the optimal transversals of the odd cycles **169** (1-3) (1997) 169–175
Berger, M.A., A. Felzenbaum and A.S. Fraenkel, Lattice parallelotopes and disjoint covering systems **65** (1987) 23–46
Berger, T. and P. Charpin, The automorphism group of Generalized Reed–Muller codes **117** (1993) 1–17
Bergeron, F. and L. Favreau, Fourier transform over semi-simple algebras and harmonic analysis for probabilistic algorithms **139** (1-3) (1995) 19–32
Bergeron, F., L. Favreau and D. Krob, Conjectures on the enumeration of tableaux of bounded height **139** (1-3) (1995) 463–468
Bergeron, N. and A.M. Garsia, Zonal polynomials and domino tableaux **99** (1992) 3–15
Bergeron, N., Décomposition hyperoctahédrale de l'homologie de Hochschild **139** (1-3) (1995) 33–48
Berghammer, R. and G. Schmidt, Discrete ordering relations **43** (1983) 1–7
Berman, A. and A. Kotzig, Cross-cloning and antipodal graphs **69** (1988) 107–114
Berman, A., *see* N. Kogan **114** (1993) 297–304
Berman, A., *see* R. Michel **146** (1-3) (1995) 313–320
Berman, D.M., *see* M.O. Albertson **31** (1980) 225–233
Berman, D.M., *see* M.O. Albertson **89** (1991) 97–100
Berman, D.M., A.J. Radcliffe, A.D. Scott, H. Wang and L. Wargo, All trees contain a large induced subgraph having all degrees 1(mod k) **175** (1-3) (1997) 35–40
Berman, G., The gossip problem (*Note*) **4** (1973) 91
Berman, J., Algebras with modular lattice reducts and simple subdirectly irreducibles **11** (1975) 1–8
Berman, J., A proof of Lyndon's finite basis theorem **29** (1980) 229–233
Berman, J. and R. McKenzie, Clones satisfying the term condition **52** (1984) 7–29
Berman, J. and G. Bordalo, Finite distributive lattices and doubly irreducible elements **178** (1-3) (1998) 237–243
Berman, J.D., E.W. Kiss, P. Pröhle and Á. Szendrei, The set of types of a finitely generated variety **112** (1993) 1–20
Berman, K.A., Directed faces in planar digraphs and unicoloured faces in edge 2-coloured planar Eulerian maps (*Note*) **21** (1978) 83–85
Berman, K.A., Aneulerian digraphs and the determination of those Eulerian digraphs having an odd number of directed Eulerian paths (*Note*) **22** (1978) 75–80
Berman, K.A., A note on coloured quadrangulations (*Communication*) **29** (1980) 215–217
Berman, K.A., Proof of a conjecture of Häggkvist on cycles and independent edges **46** (1983) 9–13
Berman, K.A., Parity results on connected f-factors **59** (1986) 1–8

Bermond, J.C., An application of the solution of Kirkman's schoolgirl problem: The decomposition of the symmetric oriented complete graph into 3-circuits **8** (1974) 301–304
Bermond, J.C., Some Ramsey numbers for directed graphs **9** (1974) 313–321
Bermond, J.C., M.C. Heydemann and D. Sotteau, Line graphs of hypergraphs I **18** (1977) 235–241
Bermond, J.C. and J. Schönheim, G-decomposition of K_n, where G has four vertices or less **19** (1977) 113–120
Bermond, J.-C., P. Frankl and F. Sterboul, On the maximum number of edges in a hypergraph whose linegraph contains no cycle (*Communication*) **30** (1980) 295–298
Bermond, J.-C. and M. Las Vergnas, Regular factors in nearly regular graphs **50** (1984) 9–13
Bermond, J.C., J.L. Fouquet, M. Habib and B. Peroche, On linear k-arboricity **52** (1984) 123–132
Bermond, J.-C., K. Berrada and J. Bond, Extensions of networks with given diameter **75** (1989) 31–40
Bermond, J.-C., N. Homobono and C. Peyrat, Connectivity of Kautz networks **114** (1993) 51–62
Bernaldez, J.M., On cyclically K-complementary graphs **127** (1-3) (1994) 57–62
Bernaldez, J.M., On k-complementing permutations of cyclically k-complementary graphs **151** (1-3) (1996) 67–70
Bernardi, C., On a theorem about vertex colorings of graphs (*Note*) **64** (1987) 95–96
Bernasconi, C., Smooth designs **47** (1983) 163–168
Bernstein, M., N.J.A. Sloane and P.E. Wright, On sublattices of the hexagonal lattice **170** (1-3) (1997) 29–39
Berrachedi, A., A new characterization of median graphs **128** (1-3) (1994) 385–387
Berrada, K., *see* J.-C. Bermond **75** (1989) 31–40
Berrizbeitia, P. and R.E. Giudici, Counting pure k-cycles in sequences of Cayley graphs **149** (1-3) (1996) 11–18
Berstel, J., Mots sans carre et morphismes iteres **29** (1980) 235–244
Berstel, J., M. Crochemore and J.E. Pin, Thue–Morse sequence and p-adic topology for the free monoid **76** (1989) 89–94
Berstel, J., *see* J.-P. Allouche **139** (1-3) (1995) 455–461
Berstel, J. and M. Pocchiola, Random generation of finite Sturmian words **153** (1-3) (1996) 29–39
Bertram, E.A., Some applications of graph theory to finite groups **44** (1983) 31–43
Bessenrodt, C., A bijection for Lebesgue's partition identity in the spirit of Sylvester **132** (1-3) (1994) 1–10
Bessenrodt, C., Generalisations of the Andrews–Olsson partition identity and applications **141** (1-3) (1995) 11–22
Bessis, L., Fixed points of induced automorphisms of hypermaps **153** (1-3) (1996) 41–46
Bessis, L., Harvey–Wiman hypermaps **157** (1-3) (1996) 39–52
Best, M.R. and A.E. Brouwer, The triply shortened binary Hamming code is optimal **17** (1977) 235–245
Beth, T., Generalizing the discrete Fourier transform **56** (1985) 95–100
Betke, U. and P. Gritzmann, An application of valuation theory to two problems in discrete geometry (*Note*) **58** (1986) 81–85
Bétréma, J. and A. Zvonkin, Plane trees and Shabat polynomials **153** (1-3) (1996) 47–58
Betten, A., M. Klin, R. Laue and A. Wassermann, Graphical t-designs via polynomial Kramer–Mesner matrices **197-198** (1-3) (1999) 83–109
Betten, A., R. Laue and A. Wassermann, New t-designs and large sets of t-designs **197-198** (1-3) (1999) 111–121
Beutelspacher, A., On extremal intersection numbers of a block design **42** (1982) 37–49
Beutelspacher, A. and U. Lamberty, Strongly resolvable (r, λ)-designs **45** (1983) 141–152
Beutelspacher, A. and F. Eugeni, On the type of partial t-spreads in finite projective spaces **54** (1985) 241–257
Beutelspacher, A. and I. Schestag, Finite linear spaces in which any n-gon is euclidean **59** (1986) 207–220
Beutelspacher, A. and K. Metsch, Embedding finite linear spaces in projective planes, II **66** (1987) 219–230
Beutelspacher, A., A combinatorial characterization of geometric spreads **97** (1991) 59–62
Bevis, J. and M. Grady, Toroidal maps of modular quotient groups **186** (1-3) (1998) 25–38
Beznea, L., A topological characterization of complete distributive lattices **49** (1984) 117–120
Bhagwandas, and W.G. Bridges, Applications of algebraic duality to group divisible structures **37** (1981) 159–166
Bhargava, M., Congruence preservation and polynomial functions from $\mathbb{Z}_n$ to $\mathbb{Z}_m$ **173** (1-3) (1997) 15–21
Bhaskara Rao, K.P.S., *see* R. Shelton **61** (1986) 107–114
Bhaskara Rao, S., Characterization of self-complementary graphs with 2-factors **17** (1977) 225–233
Bhatnagar, G., *see* S.C. Milne **193** (1-3) (1998) 235–245

Bhat-Nayak, V.N., R.N. Naik and S.B. Rao, Frequency partitions: Forcibly pancyclic and forcibly nonhamiltonian degree sequences **20** (1977) 93–102
Bhat-Nayak, V.N., S.A. Choudum and R.N. Naik, Characterizations of 2-variegated graphs and of 3-variegated graphs **23** (1978) 17–22
Bhat-Nayak, V.N. and R.N. Naik, Solutions of some further graph equations **47** (1983) 169–175
Bhat-Nayak, V.N. and V.D. Kane, Two families of simple and irreducible BIBDs (*Note*) **68** (1988) 311–313
Bhave, N.S., Characterisation of potentially generalised bipartite self-complementary bi-graphic sequences **186** (1-3) (1998) 39–54
Bhave, V.N., *see* E. Sampathkumar **16** (1976) 57–60
Bialostocki, A. and N. Sauer, On Ramsey–Turán type problems in tournaments **59** (1986) 221–228
Bialostocki, A., An application of the Ramsey theorem to ordered r-tournaments (*Note*) **61** (1986) 325–328
Bialostocki, A., *see* E. Barbut **76** (1989) 81–87
Bialostocki, A., P. Dierker and B. Voxman, Some notes on the Erdős–Szekeres theorem **91** (1991) 231–238
Bialostocki, A. and P. Dieker, An isoperimetric lemma (*Note*) **94** (1991) 221–228
Bialostocki, A. and P. Dierker, On the Erdös–Ginsburg–Ziv theorem and the Ramsey numbers for stars and matchings **110** (1992) 1–8
Bialostocki, A., P. Erdős and H. Lefmann, Monochromatic and zero-sum sets of nondecreasing diameter **137** (1-3) (1995) 19–34
Bialostocki, A., H. Lefmann and T. Meerdink, On the degree of regularity of some equations **150** (1-3) (1996) 49–60
Biane, P., Some properties of crossings and partitions **175** (1-3) (1997) 41–53
Bichara, A., *see* A. Barlotti **174** (1-3) (1997) 1
Bielak, H., Graphs with special neighbourhood orderings of vertices **121** (1993) 3–9
Bielak, H., Chromatic uniqueness in a family of 2-connected graphs **164** (1-3) (1997) 21–28
Bienia, W. and H. Meyniel, Partitions of digraphs into paths or circuits (*Note*) **61** (1986) 329–331
Bienstock, D., On the complexity of testing for odd holes and induced odd paths (*Note*) **90** (1991) 85–92
Bier, T., A family of nonbinary linear codes **65** (1987) 47–51
Bier, T. and A. Kleinschmidt, Centrally symmetric and magic rectangles **176** (1-3) (1997) 29–42
Bierbrauer, J., A family of perpendicular arrays achieving perfect 4-fold secrecy **125** (1994) 63–66
Bierbrauer, J., A family of 4-designs with block size 9 **138** (1-3) (1995) 113–117
Biggs, N., Expansions of the chromatic polynomial **6** (1973) 105–113
Biggs, N., Confluence of some presentations associated with graphs **75** (1989) 41–46
Biggs, N., *see* M. Anthony **120** (1993) 227–231
Biggs, N., Combinatorics and connectionism **124** (1994) 19–36
Biggs, N.L. and M.J. Hoare, A trivalent graph with 58 vertices and girth 9 (*Communication*) **30** (1980) 299–301
Biggs, N.L., A proof of Serre's theorem **78** (1989) 55–57
Biliotti, M., On a construction of Clay of BIB designs from Frobenius groups (*Note*) **74** (1989) 333–334
Billey, S., Transition equations for isotropic flag manifolds **193** (1-3) (1998) 69–84
Billington, D., A simple proof that all 1-designs exist (*Communication*) **42** (1982) 321–322
Billington, E.J., More balanced ternary designs with block size three **39** (1982) 9–21
Billington, E.J., New cyclic (61, 244, 40, 10, 6) BIBDs (*Note*) **77** (1989) 51–53
Billington, E.J. and D.G. Hoffman, The number of repeated blocks in balanced ternary designs with block size three II **92** (1991) 25–37
Billington, E.J. and C.C. Lindner, The spectrum for 2-perfect bowtie systems **135** (1-3) (1994) 61–68
Billington, E.J., *see* P. Adams **149** (1-3) (1996) 1–9
Billington, E.J. and D.G. Hoffman, The intersection problem for star designs **179** (1-3) (1998) 217–222
Billington, E.J., Decomposing complete tripartite graphs into cycles of lengths 3 and 4 **197-198** (1-3) (1999) 123–135
Bilski, T., Optimum embedding of complete graphs in books **182** (1-3) (1998) 21–28
Bioch, J.C. and T. Ibaraki, Decompositions of positive self-dual Boolean functions **140** (1-3) (1995) 23–46
Biondi, P., A classification of finite n-2,n-biregular spaces **129** (1-3) (1994) 3–18
Biondi, P., A classification of finite n-2,n-1-point-biregular spaces **174** (1-3) (1997) 47–71
Bird, E., C. Greene and D.J. Kleitman, Automorphisms of lexicographic products **11** (1975) 191–198
Biró, M., M. Hujter and Zs. Tuza, Precoloring extension. I. Interval graphs **100** (1992) 267–279

Biss, D.K., A lower bound on the number of functions satisfying the strict avalanche criterion **185** (1-3) (1998) 29–39
Bixby, R.E., ℓ-matrices and a characterization of binary matroids **8** (1974) 139–145
Bixby, R.E., A simple proof that every matroid is an intersection of fundamental transversal matroids (*Note*) **18** (1977) 311–312
Bixby, R.E., The solution to a matroid problem of Knuth (*Note*) **21** (1978) 87–88
Björner, A. and I. Rival, A note on fixed points in semimodular lattices **29** (1980) 245–250
Björner, A., Some matroid inequalities (*Communication*) **31** (1980) 101–103
Björner, A., On complements in lattices of finite length (*Note*) **36** (1981) 325–326
Björner, A. and J. Karlander, Invertibility of the base Radon transform of a matroid **108** (1992) 139–147
Björner, A. and K. Eriksson, Extendable shellability for rank 3 matroid complexes **132** (1-3) (1994) 373–376
Björner, A., A general homotopy complementation formula **193** (1-3) (1998) 85–91
Blahut, R.E., A note on binary cyclic codes of blocklength 63 **106/107** (1992) 35–43
Blair, C.E. and R.G. Jeroslow, The value function of a mixed integer program: I **19** (1977) 121–138
Blair, C.E., Minimal inequalities for mixed integer programs **24** (1978) 147–151
Blair, C.E. and R.G. Jeroslow, The value function of a mixed integer program: II **25** (1979) 7–19
Blake, I.F., *see* J.J. Stiffler **12** (1975) 159–163
Blake, I.F. and J.J. Stiffler, A note on generalized room squares (*Note*) **21** (1978) 89–93
Blake, I.F. and A. Melkman, On an inverse for sections of a binomial matrix **23** (1978) 97–104
Blanchard, J.L., A construction for orthogonal arrays with strength $t \geq 3$ **137** (1-3) (1995) 35–44
Blanchard, J.L., An extension theorem for Steiner systems **141** (1-3) (1995) 23–35
Bland, R.G., H.-C. Huang and L.E. Trotter Jr., Graphical properties related to minimal imperfection **27** (1979) 11–22
Bland, R.G. and B.L. Dietrich, An abstract duality (*Communication*) **70** (1988) 203–208
Blass, A., Complexity of winning strategies **3** (1972) 295–300
Blass, A., On exponentiation of G-sets **135** (1-3) (1994) 69–79
Blázsik, Z., M. Hujter, A. Pluhár and Z. Tuza, Graphs with no induced C_4 and $2K_2$ **115** (1993) 51–55
Blecher, P.M., On a logical problem (*Note*) **43** (1983) 107–110
Blind, G., Decomposition of a convex polygon into convex polygons **26** (1979) 1–15
Blind, G. and R. Blind, The almost simple cubical polytopes **184** (1-3) (1998) 25–48
Blind, R., *see* G. Blind **184** (1-3) (1998) 25–48
Blinovsky, V.M., List decoding **106/107** (1992) 45–51
Blokhuis, A., A.E. Brouwer and H.A. Wilbrink, Heden's bound on maximal partial spreads (*Note*) **74** (1989) 335–339
Blokhuis, A., A. Brouwer and H. Wilbrink, Hermitian unitals are code words **97** (1991) 63–68
Blokhuis, A. and A.E. Brouwer, Locally $K_{3,3}$ or Petersen graphs **106/107** (1992) 53–60
Blokhuis, A. and T. Szönyi, Note on the structure of semiovals in finite projective planes **106/107** (1992) 61–65
Blokhuis, A. and T. Szőnyi, Irregular weighting of 1-designs **131** (1-3) (1994) 339–343
Blokhuis, A. and A.E. Brouwer, Determination of the distance-regular graphs without 3-claws **163** (1-3) (1997) 225–227
Blokhuis, A. and C.M. O'Keefe, On deriving unitals **197-198** (1-3) (1999) 137–141
Bluskov, I., Some t-designs are minimal $(t+1)$-coverings **188** (1-3) (1998) 245–251
Blyth, T. and J. Varlet, Principal congruences on some lattice-ordered algebras (*Note*) **81** (1990) 323–329
Bo, C. and B. Liu, Some inequalities about connected domination number **159** (1-3) (1996) 241–245
Boccara, G., Decompositions d'une permutation d'un ensemble fini en produit de deux cycles **23** (1978) 189–205
Boccara, G., Nombre de representations d'une permutation comme produit de deux cycles de longueurs donnees **29** (1980) 105–134
Boccara, G., Cycles comme produit de deux permutations de classes donnees **38** (1982) 129–142
Bodendiek, R. and G. Walther, On the relations between certain graph labelings **134** (1-3) (1994) 9–16
Boesch, F., *see* L. Petingi **179** (1-3) (1998) 155–166
Bogart, K.P., Maximal dimensional partially ordered sets I. Hiraguchi's Theorem **5** (1973) 21–31
Bogart, K.P. and W.T. Trotter Jr., Maximal dimensional partially ordered sets II. Characterization of $2n$-element posets with dimension n **5** (1973) 33–43
Bogart, K.P., A note on matrices of zeros and ones **9** (1974) 323–327

Bogart, K.P., *see* W.T. Trotter Jr. **15** (1976) 389–400
Bogart, K.P., *see* W.T. Trotter Jr. **16** (1976) 71–82
Bogart, K.P., Incidence codes of posets: Eulerian posets and Reed–Muller codes **31** (1980) 1–7
Bogart, K.P., An obvious proof of Fishburn's interval order theorem (*Note*) **118** (1993) 239–242
Bogart, K.P. and A.N. Trenk, Bipartite tolerance orders **132** (1-3) (1994) 11–22
Bogart, K.P. and A.N. Trenk, Corrigendum **145** (1-3) (1995) 347
Bogart, K.P. and G. Isaak, Proper and unit bitolerance orders and graphs **181** (1-3) (1998) 37–51
Böhme, T., H.J. Broersma, F. Göbel, A.V. Kostochka and M. Stiebitz, Spanning trees with pairwise nonadjacent endvertices **170** (1-3) (1997) 219–222
Böhme, T. and J. Harant, On Hamiltonian cycles in 4- and 5-connected plane triangulations **191** (1-3) (1998) 25–30
Böhme, T., J. Harant, A. Pruchnewski and I. Schiermeyer, A planarity criterion for cubic bipartite graphs **191** (1-3) (1998) 31–43
Bohus, G., W. Jockusch, C.W. Lee and N. Prabhu, On a triangulation of the 3-ball and the solid torus **187** (1-3) (1998) 259–264
Boicescu, V., Irredundant n-valued Moisil algebras **71** (1988) 197–204
Boisen, P., Polynomials and packings: a new proof of de Bruijn's theorem **146** (1-3) (1995) 285–287
Bokowski, J., *see* A. Altshuler **31** (1980) 115–124
Bolla, M., Spectra, Euclidean representations and clusterings of hypergraphs **117** (1993) 19–39
Bolla, M. and G. Tusnády, Spectra and optimal partitions of weighted graphs **128** (1-3) (1994) 1–20
Bollobás, B., Three-graphs without two triples whose symmetric difference is contained in a third **8** (1974) 21–24
Bollobás, B., P. Erdös and E. Szemerédi, On complete subgraphs of r-chromatic graphs **13** (1975) 97–107
Bollobás, B., Semi-topological subgraphs (*Note*) **20** (1977) 83–85
Bollobás, B., Chromatic number, girth and maximal degree (*Note*) **24** (1978) 311–314
Bollobás, B. and A. Thomason, Set colourings of graphs **25** (1979) 21–26
Bollobás, B., On graphs with equal edge connectivity and minimum degree (*Note*) **28** (1979) 321–323
Bollobás, B., The distribution of the maximum degree of a random graph (*Note*) **32** (1980) 201–203
Bollobás, B., Degree sequences of random graphs **33** (1981) 1–19
Bollobás, B., Some remarks on packing trees (*Note*) **46** (1983) 203–204
Bollobás, B. and E.J. Cockayne, The irredundance number and maximum degree of a graph (*Note*) **49** (1984) 197–199
Bollobás, B., C. Nara and S.-i. Tachibana, The maximal number of induced complete bipartite graphs **62** (1986) 271–275
Bollobás, B., Sorting in rounds **72** (1988) 21–28
Bollobás, B. and H.R. Hind, A new upper bound for the list chromatic number **74** (1989) 65–75
Bollobás, B., *see* N. Alon **75** (1989) 23–30
Bollobás, B. and G. Brightwell, Long cycles in graphs with no subgraphs of minimal degree 3 **75** (1989) 47–53
Bollobás, B. and S. Rasmussen, First cycles in random directed graph processes **75** (1989) 55–68
Bollobás, B., E.J. Cockayne and C.M. Mynhardt, On generalised minimal domination parameters for paths **86** (1990) 89–97
Bollobás, B. and H.R. Hind, Graphs without large triangle free subgraphs **87** (1991) 119–131
Bollobás, B. and I. Leader, Maximal sets of given diameter in the grid and the torus **122** (1993) 15–35
Bollobás, B., Turán–Ramsey problems **156** (1-3) (1996) 257–261
Bollobás, B., Degree multiplicities and independent sets in K_4-free graphs **158** (1-3) (1996) 27–35
Bollobás, B. and I. Leader, Sums in the grid **162** (1-3) (1996) 31–48
Bollobás, B. and A.D. Scott, Independent sets and repeated degrees **170** (1-3) (1997) 41–49
Bollobás, B., N. Hegyvári and G. Jin, On a problem of Erdős and Graham **175** (1-3) (1997) 253–257
Bollobás, B. and O. Riordan, On some conjectures of Graffiti **179** (1-3) (1998) 223–230
Bollobás, B. and T. Szabó, The oriented cycle game **186** (1-3) (1998) 55–67
Bollobás, B., O. Riordan, Z. Ryjáček, A. Saito and R.H. Schelp, Closure and Hamiltonian-connectivity of claw-free graphs **195** (1-3) (1999) 67–80
Bollobás, B., P. Erdős and A. Sarkar, Extremal graphs for weights **200** (1-3) (1999) 5–19
Bóna, M., A Euclidean Ramsey theorem (*Note*) **122** (1993) 349–352
Bóna, M. and G. Tóth, A Ramsey-type problem on right-angled triangles in space **150** (1-3) (1996) 61–67

Bóna, M., Permutations avoiding certain patterns: The case of length 4 and some generalizations **175** (1-3) (1997) 55–67
Bóna, M., Permutations with one or two 132-subsequences **181** (1-3) (1998) 267–274
Bond, J., *see* J.-C. Bermond **75** (1989) 31–40
Bond, J. and C. Delorme, A note on partial Cayley graphs **114** (1993) 63–74
Bondy, J.A., Large cycles in graphs **1** (1971) 121–132
Bondy, J.A. and V. Chvátal, A method in graph theory **15** (1976) 111–135
Bondy, J.A. and C. Thomassen, A short proof of Meyniel's theorem (*Note*) **19** (1977) 195–197
Bondy, J.A., A remark on two sufficient conditions for Hamilton cycles (*Note*) **22** (1978) 191–193
Bondy, J.A. and S.C. Locke, Relative lengths of paths and cycles in 3-connected graphs **33** (1981) 111–122
Bondy, J.A. and P. Hell, Counterexamples to theorems of Menger type for the diameter (*Communication*) **44** (1983) 217–220
Bondy, J.A. and G. Fan, A sufficient condition for dominating cycles (*Note*) **67** (1987) 205–208
Bondy, J.A., Trigraphs **75** (1989) 69–79
Bondy, J.A., A short proof of the Chen–Manalastas theorem **146** (1-3) (1995) 289–292
Bondy, J.A., Counting subgraphs A new approach to the Caccetta–Häggkvist conjecture **165-166** (1-3) (1997) 71–80
Bondy, J.A., P. Erdős and S. Fajtlowicz, Graphs of diameter two with no 4-circuits **200** (1-3) (1999) 21–25
Bongartz, K. and D. Mertens, On the enumeration of homeochromatic classes of k-chromatic tilings **85** (1990) 17–42
Bonin, J.E., Modular elements of higher-weight Dowling lattices **119** (1993) 3–11
Bonin, J.E., On basis-exchange properties for matroids **187** (1-3) (1998) 265–268
Bonisoli, A. and G. Korchmáros, Suzuki groups, one-factorizations and Lüneburg planes **161** (1-3) (1996) 13–24
Bonnet, R., *see* M. Bekkali **53** (1985) 3–19
Bonnin, A. and J.M. Pallo, A-transformation dans les arbres n-aires **45** (1983) 153–163
Bonnin, A. and J.M. Pallo, Sur la generation des arbres binaires par les B-suites **51** (1984) 111–117
Bonnington, C.P., W. Imrich and M.E. Watkins, Separating double rays in locally finite planar graphs **145** (1-3) (1995) 61–72
Book, R.V., Free and almost-free subsemigroups of a free semigroup **4** (1973) 233–241
Book, R.V. and M.A. Harrison, Mutually divisible semigroups **9** (1974) 329–332
Book, R.V., Homogeneous thue systems and the Church-Rosser property **48** (1984) 137–145
Book, R.V. and C.C. Squier, Almost all one-rule Thue systems have decidable word problems **49** (1984) 237–240
Booth, R.S., A class of Fibonacci-type sequences **10** (1974) 15–28
Booth, R.S., *see* J.F. Weng **141** (1-3) (1995) 259–274
Bordalo, G., *see* J. Berman **178** (1-3) (1998) 237–243
Bordat, J.P., Note sur la recherche des monomes maximaux en algebre de Post (*Note*) **17** (1977) 323–326
Borges, J. and J. Rifà, A note about multidesigns and extended designs **111** (1993) 65–69
Borkovitz, D. and F.K. Hwang, Multiplicative magic squares **47** (1983) 1–11
Borobia, A., Vertices of the generalized transitive tournament polytope **163** (1-3) (1997) 229–234
Borobia, A. and V. Chumillas, *-graphs of vertices of the generalized transitive tournament polytope **179** (1-3) (1998) 49–57
Böröczky, K., I. Bárány, E. Makai Jr. and J. Pach, Maximal volume enclosed by plates and proof of the chessboard conjecture **60** (1986) 101–120
Böröczky, K., N. Sauer and X. Zhu, Inexhaustible homogeneous structures **115** (1993) 57–63
Borodin, O.V., On acyclic colorings of planar graphs **25** (1979) 211–236
Borodin, O.V., Cyclic coloring of plane graphs **100** (1992) 281–289
Borodin, O.V., Diagonal coloring of the vertices of triangulations (*Note*) **102** (1992) 95–96
Borodin, O.V. and J. Mayer, Decomposition of K_{13} into a torus graph and a graph imbedded in the Klein bottle (*Note*) **102** (1992) 97–98
Borodin, O.V., Simultaneous coloring of edges and faces of plane graphs **128** (1-3) (1994) 21–33
Borodin, O.V., Triangles with restricted degree sum of their boundary vertices in plane graphs **137** (1-3) (1995) 45–51
Borodin, O.V., Irreducible graphs in the Grünbaum–Havel 3-colour problem **159** (1-3) (1996) 247–249

Borodin, O.V., A new proof of Grünbaum's 3 color theorem **169** (1-3) (1997) 177–183
Borodin, O.V., Triangulated 3-polytopes without faces of low weight **186** (1-3) (1998) 281–285
Borodin, O.V., A.V. Kostochka, J. Nešetřil, A. Raspaud and E. Sopena, On universal graphs for planar oriented graphs of a given girth **188** (1-3) (1998) 73–85
Borodin, O.V., A.V. Kostochka and D.R. Woodall, On kernel-perfect orientations of line graphs **191** (1-3) (1998) 45–49
Boros, E., On a linear diophantine problem for geometrical type sequences **66** (1987) 27–33
Boros, E. and P.L. Hammer, On clustering problems with connected optima in Euclidean spaces **75** (1989) 81–88
Boros, E., On shift stable hypergraphs (*Communication*) **87** (1991) 81–84
Boros, E. and R. Meshulam, On the number of flats spanned by a set of points in $PG(d,q)$ **150** (1-3) (1996) 407–409
Boros, E. and V. Gurvich, Perfect graphs are kernel solvable **159** (1-3) (1996) 35–55
Boros, E. and O. Čepek, On perfect $0,\pm 1$ matrices **165-166** (1-3) (1997) 81–100
Boros, E. and V. Gurvich, A corrected version of the Duchet kernel conjecture **179** (1-3) (1998) 231–233
Borosh, I., M. Flahive and B. Treybig, Small solutions of linear Diophantine equations **58** (1986) 215–220
Borovik, A.V., I. Gelfand and N. White, On exchange properties for Coxeter matroids and oriented matroids **179** (1-3) (1998) 59–72
Borowiecki, M. and E. Drgas-Burchardt, Classes of chromatically unique graphs **111** (1993) 71–75
Borowiecki, M. and E. Drgas-Burchardt, Classes of chromatically unique or equivalent graphs **121** (1993) 11–18
Borowiecki, M. and D. Michalak, Generalized independence and domination in graphs **191** (1-3) (1998) 51–56
Borwein, D., S. Rankin and L. Renner, Enumeration of injective partial transformations (*Communication*) **73** (1989) 291–296
Borzacchini, L. and C. Pulito, Some results on conversion matrices **39** (1982) 255–261
Bosák, J., On the k-index of graphs **1** (1971) 133–146
Bose, R.C. and S.S. Shrikhande, Embedding the complement of an oval in a projective plane of even order **6** (1973) 305–312
Bose, R.C., W.G. Bridges and M.S. Shrikhande, A characterization of partial geometric designs **16** (1976) 1–7
Bose, R.C., W.G. Bridges and M.S. Shrikhande, Partial geometric designs and two-class partially balanced designs **21** (1978) 97–101
Boshernitzan, M. and A.S. Fraenkel, Nonhomogeneous spectra of numbers (*Communication*) **34** (1981) 325–327
Boswell, S.G. and J. Simpson, Edge-disjoint maximal planar graphs **179** (1-3) (1998) 235–241
Botlík, O., Modifications of object sizes and box capacities to achieve a simultaneous fitting **18** (1977) 105–108
Böttcher, M. and U. Knauer, Endomorphism spectra of graphs **109** (1992) 45–57
Bottreau, A., A. Di Bucchianico and D.E. Loeb, Computer algebra and Umbral Calculus **180** (1-3) (1998) 65–72
Bouchakour, M. and A.R. Mahjoub, One-node cutsets and the dominating set polytope **165-166** (1-3) (1997) 101–123
Bouchard, P., Y. Chiricota and G. Labelle, Arbres, arborescences et racines carrées symétriques **139** (1-3) (1995) 49–56
Bouchemakh, I. and K. Engel, The order-interval hypergraph of a finite poset and the König property **170** (1-3) (1997) 51–61
Bouchet, A. and R. Lopez-Bracho, Decomposition of a complete graph into trails of given lengths **42** (1982) 145–152
Bouchet, A., *see* D. Benard **62** (1986) 261–270
Bouchet, A., Unimodularity and circle graphs (*Communication*) **66** (1987) 203–208
Bouchet, A., Maps and Δ-matroids **78** (1989) 59–71
Bouchet, A., Recognizing locally equivalent graphs **114** (1993) 75–86
Bouchet, A. and L. Ghier, Connectivity and β-invariants of isotropic systems and 4-regular graphs **161** (1-3) (1996) 25–44
Bouchet, A. and W. Schwärzler, The delta-sum of matching delta-matroids **181** (1-3) (1998) 53–63
Boukliev, I.G., New bounds for the minimum length of quaternary linear codes of dimension five **169** (1-3) (1997) 185–192
Boulala, M. and J.-P. Uhry, Polytope des independants d'un graphe serie-parallele **27** (1979) 225–243

Bourgeois, B.A., *see* A.M. Hobbs **67** (1987) 27–42
Bousquet-Mélou, M. and J.-M. Fédou, The generating function of convex polyominoes: the resolution of a q-differential system **137** (1-3) (1995) 53–75
Bousquet-Mélou, M. and L. Habsieger, Sur les matrices à signes alternants **139** (1-3) (1995) 57–72
Bousquet-Mélou, M., A method for the enumeration of various classes of column-convex polygons **154** (1-3) (1996) 1–25
Bousquet-Mélou, M., New enumerative results on two-dimensional directed animals **180** (1-3) (1998) 73–106
Boutin, D.L., *see* M.O. Albertson **127** (1-3) (1994) 15–21
Bouwkamp, C.J., On some new simple perfect squared squares **106/107** (1992) 67–75
Bouwkamp, C.J., On step-2 transforms for simple perfect squared squares **179** (1-3) (1998) 243–252
Bowler, A., Generalised Bhaskar Rao designs over non-Abelian groups **125** (1994) 67–72
Bowler, A., On the fixed points of an automorphism of a symmetric design **138** (1-3) (1995) 119–124
Bowler, A., Orthomorphisms of dihedral groups **167-168** (1-3) (1997) 141–144
Boyce, W.M., On a simple optimal stopping problem **5** (1973) 297–312
Boza, L., A. Diánez and A. Márquez, The center of an infinite graph **161** (1-3) (1996) 45–52
Brading, P.W., *see* D.A. Preece **125** (1994) 319–327
Bradley, G.H., Transformation of integer programs to knapsack problems **1** (1971) 29–45
Brainerd, B., On a class of languages occurring in the study of theatre **2** (1972) 195–198
Brand, N., Isomorphic designs that are not multiplier equivalent (*Communication*) **57** (1985) 159–165
Brand, N., Isomorphisms of cyclic combinatorial objects **78** (1989) 73–81
Brand, N., On the Bays–Lambossy theorem **78** (1989) 217–222
Brand, N. and S. Sutinuntopas, One-factors and the existence of affine designs **120** (1993) 25–35
Brandes, H., H. Harborth, H.-D.O.F. Gronau and C. Schwahn, Ramsey numbers for sets of small graphs **125** (1994) 73–86
Brandstädt, A., Partitions of graphs into one or two independent sets and cliques **152** (1-3) (1996) 47–54
Brandstädt, A., V.D. Chepoi and F.F. Dragan, Perfect elimination orderings of chordal powers of graphs **158** (1-3) (1996) 273–278
Brandstädt, A., *see* F.F. Dragan **162** (1-3) (1996) 93–108
Brandstädt, A., F.F. Dragan and F. Nicolai, LexBFS-orderings and powers of chordal graphs **171** (1-3) (1997) 27–42
Brandstädt, A., Van Bang Le and T. Szymczak, Duchet-type theorems for powers of HHD-free graphs **177** (1-3) (1997) 9–16
Brandstädt, A., Corrigendum **186** (1-3) (1998) 295
Brandt, S. and E. Dobson, The Erdős–Sós conjecture for graphs of girth 5 **150** (1-3) (1996) 411–414
Brandt, S., *see* D. Amar **181** (1-3) (1998) 31–36
Brandt, S., The local density of triangle-free graphs **183** (1-3) (1998) 17–25
Brant, L.J. and G.L. Mullen, A study of frequency cubes **69** (1988) 115–121
Brass, P., Packing constants in graphs and connectivity **137** (1-3) (1995) 353–355
Brass, P., On the Erdős-diameter of sets **150** (1-3) (1996) 415–419
Brawley, J.V. and L. Carlitz, Irreducibles and the composed product for polynomials over a finite field **65** (1987) 115–139
Brawley, J.V. and L. Carlitz, A test for additive decomposability of irreducibles over a finite field (*Note*) **76** (1989) 61–65
Brawley, J.V. and D. Brown, Composed products and module polynomials over finite fields **117** (1993) 41–56
Breckenridge, J.W., K. Varadarajan and K.H. Wehrhahn, Chains, multichains and Möbius numbers **120** (1993) 37–50
Breen, M., A better decomposition theorem for simply connected m-convex sets **24** (1978) 153–159
Breen, M., k-dimensional intersections of convex sets and convex kernels **36** (1981) 233–237
Breen, M., A decomposition theorem for $\aleph_1$-convex sets **41** (1982) 131–138
Bremser, P.S., Congruence classes of matrices in $\mathrm{GL}_2(F_q)$ (*Note*) **118** (1993) 243–249
Brennan, J.P. and J. Wolfskill, Remarks on the probability the determinant of an $n \times n$-matrix over a finite field vanishes (*Note*) **67** (1987) 311–313
Brenner, J.L. and R.C. Lyndon, Infinite Eulerian tessellations **46** (1983) 111–132
Brent, R.P. and B.D. McKay, Determinants and ranks of random matrices over $\mathbb{Z}_m$ **66** (1987) 35–49
Brenti, F., Kazhdan–Lusztig and R-polynomials from a combinatorial point of view **193** (1-3) (1998) 93–116

Brešar, B., On clique-gated graphs **199** (1-3) (1999) 201–205
Bressoud, D.M. and D. Zeilberger, A short Rogers-Ramanujan bijection (*Communication*) **38** (1982) 313–315
Bressoud, D.M., *see* G.E. Andrews **49** (1984) 223–236
Bressoud, D.M., *see* D. Zeilberger **54** (1985) 201–224
Bressoud, D.M., Problems on the Z-statistic **73** (1988/89) 37–48
Bressoud, D.M., Unimodality of Gaussian polynomials **99** (1992) 17–24
Brewster, R.C., P. Hell and G. MacGillivray, The complexity of restricted graph homomorphisms **167-168** (1-3) (1997) 145–154
Brewster, T.L., M.J. Dinneen and V. Faber, A computational attack on the conjectures of Graffiti: New counterexamples and proofs **147** (1-3) (1995) 35–55
Bridges, W.G., Replication results for certain combinatorial configurations **6** (1973) 191–199
Bridges, W.G. and M.S. Shrikhande, Special partially balanced incomplete block designs and associated graphs **9** (1974) 1–18
Bridges, W.G., *see* R.C. Bose **16** (1976) 1–7
Bridges, W.G., *see* R.C. Bose **21** (1978) 97–101
Bridges, W.G., *see* Bhagwandas **37** (1981) 159–166
Brigham, R.C. and R.D. Dutton, Graphs which, with their complements, have certain clique covering numbers **34** (1981) 1–7
Brigham, R.C. and R.D. Dutton, On clique covers and independence numbers of graphs **44** (1983) 139–144
Brigham, R.C. and R.D. Dutton, Upper bounds on the edge clique cover number of a graph **52** (1984) 31–37
Brigham, R.C., *see* A.P. Shelton **59** (1986) 199–201
Brigham, R.C., *see* R.D. Dutton **76** (1989) 191–195
Brigham, R.C. and R.D. Dutton, Factor domination in graphs **86** (1990) 127–136
Brigham, R.C., *see* R.D. Dutton **147** (1-3) (1995) 293–295
Brightwell, G., *see* B. Bollobás **75** (1989) 47–53
Brightwell, G. and J. Nešetřil, Reorientations of covering graphs **88** (1991) 129–132
Brightwell, G., Linear extensions of random orders **125** (1994) 87–96
Brightwell, G., *see* M. Anthony **138** (1-3) (1995) 43–56
Brightwell, G.R., Linear extensions of infinite posets **70** (1988) 113–136
Brini, A., *see* M. Barnabei **29** (1980) 13–17
Brini, A., *see* M. Barnabei **31** (1980) 261–270
Brinkmann, G. and E. Steffen, 3- and 4-critical graphs of small even order **169** (1-3) (1997) 193–197
Brito, D., *see* D. Amar **181** (1-3) (1998) 31–36
Britto-Pacumio, R.A., Limits of iterated H-line graphs **199** (1-3) (1999) 1–10
Brlek, S., *see* J.-P. Allouche **139** (1-3) (1995) 455–461
Broadie, M.N. and R.W. Cottle, A note on triangulating the 5-cube **52** (1984) 39–49
Brochet, J.-M. and M. Pouzet, Gallai–Milgram properties for infinite graphs **95** (1991) 23–47
Brock, B.W., A new construction of circulant $GH(p^2; \mathbf{Z}_p)$ (*Note*) **112** (1993) 249–252
Broder, A.Z., The r-Stirling numbers **49** (1984) 241–259
Broere, I. and C.M. Mynhardt, Remarks on the critical graph conjecture **26** (1979) 209–212
Broere, I. and M. Frick, On the order of uniquely (k, m)-colourable graphs **82** (1990) 225–232
Broere, I., J.H. Hattingh, M.A. Henning and A.A. McRae, Majority domination in graphs **138** (1-3) (1995) 125–135
Broere, I., *see* G. Benadé **162** (1-3) (1996) 13–22
Broersma, H., H. Li, J. Li, F. Tian and H.J. Veldman, Cycles through subsets with large degree sums **171** (1-3) (1997) 43–54
Broersma, H.J. and F. Göbel, Coloring a graph optimally with two colors **118** (1993) 23–31
Broersma, H.J., A note on K_4-closures in hamiltonian graph theory **121** (1993) 19–23
Broersma, H.J., J. van den Heuvel and H.J. Veldman, Long cycles, degree sums and neighborhood unions **121** (1993) 25–35
Broersma, H.J., J. van den Heuvel and H.J. Veldman, A generalization of Ore's Theorem involving neighborhood unions **122** (1993) 37–49
Broersma, H.J. and I. Schiermeyer, A closure concept based on neighborhood unions of independent triples **124** (1994) 37–47
Broersma, H.J., *see* D. Bauer **141** (1-3) (1995) 1–10

Broersma, H.J., A note on the minimum size of a vertex pancyclic graph **164** (1-3) (1997) 29–32
Broersma, H.J., Z. Ryjáček and I. Schiermeyer, Dirac's minimum degree condition restricted to claws **167-168** (1-3) (1997) 155–166
Broersma, H.J., *see* T. Böhme **170** (1-3) (1997) 219–222
Broersma, H.J. and H. Trommel, Closure concepts for claw-free graphs **185** (1-3) (1998) 231–238
Brooks, R.L., C.A.B. Smith, A.H. Stone and W.T. Tutte, Determinants and current flows in electric networks **100** (1992) 291–301
Broué, M., Codes correcteurs d'erreurs auto-orthogonaux sur le corps a deux elements et formes quadratiques entieres definies positives a discriminant +1 **17** (1977) 247–269
Brousek, J., Minimal 2-connected non-hamiltonian claw-free graphs **191** (1-3) (1998) 57–64
Brousek, J., Z. Ryjáček and O. Favaron, Forbidden subgraphs, hamiltonicity and closure in claw-free graphs **196** (1-3) (1999) 29–50
Brousek, J., Z. Ryjáček and I. Schiermeyer, Forbidden subgraphs, stability and hamiltonicity **197-198** (1-3) (1999) 143–155
Brouwer, A., *see* A. Blokhuis **97** (1991) 63–68
Brouwer, A.E., *see* M.R. Best **17** (1977) 235–245
Brouwer, A.E., A. Schrijver and H. Hanani, Group divisible designs with block-size four **20** (1977) 1–10
Brouwer, A.E. and R. Tijdeman, On the edge-colouring problem for unions of complete uniform hypergraphs **34** (1981) 241–260
Brouwer, A.E. and G.H.J. van Rees, More mutually orthogonal Latin squares **39** (1982) 263–281
Brouwer, A.E., P. Duchet and A. Schrijver, Graphs whose neighborhoods have no special cycles **47** (1983) 177–182
Brouwer, A.E., Distance regular graphs of diameter 3 and strongly regular graphs (*Note*) **49** (1984) 101–103
Brouwer, A.E., An inequality in binary vector spaces (*Note*) **59** (1986) 315–317
Brouwer, A.E., *see* A. Blokhuis **74** (1989) 335–339
Brouwer, A.E., A unital in the Hughes plane of order nine (*Note*) **77** (1989) 55–56
Brouwer, A.E., A note on completely regular codes (*Communication*) **83** (1990) 115–117
Brouwer, A.E., *see* A. Blokhuis **106/107** (1992) 53–60
Brouwer, A.E. and W.H. Haemers, Structure and uniqueness of the (81, 20, 1, 6) strongly regular graph **106/107** (1992) 77–82
Brouwer, A.E., H.A. Wilbrink and W.H. Haemers, Some 2-ranks **106/107** (1992) 83–92
Brouwer, A.E., On complete regularity of extended codes (*Note*) **117** (1993) 271–273
Brouwer, A.E. and J.H. Koolen, A new infinite series of regular uniformly geodetic code graphs (*Note*) **120** (1993) 241–247
Brouwer, A.E. and M. Numata, A characterization of some graphs which do not contain 3-claws **124** (1994) 49–54
Brouwer, A.E., On the uniqueness of a regular thin near octagon on 288 vertices (or the semibiplane belonging to the Mathieu group M_{12}) **126** (1994) 13–27
Brouwer, A.E., Variations on a theme by Weetman **138** (1-3) (1995) 137–145
Brouwer, A.E., *see* A. Blokhuis **163** (1-3) (1997) 225–227
Brouwer, A.E. and H.M. Mulder, The vertex connectivity of a 0,2-graph equals its degree **169** (1-3) (1997) 153–155
Brown, D., *see* J.V. Brawley **117** (1993) 41–56
Brown, D.P., Compound and unimodular matrices **19** (1977) 1–5
Brown, D.P., Compound connection matrices **30** (1980) 203–209
Brown, H., L. Hjelmeland and L. Masinter, Constructive graph labeling using double cosets **7** (1974) 1–30
Brown, H. and L. Masinter, An algorithm for the construction of the graphs of organic molecules **8** (1974) 227–244
Brown, J.I., D. Kelly, J. Schönheim and R.E. Woodrow, Graph coloring satisfying restraints **80** (1990) 123–143
Brown, J.I. and D.G. Corneil, Graph properties and hypergraph colourings **98** (1991) 81–93
Brown, J.I., A vertex critical graph without critical edges (*Note*) **102** (1992) 99–101
Brown, J.I. and S. Watson, Mutually complementary partial orders **113** (1993) 27–39
Brown, J.I. and S. Watson, The number of complements of a topology on n points is at least 2^n (except for some special cases) **154** (1-3) (1996) 27–39
Brown, J.I., *see* D. Achlioptas **179** (1-3) (1998) 1–11

Brown, J.I., Chromatic polynomials and order ideals of monomials **189** (1-3) (1998) 43–68
Brown, M. and R. Connelly, On graphs with a constant link, II **11** (1975) 199–232
Brown, R.B., Sequences of functions of binomial type **6** (1973) 313–331
Brown, R.B., Nonexistence of a regular graph design with $v = 17$ and $k = 6$ (*Note*) **68** (1988) 315–318
Brown, T.C., Common transversals for partitions of a finite set **51** (1984) 119–124
Brown, W.G. and M. Simonovits, Digraph extremal problems, hypergraph extremal problems, and the densities of graph structures **48** (1984) 147–162
Brualdi, R.A. and G.W. Dinolt, Truncations of principal geometries **12** (1975) 113–138
Brualdi, R.A., The diagonal hypergraph of a matrix (bipartite graph) **27** (1979) 127–147
Brualdi, R.A. and J.A. Ross, Matrices with isomorphic diagonal hypergraphs **33** (1981) 123–138
Brualdi, R.A. and J.L. Goldwasser, Permanent of the Laplacian matrix of trees and bipartite graphs **48** (1984) 1–21
Brualdi, R.A. and R. Manber, Chromatic number of classes of matrices of zeros and ones **50** (1984) 143–152
Brualdi, R.A. and E.S. Solheid, Maximum determinants of complementary acyclic matrices of zeros and ones **61** (1986) 1–19
Brualdi, R.A. and J. Csima, Extending subpermutation matrices in regular classes of matrices (*Note*) **62** (1986) 99–101
Brualdi, R.A. and R. Manber, On strong digraphs with a unique minimally strong subdigraph **71** (1988) 1–7
Brualdi, R.A. and V.S. Pless, On the covering radius of a code and its subcodes **83** (1990) 189–199
Brualdi, R.A. and B.L. Shader, Matrices of 0's and 1's with restricted permanental minors **96** (1991) 161–174
Brualdi, R.A., N. Cai and V.S. Pless, Orphan structure of the first-order Reed–Muller codes **102** (1992) 239–247
Brualdi, R.A. and J.J. Quinn Massey, Incidence and strong edge colorings of graphs **122** (1993) 51–58
Brualdi, R.A. and A. Fonseca, On the quasi-transversals of a matroid **146** (1-3) (1995) 293–297
Brualdi, R.A., J.S. Graves and K.M. Lawrence, Codes with a poset metric **147** (1-3) (1995) 57–72
Brualdi, R.A. and J.A.D. da Silva, A retract characterization of posets with the fixed-point property **169** (1-3) (1997) 199–203
Bruen, A. and R. Dixon, The n-queens problem (*Note*) **12** (1975) 393–395
Bruen, A.A. and J.C. Fisher, An observation on certain point-line configurations in classical planes **106/107** (1992) 93–96
Bruen, A.A., Solution to a question of A. Beutelspacher on finite linear spaces **129** (1-3) (1994) 219–220
Brunat, J.M., M. Espona, M.A. Fiol and O. Serra, On Cayley line digraphs **138** (1-3) (1995) 147–159
Brunat, J.M., M. Maureso and M. Mora, Characterization of c-circulant digraphs of degree two which are circulant **165-166** (1-3) (1997) 125–137
Brunat, J.M., M.A. Fiol and M.L. Fiol, Digraphs on permutations **174** (1-3) (1997) 73–86
Brunat, J.M., M. Maureso and M. Mora, Endo-circulant digraphs: connectivity and generalized cycles **197-198** (1-3) (1999) 157–167
Brunetti, S., *see* E. Barcucci **190** (1-3) (1998) 235–240
Brunton, B.E., B.J. Wilson and T.S. Griggs, Graphs which have $n/2$-minimal line-distinguishing colourings **155** (1-3) (1996) 19–26
Bruyère, V. and C. De Felice, Synchronization and decomposability for a family of codes: Part 2 **140** (1-3) (1995) 47–77
Bruyneel, G., *see* W. Mielants **37** (1981) 73–77
Bry, F., On the factorization of graphs with exactly one vertex of infinite degree (*Note*) **43** (1983) 317–320
Bryant, D.E. and S. Oates-Williams, Mendelsohn designs associated with a class of idempotent quasigroups **138** (1-3) (1995) 161–167
Bryant, D.E., *see* P. Adams **149** (1-3) (1996) 1–9
Bryant, D.E., A special class of nested Steiner triple systems **152** (1-3) (1996) 315–320
Bryant, D.E. and S. Oates-Williams, Strongly 2-perfect cycle systems and their quasigroups **167-168** (1-3) (1997) 167–174
Bryant, D.E., C.A. Rodger and E.R. Spicer, Embeddings of m-cycle systems and incomplete m-cycle systems: $m \leqslant 14$ **171** (1-3) (1997) 55–75
Bryant, R.D. and H. Fredricksen, Covering the de Bruijn graph **89** (1991) 133–148
Bryant, V. and H. Perfect, Some characterization theorems for circuit spaces associated with graphs **18** (1977) 109–124

Bryant, V., A characterisation of some 2-connected graphs and a comment on an algorithmic proof of Brooks' theorem **158** (1-3) (1996) 279–281
Brylawski, T., The lattice of integer partitions **6** (1973) 201–219
Brylawski, T., Connected matroids with the smallest Whitney numbers **18** (1977) 243–252
Brylawski, T. and J. Oxley, Several identities for the characteristic polynomial of a combinatorial geometry **31** (1980) 161–170
Brylawski, T.H., Some properties of basic families of subsets **6** (1973) 333–341
Brylawski, T.H., Hyperplane reconstruction of the Tutte polynomial of a geometric lattice **35** (1981) 25–38
Brylawski, T.H. and E. Dieter, Exchange systems **69** (1988) 123–151
Bryś, K. and Z. Lonc, Clique and anticlique partitions of graphs **185** (1-3) (1998) 41–49
Brzozowski, J.A. and I. Simon, Characterizations of locally testable events **4** (1973) 243–271
Brzozowski, J.A., Run languages **16** (1976) 299–307
Brzozowski, J.A. and F.E. Fich, On generalized locally testable languages **50** (1984) 153–169
Bu, T., Partitions of a vector space (*Note*) **31** (1980) 79–83
Buck, M. and D. Wiedemann, Gray codes with restricted density **48** (1984) 163–171
Buckingham, M.A. and M.C. Golumbic, Partitionable graphs, circle graphs, and the Berge Strong Perfect Graph Conjecture **44** (1983) 45–54
Buckley, F., The central ratio of a graph **38** (1982) 17–21
Buckley, F., *see* Y. Alavi **72** (1988) 3–13
Bucko, J., *see* P. Mihók **191** (1-3) (1998) 149–158
Buekenhout, F., Questions about linear spaces **129** (1-3) (1994) 19–27
Buekenhout, F. and M. Parker, The number of nets of the regular convex polytopes in dimension $\leqslant 4$ **186** (1-3) (1998) 69–94
Bugata, P., Trahtenbrot–Zykov problem and NP-completeness **108** (1992) 253–259
Bugata, P., M. Horňák and A. Nagy, On (1,2)-realizable graphs **158** (1-3) (1996) 37–47
Bumiller, C., On rank three graphs with a large eigenvalue (*Note*) **23** (1978) 1–15
Buneman, P., A characterisation of rigid circuit graphs **9** (1974) 205–212
Buratti, M., Constructions of $(q,k,1)$ difference families with q a prime power and k=4,5 **138** (1-3) (1995) 169–175
Buratti, M., Edge-colourings characterizing a class of Cayley graphs and a new characterization of hypercubes **161** (1-3) (1996) 291–295
Buratti, M., *see* L. Berardi **174** (1-3) (1997) 35–46
Burge, W.H., A correspondence between partitions related to generalizations of the Rogers–Ramanujan indentities **34** (1981) 9–15
Burger, A.P., E.J. Cockayne and C.M. Mynhardt, Domination and irredundance in the queens' graph **163** (1-3) (1997) 47–66
Burkard, R.E., A general Hungarian method for the algebraic transportation problem **22** (1978) 219–232
Burkard, R.E., *see* R. Euler **62** (1986) 155–181
Burkard, R.E., T. Dudás and T. Maier, Cut and patch Steiner trees for ladders **161** (1-3) (1996) 53–61
Burkard, R.E., *see* Q.F. Yang **176** (1-3) (1997) 233–254
Burkill, H. and L. Mirsky, Combinatorial problems on the existence of large submatrices I **6** (1973) 15–28
Burkill, H. and L. Mirsky, Combinatorial problems on the existence of large submatrices II **20** (1977) 103–108
Burlet, M. and J. Fonlupt, Polyhedral consequences of the amalgam operation **130** (1-3) (1994) 39–55
Burlet, M. and A.V. Karzanov, Minimum weight (T,d)-joins and multi-joins **181** (1-3) (1998) 65–76
Burmeister, P., On maximal objects in classes of (di)graphs determined by prescribed factorobjects **35** (1981) 17–23
Burns, D., S.F. Kapoor and P.A. Ostrand, Edge cosymmetric graphs **32** (1980) 99–103
Burosch, G. and J.-M. Laborde, Characterization of grid graphs (*Communication*) **87** (1991) 85–88
Burosch, G., I. Havel and J.-M. Laborde, Distance monotone graphs and a new characterization of hypercubes **110** (1992) 9–16
Burosch, G. and P.V. Ceccherini, Isometric embeddings into cube-hypergraphs **137** (1-3) (1995) 77–85
Burosch, G. and P.V. Ceccherini, A characterization of cube-hypergraphs **152** (1-3) (1996) 55–68
Burosch, G., H.-D.O.F. Gronau, J.-M. Laborde and I. Warnke, On posets of m-ary words **152** (1-3) (1996) 69–91
Burr, S.A. and J.A. Roberts, On Ramsey numbers for linear forests **8** (1974) 245–250

Burr, S.A., P. Erdös, R.J. Faudree, C.C. Rousseau and R.H. Schelp, Ramsey-minimal graphs for star-forests **33** (1981) 227–237
Burr, S.A., P. Erdös, R.J. Faudree, C.C. Rousseau and R.H. Schelp, Ramsey-minimal graphs for forests **38** (1982) 23–32
Burr, S.A., Multicolor Ramsey numbers involving graphs with long suspended paths **40** (1982) 11–20
Burr, S.A. and J.W. Grossman, Ramsey numbers of graphs with long tails **41** (1982) 223–227
Burr, S.A., Some undecidable problems involving the edge-coloring and vertex-coloring of graphs **50** (1984) 171–177
Burr, S.A., J. Nešetřil and V. Rödl, On the use of senders in generalized Ramsey theory for graphs **54** (1985) 1–13
Burr, S.A., On the Ramsey numbers $r(G, nH)$ and $r(nG, nH)$ when n is large **65** (1987) 215–229
Burr, S.A., What can we hope to accomplish in generalized Ramsey theory? **67** (1987) 215–225
Burr, S.A., On Ramsey numbers for large disjoint unions of graphs **70** (1988) 277–293
Burris, A.C., The irregular coloring number of a tree **141** (1-3) (1995) 279–283
Burshtein, N., On distinct unit fractions whose sum equals 1 **5** (1973) 201–206
Burshtein, N., On natural exactly covering systems of congruences having moduli occurring at most M times **14** (1976) 205–214
Burzio, M. and J. Pelant, On complete strongly connected digraphs with the least number of 3-cycles **155** (1-3) (1996) 27–30
Burzio, M. and G. Ferrarese, The subdivision graph of a graceful tree is a graceful tree **181** (1-3) (1998) 275–281
Buset, D., Graphs which are locally a cube **46** (1983) 221–226
Buset, D., Orbits on vertices and edges of finite graphs (*Communication*) **57** (1985) 297–299
Bussemaker, F.C. and V.D. Tonchev, New extremal doubly-even codes of length 56 derived from Hadamard matrices of order 28 (*Communication*) **76** (1989) 45–49
Bussemaker, F.C. and V.D. Tonchev, Extremal doubly-even codes of length 40 derived from Hadamard matrices of order 20 (*Communication*) **82** (1990) 317–321
Buzeţeanu, Ş.N., *see* V. Domocoş **147** (1-3) (1995) 287–292
Buzeţeanu, Ş.N. and V. Domocoş, Polynomial identities from weighted lattice path counting **150** (1-3) (1996) 421–425
Byard, K., *see* D. Jennings **167-168** (1-3) (1997) 405–410
Byard, K., *see* D. Jennings **181** (1-3) (1998) 283–288
Byer, O.D., Two path extremal graphs and an application to a Ramsey-type problem **196** (1-3) (1999) 51–64
Bylka, S. and J. Komar, Intersection properties of line graphs **164** (1-3) (1997) 33–45
Bylka, S., A. Idzik and Z. Tuza, Maximum cuts: Improvements and local algorithmic analogues of the Edwards–Erdős inequality **194** (1-3) (1999) 39–58
Cabaniss, S. and B.W. Jackson, Infinite families of bi-embeddings **82** (1990) 127–141
Caccetta, L. and R. Häggkvist, On diameter critical graphs **28** (1979) 223–229
Caccetta, L. and K. Vijayan, Long cycles in subgraphs with prescribed minimum degree **97** (1991) 69–81
Caccetta, L. and K. Vijayan, Maximal cycles in graphs **98** (1991) 1–7
Caccetta, L. and W.F. Smyth, Graphs of maximum diameter **102** (1992) 121–141
Caccetta, L., *see* N. Achuthan **151** (1-3) (1996) 3–13
Caccetta, L., *see* N. Ananchuen **170** (1-3) (1997) 1–13
Caccetta, L., *see* R.P. Anstee **179** (1-3) (1998) 37–47
Caccetta, L. and R.Z. Jia, On a problem concerning ordered colourings **190** (1-3) (1998) 241–245
Cai, L. and D. Corneil, On cycle double covers of line graphs (*Note*) **102** (1992) 103–106
Cai, M.-c., A new bound on the length of the shortest string containing all r-permutations (*Note*) **39** (1982) 329–330
Cai, M.-c., Minimally k-connected graphs of low order and maximal size **41** (1982) 229–234
Cai, M.-c., A counterexample to a conjecture of Grant (*Note*) **44** (1983) 111
Cai, M.-c., Solutions to Edmonds' and Katona's problems on families of separating subsets **47** (1983) 13–21
Cai, M.-c., On a problem of Katona on minimal completely separating systems with restrictions (*Note*) **48** (1984) 121–123
Cai, M.-c., On separating systems of graphs **49** (1984) 15–20
Cai, M.-c., Restricted covering of digraphs with arborescences **82** (1990) 143–152

Cai, M.-c., The maximal size of graphs with at most k edge-disjoint paths connecting any two adjacent vertices **85** (1990) 43–52
Cai, M.-c., On some factor theorems of graphs (*Note*) **98** (1991) 223–229
Cai, M.-c., A remark on the number of vertices of degree k in a minimally k-edge-connected graph **104** (1992) 221–226
Cai, M.-c., An algorithm for optimum common root functions of two digraphs **119** (1993) 13–20
Cai, M.-c., Connected $[k,k+1]$-factors of graphs **169** (1-3) (1997) 1–16
Cai, N., *see* R.A. Brualdi **102** (1992) 239–247
Cairnie, N. and K. Edwards, The achromatic number of bounded degree trees **188** (1-3) (1998) 87–97
Calahan-Zijlstra, R. and R.B. Gardner, Bicyclic Steiner triple systems **128** (1-3) (1994) 35–44
Calderbank, A.R., F.R.K. Chung and D.G. Sturtevant, Increasing sequences with nonzero block sums and increasing paths in edge-ordered graphs **50** (1984) 15–28
Calderbank, A.R. and P. Frankl, Binary codes and quasi-symmetric designs **83** (1990) 201–204
Calderbank, A.R., Covering machines **106/107** (1992) 105–110
Calderbank, R. and D.B. Wales, The Haemers partial geometry and the Steiner system $S(5,8,24)$ **51** (1984) 125–136
Calkin, N.J., A curious binomial identity **131** (1-3) (1994) 335–337
Calkin, N.J., On the structure of a random sum-free set of positive integers **190** (1-3) (1998) 247–257
Calmet, J., Algebraic algorithms in GF(q) **56** (1985) 101–109
Calude, C., On metrizability of the free monoids **15** (1976) 307–310
Calude, C. and V.E. Căzănescu, On topologies generated by Moisil resemblance relations **25** (1979) 109–115
Camarinopoulos, L., *see* A. Behr **187** (1-3) (1998) 31–38
Cambini, A., An explicit form of the inverse of a particular circulant matrix (*Communication*) **48** (1984) 323–325
Camerini, P.M. and F. Maffioli, Heuristically guided algorithm for K-parity matroid problems **21** (1978) 103–116
Cameron, K., A min–max relation for the partial q-colourings of a graph. Part II: Box perfection **74** (1989) 15–27
Cameron, K. and J. Edmonds, Coflow polyhedra **101** (1992) 1–21
Cameron, K., Coloured matchings in bipartite graphs **169** (1-3) (1997) 205–209
Cameron, P., Research problems **167-168** (1-3) (1997) 605–615
Cameron, P.J., Regular orbits of permutation groups on the power set (*Communication*) **62** (1986) 307–309
Cameron, P.J., Some sequences of integers **75** (1989) 89–102
Cameron, P.J., Several 2-(46, 6, 3) designs (*Note*) **87** (1991) 89–90
Cameron, P.J., The age of a relational structure **95** (1991) 49–67
Cameron, P.J., Covers of graphs and EGQs **97** (1991) 83–92
Cameron, P.J., Almost all quasigroups have rank 2 **106/107** (1992) 111–115
Cameron, P.J. and A.M. Cohen, On the number of fixed point free elements in a permutation group **106/107** (1992) 135–138
Cameron, P.J. and C.E. Praeger, Block-transitive t-designs I: point-imprimitive designs **118** (1993) 33–43
Cameron, P.J., An orbit theorem for Steiner triple systems **125** (1994) 97–100
Cameron, P.J., Two-graphs and trees **127** (1-3) (1994) 63–74
Cameron, P.J., Infinite linear spaces **129** (1-3) (1994) 29–41
Cameron, P.J., On the probability of connectedness **167-168** (1-3) (1997) 175–187
Cameron, P.J., A census of infinite distance-transitive graphs **192** (1-3) (1998) 11–26
Camina, A.R., Automorphism groups of block designs which are block transitive **57** (1985) 1–7
Camion, P., Linear codes with given authomorphism groups **3** (1972) 33–45
Cammack, L., *see* G. Schrag **78** (1989) 169–177
Campbell, C.M., On cages for girth pair $(6, b)$ **177** (1-3) (1997) 259–266
Campello de Souza, R.M. and P.G. Farrell, Finite field transforms and symmetry groups **56** (1985) 111–116
Canfield, E.R. and N.C. Wormald, Ménage numbers, bijections and P-recursiveness **63** (1987) 117–129
Canfield, E.R. and D.M. Jackson, A D-finiteness result for products of permutations **99** (1992) 25–30
Cannon, J.J., Construction of defining relators for finite groups **5** (1973) 105–129
Cao, F., D.-Z. Du, D. Frank Hsu, L. Hwang and W. Wu, Super line-connectivity of consecutive-d digraphs **183** (1-3) (1998) 27–38

Capobianco, M. and O. Frank, Graph evolution by stochastic additions of points and lines **46** (1983) 133–143
Caragiu, M., On a class of finite upper half-planes **162** (1-3) (1996) 49–66
Carbonara, J.O., A combinatorial interpretation of the inverse t-Kostka matrix **193** (1-3) (1998) 117–145
Carducci, O.M., The strong perfect graph conjecture holds for diamonded odd cycle-free graphs **110** (1992) 17–34
Cardy, S., The proof of, and generalisations to, a conjecture by Baker and Essam **4** (1973) 101–122
Carini, L. and J.B. Remmel, Formulas for the expansion of the plethysms $s_2[s_{(a,b)}]$ and $s_2[s_{(n^k)}]$ **193** (1-3) (1998) 147–177
Carlet, C., A general case of formal duality between binary nonlinear codes **111** (1993) 77–85
Carlitz, L., Enumeration of up-down sequences **4** (1973) 273–286
Carlitz, L. and R. Scoville, Enumeration of rises and falls by position **5** (1973) 45–59
Carlitz, L. and T. Vaughan, Enumeration of sequences of given specification according to rises, falls and maxima **8** (1974) 147–167
Carlitz, L., R. Scoville and T. Vaughan, Enumeration of pairs of permutations **14** (1976) 215–239
Carlitz, L., Alternating sequences **17** (1977) 133–138
Carlitz, L., Explicit formulas for the Dumont-Foata polynomial **30** (1980) 211–225
Carlitz, L., *see* J.V. Brawley **65** (1987) 115–139
Carlitz, L., *see* J.V. Brawley **76** (1989) 61–65
Carlson, T.J., Some unifying principles in Ramsey theory **68** (1988) 117–169
Carmona, A., *see* C. Balbuena **167-168** (1-3) (1997) 85–100
Carmona, A., *see* M.C. Balbuena **174** (1-3) (1997) 3–17
Carmona, A., *see* M.C. Balbuena **174** (1-3) (1997) 19–27
Carmona, A., *see* C. Balbuena **197-198** (1-3) (1999) 61–75
Carmony, L.A. and S.T. Tan, s-quasi-symmetry **34** (1981) 17–24
Carnes, N.P., Cyclic antiautomorphisms of Mendelsohn triple systems **126** (1994) 29–45
Carnielli, W.A., On covering and coloring problems for rook domains **57** (1985) 9–16
Caro, Y. and J. Schönheim, Generalized 1-factorization of trees (*Note*) **33** (1981) 319–321
Caro, Y. and Y. Roditty, A note on packing trees into complete bipartite graphs and on Fishburn's Conjecture (*Note*) **82** (1990) 323–326
Caro, Y., On zero-sum Ramsey numbers — stars **104** (1992) 1–6
Caro, Y. and Z. Tuza, Bounded degrees and prescribed distances in graphs **111** (1993) 87–93
Caro, Y., *see* N. Alon **114** (1993) 3–7
Caro, Y., I. Krasikov and Y. Roditty, On induced subgraphs of trees, with restricted degrees **125** (1994) 101–106
Caro, Y., On induced subgraphs with odd degrees **132** (1-3) (1994) 23–28
Caro, Y., Y. Roditty and J. Schönheim, On colored designs — II **138** (1-3) (1995) 177–186
Caro, Y., Zero-sum problems — A survey **152** (1-3) (1996) 93–113
Caro, Y., On the generalized Erdős–Szekeres Conjecture — a new upper bound **160** (1-3) (1996) 229–233
Caro, Y., Y. Roditty and J. Schönheim, On colored designs — I **164** (1-3) (1997) 47–65
Carrillo, L.D., Hamiltonian-connected self-complementary graphs **127** (1-3) (1994) 75–93
Casali, M.R. and L. Grasselli, 2-Symmetric crystallizations and 2-fold branched coverings of S^3 **87** (1991) 9–22
Casali, M.R., Coloured knots and coloured graphs representing 3-fold simple coverings of $\mathbb{S}^3$ **137** (1-3) (1995) 87–98
Casey, K., *see* C. Barefoot **138** (1-3) (1995) 93–99
Casse, L.R.A. and D.G. Glynn, On the uniqueness of $(q+1)_4$-arcs of PG(4, q), $q=2^h$, $h\geqslant 3$ **48** (1984) 173–186
Casse, L.R.A., *see* M.G. Oxenham **92** (1991) 251–259
Catlin, P.A., Subgraphs of graphs **10** (1974) 225–233
Catlin, P.A., A bound on the chromatic number of a graph (*Note*) **22** (1978) 81–83
Catlin, P.A., Another bound on the chromatic number of a graph **24** (1978) 1–6
Catlin, P.A., Subgraphs with triangular components **27** (1979) 149–170
Catlin, P.A., Spanning eulerian subgraphs and matchings **76** (1989) 95–116
Catlin, P.A. and H.-J. Lai, Vertex arboricity and maximum degree **141** (1-3) (1995) 37–46
Catlin, P.A., The reduction of graph families closed under contraction **160** (1-3) (1996) 67–80
Catlin, P.A., Z.-Y. Han and H.-J. Lai, Graphs without spanning closed trails **160** (1-3) (1996) 81–91

Caughman, IV, J.S., Intersection numbers of bipartite distance-regular graphs **163** (1-3) (1997) 235–241
Caughman IV, J.S., The Terwilliger algebras of bipartite P- and Q-polynomial schemes **196** (1-3) (1999) 65–95
Caulfield, M.J., Full and quarter plane complete infinite latin squares **159** (1-3) (1996) 251–253
Cavicchioli, A., Lins-Mandel crystallizations **57** (1985) 17–37
Cavicchioli, A. and M. Meschiari, A homology theory for colored graphs **137** (1-3) (1995) 99–136
Căzănescu, V.E., Quelques propriétés algébriques des automates **2** (1972) 97–109
Căzănescu, V.E., *see* C. Calude **25** (1979) 109–115
Căzănescu, V.-E. and G. Ştefănescu, Classes of finite relations as initial abstract data types I **90** (1991) 233–265
Căzănescu, V.-E. and G. Ştefănescu, Classes of finite relations as initial abstract data types – II **126** (1994) 47–65
Ceccherini, P.V. and J.W.P. Hirschfeld, The dimension of projective geometry codes **106/107** (1992) 117–126
Ceccherini, P.V., *see* G. Burosch **137** (1-3) (1995) 77–85
Ceccherini, P.V., *see* G. Burosch **152** (1-3) (1996) 55–68
Ceccherini, P.V., *see* A. Barlotti **174** (1-3) (1997) 1
Cechlárová, K. and P. Szabó, On the Monge property of matrices **81** (1990) 123–128
Cedeño, W., *see* I.J. Dejter **114** (1993) 131–135
Çela, E., *see* Q.F. Yang **176** (1-3) (1997) 233–254
Cenzer, D. and E. Howorka, On vertex k-partitions of certain infinite graphs **23** (1978) 105–113
Čepek, O., *see* E. Boros **165-166** (1-3) (1997) 81–100
Ćepulić, V. and M. Essert, Biplanes (56, 11, 2) with automorphisms of order 4 fixing some point **71** (1988) 9–17
Ćepulić, V., On symmetric block designs (40,13,4) with automorphisms of order 5 **128** (1-3) (1994) 45–60
Ćepulić, V., The unique symmetric block design (61, 16, 4) admitting an automorphism of order 15 operating standardly (*Note*) **175** (1-3) (1997) 259–263
Cerasoli, M., On the probability of a boolean polynomial of events (*Communication*) **44** (1983) 221–227
Cerasoli, M., Enumeration with the lattice of periods (*Communication*) **59** (1986) 191–198
Cerdeira, J.O., *see* F. Göbel **87** (1991) 29–40
Cerdeira, J.O. and P. Barcia, Ordered matroids and regular independence systems **154** (1-3) (1996) 255–261
Cerlienco, L. and M. Mureddu, Generalized Robinson–Schensted correspondences: A new algorithm **133** (1-3) (1994) 79–88
Cerlienco, L. and M. Mureddu, From algebraic sets to monomial linear bases by means of combinatorial algorithms **139** (1-3) (1995) 73–87
Černý, A., P. Horák and W.D. Wallis, Kirkman's school projects **167-168** (1-3) (1997) 189–196
Chabanne, H. and N. Sendrier, On the concatenated structures of a [49, 18, 12] binary abelian code (*Communication*) **112** (1993) 245–248
Chadjiconstantinidis, S. and T. Chadjipadelis, A construction method of new D-, A-optimal weighing designs when $N \equiv 3 \bmod 4$ and $k \leqslant N-1$. **131** (1-3) (1994) 39–50
Chadjipadelis, T., *see* S. Chadjiconstantinidis **131** (1-3) (1994) 39–50
Chadjipantelis, Th. and S. Kounias, Supplementary difference sets and D-optimal designs for $n \equiv 2 \bmod 4$ **57** (1985) 211–216
Chaffer, R.A., A construction of orthogonal arrays and applications to embedding theorems **39** (1982) 23–29
Chaimovich, M., Fast exact and approximate algorithms for k-partition and scheduling independent tasks **114** (1993) 87–103
Chakravarti, I.M., Geometric construction of some families of two-class and three-class association schemes and codes from nondegenerate and degenerate Hermitian varieties **111** (1993) 95–103
Chakravarti, I.M., A three-class association scheme on the flags of a finite projective plane and a (PBIB) design defined by the incidence of the flags and the Baer subplanes in PG$(2, q^2)$ (*Note*) **120** (1993) 249–252
Chamberlin, S.R. and D.A. Sprott, On a discrete distribution associated with the statistical assessment of nominal scale agreement **92** (1991) 39–47
Chameni Nembua, C. and B. Monjardet, Finite pseudocomplemented lattices and 'permutoedre' **111** (1993) 105–112
Champetier, C., On the null-homotopy of graphs (*Note*) **64** (1987) 97–98
Chan, A.H., Embedding of a pseudo-point residual design into a Möbius plane **37** (1981) 29–33
Chan, O., C.C. Chen and Q. Yu, On 2-extendable abelian Cayley graphs **146** (1-3) (1995) 19–32
Chan, T.-H., Nondecreasing subsequences of t-sequences (*Note*) **79** (1989/90) 215–218

Chan, W., An exchange property of matroid **146** (1-3) (1995) 299–302
Chan, W.H., *see* P.C.B. Lam **173** (1-3) (1997) 285–289
Chan, W.-K., M.-K. Siu and S.-L. Ma, Nonexistence of certain perfect arrays **125** (1994) 107–113
Chandak, M.L., *see* B.L. Misra **34** (1981) 85–87
Chandra, A.K. and G. Markowsky, On the number of prime implicants **24** (1978) 7–11
Chandrasekaran, R. and S. Shirali, Total weak unimodularity: Testing and applications **51** (1984) 137–145
Chandrasekaran, R. and S.N. Kabadi, Pseudomatroids **71** (1988) 205–217
Chang, C.-C., *see* C. Chen **170** (1-3) (1997) 223–230
Chang, D.K., Permanents of doubly stochastic matrices (*Note*) **62** (1986) 211–213
Chang, G.J., The domatic number problem **125** (1994) 115–122
Chang, G.J. and Y.-J. Tsay, The partial gossiping problem **148** (1-3) (1996) 9–14
Chang, G.J., *see* Y.-J. Tsay **163** (1-3) (1997) 165–172
Chang, G.J., *see* D. Kuo **169** (1-3) (1997) 121–131
Chang, G.J., *see* C. Chen **170** (1-3) (1997) 223–230
Chang, G.J., *see* S.-C. Liaw **196** (1-3) (1999) 219–227
Chang, G.J. and M.-J. Jou, The number of maximal independent sets in connected triangle-free graphs **197-198** (1-3) (1999) 169–178
Chang, G.J., B. DasGupta, W.M. Dymàček, M. Fürer, M. Koerlin, Y.-S. Lee and T. Whaley, Characterizations of bipartite Steinhaus graphs **199** (1-3) (1999) 11–25
Chang, Y., *see* Q. Kang **118** (1993) 263–268
Chao, C.-Y., A note on labeled symmetric graphs (*Note*) **8** (1974) 295–297
Chao, C.-Y. and E.G. Whitehead Jr., Chromatically unique graphs **27** (1979) 171–177
Chao, C.-Y. and G.A. Novacky Jr., On maximally saturated graphs **41** (1982) 139–143
Chao, C.-Y. and L.-C. Zhao, A note concerning chromatic polynomials (*Note*) **45** (1983) 127–128
Chao, C.-Y. and J.G. Wells, On labeled vertex-transitive digraphs with a prime number of vertices (*Note*) **46** (1983) 311–315
Chao, C.-Y. and Z. Chen, On uniquely 3-colorable graphs **112** (1993) 21–27
Chao, C.-Y., A critically chromatic graph **172** (1-3) (1997) 3–7
Chao, C.-Y., Z.-Y. Guo and N.-Z. Li, On q-graphs **172** (1-3) (1997) 9–16
Chao, C.-Y. and Z. Chen, On uniquely 3-colorable graphs II **189** (1-3) (1998) 259–265
Chao, J.M. and H. Kaneta, Classical arcs in PG(r,q) for $11 \leqslant q \leqslant 19$ **174** (1-3) (1997) 87–94
Chapman, R.J. and B.S. Webb, A note on a lemma of Brauer **138** (1-3) (1995) 187–191
Chapman, R.J., Shrinking integer lattices **142** (1-3) (1995) 39–48
Charalambides, Ch.A., A problem of arrangements on chessboards and generalizations **27** (1979) 179–186
Charalambides, Ch.A., Bipartitional polynomials and their applications in combinatorics and statistics (*Note*) **34** (1981) 81–84
Charalambides, Ch.A. and M. Koutras, On the differences of the generalized factorials at an arbitrary point and their combinatorial applications **47** (1983) 183–201
Charalambides, Ch.A. and A. Kyriakoussis, An asymptotic formula for the exponential polynomials and a central limit theorem for their coefficients **54** (1985) 259–270
Chari, M.K., Matroid inequalities (*Communication*) **147** (1-3) (1995) 283–286
Chari, M.K., Reversible shellings and an inequality for h-vectors **159** (1-3) (1996) 255–259
Charlap, L.S., H.D. Rees and D.P. Robbins, The asymptotic probability that a random biased matrix is invertible **82** (1990) 153–163
Charles, P., *see* J. Stefan **163** (1-3) (1997) 201–208
Charnes, A. and F. Granot, Existence and representation of diophantine and mixed diophantine solutions to linear equations and inequalities **11** (1975) 233–248
Charon, I., A. Guénoche, O. Hudry and F. Woirgard, New results on the computation of median orders **165-166** (1-3) (1997) 139–153
Charpin, P., A descritpion of some extended cyclic codes with application to Reed–Solomon codes **56** (1985) 117–124
Charpin, P., Codes cycliques étendus affines-invariants et antichaines d'un ensemble partiellement ordonne **80** (1990) 229–247
Charpin, P., *see* T. Berger **117** (1993) 1–17
Chartrand, G. and S. Schuster, A note on cycle Ramsey numbers **5** (1973) 313–315

Chartrand, G., *see* Y. Alavi **62** (1986) 113–118
Chartrand, G., H. Hevia and R.J. Wilson, The ubiquitous Petersen graph **100** (1992) 303–311
Chartrand, G., H. Gavlas and M. Schultz, Convergent sequences of iterated H-line graphs **147** (1-3) (1995) 73–86
Chartrand, G., H. Hevia, E.B. Jarrett and M. Schultz, Subgraph distances in graphs defined by edge transfers **170** (1-3) (1997) 63–79
Chartrand, G., F. Harary and B.Q. Yue, On the out-domination and in-domination numbers of a digraph **197-198** (1-3) (1999) 179–183
Chase, K., Sandwich semigroups of binary relations **28** (1979) 231–236
Chase, P.J., Subsequence numbers and logarithmic concavity **16** (1976) 123–140
Chassé, G., Combinatorial cycles of a polynomial map over a commutative field **61** (1986) 21–26
Chastand, M. and N. Polat, Invariant Hamming graphs in infinite quasi-median graphs **160** (1-3) (1996) 93–104
Chaty, G. and M. Chein, A note on top down and bottom up analysis of strongly connected digraphs **16** (1976) 309–311
Chávez, M.J., *see* R. Ayala **194** (1-3) (1999) 13–37
Check, P.L. and C.J. Colbourn, Concerning difference families with block size four **133** (1-3) (1994) 285–289
Chee, Y.M., Graphical t-designs with block sizes three and four (*Note*) **91** (1991) 201–206
Chee, Y.M. and G.F. Royle, The 2-rotational Steiner triple systems of order 25 **97** (1991) 93–100
Chein, M., *see* G. Chaty **16** (1976) 309–311
Chein, M., M. Habib and M.C. Maurer, Partitive hypergraphs **37** (1981) 35–50
Chen, B., Parametric Möbius inversion formulas **169** (1-3) (1997) 211–215
Chen, B. and M. Yan, The geometric cone relations for simplicial and cubical complexes **183** (1-3) (1998) 39–46
Chen, B. and S. Zhou, Upper bounds for f-domination number of graphs **185** (1-3) (1998) 239–243
Chen, B. and S. Lawrencenko, Structural characterization of projective flexibility **188** (1-3) (1998) 233–238
Chen, B. and S. Zhou, Domination number and neighbourhood conditions **195** (1-3) (1999) 81–91
Chen, B.-L. and H.-L. Fu, Edge domination in complete partite graphs **132** (1-3) (1994) 29–35
Chen, B.-L., C.-K. Cheng, H.-L. Fu and K.-C. Huang, A study of the total chromatic number of equibipartite graphs **184** (1-3) (1998) 49–60
Chen, B.-L., L. Dong, Q.-Z. Liu and K.-C. Huang, Total colorings of equibipartite graphs **194** (1-3) (1999) 59–65
Chen, C., *see* L.-H. Hsu **65** (1987) 53–63
Chen, C., *see* Y. Zhu **85** (1990) 301–311
Chen, C. and J. Wang, Factors in graphs with odd-cycle property **112** (1993) 29–40
Chen, C., Binding number and toughness for matching extension **146** (1-3) (1995) 303–306
Chen, C., C.-C. Chang and G.J. Chang, Proper interval graphs and the guard problem **170** (1-3) (1997) 223–230
Chen, C., Matchings and matching extensions in graphs **186** (1-3) (1998) 95–103
Chen, C.C. and K.M. Koh, A characterization of finite distributive planar lattices **5** (1973) 207–213
Chen, C.C., On the structure of complete graphs without alternating cycles **28** (1979) 1–5
Chen, C.C. and P. Manalastas Jr., Every finite strongly connected digraph of stability 2 has a Hamiltonian path **44** (1983) 243–250
Chen, C.C., K.M. Koh and S.C. Lee, On the grading numbers of direct products of chains **49** (1984) 21–26
Chen, C.C., On edge-Hamiltonian property of Cayley graphs **72** (1988) 29–33
Chen, C.C., K.M. Koh and Y.H. Peng, On the higher-order edge toughness of a graph **111** (1993) 113–123
Chen, C.C., *see* O. Chan **146** (1-3) (1995) 19–32
Chen, C.C., *see* B. Alspach **151** (1-3) (1996) 19–38
Chen, C.C., G.L. Chia, K.M. Koh, N.Z. Li and K.L. Teo, Preface **172** (1-3) (1997) 1
Chen, D., C.C. Lindner and D.R. Stinson, Further results on large sets of disjoint group-divisible designs **110** (1992) 35–42
Chen, G., Hamiltonian graphs involving neighborhood intersections (*Note*) **112** (1993) 253–257
Chen, G., *see* P. Bendrossian **115** (1993) 39–50
Chen, G., A result on C_4-star Ramsey numbers **163** (1-3) (1997) 243–246
Chen, G., R.H. Schelp and W.E. Shreve, A special k-coloring for a connected k-chromatic graph **170** (1-3) (1997) 231–236
Chen, G., A. Gyárfás and R.H. Schelp, Vertex colorings with a distance restriction **191** (1-3) (1998) 65–82

Chen, G., R.J. Gould and M.S. Jacobson, On 2-factors containing 1-factors in bipartite graphs **197-198** (1-3) (1999) 185–194
Chen, J., Sharp bound of the kth eigenvalue of trees **128** (1-3) (1994) 61–72
Chen, J., J.L. Gross and R.G. Rieper, Overlap matrices and total imbedding distributions **128** (1-3) (1994) 73–94
Chen, J., D. Archdeacon and J.L. Gross, Maximum genus and connectivity **149** (1-3) (1996) 19–29
Chen, J., S.P. Kanchi and J.L. Gross, A tight lower bound on the maximum genus of a simplicial graph **156** (1-3) (1996) 83–102
Chen, R.-s., *see* F.-j. Zhang **72** (1988) 405–415
Chen, W. and T. Kløve, Lower bounds on multiple difference sets **98** (1991) 9–21
Chen, W. and T. Kløve, Lower bounds on multiple distinct sums sets **148** (1-3) (1996) 15–35
Chen, W. and T. Kløve, Disjoint sets of distinct sum sets **175** (1-3) (1997) 69–77
Chen, W.Y.C., Maximum (g, f)-factors of a general graph **91** (1991) 1–7
Chen, W.Y.C. and G.-C. Rota, q-Analogs of the inclusion-exclusion principle and permutations with restricted position **104** (1992) 7–22
Chen, W.Y.C. and R.P. Stanley, Derangements on the n-cube **115** (1993) 65–75
Chen, W.Y.C., The theory of compositionals **122** (1993) 59–87
Chen, W.Y.C., The skew, relative, and classical derangements **160** (1-3) (1996) 235–239
Chen, X., Some families of chromatically unique bipartite graphs **184** (1-3) (1998) 245–252
Chen, X.E. and K.Z. Ouyang, Chromatic classes of certain 2-connected $(n,n+2)$-graphs homeomorphic to K_4 **172** (1-3) (1997) 17–29
Chen, X.E. and K.Z. Ouyang, Chromatic classes of certain 2-connected $(n,n+2)$-graphs II **172** (1-3) (1997) 31–38
Chen, Y.-C., A short proof of Kundu's k-factor theorem (*Note*) **71** (1988) 177–179
Chen, Y.-g., On m-harmonic sequences **162** (1-3) (1996) 273–280
Chen, Y.-G., A theorem on harmonic sequences **186** (1-3) (1998) 287–288
Chen, Z., *see* C.-Y. Chao **112** (1993) 21–27
Chen, Z., On polynomial functions from Z_n to Z_m **137** (1-3) (1995) 137–145
Chen, Z., Harary's conjectures on integral sum graphs **160** (1-3) (1996) 241–244
Chen, Z., On polynomial functions from $Z_{n_1} \times Z_{n_2} \times \cdots \times Z_{n_r}$ to Z_m **162** (1-3) (1996) 67–76
Chen, Z., Integral sum graphs from identification **181** (1-3) (1998) 77–90
Chen, Z., *see* C.-Y. Chao **189** (1-3) (1998) 259–265
Chen, Z.-b. and F.-j. Zhang, Bounds of the longest directed cycle length for minimal strong digraphs **68** (1988) 9–13
Chen, Z.-H., Spanning closed trails in graphs **117** (1993) 57–71
Chen, Z.-H., The size of graphs with clique number m and without nowhere-zero 4-flows **163** (1-3) (1997) 247–249
Chen, Z.-H., Supereulerian graphs, independent sets, and degree-sum conditions **179** (1-3) (1998) 73–87
Cheng, C.-K., *see* B.-L. Chen **184** (1-3) (1998) 49–60
Cheng, C.T. and L.J. Cowen, On the local distinguishing numbers of cycles **196** (1-3) (1999) 97–108
Cheng, Y., Switching classes of directed graphs and H-equivalent matrices **61** (1986) 27–40
Cheng, Y. and N.J.A. Sloane, The automorphism group of an [18, 9, 8] quaternary code **83** (1990) 205–212
Cheng, Z., *see* A.J.W. Hilton **101** (1992) 135–147
Chepoi, V., *see* H.-J. Bandelt **160** (1-3) (1996) 25–39
Chepoi, V., A note on r-dominating cliques **183** (1-3) (1998) 47–60
Chepoi, V. and S. Klavžar, Distances in benzenoid systems: Further developments **192** (1-3) (1998) 27–39
Chepoi, V.D., *see* A. Brandstädt **158** (1-3) (1996) 273–278
Chernoff, W.W., Permutations with p^l-th roots **125** (1994) 123–127
Chernoff, W.W., Interwoven polygonal frames **167-168** (1-3) (1997) 197–204
Chernyak, A.A., Zh.A. Chernyak and R.I. Tyshkevich, On forcibly hereditary P-graphical sequences **64** (1987) 111–128
Chernyak, A.A., *see* Zh.A. Chernyak **62** (1986) 133–138
Chernyak, A.A. and Zh.A. Chernyak, Pseudodomishold graphs (*Communication*) **84** (1990) 193–196
Chernyak, A.A. and Z.A. Chernyak, Split dimension of graphs **89** (1991) 1–6
Chernyak, A.A. and Zh.A. Chernyak, r-Multihypergraphs with prescribed edge degree sequences **170** (1-3) (1997) 237–240

Chernyak, Z.A., *see* A.A. Chernyak **89** (1991) 1–6
Chernyak, Zh.A., *see* A.A. Chernyak **64** (1987) 111–128
Chernyak, Zh.A. and A.A. Chernyak, About recognizing (α, β) classes of polar graphs **62** (1986) 133–138
Chernyak, Zh.A., *see* A.A. Chernyak **84** (1990) 193–196
Chernyak, Zh.A., *see* A.A. Chernyak **170** (1-3) (1997) 237–240
Cherowitzo, W., Hyperovals in Desarguesian planes: An update **155** (1-3) (1996) 31–38
Chetwynd, A.G. and H.P. Yap, Chromatic index critical graphs of order 9 **47** (1983) 23–33
Chetwynd, A.G. and A.J.W. Hilton, 1-factorizing regular graphs of high degree – An improved bound **75** (1989) 103–112
Chetwynd, A.G. and A.J.W. Hilton, Outline symmetric latin squares **97** (1991) 101–117
Chetwynd, A.G. and S.J. Rhodes, Chessboard squares **141** (1-3) (1995) 47–59
Chetwynd, A.G. and S.J. Rhodes, Avoiding partial Latin squares and intricacy **177** (1-3) (1997) 17–32
Chew, K.H., Total chromatic number of regular graphs of odd order and high degree **154** (1-3) (1996) 41–51
Chew, K.H., The chromatic index of graphs of high maximum degree **162** (1-3) (1996) 77–91
Chew, K.H., On Vizing's theorem, Adjacency lemma and fan argument generalized to multigraphs **171** (1-3) (1997) 283–286
Chia, G.L., The chromaticity of wheels with a missing spoke (*Note*) **82** (1990) 209–212
Chia, G.L., The chromaticity of wheels with a missing spoke II **148** (1-3) (1996) 305–310
Chia, G.L., On graphs uniquely colorable under the action of their automorphism groups **162** (1-3) (1996) 281–284
Chia, G.L., On the chromatic equivalence class of a family of graphs **162** (1-3) (1996) 285–289
Chia, G.L., *see* C.C. Chen **172** (1-3) (1997) 1
Chia, G.L., Some problems on chromatic polynomials **172** (1-3) (1997) 39–44
Chia, G.L., A bibliography on chromatic polynomials **172** (1-3) (1997) 175–191
Chia, G.L., On the chromatic equivalence class of graphs **178** (1-3) (1998) 15–23
Chiang, N.-P. and H.-L. Fu, The achromatic indices of the regular complete multipartite graphs **141** (1-3) (1995) 61–66
Chiang, N.-P. and H.-L. Fu, On upper bounds for the pseudo-achromatic index **175** (1-3) (1997) 79–86
Chiavacci, R. and G. Pareschi, Some bounds for the regular genus of PL-manifolds **82** (1990) 165–180
Chigbu, P.E., *see* R.A. Bailey **167-168** (1-3) (1997) 73–84
Chi Kim, A. and B.N. Neumann, Laws in a class of groupoids **92** (1991) 145–158
Chilakamarri, K.B., Unit-distance graphs in rational n-spaces **69** (1988) 213–218
Chilakamarri, K.B. and P. Hamburger, On a class of kernel-perfect and kernel-perfect-critical graphs (*Note*) **118** (1993) 253–257
Chinn, P.Z., R.B. Richter and M. Truszczynski, Primal graphs with small degrees **87** (1991) 237–248
Chiricota, Y. and G. Labelle, Familles de solutions combinatoires de $y' = 1 + y^2$ et d'équations différentielles autonomes **115** (1993) 77–93
Chiricota, Y., *see* P. Bouchard **139** (1-3) (1995) 49–56
Cho, C.J., Rotational Steiner triple systems **42** (1982) 153–159
Choffrut, C. and M. Goldwurm, Determinants and Möbius functions in trace monoids **194** (1-3) (1999) 239–247
Choi, S.-y. and P. Guan, A spanning tree of the 2^m-dimensional hypercube with maximum number of degree-preserving vertices (*Note*) **117** (1993) 275–277
Chopra, D.V., On arrays with some combinatorial structure **138** (1-3) (1995) 193–198
Chottin, L., Une demonstration combinatoire de la formule de Lagrange a deux variables **13** (1975) 215–224
Chou, C.-C., C.-M. Fu and W.-C. Huang, Decomposition of $K_{m,n}$ into short cycles **197-198** (1-3) (1999) 195–203
Choudum, S.A., Some 4-valent, 3-connected, planar, almost pancyclic graphs **18** (1977) 125–129
Choudum, S.A., *see* V.N. Bhat-Nayak **23** (1978) 17–22
Choudum, S.A., On graphic and 3-hypergraphic sequences (*Note*) **87** (1991) 91–95
Choudum, S.A., On forcibly connected graphic sequences **96** (1991) 175–181
Choudum, S.A. and K. Kayathri, There are no edge-chromatic 4-critical graphs of order 12 **141** (1-3) (1995) 67–73
Chouinard II, L.G., Partitions of the 4-subsets of a 13-set into disjoint projective planes (*Note*) **45** (1983) 297–300
Chouinard II, L.G., E.S. Kramer and D.L. Kreher, Graphical t-wise balanced designs **46** (1983) 227–240

Chouinard II, L.G., Bounding graphical t-wise balanced designs **159** (1-3) (1996) 261–263
Chow, T., Distances forbidden by two-colorings of $\mathbb{Q}^3$ and A_n **115** (1993) 95–102
Chow, T.Y., On the Dinitz conjecture and related conjectures **145** (1-3) (1995) 73–82
Chow, Y., *see* C.J. Liu **44** (1983) 285–291
Chow, Y., On the number of regular configurations **66** (1987) 51–58
Christen, C.A., Search problems: one, two or many rounds **136** (1-3) (1994) 39–51
Christen, C.A., G. Coray and S.M. Selkow, A characterization of n-component graphs **149** (1-3) (1996) 279–281
Christiansen, M., J. Lützen, G. Sabidussi and B. Toft, Julius Petersen annotated bibliography **100** (1992) 83–97
Christofi, C., Enumerating 4×5 and 5×6 double Youden rectangles **125** (1994) 129–135
Chrysaphinou, O., On Touchard polynomials **54** (1985) 143–152
Chrząstowski-Wachtel, P., *see* M. Raczunas **150** (1-3) (1996) 347–357
Chu, W., A new combinatorial interpretation for generalized Catalan number (*Note*) **65** (1987) 91–94
Chu, W. and L.C. Hsu, On some classes of inverse series relations and their applications **123** (1993) 3–15
Chu, W., Distributivity and decomposability on the lattices satisfying the chain conditions **174** (1-3) (1997) 95–97
Chuan, W.-F., α-Words and factors of characteristic sequences **177** (1-3) (1997) 33–50
Chumillas, V., *see* A. Borobia **179** (1-3) (1998) 49–57
Chung, F., P. Diaconis and R. Graham, Universal cycles for combinatorial structures **110** (1992) 43–59
Chung, F.R.K., On the Ramsey numbers $N(3, 3, \ldots, 3; 2)$ **5** (1973) 317–321
Chung, F.R.K., *see* J.E. Herman **20** (1977) 33–40
Chung, F.R.K., On partitions of graphs into trees **23** (1978) 23–30
Chung, F.R.K., On the coverings of graphs **30** (1980) 89–93
Chung, F.R.K., *see* A.R. Calderbank **50** (1984) 15–28
Chung, F.R.K., *see* N. Alon **72** (1988) 15–19
Chung, F.R.K. and P.D. Seymour, Graphs with small bandwidth and cutwidth **75** (1989) 113–119
Chung, F.R.K., A. Gyárfás, Z. Tuza and W.T. Trotter, The maximum number of edges in $2K_2$-free graphs of bounded degree **81** (1990) 129–135
Chung, F.R.K. and R.L. Graham, On hypergraphs having evenly distributed subhypergraphs **111** (1993) 125–129
Chung, K.M. and C.L. Liu, A generalization of ramsey theory for graphs **21** (1978) 117–127
Chung, M.J. and B. Ravikumar, Bounds on the size of test sets for sorting and related networks **81** (1990) 1–9
Chung, M.S. and D.B. West, Large $2P_3$-free graphs with bounded degree **150** (1-3) (1996) 69–79
Chungphaisan, V., Conditions for sequences to be r-graphic **7** (1974) 31–39
Chvátal, V. and P. Erdös, A note on Hamiltonian circuits **2** (1972) 111–113
Chvatal, V., P. Erdös and Z. Hedrlin, Ramsey's theorem and self-complementary graphs **3** (1972) 301–304
Chvátal, V., Edmonds polytopes and a hierarchy of combinatorial problems **4** (1973) 305–337
Chvátal, V., Tough graphs and hamiltonian circuits **5** (1973) 215–228
Chvátal, V., *see* J.A. Bondy **15** (1976) 111–135
Chvátal, V., The tail of the hypergeometric distribution (*Note*) **25** (1979) 285–287
Chvátal, V., R.L. Graham, A.F. Perold and S.H. Whitesides, Combinatorial designs related to the strong perfect graph conjecture **26** (1979) 83–92
Chvátal, V., *see* J. Akiyama **85** (1990) 247–255
Chvátal, V. and W. Cook, The discipline number of a graph **86** (1990) 191–198
Chvátal, V., In praise of Claude Berge **165-166** (1-3) (1997) 3–9
Chvátalová, J., Optimal labelling of a product of two paths **11** (1975) 249–253
Chvatalova, J. and J. Opatrny, The bandwidth problem and operations on graphs **61** (1986) 141–150
Ciampi, R.P., Stone's representation theorem for Boolean hyperalgebras topological version **155** (1-3) (1996) 211–214
Cieslik, D. and J. Linhart, Steiner minimal trees in L_p^2 **155** (1-3) (1996) 39–48
Cignoli, R., Quantifiers on distributive lattices **96** (1991) 183–197
Cimikowski, R. and D. Coppersmith, The sizes of maximal planar, outerplanar, and bipartite planar subgraphs **149** (1-3) (1996) 303–309
Čižek, N. and S. Klavžar, On the chromatic number of the lexicographic product and the Cartesian sum of graphs **134** (1-3) (1994) 17–24

Claasen, H.L., *see* R.W. Goldbach **159** (1-3) (1996) 111–118
Clapham, C.R.J., Hamiltonian arcs in self-complementary graphs **8** (1974) 251–255
Clapham, C.R.J., Hamiltonian arcs in infinite self-complementary graphs **13** (1975) 307–314
Clapham, C.R.J., The bipartite tournament associated with a fabric (*Note*) **57** (1985) 195–197
Clapham, C.R.J., Universal tilings and universal (0, 1)-matrices (*Note*) **58** (1986) 87–92
Clapham, C.R.J., Graphs self-complementary in $K_n - e$ **81** (1990) 229–235
Clapham, C.R.J. and J. Sheehan, All trees are 1-embeddable and all except stars are 2-embeddable (*Note*) **120** (1993) 253–259
Clapham, P.C., Steiner triple systems with block-transitive automorphism groups **14** (1976) 121–131
Clark, B.N., C.J. Colbourn and D.S. Johnson, Unit disk graphs **86** (1990) 165–177
Clark, L., R.C. Entringer and D.E. Jackson, Minimum graphs with complete k-closure **30** (1980) 95–101
Clark, L.H. and R.C. Entringer, The number of cutvertices in graphs with given minimum degree **81** (1990) 137–145
Clark, L.H., *see* L.A. Székely **103** (1992) 293–300
Clark, L.H., *see* C.A. Barefoot **125** (1994) 15–30
Clark, L.H., *see* C.A. Barefoot **150** (1-3) (1996) 31–48
Clark, L.H. and D. Haile, Remarks on the size of critical edge-chromatic graphs **171** (1-3) (1997) 287–293
Clark, L.H., *see* D.W. Bange **178** (1-3) (1998) 1–14
Clark, L.H., *see* A.T. Amin **187** (1-3) (1998) 1–17
Clark, W.E., Equidistant cyclic codes over GF(q) **17** (1977) 139–141
Clark, W.E., Cyclic codes over GF(q) with simple orbit structure **61** (1986) 151–164
Clark, W.E., L.A. Dunning and D.G. Rogers, Binary set functions and parity check matrices **80** (1990) 249–265
Clark, W.E., Blocking sets in finite projective spaces and uneven binary codes (*Note*) **94** (1991) 65–68
Clarke, F.H., A graph polynomial and its applications **3** (1972) 305–313
Clarke, F.H. and R.E. Jamison, Multicolorings, measures and games on graphs **14** (1976) 241–245
Clarke, R.J., Covering a set by subsets **81** (1990) 147–152
Clausen, M. and F. Stötzer, Jeu de taquin and connected standard skew tableaux (*Communication*) **45** (1983) 133–135
Clay, J.R., More balanced incomplete block designs from Frobenius groups **59** (1986) 229–234
Clements, G.F., More on the generalized Macaulay theorem **1** (1971) 247–255
Clements, G.F., A minimization problem concerning subsets of a finite set **4** (1973) 123–128
Clements, G.F., Sperner's theorem with constraints **10** (1974) 235–255
Clements, G.F., More on the generalized Macaulay theorem — II **18** (1977) 253–264
Clements, G.F. and H.-D.O.F. Gronau, On maximal antichains containing no set and its complement **33** (1981) 239–247
Clements, G.F., Antichains in the set of subsets of a multiset **48** (1984) 23–45
Clements, G.F., Antichains in the set of subsets of a multiset (*Erratum*) **54** (1985) 347
Clements, G.F., An extremal problem for antichains of subsets of a multiset **63** (1987) 1–14
Clements, G.F., On multiset k-families **69** (1988) 153–164
Clements, G.F., The cubical poset is additive **169** (1-3) (1997) 17–28
Clements, G.F., Yet another generalization of the Kruskal–Katona theorem **184** (1-3) (1998) 61–70
Clivio, A., Tilings of a torus with rectangular boxes **91** (1991) 121–139
Cochand, M., A. Gaillard and H. Gröflin, Lattice matrices, intersection of ring families and dicuts **110** (1992) 61–80
Cochand, M. and G. Károlyi, On a graph colouring problem **194** (1-3) (1999) 249–252
Cock, J.C., Toroidal tilings from de Bruijn–Good cyclic sequences (*Note*) **70** (1988) 209–210
Cockayne, E.J. and S.T. Hedetniemi, Disjoint independent dominating sets in graphs **15** (1976) 213–222
Cockayne, E.J., B.L. Hartnell and S.T. Hedetniemi, A linear algorithm for disjoint matchings in trees **21** (1978) 129–136
Cockayne, E.J., *see* I.J. Holyer **26** (1979) 243–246
Cockayne, E.J., O. Favaron, C. Payan and A.G. Thomason, Contributions to the theory of domination, independence and irredundance in graphs **33** (1981) 249–258
Cockayne, E.J., *see* B. Bollobás **49** (1984) 197–199
Cockayne, E.J., B. Gamble and B. Shepherd, Domination parameters for the bishops graph **58** (1986) 221–227

Cockayne, E.J., S.T. Hedetniemi and R. Laskar, Gallai theorems for graphs, hypergraphs, and set systems **72** (1988) 35–47
Cockayne, E.J. and C.M. Mynhardt, On the product of upper irredundance numbers of a graph and its complement **76** (1989) 117–121
Cockayne, E.J., Chessboard domination problems **86** (1990) 13–20
Cockayne, E.J., *see* B. Bollobás **86** (1990) 89–97
Cockayne, E.J., O. Favaron, H. Li and G. MacGillivray, The product of the independent domination numbers of a graph and its complement (*Note*) **90** (1991) 313–317
Cockayne, E.J. and C.M. Mynhardt, The sequence of upper and lower domination, independence and irredundance numbers of a graph **122** (1993) 89–102
Cockayne, E.J., G. MacGillivray and C.M. Mynhardt, Convexity of minimal dominating functions of trees — II **125** (1994) 137–146
Cockayne, E.J., G. Fricke and C.M. Mynhardt, On a Nordhaus–Gaddum type problem for independent domination **138** (1-3) (1995) 199–205
Cockayne, E.J. and C.M. Mynhardt, A characterisation of universal minimal total dominating functions in trees **141** (1-3) (1995) 75–84
Cockayne, E.J., O. Favaron and C.M. Mynhardt, Universal maximal packing functions of graphs **159** (1-3) (1996) 57–68
Cockayne, E.J., *see* A.P. Burger **163** (1-3) (1997) 47–66
Cockayne, E.J. and C.M. Mynhardt, Domination and irredundance in cubic graphs **167-168** (1-3) (1997) 205–214
Cockayne, E.J., J.H. Hattingh, S.M. Hedetniemi, S.T. Hedetniemi and A.A. McRae, Using maximality and minimality conditions to construct inequality chains **176** (1-3) (1997) 43–61
Cockayne, E.J., S.M. Hedetniemi, S.T. Hedetniemi and C.M. Mynhardt, Irredundant and perfect neighbourhood sets in trees **188** (1-3) (1998) 253–260
Cogis, O., Ferrers digraphs and threshold graphs **38** (1982) 33–46
Cogis, O., On the Ferrers dimension of a digraph **38** (1982) 47–52
Cohen, A.M., *see* P.J. Cameron **106/107** (1992) 135–138
Cohen, A.M. and B.N. Cooperstein, Generalized hexagons of even order **106/107** (1992) 139–146
Cohen, D.I.A. and T.M. Katz, Recurrence of a random walk on the half-line as the generating function for the Catalan numbers (*Communication*) **29** (1980) 213–214
Cohen, G. and P. Frankl, On tilings of the binary vector space **31** (1980) 271–277
Cohen, G. and A. Lempel, Linear intersecting codes **56** (1985) 35–43
Cohen, G. and P. Frankl, Good coverings of Hamming spaces with spheres **56** (1985) 125–131
Cohen, G.D., Applications of coding theory to communication combinatorial problems **83** (1990) 237–248
Cohen, G.D. and S.N. Litsyn, On the covering radius of Reed–Muller codes **106/107** (1992) 147–155
Cohen, G.D. and G. Zemor, Write-isolated memories (WIMs) **114** (1993) 105–113
Cohen, J.E., The asymptotic probability that a random graph is a unit interval graph, indifference graph, or proper interval graph **40** (1982) 21–24
Cohen, S.D., Primitive elements and polynomials with arbitrary trace **83** (1990) 1–7
Cohen, S.D., *see* I. Anderson **138** (1-3) (1995) 31–41
Cohn, J.H.E., A *D*-optimal design of order 102 (*Communication*) **102** (1992) 61–65
Cohn, J.H.E., Complex D-optimal designs **156** (1-3) (1996) 237–241
Cohn, K.J., Cyclomatic numbers of planar graphs **178** (1-3) (1998) 245–250
Colbourn, C.J., M.J. Colbourn and A. Rosa, Completing small partial triple systems **45** (1983) 165–179
Colbourn, C.J. and A.I. Weiss, A census of regular 3-polystroma arising from honeycombs **50** (1984) 29–36
Colbourn, C.J., Edge-packings of graphs and network reliability **72** (1988) 49–61
Colbourn, C.J. and V. Rödl, Percentages in pairwise balanced designs **77** (1989) 57–63
Colbourn, C.J., *see* E.S. El-Mallah **80** (1990) 21–40
Colbourn, C.J. and E.S. Mahmoodian, The spectrum of support sizes for threefold triple systems **83** (1990) 9–19
Colbourn, C.J., *see* B.N. Clark **86** (1990) 165–177
Colbourn, C.J. and L.K. Stewart, Permutation graphs: Connected domination and Steiner trees **86** (1990) 179–189

Colbourn, C.J., K.T. Phelps, M.J. de Resmini and A. Rosa, Partitioning Steiner triple systems into complete arcs **89** (1991) 149–160
Colbourn, C.J., R.A. Mathon, A. Rosa and N. Shalaby, The fine structure of threefold triple systems: $v \equiv 1$ or 3(mod 6) **92** (1991) 49–64
Colbourn, C.J. and A. Hartman, Intersections and supports of quadruple systems **97** (1991) 119–137
Colbourn, C.J., D.G. Hoffman and C.A. Rodger, Directed star decompositions of directed multigraphs **97** (1991) 139–148
Colbourn, C.J. and E.S. Elmallah, Reliable assignments of processors to tasks and factoring on matroids **114** (1993) 115–129
Colbourn, C.J. and E.S. Mahmoodian, Support sizes of sixfold triple systems **115** (1993) 103–131
Colbourn, C.J., *see* P.L. Check **133** (1-3) (1994) 285–289
Colbourn, C.J., *see* F.E. Bennett **160** (1-3) (1996) 49–65
Colbourn, C.J., *see* Z. Jiang **183** (1-3) (1998) 153–160
Colbourn, C.J., *see* R. Gallant **184** (1-3) (1998) 101–110
Colbourn, M.J., *see* C.J. Colbourn **45** (1983) 165–179
Cole, T., Non-crossing of plane minimal spanning and minimal $T1$ networks **177** (1-3) (1997) 51–65
Collatz, L., Equipartition with square numbers (*Note*) **42** (1982) 313–316
Collatz, L., The 93 classes of equitilings of the plane with characteristics $\geqslant 3$ **102** (1992) 1–11
Collier, J.B. and E.F. Schmeichel, New flip-flop constructions for hypohamiltonian graphs **18** (1977) 265–271
Collins, C.B., I.P. Goulden, D.M. Jackson and O.M. Nierstrasz, A combinatorial application of matrix Riccati equations and their q-analogue **36** (1981) 139–153
Collins, K., *see* D. Moak **131** (1-3) (1994) 195–204
Collins, K.L., *see* M.O. Albertson **54** (1985) 127–132
Collins, K.L., P.W. Shor and J.R. Stembridge, A lower bound for 0, 1, $*$ tournament codes **63** (1987) 15–19
Collins, K.L., Factoring distance matrix polynomials **122** (1993) 103–112
Collins, K.L. and L.B. Krompart, The number of Hamiltonian paths in a rectangular grid **169** (1-3) (1997) 29–38
Compton, K.J., Some methods for computing component distribution probabilities in relational structures **66** (1987) 59–77
Conder, M., Generating the Mathieu groups and associated Steiner systems **112** (1993) 41–47
Conder, M., Explicit definition of the binary reflected Gray codes **195** (1-3) (1999) 245–249
Conforti, M., D.G. Corneil and A.R. Mahjoub, K_i-covers I: Complexity and polytopes **58** (1986) 121–142
Conforti, M., *see* F. Barahona **66** (1987) 213–218
Conforti, M. and M. Laurent, A characterization of matroidal systems of inequalities **69** (1988) 165–171
Conforti, M. and M.R. Rao, Articulation sets in linear perfect matrices I: forbidden configurations and star cutsets **104** (1992) 23–47
Conforti, M. and M.R. Rao, Articulation sets in linear perfect matrices II: the wheel theorem and clique articulations **110** (1992) 81–118
Conforti, M., G. Cornuéjols and K. Vušković, Balanced cycles and holes in bipartite graphs **199** (1-3) (1999) 27–33
Cong, T.T. and M. Sato, One-dimensional random walk with unequal step lengths restricted by an absorbing barrier **40** (1982) 153–162
Cong, T.T., *see* M. Sato **43** (1983) 249–261
Connelly, R., *see* M. Brown **11** (1975) 199–232
Constantin, J. and B. Courteau, Partitions lineaires arguesiennes d'un espace vectoriel **33** (1981) 139–147
Constantin, J. and G. Fournier, Ordonnes escamotables et points fixes **53** (1985) 21–33
Constantin, J., *see* J.-P. Barthélemy **111** (1993) 49–63
Constantin, J., *see* M.-F. Bélanger **130** (1-3) (1994) 9–17
Constantine, G.M., Schur convex functions on the spectra of graphs **45** (1983) 181–188
Constantine, G.M., *see* E.J. Farrell **89** (1991) 203–210
Constantineau, I., Le nombre d'arbres m-Husimis invariants sous une permutation des sommets **139** (1-3) (1995) 89–103
Constantineau, I. and G. Labelle, Une généralisation automorphe des nombres de Stirling **157** (1-3) (1996) 53–64

Conway, J.H. and V. Pless, On primes dividing the group order of a doubly-even (72, 36, 16) code and the group order of a quaternary (24, 12, 10) code **38** (1982) 143–156
Conway, J.H., S.J. Lomonaco Jr. and N.J.A. Sloane, A [45, 13] code with minimal distance 16 **83** (1990) 213–217
Conway, J.H., Integral lexicographic codes **83** (1990) 219–235
Cook, C.R., Further characterizations of cubic lattice graphs **4** (1973) 129–138
Cook, C.R., Two characterizations of interchange graphs of complete m-partite graphs **8** (1974) 305–311
Cook, W., *see* V. Chvátal **86** (1990) 191–198
Cooper, C., Pancyclic Hamilton cycles in random graphs **91** (1991) 141–148
Cooper, C., *see* M. Anthony **138** (1-3) (1995) 43–56
Cooperstein, B.N., *see* A.M. Cohen **106/107** (1992) 139–146
Coppersmith, D., *see* R. Cimikowski **149** (1-3) (1996) 303–309
Coray, G., *see* C.A. Christen **149** (1-3) (1996) 279–281
Corbas, B. and G.D. Williams, Matrix representatives for three-dimensional bilinear forms over finite fields **185** (1-3) (1998) 51–61
Cordova, J., *see* I.J. Dejter **72** (1988) 63–70
Cordovil, R. and M. Las Vergnas, Geometries simpliciales unimodulaires **26** (1979) 213–217
Cordovil, R., Sur un theoreme de separation des matroïdes orientes de rang trois **40** (1982) 163–169
Cordovil, R., The directions determined by n points in the plane: A matroidal generalization **43** (1983) 131–137
Cordovil, R. and P. Duchet, Separation par une droite dans les matroïdes orientes de rang 3 (*Note*) **62** (1986) 103–104
Cordovil, R. and P. Duchet, On sign-invariance graphs of uniform oriented matroids **79** (1989/90) 251–257
Cordovil, R., K. Fukuda and M.L. Moreira, Clutters and matroids **89** (1991) 161–171
Cordovil, R. and M.L. Moreira, A homotopy theorem on oriented matroids **111** (1993) 131–136
Cordovil, R., A.G. de Oliveira and M.L. Vergnas, A generalized Desargues configuration and the pure braid group **160** (1-3) (1996) 105–113
Cordovil, R., Coloring matroids **165-166** (1-3) (1997) 155–160
Cori, R. and J. Richard, Enumeration des graphes planaires a l'aide des series formelles en variables non commutatives **2** (1972) 115–162
Cori, R., Sur la rationalité de certaines séries génératrices **3** (1972) 315–331
Corneil, D., *see* L. Cai **102** (1992) 103–106
Corneil, D.G. and J.M. Keil, A note on a conjecture by Gavril on clique separable graphs (*Note*) **46** (1983) 317–318
Corneil, D.G., *see* M. Conforti **58** (1986) 121–142
Corneil, D.G., *see* S. Arnborg **80** (1990) 1–19
Corneil, D.G. and L.K. Stewart, Dominating sets in perfect graphs **86** (1990) 145–164
Corneil, D.G., *see* J.I. Brown **98** (1991) 81–93
Corneil, D.G., *see* D. Achlioptas **179** (1-3) (1998) 1–11
Corneil, D.G., *see* T.B. Moorhouse **190** (1-3) (1998) 277–286
Cornuéjols, G. and W. Pulleyblank, A mathching problem with side conditions **29** (1980) 135–159
Cornuéjols, G. and W.H. Cunningham, Compositions for perfect graphs **55** (1985) 245–254
Cornuéjols, G., *see* M. Conforti **199** (1-3) (1999) 27–33
Corominas, E., On better quasi-ordering countable trees **53** (1985) 35–53
Corrádi, K. and S. Szabó, Cube tiling and covering a complete graph (*Note*) **85** (1990) 319–321
Corsani, C., D. Merlini and R. Sprugnoli, Left-inversion of combinatorial sums **180** (1-3) (1998) 107–122
Coster, M.J., *see* C. Roos **62** (1986) 139–144
Côté, M., *see* D.A. Preece **125** (1994) 319–327
Cottle, R.W., Minimal triangulation of the 4-cube **40** (1982) 25–29
Cottle, R.W., *see* M.N. Broadie **52** (1984) 39–49
Coulson, D., An 18-colouring of 3-space omitting distance one **170** (1-3) (1997) 241–247
Courcelle, B. and G. Sénizergues, The obstructions of a minor-closed set of graphs defined by a context-free grammar **182** (1-3) (1998) 29–51
Cournier, A. and P. Ille, Minimal indecomposable graphs **183** (1-3) (1998) 61–80
Courteau, B., *see* J. Constantin **33** (1981) 139–147
Courteau, B. and J. Wolfmann, On triple-sum-sets and two or three weights codes **50** (1984) 179–191

Courteau, B. and J. Goulet, An extension of the codes introduced by Séguin, Allard and Bhargava **56** (1985) 133–139
Courteau, B. and A. Montpetit, Dual distances of completely regular codes **89** (1991) 7–15
Courteau, B. and A. Montpetit, A class of codes admitting at most three nonzero dual distances **90** (1991) 267–280
Cowen, L.J., *see* C.T. Cheng **196** (1-3) (1999) 97–108
Cowling, P., Strong total chromatic numbers of complete hypergraphs **138** (1-3) (1995) 207–212
Cowling, P., The total graph of a hypergraph **167-168** (1-3) (1997) 215–236
Cox, M.A.A., *see* D.K. Arrowsmith **27** (1979) 215–223
Cozzens, M.B. and L.L. Kelleher, Dominating cliques in graphs **86** (1990) 101–116
Craft, D.L., On the genus of joins and compositions of graphs **178** (1-3) (1998) 25–50
Crama, Y., L. Loebl and S. Poljak, A decomposition of strongly unimodular matrices into incidence matrices of digraphs **102** (1992) 143–147
Crampin, D.J. and D.G. Rogers, An arithmetic of complete permutations with constraints, II: Case studies **70** (1988) 241–256
Crippa, D. and K. Simon, q-distributions and Markov processes **170** (1-3) (1997) 81–98
Crochemore, M., *see* J. Berstel **76** (1989) 89–94
Crook, J.F., *see* I.J. Good **19** (1977) 23–45
Cruse, A.B., A note on 1-factors in certain regular multigraphs **18** (1977) 213–216
Cruse, Allan.B., A note on symmetric doubly-stochastic matrices **13** (1975) 109–119
Csákány, R. and J. Komlós, The smallest Ramsey numbers **199** (1-3) (1999) 193–199
Csima, J., On the plane term rank of three dimensional matrices **28** (1979) 147–152
Csima, J., Colouring finite planes of odd order (*Note*) **49** (1984) 309
Csima, J., Generalized Hilton construction for embedding d-ary quasigroups (*Note*) **58** (1986) 195–197
Csima, J., *see* R.A. Brualdi **62** (1986) 99–101
Csizmadia, G., Furthest neighbours in space **150** (1-3) (1996) 81–88
Csizmadia, G., The multiplicity of the two smallest distances among points **194** (1-3) (1999) 67–86
Csmiraz, L., On a combinatorial game with an application to Go-moku **29** (1980) 19–23
Čulík, K., Extensions of rooted trees and their applications **18** (1977) 131–148
Culik II, K. and J. Karhumäki, Systems of equations over a free monoid and Ehrenfeucht's conjecture **43** (1983) 139–153
Culik II, K., An aperiodic set of 13 Wang tiles **160** (1-3) (1996) 245–251
Cunkle, C.H. and S. Rudeanu, Rings in Boolean algebras **7** (1974) 41–51
Cunningham, W.H., Chords and disjoint paths in matroids **19** (1977) 7–15
Cunningham, W.H., *see* G. Cornuéjols **55** (1985) 245–254
Curran, D.J. and S.A. Vanstone, Doubly resolvable designs from generalized Bhaskar Rao designs **73** (1988/89) 49–63
Curran, S.J., Hamilton paths in Cayley digraphs of metacyclic groups **115** (1993) 133–139
Curran, S.J. and J.A. Gallian, Hamiltonian cycles and paths in Cayley graphs and digraphs — A survey **156** (1-3) (1996) 1–18
Currie, J.D., Which graphs allow infinite nonrepetitive walks? **87** (1991) 249–260
Currie, J.D., Connectivity of distance graphs (*Note*) **103** (1992) 91–94
Curtin, B., 2-Homogeneous bipartite distance-regular graphs **187** (1-3) (1998) 39–70
Curtin, B., Distance-regular graphs which support a spin model are thin **197-198** (1-3) (1999) 205–216
Cutsem, B.V., Minimal superior ultrametrics under order constraint (*Communication*) **84** (1990) 201–204
Cvetković, D. and S. Simić, On graphs whose second largest eigenvalue does not exceed $(\sqrt{5}-1)/2$ **138** (1-3) (1995) 213–227
Cvetković, D.M. and S.K. Simić, Graph equations for line graphs and total graphs **13** (1975) 315–320
Cvetković, S. and M. Petrić, A table of connected graphs on six vertices **50** (1984) 37–49
Czerniakiewicz, A., Minimal graphs with cyclic color group **19** (1977) 201–212
Czyzowicz, J., A. Pelc and I. Rival, Drawing orders with few slopes **82** (1990) 233–250
Czyzowicz, J., E. Rivera-Campo, J. Urrutia and J. Zaks, On illuminating line segments in the plane **137** (1-3) (1995) 147–153
Dacar, F., The cyclicity of a hypergraph **182** (1-3) (1998) 53–67
D'Agostini, E., On caps with weighted points in PG(t, q) **34** (1981) 103–110

Dahlhaus, E., P.D. Manuel and M. Miller, A characterization of strongly chordal graphs **187** (1-3) (1998) 269–271
Dahl Vestergaard, P., *see* J. Topp **191** (1-3) (1998) 207–221
Dai, Z., X. Feng, M. Liu and Z. Wan, Nonlinear feedforward sequences of m-sequences I **123** (1993) 17–34
Dailey, D.P., Uniqueness of colorability and colorability of planar 4-regular graphs are NP-complete (*Note*) **30** (1980) 289–293
Dailey, D.P., On the graphical containment of discrete metric spaces **131** (1-3) (1994) 51–66
Dakić, T. and T. Pisanski, On the genus of the tensor product of graphs where one factor is a regular graph **134** (1-3) (1994) 25–39
Dale, K. and I. Skau, The (Generalized) Secretary's Packet Problem and the Bell numbers **137** (1-3) (1995) 357–360
Damaschke, P., Irredundance number versus domination number (*Note*) **89** (1991) 101–104
Damaschke, P., Paths in interval graphs and circular arc graphs **112** (1993) 49–64
Damaschke, P., *see* D. Kratsch **128** (1-3) (1994) 269–275
Damerell, R.M., C. Roos and A.J. van Zanten, On the existence of certain generalized moore geometries, V **76** (1989) 183–189
Damianou, Ch., *see* S. Kounias **22** (1978) 85–89
Danhof, K., *see* A. Baartmans **30** (1980) 69–81
Danhof, K.J., *see* A. Baartmans **10** (1974) 1–8
D'Antona, O. and J.P.S. Kung, Coherent orientations and series-parallel networks (*Communication*) **32** (1980) 95–98
Danzer, L., Finite point-sets on S^2 with minimum distance as large as possible **60** (1986) 3–66
Danzer, L., Three-dimensional analogs of the planar penrose tilings and quasicrystals (*Invited paper*) **76** (1989) 1–7
Darcel, N. and Y. Zimmermann, Partition en cycles du graphe de comparabilite d'un arbre **38** (1982) 53–64
Darrah, M., Y.-P. Liu and C.-Q. Zhang, Cycles of all lengths in arc-3-cyclic semicomplete digraphs **173** (1-3) (1997) 23–33
Das, P., Characterization of unigraphic and unidigraphic integer-pair sequences **37** (1981) 51–66
Das, P. and S.B. Rao, Alternating eulerian triails with prescribed degrees in two edge-colored complete graphs **43** (1983) 9–20
Das, P., Unidigraphic and unigraphic degree sequences through uniquely realizable integer-pair sequences **45** (1983) 45–59
Das, P., Integer-pair sequences with self-complementary realizations **45** (1983) 189–198
Das, P.K. and A. Rosa, Halving Steiner triple systems **109** (1992) 59–67
Das, S. and M. Sen, An interval digraph in relation to its associated bipartite graph **122** (1993) 113–136
DasGupta, B., *see* G.J. Chang **199** (1-3) (1999) 11–25
Da Silva, I.P.F., On fillings of $2N$-gons with rhombi **111** (1993) 137–144
Da Silva, I.P.F., Note on inseparability graphs of matroids having exactly one class of orientations **171** (1-3) (1997) 77–87
Da Silva, J.A.D., *see* R.A. Brualdi **169** (1-3) (1997) 199–203
Datta, B., *see* B. Bagchi **188** (1-3) (1998) 41–60
Datta, B.T., On tangential 2-blocks **15** (1976) 1–22
Datta, B.T., Nonexistence of seven-dimensional tangential 2-blocks **36** (1981) 1–32
Dauenhauer, M.H. and H.J. Zassenhaus, Local optimality of the critical lattice sphere-packing of regular tetrahedra **64** (1987) 129–146
Daven, M. and C.A. Rodger, (k,g)-cages are 3-connected **199** (1-3) (1999) 207–215
Davey, B.A. and H.A. Priestley, Partition-induced natural dualities for varieties of pseudo-complemented distributive lattices **113** (1993) 41–58
Davies, H., Flag-transitivity and primitivity (*Communication*) **63** (1987) 91–93
Davis, J.A., Construction of relative difference sets in p-groups **103** (1992) 7–15
Davis, J.A., New constructions of divisible designs (*Note*) **120** (1993) 261–268
Davis, J.A., New semiregular divisible difference sets **188** (1-3) (1998) 99–109
Davis, R. and C. Wagner, Covering algebras and q-binomial generating functions **128** (1-3) (1994) 95–111
Day, D.P., O.R. Oellermann and H.C. Swart, On the l-connectivity of a digraph **127** (1-3) (1994) 95–104

Day, D.P., O.R. Oellermann and H.C. Swart, Bounds on the size of graphs of given order and ℓ-connectivity **197-198** (1-3) (1999) 217–223
Dayhoff, J.E., Independently prescribable sets of n-letter words **50** (1984) 193–219
Daykin, D.E., J.W. Daykin and M.S. Paterson, On log concavity for order-preserving maps of partial orders **50** (1984) 221–226
Daykin, J.W., *see* D.E. Daykin **50** (1984) 221–226
Daykin, J.W., Inequalities for the number of monotonic functions of partial orders **61** (1986) 41–55
Dean, N., L. Lesniak and A. Saito, Cycles of length 0 modulo 4 in graphs **121** (1993) 37–49
Dean, N. and J. Zito, Well-covered graphs and extendability **126** (1994) 67–80
Dean, R., A construction for large families of k-element sets having the Erdös intersection property **53** (1985) 55–56
Debroey, I. and F. De Clerck, Non-trivial $\Gamma\Delta$-regular graphs **41** (1982) 7–15
Debroey, I., *see* J.A. Thas **51** (1984) 283–292
De Bruijn, N.G., Sorting by means of swappings **9** (1974) 333–339
De Bruijn, N.G., Penrose patterns are almost entirely determined by two points **106/107** (1992) 97–104
De Caen, D., D.L. Kreher, S.P. Radziszowski and W.H. Mills, On the covering of t-sets with $(t+1)$-sets: $C(9,5,4)$ and $C(10,6,5)$ **91** (1991) 65–77
De Caen, D., A lower bound on the probability of a union **169** (1-3) (1997) 217–220
De Caen, D., An upper bound on the sum of squares of degrees in a graph **185** (1-3) (1998) 245–248
Deckhart, R.W., The local Kostant–PBW ordering **90** (1991) 1–20
De Clerck, F., *see* I. Debroey **41** (1982) 7–15
De Clerck, F., *see* J.A. Thas **51** (1984) 283–292
De Clerck, F. and N.L. Johnson, Subplane covered nets and semipartial geometries **106/107** (1992) 127–134
Décoste, H., G. Labelle and P. Leroux, The functorial composition of species, a forgotten operation **99** (1992) 31–48
Décoste, H. and G. Labelle, Le q-dénombrement générique d'une espèce: Existence et méthode de calcul **153** (1-3) (1996) 59–67
Dedò, E. and L. Porcu, Some properties of a multidigraph by semi-incidence matrices **55** (1985) 1–11
Deeter, C.R. and J.M. Gray, The discrete Green's function and the discrete kernel function **10** (1974) 29–42
De Felice, C., A partial result about the factorization conjecture for finite variable-length codes **122** (1993) 137–152
De Felice, C., *see* V. Bruyère **140** (1-3) (1995) 47–77
De Figueiredo, C.M.H., *see* H. Everett **165-166** (1-3) (1997) 223–242
De Fraysseix, H., Local complementation and interlacement graphs **33** (1981) 29–35
De Graaf, M., A. Schrijver and P.D. Seymour, Directed triangles in directed graphs (*Note*) **110** (1992) 279–282
Dehnhardt, K. and H. Harborth, Universal tilings of the plane by 0–1-matrices **73** (1988/89) 65–70
Dehon, M., Non-existence d'un 3-design de parametres $\lambda = 2$, $k = 5$ et $v = 11$ **15** (1976) 23–25
Dehon, M., On the existence of 2-designs $S_\lambda(2,3,v)$ without repeated blocks **43** (1983) 155–171
Dehon, M., An existence theorem for some simple t-designs **90** (1991) 137–142
Deiters, K. and M. Erné, Negations and contrapositions of complete lattices **181** (1-3) (1998) 91–111
Dejter, I.J., J. Cordova and J.A. Quintana, Two Hamilton cycles in bipartite reflective Kneser graphs **72** (1988) 63–70
Dejter, I.J., W. Cedeño and V. Jauregui, A note on Frucht diagrams, Boolean graphs and Hamilton cycles **114** (1993) 131–135
Dejter, I.J., On symmetric subgraphs of the 7-cube: an overview **124** (1994) 55–66
Dejter, I.J., H. Hevia and O. Serra, Hidden Cayley graph structures **182** (1-3) (1998) 69–83
Deken, J.G., Some limit results for longest common subsequences **26** (1979) 17–31
Dekking, F.M., Iteration of maps by an automaton **126** (1994) 81–86
Delandtsheer, A., Finite planar spaces with isomorphic planes **42** (1982) 161–176
Delandtsheer, A., The rigidity of the smallest unknown π-space **47** (1983) 203–210
Delandtsheer, A., Metrical regularity in the incidence graph of a finite linear space **52** (1984) 133–141
Delandtsheer, A., Transitivity on sets of independent points in geometric lattices (*Communication*) **61** (1986) 103–105
Delandtsheer, A., Orbits in uniform hypergraphs (*Communication*) **61** (1986) 317–319
Delandtsheer, A., Finite planar spaces with isomorphic planes (*Erratum*) **65** (1987) 107

Delandtsheer, A., Line-primitive groups of small rank (*Communication*) **68** (1988) 103–106
Delandtsheer, A., Classifications of finite highly transitive dimensional linear spaces **129** (1-3) (1994) 75–111
De la Torre, P. and D.T. Kao, An algebraic approach to the prefix model analysis of binary trie structures and set intersection algorithms **180** (1-3) (1998) 123–142
De Launey, W., Generalised Hadamard matrices which are developed modulo a group **104** (1992) 49–65
Deléglise, M., P. Erdős and J.-L. Nicolas, Sur les ensembles représentés par les partitions d'un entier n **200** (1-3) (1999) 27–48
Delest, M.P. and J.M. Fedou, Enumeration of skew Ferrers diagrams **112** (1993) 65–79
Del Fra, A. and D. Ghinelli, Classification of extended generalized quadrangles with maximum diameter **105** (1992) 13–23
Del Fra, A. and G. Pica, Flag-transitive $C_2.L_n$ geometries **174** (1-3) (1997) 99–105
Del Fra, A., On two new classes of semibiplanes **174** (1-3) (1997) 107–116
Del Greco, J.G., Characterizing bias matroids **103** (1992) 153–159
Dell'Olmo, P., M.G. Speranza and Zs. Tuza, Efficiency and effectiveness of normal schedules on three dedicated processors **164** (1-3) (1997) 67–79
Del Lungo, A., M. Nivat and R. Pinzani, The number of convex polyominoes reconstructible from their orthogonal projections **157** (1-3) (1996) 65–78
Del Lungo, A., *see* E. Barcucci **170** (1-3) (1997) 211–217
Del Lungo, A., *see* E. Barcucci **180** (1-3) (1998) 45–64
Del Lungo, A., *see* E. Barcucci **189** (1-3) (1998) 21–42
Del Lungo, A., *see* E. Barcucci **190** (1-3) (1998) 235–240
Delorme, C. and G. Hahn, Infinite generalized friendship graphs **49** (1984) 261–266
Delorme, C. and S. Poljak, The performance of an eigenvalue bound on the max-cut problem in some classes of graphs **111** (1993) 145–156
Delorme, C., *see* J. Bond **114** (1993) 63–74
Delorme, C., Eigenvalues of finite graphs **114** (1993) 137–146
Delorme, C. and J.P. Tillich, Eigenvalues, eigenspaces and distances to subsets **165-166** (1-3) (1997) 161–184
Del Ristoro, F., *see* E. Barcucci **190** (1-3) (1998) 235–240
Delsarte, P. and J.M. Goethals, Unrestricted codes with the Golay parameters are unique **12** (1975) 211–224
Delsarte, P., A generalization of the Legendre symbol for finite Abelian groups **27** (1979) 187–192
Delsarte, Ph., Weights of linear codes and strongly regular normed spaces **3** (1972) 47–64
Delsarte, Ph. and Ph. Piret, An extension of an inequality by Ahlswede, El Gamal and Pang for pairs of binary codes (*Note*) **55** (1985) 313–315
De Luca, A., D. Perrin, A. Restivo and S. Termini, Synchronization and simplification **27** (1979) 297–308
De Luca, A., On some combinatorial problems in free monoids **38** (1982) 207–225
De Luca, A., On the product of square-free words **52** (1984) 143–157
Demel, J., Maximal frequencies of equivalences with small classes (*Note*) **23** (1978) 67–71
De Mello, C.P., *see* C.L. Lucchesi **183** (1-3) (1998) 247–254
Demetrovics, J., On the main diagonal of Sheffer functions **21** (1978) 1–5
Demetrovics, J., *see* A. Békéssy **27** (1979) 1–10
Demetrovics, J., *see* A. Békéssy **30** (1980) 83–88
Deming, R.W., Independence numbers of graphs – An extension of the Koenig–Egervary theorem **27** (1979) 23–33
Dénes, J., On some connections between permutations and coding **56** (1985) 141–146
Dénes, J. and A.D. Keedwell, A new authentication scheme based on latin squares **106/107** (1992) 157–161
Dénes, J. and G.L. Mullen, Enumeration formulas for latin and frequency squares **111** (1993) 157–163
Deng, C.-L. and C.-K. Lim, A result on generalized latin rectangles **72** (1988) 71–80
Deng, C.-L. and C.-K. Lim, A class of clique-closed graphs **127** (1-3) (1994) 131–137
Deng, C.-L. and C.-K. Lim, A Characterization of graphs G with $G \cong K^2(G)$ **151** (1-3) (1996) 71–79
Deng, X.-t., *see* Y.-j. Zhu **87** (1991) 197–214
Denise, A. and R. Simion, Two combinatorial statistics on Dyck paths **137** (1-3) (1995) 155–176
Denise, A., Génération aléatoire et uniforme de mots **153** (1-3) (1996) 69–84
Denley, T., The Ramsey numbers for disjoint unions of cycles **149** (1-3) (1996) 31–44
Denniston, R.H.F., Some packings with Steiner triple systems **9** (1974) 213–227
Denniston, R.H.F., Sylvester's problem of the 15 schoolgirls **9** (1974) 229–233

Deogun, J.S., D. Kratsch and G. Steiner, 1-tough cocomparability graphs are hamiltonian **170** (1-3) (1997) 99–106
De Oliveira, A.G., On the Steinitz exchange lemma **137** (1-3) (1995) 367–370
De Oliveira, A.G., *see* R. Cordovil **160** (1-3) (1996) 105–113
Depew, A.J., *see* C.A. Barefoot **125** (1994) 15–30
De Resmini, M.J., On complete arcs in Steiner systems $S(2, 3, v)$ and $S(2, 4, v)$ **77** (1989) 65–73
De Resmini, M.J., *see* C.J. Colbourn **89** (1991) 149–160
De Resmini, M.J., Some naive constructions of $S(2, 3, v)$ and $S(2, 4, v)$ **97** (1991) 149–153
De Resmini, M.J., *see* K.T. Phelps **104** (1992) 273–280
Dershowitz, N. and S. Zaks, Enumerations of ordered trees **31** (1980) 9–28
Dershowitz, N. and S. Zaks, Ordered trees and non-crossing partitions (*Note*) **62** (1986) 215–218
Désarménien, J., An algorithm for the Rota straightening formula **30** (1980) 51–68
Désarménien, J. and D. Foata, Statistiques d'ordre sur les permutations colorées **87** (1991) 133–148
Désarménien, J. and D. Foata, The signed Eulerian numbers **99** (1992) 49–58
Deschamps, J., Fermetures i-generatrices — Application aux fonctions booleennes permutantes **13** (1975) 321–339
Deschamps, J.P., Parametric solutions of Boolean equations **3** (1972) 333–342
Deshouillers, J.-M., P. Erdős and G. Melfi, On a question about sum-free sequences **200** (1-3) (1999) 49–54
De Simone, C., The cut polytope and the Boolean quadric polytope **79** (1989/90) 71–75
De Simone, C., M. Deza and M. Laurent, Collapsing and lifting for the cut cone **127** (1-3) (1994) 105–130
De Simone, C. and A. Galluccio, New classes of Berge perfect graphs **131** (1-3) (1994) 67–79
Desrosiers, J., *see* O. du Merle **194** (1-3) (1999) 229–237
Detemple, D. and J. Robertson, Permutations associated with billiard paths **47** (1983) 211–219
DeTemple, D., *see* K. McAvaney **113** (1993) 131–142
DeTemple, D.W., M.J. Dineen, J.M. Robertson and K.L. McAvaney, Recent examples in the theory of partition graphs (*Note*) **113** (1993) 255–258
Deuber, W., Partition theorems for unary algebras **27** (1979) 35–45
Deuber, W.A. and X. Zhu, The chromatic numbers of distance graphs **165-166** (1-3) (1997) 191–200
Deutsch, E., A bijection on Dyck paths and its consequences **179** (1-3) (1998) 253–256
Deutsch, E., A bijection on Dyck paths and its consequences (*Note*) [Discrete Math. 179 (1998) 253–256] **187** (1-3) (1998) 297
Devitt, J.S., *see* E.A. Bender **50** (1984) 1–8
Devlin, K.J., A note on a problem of Erdös and Hajnal **11** (1975) 9–22
De Vries, H.L., Historical notes on Steiner systems (*Note*) **52** (1984) 293–297
De Vries, H.L., *see* I. Diener **55** (1985) 13–19
De Vroedt, C., *see* C. Roos **40** (1982) 261–276
De Vroedt, C., On the maximum cardinality of binary constant weight codes with prescribed distance **97** (1991) 155–160
De Vroedt, C., Über einen Satz von Köhler **97** (1991) 161–165
Dewdney, A.K., Wagner's theorem for torus graphs **4** (1973) 139–149
Dewdney, A.K. and F. Harary, Oriented two-dimensional circuits **33** (1981) 149–162
De Werra, D., Investigations on an edge coloring problem **1** (1971) 167–179
De Werra, D., An extension of bipartite multigraphs **14** (1976) 133–138
De Werra, D., Regular and canonical colorings **27** (1979) 309–316
De Werra, D., Variation on a theorem of König (*Note*) **51** (1984) 319–321
De Werra, D., *see* C. Benzaken **55** (1985) 123–127
De Werra, D., *see* M. Preissmann **61** (1986) 259–267
De Werra, D., *see* A. Hertz **68** (1988) 111–113
De Werra, D., *see* A. Hertz **74** (1989) 51–59
De Werra, D., *see* A.J.W. Hilton **128** (1-3) (1994) 179–201
De Werra, D., Restricted coloring models for timetabling **165-166** (1-3) (1997) 611–620
De Werra, D. and A. Hertz, On perfectness of sums of graphs **195** (1-3) (1999) 93–101
Deza, A., M. Deza and V. Grishukhin, Fullerenes and coordination polyhedra versus half-cube embeddings **192** (1-3) (1998) 41–80

Deza, M., Une propriete extremale des plans projectifs finis dans une classe de codes equidistants **6** (1973) 343–352
Deza, M. and P. Erdös, Extension de quelques theoremes sur les densites de series d'elements de N a des series de sous-ensembles finis de N **12** (1975) 295–308
Deza, M., *see* N. Hamada **71** (1988) 219–231
Deza, M., *see* M. Laurent **75** (1989) 279–313
Deza, M., *see* N. Hamada **77** (1989) 75–87
Deza, M., *see* N. Hamada **93** (1991) 19–33
Deza, M. and M. Laurent, Extension operations for cuts **106/107** (1992) 163–179
Deza, M., K. Fukuda and M. Laurent, The inequicut cone **119** (1993) 21–48
Deza, M. and M. Laurent, The even and odd cut polytopes **119** (1993) 49–66
Deza, M., *see* C. De Simone **127** (1-3) (1994) 105–130
Deza, M. and V. Grishukhin, The skeleton of the 120-cell is not penta-gonal **165-166** (1-3) (1997) 185–190
Deza, M., *see* A. Deza **192** (1-3) (1998) 41–80
Dhurandhar, M., Improvement on Brooks' chromatic bound for a class of graphs **42** (1982) 51–56
Diaconis, P. and R. Graham, Binomial coefficient codes over GF(2) **106/107** (1992) 181–188
Diaconis, P., *see* F. Chung **110** (1992) 43–59
Diánez, A., *see* L. Boza **161** (1-3) (1996) 45–52
Dias da Silva, J.A. and A. Fonseca, The r-depth of a matroid **141** (1-3) (1995) 85–93
Diatta, J., Approximating dissimilarities by quasi-ultrametrics **192** (1-3) (1998) 81–86
Diatta, J. and B. Fichet, Quasi-ultrametrics and their 2-ball hypergraphs **192** (1-3) (1998) 87–102
Di Bucchianico, A., *see* A. Bottreau **180** (1-3) (1998) 65–72
Dieker, P., *see* A. Bialostocki **94** (1991) 221–228
Diener, I., On S-cyclic Steiner systems **39** (1982) 283–292
Diener, I., E. Schmitt and H.L. de Vries, All 80 Steiner triple systems on 15 elements are derived **55** (1985) 13–19
Dierker, P., *see* A. Bialostocki **91** (1991) 231–238
Dierker, P., *see* A. Bialostocki **110** (1992) 1–8
Diestel, R., On the problem of finding small subdivision and homomorphism bases for classes of countable graphs **55** (1985) 21–33
Diestel, R., Tree-decompositions, tree-representability and chordal graphs (*Note*) **71** (1988) 181–184
Diestel, R., Simplicial decompositions of graphs: A survey of applications **75** (1989) 121–144
Diestel, R., Decomposing infinite graphs **95** (1991) 69–89
Diestel, R., The end structure of a graph: recent results and open problems **100** (1992) 313–327
Dieter, E., *see* T.H. Brylawski **69** (1988) 123–151
Dietrich, B.L., *see* R.G. Bland **70** (1988) 203–208
Dietrich, B.L., Matroids and antimatroids—A survey **78** (1989) 223–237
Dikranjan, D. and A. Policriti, Complementation in the lattice of equivalence relations **159** (1-3) (1996) 83–94
Dilcher, K., Some q-series identities related to divisor functions **145** (1-3) (1995) 83–93
Dillencourt, M.B., An upper bound on the shortness exponent of 1-tough, maximal planar graphs (*Note*) **90** (1991) 93–97
Dillencourt, M.B. and W.D. Smith, Graph-theoretical conditions for inscribability and Delaunay realizability **161** (1-3) (1996) 63–77
Dineen, M.J., *see* D.W. DeTemple **113** (1993) 255–258
Ding, G., Disjoint circuits on a Klein bottle and a theorem on posets **112** (1993) 81–91
Ding, G., Clutters with $\tau_2 = 2\tau$ **115** (1993) 141–152
Ding, G., Stable sets versus independent sets **117** (1993) 73–87
Ding, G., Monotone clutters **119** (1993) 67–77
Ding, G. and B. Oporowski, On tree-partitions of graphs **149** (1-3) (1996) 45–58
Ding, G. and P.L. Hammer, Matroids arisen from matrogenic graphs **165-166** (1-3) (1997) 201–207
Ding, K., Invisible permutations and rook placements on a Ferrers board **139** (1-3) (1995) 105–127
Ding, K. and P. Terwilliger, On Garsia–Remmel problem of rook equivalence **149** (1-3) (1996) 59–68
Ding, K., Rook placements and cellular decomposition of partition varieties **170** (1-3) (1997) 107–151
Ding, K., Rook placements and generalized partition varieties **176** (1-3) (1997) 63–95
Ding, R., K. Kołodziejczyk and J. Reay, A new pick-type theorem on the hexagonal lattice **68** (1988) 171–177

Ding, R., *see* G. Murphy **69** (1988) 295–300
Dinh, H.V., On the length of longest dominating cycles in graphs **121** (1993) 211–222
Dinh, H.V., Path partition number in tough graphs **164** (1-3) (1997) 291–294
Dinitz, J., *see* D. Archdeacon **113** (1993) 1–6
Dinitz, J.H. and D.R. Stinson, MOLS with holes **44** (1983) 145–154
Dinitz, J.H., D.R. Stinson and W.D. Wallis, Room squares with holes of sides 3, 5, and 7 **47** (1983) 221–228
Dinitz, J.H., *see* D. Archdeacon **92** (1991) 9–19
Dinneen, M.J., *see* T.L. Brewster **147** (1-3) (1995) 35–55
Dinolt, G.W., *see* R.A. Brualdi **12** (1975) 113–138
Dinski, T. and X. Zhu, A bound for the game chromatic number of graphs **196** (1-3) (1999) 109–115
Dion, J.P., The Sperner property for posets: A probabilistic approach **53** (1985) 57–62
Dirac, G.A., Terminable and interminable paths and trails in infinite graphs **9** (1974) 19–34
Dirac, G.A., Note on infinite graphs **11** (1975) 107–118
Ditor, S.Z., Cardinality questions concerning semilattices of finite breadth **48** (1984) 47–59
Dixon, J.D., Monotonic subsequences in random sequences **12** (1975) 139–142
Dixon, J.D., Random sets which invariably generate the symmetric group **105** (1992) 25–39
Dixon, R., *see* A. Bruen **12** (1975) 393–395
Dobbs, D.E., Posets admitting a unique order-compatible topology **41** (1982) 235–240
Dobson, E., Isomorphism problem for Cayley graphs of $\mathbf{Z}_p^3$ **147** (1-3) (1995) 87–94
Dobson, E., *see* S. Brandt **150** (1-3) (1996) 411–414
Dobson, E., H. Gavlas, J. Morris and D. Witte, Automorphism groups with cyclic commutator subgroup and Hamilton cycles **189** (1-3) (1998) 69–78
Doehlert, D.H. and V.L. Klee, Experimental designs through level reduction of the d-dimensional cuboctahedron **2** (1972) 309–334
Doignon, J.-P., On characterizations of binary and graphic matroids (*Communication*) **37** (1981) 299–301
Doignon, J.-P. and J.-C. Falmagne, Well-graded families of relations **173** (1-3) (1997) 35–44
Đoković, D.Ž., Williamson matrices of order $4n$ for $n = 33, 35, 39$ (*Note*) **115** (1993) 267–271
Đoković, D.Ž., Equivalence classes and representatives of Golay sequences **189** (1-3) (1998) 79–93
Dolan, P. and M. Halsey, Random edge domination (*Note*) **112** (1993) 259–260
Dolinar, S., T.-M. Ko and R. McEliece, Some VLSI decompositions of the de Bruijn graph **106/107** (1992) 189–198
Domb, C. and A.J. Barrett, Enumeration of ladder graphs **9** (1974) 341–358
Domke, G.S., J.E. Dunbar and L.R. Markus, Gallai-type theorems and domination parameters **167-168** (1-3) (1997) 237–248
Domke, G.S. and R.C. Laskar, The bondage and reinforcement numbers of γ_f for some graphs **167-168** (1-3) (1997) 249–259
Domocoş, V. and W.R. Schmitt, An application of linear species **132** (1-3) (1994) 377–381
Domocoş, V. and Ş.N. Buzeţeanu, The generating function of irreducible coverings by edges of complete k-partite graphs **147** (1-3) (1995) 287–292
Domocoş, V., *see* Ş.N. Buzeţeanu **150** (1-3) (1996) 421–425
Domocoş, V., A combinatorial method for the enumeration of column-convex polyominoes **152** (1-3) (1996) 115–123
Domocoş, V., Minimal coverings of uniform hypergraphs and P-recursiveness **159** (1-3) (1996) 265–271
Donati, A., Lins-Mandel manifolds as branched covering of S^3 **62** (1986) 21–27
Dong, F. and Y. Liu, Counting rooted near-triangulations on the sphere **123** (1993) 35–45
Dong, F.-M. and Y. Liu, On the chromatic uniqueness of the graph $W(n, n-2) + K_k$ **145** (1-3) (1995) 95–103
Dong, F.M. and K.M. Koh, On graphs in which any pair of colour classes but one induces a tree **169** (1-3) (1997) 39–54
Dong, F.M. and K.M. Koh, On the structure and chromaticity of graphs in which any two colour classes induce a tree **176** (1-3) (1997) 97–113
Dong, F.M. and Y.P. Liu, All wheels with two missing consecutive spokes are chromatically unique **184** (1-3) (1998) 71–85
Dong, L., *see* B.-L. Chen **194** (1-3) (1999) 59–65
Donovan, D. and S. Oates–Williams, Single laws for sloops and squags **92** (1991) 79–83
Dörfler, W., Every regular graph is a quasigroup graph (*Note*) **10** (1974) 181–183

Dorrough, D., Convergence of sequences of iterated triangular line graphs **161** (1-3) (1996) 79–86
Dougherty, S.T., T.A. Gulliver and M. Harada, Optimal ternary formally self-dual codes **196** (1-3) (1999) 117–135
Douglas, R.J., Bounds on the number of Hamiltonian circuits in the n-cube **17** (1977) 143–146
Douglas, R.J., NP-completeness and degree restricted spanning trees **105** (1992) 41–47
Dow, S., An improved bound for extending partial projective planes **45** (1983) 199–207
Dowling, T.A. and D.G. Kelly, Elementary strong maps and transversal geometries **7** (1974) 209–224
Downs, M.L.N. and G.A. Jones, Enumerating regular objects with a given automorphism group (*Communication*) **64** (1987) 299–302
Doyen, J., A note on reverse Steiner triple systems **1** (1972) 315–319
Doyen, J. and R.M. Wilson, Embeddings of Steiner triple systems **5** (1973) 229–239
Doyen, J. and V. Van Diest, New families of hypohamiltonian graphs **13** (1975) 225–236
Doyle, J.K. and J.E. Graver, Mean distance in a graph **17** (1977) 147–154
Dragan, F.F., *see* A. Brandstädt **158** (1-3) (1996) 273–278
Dragan, F.F. and A. Brandstädt, r-Dominating cliques in graphs with hypertree structure **162** (1-3) (1996) 93–108
Dragan, F.F., *see* A. Brandstädt **171** (1-3) (1997) 27–42
Drake, D.A. and M.P. Hale Jr., Half counts in Latin quarters **8** (1974) 257–268
Drake, D.A., Embedding maximal cliques of sets in maximal cliques of bigger sets **58** (1986) 229–242
Drake, D.A., G.H.J. van Rees and W.D. Wallis, Maximal sets of mutually orthogonal Latin squares **194** (1-3) (1999) 87–94
Drápal, A., On quasigroup rich in associative triples **44** (1983) 251–265
Dress, A.W.M. and R. Scharlau, The 37 combinatorial types of minimal, non-transitive, equivariant tilings of the Euclidean plane **60** (1986) 121–138
Dress, A.W.M., *see* H.-J. Bandelt **136** (1-3) (1994) 21–37
Drgas-Burchardt, E., *see* M. Borowiecki **111** (1993) 71–75
Drgas-Burchardt, E., *see* M. Borowiecki **121** (1993) 11–18
Dridi, T., Distributions binaires unimodales (*Communication*) **126** (1994) 373–378
Droms, C., B. Servatius and H. Servatius, Groups assembled from free and direct products **109** (1992) 69–75
Dror, M., G. Finke, S. Gravier and W. Kubiak, On the complexity of a restricted list-coloring problem **195** (1-3) (1999) 103–109
Droste, M., Products of conjugacy classes of the infinite symmetric groups **47** (1983) 35–48
Du, B., *see* F.E. Bennett **84** (1990) 221–239
Du, B., *see* L. Zhu **97** (1991) 409–417
Du, B., On the existence of incomplete transversal designs with block size five **135** (1-3) (1994) 81–92
Du, B., The existence of orthogonal diagonal Latin squares with subsquares **148** (1-3) (1996) 37–48
Du, B., K_{1,p^2}-factorization of complete bipartite graphs **187** (1-3) (1998) 273–279
Du, D.Z., *see* F.K. Hwang **45** (1983) 107–112
Du, D.-Z. and D.F. Hsu, Partitionable starters for twin prime power type **87** (1991) 23–28
Du, D.-Z., *see* B. Gao **142** (1-3) (1995) 49–63
Du, D.Z., D.F. Hsu and Y.D. Lyuu, On the diameter vulnerability of Kautz digraphs **151** (1-3) (1996) 81–85
Du, D.-Z., *see* P.-J. Wan **163** (1-3) (1997) 173–200
Du, D.-Z., *see* P.-J. Wan **171** (1-3) (1997) 261–275
Du, D.-Z., *see* F. Cao **183** (1-3) (1998) 27–38
Du, Q., On σ-polynomials and a class of chromatically unique graphs **115** (1993) 153–165
Du, Q., Chromaticity of the complements of paths and cycles **162** (1-3) (1996) 109–125
Dubernard, J.P. and I. Dutour, Enumération de polyominos convexes dirigés **157** (1-3) (1996) 79–90
Dubois, J., Polytopes de transport symetriques **4** (1973) 1–27
Dubois, J., Transformations affines agissant sur un simplexe **5** (1973) 61–78
Duchamp, G. and J.Y. Thibon, Le support de l'algebre de Lie libre **76** (1989) 123–129
Duchet, P., Sur les hypergraphes invariants **8** (1974) 269–280
Duchet, P. and H. Meyniel, A note on kernel-critical graphs (*Communication*) **33** (1981) 103–105
Duchet, P. and H. Meyniel, Une generalisation du theoreme de Richardson sur l'existence de noyaux dans les graphes orientes **43** (1983) 21–27

Duchet, P., Y. Hamidoune, M. Las Vergnas and H. Meyniel, Representing a planar graph by vertical lines joining different levels (*Note*) **46** (1983) 319–321
Duchet, P., *see* A.E. Brouwer **47** (1983) 177–182
Duchet, P., *see* R. Cordovil **62** (1986) 103–104
Duchet, P., M. Las Vergnas and H. Meyniel, Connected cutsets of a graph and triangle bases of the cycle space **62** (1986) 145–154
Duchet, P. and V. Kaneti, Sur la contraction des graphes orientes en K_3^* (*Note*) **65** (1987) 95–98
Duchet, P., Y.O. Hamidoune and H. Meyniel, Sur les quasi-noyaux d'un graphe **65** (1987) 231–235
Duchet, P., On locally-perfect colorings **74** (1989) 29–32
Duchet, P., *see* R. Cordovil **79** (1989/90) 251–257
Duchet, P., *see* C. Berge **86** (1990) 27–31
Duchet, P. and S. Olariu, Graphes parfaitement ordonnables généralises (*Note*) **90** (1991) 99–101
Duchet, P. and H. Meyniel, Kernels in directed graphs: a poison game (*Note*) **115** (1993) 273–276
Duchet, P. and V. Kaneti, Sur la contractibilité d'un graphe orienté en K_4^* **130** (1-3) (1994) 57–68
Dudás, T., *see* R.E. Burkard **161** (1-3) (1996) 53–61
Dudek, W.A., *see* Z. Stojaković **183** (1-3) (1998) 277–284
Dudley, R.M., *see* R.S. Wenocur **33** (1981) 313–318
Duffus, D. and I. Rival, Path length in the covering graph of a lattice **19** (1977) 139–158
Duffus, D., I. Rival and M. Simonovits, Spanning retracts of a partially ordered set **32** (1980) 1–7
Duffus, D., M. Pouzet and I. Rival, Complete ordered sets with no infinite antichains **35** (1981) 39–52
Duffus, D. and I. Rival, A structure theory for ordered sets **35** (1981) 53–118
Duffus, D., *see* M. Aigner **88** (1991) 113–119
Duffus, D., H. Lefmann and V. Rödl, Shift graphs and lower bounds on Ramsey numbers $r_k(l; r)$ **137** (1-3) (1995) 177–187
Duffus, D. and N. Sauer, Lattices arising in categorial investigations of Hedetniemi's conjecture **152** (1-3) (1996) 125–139
Dugat, V., *see* A. Astié-Vidal **102** (1992) 111–120
Dugat, V., *see* A. Astié-Vidal **111** (1993) 27–36
Dugdale, J.K. and A.J.W. Hilton, The total chromatic number of regular graphs whose complement is bipartite **126** (1994) 87–98
Dujella, A., A bijective proof of Riordan's theorem on powers of Fibonacci numbers **199** (1-3) (1999) 217–220
Duke, R.A., On the genus and connectivity of Hamiltonian graphs **2** (1972) 199–206
Duke, R.A., P. Erdős and V. Rödl, Cycle-connected graphs **108** (1992) 261–278
Dulucq, S. and J.-G. Penaud, Cordes, arbres et permutations **117** (1993) 89–105
Dulucq, S. and B.E. Sagan, La correspondance de Robinson–Schensted pour les tableaux oscillants gauches **139** (1-3) (1995) 129–142
Dulucq, S., S. Gire and J. West, Permutations with forbidden subsequences and nonseparable planar maps **153** (1-3) (1996) 85–103
Dulucq, S. and O. Guibert, Stack words, standard tableaux and Baxter permutations **157** (1-3) (1996) 91–106
Dulucq, S. and O. Guibert, Baxter permutations **180** (1-3) (1998) 143–156
Dulucq, S., S. Gire and O. Guibert, A combinatorial proof of J. West's conjecture **187** (1-3) (1998) 71–96
Dumas, P. and L. Thimonier, Random palindromes: multivariate generating function and Bernoulli density **139** (1-3) (1995) 143–154
Du Merle, O., D. Villeneuve, J. Desrosiers and P. Hansen, Stabilized column generation **194** (1-3) (1999) 229–237
Dumont, D., Sur une conjecture de Gandhi concernant les nombres de Genocchi **1** (1972) 321–327
Dumont, D. and A. Randrianarivony, Dérangements et nombres de Genocchi **132** (1-3) (1994) 37–49
Dumont, D., Conjectures sur des symétries ternaires liées aux nombres de Genocchi (*Note*) **139** (1-3) (1995) 469–472
Dunbar, J. and R. Laskar, Finite nets of dimension d **22** (1978) 1–24
Dunbar, J., S. Hedetniemi, M.A. Henning and A.A. McRae, Minus domination in regular graphs **149** (1-3) (1996) 311–312
Dunbar, J., S. Hedetniemi, M.A. Henning and A. McRae, Minus domination in graphs **199** (1-3) (1999) 35–47
Dunbar, J.E., F.C. Harris Jr., S.M. Hedetniemi, S.T. Hedetniemi, A.A. McRae and R.C. Laskar, Nearly perfect sets in graphs **138** (1-3) (1995) 229–246

Dunbar, J.E., *see* G.S. Domke **167-168** (1-3) (1997) 237–248
Dunbar, J.E., J.W. Grossman, J.H. Hattingh, S.T. Hedetniemi and A.A. McRae, On weakly connected domination in graphs **167-168** (1-3) (1997) 261–269
Dunham, D., D.S. Jungreis and D. Witte, Infinite Hamiltonian paths in Cayley digraphs of hyperbolic symmetry groups **143** (1-3) (1995) 1–30
Dunning, L.A., *see* W.E. Clark **80** (1990) 249–265
Düntsch, I. and S. Koppelberg, Complements and quasicomplements in the lattice of subalgebras of $P(\omega)$ **53** (1985) 63–78
Duquenne, V., The core of finite lattices **88** (1991) 133–147
Dür, A., The decoding of extended Reed–Solomon codes **90** (1991) 21–40
Dür, A., On the covering radius of Reed–Solomon codes **126** (1994) 99–105
Durand, F., A characterization of substitutive sequences using return words **179** (1-3) (1998) 89–101
Durnberger, E., Connected Cayley graphs of semi-direct products of cyclic groups of prime order by abelian groups are hamiltonian **46** (1983) 55–68
Dutour, I., *see* J.P. Dubernard **157** (1-3) (1996) 79–90
Dutton, R.D., *see* R.C. Brigham **34** (1981) 1–7
Dutton, R.D., *see* R.C. Brigham **44** (1983) 139–144
Dutton, R.D., *see* R.C. Brigham **52** (1984) 31–37
Dutton, R.D., *see* A.P. Shelton **59** (1986) 199–201
Dutton, R.D. and R.C. Brigham, On the size of graphs of a given bandwidth **76** (1989) 191–195
Dutton, R.D., *see* R.C. Brigham **86** (1990) 127–136
Dutton, R.D. and R.C. Brigham, On the radius and diameter of the clique graph **147** (1-3) (1995) 293–295
Duval, J.P., Relationship between the period of a finite word and the length of its unbordered segments **40** (1982) 31–44
Duvdevani, N. and A.S. Fraenkel, Properties of K-Welter's game **76** (1989) 197–221
Dvořák, T., I. Havel and P. Liebl, Euler cycles in the complete graph K_{2m+1} **171** (1-3) (1997) 89–102
Dymacek, W.M., Complements of Steinhaus graphs **37** (1981) 167–180
Dymacek, W.M., Bipartite Steinhaus graphs **59** (1986) 9–20
Dymàček, W.M. and T. Whaley, Generating strings for bipartite Steinhaus graphs **141** (1-3) (1995) 95–107
Dymàček, W.M., *see* G.J. Chang **199** (1-3) (1999) 11–25
Dziobiak, W., *see* M.E. Adams **135** (1-3) (1994) 15–28
Eaton, N., Ramsey numbers for sparse graphs **185** (1-3) (1998) 63–75
Ebert, G., J. Hemmeter, F. Lazebnik and A. Woldar, On the number of irregular assignments on a graph **93** (1991) 131–142
Ebert, G.L., Inverse planes with a given collection of common blocks **131** (1-3) (1994) 81–90
Eckhoff, J., The maximum number of triangles in a K_4-free graph **194** (1-3) (1999) 95–106
Edelberg, M., *see* D. Kleitman **1** (1971) 47–53
Edelberg, M., M.R. Garey and R.L. Graham, On the distance matrix of a tree **14** (1976) 23–39
Edelman, P.H., On a fixed point theorem for partially ordered sets **25** (1979) 117–119
Edelman, P.H., Chain enumeration and non-crossing partitions **31** (1980) 171–180
Edelman, P.H., Multichains, non-crossing partitions and trees **40** (1982) 171–179
Edelman, P.H., R. Simion and D. White, Partition statistics on permutations **99** (1992) 63–68
Edelman, P.H. and R. Simion, Chains in the lattice of noncrossing partitions **126** (1994) 107–119
Edelman, P.H., Lexicographically first reduced words **147** (1-3) (1995) 95–106
Edelsbrunner, H. and D. Haussler, The complexity of cells in three-dimensional arrangements **60** (1986) 139–146
Edelsbrunner, H., A.D. Robison and X.-J. Shen, Covering convex sets with non-overlapping polygons **81** (1990) 153–164
Edmonds, F.C., Enumeration of arrays of a given size **18** (1977) 1–22
Edmonds, F.C., Rectangular arrays **19** (1977) 213–227
Edmonds, J., *see* K. Cameron **101** (1992) 1–21
Edmonds, J., M. Laurent and A. Schrijver, A minor-monotone graph parameter based on oriented matroids **165-166** (1-3) (1997) 209–216
Edwards, K., On a problem concerning piles of counters **156** (1-3) (1996) 263–264
Edwards, K., *see* N. Cairnie **188** (1-3) (1998) 87–97

Eftimie, M. and R. Eftimie, A decomposition property of basic acyclic graphs **17** (1977) 271–279
Eftimie, R., *see* M. Eftimie **17** (1977) 271–279
Egawa, Y., M. Urabe, T. Fukuda and S. Nagoya, A decomposition of complete bipartite graphs into edge-disjoint subgraphs with star components (*Note*) **58** (1986) 93–95
Egawa, Y., Characterization of the Cartesian product of complete graphs by convex subgraphs (*Note*) **58** (1986) 307–309
Egawa, Y., *see* K. Ando **65** (1987) 109–114
Egawa, Y., H. Enomoto and A. Saito, Factors and induced subgraphs **68** (1988) 179–189
Egawa, Y. and P.D. Vestergaard, Spanning trees in a cactus (*Note*) **110** (1992) 269–274
Egawa, Y. and M. Kano, Sufficient conditions for graphs to have (g,f)-factors **151** (1-3) (1996) 87–90
Egawa, Y., *see* K. Ando **167-168** (1-3) (1997) 35–63
Egawa, Y., Contractible cycles in graphs with large minimum degree **171** (1-3) (1997) 103–119
Egawa, Y. and K. Ota, Vertex-disjoint claws in graphs **197-198** (1-3) (1999) 225–246
Eggleton, R.B., Tiling the plane with triangles **7** (1974) 53–65
Eggleton, R.B., Common factors of integers: A graphic view **65** (1987) 141–147
Eggleton, R.B., A.S. Fraenkel and R.J. Simpson, Beatty sequences and Langford sequences **111** (1993) 165–178
Ehrenborg, R. and M. Readdy, Juggling and applications to q-analogues **157** (1-3) (1996) 107–125
Ehrenfeucht, A., K.P. Lee and G. Rozenberg, On the number of subwords of everywhere growing DT0L languages **15** (1976) 223–234
Ehrenfeucht, A., J. Karhumäki and G. Rozenberg, A note on D0L length sets **22** (1978) 233–242
Ehrenfeucht, A. and D.M. Silberger, Periodicity and unbordered segments of words **26** (1979) 101–109
Ehrenfeucht, A., V. Faber and H.A. Kierstead, A new method of proving theorems on chromatic index **52** (1984) 159–164
Ehrenfeucht, A., T. Harju and G. Rozenberg, Incremental construction of 2-structures **128** (1-3) (1994) 113–141
Ehrenfeucht, A., *see* E. Knill **141** (1-3) (1995) 185–194
Ehrenfeucht, A., T. Harju, P. ten Pas and G. Rozenberg, Permutations, parenthesis words, and Schröder numbers **190** (1-3) (1998) 259–264
Eidswick, J.A., Short factorizations of permutations into transpositions **73** (1989) 239–243
Eisfeld, J., On the common nature of Spreads and Pencils in PG(d,q) **189** (1-3) (1998) 95–104
Eke, B.G., Monotonic triads **9** (1974) 359–363
Eke, B.G., Coprimes in blocks of successive integers **149** (1-3) (1996) 313–317
Ekhad, S.B., A short proof of a 'strange' combinatorial identity conjectured by Gosper (*Note*) **90** (1991) 319–320
Ekhad, S.B., *see* S. Parnes **110** (1992) 263–264
El Gamal, A., *see* R. Ahlswede **49** (1984) 1–5
Eliad-Badt, E., Decomposition of the complete hypergraph into stars **71** (1988) 107–117
Eliahou, S., The $3x+1$ problem: new lower bounds on nontrivial cycle lengths **118** (1993) 45–56
El Kadi Abderrezzak, M., E. Flandrin, A. Harkat-Benhamdine and H. Li, D_λ-cycles in λ-claw-free graphs **165-166** (1-3) (1997) 11–20
Ellingham, M.N., Isomorphic factorization of r-regular graphs into r parts **69** (1988) 19–34
Ellingham, M.N., R.L. Hemminger and K.E. Johnson, Contractible edges in longest cycles in non-Hamiltonian graphs **133** (1-3) (1994) 89–98
El-Mallah, E.S. and C.J. Colbourn, On two dual classes of planar graphs **80** (1990) 21–40
Elmallah, E.S., *see* C.J. Colbourn **114** (1993) 115–129
El-Zahar, M. and N.W. Sauer, Ramsey-type properties of relational structures **94** (1991) 1–10
El-Zahar, M.H., On circuits in graphs **50** (1984) 227–230
El-Zahar, M.H., *see* B.I. Bayoumi **131** (1-3) (1994) 29–37
El-Zahar, M.H. and L.A. Fateen, On sphere orders **185** (1-3) (1998) 249–253
El-Zanati, S. and C.V. Eynden, Cycle factorizations of cycle products **189** (1-3) (1998) 267–275
El-Zanati, S.I., Maximum packings with odd cycles **131** (1-3) (1994) 91–97
Emamy-K, M.R. and L. Lazarte, On the cut-complexes of the 5-cube **78** (1989) 239–256
Emamy-K., M.R., On the covering cuts c^d $(d \leqslant 5)$ **68** (1988) 191–196
Endo, T., The pagenumber of toroidal graphs is at most seven **175** (1-3) (1997) 87–96
Engel, K., About the number of pairs of elements of E_k^n whose distances have given values **45** (1983) 209–216

Engel, K., Strong properties in partially ordered sets I **47** (1983) 229–234
Engel, K., Strong properties in partially ordered sets II **48** (1984) 187–196
Engel, K. and H.-D.O.F. Gronau, An intersection-union theorem for integer sequences **54** (1985) 153–159
Engel, K. and P.L. Erdős, Polytopes determined by complementfree Sperner families **81** (1990) 165–169
Engel, K., *see* I. Bouchemakh **170** (1-3) (1997) 51–61
Engel, P., On the enumeration of polyhedra (*Communication*) **41** (1982) 215–218
Engel, P., The enumeration of four-dimensional polytopes **91** (1991) 9–31
Engelhardt, E., V. Klee, K. Li and H. Quaife, Minimum graphs of specified diameter, connectivity and valence. II **78** (1989) 257–266
Enns, T.C., Convex 4-valent polytopes **30** (1980) 227–234
Enns, T.C., Hamiltonian circuits and paths in subset graphs with circular adjacency **122** (1993) 153–165
Enomoto, H., *see* Y. Egawa **68** (1988) 179–189
Enomoto, H., H. Mizutani and N. Tokushige, A word problem in Artin semigroups **104** (1992) 159–166
Enomoto, H. and M. Kano, Disjoint odd integer subsets having a constant even sum **137** (1-3) (1995) 189–193
Enomoto, H., Toughness and the existence of k-factors. III **189** (1-3) (1998) 277–282
Entringer, R.C. and L.D. Gassman, Line-critical point determining and point distinguishing graphs **10** (1974) 43–55
Entringer, R.C., *see* L. Clark **30** (1980) 95–101
Entringer, R.C., *see* L.H. Clark **81** (1990) 137–145
Entringer, R.C., *see* L.A. Székely **103** (1992) 293–300
Entringer, R.C., *see* C.A. Barefoot **125** (1994) 15–30
Entringer, R.C., *see* C.A. Barefoot **150** (1-3) (1996) 31–48
Eplett, W.J.R., A note about the Catalan triangle (*Note*) **25** (1979) 289–291
Eppstein, D., J. Feigenbaum and C.-L. Li, Equipartitions of graphs **91** (1991) 239–248
Era, H., *see* H. Narushima **21** (1978) 215–217
Era, H., *see* J. Akiyama **34** (1981) 209–218
Era, H. and M. Tsuchiya, On upper bound graphs whose complements are also upper bound graphs **179** (1-3) (1998) 103–109
Erdös, P., On some extremal problems on r-graphs **1** (1971) 1–6
Erdös, P., *see* V. Chvátal **2** (1972) 111–113
Erdös, P., A. Meir, V.T. Sós and P. Turán, On some applications of graph theory, I **2** (1972) 207–228
Erdös, P., *see* V. Chvatal **3** (1972) 301–304
Erdös, P. and P.E. O'Neil, On a generalization of Ramsey numbers **4** (1973) 29–35
Erdös, P. and M. Simonovits, On a valence problem in extremal graph theory **5** (1973) 323–334
Erdös, P., *see* B. Andrásfai **8** (1974) 205–218
Erdös, P. and D.J. Kleitman, Extremal problems among subsets of a set **8** (1974) 281–294
Erdös, P., *see* M. Deza **12** (1975) 295–308
Erdös, P., *see* B. Bollobás **13** (1975) 97–107
Erdös, P. and A. Meir, On total matching numbers and total covering numbers of complementary graphs **19** (1977) 229–233
Erdös, P., *see* K. Alladi **22** (1978) 201–211
Erdös, P., S.H. Hechler and P. Kainen, On finite superuniversal graphs **24** (1978) 235–249
Erdös, P. and J. Pach, On a problem of L. Fejes Tóth **30** (1980) 103–109
Erdös, P., *see* S.A. Burr **33** (1981) 227–237
Erdös, P., *see* S.A. Burr **38** (1982) 23–32
Erdös, P., G. Purdy and E.G. Straus, On a problem in combinatorial geometry **40** (1982) 45–52
Erdös, P., A.M. Hobbs and C. Payan, Disjoint cliques and disjoint maximal independent sets of vertices in graphs **42** (1982) 57–61
Erdös, P. and Z. Palka, Trees in random graphs **46** (1983) 145–150
Erdös, P., R.C. Mullin, V.T. Sós and D.R. Stinson, Finite linear spaces and projective planes **47** (1983) 49–62
Erdös, P. and N. Hindman, Enumeration of intersecting families **48** (1984) 61–65
Erdös, P. and Z. Palka, Addendum to "Trees in random graphs" **48** (1984) 331
Erdös, P. and A. Hajnal, Chromatic number of finite and infinite graphs and hypergraphs **53** (1985) 281–285
Erdös, P. and D.B. West, A note on the interval number of a graph **55** (1985) 129–133
Erdös, P., N. Linial and S. Moran, Extremal problems on permutations under cyclic equivalence **64** (1987) 1–11

Erdös, P., Z. Füredi, A. Hajnal, P. Komjáth, V. Rödl and Á. Seress, Coloring graphs with locally few colors **59** (1986) 21–34
Erdös, P. and M. Erné, Clique numbers of graphs **59** (1986) 235–242
Erdös, P., On some metric and combinatorial geometric problems **60** (1986) 147–153
Erdös, P., R.J. Faudree, C.C. Rousseau and R.H. Schelp, A Ramsey problem of Harary on graphs with prescribed size **67** (1987) 227–233
Erdős, P., Problems and results in combinatorial analysis and graph theory **72** (1988) 81–92
Erdős, P., R. Faudree and E.T. Ordman, Clique partitions and clique coverings **72** (1988) 93–101
Erdős, P., R.J. Faudree, C.C. Rousseau and R.H. Schelp, Extremal theory and bipartite graph-tree Ramsey numbers **72** (1988) 103–112
Erdős, P. and A. Hajnal, On the number of distinct induced subgraphs of a graph **75** (1989) 145–154
Erdős, P., J.L. Nicolas and A. Sárkőzy, On the number of partitions of n without a given subsum (I) **75** (1989) 155–166
Erdős, P., R.J. Faudree, C.C. Rousseau and R.H. Schelp, Subgraphs of minimal degree k **85** (1990) 53–58
Erdős, P. and F. Galvin, Some Ramsey-type theorems **87** (1991) 261–269
Erdős, P., S. Fajtlowicz and W. Staton, Degree sequences in triangle-free graphs **92** (1991) 85–88
Erdős, P. and J.A. Larson, Matchings from a set below to a set above **95** (1991) 169–182
Erdős, P., Z. Füredi and Z. Tuza, Saturated r-uniform hypergraphs **98** (1991) 95–104
Erdős, P., R.J. Faudree and C.C. Rousseau, Extremal problems involving vertices and edges on odd cycles **101** (1992) 23–31
Erdős, P. and A. Sárközy, Arithmetic progressions in subset sums **102** (1992) 249–264
Erdős, P., *see* R.A. Duke **108** (1992) 261–278
Erdős, P., T. Gallai and Z. Tuza, Covering the cliques of a graph with vertices **108** (1992) 279–289
Erdős, P., Z. Füredi, J. Pach and I.Z. Ruzsa, The grid revisited **111** (1993) 189–196
Erdős, P. and F. Galvin, Monochromatic infinite paths **113** (1993) 59–70
Erdős, P. and C.C. Rousseau, The size Ramsey number of a complete bipartite graph (*Note*) **113** (1993) 259–262
Erdős, P., R.J. Faudree and C.C. Rousseau, Extremal problems and generalized degrees **127** (1-3) (1994) 139–152
Erdős, P., R.J. Faudree, C.C. Rousseau and R.H. Schelp, A local density condition for triangles **127** (1-3) (1994) 153–161
Erdős, P., Problems and results in discrete mathematics **136** (1-3) (1994) 53–73
Erdős, P., A. Sárközy and V.T. Sós, On additive properties of general sequences **136** (1-3) (1994) 75–99
Erdős, P., *see* A. Bialostocki **137** (1-3) (1995) 19–34
Erdős, P., R. Faudree, T.J. Reid, R. Schelp and W. Staton, Degree sequence and independence in $K(4)$-free graphs **141** (1-3) (1995) 285–290
Erdős, P., T. Gallai and Z. Tuza, Covering and independence in triangle structures **150** (1-3) (1996) 89–101
Erdős, P., A. Gyárfás and T. Łuczak, Graphs in which each C_4 spans K_4 **154** (1-3) (1996) 263–268
Erdős, P., T.J. Reid, R. Schelp and W. Staton, Sizes of graphs with induced subgraphs of large maximum degree **158** (1-3) (1996) 283–286
Erdős, P. and P. Fishburn, Maximum planar sets that determine k distances **160** (1-3) (1996) 115–125
Erdős, P., Some recent problems and results in graph theory **164** (1-3) (1997) 81–85
Erdős, P., Some old and new problems in various branches of combinatorics **165-166** (1-3) (1997) 217–221
Erdös, P. and L. Pyber, Covering a graph by complete bipartite graphs **170** (1-3) (1997) 249–251
Erdős, P. and P. Fishburn, Distinct distances in finite planar sets **175** (1-3) (1997) 97–132
Erdős, P., A. Gyárfás and Y. Kohayakawa, The size of the largest bipartite subgraphs **177** (1-3) (1997) 267–271
Erdős, P., *see* B. Bollobás **200** (1-3) (1999) 5–19
Erdős, P., *see* J.A. Bondy **200** (1-3) (1999) 21–25
Erdős, P., *see* M. Deléglise **200** (1-3) (1999) 27–48
Erdős, P., *see* J.-M. Deshouillers **200** (1-3) (1999) 49–54
Erdős, P., R.J. Faudree, C.C. Rousseau and R.H. Schelp, The number of cycle lengths in graphs of given minimum degree and girth **200** (1-3) (1999) 55–60
Erdős, P. and A. Gyárfás, Split and balanced colorings of complete graphs **200** (1-3) (1999) 79–86
Erdős, P. and R.R. Hall, On the angular distribution of Gaussian integers with fixed norm **200** (1-3) (1999) 87–94
Erdős, P., G. Harcos and J. Pach, Popular distances in 3-space **200** (1-3) (1999) 95–99

Erdős, P. and G. Kolesnik, Prime power divisors of binomial coefficients **200** (1-3) (1999) 101–117
Erdős, P., J.L. Malouf, J.L. Selfridge and E. Szekeres, Subsets of an interval whose product is a power **200** (1-3) (1999) 137–147
Erdős, P., C. Mauduit and A. Sárközy, On arithmetic properties of integers with missing digits II: Prime factors **200** (1-3) (1999) 149–164
Erdős, P. and P.P. Pálfy, On the orders of directly indecomposable groups **200** (1-3) (1999) 165–179
Erdős, P. and G. Tenenbaum, Ensembles de multiples de suites finies **200** (1-3) (1999) 181–203
Erdős, P.L., *see* K. Engel **81** (1990) 165–169
Erdős, P.L., A new bijection on rooted forests **111** (1993) 179–188
Erdős, P.L., U. Faigle and W. Kern, On the average rank of LYM-sets **144** (1-3) (1995) 11–22
Erdős, P.L., Splitting property in infinite posets **163** (1-3) (1997) 251–256
Erickson, M., A conjecture concerning Ramsey's theorem (*Note*) **126** (1994) 395–398
Ericson, T. and V. Zinoviev, On spherical codes generating the kissing number in dimensions 8 and 24 **106/107** (1992) 199–207
Eriksson, K., *see* A. Björner **132** (1-3) (1994) 373–376
Eriksson, K., The numbers game and Coxeter groups **139** (1-3) (1995) 155–166
Eriksson, K., Strong convergence and the polygon property of 1-player games **153** (1-3) (1996) 105–122
Eriksson, K., Reduced words in affine Coxeter groups **157** (1-3) (1996) 127–146
Erné, M., On the cardinalities of finite topologies and the number of antichains in partially ordered sets **35** (1981) 119–133
Erné, M., *see* P. Erdös **59** (1986) 235–242
Erné, M., The number of partially ordered sets with more points than incomparable pairs **105** (1992) 49–60
Erné, M., *see* K. Deiters **181** (1-3) (1998) 91–111
Escott, A.E., *see* S. Perkins **197-198** (1-3) (1999) 637–655
Espona, M., *see* J.M. Brunat **138** (1-3) (1995) 147–159
Esqué, P., F. Aguiló and M.A. Fiol, Double commutative-step digraphs with minimum diameters **114** (1993) 147–157
Essam, J.W., Graph theory and statistical physics **1** (1971) 83–112
Essam, J.W., *see* D.K. Arrowsmith **27** (1979) 215–223
Essert, M., *see* V. Ćepulić **71** (1988) 9–17
Estabrook, G.F., C.S. Johnson Jr. and F.R. McMorris, An algebraic analysis of cladistic characters **16** (1976) 141–147
Eswarathasan, A. and E. Levine, p-Integral harmonic sums **91** (1991) 249–257
Etienne, G., Linear extensions of finite posets and a conjecture of G. Kreweras on permutations (*Communication*) **52** (1984) 107–112
Etienne, G. and M.L. Vergnas, External and internal elements of a matroid basis **179** (1-3) (1998) 111–119
Ettinger, J.M., Finitely presented partially ordered abelian groups **175** (1-3) (1997) 133–141
Etzion, T., Hamiltonian decomposition of K_n^*, patterns with distinct differences, and Tuscan squares **91** (1991) 259–276
Etzion, T., Combinatorial designs with Costas arrays properties **93** (1991) 143–154
Etzion, T., Optimal constant weight codes over Z_k and generalized designs **169** (1-3) (1997) 55–82
Eugeni, F., *see* A. Beutelspacher **54** (1985) 241–257
Eugeni, F., *see* A. Barlotti **174** (1-3) (1997) 1
Euler, R., Rank-axiomatic characterizations of independence systems **32** (1980) 9–17
Euler, R., R.E. Burkard and R. Grommes, On latin squares and the facial structure of related polytopes **62** (1986) 155–181
Evako, A.V., Topological properties of the intersection graph of covers of n-dimensional surfaces **147** (1-3) (1995) 107–120
Evans, A.B., Orthomorphisms of Z_p **64** (1987) 147–156
Evans, A.B., Generating orthomorphisms of $\mathrm{GF}(q)^+$ **63** (1987) 21–26
Evans, C.W., Net structure and cages **27** (1979) 193–204
Evans, R.J., On additive partitions of sets of positive integers **36** (1981) 239–245
Evdokimov, S., M. Karpinski and I. Ponomarenko, Compact cellular algebras and permutation groups **197-198** (1-3) (1999) 247–267
Everett, C.J. and P.R. Stein, The asymptotic number of integer stochastic matrices **1** (1971) 55–72

Everett, C.J. and P.R. Stein, The asymptotic number of (0,1)-matrices with zero permanent **6** (1973) 29–34
Everett, C.J. and P.R. Stein, The combinatorics of random walk with absorbing barriers **17** (1977) 27–45
Everett, C.J., *see* P.R. Stein **21** (1978) 309–318
Everett, C.J., *see* P.R. Stein **63** (1987) 67–79
Everett, H., C.M.H. de Figueiredo, C. Linhares-Sales, F. Maffray, O. Porto and B.A. Reed, Path parity and perfection **165-166** (1-3) (1997) 223–242
Everett, M.G. and S.B. Seidman, The hull number of a graph **57** (1985) 217–223
Exoo, G. and F. Harary, The smallest graphs with certain adjacency properties **29** (1980) 25–32
Exoo, G., *see* J. Akiyama **34** (1981) 209–218
Exoo, G., *see* T. Asano **38** (1982) 1–6
Exoo, G., On line disjoint paths of bounded length (*Note*) **44** (1983) 317–318
Exoo, G. and D.F. Reynolds, Ramsey numbers based on C_5-decompositions **71** (1988) 119–127
Exoo, G., Three color Ramsey number of $K_4 - e$ (*Note*) **89** (1991) 301–305
Eynden, C.V., *see* S. El-Zanati **189** (1-3) (1998) 267–275
Ezell, C.L., Observations on the construction of covers using permutation voltage assignments **28** (1979) 7–20
Faber, V. and J. Mycielski, Graphs with valency k, edge connectivity k, chromatic index $k+1$ and arbitrary girth **4** (1973) 339–345
Faber, V., *see* A. Ehrenfeucht **52** (1984) 159–164
Faber, V., *see* T.L. Brewster **147** (1-3) (1995) 35–55
Fàbrega, J., *see* M.A. Fiol **125** (1994) 169–176
Fàbrega, J. and M.A. Fiol, Extraconnectivity of graphs with large girth **127** (1-3) (1994) 163–170
Fàbrega, J. and M.A. Fiol, On the extraconnectivity of graphs **155** (1-3) (1996) 49–57
Fàbrega, J., *see* C. Balbuena **167-168** (1-3) (1997) 85–100
Fàbrega, J., *see* M.C. Balbuena **174** (1-3) (1997) 3–17
Fàbrega, J., *see* M.C. Balbuena **174** (1-3) (1997) 19–27
Fàbrega, J., *see* C. Balbuena **197-198** (1-3) (1999) 61–75
Fabrici, I. and S. Jendrol', Subgraphs with restricted degrees of their vertices in planar graphs **191** (1-3) (1998) 83–90
Fagin, R., The number of finite relational structures **19** (1977) 17–21
Faigle, U., The Greedy algorithm for partially ordered sets **28** (1979) 153–159
Faigle, U. and R. Schrader, A combinatorial bijection between linear extensions of equivalent orders (*Communication*) **58** (1986) 295–301
Faigle, U. and Gy. Turán, On the complexity of interval orders and semiorders **63** (1987) 131–141
Faigle, U., *see* P.L. Erdős **144** (1-3) (1995) 11–22
Faina, G. and F. Pambianco, Small complete caps in PG(r,q), $r \geq 3$ **174** (1-3) (1997) 117–123
Fajtlowicz, S., On conjectures of Graffiti **72** (1988) 113–118
Fajtlowicz, S., *see* P. Erdős **92** (1991) 85–88
Fajtlowicz, S., *see* J.A. Bondy **200** (1-3) (1999) 21–25
Falmagne, J.-C., *see* J.-P. Doignon **173** (1-3) (1997) 35–44
Fan, C., D.R. Lick and J. Liu, Pseudo-cartesian product and hamiltonian decompositions of Cayley graphs on abelian groups **158** (1-3) (1996) 49–62
Fan, C.K., Matchings and the sum function (*Communication*) **120** (1993) 205–209
Fan, G., *see* J.A. Bondy **67** (1987) 205–208
Fan, G., On diameter 2-critical graphs **67** (1987) 235–240
Fan, G., *see* D. Bauer **96** (1991) 33–49
Fan, H., *see* B. Xu **152** (1-3) (1996) 325–328
Fan, S., On End-regular graphs **159** (1-3) (1996) 95–102
Fanelli, S., An unresolved conjecture on nonmaximal planar graphical sequences (*Communication*) **36** (1981) 109–112
Fang, X.G., C.H. Li and C.E. Praeger, On orbital regular graphs and frobenius graphs **182** (1-3) (1998) 85–99
Fanning, J.D., A family of symmetric designs **146** (1-3) (1995) 307–312
Faradzev, I.A., Association schemes on the set of antiflags of a projective plane **127** (1-3) (1994) 171–179
Farber, M., Characterizations of strongly chordal graphs **43** (1983) 173–189
Farber, M. and R.E. Jamison, On local convexity in graphs **66** (1987) 231–247
Farber, M., Bridged graphs and geodesic convexity **66** (1987) 249–257

Farber, M., Basis pair graphs of transversal matroids are connected **73** (1989) 245–248
Farber, M., On diameters and Radii of bringed graphs **73** (1989) 249–260
Farhi, G., On a problem of Chvatal (*Communication*) **30** (1980) 303–304
Farkas, D.R., Radicals and primes in incidence algebras **10** (1974) 257–268
Farley, A., S. Hedetniemi, S. Mitchell and A. Proskurowski, Minimum broadcast graphs (*Note*) **25** (1979) 189–193
Farley, J.D., Perfect sequences of chain-complete posets **167-168** (1-3) (1997) 271–296
Farmakis, N. and S. Kounias, The excess of Hadamard matrices and optimal designs **67** (1987) 165–176
Farmakis, N., *see* S. Kounias **68** (1988) 59–69
Farmer, F.D., Homology of products and joins of reflexive relations **11** (1975) 23–27
Farr, G., The complexity of multicolouring **69** (1988) 219–223
Farr, G., The subgraph homeomorphism problem for small wheels **71** (1988) 129–142
Farrell, E.J., On graphical partitions and planarity **18** (1977) 149–153
Farrell, E.J., On a class of polynomials obtained from the circuits in a graph and its application to characteristic polynomials of graphs **25** (1979) 121–133
Farrell, E.J., Chromatic roots—Some observations and conjectures **29** (1980) 161–167
Farrell, E.J., On chromatic coefficients **29** (1980) 257–264
Farrell, E.J., Defect-*d* matchings in graphs with cyclomatic numbers 0, 1 and 2 **33** (1981) 259–266
Farrell, E.J., Cycle decompositions of complete graphs **38** (1982) 157–162
Farrell, E.J., A note on the circuit polynomials and characteristic polynomials of wheels and ladders **39** (1982) 31–36
Farrell, E.J., Forest decompositions of ladders **44** (1983) 267–274
Farrell, E.J., J.M. Guo and G.M. Constantine, On matching coefficients (*Note*) **89** (1991) 203–210
Farrell, E.J., *see* R.A. Beezer **137** (1-3) (1995) 7–18
Farrell, P.G., *see* R.M. Campello de Souza **56** (1985) 111–116
Fateen, L.A., *see* M.H. El-Zahar **185** (1-3) (1998) 249–253
Faudree, R., *see* P. Erdős **72** (1988) 93–101
Faudree, R., *see* P. Erdős **141** (1-3) (1995) 285–290
Faudree, R., E. Flandrin and Z. Ryjáček, Claw-free graphs — A survey **164** (1-3) (1997) 87–147
Faudree, R.J., C.C. Rousseau and R.H. Schelp, Theory of path length distributions I **6** (1973) 35–52
Faudree, R.J. and R.H. Schelp, All Ramsey numbers for cycles in graphs **8** (1974) 313–329
Faudree, R.J., S.L. Lawrence, T.D. Parsons and R.H. Schelp, Path-cycle Ramsey numbers **10** (1974) 269–277
Faudree, R.J. and R.H. Schelp, Ramsey numbers for all linear forests **16** (1976) 149–155
Faudree, R.J., R.H. Schelp and J. Sheehan, Ramsey numbers for matchings **32** (1980) 105–123
Faudree, R.J., *see* S.A. Burr **33** (1981) 227–237
Faudree, R.J., *see* S.A. Burr **38** (1982) 23–32
Faudree, R.J. and J. Sheehan, Size Ramsey numbers involving stars **46** (1983) 151–157
Faudree, R.J. and J. Sheehan, Regular graphs and edge chromatic number **48** (1984) 197–204
Faudree, R.J., *see* P. Erdös **67** (1987) 227–233
Faudree, R.J., *see* P. Erdős **72** (1988) 103–112
Faudree, R.J., C.C. Rousseau and R.H. Schelp, Small order graph-tree Ramsey numbers **72** (1988) 119–127
Faudree, R.J., R.H. Schelp, M.S. Jacobson and J. Lehel, Irregular networks, regular graphs and integer matrices with distinct row and column sums **76** (1989) 223–240
Faudree, R.J., A. Gyárfas, R.H. Schelp and Zs. Tuza, Induced matchings in bipartite graphs **78** (1989) 83–87
Faudree, R.J., *see* P. Erdős **85** (1990) 53–58
Faudree, R.J., R.J. Gould and L.M. Lesniak, Neighborhood conditions and edge-disjoint perfect matchings **91** (1991) 33–43
Faudree, R.J., M.S. Jacobson, L. Kinch and J. Lehel, Irregularity strength of dense graphs **91** (1991) 45–59
Faudree, R.J., *see* P. Erdős **101** (1992) 23–31
Faudree, R.J., R.J. Gould, M.S. Jacobson, L.M. Lesniak and T.E. Lindquester, On independent generalized degrees and independence numbers in $K(1,m)$-free graphs **103** (1992) 17–24
Faudree, R.J., R.J. Gould, M.S. Jacobson and L.M. Lesniak, Neighborhood unions and a generalization of Dirac's theorem **105** (1992) 61–71
Faudree, R.J. and D.J. Knisley, A neighborhood condition which implies the existence of a complete multipartite subgraph **118** (1993) 57–68

Faudree, R.J., R.H. Schelp, L. Lesniak, A. Gyárfás and J. Lehel, On the rotation distance of graphs **126** (1994) 121–135
Faudree, R.J., *see* P. Erdős **127** (1-3) (1994) 139–152
Faudree, R.J., *see* P. Erdős **127** (1-3) (1994) 153–161
Faudree, R.J., R.J. Gould, M.S. Jacobson and L.M. Lesniak, Degree conditions and cycle extendability **141** (1-3) (1995) 109–122
Faudree, R.J., R.J. Gould, M.S. Jacobson, J. Lehel and L.M. Lesniak, Graph spectra **150** (1-3) (1996) 103–113
Faudree, R.J. and R.J. Gould, Characterizing forbidden pairs for hamiltonian properties **173** (1-3) (1997) 45–60
Faudree, R.J. and J. Sheehan, The maximum number of edges in a graph with fixed edge-degree **183** (1-3) (1998) 81–101
Faudree, R.J., *see* P. Erdős **200** (1-3) (1999) 55–60
Faulkner, G.B. and D.H. Younger, Non-Hamiltonian cubic planar maps **7** (1974) 67–74
Favaron, O., *see* E.J. Cockayne **33** (1981) 249–258
Favaron, O., Very well covered graphs **42** (1982) 177–187
Favaron, O. and O. Ordaz, A sufficient condition for oriented graphs to be Hamiltonian **58** (1986) 243–252
Favaron, O., Two relations between the parameters of independence and irredundance **70** (1988) 17–20
Favaron, O., *see* E.J. Cockayne **90** (1991) 313–317
Favaron, O., M.C. Heydemann, J.C. Meyer and D. Sotteau, A parameter linked with G-factors and the binding number (*Note*) **91** (1991) 311–316
Favaron, O., M. Mahéo and J.-F. Saclé, Some eigenvalue properties in graphs (conjectures of Graffiti — II) **111** (1993) 197–220
Favaron, O., A note on the irredundance number after vertex deletion **121** (1993) 51–54
Favaron, O., P. Mago and O. Ordaz, On the bipartite independence number of a balanced bipartite graph **121** (1993) 55–63
Favaron, O. and J.L. Fouquet, On m-centers in P_t-free graphs **125** (1994) 147–152
Favaron, O., Least domination in a graph **150** (1-3) (1996) 115–122
Favaron, O., Signed domination in regular graphs **158** (1-3) (1996) 287–293
Favaron, O., *see* E.J. Cockayne **159** (1-3) (1996) 57–68
Favaron, O., H. Li and R.H. Schelp, Strong edge colorings of graphs **159** (1-3) (1996) 103–109
Favaron, O. and Y. Redouane, Minimum independent generalized t-degree and independence number in $K_{1,r+1}$-free graphs **165-166** (1-3) (1997) 243–251
Favaron, O. and J. Puech, Irredundance in grids **179** (1-3) (1998) 257–265
Favaron, O., *see* A. Ainouche **184** (1-3) (1998) 1–13
Favaron, O., *see* J. Brousek **196** (1-3) (1999) 29–50
Favaron, O. and J. Puech, Irredundant and perfect neighborhood sets in graphs and claw-free graphs **197-198** (1-3) (1999) 269–284
Favreau, L., *see* F. Bergeron **139** (1-3) (1995) 19–32
Favreau, L., *see* F. Bergeron **139** (1-3) (1995) 463–468
Fedeli, A., J. Reiterman and A. Tozzi, On w_α-compactness **108** (1992) 13–23
Fedou, J.M., *see* M.P. Delest **112** (1993) 65–79
Fédou, J.-M., *see* M. Bousquet-Mélou **137** (1-3) (1995) 53–75
Fedou, J.M., Sur les fonctions de Bessel **139** (1-3) (1995) 473–480
Fedou, J.-M. and D. Rawlings, Statistics on pairs of permutations **143** (1-3) (1995) 31–45
Fédou, J.M., *see* E. Barcucci **189** (1-3) (1998) 21–42
Feigenbaum, J., *see* D. Eppstein **91** (1991) 239–248
Feigenbaum, J. and A.A. Schäffer, Finding the prime factors of strong direct product graphs in polynomial time **109** (1992) 77–102
Feinberg, R.B., Characterization of incidence algebras **17** (1977) 47–70
Feinberg, R.B., The circular dimension of a graph **25** (1979) 27–31
Feinsilver, P. and R. Schott, Formal power series, operator calculus, and duality on Lie algebras **180** (1-3) (1998) 157–171
Feix, R., On a property of graphs containing infinitely many isomorphic copies of themselves **68** (1988) 197–209
Fellows, M., *see* D.J. Kleitman **73** (1988/89) 119–125
Felsner, S. and W.T. Trotter, On the fractional dimension of partially ordered sets **136** (1-3) (1994) 101–117

Felsner, S. and W.T. Trotter, Colorings of diagrams of interval orders and α-sequences of sets **144** (1-3) (1995) 23–31
Felzenbaum, A., *see* M.A. Berger **65** (1987) 23–46
Felzenbaum, A., R. Holzman and D.J. Kleitman, Packing lines in a hypercube **117** (1993) 107–112
Fendel, J., *see* J. Berenbom **175** (1-3) (1997) 23–33
Feng, G.-L., Generalized threshold decoding of cyclic codes **56** (1985) 147–154
Feng, G.L., *see* K.K. Tzeng **56** (1985) 281–290
Feng, X., *see* Z. Dai **123** (1993) 17–34
Fenner, T.I. and G. Loizou, Combinatorial aspects of rectangular non-negative matrices **20** (1977) 217–234
Fenner, T.I. and A.M. Frieze, On the existence of Hamiltonian cycles in a class of random graphs (*Note*) **45** (1983) 301–305
Fenton, W.E., Completeness in oriented matroids **66** (1987) 79–89
Ferapontova, E., *see* A. Apartsin **178** (1-3) (1998) 229–231
Feretić, S. and D. Svrtan, Combinatorics of diagonally convex directed polyominoes **157** (1-3) (1996) 147–168
Feretić, S., A new way of counting the column-convex polyominoes by perimeter **180** (1-3) (1998) 173–184
Fernández, A. and V. Müller, Embedding of a separable locally pseudoconvex algebra into a locally pseudoconvex algebra with two generators **108** (1992) 25–30
Fernandez de la Vega, W., Sur la cardinalite maximum des couplages d'hypergraphes aleatoires uniformes (*Note*) **40** (1982) 315–318
Fernandez de la Vega, W., On the maximum density of graphs which have no subcontraction to K^s (*Communication*) **46** (1983) 109–110
Fernandez de la Vega, W., Kernels in random graphs (*Note*) **82** (1990) 213–217
Fernández-Merchant, S., *see* B. Ábrego **194** (1-3) (1999) 1–11
Ferrarese, G., *see* M. Burzio **181** (1-3) (1998) 275–281
Ferrero, D. and C. Padró, Disjoint paths of bounded length in large generalized cycles **197-198** (1-3) (1999) 285–298
Fezzi, S., *see* E. Barcucci **170** (1-3) (1997) 211–217
Fich, F.E., *see* J.A. Brzozowski **50** (1984) 153–169
Fichet, B., *see* J. Diatta **192** (1-3) (1998) 87–102
Fickett, J.W., High valency subgraphs of cubes (*Note*) **27** (1979) 211–212
Fiduccia, C.M., E.R. Scheinerman, A. Trenk and J.S. Zito, Dot product representations of graphs **181** (1-3) (1998) 113–138
Fiedler, M., An extremal problem for the spectral radius of a graph **108** (1992) 149–158
Fiedler, M., Some minimax problems for graphs **121** (1993) 65–74
Fiedler, M., Additive compound graphs **187** (1-3) (1998) 97–108
Filipoiu, A., Representation theorems for Lukasiewicz algebras (*Communication*) **27** (1979) 107–110
Filipoiu, A., Representation of Lukasiewicz algebras by means of ordered stone spaces **30** (1980) 111–116
Filipoiu, A., Representation theorems for θ-valued Lukasiewicz algebras **33** (1981) 21–27
Filipoiu, A., Some remarks on the representation theorem of Moisil **33** (1981) 163–170
Filipoiu, A. and G. Georgescu, On values in relatively normal lattices **161** (1-3) (1996) 87–100
Finbow, A., B. Hartnell and C. Whitehead, A characterization of graphs of girth eight or more with exactly two sizes of maximal independent sets **125** (1994) 153–167
Finizio, N.J., *see* I. Anderson **125** (1994) 5–10
Finizio, N.J., *see* I. Anderson **138** (1-3) (1995) 31–41
Finizio, N.J. and P.A. Leonard, Inductive extensions of some Z-cyclic whist tournaments **197-198** (1-3) (1999) 299–307
Fink, J.F. and H.J. Straight, A note on path-perfect graphs (*Note*) **33** (1981) 95–98
Fink, J.F., M.S. Jacobson, L.F. Kinch and J. Roberts, The bondage number of a graph **86** (1990) 47–57
Finke, G., *see* M. Dror **195** (1-3) (1999) 103–109
Fiol, M.A., Congruences in Z^n, finite Abelian groups and the Chinese remainder theorem (*Note*) **67** (1987) 101–105
Fiol, M.A., *see* P. Esqué **114** (1993) 147–157
Fiol, M.A., *see* J. Gómez **114** (1993) 219–235
Fiol, M.A., The superconnectivity of large digraphs and graphs **124** (1994) 67–78
Fiol, M.A. and J. Fàbrega, On the distance connectivity of graphs and digraphs **125** (1994) 169–176

Fiol, M.A., *see* J. Fàbrega **127** (1-3) (1994) 163–170
Fiol, M.A., *see* F. Aguiló **138** (1-3) (1995) 15–29
Fiol, M.A., *see* J.M. Brunat **138** (1-3) (1995) 147–159
Fiol, M.A., On congruence in Z^n and the dimension of a multidimensional circulant **141** (1-3) (1995) 123–134
Fiol, M.A., *see* J. Fàbrega **155** (1-3) (1996) 49–57
Fiol, M.A., *see* F. Aguiló **167-168** (1-3) (1997) 3–16
Fiol, M.A., *see* C. Balbuena **167-168** (1-3) (1997) 85–100
Fiol, M.A., E. Garriga and J.L.A. Yebra, The alternating polynomials and their relation with the spectra and conditional diameters of graphs **167-168** (1-3) (1997) 297–307
Fiol, M.A., *see* M.C. Balbuena **174** (1-3) (1997) 3–17
Fiol, M.A., *see* M.C. Balbuena **174** (1-3) (1997) 19–27
Fiol, M.A., *see* J.M. Brunat **174** (1-3) (1997) 73–86
Fiol, M.A., E. Garriga and J.L.A. Yebra, Boundary graphs — II The limit case of a spectral property **182** (1-3) (1998) 101–111
Fiol, M.A., *see* C. Balbuena **197-198** (1-3) (1999) 61–75
Fiol, M.L., *see* J.M. Brunat **174** (1-3) (1997) 73–86
Fiorini, S., *see* L.W. Beineke **16** (1976) 109–121
Fiorini, S., *see* I. Sciriha **174** (1-3) (1997) 293–308
Fischer, E., *see* N. Alon **152** (1-3) (1996) 13–23
Fischer, E., Cycle factors in dense graphs **197-198** (1-3) (1999) 309–323
Fischer, K.G., Symmetric polynomials and Hall's theorem **69** (1988) 225–234
Fischer, K.G., Additive K-colorable extensions of the rational plane **82** (1990) 181–195
Fishburn, P., *see* P. Erdős **160** (1-3) (1996) 115–125
Fishburn, P., *see* P. Erdős **175** (1-3) (1997) 97–132
Fishburn, P.C., On the sum-of-ranks winner when losers are removed **8** (1974) 25–30
Fishburn, P.C., Operations on binary relations **21** (1978) 7–22
Fishburn, P.C., Aspects of semiorders within interval orders **40** (1982) 181–191
Fishburn, P.C., Interval lengths for interval orders: A minimization problem **47** (1983) 63–82
Fishburn, P.C., Paradoxes of two-length interval orders **52** (1984) 165–175
Fishburn, P.C., Interval graphs and interval orders **55** (1985) 135–149
Fishburn, P.C., F.K. Hwang and H. Lee, Do local majorities force a global majority? **61** (1986) 165–179
Fishburn, P.C. and N.J.A. Sloane, The solution to Berlekamp's switching game **74** (1989) 263–290
Fishburn, P.C. and W.V. Gehrlein, The three-permutations problem **79** (1989/90) 259–264
Fishburn, P.C., J.C. Lagarias, J.A. Reeds and L.A. Shepp, Sets uniquely determined by projections on axes II Discrete case **91** (1991) 149–159
Fishburn, P.C. and L.A. Shepp, On the FKB conjecture for disjoint intersections **98** (1991) 105–122
Fishburn, P.C. and W.T. Trotter, Linear extensions of semiorders: A maximization problem **103** (1992) 25–40
Fishburn, P.C. and P.L. Hammer, Bipartite dimensions and bipartite degrees of graphs **160** (1-3) (1996) 127–148
Fishburn, P.C. and W.T. Trotter, Split semiorders **195** (1-3) (1999) 111–126
Fishel, S., Nonnegativity results for generalized q-binomial coefficients **147** (1-3) (1995) 121–137
Fisher, D., *see* C. Barefoot **138** (1-3) (1995) 93–99
Fisher, D.C., The number of triangles in a K_4-free graph (*Communication*) **69** (1988) 203–205
Fisher, D.C. and A.E. Solow, Dependence polynomials **82** (1990) 251–258
Fisher, D.C. and J. Ryan, Bounds on the number of complete subgraphs (*Note*) **103** (1992) 313–320
Fisher, D.C. and J. Ryan, Bounds on the largest root of the matching polynomial (*Note*) **110** (1992) 275–278
Fisher, J.C., An existence theorem for simple convex polyhedra **7** (1974) 75–97
Fisher, J.C., *see* A.A. Bruen **106/107** (1992) 93–96
Fisher, P.H., T. Penttila and G.F. Royle, Symmetric designs, polarities and sub-designs **71** (1988) 19–32
Fisk, S., D. Abbw-Jackson and D. Kleitman, Helly-type theorems about sets **32** (1980) 19–25
Fisk, S., Complementary colorings **134** (1-3) (1994) 41–47
Fisk, S. and B. Mohar, Surface triangulations with isometric boundary **134** (1-3) (1994) 49–62
Flach, P. and L. Volkmann, Estimations for the domination number of a graph **80** (1990) 145–151
Flahive, M., *see* I. Borosh **58** (1986) 215–220
Flajolet, P., Combinatorial aspects of continued fractions **32** (1980) 125–161

Flajolet, P., On congruences and continued fractions for some classical combinatorial quantities **41** (1982) 145–153
Flajolet, P. and H. Prodinger, Level number sequences for trees **65** (1987) 149–156
Flajolet, P., D.E. Knuth and B. Pittel, The first cycles in an evolving graph **75** (1989) 167–215
Flajolet, P. and M. Soria, General combinatorial schemas: Gaussian limit distributions and exponential tails **114** (1993) 159–180
Flament, C., Hypergraphes arbores **21** (1978) 223–227
Flament, C. and B. Leclerc, Arbres minimaux d'un graphe preordonne **46** (1983) 159–171
Flament, C., Comparability graphs with constraint, partial semi-orders and interval orders **53** (1985) 79–89
Flandre, O., Four results about self-blocking clutters **178** (1-3) (1998) 51–62
Flandrin, E., *see* D. Amar **46** (1983) 327
Flandrin, E., *see* D. Amar **89** (1991) 111–131
Flandrin, E., H.A. Jung and H. Li, Hamiltonism, degree sum and neighborhood intersections **90** (1991) 41–52
Flandrin, E., J.L. Fouquet and H. Li, On hamiltonian claw-free graphs **111** (1993) 221–229
Flandrin, E., *see* D. Barraez **146** (1-3) (1995) 11–18
Flandrin, E., *see* R. Faudree **164** (1-3) (1997) 87–147
Flandrin, E., *see* M. El Kadi Abderrezzak **165-166** (1-3) (1997) 11–20
Fleischner, H., The uniquely embeddable planar graphs **4** (1973) 347–358
Fleischner, H., Even cycles with prescribed chords in planar cubic graphs **44** (1983) 275–280
Fleischner, H., Spanning eulerian subgraphs, the Splitting Lemma, and Petersen's Theorem **101** (1992) 33–37
Fleischner, H. and M. Stiebitz, A solution to a colouring problem of P. Erdős **101** (1992) 39–48
Fleischner, H., G. Sabidussi and E. Wenger, Transforming eulerian trails **109** (1992) 103–116
Fleischner, H., A numbering of the vertices of special networks **165-166** (1-3) (1997) 253–266
Fliess, M., Transductions de series formelles **10** (1974) 57–74
Florence, J.B., Consanguinity graphs **32** (1980) 225–228
Flores, C. and O. Ordaz, On the Erdős–Ginzburg–Ziv theorem **152** (1-3) (1996) 321–324
Flotow, C., *see* T. Andreae **149** (1-3) (1996) 299–302
Floudas, C.A., *see* C.D. Maranas **142** (1-3) (1995) 287–293
Foata, D., Enumerating k-trees **1** (1971) 181–186
Foata, D., *see* J. Désarménien **87** (1991) 133–148
Foata, D., *see* J. Désarménien **99** (1992) 49–58
Foata, D., Les distributions Euler–Mahoniennes sur les mots **139** (1-3) (1995) 167–187
Foldes, S., A characterization of hypercubes **17** (1977) 155–159
Foldes, S. and G. Gabor, Note on discrete random walks (*Note*) **24** (1978) 103–104
Foldes, S. and G. Sabidussi, On semigroups of graph endomorphisms **30** (1980) 117–120
Foldes, S., I. Rival and J. Urrutia, Light sources, obstructions and spherical orders **102** (1992) 13–23
Fomin, S. and A.N. Kirillov, The Yang-Baxter equation, symmetric functions, and Schubert polynomials **153** (1-3) (1996) 123–143
Fomin, S. and C. Greene, Noncommutative Schur functions and their applications **193** (1-3) (1998) 179–200
Fon-Der-Flaass, D., *see* M. Axenovich **138** (1-3) (1995) 57–62
Fon-Der-Flaass, D.G. and A.V. Kostochka, Covering boxes by points (*Note*) **120** (1993) 269–275
Fon-Der-Flaass, D.G., Arrays of distinct representatives — a very simple NP-complete problem **171** (1-3) (1997) 295–298
Fonlupt, J. and A. Zemirline, On the number of common bases of two matroids **45** (1983) 217–228
Fonlupt, J., A.R. Mahjoub and J.P. Uhry, Compositions in the bipartite subgraph polytope **105** (1992) 73–91
Fonlupt, J., *see* M. Burlet **130** (1-3) (1994) 39–55
Fonseca, A., *see* J.A. Dias da Silva **141** (1-3) (1995) 85–93
Fonseca, A., *see* R.A. Brualdi **146** (1-3) (1995) 293–297
Foo, M.F., *see* H.H. Teh **72** (1988) 347–353
Forbes, F. and B. Ycart, Counting stable sets on Cartesian products of graphs **186** (1-3) (1998) 105–116
Forcade, R., Parity of paths and circuits in tournaments **6** (1973) 115–118
Foregger, M.F., Hamiltonian decompositions of products of cycles **24** (1978) 251–260
Foregger, M.F., The skew chromatic index of a graph **49** (1984) 27–39
Forge, D. and J.L. Ramírez Alfonsín, Connected coverings and an application to oriented matroids **187** (1-3) (1998) 109–122

Fortin, D. and R. Rudolf, Weak Monge arrays in higher dimensions **189** (1-3) (1998) 105–115
Fouché, W.L., Symmetry and the Ramsey degree of posets **167-168** (1-3) (1997) 309–315
Fouché, W.L., Symmetries and Ramsey properties of trees **197-198** (1-3) (1999) 325–330
Fouché, W.L., L.M. Pretorius and C.J. Swanepoel, Partition theorems for factorisations of ascending parameter words **197-198** (1-3) (1999) 331–350
Foulds, L.R. and R.W. Robinson, Enumerating phylogenetic trees with multiple labels **72** (1988) 129–139
Foulkes, H.O., Paths in ordered structures of partitions **9** (1974) 365–374
Foulkes, H.O., Enumeration of permutations with prescribed up-down and inversion sequences **15** (1976) 235–252
Foulkes, H.O., Tangent and secant numbers and representations of symmetric groups **15** (1976) 311–324
Foulkes, H.O., Recurrences for characters of the symmetric group **21** (1978) 137–144
Foulkes, H.O., Eulerian numbers, Newcomb's problem and representations of symmetric groups **30** (1980) 3–49
Fouquet, J.L., Note sur la non existence d'un snark d'ordre 16 **38** (1982) 163–171
Fouquet, J.L., *see* J.C. Bermond **52** (1984) 123–132
Fouquet, J.-L., *see* D. Benard **62** (1986) 261–270
Fouquet, J.-L., *see* A. Benhocine **66** (1987) 21–26
Fouquet, J.-L. and H. Thuillier, On some conjectures on cubic 3-connected graphs **80** (1990) 41–57
Fouquet, J.L., *see* E. Flandrin **111** (1993) 221–229
Fouquet, J.L. and H. Thuillier, Decomposition of 3-connected cubic graphs **114** (1993) 181–198
Fouquet, J.L., A decomposition for a class of $(P_5, \overline{P_5})$-free graphs **121** (1993) 75–83
Fouquet, J.-L. and A.P. Wojda, Mutual placement of bipartite graphs **121** (1993) 85–92
Fouquet, J.L., *see* O. Favaron **125** (1994) 147–152
Fouquet, J.L. and R. Rosenstiehl, Preface **165-166** (1-3) (1997) 1–2
Fouquet, J.-L. and V. Giakoumakis, On semi-P_4-sparse graphs **165-166** (1-3) (1997) 267–290
Fouquet, J.-L., F. Maire, I. Rusu and H. Thuillier, On transversals in minimal imperfect graphs **165-166** (1-3) (1997) 291–302
Fouquet, J.-L., *see* C. Berge **169** (1-3) (1997) 169–175
Fournier, G., *see* J. Constantin **53** (1985) 21–33
Fournier, G., *see* M.-F. Bélanger **130** (1-3) (1994) 9–17
Fournier, G. and L. Gagnon, Théorème de point fixe asymptotique dans les ordonnés infinis **130** (1-3) (1994) 69–76
Fournier, I., *see* D. Amar **46** (1983) 327
Fournier, I., *see* D. Amar **89** (1991) 111–131
Fournier, J.C. and M. Las Vergnas, Une classe d'hypergraphes bichromatiques (*Note*) **2** (1972) 407–410
Fournier, J.-C. and M. Las Vergnas, Une classe d'hypergraphes bichromatiques II **7** (1974) 99–106
Fournier, J.-C., Demonstration simple du theoreme de Kuratowski et de sa forme duale (*Communication*) **31** (1980) 329–332
Fournier, J.-C., Hypergraphes de chaines d'aretes d'un arbre **43** (1983) 29–36
Fournier, J.C., Tiling pictures of the plane with dominoes **165-166** (1-3) (1997) 303–310
Fournier, R., Note sur la decomposition de $K_{\aleph_0}$ (*Note*) **37** (1981) 115–117
Fra, A.D. and D. Ghinelli, Af^*Af geometries, the Klein quadric and $\mathcal{H}_q^n$ **129** (1-3) (1994) 53–74
Fraenkel, A.S., J. Levitt and M. Shimshoni, Characterization of the set of values $f(n) = [n\alpha], n = 1, 2, \ldots$ **2** (1972) 335–345
Fraenkel, A.S., A characterization of exactly covering congruences **4** (1973) 359–366
Fraenkel, A.S., Further characterizations and properties of exactly covering congruences **12** (1975) 93–100
Fraenkel, A.S., *see* M. Boshernitzan **34** (1981) 325–327
Fraenkel, A.S., *see* M. Mor **48** (1984) 101–112
Fraenkel, A.S., *see* M.A. Berger **65** (1987) 23–46
Fraenkel, A.S., *see* Z. Agur **70** (1988) 295–302
Fraenkel, A.S., *see* N. Duvdevani **76** (1989) 197–221
Fraenkel, A.S., *see* R.B. Eggleton **111** (1993) 165–178
Fraenkel, A.S. and C. Kimberling, Generalized Wythoff arrays, shuffles and interspersions **126** (1994) 137–149
Fraenkel, A.S., H. Porta and K.B. Stolarsky, The almost PV behavior of some far from PV algebraic integers **135** (1-3) (1994) 93–101

Fraenkel, A.S. and M. Loebl, Complexity of circuit intersection in graphs **141** (1-3) (1995) 135–151
Fraisse, P., A note on distance-dominating cycles **71** (1988) 89–92
Fraisse, P. and O. Ordaz, A Chvátal–Erdös condition for (t,t)-factors in digraphs using given arcs **71** (1988) 143–148
Francel, M.A., Possible orders for the stabilizer of a set of M.O.L.S. **84** (1990) 119–134
Francke, J. and J.J.H. Meijers, Super-visible codes **110** (1992) 119–134
Françon, J., Preuves combinatoires des identites d'Abel **8** (1974) 331–343
Françon, J. and G. Viennot, Permutations selon leurs pics, creux, doubles montées et double descentes, nombres d'Euler et nombres de Genocchi **28** (1979) 21–35
Franek, F. and V. Rödl, 2-Colorings of complete graphs with a small number of monochromatic K_4 subgraphs **114** (1993) 199–203
Frank, A., On a class of balanced hypergraphs **20** (1977) 11–20
Frank, A., A note on k-strongly connected orientations of an undirected graph (*Note*) **39** (1982) 103–104
Frank, A., On a theorem of Mader **101** (1992) 49–57
Frank, A., Submodular functions in graph theory **111** (1993) 231–243
Frank, O., *see* M. Capobianco **46** (1983) 133–143
Frank, O., Triad count statistics **72** (1988) 141–149
Frank Hsu, D., *see* F. Cao **183** (1-3) (1998) 27–38
Frankl, F., A lower bound on the size of a complex generated by an antichain (*Communication*) **76** (1989) 51–56
Frankl, P., Families of finite sets satisfying a union condition **26** (1979) 111–118
Frankl, P., *see* A. Békéssy **30** (1980) 83–88
Frankl, P., *see* J.-C. Bermond **30** (1980) 295–298
Frankl, P., *see* G. Cohen **31** (1980) 271–277
Frankl, P. and Z. Füredi, A short proof for a theorem of Harper about Hamming-spheres (*Note*) **34** (1981) 311–313
Frankl, P., A probabilistic proof for the LYM-inequality (*Communication*) **43** (1983) 325
Frankl, P. and Z. Füredi, A new extremal property of Steiner triple-systems **48** (1984) 205–212
Frankl, P., A new short proof for the Kruskal–Katona theorem (*Communication*) **48** (1984) 327–329
Frankl, P. and Z. Füredi, An exact result for 3-graphs (*Communication*) **50** (1984) 323–328
Frankl, P., *see* G. Cohen **56** (1985) 125–131
Frankl, P., What must be contained in every oriented k-uniform hypergraph (*Communication*) **62** (1986) 311–313
Frankl, P. and H. Maehara, Open-interval graphs versus closed-interval graphs (*Note*) **63** (1987) 97–100
Frankl, P., *see* A.R. Calderbank **83** (1990) 201–204
Frankl, P., An intersection problem for codes **84** (1990) 135–141
Frankl, P. and Z. Füredi, A sharpening of Fisher's inequality (*Note*) **90** (1991) 103–107
Frankl, P., On cross-intersecting families **108** (1992) 291–295
Frankl, P., H. Maehara and J. Nakashima, On the section of a convex polyhedron **140** (1-3) (1995) 265–267
Fraughnaugh, K., *see* C. Barefoot **138** (1-3) (1995) 93–99
Frazer Lock, P., *see* C.J. Kinckerbocker **88** (1991) 33–48
Fredman, M.L., On computing the length of longest increasing subsequences **11** (1975) 29–35
Fredricksen, H. and J. Maiorana, Necklaces of beads in k colors and k-ary de Bruijn sequences **23** (1978) 207–210
Fredricksen, H. and I.J. Kessler, An algorithm for generating necklaces of beads in two colors **61** (1986) 181–188
Fredricksen, H., *see* R.D. Bryant **89** (1991) 133–148
Freeman, J.M. and F. Hoffman, A semigroup and Gaussian polynomials **36** (1981) 247–260
Freese, R., An application of Dilworth's lattice of maximal antichains **7** (1974) 107–109
Freiman, G., E. Lipkin and L. Levitin, A polynomial algorithm for constructing families of k-independent sets **70** (1988) 137–147
Freiman, G.A., New analytical results in subset-sum problem **114** (1993) 205–218
Frick, M., *see* I. Broere **82** (1990) 225–232
Frick, M. and M.A. Henning, Extremal results on defective colorings of graphs **126** (1994) 151–158
Frick, M., *see* G. Benadé **162** (1-3) (1996) 13–22
Fricke, G., *see* E.J. Cockayne **138** (1-3) (1995) 199–205

Fricke, G.H., T.W. Haynes, S. Hedetniemi, S.T. Hedetniemi and M.A. Henning, A note on perfect neighborhood sets in graphs **199** (1-3) (1999) 221–225
Friedlander, R.J., *see* M.D. Miller **19** (1977) 77–84
Frieze, A. and B. Reed, Polychromatic Hamilton cycles **118** (1993) 69–74
Frieze, A.M., *see* T.I. Fenner **45** (1983) 301–305
Frieze, A.M., On large matchings and cycles in sparse random graphs **59** (1986) 243–256
Frieze, A.M., Partitioning random graphs into large cycles **70** (1988) 149–158
Frieze, A.M., On the independence number of random graphs **81** (1990) 171–175
Frieze, A.M., *see* M.H. Albert **87** (1991) 1–8
Fripertinger, H., Enumeration of mosaics **199** (1-3) (1999) 49–60
Fröberg, R., A characterization of k-trees (*Note*) **104** (1992) 307–309
Fronček, D., e-Realization of double-stars (*Note*) **126** (1994) 399–402
Fronček, D., Almost self-complementary factors of complete bipartite graphs **167-168** (1-3) (1997) 317–327
Frydrych, W., All nonhamiltonian tough graphs satisfying a 3-degree sum and Fan-type conditions **121** (1993) 93–104
Fu, C.-M., *see* C.-C. Chou **197-198** (1-3) (1999) 195–203
Fu, H.-L., Intersection problem of Steiner systems $S(3,4,2v)$ **67** (1987) 241–247
Fu, H.-L., A note on the ascending subgraph decomposition problem (*Note*) **84** (1990) 315–318
Fu, H.-L. and K.-C. Huang, On prime labellings **127** (1-3) (1994) 181–186
Fu, H.-L. and W.-H. Hu, Disjoint odd integer subsets having a constant odd sum **128** (1-3) (1994) 143–150
Fu, H.-L., *see* B.-L. Chen **132** (1-3) (1994) 29–35
Fu, H.-L., *see* N.-P. Chiang **141** (1-3) (1995) 61–66
Fu, H.-L., *see* N.-P. Chiang **175** (1-3) (1997) 79–86
Fu, H.L., C.C. Lindner and C.A. Rodger, Two Doyen–Wilson theorems for maximum packings with triples **178** (1-3) (1998) 63–71
Fu, H.-L. and C.C. Lindner, The Doyen–Wilson theorem for maximum packings of K_n with 4-cycles **183** (1-3) (1998) 103–117
Fu, H.-L., *see* B.-L. Chen **184** (1-3) (1998) 49–60
Fu, T.-S., Erdős–Ko–Rado-type results over $J_q(n,d)$, $H_q(n,d)$ and their designs **196** (1-3) (1999) 137–151
Fuglister, F.J., The nonexistence of Moore geometries of diameter 4 **45** (1983) 229–238
Fuglister, F.J., On generalized Moore geometries, I **67** (1987) 249–258
Fuglister, F.J., On generalized Moore geometries, II **67** (1987) 259–269
Fuji-Hara, R. and S.A. Vanstone, Orthogonal resolutions of lines in AG(n,q) **41** (1982) 17–28
Fuji-Hara, R., S. Kuriki and M. Jimbo, On balanced complementation for regular t-wise balanced designs **76** (1989) 29–35
Fuji-Hara, R. and S. Kuriki, Mutually balanced nested designs **97** (1991) 167–176
Fujikoshi, Y., Two-way ANOVA models with unbalanced data **116** (1993) 315–334
Fujishige, S., A decomposition of distributive lattices **55** (1985) 35–55
Fujishige, S., *see* K. Ando **148** (1-3) (1996) 299–303
Fujita, H., *see* A. Odaka **14** (1976) 269–271
Fukuchi, Y., Graph labelings in elementary abelian groups **189** (1-3) (1998) 117–122
Fukuda, K., *see* R. Cordovil **89** (1991) 161–171
Fukuda, K. and K. Handa, Antipodal graphs and oriented matroids **111** (1993) 245–256
Fukuda, K., *see* M. Deza **119** (1993) 21–48
Fukuda, T., *see* Y. Egawa **58** (1986) 93–95
Fulman, J., A generalization of Vizing's theorem on domination (*Note*) **126** (1994) 403–406
Fulmek, M. and C. Krattenthaler, A bijection between Proctor's and Sundaram's odd orthogonal tableaux **161** (1-3) (1996) 101–120
Fulmek, M., Dual rook polynomials **177** (1-3) (1997) 67–81
Fulton, J.D., Generalized inverses of matrices over a finite field **21** (1978) 23–29
Füredi, Z., *see* P. Frankl **34** (1981) 311–313
Füredi, Z., Set-systems with prescribed cardinalities for pairwise intersections **40** (1982) 53–67
Füredi, Z., On finite set-systems whose every intersection is a kernel of a star (*Communication*) **47** (1983) 129–132
Füredi, Z., *see* P. Frankl **48** (1984) 205–212

Füredi, Z., *see* P. Frankl **50** (1984) 323–328
Füredi, Z. and Zs. Tuza, Hypergraphs without a large star (*Note*) **55** (1985) 317–321
Füredi, Z., *see* P. Erdös **59** (1986) 21–34
Füredi, Z., *see* R.P. Anstee **62** (1986) 225–243
Füredi, Z., J.R. Griggs, A.M. Odlyzko and J.B. Shearer, Ramsey–Sperner theory **63** (1987) 143–152
Füredi, Z. and I.G. Rosenberg, Multicolored lines in a finite geometry **71** (1988) 149–163
Füredi, Z., A projective plane is an outstanding 2-cover (*Communication*) **74** (1989) 321–324
Füredi, Z., Covering the complete graph by partitions **75** (1989) 217–226
Füredi, Z., J. Kahn and D.J. Kleitman, Sphere coverings of the hypercube with incomparable centers (*Note*) **83** (1990) 129–134
Füredi, Z., *see* P. Frankl **90** (1991) 103–107
Füredi, Z., *see* P. Erdős **98** (1991) 95–104
Füredi, Z., Indecomposable regular graphs and hypergraphs **101** (1992) 59–64
Füredi, Z. and P. Hajnal, Davenport–Schinzel theory of matrices **103** (1992) 233–251
Füredi, Z., *see* P. Erdős **111** (1993) 189–196
Füredi, Z., Random Ramsey graphs for the four-cycle (*Note*) **126** (1994) 407–410
Füredi, Z., Intersecting designs from linear programming and graphs of diameter two **127** (1-3) (1994) 187–207
Fürer, M., *see* G.J. Chang **199** (1-3) (1999) 11–25
Furino, S., Difference families from rings **97** (1991) 177–190
Furstenberg, H. and Y. Katznelson, A density version of the Hales–Jewett theorem for $k = 3$ **75** (1989) 227–241
Fzouquet, J.-L., V. Giakoumakis, F. Maire and H. Thuillier, On graphs without P_5 and $\overline{P_5}$ **146** (1-3) (1995) 33–44
Gabor, G., *see* S. Foldes **24** (1978) 103–104
Gabow, H.N., Algorithmic proofs of two relations between connectivity and the 1-factors of a graph **26** (1979) 33–40
Gagliardi, C., Cobordant crystallizations **45** (1983) 61–73
Gagnon, L., *see* G. Fournier **130** (1-3) (1994) 69–76
Gaillard, A., *see* M. Cochand **110** (1992) 61–80
Galagain, D., Sur une majoration du nombre de groupes definis par generateurs et ayant une seule relation **67** (1987) 15–26
Galeana-Sánchez, H., A counterexample to a conjecture of meyniel on kernel-perfect graphs (*Communication*) **41** (1982) 105–107
Galeana-Sánchez, H. and V. Neumann-Lara, On kernels and semikernels of digraphs **48** (1984) 67–76
Galeana-Sánchez, H., A theorem about a conjecture of H. Meyniel on kernel-perfect graphs **59** (1986) 35–41
Galeana-Sánchez, H. and V. Neumann-Lara, On kernel-perfect critical digraphs **59** (1986) 257–265
Galeana-Sánchez, H., A new method to extend kernel-perfect graphs to kernel-perfect critical graphs (*Communication*) **69** (1988) 207–209
Galeana-Sánchez, H., On the existence of (k,l)-kernels in digraphs (*Note*) **85** (1990) 99–102
Galeana-Sánchez, H. and V. Neumann-Lara, Orientations of graphs in kernel theory **87** (1991) 271–280
Galeana-Sánchez, H. and V. Neumann-Lara, Extending kernel perfect digraphs to kernel perfect critical digraphs **94** (1991) 181–187
Galeana-Sánchez, H., On the existence of kernels and h-kernels in directed graphs (*Communication*) **110** (1992) 251–255
Galeana-Sánchez, H., Normal fraternally orientable graphs satisfy the strong perfect graph conjecture **122** (1993) 167–177
Galeana-Sánchez, H., B_1- and B_2-orientable graphs in kernel theory **143** (1-3) (1995) 269–274
Galeana-Sánchez, H. and H.A. Rincón-Mejía, Independent sets which meet all longest paths **152** (1-3) (1996) 141–145
Galeana-Sánchez, H., On monochromatic paths and monochromatic cycles in edge coloured tournaments **156** (1-3) (1996) 103–112
Galeana-Sánchez, H., A characterization of normal fraternally orientable perfect graphs **169** (1-3) (1997) 221–225
Galeana-Sánchez, H. and X. Li, Kernels in a special class of digraphs **178** (1-3) (1998) 73–80
Galeana-Sánchez, H., Kernels in edge-colored digraphs **184** (1-3) (1998) 87–99
Gallai, T., *see* P. Erdős **108** (1992) 279–289

Gallai, T., *see* P. Erdős **150** (1-3) (1996) 89–101
Gallant, R. and C.J. Colbourn, Tight 4-factor orthogonal main effect plans **184** (1-3) (1998) 101–110
Gallant, S., On the group and the circuit group of a graph (*Note*) **6** (1973) 101–103
Gallian, J.A. and D.J. Rusin, Cyclotomic polynomials and nonstandard dice **27** (1979) 245–259
Gallian, J.A., *see* D. Witte **43** (1983) 297–307
Gallian, J.A., *see* D. Witte **51** (1984) 293–304
Gallian, J.A., *see* S.J. Curran **156** (1-3) (1996) 1–18
Gallivan, S., E.R. Lockeberg and P. Mcmullen, Complete subgraphs of the graphs of convex polytopes **34** (1981) 25–29
Galluccio, A., *see* C. De Simone **131** (1-3) (1994) 67–79
Galovich, J. and D. White, Recursive statistics on words **157** (1-3) (1996) 169–191
Galvin, F., G. Hesse and K. Steffens, On the number of automorphisms of structures **24** (1978) 161–166
Galvin, F., *see* P. Erdős **87** (1991) 261–269
Galvin, F., *see* P. Erdős **113** (1993) 59–70
Gamble, B., *see* E.J. Cockayne **58** (1986) 221–227
Gangopadhyay, T. and S.P. Rao Hebbare, Paths in r-partite self-complementary graphs **32** (1980) 229–244
Gangopadhyay, T. and S.P. Rao Hebbare, r-partite self-complementary graphs — Diameters **32** (1980) 245–255
Gangopadhyay, T., Characterisation of potentially bipartite self-complementary bipartitioned sequences **38** (1982) 173–184
Gangopadhyay, T., Packing graphs in their complements **186** (1-3) (1998) 117–124
Gani, J., A note on a stochastic model for the incubation of transfusion-associated AIDS **92** (1991) 89–94
Gannon, D., *see* D. Barnette **16** (1976) 291–298
Gansner, E.R., On the equality of two plane partition correspondences **30** (1980) 121–132
Gansner, E.R., On the lattice of order ideals of an up-down poset **39** (1982) 113–122
Ganter, B., Finite partial quadruple systems can be finitely embedded (*Note*) **10** (1974) 397–400
Ganter, B., G. Häfner and W. Poguntke, On linear extensions of ordered sets with a symmetry **63** (1987) 153–156
Ganter, B. and H.-D.O.F. Gronau, Two conjectures of Demetrovics, Füredi, and Katona, concerning partitions **88** (1991) 149–155
Gao, B., D.-Z. Du and R.L. Graham, A tight lower bound for the Steiner ratio in Minkowski planes **142** (1-3) (1995) 49–63
Gao, G. and X. Zhu, Star-extremal graphs and the lexicographic product **152** (1-3) (1996) 147–156
Gao, G.-G., On consecutive numbers of the same height in the Collatz problem (*Note*) **112** (1993) 261–267
Gao, G.-G. and G. Hahn, Minimal graphs that fold onto K_n **142** (1-3) (1995) 277–280
Gao, S. and W. Wei, On non-Abelian group difference sets **112** (1993) 93–102
Gao, S., *see* W.-D. Wei **123** (1993) 151–177
Gao, W., *see* F. Li **137** (1-3) (1995) 371–376
Gao, W., An addition theorem for finite cyclic groups **163** (1-3) (1997) 257–265
Gao, W., On the number of zero sum subsequences **163** (1-3) (1997) 267–273
Gao, W., On the number of subsequences with given sum **195** (1-3) (1999) 127–138
Gao, Z., The number of degree restricted maps on general surfaces **123** (1993) 47–63
Gao, Z. and X. Yu, Tutte cycles in circuit graphs **182** (1-3) (1998) 113–124
Garcia, C. and P. Solé, Diameter lower bounds for Waring graphs and multiloop networks **111** (1993) 257–261
Garcia, C., *see* F. Aguiló **167-168** (1-3) (1997) 3–16
Gardiner, A., Almost rank three graphs **103** (1992) 253–257
Gardiner, A., Distance-transitive antipodal covers: the extremal case **134** (1-3) (1994) 63–64
Gardiner, A.D., C.D. Godsil, A.D. Hensel and G.F. Royle, Second neighbourhoods of strongly regular graphs **103** (1992) 161–170
Gardner, M.L., Forbidden configurations in intersection graphs of r-graphs (*Note*) **31** (1980) 85–88
Gardner, M.L., Hypergraphs and Whitney's theorem on edge-isomorphisms of graphs **51** (1984) 1–9
Gardner, R., B. Micale, M. Pennisi and R. Zijlstra, Cyclic and rotational hybrid triple systems **171** (1-3) (1997) 121–139
Gardner, R., B. Micale, M. Pennisi and R. Zijlstra, Cyclic and rotational hybrid triple systems **175** (1-3) (1997) 143–161
Gardner, R.B., *see* R. Calahan-Zijlstra **128** (1-3) (1994) 35–44

Gardner, R.B., Steiner triple systems with transrotational automorphisms **131** (1-3) (1994) 99–104
Gardy, D., Some results on the asymptotic behaviour of coefficients of large powers of functions **139** (1-3) (1995) 189–217
Garey, M.R., Optimal task sequencing with precedence constraints **4** (1973) 37–56
Garey, M.R., *see* M. Edelberg **14** (1976) 23–39
Garner, L.E., On heights in the Collatz $3n + 1$ problem **55** (1985) 57–64
Garoche, F. and M. Leonard, On a class of boolean functions with matroid property (*Communication*) **49** (1984) 323–325
Garriga, E., *see* M.A. Fiol **167-168** (1-3) (1997) 297–307
Garriga, E., *see* M.A. Fiol **182** (1-3) (1998) 101–111
Garsia, A.M., *see* N. Bergeron **99** (1992) 3–15
Garsia, A.M., Orthogonality of Milne's polynomials and raising operators **99** (1992) 247–264
Garsia, A.M. and M. Haiman, Factorizations of Pieri rules for Macdonald polynomials **139** (1-3) (1995) 219–256
Gasharov, V., Incomparability graphs of (3+1)-free posets are s-positive **157** (1-3) (1996) 193–197
Gasparian, G., *see* S. Markossian **178** (1-3) (1998) 137–153
Gasse, E., A proof of a circle graph characterization **173** (1-3) (1997) 277–283
Gassman, L.D., *see* R.C. Entringer **10** (1974) 43–55
Gates, W.H. and C.H. Papadimitriou, Bounds for sorting by prefix reversal **27** (1979) 47–57
Gavlas, H., *see* G. Chartrand **147** (1-3) (1995) 73–86
Gavlas, H., *see* E. Dobson **189** (1-3) (1998) 69–78
Gavril, F., A recognition algorithm for the intersection graphs of directed paths in directed trees **13** (1975) 237–249
Gavril, F., Algorithms on clique separable graphs **19** (1977) 159–165
Gavril, F., A recognition algorithm for the intersection graphs of paths in trees **23** (1978) 211–227
Gehrke, M. and E. Walker, Iterating conditionals and symmetric Stone algebras **148** (1-3) (1996) 49–63
Gehrlein, W.V., *see* P.C. Fishburn **79** (1989/90) 259–264
Geist, J.M., *see* J.L. Massey **3** (1972) 163–175
Geldenhuys, G., *see* W.F.D. Theron **178** (1-3) (1998) 213–220
Gelfand, I., *see* A.V. Borovik **179** (1-3) (1998) 59–72
Gelfand, I.M., *see* T.V. Alekseyevskaya **180** (1-3) (1998) 23–44
Geller, D.P., Generalization of a theorem of Fleck, Hedetniemi and Oehmke on $\mathcal{S}^*$-semigroups of automata **8** (1974) 345–349
Geller, D.P., Walkwise and admissible mappings between digraphs **9** (1974) 375–390
Geller, D.P., r-tuple colorings of uniquely colorable graphs **16** (1976) 9–12
Geller, M.M., M.A. Harrison and I.M. Havel, Normal forms of deterministic grammars **16** (1976) 313–321
Gennero, M.C. and O. Papini, Utilization of error correcting codes for data transmission simulations **56** (1985) 155–168
Geoffroy, D.P., Nuclei for totally point determining graphs **21** (1978) 145–162
Geoffroy, D.P., On 1-factors of point determining graphs **24** (1978) 167–175
George, O.T., *see* M.R. Sridharan **41** (1982) 101–104
Georges, J.P., D.W. Mauro and M.A. Whittlesey, Relating path coverings to vertex labellings with a condition at distance two **135** (1-3) (1994) 103–111
Georgescu, G., *see* A. Filipoiu **161** (1-3) (1996) 87–100
Gerards, A.M.H. and F.B. Shepherd, Strong orientations without even directed circuits **188** (1-3) (1998) 111–125
Geréb-Graus, M., An extremal theorem on divisors of a number **46** (1983) 241–248
Gergely, E., A remark on doubly diagonalized orthogonal Latin squares (*Note*) **10** (1974) 185–188
Gerl, P., Natural spanning trees of $\mathbb{Z}^d$ are recurrent (*Note*) **61** (1986) 333–336
Gerlits, J., A. Hajnal and Z. Szentmiklóssy, On the cardinality of certain Hausdorff spaces **108** (1992) 31–35
Germa, A., *see* D. Amar **46** (1983) 327
Germa, A., *see* D. Amar **89** (1991) 111–131
Germina, K.A., *see* S. Arumugam **161** (1-3) (1996) 285–289
Gernert, D., Inequalities between the domination number and the chromatic number of a graph (*Communication*) **76** (1989) 151–153

Geroldinger, A. and R. Schneider, The cross number of finite abelian groups III **150** (1-3) (1996) 123–130
Gerth III, F., Some probabilities for eigenvalues of matrices with entries in finite fields **154** (1-3) (1996) 269–275
Gervacio, S., *see* K. Ando **82** (1990) 7–11
Gervacio, S., *see* K. Ando **150** (1-3) (1996) 403–406
Gervacio, S.V., Score sequences: Lexicographic enumeration and tournament construction **72** (1988) 151–155
Gervacio, S.V., *see* E.B. Arugay **151** (1-3) (1996) 49–53
Gervacio, S.V., Trees with diameter less than 5 and non-singular complement **151** (1-3) (1996) 91–97
Gessel, I.M., A q-analog of the exponential formula **40** (1982) 69–80
Gessel, I.M., Some generalized durfee square identities **49** (1984) 41–44
Gessel, I.M., Enumerative applications of a decomposition for graphs and digraphs **139** (1-3) (1995) 257–271
Gessel, I.M., Counting acyclic digraphs by sources and sinks **160** (1-3) (1996) 253–258
Geyer, W., On Tamari lattices **133** (1-3) (1994) 99–122
Ghier, L., *see* A. Bouchet **161** (1-3) (1996) 25–44
Ghinelli, D., *see* A. Del Fra **105** (1992) 13–23
Ghinelli, D., *see* A.D. Fra **129** (1-3) (1994) 53–74
Ghorpade, S.R., *see* S.S. Abhyankar **96** (1991) 1–32
Giakoumakis, V., *see* J.-L. Fzouquet **146** (1-3) (1995) 33–44
Giakoumakis, V., *see* J.-L. Fouquet **165-166** (1-3) (1997) 267–290
Giakoumakis, V., F. Roussel and H. Thuillier, Scattering number and modular decomposition **165-166** (1-3) (1997) 311–332
Giakoumakis, V., On the closure of graphs under substitution **177** (1-3) (1997) 83–97
Gibbons, P.B. and E. Mendelsohn, The construction of antipodal triple systems by simulated annealing **155** (1-3) (1996) 59–76
Gibbs, R.A. and P.J. Slater, Distinct distance sets in a graph **93** (1991) 155–165
Gibson, P. and R. Maltby, Posets in which every cutset meets every fibre **194** (1-3) (1999) 107–127
Gierz, G. and F. Hergert, The bandwidth problem for distributive lattices of breadth 3 **88** (1991) 157–177
Gierz, G., Level sets in finite distributive lattices of breadth 3 **132** (1-3) (1994) 51–63
Gil, J., W. Steiger and A. Wigderson, Geometric medians **108** (1992) 37–51
Gilbert, G.T., *see* J. Berenbom **175** (1-3) (1997) 23–33
Gilbey, J.D. and L.H. Kalikow, Parking functions, valet functions and priority queues **197-198** (1-3) (1999) 351–373
Giles, R. and D. Hausmann, Characterizations of adjacency on the branching polyhedron **26** (1979) 219–226
Giles, R. and R. Kannan, A characterization of threshold matroids (*Note*) **30** (1980) 181–184
Giles, W.B., On reconstructing maximal outerplanar graphs **8** (1974) 169–172
Giles, W.B., Reconstructing trees from two point deleted subtrees **15** (1976) 325–332
Gill, M.K. and G.A. Patwardhan, Switching invariant two-path signed graphs **61** (1986) 189–196
Gill, P.S., A note on constructions of symmetrical PBIB designs (*Note*) **51** (1984) 305–307
Gill, R., The number of elements in a generalized partition semilattice **186** (1-3) (1998) 125–134
Gillett, S., *see* D.W. Barnette **195** (1-3) (1999) 239–243
Gilpin, M. and R. Shelton, Predicates whose maximal length functions increase periodically **84** (1990) 15–21
Gimbel, J., *see* D. Skrien **55** (1985) 213–216
Gimbel, J., M. Mahéo and C. Virlouvet, Double total domination of graphs **165-166** (1-3) (1997) 333–341
Gimbert, J., On the existence of (d,k)-digraphs **197-198** (1-3) (1999) 375–391
Ginocchio, M., On the Hopf algebra of functional graphs and differential algebras **183** (1-3) (1998) 119–140
Ginsburg, J., Extensions of ordered sets having the finite cutset property **58** (1986) 143–157
Gionfriddo, M. and C.C. Lindner, Construction of Steiner quadruple systems having a prescribed number of blocks in common **34** (1981) 31–42
Gionfriddo, M., On the set $J(v)$ for Steiner Quadruple Systems of order $v = 2^n$ with $n \geqslant 4$ **44** (1983) 155–160
Gionfriddo, M. and S. Milici, On the parameter $v_2(h)$ for L_2-coloured graphs (*Note*) **68** (1988) 107–110
Gionfriddo, M., F. Milazzo and V. Vacirca, Transitive multipermutation graphs: case $4 \leqslant n \leqslant m$ **97** (1991) 191–198
Gionfriddo, M. and G. Lo Faro, 2-Colourings in $S(t, t+1, v)$ **111** (1993) 263–268
Gionfriddo, M. and Z. Tuza, On conjectures of Berge and Chvátal **124** (1994) 79–86
Gionfriddo, M. and S. Milici, A result concerning two conjectures of Berge and Chvátal **155** (1-3) (1996) 77–79

Gionfriddo, M., F. Harary and Z. Tuza, The color cost of a caterpillar **174** (1-3) (1997) 125–130
Giorgio Spera, A., Transitive extensions of imprimitive groups **155** (1-3) (1996) 233–241
Giraud, G., Sur les proportions respectives de triangles uni, bi ou tricolores dans un tricoloriage des arêtes du n-emble **16** (1976) 13–38
Giraud, G.R., Remarques sur deux problemes extremaux (*Note*) **84** (1990) 319–321
Gire, S., *see* S. Dulucq **153** (1-3) (1996) 85–103
Gire, S., *see* S. Dulucq **187** (1-3) (1998) 71–96
Giudici, R.E., *see* P.M. Salzberg **58** (1986) 285–294
Giudici, R.E., *see* P. Berrizbeitia **149** (1-3) (1996) 11–18
Givant, S., Possible cardinalities of irredundant bases for finite closure structures **12** (1975) 201–204
Glebov, N.I. and A.V. Kostochka, On the independent domination number of graphs with given minimum degree **188** (1-3) (1998) 261–266
Glover, F., Convexity cuts for multiple choice problems **6** (1973) 221–234
Glover, F., First facets of the octahedron **9** (1974) 109–117
Glover, H. and J.P. Huneke, Graphs with bounded valency that do not embed in the projective plane **18** (1977) 155–165
Glover, H. and J.P. Huneke, The set of irreducible graphs for the projective plane is finite **22** (1978) 243–256
Glover, H.H. and J.P. Huneke, Cubic irreducible graphs for the projective plane **13** (1975) 341–355
Glover, H.H. and T.Y. Yang, A Hamilton cycle in the Cayley graph of the $\langle 2, p, 3\rangle$ presentation of $\mathrm{PSL}_2(p)$ **160** (1-3) (1996) 149–163
Gluck, D., A note on permutation polynomials and finite geometries (*Note*) **80** (1990) 97–100
Glynn, D.G., *see* L.R.A. Casse **48** (1984) 173–186
Glynn, D.G., The non-classical 10-arc of PG(4, 9) **59** (1986) 43–51
Göbel, F., J.O. Cerdeira and H.J. Veldman, Label-connected graphs and the gossip problem **87** (1991) 29–40
Göbel, F., *see* H.J. Broersma **118** (1993) 23–31
Göbel, F., *see* T. Böhme **170** (1-3) (1997) 219–222
Godbole, A.P., L.K. Potter and E.J. Sandquist, Sign-balanced covering matrices **190** (1-3) (1998) 79–93
Goddard, W., Acyclic colorings of planar graphs (*Note*) **91** (1991) 91–94
Goddard, W. and D.J. Kleitman, An upper bound for the Ramsey numbers $r(K_3, G)$ **125** (1994) 177–182
Goddard, W., O.R. Oellermann and H.C. Swart, Steiner distance stable graphs **132** (1-3) (1994) 65–73
Goddard, W., Mistilings with dominoes **137** (1-3) (1995) 361–365
Goddard, W. and H.C. Swart, Distances between graphs under edge operations **161** (1-3) (1996) 121–132
Goddard, W., M.D. Plummer and H.C. Swart, Maximum and minimum toughness of graphs of small genus **167-168** (1-3) (1997) 329–339
Goddard, W. and M.A. Henning, Real and integer domination in graphs **199** (1-3) (1999) 61–75
Goddard, W.D., *see* L.W. Beineke **125** (1994) 45–54
Godlewski, P., WOM-codes construits à partir des codes de Hamming **65** (1987) 237–243
Godsil, C.D., More odd graph theory (*Communication*) **32** (1980) 205–207
Godsil, C.D., Polynomial spaces **73** (1988/89) 71–88
Godsil, C.D., *see* A.D. Gardiner **103** (1992) 161–170
Goecke, O. and R. Schrader, Minor characterization of undirected branching greedoids – A short proof (*Note*) **82** (1990) 93–99
Goemans, M.X., A generalization of Petersen's theorem (*Note*) **115** (1993) 277–282
Goethals, J.M. and S.L. Snover, Nearly perfect binary codes **3** (1972) 65–88
Goethals, J.M. and J.J. Seidel, The regular two-graph on 276 vertices **12** (1975) 143–158
Goethals, J.M., *see* P. Delsarte **12** (1975) 211–224
Goh, B.H., *see* K.M. Koh **82** (1990) 13–24
Goldbach, R.W. and H.L. Claasen, Feasibility conditions for non-symmetric 3-class association schemes **159** (1-3) (1996) 111–118
Goldman, A.J., *see* A.G. Robinson **80** (1990) 297–312
Goldman, A.J., *see* A.G. Robinson **84** (1990) 261–283
Goldman, A.J., *see* A.G. Robinson **90** (1991) 153–167
Goldman, A.J., *see* A.G. Robinson **112** (1993) 173–184
Goldreich, O., On the number of monochromatic close pairs of beads in a rosary **80** (1990) 59–68

Goldsmith, D.L. and A.T. White, On graphs with equal edge-connectivity and minimum degree **23** (1978) 31–36
Goldstein, R.Z. and E.C. Turner, Counting orbits of a product of permutations **80** (1990) 267–272
Goldstern, M., R. Grossberg and M. Kojman, Infinite homogeneous bipartite graphs with unequal sides **149** (1-3) (1996) 69–82
Goldstine, J., A simplified proof of Parikh's theorem **19** (1977) 235–239
Goldwasser, J.L., *see* R.A. Brualdi **48** (1984) 1–21
Goldwasser, J.L., Permanent of the Laplacian matrix of trees with a given matching **61** (1986) 197–212
Goldwurm, M., *see* C. Choffrut **194** (1-3) (1999) 239–247
Golemac, A., Construction of new symmetric designs with parameters (70, 24, 8) **120** (1993) 51–58
Goles, E. and J. Olivos, Periodic behaviour of generalized threshold functions (*Communication*) **30** (1980) 187–189
Golomb, S.W., Probability, information theory, and prime number theory **106/107** (1992) 219–229
Golumbic, M.C., Trivially perfect graphs (*Note*) **24** (1978) 105–107
Golumbic, M.C. and Y. Perl, Generalized Fibonacci maximum path graphs **28** (1979) 237–245
Golumbic, M.C., D. Rotem and J. Urrutia, Comparability graphs and intersection graphs **43** (1983) 37–46
Golumbic, M.C., *see* M.A. Buckingham **44** (1983) 45–54
Golumbic, M.C., Interval graphs and related topics **55** (1985) 113–121
Golumbic, M.C. and R.E. Jamison, Edge and vertex intersection of paths in a tree **55** (1985) 151–159
Golumbic, M.C., *see* A. Belfer **114** (1993) 23–39
Gómez, J., M.A. Fiol and O. Serra, On large (Δ, D)-graphs **114** (1993) 219–235
Gondran, M., Remarque sur le polytope des couplages d'Edmonds **9** (1974) 235–238
Gondran, M., Les elements p-reguliers dans les dioïdes **25** (1979) 33–39
Good, I.J. and J.F. Crook, The enumeration of arrays and a generalization related to contingency tables **19** (1977) 23–45
Goodey, P.R. and M. Rosenfeld, Hamiltonian circuits in prisms over certain simple 3-polytopes **21** (1978) 229–235
Goodman, A.W., Triangles in a complete chromatic graph with three colors **57** (1985) 225–235
Goodman, J.E., Proof of a conjecture of Burr, Grünbaum, and Sloane **32** (1980) 27–35
Gordon, B. and L. Houten, Notes on plane partitions VI **26** (1979) 41–45
Gordon, B., Tilings of lattice points in Euclidean n-space **29** (1980) 169–174
Gordon, D., Minimal determining sets of locally finitely-determined functionals **29** (1980) 175–190
Gordon, D.M., R.W. Robinson and F. Harary, Minimum degree games for graphs **128** (1-3) (1994) 151–163
Gordon, G., Matroids over F_p which are rational excluded minors **49** (1984) 51–65
Gordon, G. and L. Traldi, Generalized activities and the Tutte polynomial **85** (1990) 167–176
Gordon, G. and E. McDonnell, Trees with the same degree sequence and path numbers **147** (1-3) (1995) 297–300
Gordon, G., Series–parallel posets and the Tutte polynomial **158** (1-3) (1996) 63–75
Gorgol, I., On bounds for size Ramsey numbers of a complete tripartite graph **164** (1-3) (1997) 149–153
Gotoh, S., *see* S. Ueno **72** (1988) 355–360
Gould, F.J. and J.W. Tolle, A unified approach to complementarity in optimization **7** (1974) 225–271
Gould, R.J., On line graphs and the hamiltonian index **34** (1981) 111–117
Gould, R.J. and M.S. Jacobson, Forbidden subgraphs and hamiltonian properties of graphs **42** (1982) 189–196
Gould, R.J. and R. Roth, Cayley digraphs and $(1, j, n)$-sequencings of the alternating groups A_n **66** (1987) 91–102
Gould, R.J., *see* R.J. Faudree **91** (1991) 33–43
Gould, R.J., *see* R.J. Faudree **103** (1992) 17–24
Gould, R.J., *see* R.J. Faudree **105** (1992) 61–71
Gould, R.J. and V. Rödl, On isomorphic subgraphs (*Note*) **118** (1993) 259–262
Gould, R.J., *see* R.J. Faudree **141** (1-3) (1995) 109–122
Gould, R.J., *see* R.J. Faudree **150** (1-3) (1996) 103–113
Gould, R.J., *see* R.J. Faudree **173** (1-3) (1997) 45–60
Gould, R.J. and J.M. Harris, Traceability in graphs with forbidden triples of subgraphs **189** (1-3) (1998) 123–132
Gould, R.J., *see* G. Chen **197-198** (1-3) (1999) 185–194

Goulden, I.P. and D.M. Jackson, The enumeration of generalised alternating subsets with congruences **22** (1978) 99–104
Goulden, I.P., *see* C.B. Collins **36** (1981) 139–153
Goulden, I.P., A bijective proof of the q-Saalschütz theorem **57** (1985) 39–44
Goulden, I.P., A linear operator for symmetric functions and tableaux in a strip with given trace **99** (1992) 69–77
Goulden, I.P. and S. Pepper, Labelled trees and factorizations of a cycle into transpositions (*Note*) **113** (1993) 263–268
Goulden, I.P., D.M. Jackson and C.M. Springer, An umbral relation between pattern and commutation in strings **158** (1-3) (1996) 77–85
Goulet, J., *see* B. Courteau **56** (1985) 133–139
Goupil, A., On products of conjugacy classes of the symmetric group (*Invited paper*) **79** (1989/90) 49–57
Goupil, A., Reflection decompositions in the classical Weyl groups **137** (1-3) (1995) 195–209
Gourdon, X. and B. Salvy, Effective asymptotics of linear recurrences with rational coefficients **153** (1-3) (1996) 145–163
Gourdon, X. and H. Prodinger, A generating function approach to random subgraphs of the n-cycle **169** (1-3) (1997) 227–232
Gourdon, X., Largest component in random combinatorial structures **180** (1-3) (1998) 185–209
Grabiner, D.J., Posets in which every interval is a product of chains, and natural local actions of the symmetric group **199** (1-3) (1999) 77–84
Grable, D.A., Hypergraphs and sharpened sieve inequalities **132** (1-3) (1994) 75–82
Grable, D.A., *see* D. Archdeacon **142** (1-3) (1995) 21–37
Grabner, P.J., R.F. Tichy and U.T. Zimmermann, Inequalities for the gamma function with applications to permanents **154** (1-3) (1996) 53–62
Grady, M., *see* J. Bevis **186** (1-3) (1998) 25–38
Gräf, A., Distance graphs and the T-coloring problem **196** (1-3) (1999) 153–166
Graham, R., *see* P. Diaconis **106/107** (1992) 181–188
Graham, R., *see* F. Chung **110** (1992) 43–59
Graham, R.L., D.E. Knuth and T.S. Motzkin, Complements and transitive closures **2** (1972) 17–29
Graham, R.L., *see* M. Edelberg **14** (1976) 23–39
Graham, R.L., A.C.-C. Yao and F.-F. Yao, Addition chains with multiplicative cost **23** (1978) 115–119
Graham, R.L., *see* V. Chvátal **26** (1979) 83–92
Graham, R.L., *see* F.R.K. Chung **111** (1993) 125–129
Graham, R.L., Recent trends in Euclidean Ramsey theory **136** (1-3) (1994) 119–127
Graham, R.L., *see* B. Gao **142** (1-3) (1995) 49–63
Graham, R.L., *see* P.-J. Wan **171** (1-3) (1997) 261–275
Graham, R.L., B.D. Lubachevsky, K.J. Nurmela and P.R.J. Östergård, Dense packings of congruent circles in a circle **181** (1-3) (1998) 139–154
Grams, G., *see* D. Jungnickel **58** (1986) 199–203
Grannell, M.J. and T.S. Griggs, A cyclic Steiner quadruple system of order 32 (*Note*) **38** (1982) 109–111
Grannell, M.J., T.S. Griggs and J.S. Phelan, On infinite Steiner systems **97** (1991) 199–202
Grannell, M.J. and T.S. Griggs, A Steiner system $S(5, 6, 108)$ **125** (1994) 183–186
Grannell, M.J., T.S. Griggs and J.S. Phelan, Continuity of Mendelsohn and Steiner triple systems **138** (1-3) (1995) 247–253
Grannell, M.J., T.S. Griggs and J.P. Murphy, Twin Steiner triple systems **167-168** (1-3) (1997) 341–352
Granot, F., *see* A. Charnes **11** (1975) 233–248
Granot, F. and M. Penn, On the integral 4-packing of T-cuts **142** (1-3) (1995) 65–75
Grant, D.D., *see* K.L. McAvaney **9** (1974) 277–288
Grant, D.D., *see* C.H.C. Little **13** (1975) 41–54
Grant, D.D., A generalisation of the diameter of a graph (*Note*) **90** (1991) 321–324
Granville, A., On a paper of Agur, Fraenkel and Klein (*Note*) **94** (1991) 147–151
Grasselli, L., *see* M.R. Casali **87** (1991) 9–22
Grasselli, L. and S. Piccarreta, Tetrahedron manifolds via coloured graphs **182** (1-3) (1998) 125–137
Grassl, R.M. and A.P. Hillman, Functions on tableau frames **25** (1979) 245–255
Grassl, R.M. and A.P. Mullhaupt, Hook and shifted hook numbers **79** (1989/90) 153–167
Graver, J.E., *see* J.K. Doyle **17** (1977) 147–154

Graves, J.S., *see* R.A. Brualdi **147** (1-3) (1995) 57–72
Graves, W.H., Cohomology of incidence coalgebras **10** (1974) 75–92
Gravier, S. and A. Khelladi, On the domination number of cross products of graphs **145** (1-3) (1995) 273–277
Gravier, S., A Hajós-like theorem for list coloring **152** (1-3) (1996) 299–302
Gravier, S., *see* H. Ait Haddadene **159** (1-3) (1996) 237–240
Gravier, S. and F. Maffray, Choice number of 3-colorable elementary graphs **165-166** (1-3) (1997) 343–348
Gravier, S., Hamiltonicity of the cross product of two Hamiltonian graphs **170** (1-3) (1997) 253–257
Gravier, S., *see* H. Aït Haddadène **183** (1-3) (1998) 1–16
Gravier, S., *see* M. Dror **195** (1-3) (1999) 103–109
Gray, J.M., *see* C.R. Deeter **10** (1974) 29–42
Greco, G., Capacities of graphs and 2-matchings **186** (1-3) (1998) 135–143
Greene, C., *see* E. Bird **11** (1975) 191–198
Greene, C. and G.A. Iba, Cayley's formula for multidimensional trees **13** (1975) 1–11
Greene, C., *see* S. Fomin **193** (1-3) (1998) 179–200
Greene, J., Bijections related to statistics on words **68** (1988) 15–29
Greene, T., Descriptively sufficient subcollections of flats in matroids **87** (1991) 149–161
Greenough, P.P. and R. Hill, Optimal linear codes over GF(4) **125** (1994) 187–199
Greenwell, D.L. and R.L. Hemminger, Forbidden subgraphs for graphs with planar line graphs **2** (1972) 31–34
Greenwell, R.N., *see* B.M. Landman **68** (1988) 77–83
Greferath, M., Cyclic codes over finite rings **177** (1-3) (1997) 273–277
Gregory, D.A. and N.J. Pullman, On a clique covering problem of Orlin (*Note*) **41** (1982) 97–99
Gregory, D.A., S. McGuinness and W. Wallis, Clique partitions of the cocktail party graph **59** (1986) 267–273
Greibach, S.A., A generalization of Parikh's semilinear theorem **2** (1972) 347–355
Grekos, G.P., Nonexistence of maximal asymptotic union nonbases **33** (1981) 267–270
Grieser, D., Some results on the complexity of families of sets **88** (1991) 179–192
Griffel, D.H. and C.A.N. Morris, Complete latin squares of order 2^k **145** (1-3) (1995) 291–293
Griggs, J. and O. Murphy, Edge density and independence ratio in triangle-free graphs with maximum degree three **152** (1-3) (1996) 157–170
Griggs, J.G. and J.P. Hutchinson, On the r-domination number of a graph **101** (1992) 65–72
Griggs, J.R. and D.J. Kleitman, A three part Sperner theorem **17** (1977) 281–289
Griggs, J.R., Extremal values of the interval number of a graph, II **28** (1979) 37–47
Griggs, J.R., *see* Z. Füredi **63** (1987) 143–152
Griggs, J.R., C.M. Grinstead and D.R. Guichard, The number of maximal independent sets in a connected graph **68** (1988) 211–220
Griggs, J.R., Problems on chain partitions **72** (1988) 157–162
Griggs, J.R., Iterated exponentials of two numbers **88** (1991) 193–209
Griggs, J.R. and M. Wu, Spanning trees in graphs of minimum degree 4 or 5 **104** (1992) 167–183
Griggs, J.R. and D.J. Kleitman, Independence and the Havel–Hakimi residue **127** (1-3) (1994) 209–212
Griggs, J.R. and Y.-C. Lin, Planar graphs with few vertices of small degree **143** (1-3) (1995) 47–70
Griggs, J.R., Matchings, cutsets, and chain partitions in graded posets **144** (1-3) (1995) 33–46
Griggs, J.R., *see* R.P. Anstee **156** (1-3) (1996) 253–256
Griggs, J.R. and Y.-C. Lin, The maximum sum of degrees above a threshold in planar graphs **169** (1-3) (1997) 233–243
Griggs, T.S., *see* M.J. Grannell **38** (1982) 109–111
Griggs, T.S., *see* M.J. Grannell **97** (1991) 199–202
Griggs, T.S., *see* M.J. Grannell **125** (1994) 183–186
Griggs, T.S., *see* M.J. Grannell **138** (1-3) (1995) 247–253
Griggs, T.S., *see* B.E. Brunton **155** (1-3) (1996) 19–26
Griggs, T.S., *see* M.J. Grannell **167-168** (1-3) (1997) 341–352
Griggs, T.S. and B.J. Wilson, Distance-regular graphs, MH-colourings and MLD-colourings **174** (1-3) (1997) 131–135
Grimmett, G.R., An upper bound for the number of spanning trees of a graph **16** (1976) 323–324
Grimson, R.C., Enumeration of dimer (domino) configurations **18** (1977) 167–177
Grinstead, C.M., On circular critical graphs **51** (1984) 11–24
Grinstead, C.M., *see* J.R. Griggs **68** (1988) 211–220

Grinstead, C.M., B. Hahne and D. Van Stone, On the queen domination problem **86** (1990) 21–26
Grinstead, D.L. and P.J. Slater, On minimum dominating sets with minimum intersection **86** (1990) 239–254
Grishukhin, V., *see* M. Deza **165-166** (1-3) (1997) 185–190
Grishukhin, V., *see* A. Deza **192** (1-3) (1998) 41–80
Gritzmann, P., *see* U. Betke **58** (1986) 81–85
Gritzmann, P. and V. Klee, On the complexity of some basic problems in computational convexity: I. Containment problems **136** (1-3) (1994) 129–174
Gröflin, H., *see* M. Cochand **110** (1992) 61–80
Grommes, R., *see* R. Euler **62** (1986) 155–181
Gronau, H.-D.O.F., *see* G.F. Clements **33** (1981) 239–247
Gronau, H.-D.O.F., On maximal families of subsets of a finite set **34** (1981) 119–130
Gronau, H.-D.O.F., Coverings of the complete (di-)graph with n vertices by complete bipartite (di-)graphs with n vertices I **37** (1981) 67–72
Gronau, H.-D.O.F., *see* K. Engel **54** (1985) 153–159
Gronau, H.-D.O.F. and R. Labahn, An extremal coloring problem on matrices (*Communication*) **61** (1986) 321–324
Gronau, H.-D.O.F., *see* B. Ganter **88** (1991) 149–155
Gronau, H.-D.O.F., *see* H. Brandes **125** (1994) 73–86
Gronau, H.-D.O.F., *see* G. Burosch **152** (1-3) (1996) 69–91
Grone, R. and R. Merris, A bound for the complexity of a simple graph (*Note*) **69** (1988) 97–99
Gropp, H., The elementary abelian Steiner systems $S(2, 4, 49)$ (*Communication*) **64** (1987) 87–90
Gropp, H., Enumeration of regular graphs 100 years ago **101** (1992) 73–85
Gropp, H., Configurations and graphs **111** (1993) 269–276
Gropp, H., Nonsymmetric configurations with natural index **124** (1994) 87–98
Gropp, H., On symmetric spatial configurations **125** (1994) 201–209
Gropp, H., Configurations and $(r,1)$-designs **129** (1-3) (1994) 113–137
Gropp, H., Graph-like combinatorial structures in $(r,1)$-designs **134** (1-3) (1994) 65–73
Gropp, H., On tactical configurations, regular bipartite graphs, and (v,k,even)-designs **155** (1-3) (1996) 81–98
Gropp, H., Configurations and graphs — II **164** (1-3) (1997) 155–163
Gropp, H., Blocking set free configurations and their relations to digraphs and hypergraphs **165-166** (1-3) (1997) 349–360
Gropp, H., Configurations and their realization **174** (1-3) (1997) 137–151
Gropp, H., On configurations and the book of Sainte-Laguë **191** (1-3) (1998) 91–99
Gross, J.L., Voltage graphs **9** (1974) 239–246
Gross, J.L. and T.W. Tucker, Generating all graph coverings by permutation voltage assignments **18** (1977) 273–283
Gross, J.L., *see* J. Chen **128** (1-3) (1994) 73–94
Gross, J.L. and T.W. Tucker, Stratified graphs for imbedding systems **143** (1-3) (1995) 71–85
Gross, J.L., *see* J. Chen **149** (1-3) (1996) 19–29
Gross, J.L., *see* J. Chen **156** (1-3) (1996) 83–102
Gross, K.B., Some new classes of strong starters **12** (1975) 225–243
Gross, K.B., *see* B.A. Anderson **28** (1979) 113–134
Grossberg, R., *see* M. Goldstern **149** (1-3) (1996) 69–82
Grossman, J.W., F. Harary and M. Klawe, Generalized Ramsey theory for graphs, X: Double starts **28** (1979) 247–254
Grossman, J.W., *see* S.A. Burr **41** (1982) 223–227
Grossman, J.W., *see* J.E. Dunbar **167-168** (1-3) (1997) 261–269
Grossman, J.W., Dominating sets whose closed stars form spanning trees **169** (1-3) (1997) 83–94
Grötschel, M. and Y. Wakabayashi, On the structure of the monotone asymmetric travelling salesman polytope I: Hypohamiltonian facets **34** (1981) 43–59
Grubb, A., *see* G.E. Nicholson **52** (1984) 235–242
Grünbaum, B., Intersecting all edges of centrally symmetric polyhedra by planes **5** (1973) 241–246
Grünbaum, B. and J. Zaks, The existence of certain planar maps **10** (1974) 93–115
Grünbaum, B. and G.C. Shephard, Perfect colorings of transitive tilings and patterns in the plane **20** (1977) 235–247

Grünbaum, B. and G.C. Shephard, An extension to the catalogue of isonemal fabrics **60** (1986) 155–192
Gruszka, J., *see* T. Łuczak **148** (1-3) (1996) 311–316
Grytczuk, J., Infinite self-similar words **161** (1-3) (1996) 133–141
Gu, W., *see* K.B. Reid **101** (1992) 231–249
Gu, W., *see* K.B. Reid **147** (1-3) (1995) 185–196
Guan, M., W. Li and Z. Wang, The convex weighting of a graph and an alternative definition of a matroid **48** (1984) 77–81
Guan, P., *see* S.-y. Choi **117** (1993) 275–277
Gubser, B.S., Planar graphs with no 6-wheel minor **120** (1993) 59–73
Gudder, S., *see* L. Haskins **2** (1972) 357–382
Gudder, S.P. and G.T. Rüttimann, Finite function spaces and measures on hypergraphs **68** (1988) 221–244
Gudder, S.P. and G.T. Rüttimann, Positive sets in finite linear function spaces **68** (1988) 245–255
Guelzow, A.J., Representation of finite nilpotent squags **154** (1-3) (1996) 63–76
Guenoche, A., Enumeration des tableaux standards **25** (1979) 257–267
Guénoche, A., Enumération des partitions de diamètre minimum **111** (1993) 277–287
Guénoche, A., *see* I. Charon **165-166** (1-3) (1997) 139–153
Guénoche, A., Ordinal properties of tree distances **192** (1-3) (1998) 103–117
Guerra, L. and E. Ughi, On the distribution of Legendre symbols in Galois fields **42** (1982) 197–208
Guha, S. and S. Padmanabhan, A new derivation of the generating function for the major index (*Communication*) **81** (1990) 211–215
Guibert, O., *see* S. Dulucq **157** (1-3) (1996) 91–106
Guibert, O., *see* S. Dulucq **180** (1-3) (1998) 143–156
Guibert, O., *see* S. Dulucq **187** (1-3) (1998) 71–96
Guichard, D.R., *see* J.R. Griggs **68** (1988) 211–220
Guichard, D.R., Two theorems on the addition of residue classes **81** (1990) 11–18
Guido, C., A larger class of reconstructible tournaments **152** (1-3) (1996) 171–184
Guiduli, B., On incidence coloring and star arboricity of graphs **163** (1-3) (1997) 275–278
Guiduli, B. and Z. Király, On intersecting hypergraphs **182** (1-3) (1998) 139–151
Gulliver, T.A., Two new optimal ternary two-weight codes and strongly regular graphs **149** (1-3) (1996) 83–92
Gulliver, T.A. and M. Harada, Extremal double circulant Type II codes over $\mathbb{Z}_4$ and construction of 5-(24,10,36) designs **194** (1-3) (1999) 129–137
Gulliver, T.A., *see* S.T. Dougherty **196** (1-3) (1999) 117–135
Guo, J.M., *see* E.J. Farrell **89** (1991) 203–210
Guo, X., *see* F. Zhang **105** (1992) 285–291
Guo, X. and F. Zhang, k-Cycle resonant graphs **135** (1-3) (1994) 113–120
Guo, X.-f., *see* F.-j. Zhang **64** (1987) 289–298
Guo, X.-f., *see* F.-j. Zhang **72** (1988) 405–415
Guo, Y. and L. Volkmann, On complementary cycles in locally semicomplete digraphs **135** (1-3) (1994) 121–127
Guo, Y., A. Pinkernell and L. Volkmann, On cycles through a given vertex in multipartite tournaments **164** (1-3) (1997) 165–170
Guo, Y., *see* J. Bang-Jensen **167-168** (1-3) (1997) 101–114
Guo, Y., Path-connectivity in local tournaments **167-168** (1-3) (1997) 353–372
Guo, Z.-Y., *see* C.-Y. Chao **172** (1-3) (1997) 9–16
Guo, Z.-Y., On T-chromatic uniqueness of graphs **172** (1-3) (1997) 45–51
Guo, Z.-Y. and E.G. Whitehead Jr., Chromaticity of a family of K_4 homeomorphs **172** (1-3) (1997) 53–58
Gupta, P., *see* B.D. Acharya **195** (1-3) (1999) 1–13
Gupta, R.P., An edge-coloration theorem for bipartite graphs with applications **23** (1978) 229–233
Gupta, R.P., J. Kahn and N. Robertson, On the maximum number of diagonals of a circuit in a graph **32** (1980) 37–43
Gupta, S., *see* R. Mukerjee **91** (1991) 105–108
Gurgel, M.A.C.M. and Y. Wakabayashi, Adjacency of vertices of the complete pre-order polytope **175** (1-3) (1997) 163–172
Gurvich, V., *see* L. Libkin **145** (1-3) (1995) 321–327
Gurvich, V., *see* E. Boros **159** (1-3) (1996) 35–55

Gurvich, V. and L. Khachiyan, On the frequency of the most frequently occurring variable in dual monotone DNFs **169** (1-3) (1997) 245–248
Gurvich, V., *see* A. Apartsin **178** (1-3) (1998) 229–231
Gurvich, V., *see* E. Boros **179** (1-3) (1998) 231–233
Gustav Meyer, P.J., On the structure of orthomodular posets **9** (1974) 119–146
Gutierrez, M. and L. Oubiña, Minimum proper interval graphs **142** (1-3) (1995) 77–85
Gutin, G., *see* J. Bang-Jensen **138** (1-3) (1995) 63–74
Gutin, G., Characterizations of vertex pancyclic and pancyclic ordinary complete multipartite digraphs **141** (1-3) (1995) 153–162
Gutin, G., *see* J. Bang-Jensen **161** (1-3) (1996) 1–12
Gutin, G., *see* J. Bang-Jensen **162** (1-3) (1996) 1–11
Gutin, G., *see* J. Bang-Jensen **163** (1-3) (1997) 217–223
Gutin, G., *see* J. Bang-Jensen **164** (1-3) (1997) 5–19
Gutin, G., *see* J. Bang-Jensen **165-166** (1-3) (1997) 39–60
Gutin, G., *see* J. Bang-Jensen **167-168** (1-3) (1997) 101–114
Gutin, G., A note on the cardinality of certain classes of unlabeled multipartite tournaments **186** (1-3) (1998) 277–280
Gutin, G., *see* J. Bang-Jensen **188** (1-3) (1998) 61–72
Gutin, G. and V.E. Zverovich, Upper domination and upper irredundance perfect graphs **190** (1-3) (1998) 95–105
Gutin, G., B. Sudakov and A. Yeo, Note on alternating directed cycles **191** (1-3) (1998) 101–107
Gutman, I., *see* M.M. Petrović **126** (1994) 239–244
Gutman, I., *see* Y.-N. Yeh **135** (1-3) (1994) 359–365
Gutman, I. and A. Ivić, On Matula numbers **150** (1-3) (1996) 131–142
Gutner, S., The complexity of planar graph choosability **159** (1-3) (1996) 119–130
Guy, R.K. and A. Hill, The crossing number of the complement of a circuit **5** (1973) 335–344
Gvozdjak, P. and J. Nešetřil, High girth and extendability **154** (1-3) (1996) 77–84
Gvozdjak, P., On the Oberwolfach problem for complete multigraphs **173** (1-3) (1997) 61–69
Gyárfás, A., A note on hypergraphs with the Helly-property (*Note*) **24** (1978) 221–223
Gyárfás, A., Still another triangle-free infinite-chromatic graph (*Note*) **30** (1980) 185
Gyárfás, A., E. Szemeredi and Zs. Tuza, Induced subtrees in graphs of large chromatic number **30** (1980) 235–244
Gyárfás, A., J. Lehel and Zs. Tuza, The structure of rectangle families dividing the plane into maximum number of atoms **52** (1984) 177–198
Gyárfás, A., On the chromatic number of multiple interval graphs and overlap graphs **55** (1985) 161–166
Gyárfás, A. and J. Lehel, Covering and coloring problems for relatives of intervals **55** (1985) 167–180
Gyárfás, A. and Z. Tuza, An upper bound on the Ramsey number of trees (*Note*) **66** (1987) 309–310
Gyárfás, A., M.S. Jacobson and L.F. Kinch, On a generalization of transitivity for digraphs **69** (1988) 35–41
Gyárfás, A., J. Lehel and Zs. Tuza, Clumsy packing of dominoes **71** (1988) 33–46
Gyárfas, A., The irregularity strength of $K_{m,m}$ is 4 for odd m (*Note*) **71** (1988) 273–274
Gyárfas, A., *see* R.J. Faudree **78** (1989) 83–87
Gyárfás, A., *see* F.R.K. Chung **81** (1990) 129–135
Gyárfás, A., A simple lower bound on edge coverings by cliques (*Note*) **85** (1990) 103–104
Gyárfás, A., Graphs with k odd cycle lengths **103** (1992) 41–48
Gyárfás, A., *see* R.J. Faudree **126** (1994) 121–135
Gyárfás, A., *see* P. Erdős **154** (1-3) (1996) 263–268
Gyárfás, A., Z. Király and J. Lehel, On-line 3-chromatic graphs — II Critical graphs **177** (1-3) (1997) 99–122
Gyárfás, A., *see* P. Erdős **177** (1-3) (1997) 267–271
Gyárfás, A., *see* G. Chen **191** (1-3) (1998) 65–82
Gyárfás, A., *see* P. Erdős **200** (1-3) (1999) 79–86
Györi, E., On the structures induced by bipartite graphs and infinite matroids **22** (1978) 257–261
Györi, E. and E.C. Milner, A theorem of the transversal theory for matroids of finite character **23** (1978) 235–240
Györi, E. and M.D. Plummer, The Cartesian product of a k-extendable and an l-extendable graph is $(k+l+1)$-extendable **101** (1992) 87–96

Györi, E., A.V. Kostochka and T. Łuczak, Graphs without short odd cycles are nearly bipartite **163** (1-3) (1997) 279–284
Györi, E., C_6-free bipartite graphs and product representation of squares **165-166** (1-3) (1997) 361–365
Haas, R., *see* M.O. Albertson **148** (1-3) (1996) 1–7
Haas, R., *see* M.O. Albertson **177** (1-3) (1997) 1–8
Habib, M., *see* M. Chein **37** (1981) 35–50
Habib, M. and B. Peroche, Some problems about linear arboricity (*Communication*) **41** (1982) 219–220
Habib, M., *see* J.C. Bermond **52** (1984) 123–132
Habib, M. and M.C. Maurer, 1-intersecting families **53** (1985) 91–101
Habib, M. and R.H. Möhring, On some complexity properties of N-free posets and posets with bounded decomposition diameter **63** (1987) 157–182
Habib, M., D. Kelly and R.H. Möhring, Interval dimension is a comparability invariant **88** (1991) 211–229
Habib, M., M. Morvan and J.-X. Rampon, On the calculation of transitive reduction–closure of orders **111** (1993) 289–303
Habsieger, L., Inégalités entre fonctions symétriques élémentaires: applications à des problèmes de log-concavité **115** (1993) 167–174
Habsieger, L., *see* M. Bousquet-Mélou **139** (1-3) (1995) 57–72
Habsieger, L., Binary codes with covering radius one: Some new lower bounds **176** (1-3) (1997) 115–130
Hachenberger, D. and D. Jungnickel, Translation nets: a survey **106/107** (1992) 231–242
Haddad, L. and H. Zhou, Star chromatic numbers of hypergraphs and partial Steiner triple systems **146** (1-3) (1995) 45–58
Haddadène, H.A. and F. Maffray, Coloring perfect degenerate graphs **163** (1-3) (1997) 211–215
Hadjiat, M. and J.F. Maurras, A strongly polynomial algorithm for the minimum cost tension problem **165-166** (1-3) (1997) 367–384
Haemers, W.H., *see* A.E. Brouwer **106/107** (1992) 77–82
Haemers, W.H., *see* A.E. Brouwer **106/107** (1992) 83–92
Haemers, W.H., *see* E.R. van Dam **182** (1-3) (1998) 293–307
Haemers, W.H., Minimum resolvable coverings with small parallel classes **197-198** (1-3) (1999) 393–396
Häfner, G., *see* B. Ganter **63** (1987) 153–156
Hagauer, J., *see* F. Aurenhammer **109** (1992) 3–12
Hagauer, J. and S. Klavžar, Clique-gated graphs **161** (1-3) (1996) 143–149
Hager, M., On Halin-lattices in graphs **47** (1983) 235–246
Hager, M., On score sets for tournaments **58** (1986) 25–34
Hager, M., Path-connectivity in graphs **59** (1986) 53–59
Haggard, G., The least number of edges for graphs having dihedral automorphism group **6** (1973) 53–78
Haggard, G., D. McCarthy and A. Wohlgemuth, Extremal edge problems for graphs with given hyperoctahedral automorphism group **14** (1976) 139–156
Haggard, G. and T.R. Mathies, The computation of chromatic polynomials **199** (1-3) (1999) 227–231
Häggkvist, R., *see* L. Caccetta **28** (1979) 223–229
Häggkvist, R. and C. Thomassen, Circuits through specified edges **41** (1982) 29–34
Häggkvist, R., P.-O. Lindberg and B. Lindström, Dissecting a square into rectangles of equal area (*Note*) **47** (1983) 321–323
Häggkvist, R., On the path-complete bipartite Ramsey number **75** (1989) 243–245
Häggkvist, R., Towards a solution of the Dinitz problem? **75** (1989) 247–251
Häggkvist, R., A note on latin squares with restricted support **75** (1989) 253–254
Häggkvist, R. and J.C.M. Janssen, All-even latin squares **157** (1-3) (1996) 199–206
Hahn, G., More star sub-ramsey numbers **34** (1981) 131–139
Hahn, G., D. Sotteau and H. Sun, Short cycles in mediate graphs **44** (1983) 281–284
Hahn, G., *see* C. Delorme **49** (1984) 261–266
Hahn, G. and C. Thomassen, Path and cycle sub-Ramsey numbers and an edge-colouring conjecture **62** (1986) 29–33
Hahn, G. and B. Jackson, A note concerning paths and independence number in digraphs (*Note*) **82** (1990) 327–329
Hahn, G., *see* G.-G. Gao **142** (1-3) (1995) 277–280
Hahn, S.G., *see* J.K. Kim **187** (1-3) (1998) 291–295

Hahne, B., *see* C.M. Grinstead **86** (1990) 21–26
Haile, D., *see* L.H. Clark **171** (1-3) (1997) 287–293
Haiman, M., *see* A.M. Garsia **139** (1-3) (1995) 219–256
Haiman, M., t,q-Catalan numbers and the Hilbert scheme **193** (1-3) (1998) 201–224
Haiman, M.D., Dual equivalence with applications, including a conjecture of Proctor **99** (1992) 79–113
Haiman, M.D. and D. Kim, A characterization of generalized staircases **99** (1992) 115–122
Hajiabolhassan, H., M.L. Mehrabadi, R. Tusserkani and M. Zaker, A characterization of uniquely vertex colorable graphs using minimal defining sets **199** (1-3) (1999) 233–236
Hajnal, A., *see* P. Erdös **53** (1985) 281–285
Hajnal, A., *see* P. Erdös **59** (1986) 21–34
Hajnal, A. and N. Sauer, Complete subgraphs of infinite multipartite graphs and antichains in partially ordered sets **59** (1986) 61–67
Hajnal, A., *see* P. Erdős **75** (1989) 145–154
Hajnal, A., *see* J. Gerlits **108** (1992) 31–35
Hajnal, A. and N. Sauer, Cut-sets in infinite graphs and partial orders **117** (1993) 113–125
Hajnal, P., *see* Z. Füredi **103** (1992) 233–251
Haken, W., *see* K. Appel **16** (1976) 179–180
Hakimi, S.L., *see* A.N. Patrinos **15** (1976) 347–358
Hakimi, S.L., J. Mitchem and E. Schmeichel, Star arboricity of graphs **149** (1-3) (1996) 93–98
Halbeisen, L. and N. Hungerbühler, The general counterfeit coin problem **147** (1-3) (1995) 139–150
Hale Jr., M.P., *see* D.A. Drake **8** (1974) 257–268
Halin, R., A note on infinite triangulated graphs (*Note*) **31** (1980) 325–326
Halin, R., Bounded graphs **95** (1991) 91–99
Halin, R., Tree-partitions of infinite graphs **97** (1991) 203–217
Halin, R., Some finiteness results concerning separation in graphs **101** (1992) 97–106
Hall, J.I., A.J.E.M. Jansen, A.W.J. Kolen and J.H. Van Lint, Equidistant codes with distance 12 **17** (1977) 71–83
Hall, J.I., Bounds for equidistant codes and partial projective planes **17** (1977) 85–94
Hall, J.I., Local indecomposability of certain geometric graphs **106/107** (1992) 243–254
Hall, R.R., *see* P. Erdős **200** (1-3) (1999) 87–94
Hall, T.E. and M.V. Sapir, Idempotents, regular elements and sequences from finite semigroups **161** (1-3) (1996) 151–160
Halperin, E., *see* N. Alon **181** (1-3) (1998) 19–29
Halsey, M., *see* P. Dolan **112** (1993) 259–260
Halsey, M.D., Line-closed combinatorial geometries **65** (1987) 245–248
Halsey, M.D., Extensions of line-closed combinatorial geometries **82** (1990) 259–262
Hamada, N. and M. Deza, Characterization of $\{2(q+1)+2, 2; t, q\}$-min $\cdot$ hypers in PG(t,q) $(t \geq 3, q \geq 5)$ and its applications to error-correcting codes **71** (1988) 219–231
Hamada, N. and M. Deza, A survey of recent works with respect to a characterization of an $(n,k,d;q)$-code meeting the Griesmer bound using a min $\cdot$ hyper in a finite projective geometry **77** (1989) 75–87
Hamada, N. and M. Deza, A characterization of $\{2v_{\alpha+1}+2v_{\beta+1}, 2v_\alpha+2v_\beta; t, q\}$-minihypers in PG$(t,q)$ $(t \geqslant 2, q \geqslant 5$ and $0 \leqslant \alpha < \beta < t)$ and its applications to error-correcting codes **93** (1991) 19–33
Hamada, N. and T. Helleseth, A characterization of some $\{2v_{\alpha+1}+v_{\gamma+1}, 2v_\alpha+v_\gamma; k-1, 3\}$-minihypers and some $(n,k,3^{k-1}-2\cdot 3^\alpha-3^\gamma; 3)$-codes $(k \geqslant 3, 0 \leqslant \alpha < \gamma < k-1)$ meeting the Griesmer bound **104** (1992) 67–81
Hamada, N., T. Helleseth and Ø. Ytrehus, Characterization of $\{2(q+1)+2, 2; t, q\}$-minihypers in PG(t,q) $(t \geqslant 3, q \in \{3,4\})$ **115** (1993) 175–185
Hamada, N., A characterization of some $[n,k,d;q]$-codes meeting the Griesmer bound using a minihyper in a finite projective geometry **116** (1993) 229–268
Hamada, N. and T. Helleseth, A characterization of some $\{3v_{\mu+1}, 3v_\mu; k-1, q\}$-minihypers and some $[n,k,q^{k-1}-3q^\mu; q]$-codes $(k \geq 3, q \geq 5, 1 \leqslant \mu < k-1)$ meeting the Griesmer bound **146** (1-3) (1995) 59–67
Hamada, T. and I. Yoshimura, Traversability and connectivity of the middle graph of a graph **14** (1976) 247–255
Hamada, T., *see* J. Akiyama **26** (1979) 203–208
Hamburger, P., *see* K.B. Chilakamarri **118** (1993) 253–257
Hamburger, P., *see* L.W. Beineke **125** (1994) 45–54

Hamburger, P., *see* L.W. Beineke **160** (1-3) (1996) 41–47
Hamidoune, Y., *see* P. Duchet **46** (1983) 319–321
Hamidoune, Y.O., Sur les parcours hamiltoniens dans les graphes orientes **26** (1979) 227–234
Hamidoune, Y.O., On the decomposition of a minimally strongly h-connected digraph into $h+1$ acircuitic subgraphs (*Note*) **31** (1980) 89–90
Hamidoune, Y.O., A property of α-fragments of a digraph (*Communication*) **31** (1980) 105–106
Hamidoune, Y.O., On critically h-connected simple graphs **32** (1980) 257–262
Hamidoune, Y.O., On a conjecture of Entringer and Slater (*Note*) **41** (1982) 323–326
Hamidoune, Y.O., Sur la separation dans les graphes de Cayley abeliens (*Note*) **55** (1985) 323–326
Hamidoune, Y.O. and M. Las Vergnas, A solution to the box game **65** (1987) 157–171
Hamidoune, Y.O., *see* P. Duchet **65** (1987) 231–235
Hamidoune, Y.O. and M. Las Vergnas, A solution to the Misère Shannon Switching Game **72** (1988) 163–166
Hamidoune, Y.O., Sur les atomes d'un graphe de Cayley infini (*Communication*) **73** (1989) 297–300
Hamidoune, Y.O., Connectivite des graphes de Cayley abeliens sans K_4 **83** (1990) 21–26
Hamidoune, Y.O., On a subgroup contained in some words with a bounded length **103** (1992) 171–176
Hamidoune, Y.O., A.S. Lladó and O. Serra, Small cutsets in quasiminimal Cayley graphs **159** (1-3) (1996) 131–142
Hamidoune, Y.O., On weighted sums in abelian groups **162** (1-3) (1996) 127–132
Hamidoune, Y.O. and M.L. Vergnas, Directed switching games II The Arborescence Game **165-166** (1-3) (1997) 385–392
Hamilton, G.M. and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets I: split systems **102** (1992) 25–45
Hamilton, G.M., C. Ramsay, I.T. Roberts and D.G. Rogers, Uniform perfect systems of sets of iterated differences of size 4 **162** (1-3) (1996) 133–150
Hamm, R.C., *see* D.G. Sarvate **92** (1991) 321–328
Hammer, J. and D.G. Sarvate, Generalizations of results of Stanton on BIBDs **102** (1992) 149–154
Hammer, P.L., *see* C. Benzaken **55** (1985) 123–127
Hammer, P.L., *see* C. Benzaken **56** (1985) 7–34
Hammer, P.L., *see* E. Boros **75** (1989) 81–88
Hammer, P.L., N.V.R. Mahadev and U.N. Peled, Bipartite bithreshold graphs **119** (1993) 79–96
Hammer, P.L., *see* P.C. Fishburn **160** (1-3) (1996) 127–148
Hammer, P.L., *see* G. Ding **165-166** (1-3) (1997) 201–207
Hammond, P., Nearly perfect codes in distance-regular graphs **14** (1976) 41–56
Hammond, P., On the non-existence of perfect and nearly perfect codes (*Note*) **39** (1982) 105–109
Han, Z.-Y., *see* P.A. Catlin **160** (1-3) (1996) 81–91
Hanani, H., D.K. Ray-Chaudhuri and R.M. Wilson, On resolvable designs **3** (1972) 343–357
Hanani, H., Balanced incomplete block designs and related designs **11** (1975) 255–369
Hanani, H., *see* A.E. Brouwer **20** (1977) 1–10
Hanani, H., A. Hartman and E.S. Kramer, On three-designs of small order **45** (1983) 75–97
Hanani, H., On the original Steiner systems (*Note*) **51** (1984) 309–310
Hanani, H., BIBD's with block-size seven **77** (1989) 89–96
Handa, B.R. and S.G. Mohanty, Higher dimensional lattice paths with diagonal steps **15** (1976) 137–140
Handa, B.R. and S.G. Mohanty, Enumeration of higher-dimensional paths under restrictions **26** (1979) 119–128
Handa, B.R. and S.G. Mohanty, On the distribution in a graph process (*Note*) **50** (1984) 319–322
Handa, K., *see* K. Fukuda **111** (1993) 245–256
Hanlon, P., The enumeration of bipartite graphs **28** (1979) 49–57
Hanlon, P., A Markov chain on the symmetric group and Jack symmetric functions **99** (1992) 123–140
Hannák, L., *see* A. Békéssy **30** (1980) 83–88
Hansel, G., Baionnettes et cardinaux (*Note*) **39** (1982) 331–335
Hansen, D.J., An axiomatic characterization of multilattices (*Note*) **33** (1981) 99–101
Hansen, P. and M. Lorea, Degrees and independent sets of hypergraphs **14** (1976) 305–309
Hansen, P. and J. Kuplinsky, The smallest hard-to-color graph **96** (1991) 199–212
Hansen, P., A. Hertz and J. Kuplinsky, Bounded vertex colorings of graphs **111** (1993) 305–312
Hansen, P. and M. Zheng, A linear algorithm for perfect matching in hexagonal systems **122** (1993) 179–196
Hansen, P., A. Hertz and N. Quinodoz, Splitting trees **165-166** (1-3) (1997) 393–409

Hansen, P., F. Zhang and M. Zheng, Perfect matchings and ears in elementary bipartite graphs **176** (1-3) (1997) 131–138
Hansen, P., *see* O. du Merle **194** (1-3) (1999) 229–237
Hanson, D., *see* H.L. Abbott **8** (1974) 1–12
Hanson, D., *see* H.L. Abbott **12** (1975) 389–392
Hanson, D., Sum-free sets and Ramsey numbers **14** (1976) 57–61
Hanson, D., *see* H.L. Abbott **17** (1977) 121–126
Hanson, D. and J. Hanson, Sum-free sets and Ramsey numbers II (*Note*) **20** (1977) 295–296
Hanson, D., A quick proof that $K_{10} \neq P + P + P$ **101** (1992) 107–108
Hanson, D., P. Wang and L.K. Jørgensen, On cages with given degree sets **101** (1992) 109–114
Hanson, J., *see* D. Hanson **20** (1977) 295–296
Hansoul, G., Algebres de Boole primitives **53** (1985) 103–116
Harada, M., T. Aaron Gulliver and H. Kaneta, Classification of extremal double-circulant self-dual codes of length up to 62 **188** (1-3) (1998) 127–136
Harada, M., *see* T.A. Gulliver **194** (1-3) (1999) 129–137
Harada, M., *see* S.T. Dougherty **196** (1-3) (1999) 117–135
Harant, J., Toughness and nonhamiltonicity of polyhedral graphs (*Communication*) **113** (1993) 249–253
Harant, J., An upper bound for the radius of a 3-connected graph (*Communication*) **122** (1993) 335–341
Harant, J. and P.J. Owens, Non-hamiltonian $\frac{5}{4}$-tough maximal planar graphs **147** (1-3) (1995) 301–305
Harant, J., P.J. Owens, M. Tkáč and H. Walther, 5-regular 3-polytopal graphs with edges of only two types and shortness exponents less than one **150** (1-3) (1996) 143–153
Harant, J., A lower bound on the independence number of a graph **188** (1-3) (1998) 239–243
Harant, J., *see* T. Böhme **191** (1-3) (1998) 25–30
Harant, J., *see* T. Böhme **191** (1-3) (1998) 31–43
Harary, F. and P.A. Ostrand, The cutting center theorem for trees **1** (1971) 7–18
Harary, F., M.J. Piff and D.J.A. Welsh, On the automorphism group of a matroid **2** (1972) 163–171
Harary, F. and A.J. Schwenk, The number of caterpillars **6** (1973) 359–365
Harary, F., E.M. Palmer and R.C. Read, On the cell-growth problem for arbitrary polygons **11** (1975) 371–389
Harary, F. and H.J. Kommel, The graphs with only self-dual signings **26** (1979) 235–241
Harary, F., *see* J.W. Grossman **28** (1979) 247–254
Harary, F., *see* G. Exoo **29** (1980) 25–32
Harary, F., *see* A.K. Dewdney **33** (1981) 149–162
Harary, F., *see* T. Asano **38** (1982) 1–6
Harary, F., R.A. Melter, U.N. Peled and I. Tomescu, Boolean distance for graphs **39** (1982) 123–127
Harary, F., *see* D. Bauer **47** (1983) 153–161
Harary, F., S. Lawrencenko and V. Korzhik, Realizing the chromatic numbers of triangulations of surfaces **122** (1993) 197–204
Harary, F., Sum graphs over all the integers **124** (1994) 99–105
Harary, F., *see* D.M. Gordon **128** (1-3) (1994) 151–163
Harary, F. and T.A. McKee, The square of a chordal graph **128** (1-3) (1994) 165–172
Harary, F., *see* C. Barefoot **138** (1-3) (1995) 93–99
Harary, F. and T.W. Haynes, Nordhaus–Gaddum inequalities for domination in graphs **155** (1-3) (1996) 99–105
Harary, F., *see* M. Gionfriddo **174** (1-3) (1997) 125–130
Harary, F., *see* G. Chartrand **197-198** (1-3) (1999) 179–183
Harborth, H. and I. Mengersen, Point sets with many unit circles **60** (1986) 193–197
Harborth, H., *see* K. Dehnhardt **73** (1988/89) 65–70
Harborth, H., P. Oertel and T. Prellberg, No-three-in-line for seventeen and nineteen **73** (1988/89) 89–90
Harborth, H. and I. Mengersen, All Ramsey numbers for five vertices and seven or eight edges **73** (1988/89) 91–98
Harborth, H., Plane four-regular graphs with vertex-to-vertex unit triangles **97** (1991) 219–222
Harborth, H., *see* H. Brandes **125** (1994) 73–86
Harborth, H., Empty triangles in drawings of the complete graph **191** (1-3) (1998) 109–111
Harborth, H. and S. Maasberg, All two-color Rado numbers for $a(x+y)=bz$ **197-198** (1-3) (1999) 397–407
Harcos, G., *see* P. Erdős **200** (1-3) (1999) 95–99
Hardin, R.H. and N.J.A. Sloane, New spherical 4-designs **106/107** (1992) 255–264

Hare, D., *see* B. Alspach **97** (1991) 17–24
Hare, D.R., Cycles in the block-intersection graph of pairwise balanced designs **137** (1-3) (1995) 211–221
Hare, D.R., *see* H.L. Abbott **182** (1-3) (1998) 3–11
Hare, D.R., *see* H.L. Abbott **197-198** (1-3) (1999) 3–13
Harju, T., *see* A. Ehrenfeucht **128** (1-3) (1994) 113–141
Harju, T., *see* A. Ehrenfeucht **190** (1-3) (1998) 259–264
Harkat-Benhamdine, A., *see* M. El Kadi Abderrezzak **165-166** (1-3) (1997) 11–20
Harper, L.H., On a problem of Kleitman and West **93** (1991) 169–182
Harris, J.M., *see* R.J. Gould **189** (1-3) (1998) 123–132
Harris Jr., F.C., *see* J.E. Dunbar **138** (1-3) (1995) 229–246
Harrison, M.A., *see* R.V. Book **9** (1974) 329–332
Harrison, M.A., *see* M.M. Geller **16** (1976) 313–321
Hart, M.R. and X. Yu, On a problem of Hendry (*Note*) **102** (1992) 107–108
Hart, S., A note on the edges of the n-cube **14** (1976) 157–163
Hartfiel, D.J. and C.J. Maxson, The chainable matrix, a special combinatorial matrix **12** (1975) 245–256
Hartfiel, D.J. and C.J. Maxson, Algebraic models for two-edge-connected graphs **15** (1976) 141–150
Hartfiel, D.J. and C.J. Maxson, A note on two conjectures of Geller **16** (1976) 325–328
Hartfiel, D.J. and C.J. Maxson, Groups which are isomorphic to a semigroup of a linear nonsingular subautomaton **22** (1978) 105–109
Hartfiel, D.J. and C.J. Maxson, The construction and decomposition of patterns induced by a positive cone of functions **34** (1981) 261–274
Hartfiel, D.J., Stochastic eigenvectors for qualitative stochastic matrices **43** (1983) 191–197
Hartman, A., Quadruple systems containing AG(3, 2) **39** (1982) 293–299
Hartman, A., *see* H. Hanani **45** (1983) 75–97
Hartman, A., On small packing and covering designs with block size 4 **59** (1986) 275–281
Hartman, A., Partial triple systems and edge colourings **62** (1986) 183–196
Hartman, A., *see* A.M. Assaf **77** (1989) 5–20
Hartman, A., *see* A.M. Assaf **79** (1989/90) 111–121
Hartman, A., *see* C.J. Colbourn **97** (1991) 119–137
Hartman, A., *see* A.M. Assaf **103** (1992) 121–128
Hartman, A. and Z. Yehudai, Intersections of Steiner quadruple systems **104** (1992) 227–244
Hartman, A., The fundamental construction for 3-designs **124** (1994) 107–132
Hartman, I.B.-A., Variations on the Gallai–Milgram theorem **71** (1988) 95–105
Hartman, I.B.-A., I. Newman and R. Ziv, On grid intersection graphs **87** (1991) 41–52
Hartman, I.B.-A., *see* S. Bellantoni **114** (1993) 41–49
Hartman, J., The homeomorphic embedding of K_n in the m-cube **16** (1976) 157–160
Hartmann, M. and M.H. Schneider, Max-balanced flows in oriented matroids **137** (1-3) (1995) 223–240
Hartnell, B., *see* A. Finbow **125** (1994) 153–167
Hartnell, B.L., *see* E.J. Cockayne **21** (1978) 129–136
Hartnell, B.L. and W. Kocay, On minimal neighbourhood-connected graphs **92** (1991) 95–105
Hartnell, B.L. and D.F. Rall, Bounds on the bondage number of a graph **128** (1-3) (1994) 173–177
Hartnell, B.L. and D.F. Rall, A bound on the size of a graph with given order and bondage number **197-198** (1-3) (1999) 409–413
Hartsfield, N., The toroidal splitting number of the complete graph K_n **62** (1986) 35–47
Hartsfield, N., B. Jackson and G. Ringel, Hamilton surfaces for the complete even symmetric bipartite graph **78** (1989) 89–94
Hartsfield, N. and G. Ringel, Quadrangular embeddings of the complete even k-partite graph **81** (1990) 19–23
Hartsfield, N. and W.F. Smyth, A family of sparse graphs of large sum number **141** (1-3) (1995) 163–171
Hartvigsen, D. and R. Mardon, Cycle bases from orderings and coverings **94** (1991) 81–94
Hartvigsen, D., Generalizing the all-pairs min cut problem **147** (1-3) (1995) 151–169
Hartwig, R.E., *see* S.B. Morris **15** (1976) 333–346
Harzheim, E., Combinatorial theorems on contractive mappings in power sets **40** (1982) 193–201
Harzheim, E., A constructive proof for a theorem on contractive mappings in power sets **45** (1983) 99–106
Harzheim, E., Weakly arithmetic progressions in sets of natural numbers (*Note*) **89** (1991) 105–107
Harzheim, E., On weakly arithmetic progressions **138** (1-3) (1995) 255–260

Hasan, Z., Intersection of the Steiner systems of M_{24} **78** (1989) 267–289
Hasan, Z., Behavior of steiner systems of M_{24} **85** (1990) 257–279
Haskins, L. and S. Gudder, Height on posets and graphs **2** (1972) 357–382
Hasratian, A.S. and N.K. Khachatrian, Stable properties of graphs **90** (1991) 143–152
Hassin, R., *see* E.M. Arkin **190** (1-3) (1998) 55–65
Hatcher, R.L., *see* J. Berenbom **175** (1-3) (1997) 23–33
Hattingh, J.H., *see* I. Broere **138** (1-3) (1995) 125–135
Hattingh, J.H., *see* J.E. Dunbar **167-168** (1-3) (1997) 261–269
Hattingh, J.H. and E. Ungerer, Minus k-subdomination in graphs II **171** (1-3) (1997) 141–151
Hattingh, J.H., *see* E.J. Cockayne **176** (1-3) (1997) 43–61
Hattingh, J.H. and E. Ungerer, The signed and minus k-subdomination numbers of comets **183** (1-3) (1998) 141–152
Hattingh, J.H. and M.A. Henning, Star-path bipartite Ramsey numbers **185** (1-3) (1998) 255–258
Hauge, E.R., On the cycles and adjacencies in the complementary circulating register **145** (1-3) (1995) 105–132
Hauge, E.R. and J. Mykkeltveit, On the classification of deBruijn sequences **148** (1-3) (1996) 65–83
Hauge, E.R. and T. Helleseth, De Bruijn sequences, irreducible codes and cyclotomy **159** (1-3) (1996) 143–154
Hauge, E.R. and J. Mykkeltveit, The analysis of De Bruijn sequences of non-extremal weight **189** (1-3) (1998) 133–147
Haukkanen, P., An abstract Möbius inversion formula with number-theoretic applications **142** (1-3) (1995) 87–96
Hausmann, D. and B. Korte, Lower bounds on the worst-case complexity of some oracle algorithms **24** (1978) 261–276
Hausmann, D., *see* R. Giles **26** (1979) 219–226
Hausmann, D., Adjacent vertices on the b-matching polyhedron **33** (1981) 37–51
Haussler, D., Another generalization of Higman's well quasi order result on Σ^* **57** (1985) 237–243
Haussler, D., *see* H. Edelsbrunner **60** (1986) 139–146
Haussler, D., *see* E. Knill **141** (1-3) (1995) 185–194
Havel, I., *see* G. Burosch **110** (1992) 9–16
Havel, I., *see* T. Dvořák **171** (1-3) (1997) 89–102
Havel, I.M., *see* M.M. Geller **16** (1976) 313–321
Haviland, J. and A. Thomason, Pseudo-random hypergraphs **75** (1989) 255–278
Haviland, J., On minimum maximal independent sets of a graph **94** (1991) 95–101
Haviland, J. and A. Thomason, On testing the 'pseudo-randomness' of a hypergraph (*Note*) **103** (1992) 321–327
Haviland, J., Independent domination in regular graphs **143** (1-3) (1995) 275–280
Havlicek, H., Affine circle geometry over quaternion skew fields **174** (1-3) (1997) 153–165
Haxell, P.E., Atoms of set systems with a fixed number of pairwise unions **150** (1-3) (1996) 155–166
Haxell, P.E., Packing and covering triangles in graphs **195** (1-3) (1999) 251–254
Hay, L., Convex subsets of 2^n and bounded truth-table reducibility **21** (1978) 31–46
Hayasaka, T., *see* S. Saito **28** (1979) 81–88
Hayasaka, T., *see* S. Saito **84** (1990) 63–70
Hayasaka, T., S. Saito and D.G. Rogers, Further results on irregular, critical perfect systems of difference sets II: systems without splits **110** (1992) 135–154
Haynes, T.W., *see* F. Harary **155** (1-3) (1996) 99–105
Haynes, T.W., *see* G.H. Fricke **199** (1-3) (1999) 221–225
Hazan, S. and I.G. Rosenberg, TC-clones maximaux, graphes et relations **130** (1-3) (1994) 77–82
Headley, P., R-sequenceability and R^*-sequenceability of abelian 2-groups **131** (1-3) (1994) 345–350
Hearne, T. and C. Wagner, Minimal covers of finite sets **5** (1973) 247–251
Heath, J. and A.J.W. Hilton, At most k-to-1 mappings between graphs, II **154** (1-3) (1996) 85–102
Hechler, S.H., On infinite graphs with a specified number of colorings **19** (1977) 241–255
Hechler, S.H., *see* P. Erdös **24** (1978) 235–249
Heden, O., Maximal partial spreads and two-weight codes **62** (1986) 277–293
Heden, O., No partial 1-spread of class $[0, \geqslant 2]_d$ in PG$(2d-1, q)$ exists (*Note*) **87** (1991) 215–216
Heden, O., On the modular n-queen problem **102** (1992) 155–161
Heden, O., Maximal partial spreads and the modular n-queen problem **120** (1993) 75–91
Heden, O., Maximal partial spreads and the modular n-queen problem II **142** (1-3) (1995) 97–106

Heden, O., On Bruen chains **146** (1-3) (1995) 69–96
Heden, O., Another Bruen chain **188** (1-3) (1998) 267
Hedetniemi, S., *see* A. Farley **25** (1979) 189–193
Hedetniemi, S., *see* R.B. Allan **49** (1984) 7–13
Hedetniemi, S., *see* J. Dunbar **149** (1-3) (1996) 311–312
Hedetniemi, S., *see* J. Dunbar **199** (1-3) (1999) 35–47
Hedetniemi, S., *see* G.H. Fricke **199** (1-3) (1999) 221–225
Hedetniemi, S.M., *see* J.E. Dunbar **138** (1-3) (1995) 229–246
Hedetniemi, S.M., *see* E.J. Cockayne **176** (1-3) (1997) 43–61
Hedetniemi, S.M., *see* E.J. Cockayne **188** (1-3) (1998) 253–260
Hedetniemi, S.T., *see* E.J. Cockayne **15** (1976) 213–222
Hedetniemi, S.T., *see* E.J. Cockayne **21** (1978) 129–136
Hedetniemi, S.T., *see* E.J. Cockayne **72** (1988) 35–47
Hedetniemi, S.T., *see* M.O. Albertson **74** (1989) 33–49
Hedetniemi, S.T. and R.C. Laskar, Introduction **86** (1990) 3–9
Hedetniemi, S.T. and R.C. Laskar, Bibliography on domination in graphs and some basic definitions of domination parameters **86** (1990) 257–277
Hedetniemi, S.T., *see* J.E. Dunbar **138** (1-3) (1995) 229–246
Hedetniemi, S.T., *see* J.E. Dunbar **167-168** (1-3) (1997) 261–269
Hedetniemi, S.T., *see* E.J. Cockayne **176** (1-3) (1997) 43–61
Hedetniemi, S.T., *see* E.J. Cockayne **188** (1-3) (1998) 253–260
Hedetniemi, S.T., *see* G.H. Fricke **199** (1-3) (1999) 221–225
Hedlíková, J., *see* H.-J. Bandelt **45** (1983) 1–30
Hedman, B., The maximum number of cliques in dense graphs **54** (1985) 161–166
Hedman, B., Another extremal problem for Turan graphs **65** (1987) 173–176
Hedrlin, Z., *see* V. Chvatal **3** (1972) 301–304
Hegde, M. and M.R. Sridharan, Enumeration of hypergraphs **45** (1983) 239–243
Hegde, N., R.C. Read and M.R. Sridharan, The enumeration of transitive self-complementary digraphs (*Note*) **47** (1983) 109–112
Hegde, S.M., *see* B.D. Acharya **93** (1991) 123–129
Hegyvári, N., *see* B. Bollobás **175** (1-3) (1997) 253–257
Heijnen, P. and H. van Tilborg, Two observations concerning optimum cyclic burst-correcting codes **184** (1-3) (1998) 111–120
Heilmann, O.J., D.J. Kleitman, E.H. Lieb and S. Sherman, Some positive definite functions on sets and their application to the Ising model **1** (1971) 19–27
Heim, U., Proper blocking sets in projective spaces **174** (1-3) (1997) 167–176
Heinrich, K. and A.J.W. Hilton, Doubly diagonal orthogonal latin squares **46** (1983) 173–182
Heinrich, K. and L. Zhu, Existence of orthogonal latin squares with aligned subsquares **59** (1986) 69–78
Heinrich, K., P. Horák and A. Rosa, On Alspach's conjecture **77** (1989) 97–121
Heinrich, K., P. Hell, D.G. Kirkpatrick and G. Liu, A simple existence criterion for $(g < f)$-factors (*Communication*) **85** (1990) 313–317
Heinrich, K., L. Wu and L. Zhu, Incomplete self-orthogonal latin squares ISOLS$(6m+6, 2m)$ exist for all m **87** (1991) 281–290
Heinrich, K., M. Kobayashi and G. Nakamura, Dudeney's round table problem **92** (1991) 107–125
Heinrich, K., Simple direct constructions for hybrid triple designs **97** (1991) 223–227
Hell, P. and A. Rosa, Graph decompositions, handcuffed prisoners and balanced P-designs **2** (1972) 229–252
Hell, P. and D.J. Miller, Graph with given achromatic number **16** (1976) 195–207
Hell, P., *see* J.A. Bondy **44** (1983) 217–220
Hell, P. and D.G. Kirkpatrick, Packings by cliques and by finite families of graphs **49** (1984) 45–59
Hell, P., *see* K. Heinrich **85** (1990) 313–317
Hell, P., *see* J. Bang-Jensen **92** (1992) 27–44
Hell, P. and D.J. Miller, Achromatic numbers and graph operations **108** (1992) 297–305
Hell, P. and J. Nešetřil, The core of a graph **109** (1992) 117–126
Hell, P. and K. Seyffarth, Largest planar graphs of diameter two and fixed maximum degree **111** (1993) 313–322
Hell, P., X. Yu and H. Zhou, Independence ratios of graph powers **127** (1-3) (1994) 213–220

Hell, P., *see* J. Bang-Jensen **128** (1-3) (1994) 395–398
Hell, P. and X. Zhu, Homomorphisms to oriented paths **132** (1-3) (1994) 107–113
Hell, P., *see* J. Bang-Jensen **138** (1-3) (1995) 75–92
Hell, P., *see* R.C. Brewster **167-168** (1-3) (1997) 145–154
Helleseth, T., Some results about the cross-correlation function between two maximal linear sequences **16** (1976) 209–232
Helleseth, T., T. Kløve and J. Mykkeltveit, The weight distribution of irreducible cyclic codes with block lengths $n_1((q^l-1)/N)$ **18** (1977) 179–211
Helleseth, T., The weight enumerator polynomials of some classes of codes with composite parity-check polynomials **20** (1977) 21–31
Helleseth, T., A note on the cross-correlation function between two binary maximal length linear sequences (*Note*) **23** (1978) 301–307
Helleseth, T., The weight distribution of the coset leaders for some classes of codes with related parity-check matrices **28** (1979) 161–171
Helleseth, T. and H.F. Mattson Jr., On the cosets of the simplex code **56** (1985) 169–189
Helleseth, T., *see* N. Hamada **104** (1992) 67–81
Helleseth, T., Projective codes meeting the Griesmer bound **106/107** (1992) 265–271
Helleseth, T., *see* N. Hamada **115** (1993) 175–185
Helleseth, T. and P.V. Kumar, The weight hierarchy of the Kasami codes **145** (1-3) (1995) 133–143
Helleseth, T., *see* N. Hamada **146** (1-3) (1995) 59–67
Helleseth, T. and P.V. Kumar, On the weight hierarchy of the semiprimitive codes **152** (1-3) (1996) 185–190
Helleseth, T., *see* E.R. Hauge **159** (1-3) (1996) 143–154
Helleseth, T., C. Rong and K. Yang, New infinite families of 3-designs from preparata codes over $\mathbb{Z}_4$ **195** (1-3) (1999) 139–156
Hemmeter, J., *see* G. Ebert **93** (1991) 131–142
Hemminger, R.L., *see* D.L. Greenwell **2** (1972) 31–34
Hemminger, R.L. and B.D. McKay, Integer sequences with proscribed differences and bounded growth rate **55** (1985) 255–265
Hemminger, R.L. and X. Yu, On 3-connected graphs with contractible edge covers of size k **101** (1992) 115–133
Hemminger, R.L., *see* M.N. Ellingham **133** (1-3) (1994) 89–98
Hendry, G.R.T., Graphs uniquely hamiltonian-connected from a vertex **49** (1984) 61–74
Hendry, G.R.T., The size of graphs uniquely hamiltonian-connected from a vertex **61** (1986) 57–60
Hendry, G.R.T., The multiplicity of 1-factors in total graphs **70** (1988) 21–25
Hendry, G.R.T., Scattering number and extremal non-hamiltonian graphs **71** (1988) 165–175
Hendry, G.R.T., Extending cycles in graphs **85** (1990) 59–72
Hendry, G.R.T., An Ore-type sufficient condition for a bipancyclic ordering **102** (1992) 47–49
Hendry, G.R.T., C.J. Knickerbocker, P.F. Lock and M. Sheard, Forbidden subgraphs of graphs uniquely Hamiltonian-connected from a vertex **187** (1-3) (1998) 281–290
Hendy, M.D., A combinatorial description of the closest tree algorithm for finding evolutionary trees **96** (1991) 51–58
Henkmann, A., *see* H.-J. Bandelt **145** (1-3) (1995) 37–60
Henning, M.A. and H.C. Swart, Bounds relating generalized domination parameters **120** (1993) 93–105
Henning, M.A., *see* M. Frick **126** (1994) 151–158
Henning, M.A., *see* I. Broere **138** (1-3) (1995) 125–135
Henning, M.A., Irredundance perfect graphs **142** (1-3) (1995) 107–120
Henning, M.A., *see* J. Dunbar **149** (1-3) (1996) 311–312
Henning, M.A. and P.J. Slater, Inequalities relating domination parameters incubic graphs **158** (1-3) (1996) 87–98
Henning, M.A., O.R. Oellermann and H.C. Swart, The diversity of domination **161** (1-3) (1996) 161–173
Henning, M.A., O.R. Oellermann and H.C. Swart, Local edge domination critical graphs **161** (1-3) (1996) 175–184
Henning, M.A., *see* L.W. Beineke **167-168** (1-3) (1997) 127–139
Henning, M.A., *see* J.H. Hattingh **185** (1-3) (1998) 255–258
Henning, M.A., Packing in trees **186** (1-3) (1998) 145–155
Henning, M.A., Graphs with large restrained domination number **197-198** (1-3) (1999) 415–429

Henning, M.A., *see* J. Dunbar **199** (1-3) (1999) 35–47
Henning, M.A., *see* W. Goddard **199** (1-3) (1999) 61–75
Henning, M.A., *see* G.H. Fricke **199** (1-3) (1999) 221–225
Hensel, A.D., *see* A.D. Gardiner **103** (1992) 161–170
Henstridge, J.D. and C.E. Praeger, Note on primitive permutation groups and a diophantine equation **31** (1980) 181–183
Hergert, F., *see* G. Gierz **88** (1991) 157–177
Hergert, F.B., On the Delsarte–Goethals codes and their formal duals **83** (1990) 249–263
Hering, F., R.C. Read and G.C. Shephard, The enumeration of stack polytopes and simplicial clusters **40** (1982) 203–217
Herman, G.T. and J.A. Jackowski, A decision procedure using discrete geometry **5** (1973) 131–144
Herman, G.T., K.P. Lee, J. van Leeuwen and G. Rozenberg, Characterization of unary developmental languages **6** (1973) 235–247
Herman, G.T., *see* R. Aharoni **171** (1-3) (1997) 1–16
Herman, J.E. and F.R.K. Chung, Some results on hook lengths **20** (1977) 33–40
Herscovici, D.S. and A.W. Higgins, The pebbling number of $C_5 \times C_5$ **187** (1-3) (1998) 123–135
Hershkowitz, D., Linear mappings which preserve acyclicity properties of graphs and digraphs and applications to matrices **64** (1987) 157–190
Hertz, A., Quelques utilisations de la struction **59** (1986) 79–89
Hertz, A. and D. de Werra, Perfectly orderable graphs are quasi-parity graphs: A short proof (*Note*) **68** (1988) 111–113
Hertz, A. and D. de Werra, Connected sequential colorings **74** (1989) 51–59
Hertz, A., Skeletal graphs—A new class of perfect graphs **78** (1989) 291–296
Hertz, A., Bipolarizable graphs **81** (1990) 25–32
Hertz, A., *see* P. Hansen **111** (1993) 305–312
Hertz, A., *see* P. Hansen **165-166** (1-3) (1997) 393–409
Hertz, A., *see* D. de Werra **195** (1-3) (1999) 93–101
Herzog, M. and J. Schönheim, On certain sets of divisors of a number **1** (1972) 329–332
Hespel, C. and G. Jacob, First steps towards exact algebraic identification **180** (1-3) (1998) 211–219
Hesse, G., *see* F. Galvin **24** (1978) 161–166
Heuvers, K., *see* D. Moak **131** (1-3) (1994) 195–204
Heuvers, K.J., *see* R. Shelton **61** (1986) 107–114
Heuvers, K.J. and D.S. Moak, The solution of the Binet–Cauchy functional equation for square matrices **88** (1991) 21–32
Hevia, H., *see* G. Chartrand **100** (1992) 303–311
Hevia, H., *see* G. Chartrand **170** (1-3) (1997) 63–79
Hevia, H., *see* I.J. Dejter **182** (1-3) (1998) 69–83
Heydemann, M.C., *see* J.C. Bermond **18** (1977) 235–241
Heydemann, M.C., On cycles and paths in digraphs (*Communication*) **31** (1980) 217–219
Heydemann, M.C., Cycles in strong oriented graphs **38** (1982) 185–190
Heydemann, M.-C., Degrees and cycles in digraphs **41** (1982) 241–251
Heydemann, M.C. and D. Sotteau, Number of arcs and cycles in digraphs **52** (1984) 199–207
Heydemann, M.C., *see* O. Favaron **91** (1991) 311–316
Hibi, T., H. Narushima, M. Tsuchiya and K.-i. Watanabe, A graph-theoretical characterization of the order complexes on the 2-sphere **72** (1988) 167–174
Hibi, T., Some results on Ehrhart polynomials of convex polytopes (*Communication*) **83** (1990) 119–121
Hibi, T., *see* N. Terai **157** (1-3) (1996) 311–320
Higgins, A.W., *see* D.S. Herscovici **187** (1-3) (1998) 123–135
Higuchi, A., Lattices of closure operators **179** (1-3) (1998) 267–272
Hill, A., *see* R.K. Guy **5** (1973) 335–344
Hill, R., Caps and codes **22** (1978) 111–137
Hill, R. and J.P. Karim, Searching with lies: the Ulam problem **106/107** (1992) 273–283
Hill, R., *see* P.P. Greenough **125** (1994) 187–199
Hill, R., *see* E. Kolev **197-198** (1-3) (1999) 483–489
Hillman, A.P., *see* R.M. Grassl **25** (1979) 245–255

Hilton, A.J.W. and S.H. Scott, A further construction of double diagonal orthogonal latin squares **7** (1974) 111–127
Hilton, A.J.W., Embedding incomplete double diagonal Latin squares **12** (1975) 257–268
Hilton, A.J.W. and A.D. Keedwell, Further results concerning P-quasigroups and complete graph decompositions **14** (1976) 311–318
Hilton, A.J.W., *see* L.D. Andersen **31** (1980) 125–152
Hilton, A.J.W., *see* L.D. Andersen **31** (1980) 235–260
Hilton, A.J.W., *see* K. Heinrich **46** (1983) 173–182
Hilton, A.J.W. and C.A. Rodger, Hamiltonian decompositions of complete regular s-partite graphs **58** (1986) 63–78
Hilton, A.J.W., Recent progress on edge-colouring graphs (*Communication*) **64** (1987) 303–307
Hilton, A.J.W. and P.D. Johnson, Reverse class critical multigraphs (*Note*) **69** (1988) 309–311
Hilton, A.J.W., Two conjectures on edge-colouring **74** (1989) 61–64
Hilton, A.J.W., *see* A.G. Chetwynd **75** (1989) 103–112
Hilton, A.J.W., A total-chromatic number analogue of Plantholt's theorem **79** (1989/90) 169–175
Hilton, A.J.W., *see* A.G. Chetwynd **97** (1991) 101–117
Hilton, A.J.W. and Z. Cheng, The chromatic index of a graph whose core has maximum degree two **101** (1992) 135–147
Hilton, A.J.W., Recent results on the total chromatic number **111** (1993) 323–331
Hilton, A.J.W. and H.R. Hind, The total chromatic number of graphs having large maximum degree **117** (1993) 127–140
Hilton, A.J.W., *see* J.K. Dugdale **126** (1994) 87–98
Hilton, A.J.W. and D. de Werra, A sufficient condition for equitable edge-colourings of simple graphs **128** (1-3) (1994) 179–201
Hilton, A.J.W., *see* J. Heath **154** (1-3) (1996) 85–102
Hilton, A.J.W., *see* L.D. Andersen **167-168** (1-3) (1997) 17–34
Hind, H. and Y. Zhao, Edge colorings of graphs embeddable in a surface of low genus **190** (1-3) (1998) 107–114
Hind, H.R., *see* B. Bollobás **74** (1989) 65–75
Hind, H.R., *see* B. Bollobás **87** (1991) 119–131
Hind, H.R., *see* A.J.W. Hilton **117** (1993) 127–140
Hind, H.R., Recent developments in total colouring **125** (1994) 211–218
Hindman, N., *see* P. Erdös **48** (1984) 61–65
Hindman, N., On creating sets with large lower density **90** (1990) 153–157
Hindman, N. and H. Lefmann, Canonical partition relations for (m,p,c)-systems **162** (1-3) (1996) 151–174
Hine, T.C. and V.C. Mavron, Embeddable transversal designs **29** (1980) 191–200
Hirschfeld, J., A lower bound for Ramsey's theorem (*Note*) **32** (1980) 89–91
Hirschfeld, J.W.P. and T. Szönyi, Sets in a finite plane with few intersection numbers and a distinguished point **97** (1991) 229–242
Hirschfeld, J.W.P., *see* P.V. Ceccherini **106/107** (1992) 117–126
Hirschfeld, J.W.P. and G. Kiss, Tangent sets in finite spaces **155** (1-3) (1996) 107–119
Hirschfeld, J.W.P., Complete arcs **174** (1-3) (1997) 177–184
Hirschhorn, M., Calkin's binomial identity **159** (1-3) (1996) 273–278
Hirschhorn, M.D., Simple proofs of identities of MacMahon and Jacobi **16** (1976) 161–162
Hirschhorn, M.D., Ramanujan's partition congruences **131** (1-3) (1994) 351–355
Hirschhorn, M.D. and J.A. Sellers, On representations of a number as a sum of three squares **199** (1-3) (1999) 85–101
Hjelmeland, L., *see* H. Brown **7** (1974) 1–30
Ho, Y.-S., *see* S.-C. Shee **117** (1993) 225–243
Ho, Y.-S., *see* S.-C. Shee **151** (1-3) (1996) 221–229
Hoàng, C.T. and B. Reed, A note on short cycles in digraphs **66** (1987) 103–107
Hoàng, C.T. and N.V.R. Mahadev, A note on perfect orders **74** (1989) 77–84
Hoàng, C.T. and B.A. Reed, P_4-comparability graphs **74** (1989) 173–200
Hoàng, C.T., F. Maffray and M. Preissmann, New properties of perfectly orderable graphs and strongly perfect graphs **98** (1991) 161–174

Hoàng, C.T., F. Maffray, S. Olariu and M. Preissmann, A charming class of perfectly orderable graphs (*Communication*) **102** (1992) 67–74
Hoàng, C.T. and F. Maffray, On slim graphs, even pairs, and star-cutsets **105** (1992) 93–102
Hoàng, C.T., Hamiltonian degree conditions for tough graphs **142** (1-3) (1995) 121–139
Hoàng, C.T., Some properties of minimal imperfect graphs **160** (1-3) (1996) 165–175
Hoare, M.J., *see* N.L. Biggs **30** (1980) 299–301
Hobart, S., *see* D.G. Hoffman **146** (1-3) (1995) 97–108
Hobart, S.A., On designs related to coherent configurations of type $\begin{pmatrix} 2 & 2 \\ & 4 \end{pmatrix}$ **94** (1991) 103–127
Hobbs, A.M. and J. Mitchem, The entire graph of a bridgeless connected plane graph is hamiltonian **16** (1976) 233–239
Hobbs, A.M., *see* P. Erdös **42** (1982) 57–61
Hobbs, A.M. and E. Schmeichel, On the maximum number of independent edges in cubic graphs (*Note*) **42** (1982) 317–320
Hobbs, A.M., B.A. Bourgeois and J. Kasiraj, Packing trees in complete graphs **67** (1987) 27–42
Hochberg, M., Restricted Sperner families and s-systems **3** (1972) 359–364
Hochberg, R., C. McDiarmid and M. Saks, On the bandwidth of triangulated triangles **138** (1-3) (1995) 261–265
Hochstättler, W., M. Loebl and C. Moll, Generating convex polyominoes at random **153** (1-3) (1996) 165–176
Hochstrasser, B., A note on Winkler's algorithm for factoring a connected graph **109** (1992) 127–132
Hodel, M.J., Enumeration of rectangular arrays of zeros and ones **21** (1978) 163–176
Hoede, C. and H.J. Veldman, Contraction theorems in Hamiltonian graph theory **34** (1981) 61–67
Hoede, C., Hand graphs for the maximum clique problem **72** (1988) 175–179
Hoede, C. and X. Li, Clique polynomials and independent set polynomials of graphs **125** (1994) 219–228
Hofbauer, J., A short proof of the Lagrange–Good formula **25** (1979) 135–139
Hoffman, A.J., On simple combinatorial optimization problems **106/107** (1992) 285–289
Hoffman, D.G., C.C. Lindner and K.T. Phelps, Blocking sets in designs with block size four II **89** (1991) 221–229
Hoffman, D.G., *see* E.J. Billington **92** (1991) 25–37
Hoffman, D.G., *see* C.J. Colbourn **97** (1991) 139–148
Hoffman, D.G. and P.J. Schellenberg, The existence of C_k-factorizations of $K_{2n} - F$ **97** (1991) 243–250
Hoffman, D.G., S. Hobart and R.C. Mullin, Near subgroups of groups **146** (1-3) (1995) 97–108
Hoffman, D.G. and C.A. Rodger, On the number of edge-disjoint one factors and the existence of k-factors in complete multipartite graphs **160** (1-3) (1996) 177–187
Hoffman, D.G., *see* E.J. Billington **179** (1-3) (1998) 217–222
Hoffman, F., *see* J.M. Freeman **36** (1981) 247–260
Hoffman, I. and A. Soifer, Another six-coloring of the plane **150** (1-3) (1996) 427–429
Hoffman, P., Products of representations of wreath products **23** (1978) 37–48
Hoffmann, P., Counting maximal cycles in binary matroids **162** (1-3) (1996) 291–292
Hofmeister, M., Isomorphisms and automorphisms of graph coverings **98** (1991) 175–183
Hofmeister, M., Graph covering projections arising from finite vector spaces over finite fields **143** (1-3) (1995) 87–97
Hoggar, S.G. and I. McFarlane, Faster fractal pictures by finite fields and far rings **138** (1-3) (1995) 267–280
Hoggar, S.G., Weight enumerators of codes derived from polynomial product algorithms **167-168** (1-3) (1997) 373–391
Hoggatt Jr., V.E., *see* K. Alladi **22** (1978) 201–211
Hohberg, W., The decomposition of graphs into k-connected components **109** (1992) 133–145
Hoke, K.W. and M.F. Troyon, The struction algorithm for the maximum stable set problem revisited **131** (1-3) (1994) 105–113
Ho Kwak, J. and J. Lee, Isomorphism classes of cycle permutation graphs **105** (1992) 131–142
Hollmann, H., Pseudocyclic 3-class association schemes on 28 points **52** (1984) 209–224
Holroyd, F.C. and W.J.G. Wingate, Cycles in the complement of a tree or other graph **55** (1985) 267–282
Holroyd, F.C., Reconstructing finite group actions and characters from subgroup information (*Note*) **110** (1992) 283–287
Holsztyński, W. and R.F.E. Strube, Paths and circuits in finite groups **22** (1978) 263–272
Holton, D.A., Two applications of semi-stable graphs **4** (1973) 151–158

Holton, D.A., *see* K.L. McAvaney **9** (1974) 277–288
Holton, D.A., *see* C.H.C. Little **13** (1975) 41–54
Holton, D.A., D. Lou and M.D. Plummer, On the 2-extendability of planar graphs **96** (1991) 81–99
Holton, D.A., *see* D. Lou **112** (1993) 139–150
Holton, D.A., *see* R.E.L. Aldred **127** (1-3) (1994) 23–29
Holyer, I.J. and E.J. Cockayne, On the sum of cardinalities of extremum maximal independent sets **26** (1979) 243–246
Holzman, R., *see* A. Felzenbaum **117** (1993) 107–112
Holzmann, W.H. and H. Kharaghani, A D-optimal design of order 150 **190** (1-3) (1998) 265–269
Homobono, N. and C. Peyrat, Graphs such that every two edges are contained in a shortest cycle **76** (1989) 37–44
Homobono, N., *see* J.-C. Bermond **114** (1993) 51–62
Hong, S., J.H. Kwak and J. Lee, Regular graph coverings whose covering transformation groups have the isomorphism extension property **148** (1-3) (1996) 85–105
Hong, Y., Bounds of eigenvalues of graphs **123** (1993) 65–74
Honghui, W. and L. Qiao, On the number of tournaments with prescribed score vector **61** (1986) 213–219
Honkala, I., All binary codes with covering radius one are subnormal (*Note*) **94** (1991) 229–232
Honkala, I., On lengthening of covering codes **106/107** (1992) 291–295
Honkala, I., On the normality of multiple covering codes **125** (1994) 229–239
Hooker, J.N., Networklike metric spaces **68** (1988) 31–43
Hopkins, G. and W. Staton, Graphs with unique maximum independent sets **57** (1985) 245–251
Horák, P., *see* J. Širáň **64** (1987) 263–268
Horák, P., *see* K. Heinrich **77** (1989) 97–121
Horák, P. and J. Širáň, Solution of two problems of P. Erdős concerning Hamiltonian cycles **84** (1990) 23–29
Horák, P., Extending partial systems of distinct representatives (*Note*) **91** (1991) 95–98
Horák, P. and Z. Tuza, Large s-representable set systems with low maximum degree **122** (1993) 205–217
Horák, P., *see* A. Černý **167-168** (1-3) (1997) 189–196
Horňák, M., R. Lauff and R. Soták, On existence of hypergraphs with prescribed edge degree profile **146** (1-3) (1995) 109–121
Horňák, M., *see* P. Bugata **158** (1-3) (1996) 37–47
Horňák, M. and S. Jendrol', On the d-distance face chromatic number of plane graphs **164** (1-3) (1997) 171–174
Horňák, M. and R. Soták, Asymptotic behaviour of the observability of Q_n **176** (1-3) (1997) 139–148
Horng, M.-C., *see* S. Tseng **148** (1-3) (1996) 205–216
Horton, J.D., On two-factors of bipartite regular graphs **41** (1982) 35–41
Horton, J.D., The construction of Kotzig factorizations **43** (1983) 199–206
Horton, J.D., Orthogonal starters in finite abelian groups **79** (1989/90) 265–278
Horton, J.D., A hyperfactorization of order 8, index 2 **92** (1991) 127–129
Horton, J.D. and G.M. Nonay, Self-orthogonal Hamilton path decompositions **97** (1991) 251–264
Hosono, K., *see* J. Akiyama **116** (1993) 291–298
Hosono, K., M. Urabe and M. Watanabe, Topics on line segments and polygons **151** (1-3) (1996) 99–104
Host, L.H., *see* D.W. Bange **159** (1-3) (1996) 1–11
Host, L.H., *see* D.W. Bange **178** (1-3) (1998) 1–14
Hotje, H., M. Marchi and S. Pianta, On a class of point-reflection geometries **129** (1-3) (1994) 139–147
Hotje, H., Kinematic mappings of plane affinities **155** (1-3) (1996) 121–125
Hotje, H., A remark on the Beckman/Quarles theorem **174** (1-3) (1997) 185–186
Hou, X.-d., Classification of cosets of the Reed–Muller code $R(m\text{-}3,m)$ **128** (1-3) (1994) 203–224
Hou, X.-d., $GL(m,2)$ Acting on $R(r,m)/R(r\text{-}1,m)$ **149** (1-3) (1996) 99–122
Hou, X.-d., Cubic bent functions **189** (1-3) (1998) 149–161
Hougardy, S., Counterexamples to three conjectures concerning perfect graphs (*Communication*) **117** (1993) 245–251
Hougardy, S., H.J. Prömel and A. Steger, Probabilistically checkable proofs and their consequences for approximation algorithms **136** (1-3) (1994) 175–223
Hougardy, S., Even pairs and the strong perfect graph conjecture **154** (1-3) (1996) 277–278
Hougardy, S., Perfect graphs with unique P_4-structure **165-166** (1-3) (1997) 411–420
Houten, L., *see* B. Gordon **26** (1979) 41–45

Hovey, M., A-cordial graphs **93** (1991) 183–194
Howard, F.T., A theorem relating potential and bell polynomials **39** (1982) 129–143
Howard, F.T., Degenerate weighted Stirling numbers **57** (1985) 45–58
Howard, F.T., Explicit formulas for degenerate Bernoulli numbers **162** (1-3) (1996) 175–185
Howorka, E., *see* D. Cenzer **23** (1978) 105–113
Hsiao, M.Y., Incomplete block design codes for ultra high speed computer applications **3** (1972) 89–108
Hsieh, W.N., Intersection theorems for systems of finite vector spaces **12** (1975) 1–16
Hsu, D.F., *see* D.-Z. Du **87** (1991) 23–28
Hsu, D.F. and T. Łuczak, On the k-diameter of k-regular k-connected graphs **133** (1-3) (1994) 291–296
Hsu, D.F., *see* D.Z. Du **151** (1-3) (1996) 81–85
Hsu, F. and L.C. Hsu, A unified treatment of a class of combinatorial sums (*Note*) **90** (1991) 191–197
Hsu, L.C., *see* F. Hsu **90** (1991) 191–197
Hsu, L.C., *see* W. Chu **123** (1993) 3–15
Hsu, L.-H., On a multiplicative graph function conjecture **45** (1983) 245–253
Hsu, L.-H., Dependence of tree copy functions **55** (1985) 283–290
Hsu, L.-H., C. Chen and E.-Y. Jean, A class of additive multiplicative graph functions **65** (1987) 53–63
Hsu, L.-H., Generalized homomorphism graph functions **84** (1990) 31–37
Hsu, W.-L. and G.L. Nemhauser, Algorithms for minimum covering by cliques and maximum clique in claw-free perfect graphs **37** (1981) 181–191
Hsu, W.-l. and G.L. Nemhauser, A polynomial algorithm for the minimum weighted clique cover problem on claw-free perfect graphs **38** (1982) 65–71
Hu, B., *see* K. Xing **135** (1-3) (1994) 387–393
Hu, G., *see* C. Lin **141** (1-3) (1995) 291–297
Hu, T.C., *see* P.J. Koutas **11** (1975) 125–132
Hu, W.-H., *see* H.-L. Fu **128** (1-3) (1994) 143–150
Hu, Z., A generalization of Fan's condition and forbidden subgraph conditions for hamiltonicity **196** (1-3) (1999) 167–175
Huang, C., On the existence of balanced bipartite designs, II **9** (1974) 147–159
Huang, C., *see* A. Rosa **12** (1975) 269–293
Huang, C., Resolvable balanced bipartite designs **14** (1976) 319–335
Huang, C., A. Kotzig and A. Rosa, On a variation of the Oberwolfach problem **27** (1979) 261–277
Huang, H. and N.L. Johnson, 8 semifield planes of order 8^2 **80** (1990) 69–79
Huang, H.-C., *see* R.G. Bland **27** (1979) 11–22
Huang, J., *see* J. Bang-Jensen **138** (1-3) (1995) 63–74
Huang, J., *see* J. Bang-Jensen **161** (1-3) (1996) 1–12
Huang, J., *see* J. Bang-Jensen **185** (1-3) (1998) 19–27
Huang, K.-C., *see* H.-L. Fu **127** (1-3) (1994) 181–186
Huang, K.-C., *see* B.-L. Chen **184** (1-3) (1998) 49–60
Huang, K.-C., *see* B.-L. Chen **194** (1-3) (1999) 59–65
Huang, Q., *see* J. Meng **178** (1-3) (1998) 267–269
Huang, R. and G.-C. Rota, On the relations of various conjectures on Latin squares and straightening coefficients **128** (1-3) (1994) 225–236
Huang, R., Muir's identity — A supersymmetric approach **146** (1-3) (1995) 123–131
Huang, T., An analogue of the Erdös–Ko–Rado theorem for the distance-regular graphs of bilinear forms **64** (1987) 191–198
Huang, T. and M. Laurent, $(s, r; \mu)$-nets and alternating forms graphs **114** (1993) 237–252
Huang, W.-C., *see* C.-C. Chou **197-198** (1-3) (1999) 195–203
Huang, Y. and Y. Liu, Maximum genus and maximum nonseparating independent set of a 3-regular graph **176** (1-3) (1997) 149–158
Huang, Y. and Y. Liu, The maximum genus of graphs with diameter three **194** (1-3) (1999) 139–149
Huang, Y., Maximum genus and girth of graphs **194** (1-3) (1999) 253–259
Hubaut, X., Two new families of 4-designs **9** (1974) 247–249
Hubaut, X.L., Strongly regular graphs **13** (1975) 357–381
Huck, A., Independent branchings in acyclic digraphs **199** (1-3) (1999) 245–249
Hudry, O., *see* I. Charon **165-166** (1-3) (1997) 139–153

Huffman, W.C., The biweight enumerator of self-orthogonal binary codes **26** (1979) 129–143
Huffman, W.C., On automorphism groups of certain 2-$(v, 3, 2)$ designs induced by group actions **59** (1986) 283–296
Huffman, W.C., On the equivalence of codes and codes with an automorphism having two cycles **83** (1990) 265–283
Huffman, W.C., The equivalence of two cyclic objects on pq elements **154** (1-3) (1996) 103–127
Hughes, R.B. and M.R. Anderson, A triangulation of the 6-cube with 308 simplices (*Communication*) **117** (1993) 253–256
Hughes, R.B., Minimum-cardinality triangulations of the d-cube for $d = 5$ and $d = 6$ **118** (1993) 75–118
Hughes, R.B., Lower bounds on cube simplexity **133** (1-3) (1994) 123–138
Hughes, R.B. and M.R. Anderson, Simplexity of the cube **158** (1-3) (1996) 99–150
Huguet, Ll., Coding scheme for a wire-tap channel using regular codes **56** (1985) 191–201
Huhn, A.P. and L. Megyesi, On disjoint residue classes (*Note*) **41** (1982) 327–330
Hujter, M., *see* M. Biró **100** (1992) 267–279
Hujter, M., *see* Z. Blázsik **115** (1993) 51–55
Hull, B., Two algorithms for matroids **13** (1975) 121–128
Huneke, J.P., *see* H.H. Glover **13** (1975) 341–355
Huneke, J.P., *see* H. Glover **18** (1977) 155–165
Huneke, J.P., *see* H. Glover **22** (1978) 243–256
Hung, L.T.Q., M.M. Sysło, M.L. Weaver and D.B. West, Bandwidth and density for block graphs **189** (1-3) (1998) 163–176
Hung, S.H.Y. and N.S. Mendelsohn, Handcuffed designs **18** (1977) 23–33
Hungerbühler, N., *see* L. Halbeisen **147** (1-3) (1995) 139–150
Hurkens, C.A.J., A. Schrijver and É. Tardos, On fractional multicommodity flows and distance functions **73** (1988/89) 99–109
Hurlbert, G., The antipodal layers problem **128** (1-3) (1994) 237–245
Hurlbert, G., Multicover Ucycles **137** (1-3) (1995) 241–249
Hurlbert, G. and G. Isaak, Equivalence class universal cycles for permutations **149** (1-3) (1996) 123–129
Hurley, S., *see* D.H. Smith **167-168** (1-3) (1997) 571–582
Hurley, S., *see* S.M. Allen **197-198** (1-3) (1999) 41–52
Hurtado, F. and M. Noy, Ears of triangulations and Catalan numbers **149** (1-3) (1996) 319–324
Hurtado, F., O. Serra and J. Urrutia, Hiding points in arrangements of segments **162** (1-3) (1996) 187–197
Hutchinson, J.P., *see* M.O. Albertson **29** (1980) 1–11
Hutchinson, J.P. and G.F. McNulty, Connected graphs of genus g with complementary orbits **45** (1983) 255–275
Hutchinson, J.P., *see* J.G. Griggs **101** (1992) 65–72
Huybrechts, C., $L \cdot L^*$-geometries and D_n-building **197-198** (1-3) (1999) 431–451
Hwang, F.K. and J.C. Lagarias, Minimum range sequences of all k-subsets of a set **19** (1977) 257–264
Hwang, F.K., An explicit expression for the cost of a class of huffman trees **32** (1980) 163–165
Hwang, F.K., Complete balanced Howell rotations for $8k + 5$ teams **39** (1982) 145–151
Hwang, F.K., J.F. Weng and D.Z. Du, A class of full Steiner minimal trees **45** (1983) 107–112
Hwang, F.K. and V.K. Wei, A partition identity (*Note*) **46** (1983) 323–326
Hwang, F.K., *see* D. Borkovitz **47** (1983) 1–11
Hwang, F.K., *see* P.C. Fishburn **61** (1986) 165–179
Hwang, F.K. and J.F. Weng, Hexagonal coordinate systems and Steiner minimal trees **62** (1986) 49–57
Hwang, F.K. and Y.H. Xu, Double loop networks with minimum delay **66** (1987) 109–118
Hwang, F.K., U.G. Rothblum and Y.-C. Yao, Localizing combinatorial properties of partitions **160** (1-3) (1996) 1–23
Hwang, L., *see* F. Cao **183** (1-3) (1998) 27–38
Hwang, S.G., The monotonicity of the permanent function (*Note*) **91** (1991) 99–104
Hwang, S.G., Doubly stochastic circulant matrices (*Note*) **94** (1991) 69–74
Iba, G.A., *see* C. Greene **13** (1975) 1–11
Ibaraki, T., Integer programming formulation of combinatorial optimization problems **16** (1976) 39–52
Ibaraki, T., *see* J.C. Bioch **140** (1-3) (1995) 23–46

Idzik, A., J. Komar and M. Malawski, Edge-coloured complete graphs: Connectedness of some subgraphs **66** (1987) 119–125
Idzik, A., *see* S. Bylka **194** (1-3) (1999) 39–58
Ihrig, E., *see* H. Barcelo **193** (1-3) (1998) 61–68
Ikeda, H., *see* F. Kitagawa **72** (1988) 195–211
Ille, P., Indecomposable graphs **173** (1-3) (1997) 71–78
Ille, P., *see* A. Cournier **183** (1-3) (1998) 61–80
Imase, M., *see* T. Soneoka **63** (1987) 53–66
Imrich, W., *see* L. Babai **5** (1973) 101–103
Imrich, W. and N. Seifter, A note on the growth of transitive graphs **73** (1988/89) 111–117
Imrich, W. and G. Sabidussi, Focality and graph isomorphism **81** (1990) 237–245
Imrich, W. and N. Seifter, A survey on graphs with polynomial growth **95** (1991) 101–117
Imrich, W. and J. Nešetřil, Simple tournaments and sharply transitive groups **108** (1992) 159–165
Imrich, W. and S. Klavžar, Retracts of strong products of graphs **109** (1992) 147–154
Imrich, W., *see* C.P. Bonnington **145** (1-3) (1995) 61–72
Imrich, W. and J. Žerovnik, On the weak reconstruction of Cartesian-product graphs **150** (1-3) (1996) 167–178
Imrich, W., T. Pisanski and J. Žerovnik, Recognizing Cartesian graph bundles **167-168** (1-3) (1997) 393–403
Imrich, W., Factoring cardinal product graphs in polynomial time **192** (1-3) (1998) 119–144
Innamorati, S., *see* L. Berardi **174** (1-3) (1997) 35–46
Inukai, T. and L. Weinberg, Theorems on matroid connectivity (*Note*) **22** (1978) 311–312
Iorgulescu, A., On the construction of three-valued Lukasiewicz–Moisil algebras **48** (1984) 213–227
Iorgulescu, A., $\mathcal{S}$-prealgebras (*Note*) **126** (1994) 415–419
Iorgulescu, A., Connections between MV_n algebras and n-valued Lukasiewicz–Moisil algebras Part I **181** (1-3) (1998) 155–177
Irving, R.W., Generalised Ramsey numbers for small graphs **9** (1974) 251–264
Isaak, G., *see* G. Hurlbert **149** (1-3) (1996) 123–129
Isaak, G., *see* K.P. Bogart **181** (1-3) (1998) 37–51
Isaksen, D.C. and D.P. Moulton, Randomly planar graphs **175** (1-3) (1997) 265–269
Isbell, J., Sequencing certain dihedral groups (*Note*) **85** (1990) 323–328
Isbell, J.R., Perfect addition sets **24** (1978) 13–18
Ishigami, Y., An extremal problem of orthants containing at most one point besides the origin **132** (1-3) (1994) 383–386
Ishigami, Y., *see* J. Akiyama **151** (1-3) (1996) 15–18
Ishigami, Y., An extremal problem of d permutations containing every permutation of every t elements **159** (1-3) (1996) 279–283
Ismail, M.E.H. and D. Stewart, On Dumont's polynomials **41** (1982) 155–160
Itai, A. and A. Zehavi, Bounds on path connectivity **51** (1984) 25–34
Ito, N., Doubly regular asymmetric digraphs **72** (1988) 181–185
Ito, N., Even tournaments and Hadamard tournaments **151** (1-3) (1996) 105–111
Ito, T., *see* E. Bannai **37** (1981) 147–158
Iturrioz, L. and O. Rueda, Algebres implicatives trivalentes de łukasiewicz libres **18** (1977) 35–44
Itzykson, C., *see* M. Bauer **156** (1-3) (1996) 29–81
Ivanov, A.V., Two families of strongly regular graphs with the 4-vertex condition **127** (1-3) (1994) 221–242
Ivanyos, G. and Á. Szántó, Lattice basis reduction for indefinite forms and an application **153** (1-3) (1996) 177–188
Ivashchenko, A.V., The coordinate representation of a graph and n-universal graph of radius 1 **120** (1993) 107–114
Ivashchenko, A.V., Representation of smooth surfaces by graphs. Transformations of graphs which do not change the Euler characteristic of graphs **122** (1993) 219–233
Ivashchenko, A.V., Contractible transformations do not change the homology groups of graphs **126** (1994) 159–170
Ivashchenko, A.V. and Y.-N. Yeh, Minimal graphs of a torus, a projective plane and spheres and some properties of minimal graphs of homotopy classes **126** (1994) 171–178
Ivashchenko, A.V., Graphs of spheres and tori **128** (1-3) (1994) 247–255
Ivashchenko, A.V., Some properties of contractible transformations on graphs **133** (1-3) (1994) 139–145

Ivić, A., *see* I. Gutman **150** (1-3) (1996) 131–142
Jackowski, J.A., *see* G.T. Herman **5** (1973) 131–144
Jackowski, Z., A new characterization of proper interval graphs **105** (1992) 103–109
Jackowski, Z., Characterizations of two classes of digraphs **133** (1-3) (1994) 147–157
Jackson, B., *see* T.D. Parsons **31** (1980) 43–52
Jackson, B. and G. Ringel, Maps of m-pires on the projective plane **46** (1983) 15–20
Jackson, B. and O. Ordaz, A Chvátal–Erdös condition for (1,1)-factors in digraphs (*Note*) **57** (1985) 199–201
Jackson, B., Compatible Euler tours for transition systems in Eulerian graphs **66** (1987) 127–131
Jackson, B., *see* N. Hartsfield **78** (1989) 89–94
Jackson, B., *see* G. Hahn **82** (1990) 327–329
Jackson, B. and O. Ordaz, Chvátal-Erdős conditions for paths and cycles in graphs and digraphs. A survey **84** (1990) 241–254
Jackson, B., *see* R.E.L. Aldred **88** (1991) 1–9
Jackson, B., H. Li and Y. Zhu, Dominating cycles in regular 3-connected graphs **102** (1992) 163–176
Jackson, B. and N.C. Wormald, On the linear k-arboricity of cubic graphs **162** (1-3) (1996) 293–297
Jackson, B. and J. Sheehan, The structure of transform graphs **177** (1-3) (1997) 123–144
Jackson, B.W., *see* S. Cabaniss **82** (1990) 127–141
Jackson, B.W., Universal cycles of k-subsets and k-permutations **117** (1993) 141–150
Jackson, D.E., *see* L. Clark **30** (1980) 95–101
Jackson, D.M., *see* I.P. Goulden **22** (1978) 99–104
Jackson, D.M., B. Jeffcott and W.T. Spears, The enumeration of sequences with respect to structures on a bipartition **30** (1980) 133–149
Jackson, D.M., *see* C.B. Collins **36** (1981) 139–153
Jackson, D.M., *see* E. Rodney Canfield **99** (1992) 25–30
Jackson, D.M., *see* I.P. Goulden **158** (1-3) (1996) 77–85
Jackson, W.-A., F. Piper and P. Wild, Non-embedding of non prime-power unitals with point-regular group **98** (1991) 23–28
Jacob, G., *see* C. Hespel **180** (1-3) (1998) 211–219
Jacob, H. and H. Meyniel, About quasi-kernels in a digraph **154** (1-3) (1996) 279–280
Jacob, H., Kernels in graphs with a clique-cutset **156** (1-3) (1996) 265–267
Jacobson, M., G.M. Levin and E.R. Scheinerman, On fractional Ramsey numbers **176** (1-3) (1997) 159–175
Jacobson, M.S., A note of Ramsey multiplicity (*Note*) **29** (1980) 201–203
Jacobson, M.S., On a generalization of Ramsey theory **38** (1982) 191–195
Jacobson, M.S., On the Ramsey multiplicity for stars **42** (1982) 63–66
Jacobson, M.S., *see* R.J. Gould **42** (1982) 189–196
Jacobson, M.S., *see* A. Gyárfás **69** (1988) 35–41
Jacobson, M.S., *see* R.J. Faudree **76** (1989) 223–240
Jacobson, M.S., *see* J.F. Fink **86** (1990) 47–57
Jacobson, M.S. and K. Peters, Chordal graphs and upper irredundance, upper domination and independence **86** (1990) 59–69
Jacobson, M.S., M. Truszczyński and Z. Tuza, Decompositions of regular bipartite graphs **89** (1991) 17–27
Jacobson, M.S., *see* R.J. Faudree **91** (1991) 45–59
Jacobson, M.S., *see* R.J. Faudree **103** (1992) 17–24
Jacobson, M.S., *see* R.J. Faudree **105** (1992) 61–71
Jacobson, M.S., *see* R.J. Faudree **141** (1-3) (1995) 109–122
Jacobson, M.S. and J. Lehel, Irregular embeddings of hypergraphs with fixed chromatic number **145** (1-3) (1995) 145–150
Jacobson, M.S. and J. Lehel, Irregular embeddings of multigraphs with fixed chromatic number **145** (1-3) (1995) 295–299
Jacobson, M.S., *see* R.J. Faudree **150** (1-3) (1996) 103–113
Jacobson, M.S., *see* G. Chen **197-198** (1-3) (1999) 185–194
Jaeger, F., Sur l'indice chromatique du graphe representatif des aretes d'un graphe regulier **9** (1974) 161–172
Jaeger, F., Interval matroids and graphs (*Communication*) **27** (1979) 331–336
Jaeger, F., The 1-factorization of some line-graphs (*Note*) **46** (1983) 89–92
Jaeger, F., C. Payan and M. Kouider, Partition of odd regular graphs into bistars (*Note*) **46** (1983) 93–94

Jaeger, F., On the Penrose number of cubic diagrams **74** (1989) 85–97
Jaeger, F., A new invariant of plane bipartite cubic graphs **101** (1992) 149–164
Jaeger, F., Plane graphs and link invariants **114** (1993) 253–264
Jagger, C., Tournaments as strong subcontractions **176** (1-3) (1997) 177–184
Jajcay, R., Characterization and construction of Cayley graphs admitting regular Cayley maps **158** (1-3) (1996) 151–160
Jakobsen, I.T., On critical graphs with chromatic index 4 **9** (1974) 265–276
Jambu-Giraudet, M., Quelques remarques sur l'equivalence elementaire entre groupes ou treillis d'automorphismes de chaines 2-homogenes **53** (1985) 117–124
Jamison, R.E., *see* F.H. Clarke **14** (1976) 241–245
Jamison, R.E. and R. Nowakowski, A Helly theorem for convexity in graphs **51** (1984) 35–39
Jamison, R.E., *see* M.C. Golumbic **55** (1985) 151–159
Jamison, R.E., Few slopes without collinearity **60** (1986) 199–206
Jamison, R.E., *see* M. Farber **66** (1987) 231–247
Jamison, R.E., Alternating Whitney sums and matchings in trees, Part 1 **67** (1987) 177–189
Jamison, R.E., *see* M.O. Albertson **74** (1989) 33–49
Jamison, R.E., On the edge achromatic numbers of complete graphs **74** (1989) 99–115
Jamison, R.E., Alternating Whitney sums and matchings in trees, Part II **79** (1989/90) 177–189
Jamrozik, J., R. Kalinowski and Z. Skupień, A catalogue of small maximal nonhamiltonian graphs (*Note*) **39** (1982) 229–234
Janakiraman, T.N., On special classes of self-centred graphs (*Note*) **126** (1994) 411–414
Janko, Z. and T. van Trung, Construction of two symmetric block designs for (71, 21, 6) (*Note*) **55** (1985) 327–328
Janko, Z. and V.D. Tonchev, Cyclic 2-(91, 6, 1) designs with multiplier automorphisms **97** (1991) 265–268
Janowitz, M.F., Semiflat L-cluster methods **21** (1978) 47–60
Janowitz, M.F., A converse to the Sholander embedding (*Note*) **87** (1991) 315–318
Jansen, A.J.E.M., *see* J.I. Hall **17** (1977) 71–83
Jansen, K., Transfer flow graphs **115** (1993) 187–199
Jansen, K., A rainbow about T-colorings for complete graphs **154** (1-3) (1996) 129–139
Janson, S. and J. Kratochvíl, Thresholds for classes of intersection graphs **108** (1992) 307–326
Janssen, J.C.M., *see* R. Häggkvist **157** (1-3) (1996) 199–206
Jarrett, E.B., Two families of graphs satisfying the cycle basis interpolation property **84** (1990) 39–46
Jarrett, E.B., *see* G. Chartrand **170** (1-3) (1997) 63–79
Jauregui, V., *see* I.J. Dejter **114** (1993) 131–135
Javdekar, M., Characterization of forcibly k-variegated degree sequences, $k \geq 3$ **29** (1980) 33–38
Javdekar, M., Characterization of k-variegated graphs, $k \geq 3$ **32** (1980) 263–270
Jean, E.-Y., *see* L.-H. Hsu **65** (1987) 53–63
Jech, T., The logarithmic distribution of leading digits and finitely additive measures **108** (1992) 53–57
Jedwab, J., C. Mitchell, F. Piper and P. Wild, Perfect binary arrays and difference sets **125** (1994) 241–254
Jeffcott, B., *see* D.M. Jackson **30** (1980) 133–149
Jégou, P. and M.-C. Vilarem, On some partial line graphs of a hypergraph and the associated matroid **111** (1993) 333–344
Jendroľ, S. and E. Jucovič, On a conjecture by B. Grünbaum **2** (1972) 35–49
Jendroľ, S. and M. Tkáč, On the simplicial 3-polytopes with only two types of edges **48** (1984) 229–241
Jendroľ, S., On a problem of J. Zaks concerning 5-valent 3-connected planar graphs **50** (1984) 231–237
Jendroľ, S. and P. Mihók, On a class of hamiltonian polytopes **71** (1988) 233–241
Jendroľ, S., A non-involutory selfduality (*Communication*) **74** (1989) 325–326
Jendroľ, S. and E. Jucovič, On quadrangular convex 3-polytopes with at most two types of edges **78** (1989) 297–305
Jendroľ, S. and M. Tkáč, Convex 3-polytopes with exactly two types of edges **84** (1990) 143–160
Jendrol', S., On face vectors and vertex vectors of convex polyhedra **118** (1993) 119–144
Jendrol', S. and P.J. Owens, Pentagonal 3-polytopal graphs with edges of only two types and shortness parameters **137** (1-3) (1995) 251–263
Jendroľ, S. and M. Tkáč, The irregularity strength of tK_p **145** (1-3) (1995) 301–305

Jendroľ, S., M. Tkáč and Z. Tuza, The irregularity strength and cost of the union of cliques **150** (1-3) (1996) 179–186
Jendrol', S., *see* M. Horňák **164** (1-3) (1997) 171–174
Jendrol', S., *see* I. Fabrici **191** (1-3) (1998) 83–90
Jendrol', S., Triangles with restricted degrees of their boundary vertices in plane triangulations **196** (1-3) (1999) 177–196
Jendrol', S., T. Madaras, R. Soták and Z. Tuza, On light cycles in plane triangulations **197-198** (1-3) (1999) 453–467
Jennings, D., On packings of squares and rectangles **138** (1-3) (1995) 293–300
Jennings, D. and K. Byard, An extension for residue difference sets **167-168** (1-3) (1997) 405–410
Jennings, D. and K. Byard, Qualified residue difference sets with zero **181** (1-3) (1998) 283–288
Jeong, D.-Y., Realizations with a cut-through Eulerian circuit **137** (1-3) (1995) 265–275
Jepsen, C.H., On colorings of finite projective planes (*Note*) **63** (1987) 95–96
Jepsen, C.H., Dissections into 1:2 rectangles **148** (1-3) (1996) 107–117
Jeroslow, R., Cutting-plane theory: Algebraic methods **23** (1978) 121–150
Jeroslow, R.G., The simplex algorithm with the pivot rule of maximizing criterion improvement **4** (1973) 367–377
Jeroslow, R.G., Linear programs dependent on a single parameter **6** (1973) 119–140
Jeroslow, R.G., On algorithms for discrete problems **7** (1974) 273–280
Jeroslow, R.G., On defining sets of vertices of the hypercube by linear inequalities **11** (1975) 119–124
Jeroslow, R.G., *see* C.E. Blair **19** (1977) 121–138
Jeroslow, R.G., *see* C.E. Blair **25** (1979) 7–19
Jeurissen, R.H., Covers, matchings and odd cycles of a graph **13** (1975) 251–260
Jeurissen, R.H., Disconnected graphs with magic labelings **43** (1983) 47–53
Jeurissen, R.H., Pseudo-magic graphs **43** (1983) 207–214
Jeurissen, R.H., A proof by graphs that $\mathrm{PSL}(2,7) \cong \mathrm{PSL}(3,2)$ (*Note*) **70** (1988) 315–317
Jeurissen, R.H., C.H. van Os and J.H.M. Steenbrink, The configuration of bitangents of the Klein curve **132** (1-3) (1994) 83–96
Jha, P.K., Kronecker products of paths and cycles: Decomposition, factorization and bi-pancyclicity **182** (1-3) (1998) 153–167
Jha, V., On subgroups and factor groups of $\mathrm{GL}(n,q)$ acting on spreads with the same characteristic **41** (1982) 43–51
Jha, V. and N.L. Johnson, Regular parallelisms from translation planes **59** (1986) 91–97
Jha, V., *see* N.L. Johnson **132** (1-3) (1994) 97–106
Jha, V. and G. Wene, An oval partition of the central units of certain semifield planes **155** (1-3) (1996) 127–134
Jia, R.Z., *see* L. Caccetta **190** (1-3) (1998) 241–245
Jia, X.-D., Some remarks on minimal bases and maximal nonbases of integers (*Note*) **122** (1993) 357–362
Jia, X.F., *see* Y. Qiu **104** (1992) 201–204
Jiang, M. and F. Ruskey, Determining the Hamilton-connectedness of certain vertex-transitive graphs **133** (1-3) (1994) 159–169
Jiang, Z. and C.J. Colbourn, Completing the spectrum of rotational Mendelsohn triple systems **183** (1-3) (1998) 153–160
Jiang, Z., *see* V. Linek **196** (1-3) (1999) 229–238
Jimbo, M., *see* S. Kuriki **46** (1983) 33–40
Jimbo, M. and S. Kuriki, On a composition of cyclic 2-designs **46** (1983) 249–255
Jimbo, M., *see* R. Fuji-Hara **76** (1989) 29–35
Jimbo, M., Recursive constructions for cyclic BIB designs and their generalizations **116** (1993) 79–95
Jimbo, M., *see* M. Mishima **156** (1-3) (1996) 285–290
Jin, G., Triangle-free four-chromatic graphs **145** (1-3) (1995) 151–170
Jin, G., *see* B. Bollobás **175** (1-3) (1997) 253–257
Jin, G., The number of complete subgraphs of equi-partite graphs **186** (1-3) (1998) 157–165
Jirásek, J., Some remarks on Ádám's conjecture for simple directed graphs **108** (1992) 327–332
Jockusch, W., *see* J.-P. Allouche **139** (1-3) (1995) 455–461
Jockusch, W., *see* G. Bohus **187** (1-3) (1998) 259–264
Johns, G., A simple proof of the characterization of antipodal graphs **128** (1-3) (1994) 399–400

Johnson, C.R. and W.W. Barrett, Determinantal inequalities for positive definite matrices **119** (1993) 97–106
Johnson, C.R. and T.A. McKee, Structural conditions for cycle completable graphs **159** (1-3) (1996) 155–160
Johnson, D., A (2, 11) combinatorial groupoid **19** (1977) 265–271
Johnson, D.S., *see* B.N. Clark **86** (1990) 165–177
Johnson, K.E., *see* M.N. Ellingham **133** (1-3) (1994) 89–98
Johnson, K.W., Latin square determinants II **105** (1992) 111–130
Johnson, N.L., *see* V. Jha **59** (1986) 91–97
Johnson, N.L., *see* H. Huang **80** (1990) 69–79
Johnson, N.L., *see* F. De Clerck **106/107** (1992) 127–134
Johnson, N.L. and V. Jha, Regulus codes **132** (1-3) (1994) 97–106
Johnson, P.D., Coloring abelian groups **40** (1982) 219–223
Johnson, P.D., *see* A.J.W. Hilton **69** (1988) 309–311
Johnson, R.H., Simple directed trees **14** (1976) 257–264
Johnson, R.H., Properties of inique realizations — A survey **31** (1980) 185–192
Johnson, S., Upper bounds for constant weight error correcting codes **3** (1972) 109–124
Johnson, W.P., Some applications of the q-exponential formula **157** (1-3) (1996) 207–225
Johnson, W.P., q-Extensions of identities of Abel–Rothe type **159** (1-3) (1996) 161–177
Johnson Jr., C.S., *see* G.F. Estabrook **16** (1976) 141–147
Johnson Jr., P.D., Simple product colorings **48** (1984) 83–85
Johnson Jr., P.D., Two-colorings of a dense subgroup of $\mathbb{Q}^n$ that forbid many distances **79** (1989/90) 191–195
Johnston, I.J., Some results involving multilattice ideals and distributivity **83** (1990) 27–35
Joichi, J.T. and D.E. White, Gray codes in graphs of subsets **31** (1980) 29–41
Joichi, J.T. and D. Stanton, An involution for Jacobi's identity **73** (1989) 261–271
Joichi, J.T., Hecke-Rogers, Andrews identities; Combinatorial proofs **84** (1990) 255–259
Jolivet, J.-L., Sur le joint d'une famille de graphes **5** (1973) 145–158
Jonck, B., *see* G. Benadé **162** (1-3) (1996) 13–22
Jones, C.A., Using linear forms to determine the set of integers realizable by $(g_0, g_1, \ldots, g_n)$-trees **47** (1983) 247–254
Jones, G.A., *see* M.L.N. Downs **64** (1987) 299–302
Jones, L.K., Sur une loi de probabilite conditionelle de Kleitman (*Note*) **15** (1976) 107–108
Jones, R.H., Enumerating uniform polyhedral surfaces with triangular faces **138** (1-3) (1995) 281–292
Joni, S.A., The multi-indexed partitional **26** (1979) 145–163
Joni, S.A., G.-C. Rota and B. Sagan, From sets to functions: Three elementary examples **37** (1981) 193–202
Jónsson, B., Relation algebras and Schröder categories **70** (1988) 27–45
Jordán, T., On the existence of (k,l)-critical graphs **179** (1-3) (1998) 273–275
Jørgensen, L.K., *see* D. Hanson **101** (1992) 109–114
Jørgensen, L.K., Nonexistence of certain cubic graphs with small diameters **114** (1993) 265–273
Jorgulescu, A., Functors between categories of three-valued Lukasiewicz–Moisil algebras I **49** (1984) 121–131
Joseph, A., The isomorphism problem for Cayley digraphs on groups of prime-squared order **141** (1-3) (1995) 173–183
Joshi, S.B., *see* S.S. Abhyankar **90** (1991) 111–135
Joshi, S.B., *see* S.S. Abhyankar **93** (1991) 1–17
Jou, M.-J., *see* G.J. Chang **197-198** (1-3) (1999) 169–178
Joyce, D., Generalized chromatic polynomials **50** (1984) 51–62
Jucovič, E., *see* S. Jendroľ **2** (1972) 35–49
Jucovič, E., Analogues of Eberhard's Theorem for 4-valent 3-polytopes with involutory automorphisms **6** (1973) 249–254
Jucovič, E., *see* S. Jendroľ **78** (1989) 297–305
Juhász, F., On the asymptotic behaviour of the spectra of non-symmetric random (0, 1) matrices **41** (1982) 161–165
Juhász, F., The asymptotic behaviour of Fiedler's algebraic connectivity for random graphs **96** (1991) 59–63
Jung, H.A. and M.E. Watkins, On the structure of infinite vertex-transitive graphs **18** (1977) 45–53
Jung, H.A., *see* E. Flandrin **90** (1991) 41–52
Jung, H.A., Some results on ends and automorphisms of graphs **95** (1991) 119–133
Jung, H.A., On finite fixed sets in infinite graphs **131** (1-3) (1994) 115–125

Jünger, M., P. Mutzel, T. Odenthal and M. Scharbrodt, The thickness of a minor-excluded class of graphs **182** (1-3) (1998) 169–176
Jungerman, M., l-regular rotations of the countably infinite complete graph **20** (1977) 41–49
Jungnickel, D., Composition theorems for difference families and regular planes **23** (1978) 151–158
Jungnickel, D. and G. Grams, Maximal difference matrices of order $\leqslant 10$ (*Note*) **58** (1986) 199–203
Jungnickel, D., Some self-blocking block designs **77** (1989) 123–135
Jungnickel, D., On the existence of small quasimultiples of affine and projective planes of arbitrary order **85** (1990) 177–189
Jungnickel, D. and S. Vanstone, Triple systems in PG$(2, q)$ **92** (1991) 131–135
Jungnickel, D., *see* K.T. Arasu **97** (1991) 25–38
Jungnickel, D., R.C. Mullin and S.A. Vanstone, The spectrum of α-resolvable block designs with block size 3 **97** (1991) 269–277
Jungnickel, D., *see* D. Hachenberger **106/107** (1992) 231–242
Jungnickel, D., *see* K.T. Arasu **147** (1-3) (1995) 1–17
Jungreis, D., Hamiltonian paths in Cayley digraphs of finitely-generated infinite abelian groups **78** (1989) 95–104
Jungreis, D.S., *see* M. Reid **82** (1990) 53–56
Jungreis, D.S., *see* D. Dunham **143** (1-3) (1995) 1–30
Jungreis, I.L., Infinite Hamiltonian paths in Cayley digraphs **54** (1985) 167–180
Junming, L., *see* X. Keyi **163** (1-3) (1997) 285–291
Jurišić, A., Antipodal covers of strongly regular graphs **182** (1-3) (1998) 177–189
Justin, J. and G. Pirillo, Two combinatorial properties of partitions of the free semigroup into finitely many parts (*Note*) **52** (1984) 299–303
Juvan, M., B. Mohar and R. Škrekovski, On list edge-colorings of subcubic graphs **187** (1-3) (1998) 137–149
Kabadi, S.N., *see* R. Chandrasekaran **71** (1988) 205–217
Kabell, J.A., A note on colorings of finite planes (*Note*) **44** (1983) 319–320
Kabil, M. and M. Pouzet, Injective envelope of graphs and transition systems **192** (1-3) (1998) 145–186
Kageyama, S., Improved inequalities for balanced incomplete block designs **21** (1978) 177–188
Kageyama, S. and R.N. Mohan, On μ-resolvable BIB designs **45** (1983) 113–121
Kageyama, S. and K. Sinha, Constructions of partially balanced bipartite block designs **92** (1991) 137–144
Kageyama, S., The family of block designs with some combinatorial properties **116** (1993) 17–54
Kageyama, S., Robustness of some balanced block designs **116** (1993) 159–181
Kageyama, S., Experimental design: methods and applications. An updated bibliography of books in English **118** (1993) 251–252
Kageyama, S., *see* Y. Miao **195** (1-3) (1999) 269–276
Kahn, J., *see* R.P. Gupta **32** (1980) 37–43
Kahn, J. and D.J. Kleitman, On cross-bandwidth (*Communication*) **33** (1981) 323–325
Kahn, J. and M. Saks, On the widths of finite distributive lattices **63** (1987) 183–195
Kahn, J., *see* Z. Füredi **83** (1990) 129–134
Kaikkonen, M.K., *see* P.R.J. Östergård **178** (1-3) (1998) 165–179
Kainen, P., *see* P. Erdös **24** (1978) 235–249
Kajitani, Y., S. Ueno and H. Miyano, Ordering of the elements of a matroid such that its consecutive w elements are independent **72** (1988) 187–194
Kajitani, Y., *see* S. Ueno **72** (1988) 355–360
Kajitani, Y., *see* A. Takahashi **127** (1-3) (1994) 293–304
Kalai, G., f-vectors of acyclic complexes **55** (1985) 97–99
Kalhoff, F., On projective embeddings of partial planes and rank-three matroids **163** (1-3) (1997) 67–79
Kalikow, L.H., *see* J.D. Gilbey **197-198** (1-3) (1999) 351–373
Kalinowski, R., *see* J. Jamrozik **39** (1982) 229–234
Kalinowski, R. and Z. Skupień, Large Isaacs' graphs are maximally non-Hamilton-connected (*Note*) **82** (1990) 101–104
Kalinowski, R., Small periods of endomorphisms of trees **121** (1993) 105–111
Kalmbach, G., 1982 news about orthomodular lattices **53** (1985) 125–135
Kamath, G.D., *see* E. Sampathkumar **124** (1994) 173–177
Kampen, G.R., Orienting planar graphs **14** (1976) 337–341

Kanchi, S.P., *see* J. Chen **156** (1-3) (1996) 83–102
Kane, V.D., *see* V.N. Bhat-Nayak **68** (1988) 311–313
Kane, V.G. and S.K. Basu, On the depth of a planar graph **14** (1976) 63–67
Kaneko, A., *see* K. Ando **150** (1-3) (1996) 403–406
Kaneko, A., *see* K. Ando **151** (1-3) (1996) 39–47
Kaneko, J., Constant term identities of Forrester–Zeilberger–Cooper **173** (1-3) (1997) 79–90
Kaneta, H., *see* J.M. Chao **174** (1-3) (1997) 87–94
Kaneta, H., *see* M. Harada **188** (1-3) (1998) 127–136
Kaneti, V., *see* P. Duchet **65** (1987) 95–98
Kaneti, V., *see* P. Duchet **130** (1-3) (1994) 57–68
Kang, Q., The construction of large sets of disjoint Mendelsohn triple systems of order $2^n + 2$ (*Note*) **90** (1991) 199–205
Kang, Q. and Y. Chang, Further results about large sets of disjoint Mendelsohn triple systems (*Note*) **118** (1993) 263–268
Kannan, R., *see* R. Giles **30** (1980) 181–184
Kano, M., *see* A. Amahashi **42** (1982) 1–6
Kano, M. and A. Saito, $[a, b]$-factors of graphs (*Note*) **47** (1983) 113–116
Kano, M., Sufficient conditions for a graph to have factors **80** (1990) 159–165
Kano, M., *see* K. Ando **82** (1990) 7–11
Kano, M. and A. Sakamoto, Spanning trees fixed by automorphisms of a graph (*Note*) **82** (1990) 219–222
Kano, M., *see* H. Enomoto **137** (1-3) (1995) 189–193
Kano, M., *see* Y. Egawa **151** (1-3) (1996) 87–90
Kano, M., Edge-removing games of star type **151** (1-3) (1996) 113–119
Kantor, W.M., Exponential numbers of two-weight codes, difference sets and symmetric designs (*Note*) **46** (1983) 95–98
Kantor, W.M., Kerdock codes and related planes **106/107** (1992) 297–302
Kao, D.T., *see* P. de la Torre **180** (1-3) (1998) 123–142
Kapoor, S.F., *see* D. Burns **32** (1980) 99–103
Kapralov, S.N. and V.D. Tonchev, Extremal doubly-even codes of length 64 derived from symmetric designs **83** (1990) 285–289
Karapetian, I., *see* S. Markossian **178** (1-3) (1998) 137–153
Karchmer, M., N. Linial, I. Newman, M. Saks and A. Wigderson, Combinatorial characterization of read-once formulae **114** (1993) 275–282
Karhumäki, J., *see* A. Ehrenfeucht **22** (1978) 233–242
Karhumäki, J., *see* K. Culik II **43** (1983) 139–153
Kari, J., A small aperiodic set of Wang tiles **160** (1-3) (1996) 259–264
Karim, J.P., *see* R. Hill **106/107** (1992) 273–283
Karlander, J., *see* A. Björner **108** (1992) 139–147
Károlyi, G., *see* M. Cochand **194** (1-3) (1999) 249–252
Karoński, M. and T. Łuczak, The number of connected sparsely edged uniform hypergraphs **171** (1-3) (1997) 153–167
Karp, R.M. and S.-Y.R. Li, Two special cases of the assignment problem **13** (1975) 129–142
Karp, R.M., A characterization of the minimum cycle mean in a digraph (*Note*) **23** (1978) 309–311
Karpinski, M., *see* S. Evdokimov **197-198** (1-3) (1999) 247–267
Karpovsky, M.G. and V.D. Milman, On subspaces contained in subsets of finite homogeneous spaces **22** (1978) 273–280
Karpovsky, M.G. and V.D. Milman, Coordinate density of sets of vectors **24** (1978) 177–184
Karzanov, A.V., Packings of cuts realizing distances between certain vertices in a planar graph **85** (1990) 73–87
Karzanov, A.V., *see* M. Burlet **181** (1-3) (1998) 65–76
Karzanov, A.V., On one maximum multiflow problem and related metrics **192** (1-3) (1998) 187–204
Kashiwagi, Y. and I. Kikumasa, Indecomposability of cyclic codes **196** (1-3) (1999) 277–280
Kasimatis, E.A. and S.K. Stein, Equidissections of polygons **85** (1990) 281–294
Kasiraj, J., *see* A.M. Hobbs **67** (1987) 27–42
Katchalski, M., Intersecting all edges of convex polytopes by planes **19** (1977) 273–279
Katchalski, M., *see* H. Abbott **25** (1979) 85–88

Katchalski, M. and A. Liu, Arcs on the circle and p-tuplets on the line **27** (1979) 59–69
Katchalski, M. and T. Lewis, Cutting rectangles in the plane **42** (1982) 67–71
Katchalski, M., T. Lewis and J. Zaks, Geometric permutations for convex sets **54** (1985) 271–284
Katchalski, M., T. Lewis and A. Liu, Geometric permutations of disjoint translates of convex sets **65** (1987) 249–259
Katchalski, M., *see* H.L. Abbout **68** (1988) 1–8
Katchalski, M., *see* H.L. Abbott **91** (1991) 111–120
Katchalski, M., *see* H.L. Abbott **132** (1-3) (1994) 367–371
Katchalski, M., W. McCuaig and S. Seager, Ordered colourings **142** (1-3) (1995) 141–154
Katerinis, P., Toughness of graphs and the existence of factors **80** (1990) 81–92
Katerinis, P., Regular factors in regular graphs (*Note*) **113** (1993) 269–274
Katerinis, P., Regular factors in vertex-deleted subgraphs of regular graphs **131** (1-3) (1994) 357–361
Katona, G.O.H., *see* R. Ahlswede **17** (1977) 1–22
Katona, G.O.H. and L.V. Quintas, The largest component in a random subgraph of the n-cycle **121** (1993) 113–116
Katona, G.O.H., Extremal problems for finite sets and convex hulls — A survey **164** (1-3) (1997) 175–185
Katona, G.Y., Toughness and edge-toughness **164** (1-3) (1997) 187–196
Katona, Gy., *see* A. Békéssy **30** (1980) 83–88
Katriel, J., Minimal set of class-sums characterizing the ordinary irreducible representations of the symmetric group, and the Tarry–Escott problem **173** (1-3) (1997) 91–95
Katz, T.M., *see* D.I.A. Cohen **29** (1980) 213–214
Katznelson, Y., *see* H. Furstenberg **75** (1989) 227–241
Kauffman, L. and S. Lins, Decomposition of the vertex group of 3-manifolds **103** (1992) 49–55
Kaufmann, M. and S. Shelah, On random models of finite power and monadic logic **54** (1985) 285–293
Kayathri, K., *see* S.A. Choudum **141** (1-3) (1995) 67–73
Keating, K., The conjunction of Cayley digraphs **42** (1982) 209–219
Kedem, B., Counting the number of 0–1 stationary time series having the same likelihood **18** (1977) 285–289
Keedwell, A.D., *see* A.J.W. Hilton **14** (1976) 311–318
Keedwell, A.D., On the sequenceability of non-abelian groups of order pq **37** (1981) 203–216
Keedwell, A.D., More super P-groups (*Communication*) **49** (1984) 205–207
Keedwell, A.D., *see* J. Dénes **106/107** (1992) 157–161
Keenan, D.E., A Fisher type inequality (*Note*) **29** (1980) 205–208
Keich, U., *see* R. Aharoni **152** (1-3) (1996) 1–12
Keil, J.M., *see* D.G. Corneil **46** (1983) 317–318
Kelleher, L.L., *see* M.B. Cozzens **86** (1990) 101–116
Kellerer, H. and G. Wirsching, Prime covers and periodic patterns **85** (1990) 191–206
Kelly, D., On the dimension of partially ordered sets **35** (1981) 135–156
Kelly, D., Fundamentals of planar ordered sets **63** (1987) 197–216
Kelly, D., *see* J.I. Brown **80** (1990) 123–143
Kelly, D., *see* M. Habib **88** (1991) 211–229
Kelly, D.G., *see* T.A. Dowling **7** (1974) 209–224
Kelly, D.G. and D. Kennedy, The Higgs factorization of a geometric strong map **22** (1978) 139–146
Kelly, G., On the uniqueness of embedding a residual design **39** (1982) 153–160
Kelmans, A. and X. Yong, The distribution of eigenvalues of graphs **199** (1-3) (1999) 251–258
Kelmans, A.K., Comparison of graphs by their number of spanning trees **16** (1976) 241–261
Kelmans, A.K. and M.V. Lomonosov, When m vertices in a k-connected graph cannot be walked round along a simple cycle (*Communication*) **38** (1982) 317–322
Kelmans, A.K. and B.N. Kimelfeld, Multiplicative submodularity of a matrix's principal minor as a function of the set of its rows and some combinatorial applications (*Note*) **44** (1983) 113–116
Kelmans, A.K. and M.V. Lomonosov, On cycles through prescribed vertices in weakly separable graphs **46** (1983) 183–189
Kelmans, A.K., A strengthening of the Kuratowski planarity criterion for 3-connected graphs **51** (1984) 215–220
Kelmans, A.K., A short proof and a strengthening of the whitney 2-isomorphism theorem on graphs **64** (1987) 13–25

Kelmans, A.K., Optimal packing of induced stars in a graph **173** (1-3) (1997) 97–127
Ke Min, Z., *see* R.E.L. Aldred **127** (1-3) (1994) 23–29
Kemnitz, A. and H. Kolberg, Coloring of integer distance graphs **191** (1-3) (1998) 113–123
Kemp, R., On the average depth of a prefix of the Dycklanguage D_1 **36** (1981) 155–170
Kemp, R., On the number of words in the language $w \in \sum^* \mid w = w^R{}^2$ **40** (1982) 225–234
Kemp, R., On the number of deepest nodes in ordered trees **81** (1990) 247–258
Kennedy, D., Majors of geometric strong maps **12** (1975) 309–340
Kennedy, D., *see* D.G. Kelly **22** (1978) 139–146
Kennedy, G.T. and V. Pless, A coding theoretic approach to extending designs **142** (1-3) (1995) 155–168
Kenyon, C. and E. Rémila, Perfect matchings in the triangular lattice **152** (1-3) (1996) 191–210
Keqin, F., A problem on algebraic graph theory (*Communication*) **54** (1985) 107–109
Kerber, A., Characters of wreath products and some applications to representation theory and combinatorics **13** (1975) 13–30
Kerber, A. and J. Tappe, On permutation characters of wreath products **15** (1976) 151–161
Kerber, A., A matrix of combinatorial numbers related to the symmetric groups (*Note*) **21** (1978) 319–321
Kern, W., *see* A. Bachem **69** (1988) 11–18
Kern, W., *see* P.L. Erdős **144** (1-3) (1995) 11–22
Kessler, I.J., *see* H. Fredricksen **61** (1986) 181–188
Kessler, O., *see* R. Aharoni **84** (1990) 309–313
Kettoola, S.Y. and J.D. Roberts, Some results on Ramsey numbers using sumfree sets (*Note*) **40** (1982) 123–124
Key, J.D. and N.K.A. Rostom, Unitary designs with regular sets of points **69** (1988) 235–239
Key, J.D., *see* E.F. Assmus Jr. **83** (1990) 161–187
Keyi, X. and L. Junming, On Srivastava's problems and the properties of Hadamard matrices **163** (1-3) (1997) 285–291
Kézdy, A.E. and C. Wang, Alternating walks in partially 2-edge-colored graphs and optimal strength of graph labeling **194** (1-3) (1999) 261–265
Khachatrian, L.H., *see* R. Ahlswede **131** (1-3) (1994) 9–15
Khachatrian, L.H., *see* R. Ahlswede **149** (1-3) (1996) 289
Khachatrian, N.K., *see* A.S. Hasratian **90** (1991) 143–152
Khachiyan, L., *see* V. Gurvich **169** (1-3) (1997) 245–248
Khamis, S.M., *see* B.I. Bayoumi **131** (1-3) (1994) 29–37
Kharaghani, H., An infinite class of Hadamard matrices of maximal excess (*Note*) **89** (1991) 307–312
Kharaghani, H., A construction for Hadamard matrices **120** (1993) 115–120
Kharaghani, H., *see* W.H. Holzmann **190** (1-3) (1998) 265–269
Khelladi, A., *see* S. Gravier **145** (1-3) (1995) 273–277
Khosrovashahi, G.B., *see* S. Ajoodani-Namini **135** (1-3) (1994) 29–37
Kierstead, H.A. and J.H. Schmerl, Some applications of Vizing's theorem to vertex colorings of graphs **45** (1983) 277–285
Kierstead, H.A., *see* A. Ehrenfeucht **52** (1984) 159–164
Kierstead, H.A. and J.H. Schmerl, The chromatic number of graphs which induce neither $K_{1,3}$ nor $K_5 - e$ **58** (1986) 253–262
Kierstead, H.A. and W.T. Trotter, A Ramsey theoretic problem for finite ordered sets **63** (1987) 217–223
Kierstead, H.A., Applications of edge coloring of multigraphs to vertex coloring of graphs **74** (1989) 117–124
Kierstead, H.A., A polynomial time approximation algorithm for Dynamic Storage Allocation **88** (1991) 231–237
Kierstead, H.A. and W.T. Trotter, Colorful induced subgraphs **101** (1992) 165–169
Kierstead, H.A. and J. Qin, Coloring interval graphs with First-Fit **144** (1-3) (1995) 47–57
Kierstead, H.A. and V. Rodl, Applications of hypergraph coloring to coloring graphs not inducing certain trees **150** (1-3) (1996) 187–193
Kierstead, H.A. and J. Quintana, Square Hamiltonian cycles in graphs with maximal 4-cliques **178** (1-3) (1998) 81–92
Kikumasa, I., *see* Y. Kashiwagi **196** (1-3) (1999) 277–280
Kilakos, K. and F.B. Shepherd, Face extensions in planar cubic graphs **181** (1-3) (1998) 179–191
Kim, D., The number of convex polyominos with given perimeter **70** (1988) 47–51
Kim, D., *see* M.D. Haiman **99** (1992) 115–122

Kim, J.H., On 3-colorings of $E(K_n)$ (*Note*) **118** (1993) 269–273
Kim, J.K. and S.G. Hahn, A new upper bound for binary codes with minimum distance four **187** (1-3) (1998) 291–295
Kim, P., *see* L. Pachter **190** (1-3) (1998) 287–294
Kim, S.-G., *see* J.H. Kwak **156** (1-3) (1996) 141–170
Kimberling, C., *see* A.S. Fraenkel **126** (1994) 137–149
Kimelfeld, B.N., *see* A.K. Kelmans **44** (1983) 113–116
Kimura, H., Classification of Hadamard matrices of order 28 with Hall sets **128** (1-3) (1994) 257–268
Kimura, H., Classification of Hadamard matrices of order 28 **133** (1-3) (1994) 171–180
Kinch, L., *see* R.J. Faudree **91** (1991) 45–59
Kinch, L. and J. Lehel, The irregularity strength of tP_3 (*Note*) **94** (1991) 75–79
Kinch, L.F., *see* A. Gyárfás **69** (1988) 35–41
Kinch, L.F., *see* J.F. Fink **86** (1990) 47–57
Kinckerbocker, C.J., P. Frazer Lock and M. Sheard, On the structure of graphs uniquely hamiltonian-connected from a vertex **88** (1991) 33–48
King, T. and G.L. Nemhauser, Some inequalities on the chromatic number of a graph **10** (1974) 117–121
Kingan, S.R., Binary matroids without prisms, prism duals, and cubes **152** (1-3) (1996) 211–224
Kingan, S.R. and J.G. Oxley, On the matroids in which all hyperplanes are binary **160** (1-3) (1996) 265–271
Kingan, S.R., A generalization of a graph result of D.W. Hall **173** (1-3) (1997) 129–135
Kingan, S.R., Intersections of circuits and cocircuits in binary matroids **195** (1-3) (1999) 157–165
Király, Z., *see* A. Gyárfás **177** (1-3) (1997) 99–122
Király, Z., *see* B. Guiduli **182** (1-3) (1998) 139–151
Kirby, M.J.L., H.R. Love and K. Swarup, Extreme point programming with nonlinear constraints **5** (1973) 345–365
Kirchherr, W.W., NEPS operations on cordial graphs **115** (1993) 201–209
Kirillov, A.N., *see* S. Fomin **153** (1-3) (1996) 123–143
Kirkpatrick, D.G., *see* P. Hell **49** (1984) 45–59
Kirkpatrick, D.G., *see* K. Heinrich **85** (1990) 313–317
Kirousis, L.M. and C.H. Papadimitriou, Interval graphs and searching **55** (1985) 181–184
Kirschenhofer, P. and H. Prodinger, A short proof for a partition identity of Hwang and Wei (*Note*) **52** (1984) 305–306
Kiss, E.W., *see* J.D. Berman **112** (1993) 1–20
Kiss, G., *see* J.W.P. Hirschfeld **155** (1-3) (1996) 107–119
Kitagawa, F. and H. Ikeda, An existential problem of a weight-controlled subset and its application to school timetable construction **72** (1988) 195–211
Kjeldsen, K., *see* E. Andresen **14** (1976) 103–119
Klabjan, D. and B. Mohar, The number of matchings of low order in hexagonal systems **186** (1-3) (1998) 167–175
Klain, D.A., Kinematic formulas for finite vector spaces **179** (1-3) (1998) 121–132
Klarner, D. and J. Pollack, Domino tilings of rectangles with fixed width **32** (1980) 45–52
Klarner, D., The number of tiered posets modulo six **62** (1986) 295–297
Klarner, D.A. and R.L. Rivest, Asymptotic bounds for the number of convex n-ominoes **8** (1974) 31–40
Klarner, D.A. and K. Post, Some fascinating integer sequences **106/107** (1992) 303–309
Klavžar, S. and M. Petkovšek, Intersection graphs of halflines and halfplanes **66** (1987) 133–137
Klavžar, S., *see* W. Imrich **109** (1992) 147–154
Klavžar, S., Two remarks on retracts of graph products **109** (1992) 155–160
Klavžar, S. and U. Milutinović, Strong products of Kneser graphs **133** (1-3) (1994) 297–300
Klavžar, S., *see* N. Čižek **134** (1-3) (1994) 17–24
Klavžar, S., Absolute retracts of split graphs **134** (1-3) (1994) 75–84
Klavžar, S. and B. Mohar, The chromatic numbers of graph bundles over cycles **138** (1-3) (1995) 301–314
Klavžar, S., Coloring graph products — A survey **155** (1-3) (1996) 135–145
Klavžar, S. and B. Zmazek, On a Vizing-like conjecture for direct product graphs **156** (1-3) (1996) 243–246
Klavžar, S., *see* J. Hagauer **161** (1-3) (1996) 143–149
Klavžar, S., On the fractional chromatic number and the lexicographic product of graphs **185** (1-3) (1998) 259–263

Klavžar, S., H.M. Mulder and R. Škrekovski, An Euler-type formula for median graphs **187** (1-3) (1998) 255–258
Klavžar, S., *see* V. Chepoi **192** (1-3) (1998) 27–39
Klawe, M., *see* J.W. Grossman **28** (1979) 247–254
Klazar, M., *see* R. Adamec **108** (1992) 219–229
Klazar, M., Extremal functions for sequences **150** (1-3) (1996) 195–203
Klazar, M., On well quasiordering of finite languages **163** (1-3) (1997) 81–88
Klazar, M., Combinatorial aspects of Davenport–Schinzel sequences **165-166** (1-3) (1997) 421–435
Klazar, M., On numbers of Davenport–Schinzel sequences **185** (1-3) (1998) 77–87
Klazar, M., Extremal problems for colored trees and Davenport–Schinzel sequences **197-198** (1-3) (1999) 469–482
Klee, V., *see* E. Engelhardt **78** (1989) 257–266
Klee, V., *see* P. Gritzmann **136** (1-3) (1994) 129–174
Klee, V.L., *see* D.H. Doehlert **2** (1972) 309–334
Klein, C.S. and S. Minsker, The super towers of Hanoi problem: large rings on small rings **114** (1993) 283–295
Klein, R., On the colorability of m-composed graphs **133** (1-3) (1994) 181–190
Klein, S.T., *see* Z. Agur **70** (1988) 295–302
Kleinschmidt, A., *see* T. Bier **176** (1-3) (1997) 29–42
Kleinschmidt, P., A Steinitz-type theorem for the projective plane **32** (1980) 53–57
Kleinschmidt, P. and C.W. Lee, On k-stacked polytopes (*Note*) **48** (1984) 125–127
Kleinschmidt, P. and S. Onn, On the diameter of convex polytopes (*Communication*) **102** (1992) 75–77
Kleitman, D., M. Edelberg and D. Lubell, Maximal sized antichains in partial orders **1** (1971) 47–53
Kleitman, D., *see* S. Fisk **32** (1980) 19–25
Kleitman, D.J., *see* O.J. Heilmann **1** (1971) 19–27
Kleitman, D.J. and B.L. Rothschild, Generalization of Kaplansky's game **2** (1972) 173–178
Kleitman, D.J. and D.L. Wang, Algorithms for constructing graphs and digraphs with given valences and factors **6** (1973) 79–88
Kleitman, D.J. and E.C. Milner, On the average size of the sets in a Sperner family **6** (1973) 141–147
Kleitman, D.J. and J. Spencer, Families of k-independent sets **6** (1973) 255–262
Kleitman, D.J., *see* P. Erdös **8** (1974) 281–294
Kleitman, D.J., *see* E. Bird **11** (1975) 191–198
Kleitman, D.J., More on complementary trees **15** (1976) 373–378
Kleitman, D.J., *see* J.R. Griggs **17** (1977) 281–289
Kleitman, D.J., *see* D.B. West **27** (1979) 99–102
Kleitman, D.J. and J.B. Shearer, Further gossip problems **30** (1980) 151–156
Kleitman, D.J., *see* J. Kahn **33** (1981) 323–325
Kleitman, D.J. and K.J. Winston, On the number of graphs without 4-cycles **41** (1982) 167–172
Kleitman, D.J., On a problem of Yuzvinsky on separating the n-cube **60** (1986) 207–213
Kleitman, D.J., *see* J. Sha **63** (1987) 271–278
Kleitman, D.J. and M. Fellows, Radius and diameter in Manhattan lattices **73** (1988/89) 119–125
Kleitman, D.J., *see* Z. Füredi **83** (1990) 129–134
Kleitman, D.J., *see* M. Aigner **88** (1991) 113–119
Kleitman, D.J., *see* N. Alon **103** (1992) 111–119
Kleitman, D.J., *see* A. Felzenbaum **117** (1993) 107–112
Kleitman, D.J., *see* W. Goddard **125** (1994) 177–182
Kleitman, D.J., *see* J.R. Griggs **127** (1-3) (1994) 209–212
Klemm, M. and B. Wagner, A matrix of combinatorial numbers related to the symmetric groups **28** (1979) 173–177
Klin, M., *see* M. Muzychuk **189** (1-3) (1998) 191–207
Klin, M., *see* A. Betten **197-198** (1-3) (1999) 83–109
Kloks, T., An infinite sequence of $\Gamma\Delta$-regular graphs **73** (1988/89) 127–132
Kløve, T., *see* T. Helleseth **18** (1977) 179–211
Kløve, T., The modular n-queen problem (*Note*) **19** (1977) 289–291
Kløve, T., The weight distribution for a class of irreducible cyclic codes (*Note*) **20** (1977) 87–90

Kløve, T., The weight distribution of linear codes over GF(q^l) having generator matrix over GF(q) **23** (1978) 159–168
Kløve, T., The modular n-queen problem II **36** (1981) 33–48
Kløve, T., *see* W. Chen **98** (1991) 9–21
Kløve, T., Support weight distribution of linear codes **106/107** (1992) 311–316
Kløve, T., *see* W. Chen **148** (1-3) (1996) 15–35
Kløve, T., *see* W. Chen **175** (1-3) (1997) 69–77
Kløve, T., On codes satisfying the double chain condition **175** (1-3) (1997) 173–195
Klugerman, M., A. Russell and R. Sundaram, On embedding complete graphs into hypercubes **186** (1-3) (1998) 289–293
Knapp, W., On the distance distribution of homogeneous codes **28** (1979) 59–63
Knauer, U., *see* M. Böttcher **109** (1992) 45–57
Knessl, C., Asymptotic behavior of high-order differences of the plane partition function **126** (1994) 179–193
Knickerbocker, C.J., P.F. Lock and M. Sheard, The minimum size of graphs hamiltonian-connected from a vertex (*Note*) **76** (1989) 277–278
Knickerbocker, C.J., *see* G.R.T. Hendry **187** (1-3) (1998) 281–290
Knill, E., A. Ehrenfeucht and D. Haussler, The size of k-pseudotrees **141** (1-3) (1995) 185–194
Knisley, D.J., *see* R.J. Faudree **118** (1993) 57–68
Knoblauch, T., Using triangles to partition a disk (*Note*) **84** (1990) 209–211
Knödel, W., New gossips and telephones (*Note*) **13** (1975) 95
Knopfmacher, A. and J. Knopfmacher, Counting irreducible factors of polynomials over a finite field **112** (1993) 103–118
Knopfmacher, A., On the degrees of irreducible factors of polynomials over a finite field **196** (1-3) (1999) 197–206
Knopfmacher, J., *see* A. Knopfmacher **112** (1993) 103–118
Knuth, D.E., *see* R.L. Graham **2** (1972) 17–29
Knuth, D.E., Permutations with nonnegative partial sums **5** (1973) 367–371
Knuth, D.E., Random matroids **12** (1975) 341–358
Knuth, D.E., *see* P. Flajolet **75** (1989) 167–215
Ko, C.W. and F. Ruskey, Solution of some multi-dimensional lattice path parity difference recurrence relations **71** (1988) 47–56
Ko, C.-W., J. Lee and E. Steingrímsson, The volume of relaxed Boolean-quadric and cut polytopes **163** (1-3) (1997) 293–298
Ko, H.-P. and D.K. Ray-Chaudhuri, Intersection theorems for group divisible difference sets **39** (1982) 37–58
Ko, T.-M., *see* S. Dolinar **106/107** (1992) 189–198
Kobayashi, M., *see* K. Heinrich **92** (1991) 107–125
Kocay, W., *see* B.L. Hartnell **92** (1991) 95–105
Kocay, W. and G.H.J. van Rees, Some non-isomorphic $(4t+4, 8t+6, 4t+3, 2t+2, 2t+1)$-BIBD's **92** (1991) 159–172
Kocay, W., An extension of the multi-path algorithm for finding hamilton cycles **101** (1992) 171–188
Kocay, W.L. and Z.M. Lui, More non-reconstructible hypergraphs **72** (1988) 213–224
Kocay, W.L., D.R. Stinson and S.A. Vanstone, On strong starters in cyclic groups **85** (1985) 45–60
Koch, H., On self-dual doubly-even extremal codes **83** (1990) 291–300
Kochol, M., Construction of crossing-critical graphs (*Note*) **66** (1987) 311–313
Kochol, M., The notion and basic properties of M-transversals (*Note*) **104** (1992) 191–196
Kochol, M., Compatible systems of representatives **132** (1-3) (1994) 115–126
Kochol, M., A cyclically 6-edge-connected snark of order 118 **161** (1-3) (1996) 297–300
Koerlin, M., *see* G.J. Chang **199** (1-3) (1999) 11–25
Koester, G., On 4-critical planar graphs with high edge density (*Note*) **98** (1991) 147–151
Kogan, N. and A. Berman, Characterization of completely positive graphs **114** (1993) 297–304
Koh, K.M., *see* C.C. Chen **5** (1973) 207–213
Koh, K.M., T. Tan and D.G. Rogers, Two theorems on graceful trees **25** (1979) 141–148
Koh, K.M., D.G. Rogers and T. Tan, Products of graceful trees **31** (1980) 279–292
Koh, K.M., *see* C.C. Chen **49** (1984) 21–26
Koh, K.M. and K.S. Poh, On the uniformity of the closed-set lattice of a tree **61** (1986) 61–70

Koh, K.M. and K.S. Poh, Products of graphs with their closed-set lattices **69** (1988) 241–251
Koh, K.M. and K.S. Poh, Constructions of sensitive graphs which are not strongly sensitive **72** (1988) 225–236
Koh, K.M. and B.H. Goh, Two classes of chromatically unique graphs **82** (1990) 13–24
Koh, K.M. and C.P. Teo, The chromatic uniqueness of certain broken wheels (*Note*) **96** (1991) 65–69
Koh, K.M., *see* C.C. Chen **111** (1993) 113–123
Koh, K.M. and K.L. Teo, Chromatic classes of 2-connected $(n, n+3)$-graphs with at least two triangles **127** (1-3) (1994) 243–258
Koh, K.M., *see* C.P. Teo **128** (1-3) (1994) 327–335
Koh, K.M. and B.P. Tan, Kings in multipartite tournaments **147** (1-3) (1995) 171–183
Koh, K.M. and B.P. Tan, The diameter of an orientation of a complete multipartite graph **149** (1-3) (1996) 131–139
Koh, K.M. and K.S. Poh, On the lower length of the closed-set lattice of a tree **151** (1-3) (1996) 121–130
Koh, K.M. and B.P. Tan, Number of 4-kings in bipartite tournaments with no 3-kings **154** (1-3) (1996) 281–287
Koh, K.M. and C.P. Teo, Chromaticity of series–parallel graphs **154** (1-3) (1996) 289–295
Koh, K.M. and B.P. Tan, The number of kings in a multipartite tournament **167-168** (1-3) (1997) 411–418
Koh, K.M., *see* F.M. Dong **169** (1-3) (1997) 39–54
Koh, K.M., *see* C.C. Chen **172** (1-3) (1997) 1
Koh, K.M. and K.L. Teo, The search for chromatically unique graphs — II **172** (1-3) (1997) 59–78
Koh, K.M. and B.P. Tan, The diameter of an orientation of a complete multipartite graph [Discrete Math. 149 (1996) 131–139] (*Addendum*) **173** (1-3) (1997) 297–298
Koh, K.M., *see* F.M. Dong **176** (1-3) (1997) 97–113
Koh, K.M. and E.G. Tay, On optimal orientations of cartesian products of graphs (I) **190** (1-3) (1998) 115–136
Kohayakawa, Y. and J. Wojciechowski, On small graphs with highly imperfect powers **104** (1992) 245–261
Kohayakawa, Y., *see* P. Erdős **177** (1-3) (1997) 267–271
Köhler, E., Allgemeine Schnittzahlen in t-designs **73** (1988/89) 133–142
Koike, K., On a conjecture of Stanley on Jack symmetric functions **115** (1993) 211–216
Kojman, M., *see* M. Goldstern **149** (1-3) (1996) 69–82
Kolb, E., Hjelmslev planes over nearrings **155** (1-3) (1996) 147–155
Kolberg, H., *see* A. Kemnitz **191** (1-3) (1998) 113–123
Kolen, A.W.J., *see* J.I. Hall **17** (1977) 71–83
Kolesnik, G., *see* P. Erdős **200** (1-3) (1999) 101–117
Kolesova, G., *see* C.W.H. Lam **92** (1991) 187–195
Kolev, E. and R. Hill, An improved lower bound on the covering number $K_2(9,1)$ **197-198** (1-3) (1999) 483–489
Kolitsch, L.W., A simple proof of some congruences for colored generalized Frobenius partitions **81** (1990) 259–261
Kołodziejczyk, K., *see* R. Ding **68** (1988) 171–177
Kołodziejczyk, K., Borsuk covering and planar sets with unique completion **122** (1993) 235–244
Kołodziejczyk, K., The boundary characteristic and the volume of lattice polyhedra **190** (1-3) (1998) 137–148
Kolossa, K., On the on-line chromatic number of the family of on-line 3-chromatic graphs **150** (1-3) (1996) 205–230
Kolountzakis, M.N., An effective additive basis for the integers **145** (1-3) (1995) 307–313
Komar, J., *see* A. Idzik **66** (1987) 119–125
Komar, J., *see* S. Bylka **164** (1-3) (1997) 33–45
Komjáth, P., *see* P. Erdös **59** (1986) 21–34
Komjáth, P. and J. Pach, Universal elements and the complexity of certain classes of infinite graphs **95** (1991) 255–270
Komjáth, P., Some remarks on universal graphs **199** (1-3) (1999) 259–265
Komlós, J. and E. Szemerédi, Limit distribution for the existence of Hamiltonian cycles in a random graph **43** (1983) 55–63
Komlós, J. and W.O.J. Moser, Almost all trees have tribe number 2 or 3 **143** (1-3) (1995) 281–285
Komlós, J., *see* R. Csákány **199** (1-3) (1999) 193–199
Kommel, H.J., *see* F. Harary **26** (1979) 235–241
Konheim, A.G. and D.J. Newman, A note on growing binary trees **4** (1973) 57–63
Konieczna, U., Asymptotic normality of subcubes in random subgraphs of the n-cube **121** (1993) 117–122
König, J.-C. and D. Sotteau, Symmetric routings of the hypercube **121** (1993) 123–134

Koolen, J., V. Moulton and U. Tönges, The coherency index **192** (1-3) (1998) 205–222
Koolen, J.H., *see* J.M. van den Akker **81** (1990) 103–109
Koolen, J.H., *see* A.E. Brouwer **120** (1993) 241–247
Koppelberg, S., *see* I. Düntsch **53** (1985) 63–78
Korach, E. and Z. Ostfeld, Recognition of DFS trees: sequential and parallel algorithms with refined verifications **114** (1993) 305–327
Korchmáros, G., *see* A. Bonisoli **161** (1-3) (1996) 13–24
Kordecki, W., Random subgraphs of the n-cycle and the n-wheel **93** (1991) 35
Kordecki, W. and T. Łuczak, On the connectivity of random subsets of projective spaces **196** (1-3) (1999) 207–217
Korec, I., Improvement of Mycielski's inequality for non-natural disjoint covering systems of Z **64** (1987) 27–38
Koren, M., Graphs with degrees from prescribed intervals **15** (1976) 253–261
Korfhage, R.R., A note on quadratic σ-polynomials (*Note*) **69** (1988) 195–196
Korman, V., *see* R. Aharoni **131** (1-3) (1994) 1–7
Körner, J. and V.K. Wei, Odd and even Hamming spheres also have minimum boundary **51** (1984) 147–165
Körner, J. and V.K. Wei, Addendum to "Odd and even Hamming spheres also have minimum boundary" (*Note*) **62** (1986) 105–106
Körner, J., Intersection number and capacities of graphs **142** (1-3) (1995) 169–184
Korte, B., *see* D. Hausmann **24** (1978) 261–276
Korte, B. and L. Lovász, Non-interval greedoids und the transposition property **59** (1986) 297–314
Korte, B. and L. Lovász, The intersection of matroids and antimatroids **73** (1988) 143–157
Korzhik, V., *see* F. Harary **122** (1993) 197–204
Korzhik, V.P., A nonorientable triangular embedding of $K_n - K_2$, $n \equiv 8 (\mathrm{mod}\ 12)$ **141** (1-3) (1995) 195–211
Korzhik, V.P., A tighter bounding interval for the 1-chromatic number of a surface **169** (1-3) (1997) 95–120
Korzhik, V.P., A possibly infinite series of surfaces with known 1-chromatic number **173** (1-3) (1997) 137–149
Korzhik, V.P., Nonadditivity of the 1-genus of a graph **184** (1-3) (1998) 253–258
Korzhik, V.P., Triangular embeddings of $K_n - K_m$ with unboundedly large m **190** (1-3) (1998) 149–162
Koschnick, K.U., *see* R. Ahlswede **47** (1983) 137–152
Koseleff, P.-V., Relations among Lie-series transformations and isomorphisms between free Lie algebras **180** (1-3) (1998) 243–254
Koskas, M., Complexités de suites de Toeplitz **183** (1-3) (1998) 161–183
Kostochka, A., *see* M. Axenovich **138** (1-3) (1995) 57–62
Kostochka, A. and J. Kratochvíl, Covering and coloring polygon–circle graphs **163** (1-3) (1997) 299–305
Kostochka, A.V. and L.S. Mel'nikov, Note to the paper of Grünbaum on acyclic colorings (*Note*) **14** (1976) 403–406
Kostochka, A.V., The total coloring of a multigraph with maximal degree 4 **17** (1977) 161–163
Kostochka, A.V., List edge chromatic number of graphs with large girth **101** (1992) 189–201
Kostochka, A.V., *see* D.G. Fon-Der-Flaass **120** (1993) 269–275
Kostochka, A.V., The total chromatic number of any multigraph with maximum degree five is at most seven **162** (1-3) (1996) 199–214
Kostochka, A.V., M. Stiebitz and B. Wirth, The colour theorems of Brooks and Gallai extended **162** (1-3) (1996) 299–303
Kostochka, A.V., *see* E. Győri **163** (1-3) (1997) 279–284
Kostochka, A.V., *see* T. Böhme **170** (1-3) (1997) 219–222
Kostochka, A.V., *see* O.V. Borodin **188** (1-3) (1998) 73–85
Kostochka, A.V., *see* N.I. Glebov **188** (1-3) (1998) 261–266
Kostochka, A.V., *see* O.V. Borodin **191** (1-3) (1998) 45–49
Kostochka, A.V. and M. Stiebitz, Colour-critical graphs with few edges **191** (1-3) (1998) 125–137
Kotani, K., k-Regular factors and semi-k-regular factors in graphs **186** (1-3) (1998) 177–193
Kotzig, A., Decompositions of complete graphs into regular bichromatic factors **2** (1972) 383–387
Kotzig, A., Decompositions of complete graphs into regular bichromatic factors **4** (1973) 65–69
Kotzig, A., Transformations of edge-colourings of cubic graphs **11** (1975) 391–399
Kotzig, A., On the maximal order of cyclicity of antisymmetric directed graphs **12** (1975) 17–25

Kotzig, A. and J. Turgeon, On certain constructions for latin squares with no latin subsquares of order two **16** (1976) 263–270
Kotzig, A. and J. Turgeon, Regular perfect systems of difference sets **20** (1977) 249–254
Kotzig, A., *see* C. Huang **27** (1979) 261–277
Kotzig, A., *see* J. Abrham **37** (1981) 143–146
Kotzig, A., *see* J. Abrham **52** (1984) 287–291
Kotzig, A., *see* A. Berman **69** (1988) 107–114
Kotzig, A., *see* J. Abrham **135** (1-3) (1994) 1–14
Kotzig, A., *see* J. Abrham **150** (1-3) (1996) 3–15
Koubek, V. and J. Rajlich, Combinatorics of separation by binary matrices (*Note*) **57** (1985) 203–208
Kouider, M., *see* F. Jaeger **46** (1983) 93–94
Kouider, M. and D. Sotteau, On the existence of a matching orthogonal to a 2-factorization (*Communication*) **73** (1989) 301–304
Koukouvinos, C. and S. Kounias, Hadamard matrices of the Williamson type of order $4 \cdot m$, $m = p \cdot q$ an exhaustive search for $m = 33$ **68** (1988) 45–57
Koukouvinos, C. and S. Kounias, Construction of some Hadamard matrices with maximum excess **85** (1990) 295–300
Koukouvinos, C., S. Kounias and J. Seberry, Supplementary difference sets and optimal designs **88** (1991) 49–58
Koukouvinos, C. and J. Seberry, Hadamard matrices of order $\equiv 8 (\mathrm{mod}\, 16)$ with maximal excess **92** (1991) 173–176
Koukouvinos, C., *see* S. Kounias **92** (1991) 177–185
Kounias, S. and Ch. Damianou, On an inequality in probability (*Note*) **22** (1978) 85–89
Kounias, S., M. Lefkopoulou and C. Bagiatis, G-optimal N-observation first order 2^k designs **46** (1983) 21–31
Kounias, S., *see* Th. Chadjipantelis **57** (1985) 211–216
Kounias, S., *see* N. Farmakis **67** (1987) 165–176
Kounias, S., *see* C. Koukouvinos **68** (1988) 45–57
Kounias, S. and N. Farmakis, On the excess of Hadamard matrices **68** (1988) 59–69
Kounias, S., *see* C. Koukouvinos **85** (1990) 295–300
Kounias, S., *see* C. Koukouvinos **88** (1991) 49–58
Kounias, S., C. Koukouvinos and K. Sotirakoglou, On Golay sequences **92** (1991) 177–185
Kountanis, D., *see* B.P. Mull **143** (1-3) (1995) 209–220
Koutas, P.J. and T.C. Hu, Shortest string containing all permutations **11** (1975) 125–132
Koutras, M., Non-central Stirling numbers and some applications **42** (1982) 73–89
Koutras, M., *see* Ch.A. Charalambides **47** (1983) 183–201
Kovács, P., The minimal trivalent graphs with given smallest odd cycle **54** (1985) 295–299
Kramer, E.S., Indecomposable triple systems **8** (1974) 173–180
Kramer, E.S. and D.M. Mesner, On Steiner tableaus **10** (1974) 123–131
Kramer, E.S. and D.M. Mesner, t-designs on hypergraphs **15** (1976) 263–296
Kramer, E.S., A generalized room square GRS(4, 24) of dimension 9 (*Note*) **20** (1977) 91–92
Kramer, E.S., S.S. Magliveras and D.M. Mesner, t-designs from the large Mathieu groups **36** (1981) 171–189
Kramer, E.S., *see* H. Hanani **45** (1983) 75–97
Kramer, E.S., *see* L.G. Chouinard II **46** (1983) 227–240
Kramer, E.S., S.S. Magliveras and R. Mathon, The Steiner systems $S(2, 4, 25)$ with nontrivial automorphism group **77** (1989) 137–157
Kramer, E.S., An $S_3(3, 5, 21)$ using graphs (*Note*) **81** (1990) 223–224
Kramer, E.S., Q.-R. Wu, S.S. Magliveras and T. van Trung, Some perpendicular arrays for arbitrarily large t **96** (1991) 101–110
Krasikov, I. and J. Schönheim, The reconstruction of a tree from its number desk **53** (1985) 137–145
Krasikov, I., On a tree-cutting problem of P. Ash **93** (1991) 55–61
Krasikov, I., *see* N. Alon **114** (1993) 3–7
Krasikov, I. and J. Schonheim, On near subgroups **124** (1994) 133–136
Krasikov, I., *see* Y. Caro **125** (1994) 101–106
Krasikov, I., Degree conditions for vertex switching reconstruction **160** (1-3) (1996) 273–278
Kratochvíl, J., *see* S. Janson **108** (1992) 307–326

Kratochvíl, J., Regular codes in regular graphs are difficult **133** (1-3) (1994) 191–205
Kratochvíl, J., *see* A. Kostochka **163** (1-3) (1997) 299–305
Kratochvíl, J. and A. Kuběna, On intersection representations of co-planar graphs **178** (1-3) (1998) 251–255
Kratochvíl, J., Zs. Tuza and M. Voigt, Complexity of choosing subsets from color sets **191** (1-3) (1998) 139–148
Kratsch, D., Finding dominating cliques efficiently, in strongly chordal graphs and undirected path graphs **86** (1990) 225–238
Kratsch, D., P. Damaschke and A. Lubiw, Dominating cliques in chordal graphs **128** (1-3) (1994) 269–275
Kratsch, D., J. Lehel and H. Müller, Toughness, hamiltonicity and split graphs **150** (1-3) (1996) 231–245
Kratsch, D. and J.-X. Rampon, Width two posets are reconstructible **162** (1-3) (1996) 305–310
Kratsch, D., *see* J.S. Deogun **170** (1-3) (1997) 99–106
Kratsch, D. and J.-X. Rampon, Tree-visibility orders **190** (1-3) (1998) 163–175
Krattenthaler, C. and S.G. Mohanty, q-Generalization of a ballot problem **126** (1994) 195–208
Krattenthaler, C. and S.G. Mohanty, Counting tableaux with row and column bounds **139** (1-3) (1995) 273–285
Krattenthaler, C. and R.A. Sulanke, Counting pairs of nonintersecting lattice paths with respect to weighted turns **153** (1-3) (1996) 189–198
Krattenthaler, C., *see* M. Fulmek **161** (1-3) (1996) 101–120
Kratzke, T.M. and D.B. West, The total interval number of a graph, I: Fundamental classes **118** (1993) 145–156
Kreher, D.L., *see* L.G. Chouinard II **46** (1983) 227–240
Kreher, D.L., *see* D. de Caen **91** (1991) 65–77
Kreher, D.L., G.F. Royle and W.D. Wallis, A family of resolvable regular graph designs **156** (1-3) (1996) 269–275
Kreinin, A. and A. Vainshtein, Asymptotics for Morgan numbers of fractional orders **161** (1-3) (1996) 301–308
Kreweras, G., Sur les partitions non croisees d'un cycle **1** (1972) 333–350
Kreweras, G., Sur les extensions lineaires d'une famille particuliere d'ordres partiels **27** (1979) 279–295
Kreweras, G., Denombrement des ordres etages **53** (1985) 147–149
Kreweras, G. and P. Moszkowski, Signatures des permutations et des mots extraits **68** (1988) 71–76
Kreweras, G. and P. Moszkowski, Tree codes that preserve increases and degree sequences **87** (1991) 291–296
Kriegl, A., A characterization of reduced incidence algebras **34** (1981) 141–144
Krishnamoorthy, V. and K.R. Parthasarathy, On the reconstruction of separable graphs from elementary contractions **38** (1982) 197–205
Krivelevich, M., On a conjecture of Tuza about packing and covering of triangles **142** (1-3) (1995) 281–286
Krivelevich, M., Almost perfect matchings in random uniform hypergraphs **170** (1-3) (1997) 259–263
Krivelevich, M., A lower bound for irredundant Ramsey numbers **183** (1-3) (1998) 185–192
Kříž, I. and R. Thomas, Analyzing Nash-Williams' partition theorem by means of ordinal types **95** (1991) 135–167
Krob, D., *see* F. Bergeron **139** (1-3) (1995) 463–468
Krogdahl, S., The dependence graph for bases in matroids **19** (1977) 47–59
Krogdahl, S., *see* I. Beck **94** (1991) 141–145
Kröger, H., Distributive lattices as a generalization of Brouwerian lattices (*Note*) **20** (1977) 297–299
Krol, H.J. and H.J. Veldman, On maximum critically h-connected graphs **52** (1984) 225–234
Krompart, L.B., *see* K.L. Collins **169** (1-3) (1997) 29–38
Kronk, H.V. and J. Mitchem, A seven-color theorem on the sphere **5** (1973) 253–260
Krumme, D.W., Reordered gossip schemes **156** (1-3) (1996) 113–140
Kříž, I. and R. Thomas, Clique-sums, tree-decompositions and compactness **81** (1990) 177–185
Kříž, I., All trapezoids are Ramsey **108** (1992) 59–62
Kuba, A., *see* R. Aharoni **171** (1-3) (1997) 1–16
Kubale, M., Interval vertex-coloring of a graph with forbidden colors **74** (1989) 125–136
Kubale, M., Interval edge coloring of a graph with forbidden colors **121** (1993) 135–143
Kubale, M. and K. Piwakowski, A linear time algorithm for edge coloring of binomial trees **150** (1-3) (1996) 247–256
Kubale, M., J. Pakulski and K. Piwakowski, The smallest hard-to-color graph for the SL algorithm **164** (1-3) (1997) 197–212
Kuběna, A., *see* J. Kratochvíl **178** (1-3) (1998) 251–255
Kubiak, W., *see* M. Dror **195** (1-3) (1999) 103–109
Kubo, T. and R. Vakil, On Conway's recursive sequence **152** (1-3) (1996) 225–252

Kühnel, W. and G. Lassmann, Permuted difference cycles and triangulated sphere bundles **162** (1-3) (1996) 215–227
Kulkarni, D.M., *see* S.S. Abhyankar **79** (1989/90) 1–48
Kulkarni, D.M., *see* S.S. Abhyankar **85** (1990) 115–166
Kulkarni, D.M., Counting of paths and coefficients of the Hilbert polynomial of a determinantal ideal **154** (1-3) (1996) 141–151
Kumar, P.V., *see* T. Helleseth **145** (1-3) (1995) 133–143
Kumar, P.V., *see* T. Helleseth **152** (1-3) (1996) 185–190
Kumari, M., Complexity analysis of binary nonlinear feedforward sequences through minimum polynomials of compound matrices **56** (1985) 203–215
Kundu, S. and E.L. Lawler, A matroid generalization of a theorem of Mendelsohn and Dulmage **4** (1973) 159–163
Kundu, S., The k-factor conjecture is true **6** (1973) 367–376
Kundu, S., A factorization theorem for a certain class of graphs **8** (1974) 41–47
Kundu, S., Generalizations of the k-factor theorem **9** (1974) 173–179
Kung, J.P.S., The core extraction axiom for combinatorial geometries **19** (1977) 167–175
Kung, J.P.S., *see* O. D'Antona **32** (1980) 95–98
Kung, J.P.S., Jacobi's identity and the König–Egerváry theorem **49** (1984) 75–77
Kuo, D., G.J. Chang and Y.H.H. Kwong, Cordial labeling of mK_n **169** (1-3) (1997) 121–131
Kupitz, Y.S., On the existence of a combinatorial Schlegel diagram of a simplicial unstacked 3-polytope with a prescribed set of vertices **120** (1993) 121–134
Kupitz, Y.S., On convex segments in a triangulation (*Note*) **120** (1993) 277–285
Kuplinsky, J., *see* P. Hansen **96** (1991) 199–212
Kuplinsky, J., *see* P. Hansen **111** (1993) 305–312
Kuriki, S. and M. Jimbo, On 1-rotational $S_\lambda(2, 3, v)$ designs **46** (1983) 33–40
Kuriki, S., *see* M. Jimbo **46** (1983) 249–255
Kuriki, S., *see* M. Kuwada **61** (1986) 221–233
Kuriki, S., *see* R. Fuji-Hara **76** (1989) 29–35
Kuriki, S., *see* R. Fuji-Hara **97** (1991) 167–176
Kuriki, S., System of equations related to the existence conditions for arrays **110** (1992) 155–164
Kuriki, S., On existence and construction of balanced arrays **116** (1993) 137–155
Kurth, W., Enumeration of platonic maps on the torus **61** (1986) 71–83
Kurtz, D.C., Asymptotic properties of triangular arrays of numbers **4** (1973) 165–169
Kurzweil, H., A combinatorial technique for simplicial complexes and some applications to finite groups **82** (1990) 263–278
Kuwada, M. and S. Kuriki, Some existence conditions for partially balanced arrays with 2 symbols **61** (1986) 221–233
Kuwada, M., Robustness of balanced fractional 2^m factorial designs derived from simple arrays **116** (1993) 183–208
Kuwada, M., Analysis of variance of balanced fractional factorial designs **116** (1993) 335–366
Kwak, J.H. and J. Lee, Enumeration of graph embeddings **135** (1-3) (1994) 129–151
Kwak, J.H., *see* S. Hong **148** (1-3) (1996) 85–105
Kwak, J.H., S.-G. Kim and J. Lee, Distributions of regular branched prime-fold coverings of surfaces **156** (1-3) (1996) 141–170
Kwak, J.H. and J. Lee, Distribution of branched $\mathbb{D}_p$-coverings of surfaces **183** (1-3) (1998) 193–212
Kwaśnik, M., The primitivity of the strong product of two directed graphs **121** (1993) 145–150
Kwaśnik, M. and A. Szelecka, Strong perfectness of the generalized Cartesian product of graphs **164** (1-3) (1997) 213–220
Kwong, Y.H.H., *see* D. Kuo **169** (1-3) (1997) 121–131
Kyriakoussis, A., A central limit theorem for numbers satisfying a class of triangular arrays **51** (1984) 41–46
Kyriakoussis, A., *see* Ch.A. Charalambides **54** (1985) 259–270
Labahn, R., *see* H.-D.O.F. Gronau **61** (1986) 321–324
Labahn, R., Information flows on hypergraphs **113** (1993) 71–97
Labahn, R. and I. Warnke, Quick gossiping by telegraphs (*Note*) **126** (1994) 421–424
Labahn, R., Kernels of minimum size gossip schemes **143** (1-3) (1995) 99–139

Labelle, G., Dérivées directionnelles et développements de Taylor combinatoires **79** (1989/90) 279–297
Labelle, G., *see* H. Décoste **99** (1992) 31–48
Labelle, G., On asymmetric structures **99** (1992) 141–164
Labelle, G., *see* Y. Chiricota **115** (1993) 77–93
Labelle, G., *see* P. Bouchard **139** (1-3) (1995) 49–56
Labelle, G. and L. Laforest, Sur la distribution de l'arité de la racine d'une arborescence hyperquaternaire á *d* dimensions **139** (1-3) (1995) 287–302
Labelle, G., *see* H. Décoste **153** (1-3) (1996) 59–67
Labelle, G. and L. Laforest, Etude de constantes universelles pour les arborescences hyperquaternaires de recherche **153** (1-3) (1996) 199–211
Labelle, G., *see* I. Constantineau **157** (1-3) (1996) 53–64
Labelle, G. and P. Leroux, Enumeration of (uni- or bicolored) plane trees according to their degree distribution **157** (1-3) (1996) 227–240
Labelle, J. and Y.N. Yeh, Combinatorial proofs of some limit formulas involving orthogonal polynomials **79** (1989/90) 77–93
Labelle, J. and Y.-N. Yeh, Generalized Dyck paths (*Invited paper*) **82** (1990) 1–6
Laborde, J.-M., Sur le cardinal maximum de la base complete d'une fonction booleenne, en fonction du nombre de conjonctions de l'une de ses formes normales (*Communication*) **32** (1980) 209–212
Laborde, J.-M. and S.P. Rao Hebbare, Another characterization of hypercubes **39** (1982) 161–166
Laborde, J.-M., Regularisation numerique d'orbites **53** (1985) 151–155
Laborde, J.-M., *see* G. Burosch **87** (1991) 85–88
Laborde, J.-M., *see* G. Burosch **110** (1992) 9–16
Laborde, J.-M., *see* G. Burosch **152** (1-3) (1996) 69–91
Laborde, J.M. and R.M. Madani, Generalized hypercubes and (0,2)-graphs **165-166** (1-3) (1997) 445–457
Lachaud, G., Distribution of the weights of the dual of the Melas code (*Communication*) **79** (1989/90) 103–106
Lachaud, G., The parameters of projective Reed–Müller codes (*Communication*) **81** (1990) 217–221
Laczkovich, M., Tilings of triangles **140** (1-3) (1995) 79–94
Laforest, L., *see* G. Labelle **139** (1-3) (1995) 287–302
Laforest, L., *see* G. Labelle **153** (1-3) (1996) 199–211
Lagarias, J.C., *see* F.K. Hwang **19** (1977) 257–264
Lagarias, J.C., *see* P.C. Fishburn **91** (1991) 149–159
Lahtonen, J., An optimal polynomial for a covering radius problem (*Note*) **105** (1992) 313–317
Lai, C., On the size of graphs with all cycle having distinct length (*Note*) **122** (1993) 363–364
Lai, H., *see* H.-J. Lai **110** (1992) 165–177
Lai, H.-J., On the Hamiltonian index **69** (1988) 43–53
Lai, H.-J., Graph whose edges are in small cycles **94** (1991) 11–22
Lai, H.-J. and H. Lai, Duality in graph families **110** (1992) 165–177
Lai, H.-J. and C.-Q. Zhang, Nowhere-zero 3-flows of highly connected graphs **110** (1992) 179–183
Lai, H.-J., *see* P.A. Catlin **141** (1-3) (1995) 37–46
Lai, H.-J. and G. Weng, Strength and fractional arboricity of complementary graphs **143** (1-3) (1995) 141–151
Lai, H.-J., Supereulerian graphs and excluded induced minors **146** (1-3) (1995) 133–143
Lai, H.-J., *see* P.A. Catlin **160** (1-3) (1996) 81–91
Lai, H.-J., Eulerian subgraphs containing given vertices and hamiltonian line graphs **178** (1-3) (1998) 93–107
Lake, J., A problem concerning infinite graphs **14** (1976) 343–345
Lakser, H., The homology of a lattice **1** (1971) 187–192
Lalanne, J.C., Polyominos parallélogrammes à franges et fonctions de Bessel **115** (1993) 217–230
Lallement, G., Cyclotomic polynomials and unions of groups **24** (1978) 19–36
Lallement, G. and D. Perrin, A graph covering construction of all the finite complete biprefix codes **36** (1981) 261–271
Lalonde, F., Le probleme d'etoiles pour graphes est NP-complet **33** (1981) 271–280
Lalonde, P., Lyndon heaps:An analogue of Lyndon words in free partially commutative monoids **145** (1-3) (1995) 171–189
Lalonde, P., A non-commutative version of Jacobi's equality on the cofactors of a matrix **158** (1-3) (1996) 161–172
Lam, C.W.H., The distribution of 1-widths of (0, 1)-matrices **20** (1977) 109–122

Lam, C.W.H., Distance transitive digraphs **29** (1980) 265–274
Lam, C.W.H., Non-skew symmetric orthogonal matrices with constant diagonals **43** (1983) 65–78
Lam, C.W.H., L. Thiel, S. Swiercz and J. McKay, The nonexistence of ovals in a projective plane of order 10 (*Communication*) **45** (1983) 319–321
Lam, C.W.H., G. Kolesova and L. Thiel, A computer search for finite projective planes of order 9 **92** (1991) 187–195
Lam, C.W.H., *see* D.A. Preece **125** (1994) 319–327
Lam, K.S., *see* C.-K. Lim **151** (1-3) (1996) 161–167
Lam, P.C.B., W.C. Shiu, W.H. Chan and Y. Lin, On the bandwidth of convex triangulation meshes **173** (1-3) (1997) 285–289
Lam, T.K., B_n Stanley symmetric functions **157** (1-3) (1996) 241–270
Lambeck, E.W., On distance regular graphs with $c_i = b_1$ (*Note*) **113** (1993) 275–276
Lamberty, U., *see* A. Beutelspacher **45** (1983) 141–152
Lamken, E., R. Rees and S. Vanstone, Class-uniformly resolvable pairwise balanced designs with block sizes two and three **92** (1991) 197–209
Lamken, E.R. and S.A. Vanstone, Existence results for $KS_3(v; 2, 4)s$ **62** (1986) 197–210
Lamken, E.R. and S.A. Vanstone, Balanced tournament designs and related topics **77** (1989) 159–176
Lamken, E.R. and S.A. Vanstone, Balanced tournament designs and resolvable $(v, 3, 2)$-BIBDs **83** (1990) 37–47
Lamken, E.R., 3-Complementary frames and doubly near resolvable $(v, 3, 2)$-BIBDs **88** (1991) 59–78
Lamken, E.R., The existence of 3 orthogonal partitioned incomplete Latin squares of type t^n **89** (1991) 231–251
Lamken, E.R., On near generalized balanced tournament designs **97** (1991) 279–294
Lamken, E.R. and S.A. Vanstone, Existence results for doubly near resolvable $(v, 3, 2)$-BIBDs **120** (1993) 135–148
Lamken, E.R., Constructions for generalized balanced tournament designs **131** (1-3) (1994) 127–151
Lamken, E.R., The existence of $KS_3(v; 2, 4)$ **186** (1-3) (1998) 195–216
Landauer, C., Lloyd's theorem for perfect codes **21** (1978) 189–200
Landgev, I. and V.D. Tonchev, Automorphisms of 2-$(22, 8, 4)$ designs **77** (1989) 177–189
Landgev, I.N., On block design with repeated blocks **106/107** (1992) 317–328
Landman, B.M. and R.N. Greenwell, Values and bounds for Ramsey numbers associated with polynomial iteration **68** (1988) 77–83
Landman, B.M., Ramsey functions related to the van der Waerden numbers **102** (1992) 265–278
Langston, M.A. and B.C. Plaut, On algorithmic applications of the immersion order **182** (1-3) (1998) 191–196
La Poutré, J.A., A theorem on associative block designs (*Note*) **58** (1986) 205–208
La Poutré, J.A., J. van Leeuwen and M.H. Overmars, Maintenance of 2- and 3-edge-connected components of graphs I **114** (1993) 329–359
Lapscher, F., Proprietes de "longueur de chaine" dans l'ensemble des fermetures superieures sur un ensemble ordonne **7** (1974) 129–140
Larose, B. and L. Zádori, Algebraic properties and dismantlability of finite posets **163** (1-3) (1997) 89–99
Larrión, F. and V. Neumann-Lara, Clique divergent graphs with unbounded sequence of diameters **197-198** (1-3) (1999) 491–501
Larson, J.A., *see* P. Erdős **95** (1991) 169–182
Lascoux, A. and M.-P. Schützenberger, Décompositions dans l'algèbre des différences divisées **99** (1992) 165–179
Lascoux, A. and P. Pragacz, Divided differences and ideals generated by symmetric polynomials **126** (1994) 209–215
Lascoux, A., Polynômes de Schubert Une approche historique **139** (1-3) (1995) 303–317
Lashkia, V., M. Miyakawa, A. Nozaki, G. Pogosyan and I.G. Rosenberg, Semirigid sets of diamond orders **156** (1-3) (1996) 277–283
Laskar, R., *see* A. Pellerin **12** (1975) 27–36
Laskar, R. and B. Auerbach, On decomposition of r-partite graphs into edge-disjoint Hamilton circuits **14** (1976) 265–268
Laskar, R., *see* J. Dunbar **22** (1978) 1–24
Laskar, R., *see* R.B. Allan **23** (1978) 73–76
Laskar, R. and B. Auerbach, On complementary graphs with no isolated vertices **24** (1978) 113–118

Laskar, R., *see* R.B. Allan **49** (1984) 7–13
Laskar, R., *see* E.J. Cockayne **72** (1988) 35–47
Laskar, R., S. Stueckle and B. Piazza, On the edge-integrity of some graphs and their complements **122** (1993) 245–253
Laskar, R.C., *see* S.T. Hedetniemi **86** (1990) 3–9
Laskar, R.C., *see* S.T. Hedetniemi **86** (1990) 257–277
Laskar, R.C., *see* J.E. Dunbar **138** (1-3) (1995) 229–246
Laskar, R.C., *see* G.S. Domke **167-168** (1-3) (1997) 249–259
Lassmann, G., On 4-isomorphisms of graphs **49** (1984) 79–81
Lassmann, G., *see* W. Kühnel **162** (1-3) (1996) 215–227
Las Vergnas, M., *see* J.C. Fournier **2** (1972) 407–410
Las Vergnas, M., *see* J.-C. Fournier **7** (1974) 99–106
Las Vergnas, M., Sur les arborescences dans un graphe oriente **15** (1976) 27–39
Las Vergnas, M., *see* R. Cordovil **26** (1979) 213–217
Las Vergnas, M., Fundamental circuits and a characterization of binary matroids (*Note*) **31** (1980) 327
Las Vergnas, M., On products of matroids **36** (1981) 49–55
Las Vergnas, M., *see* P. Duchet **46** (1983) 319–321
Las Vergnas, M., *see* J.-C. Bermond **50** (1984) 9–13
Las Vergnas, M., *see* C. Berge **50** (1984) 107–108
Las Vergnas, M., *see* P. Duchet **62** (1986) 145–154
Las Vergnas, M., *see* Y.O. Hamidoune **65** (1987) 157–171
Las Vergnas, M., *see* Y.O. Hamidoune **72** (1988) 163–166
Latha, L.P., *see* E. Sampathkumar **161** (1-3) (1996) 235–242
Latteux, M., Problemes decidables concernant les TOL-langages unaires **17** (1977) 165–172
Laue, H., A graph theoretic proof of the fundamental trace identity (*Note*) **69** (1988) 197–198
Laue, R., *see* A. Betten **197-198** (1-3) (1999) 83–109
Laue, R., *see* A. Betten **197-198** (1-3) (1999) 111–121
Laufer, P.J. and J.M. Turgeon, On a conjecture of Paul Erdös for perfect systems of difference sets **47** (1983) 255–266
Lauff, R., *see* M. Horňák **146** (1-3) (1995) 109–121
Laurent, M., *see* M. Conforti **69** (1988) 165–171
Laurent, M. and M. Deza, Bouquets of geometric lattices: Some algebraic and topological aspects **75** (1989) 279–313
Laurent, M., *see* M. Deza **106/107** (1992) 163–179
Laurent, M., *see* T. Huang **114** (1993) 237–252
Laurent, M., *see* M. Deza **119** (1993) 21–48
Laurent, M., *see* M. Deza **119** (1993) 49–66
Laurent, M., *see* C. De Simone **127** (1-3) (1994) 105–130
Laurent, M., Hilbert bases of cuts **150** (1-3) (1996) 257–279
Laurent, M., Graphic vertices of the metric polytope **151** (1-3) (1996) 131–153
Laurent, M., *see* J. Edmonds **165-166** (1-3) (1997) 209–216
Lauri, J., Proof of Harary's conjecture on the reconstruction of trees **43** (1983) 79–90
Lauri, J., Large sets of pseudosimilar vertices **155** (1-3) (1996) 157–160
Lauri, J., On a formula for the number of Euler trails for a class of digraphs **163** (1-3) (1997) 307–312
Laviolette, F., Decomposition of infinite eulerian graphs with a small number of vertices of infinite degree **130** (1-3) (1994) 83–87
Laviolette, F. and N. Polat, Spanning trees of countable graphs omitting sets of dominated ends **194** (1-3) (1999) 151–172
Lavrenchenko, S., An infinite set of torus triangulations of connectivity 5 whose graphs are not uniquely embeddable in the torus (*Communication*) **66** (1987) 299–301
Lawler, E.L., *see* S. Kundu **4** (1973) 159–163
Lawler, G.F., Expected hitting times for a random walk on a connected graph **61** (1986) 85–92
Lawrence, J., Covering the vertex set of a graph with subgraphs of smaller degree **21** (1978) 61–68
Lawrence, K.M., *see* R.A. Brualdi **147** (1-3) (1995) 57–72
Lawrence, S.L., *see* R.J. Faudree **10** (1974) 269–277

Lawrencenko, S., *see* F. Harary **122** (1993) 197–204
Lawrencenko, S., S. Negami and A.T. White, Three nonisomorphic triangulations of an orientable surface with the same complete graph **135** (1-3) (1994) 367–369
Lawrencenko, S., *see* B. Chen **188** (1-3) (1998) 233–238
Lawson, C.L., Transforming triangulations **3** (1972) 365–372
Lawson, J.D., M. Mislove and H. Priestley, Ordered sets with no infinite antichains **63** (1987) 225–230
Laywine, C., A counter-example to a conjecture relating complete sets of frequency squares and affine geometries **122** (1993) 255–262
Lazarte, L., *see* M.R. Emamy-K **78** (1989) 239–256
Lazebnik, F., Some corollaries of a theorem of Whitney on the chromatic polynomial **87** (1991) 53–64
Lazebnik, F., *see* G. Ebert **93** (1991) 131–142
Lazebnik, F., V.A. Ustimenko and A.J. Woldar, A characterization of the components of the graphs $D(k,q)$ **157** (1-3) (1996) 271–283
Lazebnik, F., V.A. Ustimenko and A.J. Woldar, Polarities and $2k$-cycle-free graphs **197-198** (1-3) (1999) 503–513
Leader, I., A short proof of a theorem of Vámos on matroid representations **75** (1989) 315–317
Leader, I., *see* B. Bollobás **122** (1993) 15–35
Leader, I., *see* B. Bollobás **162** (1-3) (1996) 31–48
Leclerc, B., Arbres et dimension des ordres **14** (1976) 69–76
Leclerc, B., *see* C. Flament **46** (1983) 159–171
Leclerc, B., Lattice valuations, medians and majorities **111** (1993) 345–356
Leclerc, B., Powers of staircase Schur functions and symmetric analogues of Bessel polynomials **153** (1-3) (1996) 213–227
Leclerc, B., Families of chains of a poset and Sperner properties **165-166** (1-3) (1997) 437–444
Leclerc, B. and J.-Y. Thibon, Preface **180** (1-3) (1998) 1
Leclerc, B. and V. Makarenkov, On some relations between 2-trees and tree metrics **192** (1-3) (1998) 223–249
Leclerc, M., Optimizing over a slice of the bipartite matching polytope **73** (1988/89) 159–162
Leclerc, M., *see* F. Rendl **73** (1988/89) 207–212
Lee, C.W., *see* P. Kleinschmidt **48** (1984) 125–127
Lee, C.W., *see* G. Bohus **187** (1-3) (1998) 259–264
Lee, H., *see* P.C. Fishburn **61** (1986) 165–179
Lee, J., *see* J. Ho Kwak **105** (1992) 131–142
Lee, J., *see* J.H. Kwak **135** (1-3) (1994) 129–151
Lee, J., *see* S. Hong **148** (1-3) (1996) 85–105
Lee, J., *see* J.H. Kwak **156** (1-3) (1996) 141–170
Lee, J., *see* C.-W. Ko **163** (1-3) (1997) 293–298
Lee, J., *see* J.H. Kwak **183** (1-3) (1998) 193–212
Lee, K.P., *see* G.T. Herman **6** (1973) 235–247
Lee, K.P., *see* A. Ehrenfeucht **15** (1976) 223–234
Lee, S.C., *see* C.C. Chen **49** (1984) 21–26
Lee, S.M. and S.C. Shee, On Skolem graceful graphs **93** (1991) 195–200
Lee, S.-M., E. Schmeichel and S.C. Shee, On felicitous graphs **93** (1991) 201–209
Lee, Y.-S., *see* G.J. Chang **199** (1-3) (1999) 11–25
Lefevre-Percsy, C. and V. Nypelseer, Finite rank 3 geometries with affine planes and dual affine point residues **84** (1990) 161–167
Lefkopoulou, M., *see* S. Kounias **46** (1983) 21–31
Lefmann, H. and B. Voigt, A remark on infinite arithmetic progressions (*Communication*) **52** (1984) 285–286
Lefmann, H., Non t-intersecting families of linear spaces over GF(q) **89** (1991) 173–183
Lefmann, H., *see* A. Bialostocki **137** (1-3) (1995) 19–34
Lefmann, H., *see* D. Duffus **137** (1-3) (1995) 177–187
Lefmann, H., *see* A. Bialostocki **150** (1-3) (1996) 49–60
Lefmann, H., *see* N. Hindman **162** (1-3) (1996) 151–174
Lehel, J. and Zs. Tuza, Ensembles d'articulation d'un graphe γ-critique **30** (1980) 245–248
Lehel, J. and Zs. Tuza, Triangle-free partial graphs and edge covering theorems **39** (1982) 59–65
Lehel, J., *see* A. Gyárfás **52** (1984) 177–198

Lehel, J., *see* A. Gyárfás **55** (1985) 167–180
Lehel, J., A characterizations of totally balanced hypergraphs **57** (1985) 59–65
Lehel, J. and Zs. Tuza, Neighborhood perfect graphs **61** (1986) 93–101
Lehel, J., *see* A. Gyárfás **71** (1988) 33–46
Lehel, J., F.R. McMorris and D.D. Scott, M-chain graphs of posets (*Note*) **74** (1989) 341–346
Lehel, J., *see* R.J. Faudree **76** (1989) 223–240
Lehel, J., *see* R.J. Faudree **91** (1991) 45–59
Lehel, J., *see* L. Kinch **94** (1991) 75–79
Lehel, J., *see* R.J. Faudree **126** (1994) 121–135
Lehel, J., *see* M.S. Jacobson **145** (1-3) (1995) 145–150
Lehel, J., *see* M.S. Jacobson **145** (1-3) (1995) 295–299
Lehel, J., *see* R.J. Faudree **150** (1-3) (1996) 103–113
Lehel, J., *see* D. Kratsch **150** (1-3) (1996) 231–245
Lehel, J., The partition of a uniform hypergraph into pairs of dependent hyperedges **163** (1-3) (1997) 313–318
Lehel, J., *see* A. Gyárfás **177** (1-3) (1997) 99–122
Leimer, H.-G., Optimal decomposition by clique separators **113** (1993) 99–123
Lemos, M., An extension of Lindström's result about characteristic sets of matroids **68** (1988) 85–101
Lemos, M., On 3-connected matroids **73** (1989) 273–283
Lemos, M., Matroids having the same connectivity function **131** (1-3) (1994) 153–161
Lemos, M. and J. Oxley, On packing minors into connected matroids **189** (1-3) (1998) 283–289
Lempel, A., *see* G. Cohen **56** (1985) 35–43
Lempel, A., *see* R.M. Roth **103** (1992) 279–292
Lenart, C. and N. Ray, Chromatic polynomials of partition systems **167-168** (1-3) (1997) 419–444
Lenart, C. and N. Ray, Hopf algebras of set systems **180** (1-3) (1998) 255–280
Lengvárszky, Z., Distributive sublattices and weakly independent subsets in modular lattices (*Note*) **112** (1993) 269–273
Lengyel, T., On some properties of the series $\sum_{k=0}^{\infty} k^n x^k$ and the Stirling numbers of the second kind **150** (1-3) (1996) 281–292
Lenstra Jr., H.W., Two theorems on perfect codes **3** (1972) 125–132
Lenstra Jr., H.W., On the inverse Fermat equation **106/107** (1992) 329–331
Lentin, A., Une propriete combinatoire des couples de permutations **7** (1974) 141–149
Lenz, H. and G. Ringel, A brief review on Egmont Köhler's mathematical work **97** (1991) 3–16
Leo, J.W., On coefficients of the Tutte polynomial **184** (1-3) (1998) 121–135
Leo, J.W., Triads and triangles in 3-connected matroids **194** (1-3) (1999) 173–193
Leonard, M., *see* F. Garoche **49** (1984) 323–325
Leonard, P.A., *see* B.A. Anderson **28** (1979) 113–134
Leonard, P.A., *see* B.A. Anderson **37** (1981) 1–18
Leonard, P.A., *see* N.J. Finizio **197-198** (1-3) (1999) 299–307
Lepović, M., *see* M.M. Petrović **126** (1994) 239–244
Lepović, M., Some kinds of energies of graphs **128** (1-3) (1994) 277–282
Lepović, M., On strongly asymmetric graphs **145** (1-3) (1995) 315–320
Lepović, M., On formal products and spectra of graphs **188** (1-3) (1998) 137–149
Leroux, P. and V. Strehl, Jacobi polynomials: Combinatorics of the basic identities (*Communication*) **57** (1985) 167–187
Leroux, P. and G.X. Viennot, Combinatorial resolution of systems of differential equations. IV. Separation of variables **72** (1988) 237–250
Leroux, P., *see* H. Décoste **99** (1992) 31–48
Leroux, P., *see* G. Labelle **157** (1-3) (1996) 227–240
Lešanovský, A. and V. Pták, A measure of thickness for families of sets **58** (1986) 35–44
Lesieur, L., Demi-groups bornés (bounded semi-groups) **53** (1985) 157–165
Lesniak, L., Results on the edge-connectivity of graphs **8** (1974) 351–354
Lesniak, L., On n-hamiltonian graphs **14** (1976) 165–169
Lesniak, L., *see* Y. Alavi **62** (1986) 113–118
Lesniak, L., *see* N. Dean **121** (1993) 37–49
Lesniak, L., *see* R.J. Faudree **126** (1994) 121–135

Lesniak, L.M., *see* R.J. Faudree **91** (1991) 33–43
Lesniak, L.M., *see* R.J. Faudree **103** (1992) 17–24
Lesniak, L.M., *see* R.J. Faudree **105** (1992) 61–71
Lesniak, L.M., *see* R.J. Faudree **141** (1-3) (1995) 109–122
Lesniak, L.M., *see* R.J. Faudree **150** (1-3) (1996) 103–113
Lesniak-Foster, L., A note on stable graphs (*Note*) **19** (1977) 93–97
Letzter, G., *see* D. Witte **43** (1983) 297–307
Lev, V.F., On consecutive subset sums **187** (1-3) (1998) 151–160
Levenshtein, V., On designs in compact metric spaces and a universal bound on their size **192** (1-3) (1998) 251–271
Levenshtein, V.I., Equivalence of Delsarte's bounds for codes and designs in symmetric association schemes, and some applications **197-198** (1-3) (1999) 515–536
Levi, I., Order-automorphisms of normal subsets of a power set **66** (1987) 139–155
Levin, G.M., *see* M. Jacobson **176** (1-3) (1997) 159–175
Levine, E., On a harmonious graph conjecture (*Note*) **46** (1983) 99–101
Levine, E., *see* A. Eswarathasan **91** (1991) 249–257
Levitin, L., *see* G. Freiman **70** (1988) 137–147
Levitt, J., *see* A.S. Fraenkel **2** (1972) 335–345
Levy, R. and E. Shamir, A note on a counting problem arising in percolation theory **114** (1993) 361–365
Lewin, M., A note on line coverings of graphs (*Note*) **5** (1973) 283–285
Lewin, M., Generating the alternating group by cyclic triples (*Note*) **11** (1975) 187–189
Lewin, M., On the coefficients of the characteristic polynomial of a matrix **125** (1994) 255–262
Lewis, R.P. and S.P. Norton, On a problem raised by P.J. Cameron **138** (1-3) (1995) 315–318
Lewis, R.P., The ranks of partitions modulo 2 **167-168** (1-3) (1997) 445–449
Lewis, R.P., The number of spanning trees of a complete multipartite graph **197-198** (1-3) (1999) 537–541
Lewis, T., *see* M. Katchalski **42** (1982) 67–71
Lewis, T., *see* M. Katchalski **54** (1985) 271–284
Lewis, T., *see* M. Katchalski **65** (1987) 249–259
Li, A., On the conjecture at two counterfeit coins **133** (1-3) (1994) 301–306
Li, B., The ANTI-order for cacce posets — Part I **158** (1-3) (1996) 173–184
Li, B., The ANTI-order for cacce posets — Part II **158** (1-3) (1996) 185–199
Li, B. and E.C. Milner, The ANTI-order and the fixed point property for cacce posets **175** (1-3) (1997) 197–209
Li, B. and E.C. Milner, Isomorphic ANTI-cores of cacce posets **176** (1-3) (1997) 185–195
Li, B. and E.C. Milner, Isomorphic ANTI-cores of Cacce posets — an improvement **183** (1-3) (1998) 213–221
Li, B.-Y., *see* S.-Z. Wang **48** (1984) 289–306
Li, C.H., On isomorphisms of connected Cayley graphs **178** (1-3) (1998) 109–122
Li, C.H., *see* X.G. Fang **182** (1-3) (1998) 85–99
Li, C.-K., On certain convex matrix sets (*Note*) **79** (1989/90) 323–326
Li, C.-L., *see* D. Eppstein **91** (1991) 239–248
Li, F. and W. Gao, Addition theorems on Z_n **137** (1-3) (1995) 371–376
Li, H., Edge-hamiltonian property in regular 2-connected graphs **82** (1990) 25–34
Li, H., *see* E. Flandrin **90** (1991) 41–52
Li, H., *see* E.J. Cockayne **90** (1991) 313–317
Li, H., *see* B. Jackson **102** (1992) 163–176
Li, H., *see* Y. Zhu **110** (1992) 229–249
Li, H., *see* E. Flandrin **111** (1993) 221–229
Li, H. and Y. Lin, The existence of infinitely many primary trees **135** (1-3) (1994) 153–161
Li, H., *see* D. Barraez **146** (1-3) (1995) 11–18
Li, H., Circumferences in 1-tough graphs **146** (1-3) (1995) 145–151
Li, H., *see* O. Favaron **159** (1-3) (1996) 103–109
Li, H., *see* M. El Kadi Abderrezzak **165-166** (1-3) (1997) 11–20
Li, H., *see* H. Broersma **171** (1-3) (1997) 43–54
Li, H., M. Lu and Z. Sun, Hamiltonicity in 2-connected graphs with claws **183** (1-3) (1998) 223–236
Li, H., *see* A. Ainouche **184** (1-3) (1998) 1–13

Li, J. and F. Tian, A proof of a conjecture about D_λ-paths in graphs with large neighborhood unions **161** (1-3) (1996) 185–196
Li, J., *see* H. Broersma **171** (1-3) (1997) 43–54
Li, J.-S. and Z.-X. Song, On the potentially P_k-graphic sequences **195** (1-3) (1999) 255–262
Li, K., *see* E. Engelhardt **78** (1989) 257–266
Li, L., *see* L. Zhang **160** (1-3) (1996) 291–297
Li, M., Longest cycles in regular 2-connected claw-free graphs **137** (1-3) (1995) 277–295
Li, M., Hamiltonian cycles in regular 3-connected claw-free graphs **156** (1-3) (1996) 171–196
Li, M., Vertex pancyclism in claw-free graphs **188** (1-3) (1998) 151–173
Li, N.-Z., *see* S.-J. Xu **51** (1984) 207–212
Li, N.-Z. and E.G. Whitehead Jr., The chromatic uniqueness of W_{10} (*Note*) **104** (1992) 197–199
Li, N.-Z., On graphs having σ-polynomials of the same degree **110** (1992) 185–196
Li, N.-Z. and E.G. Whitehead Jr., The chromaticity of certain graphs with five triangles (*Note*) **122** (1993) 365–372
Li, N.Z., *see* C.C. Chen **172** (1-3) (1997) 1
Li, N.-Z., *see* C.-Y. Chao **172** (1-3) (1997) 9–16
Li, N.-Z., X.-W. Bao and R.-Y. Liu, Chromatic uniqueness of the complements of certain forests **172** (1-3) (1997) 79–84
Li, N.-Z., The list of chromatically unique graphs of order seven and eight **172** (1-3) (1997) 193–221
Li, P., Sequencing the dihedral groups D_{4k} **175** (1-3) (1997) 271–276
Li, Q. and J. Shao, The index set problem for Boolean (or nonnegative) matrices **123** (1993) 75–92
Li, S.-Y.R., *see* R.M. Karp **13** (1975) 129–142
Li, S.-Y.R., Extremal theorems on divisors of a number **24** (1978) 37–46
Li, W., *see* M. Guan **48** (1984) 77–81
Li, W., *see* F. Shi **123** (1993) 111–115
Li, W.-C.W., Determination of the residue classes of a polynomial at integral arguments **47** (1983) 83–90
Li, X. and F. Zhang, On the numbers of spanning trees and Eulerian tours in generalized de Bruijn graphs **94** (1991) 189–197
Li, X., *see* C. Hoede **125** (1994) 219–228
Li, X. and F. Zhang, n-Dimensional line digraphs **132** (1-3) (1994) 127–135
Li, X., *see* F. Zhang **140** (1-3) (1995) 253–263
Li, X. and H. Zhang, A solution to Gutman's problem on the characteristic polynomial of a bipartite graph **154** (1-3) (1996) 297–300
Li, X., A lower bound for the connectivity of directed Euler tour transformation graphs **163** (1-3) (1997) 101–108
Li, X., *see* H. Galeana-Sánchez **178** (1-3) (1998) 73–80
Li, X., The connectivity of the *SEE*-graph and *AEE*-graph for the connected spanning k-edge subgraphs of a graph **183** (1-3) (1998) 237–245
Li, X., Edge-disjoint minimum-weight connected spanning k-edge subgraphs in a weighted graph: A connectedness theorem **188** (1-3) (1998) 175–182
Li, Y. and C. Rousseau, A note on the Ramsey number $r(H + \overline{K_n}, K_n)$ **170** (1-3) (1997) 265–267
Li, Y., C.C. Rousseau and L. Šoltés, Ramsey linear families and generalized subdivided graphs **170** (1-3) (1997) 269–275
Li, Y., *see* M. Shi **189** (1-3) (1998) 221–232
Li, Y., *see* Z. Zhang **195** (1-3) (1999) 295–298
Lia, H., M. Lu, F. Tian and B. Wei, Hamiltonicity of 2-connected claw-center independent graphs **165-166** (1-3) (1997) 459–469
Liang, F.M., A short proof of the 3d distance theorem (*Note*) **28** (1979) 325–326
Liang, K. and M.L. Wachs, Mahonian statistics on labeled forests **99** (1992) 181–197
Liaw, S.-C. and G.J. Chang, Rabin numbers of Butterfly networks **196** (1-3) (1999) 219–227
Liaw, Y.S., Construction of referee squares **178** (1-3) (1998) 123–135
Libkin, L., Direct product decompositions of lattices, closures and relation schemes **112** (1993) 119–138
Libkin, L. and V. Gurvich, Trees as semilattices **145** (1-3) (1995) 321–327
Lick, D.R., *see* C. Fan **158** (1-3) (1996) 49–62
Lidl, R. and W.B. Müller, Generalizations of the Fibonacci pseudoprimes test **92** (1991) 211–220

Lieb, E.H., *see* O.J. Heilmann **1** (1971) 19–27
Liebl, P., *see* T. Dvořák **171** (1-3) (1997) 89–102
Lih, K.-W., Rank inequalities for chordal graphs **113** (1993) 125–130
Lih, K.-W. and P.-L. Wu, On equitable coloring of bipartite graphs **151** (1-3) (1996) 155–160
Lilly, G.M., *see* S.C. Milne **139** (1-3) (1995) 319–346
Lim, C.-K., *see* C.-L. Deng **72** (1988) 71–80
Lim, C.-K., *see* C.-L. Deng **127** (1-3) (1994) 131–137
Lim, C.-K., *see* C.-L. Deng **151** (1-3) (1996) 71–79
Lim, C.-K. and K.S. Lam, The characteristic polynomial of ladder digraph and an annihilating uniqueness theorem **151** (1-3) (1996) 161–167
Limaye, N.B., S.S. Sane and M.S. Shrikhande, The structure of triangle-free quasi-symmetric designs **64** (1987) 199–207
Lin, C., The dimension of the cartesian product of posets **88** (1991) 79–92
Lin, C., G. Hu and Z. Zhang, A six-color theorem for the edge-face coloring of plane graphs **141** (1-3) (1995) 291–297
Lin, G., *see* F. Zhang **184** (1-3) (1998) 289–295
Lin, K.Y., Magic cubes and hypercubes of order 3 **58** (1986) 159–166
Lin, M.-C. and S. Lin, Codes with multi-level error-correcting capabilities **83** (1990) 301–314
Lin, S., *see* M.-C. Lin **83** (1990) 301–314
Lin, X., M. Zhu, Z. Yu, C. Zhang and Y. Yang, On distinct distance sets in a graph **175** (1-3) (1997) 277–282
Lin, Y., *see* H. Li **135** (1-3) (1994) 153–161
Lin, Y., *see* P.C.B. Lam **173** (1-3) (1997) 285–289
Lin, Y.-C., *see* J.R. Griggs **143** (1-3) (1995) 47–70
Lin, Y.-C., *see* J.R. Griggs **169** (1-3) (1997) 233–243
Lindberg, P.-O., *see* R. Häggkvist **47** (1983) 321–323
Lindner, C.C., Construction of doubly diagonalized orthogonal latin squares **5** (1973) 79–86
Lindner, C.C., On the construction of cyclic quasigroups **6** (1973) 149–158
Lindner, C.C., Construction of nonisomorphic reverse Steiner quasigroups **7** (1974) 281–288
Lindner, C.C. and A. Rosa, Finite embedding theorems for partial Steiner triple systems **13** (1975) 31–39
Lindner, C.C., Two finite embedding theorems for partial 3-quasigroups **16** (1976) 271–277
Lindner, C.C. and E. Mendelsohn, On the conjugates of an $n^2 \times 4$ orthogonal array **20** (1977) 123–132
Lindner, C.C. and A. Rosa, Steiner quadruple systems — A survey **22** (1978) 147–181
Lindner, C.C. and K.T. Phelps, A note on partial parallel classes in Steiner systems (*Note*) **24** (1978) 109–112
Lindner, C.C., N.S. Mendelsohn and S.R. Sun, On the construction of Schroeder quasigroups **32** (1980) 271–280
Lindner, C.C., *see* M. Gionfriddo **34** (1981) 31–42
Lindner, C.C. and D.R. Stinson, Steiner pentagon systems **52** (1984) 67–74
Lindner, C.C., Construction of large sets of pairwise disjoint transitive triple systems II **65** (1987) 65–74
Lindner, C.C., C.A. Rodger and D.R. Stinson, Nesting of cycle systems of odd length **77** (1989) 191–203
Lindner, C.C., C.A. Rodger and D.R. Stinson, Small embeddings for partial cycle systems of odd length **80** (1990) 273–280
Lindner, C.C., *see* D.G. Hoffman **89** (1991) 221–229
Lindner, C.C. and C.A. Rodger, 2-Perfect m-cycle systems **104** (1992) 83–90
Lindner, C.C., *see* D. Chen **110** (1992) 35–42
Lindner, C.C. and C.A. Rodger, A partial $m = (2k+1)$-cycle system of order n can be embedded in an m-cycle system of order $(2n+1)m$ **117** (1993) 151–159
Lindner, C.C., *see* E.J. Billington **135** (1-3) (1994) 61–68
Lindner, C.C. and C.A. Rodger, On equationally defining extended cycle systems **173** (1-3) (1997) 1–14
Lindner, C.C., *see* H.L. Fu **178** (1-3) (1998) 63–71
Lindner, C.C., *see* H.-L. Fu **183** (1-3) (1998) 103–117
Lindquester, T. and N.C. Wormald, Factorisation of regular graphs into forests of short paths **186** (1-3) (1998) 217–226
Lindquester, T.E., *see* R.J. Faudree **103** (1992) 17–24
Lindquester, T.E., *see* J. Wang **179** (1-3) (1998) 293–298
Lindström, B., Non-regular simplicial matroids (*Note*) **28** (1979) 101–102

Lindström, B., *see* R. Häggkvist **47** (1983) 321–323
Lindström, B., A non-linear algebraic matroid with infinite characteristic set (*Note*) **59** (1986) 319–320
Lindström, B., On algebraic matroids **111** (1993) 357–359
Linek, V., Bipartite graphs can have any number of independent sets **76** (1989) 131–136
Linek, V. and Z. Jiang, Hooked k-extended Skolem sequences **196** (1-3) (1999) 229–238
Linhares-Sales, C., *see* H. Everett **165-166** (1-3) (1997) 223–242
Linhart, J., *see* D. Cieslik **155** (1-3) (1996) 39–48
Linial, N., A lower bound for the circumference of a graph **15** (1976) 297–300
Linial, N., Covering digraphs by paths **23** (1978) 257–272
Linial, N., On Petersen's graph theorem **33** (1981) 53–56
Linial, N., *see* P. Erdös **64** (1987) 1–11
Linial, N., Graph coloring and monotone functions on posets (*Note*) **58** (1986) 97–98
Linial, N., *see* M. Karchmer **114** (1993) 275–282
Lins, S., A sequence representation for maps **30** (1980) 249–263
Lins, S., A simple proof of Gagliardi's handle recognition theorem **57** (1985) 253–260
Lins, S. and A. Mandel, Graph-encoded 3-manifolds **57** (1985) 261–284
Lins, S., *see* L. Kauffman **103** (1992) 49–55
Lins, S., Twistors Bridges among 3-manifolds **177** (1-3) (1997) 145–165
Lipkin, E., *see* G. Freiman **70** (1988) 137–147
Lipkin, E., On subset sums of r-sets **114** (1993) 367–377
Lipman, M.J., *see* R.D. Ringeisen **46** (1983) 191–198
Lipman, M.J., Hamiltonian cycles and paths in vertex-transitive graphs with abelian and nilpotent groups **54** (1985) 15–21
Lipman, M.J., *see* K.S. Bagga **122** (1993) 1–6
Lipman, M.J., *see* K.S. Bagga **124** (1994) 3–12
Lipski Jr., W., On strings containing all subsets as substrings **21** (1978) 253–259
Lipták, L., Sperner systems containing at most k sets of every cardinality **170** (1-3) (1997) 203–209
Liskovets, V.A., A reductive technique for enumerating non-isomorphic planar maps **156** (1-3) (1996) 197–217
Lisoněk, P., Local and global majorities revisited **146** (1-3) (1995) 153–158
Litsyn, S.N., *see* G.D. Cohen **106/107** (1992) 147–155
Little, C., *see* H. Wang **160** (1-3) (1996) 283–289
Little, C.H.C., The parity of the number of 1-factors of a graph **2** (1972) 179–181
Little, C.H.C., D.D. Grant and D.A. Holton, On defect-d matchings in graphs **13** (1975) 41–54
Little, C.H.C. and R.D. Ringeisen, An additivity theorem for maximum genus of a graph **21** (1978) 69–74
Little, C.H.C., *see* Y.-H. Peng **172** (1-3) (1997) 103–114
Liu, A., *see* M. Katchalski **27** (1979) 59–69
Liu, A., *see* H.L. Abbott **39** (1982) 327–328
Liu, A., *see* M. Katchalski **65** (1987) 249–259
Liu, A.C., *see* H.L. Abbott **13** (1975) 299–305
Liu, A.C., *see* H.L. Abbott **25** (1979) 281–284
Liu, A.C., *see* H.L. Abbott **37** (1981) 135–141
Liu, B., *see* C. Bo **159** (1-3) (1996) 241–245
Liu, C.J. and Y. Chow, An operator approach to some graph enumeration problems **44** (1983) 285–291
Liu, C.J., The generating function of Whitworth runs **51** (1984) 221–228
Liu, C.L., B.G. Ong and G.R. Ruth, A construction scheme for linear and non-linear codes **4** (1973) 171–184
Liu, C.L., Sperner's theorem on maximal-sized antichains and its generalization **11** (1975) 133–139
Liu, C.L., *see* K.M. Chung **21** (1978) 117–127
Liu, D.D.-F., T-colorings of graphs **101** (1992) 203–212
Liu, D.D.-F., T-graphs and the channel assignment problem **161** (1-3) (1996) 197–205
Liu, G., A lower bound on connectivities of matroid base graphs **69** (1988) 55–60
Liu, G., *see* K. Heinrich **85** (1990) 313–317
Liu, G., Orthogonal (g, f)-factorizations in graphs **143** (1-3) (1995) 153–158
Liu, G., *see* L. Xie **188** (1-3) (1998) 285–291
Liu, J., *see* Y. Alavi **100** (1992) 229–233
Liu, J., *see* Y. Alavi **111** (1993) 3–10

Liu, J., Hamiltonian decompositions of Cayley graphs on Abelian groups **131** (1-3) (1994) 163–171
Liu, J. and H. Zhou, Graphs and digraphs with given girth and connectivity **132** (1-3) (1994) 387–390
Liu, J. and H. Zhou, Dominating subgraphs in graphs with some forbidden structures **135** (1-3) (1994) 163–168
Liu, J., *see* S. Xu **135** (1-3) (1994) 349–358
Liu, J. and K. Williams, On bandwidth and edgesum for the composition of two graphs **143** (1-3) (1995) 159–166
Liu, J. and C. Zhao, A new bound on the feedback vertex sets in cubic graphs **148** (1-3) (1996) 119–131
Liu, J., *see* C. Fan **158** (1-3) (1996) 49–62
Liu, L., *see* Z. Zhang **195** (1-3) (1999) 295–298
Liu, M., Homomorphisms and automorphisms of 2-D de Bruijn–Good Graphs (*Note*) **85** (1990) 105–109
Liu, M., *see* Z. Dai **123** (1993) 17–34
Liu, Q.-Z., *see* B.-L. Chen **194** (1-3) (1999) 59–65
Liu, R.-Y. and L.-C. Zhao, A new method for proving chromatic uniqueness of graphs **171** (1-3) (1997) 169–177
Liu, R.-Y., *see* N.-Z. Li **172** (1-3) (1997) 79–84
Liu, R.-Y., Adjoint polynomials and chromatically unique graphs **172** (1-3) (1997) 85–92
Liu, W.P. and I. Rival, Inversions, cuts, and orientations **87** (1991) 163–174
Liu, W.-P. and I. Rival, Enumerating orientations of ordered sets **88** (1991) 239–247
Liu, W.-P., I. Rival and N. Zaguia, Automorphisms, Isotone self-maps and cycle-free orders **144** (1-3) (1995) 59–66
Liu, X., Lower bounds of length of longest cycles in graphs involving neighborhood unions **169** (1-3) (1997) 133–144
Liu, X. and B. Wei, A generalization of Bondy's and Fan's sufficient conditions for Hamiltonian graphs **169** (1-3) (1997) 249–255
Liu, X. and D.B. West, Line digraphs and coreflexive vertex sets **188** (1-3) (1998) 269–277
Liu, Y., Construction and counting of Generalized Boolean Functions (*Note*) **69** (1988) 313–316
Liu, Y., On chromatic and dichromatic sum equations **84** (1990) 169–179
Liu, Y., *see* F. Dong **123** (1993) 35–45
Liu, Y., On functional equations arising from map enumerations **123** (1993) 93–109
Liu, Y., *see* F.-M. Dong **145** (1-3) (1995) 95–103
Liu, Y., *see* E. Song **145** (1-3) (1995) 343–346
Liu, Y., *see* Y. Huang **176** (1-3) (1997) 149–158
Liu, Y., *see* Y. Huang **194** (1-3) (1999) 139–149
Liu, Y.-P., *see* M. Darrah **173** (1-3) (1997) 23–33
Liu, Y.P., *see* F.M. Dong **184** (1-3) (1998) 71–85
Liua, J. and H. Zhou, Maximum induced matchings in graphs **170** (1-3) (1997) 277–281
Lladó, A.S., *see* Y.O. Hamidoune **159** (1-3) (1996) 131–142
Lladó, A.S., *see* G. Ringel **165-166** (1-3) (1997) 471–479
Lladó, A.S., *see* G. Ringel **165-166** (1-3) (1997) 587–588
Lobstein, A.C., On perfect arithmetic codes **106/107** (1992) 333–336
Lock, P.F., *see* C.J. Knickerbocker **76** (1989) 277–278
Lock, P.F., *see* G.R.T. Hendry **187** (1-3) (1998) 281–290
Locke, S.C., *see* J.A. Bondy **33** (1981) 111–122
Locke, S.C., Extremal 3-connected graphs **68** (1988) 257–263
Locke, S.C., *see* M.O. Albertson **74** (1989) 33–49
Locke, S.C. and D. Witte, Flows in circulant graphs of odd order are sums of Hamilton cycles **78** (1989) 105–114
Locke, S.C., *see* B. Alspach **82** (1990) 113–126
Lockeberg, E.R., *see* S. Gallivan **34** (1981) 25–29
Loeb, D.E., A generalization of the Stirling numbers **103** (1992) 259–269
Loeb, D.E., A generalization of the binomial coefficients **105** (1992) 143–156
Loeb, D.E., Towards the critical problem: on the coalgebraic relation between sets and multisets **118** (1993) 157–164
Loeb, D.E., *see* A. Bottreau **180** (1-3) (1998) 65–72
Loebl, L., *see* Y. Crama **102** (1992) 143–147
Loebl, M. and S. Poljak, A hierarchy of totally unimodular matrices **76** (1989) 241–246

Loebl, M., Unprovable combinatorial statements **108** (1992) 333–342
Loebl, M., *see* A.S. Fraenkel **141** (1-3) (1995) 135–151
Loebl, M., *see* W. Hochstättler **153** (1-3) (1996) 165–176
Loerinc, B., Chromatic uniqueness of the generalized θ-*graph* (*Note*) **23** (1978) 313–316
Lo Faro, G., On the size of partial parallel classes in Steiner systems STS(19) and STS(27) (*Note*) **45** (1983) 307–312
Lo Faro, G., Steiner quadruple systems having a prescribed number of quadruples in common **58** (1986) 167–174
Lo Faro, G., *see* M. Gionfriddo **111** (1993) 263–268
Lo Faro, G., Constructing 3-chromatic Steiner triple systems **174** (1-3) (1997) 187–190
Loizou, G., *see* T.I. Fenner **20** (1977) 217–234
Lomonaco Jr., S.J., *see* J.H. Conway **83** (1990) 213–217
Lomonosov, M.V., *see* A.K. Kelmans **38** (1982) 317–322
Lomonosov, M.V., *see* A.K. Kelmans **46** (1983) 183–189
Lonc, Z., Decompositions of hypergraphs into hyperstars **66** (1987) 157–168
Lonc, Z., Majorization, packing, covering and matroids **121** (1993) 151–157
Lonc, Z., Partitions of large Boolean lattices **131** (1-3) (1994) 173–181
Lonc, Z., Delta-system decompositions of graphs **164** (1-3) (1997) 221–224
Lonc, Z., *see* K. Bryś **185** (1-3) (1998) 41–49
London, E., A new proof of the colored Kruskal–Katona theorem **126** (1994) 217–223
Longyear, J.Q., Large tactical configurations **4** (1973) 379–382
Longyear, J.Q., Common transversals in partitioning families (*Note*) **17** (1977) 327–329
Longyear, J.Q., A peculiar partition formula **78** (1989) 115–118
López, M.A., *see* P.M. Salzberg **58** (1986) 285–294
Lopez-Bracho, R., *see* A. Bouchet **42** (1982) 145–152
Lorea, M., *see* P. Hansen **14** (1976) 305–309
Lorea, M., On Turan hypergraphs **22** (1978) 281–285
Lorea, M., On matroidal families (*Note*) **28** (1979) 103–106
Lorenzini, D.J., A finite group attached to the laplacian of a graph **91** (1991) 277–282
Lorimer, P., Maximal sets of permutations constructed from projective planes **25** (1979) 269–273
Lorimer, P.J. and W. Solomon, The Ramsey numbers for stripes and complete graphs 1 **104** (1992) 91–97
Lou, D., *see* R.E.L. Aldred **88** (1991) 1–9
Lou, D., *see* D.A. Holton **96** (1991) 81–99
Lou, D. and D.A. Holton, Lower bound of cyclic edge connectivity for n-extendability of regular graphs **112** (1993) 139–150
Lou, D. and Q. Zhu, The 2-extendability of strongly regular graphs **148** (1-3) (1996) 133–140
Lou, D., The Chvátal–Erdős condition for cycles in triangle-free graphs **152** (1-3) (1996) 253–257
Lou, D., A local independence number condition for n-extendable graphs **195** (1-3) (1999) 263–268
Loupekine, F. and J.J. Watkins, Labeling angles of planar graphs **72** (1988) 251–256
Loureiro, I., Finitely generated free tetravalent modal algebras **46** (1983) 41–48
Lovász, L., Normal hypergraphs and the perfect graph conjecture **2** (1972) 253–267
Lovász, L., On the ratio of optimal integral and fractional covers **13** (1975) 383–390
Lovász, L., *see* B. Korte **59** (1986) 297–314
Lovász, L., *see* B. Korte **73** (1988) 143–157
Lovász, L., M. Saks and W.T. Trotter, An on-line graph coloring algorithm with sublinear performance ratio **75** (1989) 319–325
Lovász, L., Stable sets and polynomials **124** (1994) 137–153
Love, H.R., *see* M.J.L. Kirby **5** (1973) 345–365
Lovrečič Saražin, M., On the hamiltonian index of a graph (*Note*) **122** (1993) 373–376
Lovrečič Saražin, M., On the hamiltonian index and the radius of a graph **182** (1-3) (1998) 197–202
Löwe, M., *see* I. Althöfer **162** (1-3) (1996) 267–271
Lu, M., *see* H. Lia **165-166** (1-3) (1997) 459–469
Lu, M., *see* H. Li **183** (1-3) (1998) 223–236
Lu, T., The enumeration of trees with and without given limbs **154** (1-3) (1996) 153–165
Lu, X., *see* M. Zheng **85** (1990) 89–96

Lu, X., A matching game **94** (1991) 199–207
Lu, X., A characterization on n-critical economical generalized tic-tac-toe games **110** (1992) 197–203
Lu, X., Claws contained in all n-tournaments **119** (1993) 107–111
Lu, X., A Hamiltonian game on $K_{n,n}$ **142** (1-3) (1995) 185–191
Lu, X., D.-W. Wang and C.K. Wong, On avoidable and unavoidable claws **184** (1-3) (1998) 259–265
Lu, Z., The harmonious chromatic number of a complete binary and trinary tree **118** (1993) 165–172
Lu, Z., The exact value of the harmonious chromatic number of a complete binary tree **172** (1-3) (1997) 93–101
Lubachevsky, B.D., *see* R.L. Graham **181** (1-3) (1998) 139–154
Lubell, D., *see* D. Kleitman **1** (1971) 47–53
Lubell, D., Combinatorial orthogonality in abstract configurations (*Note*) **8** (1974) 201–203
Lubiw, A., *see* D. Kratsch **128** (1-3) (1994) 269–275
Lucchesi, C.L. and J.A. Ross, Superfluous paths in strong digraphs **47** (1983) 267–273
Lucchesi, C.L., C.P. de Mello and J.L. Szwarcfiter, On clique-complete graphs **183** (1-3) (1998) 247–254
Luccio, F., S. Mazzone and C.K. Wong, A note on visibility graphs **64** (1987) 209–219
Łuczak, T. and Z. Palka, Maximal induced trees in sparse random graphs **72** (1988) 257–265
Łuczak, T., Size and connectivity of the k-core of a random graph **91** (1991) 61–68
Łuczak, T., Cycles in random graphs (*Note*) **98** (1991) 231–236
Łuczak, T., The size of the largest hole in a random graph **112** (1993) 151–163
Łuczak, T., *see* D.F. Hsu **133** (1-3) (1994) 291–296
Łuczak, T., Phase transition phenomena in random discrete structures **136** (1-3) (1994) 225–242
Łuczak, T., A. Ruciński and J. Gruszka, On the evolution of a random tournament (*Note*) **148** (1-3) (1996) 311–316
Łuczak, T., *see* P. Erdős **154** (1-3) (1996) 263–268
Łuczak, T., *see* E. Györi **163** (1-3) (1997) 279–284
Łuczak, T., *see* M. Karoński **171** (1-3) (1997) 153–167
Łuczak, T., V. Rödl and T. Schoen, Independent finite sums in graphs defined on the natural numbers **181** (1-3) (1998) 289–294
Łuczak, T., *see* W. Kordecki **196** (1-3) (1999) 207–217
Lugiez, D., Fast Hensel's lifting implementation using partial fraction decomposition **56** (1985) 217–225
Lui, Z.M., *see* W.L. Kocay **72** (1988) 213–224
Lukács, A. and N. Seifter, Lattices in graphs with polynomial growth **186** (1-3) (1998) 227–236
Luksch, P., Distributive lattices freely generated by an ordered set of width two **88** (1991) 249–258
Lunardon, G., On regular parallelisms in PG$(3, q)$ **51** (1984) 229–235
Lunardon, G. and P. Polito, On q-clans in even characteristic **174** (1-3) (1997) 191–198
Lundgren, J.R., C.W. Rasmussen and J.S. Maybee, Interval competition graphs of symmetric digraphs **119** (1993) 113–122
Lundgren, J.R. and C.W. Rasmussen, Two-step graphs of trees **119** (1993) 123–139
Lützen, J., G. Sabidussi and B. Toft, Julius Petersen 1839–1910. A biography **100** (1992) 9–82
Lützen, J., *see* M. Christiansen **100** (1992) 83–97
Lynch, J.F., The visually distinct configurations of k sets **33** (1981) 281–287
Lyndon, R.C., *see* J.L. Brenner **46** (1983) 111–132
Lyuu, Y.D., *see* D.Z. Du **151** (1-3) (1996) 81–85
Ma, S.L., Partial difference sets **52** (1984) 75–89
Ma, S.-L., *see* W.-K. Chan **125** (1994) 107–113
Ma, S.L., On subsets of partial difference sets **125** (1994) 263–272
Ma, S.L., *see* K.T. Arasu **147** (1-3) (1995) 1–17
Ma, X., Nonexistence of extremal doubly even self-dual codes with large length **185** (1-3) (1998) 265–273
Maamoun, M., Parité des cycles contenant des sommets specifiés d'un graphe **34** (1981) 145–152
Maamoun, M. and H. Meyniel, On a problem of G. Hahn about coloured hamiltonian paths in K_{2n} (*Note*) **51** (1984) 213–214
Maasberg, S., *see* H. Harborth **197-198** (1-3) (1999) 397–407
MacAllister, J.D. and M. Sakarovitch, Classification de certaines matrices 0–1 **20** (1977) 133–142
MacGillivray, G., *see* E.J. Cockayne **90** (1991) 313–317
MacGillivray, G., *see* J. Bang-Jensen **92** (1992) 27–44
MacGillivray, G., *see* E.J. Cockayne **125** (1994) 137–146

MacGillivray, G., *see* J. Bang-Jensen **138** (1-3) (1995) 75–92
MacGillivray, G., *see* R.C. Brewster **167-168** (1-3) (1997) 145–154
Machi, A., On the complexity of a hypermap **42** (1982) 221–226
Macris, N. and J.V. Pulé, An alternative formula for the number of Euler trails for a class of digraphs **154** (1-3) (1996) 301–305
Macula, A.J., A simple construction of d-disjunct matrices with certain constant weights **162** (1-3) (1996) 311–312
Macula, A.J., Two applications of separating systems to nonadaptive procedures **169** (1-3) (1997) 257–262
MacWilliams, F.J., Cyclotomic numbers, coding theory and orthogonal polynomials **3** (1972) 133–151
MacWilliams, F.J., N.J.A. Sloane and J.G. Thompson, Good self dual codes exist **3** (1972) 153–162
Madani, R.-M., Characterization of Laborde–Mulder graphs (extended odd graphs) **150** (1-3) (1996) 293–301
Madani, R.M., *see* J.M. Laborde **165-166** (1-3) (1997) 445–457
Madaras, T., *see* S. Jendrol' **197-198** (1-3) (1999) 453–467
Madej, T. and D.B. West, The interval inclusion number of a partially ordered set **88** (1991) 259–277
Madej, T. and D.B. West, Interval number of special posets and random posets **144** (1-3) (1995) 67–74
Mader, W., Generalizations of critical connectivity of graphs **72** (1988) 267–283
Maehara, H., On time graphs **32** (1980) 281–289
Maehara, H., On the sphericity for the join of many graphs (*Note*) **49** (1984) 311–313
Maehara, H., On the sphericity of the graphs of semiregular polyhedra (*Note*) **58** (1986) 311–315
Maehara, H., Metric transforms of finite spaces and connected graphs **61** (1986) 235–246
Maehara, H., *see* P. Frankl **63** (1987) 97–100
Maehara, H., On the number of induced subgraphs of a random graph (*Note*) **64** (1987) 309–312
Maehara, H., On the euclidean dimension of a a complete multipartite graph **72** (1988) 285–289
Maehara, H., The intersection graph of random sets (*Note*) **87** (1991) 97–104
Maehara, H., Extending a flexible unit-bar framework to a rigid one **108** (1992) 167–174
Maehara, H., *see* D. Avis **131** (1-3) (1994) 17–28
Maehara, H., *see* P. Frankl **140** (1-3) (1995) 265–267
Maehara, H., Embedding a set of rational points in lower dimensions **192** (1-3) (1998) 273–279
Maffioli, F., *see* P.M. Camerini **21** (1978) 103–116
Maffray, F., On kernels in i-triangulated graphs **61** (1986) 247–251
Maffray, F. and H. Meyniel, On a relationship between Hadwiger and stability numbers **64** (1987) 39–42
Maffray, F., *see* C.T. Hoàng **98** (1991) 161–174
Maffray, F., *see* C.T. Hoàng **102** (1992) 67–74
Maffray, F., *see* C.T. Hoàng **105** (1992) 93–102
Maffray, F. and M. Preissmann, On the NP-completeness of the k-colorability problem for triangle-free graphs **162** (1-3) (1996) 313–317
Maffray, F., *see* H.A. Haddadène **163** (1-3) (1997) 211–215
Maffray, F., *see* H. Everett **165-166** (1-3) (1997) 223–242
Maffray, F., *see* S. Gravier **165-166** (1-3) (1997) 343–348
Maffray, F., *see* H. Aït Haddadène **183** (1-3) (1998) 1–16
Magagnosc, D., Recurrences and formulae in an extension of the Eulerian numbers **30** (1980) 265–268
Magliveras, S.S., *see* E.S. Kramer **36** (1981) 171–189
Magliveras, S.S., *see* E.S. Kramer **77** (1989) 137–157
Magliveras, S.S., *see* E.S. Kramer **96** (1991) 101–110
Magnanti, T.L., Complementary bases of a matroid **8** (1974) 355–361
Mago, P., *see* O. Favaron **121** (1993) 55–63
Mahadev, N.V.R., *see* M. Preissmann **61** (1986) 259–267
Mahadev, N.V.R., *see* C.T. Hoàng **74** (1989) 77–84
Mahadev, N.V.R., *see* P.L. Hammer **119** (1993) 79–96
Mahadev, N.V.R. and U.N. Peled, Longest cycles in threshold graphs **135** (1-3) (1994) 169–176
Maharaj, H., Edge frames of graphs: A graph embedding problem **177** (1-3) (1997) 167–184
Maheo, M., Strongly graceful graphs **29** (1980) 39–46
Mahéo, M., *see* O. Favaron **111** (1993) 197–220
Mahéo, M., *see* J. Gimbel **165-166** (1-3) (1997) 333–341
Mahjoub, A.R., *see* M. Conforti **58** (1986) 121–142

Mahjoub, A.R., *see* J. Fonlupt **105** (1992) 73–91
Mahjoub, A.R., *see* F. Barahona **147** (1-3) (1995) 19–34
Mahjoub, A.R., *see* M. Bouchakour **165-166** (1-3) (1997) 101–123
Mahjoub, A.R., On perfectly two-edge connected graphs **170** (1-3) (1997) 153–172
Mahmoodian, E.S., *see* C.J. Colbourn **83** (1990) 9–19
Mahmoodian, E.S., *see* C.J. Colbourn **115** (1993) 103–131
Mahmoodian, E.S., *see* M. Behzad **127** (1-3) (1994) 47–56
Mahmoodian, E.S., R. Naserasr and M. Zaker, Defining sets in vertex colorings of graphs and latin rectangles **167-168** (1-3) (1997) 451–460
Mahmoodian, E.S. and E. Mendelsohn, On defining numbers of vertex colouring of regular graphs **197-198** (1-3) (1999) 543–554
Maier, T., *see* R.E. Burkard **161** (1-3) (1996) 53–61
Maiorana, J., *see* H. Fredricksen **23** (1978) 207–210
Maire, F., Une note sur les contractions dans les polygones orthogonaux **111** (1993) 367–371
Maire, F., A characterization of intersection graphs of the maximal rectangles of a polyomino (*Communication*) **120** (1993) 211–214
Maire, F., *see* J.-L. Fzouquet **146** (1-3) (1995) 33–44
Maire, F., *see* J.-L. Fouquet **165-166** (1-3) (1997) 291–302
Majcher, Z., Some special realizations of partition matrix sequences **121** (1993) 159–175
Majcher, Z. and J. Michael, Degree sequences of highly irregular graphs **164** (1-3) (1997) 225–236
Majcher, Z. and J. Michael, Highly irregular graphs with extreme numbers of edges **164** (1-3) (1997) 237–242
Majthay, A. and A. Whinston, Quasi-concave minimization subject to linear constraints **9** (1974) 35–59
Makai Jr., E., *see* K. Böröczky **60** (1986) 101–120
Makarenkov, V., *see* B. Leclerc **192** (1-3) (1998) 223–249
Malawski, M., *see* A. Idzik **66** (1987) 119–125
Malle, G., Edge orientations on cubic graphs with a maximum number of pairs of oppositely oriented edges **31** (1980) 293–296
Mallows, C.L. and N.J.A. Sloane, Weight enumerators of self-orthogonal codes **9** (1974) 391–400
Mallows, C.L. and L.A. Shepp, Enumerating pairs of permutations with the same up-down form **54** (1985) 301–311
Malnič, A., Group actions, coverings and lifts of automorphisms **182** (1-3) (1998) 203–218
Malouf, J.L., An integer sequence from a rational recursion (*Communication*) **110** (1992) 257–261
Malouf, J.L., *see* P. Erdős **200** (1-3) (1999) 137–147
Maltby, R., *see* P. Gibson **194** (1-3) (1999) 107–127
Maltby, R., Every cutset meets every fibre in certain poset products **194** (1-3) (1999) 195–203
Malvenuto, C. and C. Reutenauer, Evacuation of labelled graphs **132** (1-3) (1994) 137–143
Malvenuto, C. and C. Reutenauer, Plethysm and conjugation of quasi-symmetric functions **193** (1-3) (1998) 225–233
Malvestuto, F.M., Existence of extensions and product extensions for discrete probability distributions **69** (1988) 61–77
Manalastas Jr., P., *see* C.C. Chen **44** (1983) 243–250
Manber, R., *see* R.A. Brualdi **50** (1984) 143–152
Manber, R., *see* R.A. Brualdi **71** (1988) 1–7
Manber, R., *see* R. Aharoni **79** (1989/90) 221–228
Mandel, A., *see* S. Lins **57** (1985) 261–284
Manoussakis, Y. and D. Amar, Hamiltonian paths and cycles, number of arcs and independence number in digraphs **105** (1992) 157–172
Manoussakis, Y., *see* K.M. Zhang **133** (1-3) (1994) 325–328
Manuel, P.D., *see* E. Dahlhaus **187** (1-3) (1998) 269–271
Manvel, B., Reconstruction of maximal outerplanar graphs **2** (1972) 269–278
Manvel, B., Some basic observations on Kelly's conjecture for graphs **8** (1974) 181–185
Manvel, B., A. Meyerowitz, A. Schwenk, K. Smith and P. Stockmeyer, Reconstruction of sequences **94** (1991) 209–219
Maranas, C.D., C.A. Floudas and P.M. Pardalos, New results in the packing of equal circles in a square **142** (1-3) (1995) 287–293

Marchi, M., *see* H. Hotje **129** (1-3) (1994) 139–147
Marchioro, P. and A. Morgana, Structure and recognition of domishold graphs **50** (1984) 239–251
Marchioro, P., A. Morgana, R. Petreschi and B. Simeone, Degree sequences of matrogenic graphs **51** (1984) 47–61
Marchioro, P., A. Morgana, R. Petreschi and B. Simeone, Adamant digraphs **69** (1988) 253–261
Marcu, D., The powers of two and three (*Note*) **89** (1991) 211–212
Marczyk, A. and Z. Skupień, Maximum nonhamiltonian tough graphs **96** (1991) 213–220
Mardon, R., *see* D. Hartvigsen **94** (1991) 81–94
Marino, M.C. and R.S. Rees, On parallelism in Steiner systems **97** (1991) 295–300
Markosian, A., *see* S. Markossian **178** (1-3) (1998) 137–153
Markossian, S., G. Gasparian, I. Karapetian and A. Markosian, On essential components and critical sets of a graph **178** (1-3) (1998) 137–153
Markowsky, G. and R.E. Tarjan, Lower bounds on the lengths of node sequences in directed graphs **16** (1976) 329–337
Markowsky, G., *see* A.K. Chandra **24** (1978) 7–11
Markowsky, G., The level polynomials of the free distributive lattices **29** (1980) 275–285
Markus, L.R., *see* G.S. Domke **167-168** (1-3) (1997) 237–248
Marques De Sá, E., Note on graphs and weakly cyclic matrices **34** (1981) 275–281
Marques De Sá, E., Multiple roots of diagonal multiples of a square matrix **36** (1981) 57–67
Márquez, A., *see* L. Boza **161** (1-3) (1996) 45–52
Márquez, A., *see* R. Ayala **194** (1-3) (1999) 13–37
Marshall, S., On the existence of k-tournaments with given automorphism group **152** (1-3) (1996) 259–268
Martí-Farré, J., Sets defining minimal vertex covers **197-198** (1-3) (1999) 555–559
Martin, L. and C. Reischer, On the modular nets (*Note*) **22** (1978) 195–196
Martin, N., Solving a conjecture of Sedlacek: maximal edge sets in the 3-uniform sumset hypergraphs **125** (1994) 273–277
Martin, N., Complete bipartite factorisations by complete bipartite graphs **167-168** (1-3) (1997) 461–480
Martini, H., Shadow-boundaries of convex bodies **155** (1-3) (1996) 161–172
Martini, H. and P. Soltan, On convex partitions of polygonal regions **195** (1-3) (1999) 167–180
Martinov, N., A recursive characterization of the 4-connected graphs (*Note*) **84** (1990) 105–108
Marušič, D., On vertex symmetric digraphs **36** (1981) 69–81
Marušič, D. and T.D. Parsons, Hamiltonian paths in vertex-symmetric graphs of order $5p$ **42** (1982) 227–242
Marušič, D. and T.D. Parsons, Hamiltonian paths in vertex-symmetric graphs of order $4p$ **43** (1983) 91–96
Marušič, D., Hamiltonian circuits in Cayley graphs **46** (1983) 49–54
Marušič, D., Hamiltonian cycles in vertex symmetric graphs of order $2p^2$ **66** (1987) 169–174
Marušič, D., Strong regularity and circulant graphs **78** (1989) 119–125
Marušič, D., Hamiltonicity of tree-like graphs **80** (1990) 167–173
Marušič, D., R. Scapellato and N.Z. Salvi, Generalized Cayley graphs **102** (1992) 279–285
Marušič, D. and R. Scapellato, A class of non-Cayley vertex-transitive graphs associated with PSL(2, p) **109** (1992) 161–170
Marušič, D. and R. Scapellato, Permutation groups with conjugacy complete stabilizers **134** (1-3) (1994) 93–98
Marušič, D. and R. Scapellato, A class of graphs arising from the action of PSL(2, q^2) on cosets of PGL(2, q) **134** (1-3) (1994) 99–110
Marušič, D. and B. Mohar, Preface **182** (1-3) (1998) 1
Marušič, D., Recent developments in half-transitive graphs **182** (1-3) (1998) 219–231
Maruta, T., On Singleton arrays and Cauchy matrices **81** (1990) 33–36
Maruta, T., Cyclic arcs and pseudo-cyclic MDS codes **174** (1-3) (1997) 199–205
Masai, P., Two conjectures of Grünbaum on arrangements of curves **41** (1982) 173–180
Masaro, J.C., *see* C.S. Wong **50** (1984) 295–318
Maschietti, A. and G. Migliori, On $q^2/4$-sets of type $(0,q/4,q/2)$ in projective planes of order $q \equiv 0 (\mathrm{mod}\ 4)$ **129** (1-3) (1994) 149–158
Maschlanka, P. and L. Volkmann, Independence number in n-extendable graphs **154** (1-3) (1996) 167–178
Masinter, L., *see* H. Brown **7** (1974) 1–30
Masinter, L., *see* H. Brown **8** (1974) 227–244

Massey, J.L., M.K. Sain and J.M. Geist, Certain infinite Markov chains and sequential decoding **3** (1972) 163–175
Massey, J.L., Linear codes with complementary duals **106/107** (1992) 337–342
Massey, J.L., *see* X. Yang **126** (1994) 391–393
Máté, A., A lower estimate for the achromatic number of irreducible graphs **33** (1981) 171–183
Mathies, T.R., *see* G. Haggard **199** (1-3) (1999) 227–231
Mathon, R. and S.A. Vanstone, On the existence of doubly resolvable Kirkman systems and equidistant permutation arrays **30** (1980) 157–172
Mathon, R., On self-complementary strongly regular graphs **69** (1988) 263–281
Mathon, R., *see* E.S. Kramer **77** (1989) 137–157
Mathon, R. and A. Rosa, On the $(15, 5, \lambda)$-family of BIBDs **77** (1989) 205–216
Mathon, R.A., *see* C.J. Colbourn **92** (1991) 49–64
Matić-Kekić, S., D.M. Acketa and J.D. Žunić, An exact construction of digital convex polygons with minimal diameter **150** (1-3) (1996) 303–313
Matoušek, J. and R. Thomas, On the complexity of finding iso- and other morphisms for partial k-trees **108** (1992) 343–364
Matthews, L.R. and J.G. Oxley, Infinite graphs and bicircular matroids **19** (1977) 61–65
Matthews, L.R., Matroids from directed graphs **24** (1978) 47–61
Mattson Jr., H.F., *see* E.F. Assmus Jr. **3** (1972) 1–20
Mattson Jr., H.F., *see* E.F. Assmus Jr. **3** (1972) 21–32
Mattson Jr., H.F., *see* T. Helleseth **56** (1985) 169–189
Mattson Jr., H.F., Fault-detection in networks **106/107** (1992) 343–352
Matúš, F., Extreme convex set functions with many nonnegative differences **135** (1-3) (1994) 177–191
Mauduit, C., *see* P. Erdős **200** (1-3) (1999) 149–164
Mauk, C. and S. Stahl, Cubic graphs whose average number of regions is small **159** (1-3) (1996) 285–290
Maurer, M.C., *see* M. Chein **37** (1981) 35–50
Maurer, M.C., *see* M. Habib **53** (1985) 91–101
Maurer, S. and P.J. Slater, On k-critical, n-connected graphs **20** (1977) 255–262
Maurer, S.B., Intervals in matroid basis graphs **11** (1975) 147–159
Maurer, S.B. and P.J. Slater, On k-minimally n-edge-connected graphs **24** (1978) 185–195
Maurer, S.B., I. Rabinovitch and W.T. Trotter Jr., Large minimal realizers of a partial order II **31** (1980) 297–313
Maurer, S.B., I. Rabinovitch and W.T. Trotter Jr., A generalization of Turán's theorem to directed graphs **32** (1980) 167–189
Maureso, M., *see* J.M. Brunat **165-166** (1-3) (1997) 125–137
Maureso, M., *see* J.M. Brunat **197-198** (1-3) (1999) 157–167
Maurin, F., Balanced generalized handcuffed designs **110** (1992) 205–213
Maurin, F., On the existence of $(v, 4, 3, 1)$-BHDs **145** (1-3) (1995) 329–331
Mauro, D.W., *see* J.P. Georges **135** (1-3) (1994) 103–111
Maurras, J.-F., Convex hull of the edges of a graph and near bipartite graphs **46** (1983) 257–265
Maurras, J.F., Hypergraphes de Petersen! Hypergraphes de Moore? **111** (1993) 373–379
Maurras, J.F., The line-polytope of a finite affine plane (*Note*) **115** (1993) 283–286
Maurras, J.F., *see* M. Hadjiat **165-166** (1-3) (1997) 367–384
Maurras, J.-F. and Y. Vaxès, Multicommodity network flow with jump constraints **165-166** (1-3) (1997) 481–486
Mavron, V.C., *see* T.C. Hine **29** (1980) 191–200
Maxson, C.J., Endomorphism semigroups of finite subset algebras **10** (1974) 133–144
Maxson, C.J., *see* D.J. Hartfiel **12** (1975) 245–256
Maxson, C.J., *see* D.J. Hartfiel **15** (1976) 141–150
Maxson, C.J., *see* D.J. Hartfiel **16** (1976) 325–328
Maxson, C.J., *see* D.J. Hartfiel **22** (1978) 105–109
Maxson, C.J., *see* D.J. Hartfiel **34** (1981) 261–274
Maxwell, M.M., On rational structures and their asymptotics **178** (1-3) (1998) 257–266
Maybee, J.S., *see* J.R. Lundgren **119** (1993) 113–122
Mayer, J., L'epaisseur du graphe complet de 46 sommets (*Note*) **1** (1971) 209–210

Mayer, J., Hadwiger's conjecture ($\underline{k} = 6$): Neighbour configurations of 6-vertices in contraction-critical graphs **74** (1989) 137–148
Mayer, J., Conjecture de Hadwiger: $k = 6$. II—Réductions de sommets de degré 6 dans les graphes 6-chromatiques contraction-critiques **101** (1992) 213–222
Mayer, J., *see* O.V. Borodin **102** (1992) 97–98
Mayer, J., Case 6 of Hadwiger's conjecture. III. The problem of 7-vertices **111** (1993) 381–387
Mayhew, G.L., Weight class distributions of de Bruijn sequences (*Note*) **126** (1994) 425–429
Mazoyer, J. and I. Rapaport, Global fixed point attractors of circular cellular automata and periodic tilings of the plane: Undecidability results **199** (1-3) (1999) 103–122
Mazzocca, F. and N. Melone, Caps and Veronese varieties in projective Galois spaces **48** (1984) 243–252
Mazzocca, F., On a class of lattices associated with n-cubes **49** (1984) 133–138
Mazzone, S., *see* F. Luccio **64** (1987) 209–219
McAvaney, K., J. Robertson and D. DeTemple, A characterization and hereditary properties for partition graphs **113** (1993) 131–142
McAvaney, K., *see* B. Alspach **151** (1-3) (1996) 19–38
McAvaney, K.L., D.D. Grant and D.A. Holton, Stable and semi-stable unicyclic graphs **9** (1974) 277–288
McAvaney, K.L., *see* D.W. DeTemple **113** (1993) 255–258
McBeth (Rod McBeth), M.A., Partitions and normal trees **79** (1989/90) 95–101
McCanna, J.E., Orientations of the n-cube with minimum diameter (*Communication*) **68** (1988) 309–310
McCarthy, D., *see* G. Haggard **14** (1976) 139–156
McCarthy, D. and S.A. Vanstone, Embedding $(r, 1)$-designs in finite projective planes **19** (1977) 67–76
McCarthy, D. and S.A. Vanstone, On the structure of regular pairwise balanced designs **25** (1979) 237–244
McCarthy, P.J., Matchings in graphs II **11** (1975) 141–145
McCuaig, W., Existence of graphs with specified cycle lengths **78** (1989) 127–133
McCuaig, W., Cycles through edges in cyclically k-connected cubic graphs (*Note*) **103** (1992) 95–98
McCuaig, W., *see* M. Katchalski **142** (1-3) (1995) 141–154
McDiarmid, C., *see* R. Hochberg **138** (1-3) (1995) 261–265
McDiarmid, C., Hypergraph colouring and the Lovász Local Lemma **167-168** (1-3) (1997) 481–486
McDiarmid, C. and B. Reed, Colouring proximity graphs in the plane **199** (1-3) (1999) 123–137
McDiarmid, C.J.H. and A. Sánchez-Arroyo, An upper bound for total colouring of graphs **111** (1993) 389–392
McDiarmid, C.J.H. and A. Sánchez-Arroyo, Total colouring regular bipartite graphs is NP-hard **124** (1994) 155–162
McDiarmid, C.J.H. and J.R. Alfonsin, Sharing jugs of wine **125** (1994) 279–287
McDonnell, E., *see* G. Gordon **147** (1-3) (1995) 297–300
McDonough, T.P., A 2-design admitting Co_3 (*Note*) **38** (1982) 113–115
McDougal, K., On asymmetric (0,1)-matrices with given row and column sum vectors **137** (1-3) (1995) 377–381
McDougal, K., A generalization of Ryser's theorem on term rank **170** (1-3) (1997) 283–288
McEliece, R., *see* S. Dolinar **106/107** (1992) 189–198
McEliece, R.J., Weight congruences for p-ary cyclic codes **3** (1972) 177–192
McFarlane, I., *see* S.G. Hoggar **138** (1-3) (1995) 267–280
McGuinness, S., *see* D.A. Gregory **59** (1986) 267–273
McGuinness, S. and R. Rees, On the number of distinct minimal clique partitions and clique covers of a line graph **83** (1990) 49–62
McGuinness, S., On bounding the chromatic number of L-graphs **154** (1-3) (1996) 179–187
McHugh, J. and Y. Perl, Best location of service centers in a treelike network under budget constraints **86** (1990) 199–214
McKay, B.D., Hadamard equivalence via graph isomorphism (*Note*) **27** (1979) 213–214
McKay, B.D., *see* R.L. Hemminger **55** (1985) 255–265
McKay, B.D., *see* R.P. Brent **66** (1987) 35–49
McKay, J., *see* C.W.H. Lam **45** (1983) 319–321
McKee, T.A., A quantifier for matroid duality (*Note*) **34** (1981) 315–318
McKee, T.A., Duality principles for binary matroids and graphs **43** (1983) 215–222
McKee, T.A., Recharacterizing Eulerian: Intimations of new duality **51** (1984) 237–242
McKee, T.A., Intersection properties of graphs **89** (1991) 253–260

McKee, T.A., *see* F. Harary **128** (1-3) (1994) 165–172
McKee, T.A., *see* C.R. Johnson **159** (1-3) (1996) 155–160
McKee, T.A., Clique neighborhoods and nearly chordal graphs **171** (1-3) (1997) 179–189
McKenzie, R. and R. Quackenbush, The spectrum of a lattice-primal algebra **35** (1981) 157–163
McKenzie, R., *see* J. Berman **52** (1984) 7–29
McMorris, F.R., *see* G.F. Estabrook **16** (1976) 141–147
McMorris, F.R. and G.T. Myers, Some uniqueness results for upper bound graphs (*Note*) **44** (1983) 321–323
McMorris, F.R., *see* J. Lehel **74** (1989) 341–346
McMorris, F.R. and H.M. Mulder, Subpath acyclic digraphs **154** (1-3) (1996) 189–201
McMullen, P., Constructions for projectively unique polytopes **14** (1976) 347–358
McMullen, P., *see* S. Gallivan **34** (1981) 25–29
McMullen, P., Regular polyhedra related to projective linear groups **91** (1991) 161–170
McNulty, G. and W. Taylor, Combinatory interpolation theorems **12** (1975) 193–200
McNulty, G.F., *see* J.P. Hutchinson **45** (1983) 255–275
McQuillan, D. and R.B. Richter, On the crossing numbers of certain generalized Petersen graphs (*Note*) **104** (1992) 311–320
McRae, A., *see* J. Dunbar **199** (1-3) (1999) 35–47
McRae, A.A., *see* I. Broere **138** (1-3) (1995) 125–135
McRae, A.A., *see* J.E. Dunbar **138** (1-3) (1995) 229–246
McRae, A.A., *see* J. Dunbar **149** (1-3) (1996) 311–312
McRae, A.A., *see* J.E. Dunbar **167-168** (1-3) (1997) 261–269
McRae, A.A., *see* E.J. Cockayne **176** (1-3) (1997) 43–61
McSorley, J.P., Counting structures in the Möbius ladder **184** (1-3) (1998) 137–164
McSorley, J.P., Single-change circular covering designs **197-198** (1-3) (1999) 561–588
Meerdink, T., *see* A. Bialostocki **150** (1-3) (1996) 49–60
Megiddo, N., Mixtures of order matrices and generalized order matrices **19** (1977) 177–181
Megyesi, L., *see* A.P. Huhn **41** (1982) 327–330
Mehrabadi, M.L., *see* H. Hajiabolhassan **199** (1-3) (1999) 233–236
Meijers, J.J.H., *see* J. Francke **110** (1992) 119–134
Meir, A., *see* P. Erdös **2** (1972) 207–228
Meir, A., *see* P. Erdös **19** (1977) 229–233
Meir, A. and J.W. Moon, On an asymptotic evaluation of the cycle index of the symmetric group (*Note*) **46** (1983) 103–105
Meir, A. and J.W. Moon, On path entropy functions for rooted trees **138** (1-3) (1995) 319–326
Meixner, T. and A. Pasini, On flat extended grids **174** (1-3) (1997) 207–226
Melfi, G., *see* J.-M. Deshouillers **200** (1-3) (1999) 49–54
Melissen, J.B.M. and P.C. Schuur, Packing 16, 17 or 18 circles in an equilateral triangle **145** (1-3) (1995) 333–342
Melkman, A., *see* I.F. Blake **23** (1978) 97–104
Mel'nikov, L.S., *see* A.V. Kostochka **14** (1976) 403–406
Mel'nikov, L.S. and R. Steinberg, One counterexample for two conjectures on three coloring (*Note*) **20** (1977) 203–206
Melone, N., *see* F. Mazzocca **48** (1984) 243–252
Melter, R.A., *see* F. Harary **39** (1982) 123–127
Melter, R.A., *see* F. Rhodes **194** (1-3) (1999) 267–279
Mendelsohn, E., *see* C.C. Lindner **20** (1977) 123–132
Mendelsohn, E. and N. Shalaby, Skolem labelled graphs **97** (1991) 301–317
Mendelsohn, E. and P. Rodney, The existence of court balanced tournament designs **133** (1-3) (1994) 207–216
Mendelsohn, E., *see* P.B. Gibbons **155** (1-3) (1996) 59–76
Mendelsohn, E., *see* E.S. Mahmoodian **197-198** (1-3) (1999) 543–554
Mendelsohn, N.S., *see* S.H.Y. Hung **18** (1977) 23–33
Mendelsohn, N.S., Perfect cyclic designs **20** (1977) 63–68
Mendelsohn, N.S., *see* C.C. Lindner **32** (1980) 271–280
Meng, J., The generalized S-graphs of diameter 3 **140** (1-3) (1995) 95–106
Meng, J. and Q. Huang, Almost all Cayley graphs have diameter 2 **178** (1-3) (1998) 267–269

Meng, J. and M. Xu, On the isomorphism problem of Cayley graphs of Abelian groups **187** (1-3) (1998) 161–169
Mengersen, I., *see* H. Harborth **60** (1986) 193–197
Mengersen, I., *see* H. Harborth **73** (1988/89) 91–98
Menon, K.V., A determinant of symmetric forms **48** (1984) 87–93
Menon, K.V., Note of some determinants of q-binomial numbers (*Note*) **61** (1986) 337–341
Mercier, A., Quelques identités de l'analyse combinatoire **49** (1984) 139–149
Mercier, A., Identities containing Gaussian binomial coefficients (*Note*) **76** (1989) 67–73
Merlini, D., *see* C. Corsani **180** (1-3) (1998) 107–122
Merris, R., Majorization of characters of the symmetric group **39** (1982) 167–169
Merris, R., *see* R. Grone **69** (1988) 97–99
Mertens, D., *see* K. Bongartz **85** (1990) 17–42
Meschiari, M., *see* A. Cavicchioli **137** (1-3) (1995) 99–136
Meshulam, R., An uncertainty inequality and zero subsums (*Communication*) **84** (1990) 197–200
Meshulam, R., *see* E. Boros **150** (1-3) (1996) 407–409
Meshulam, R., On products of projections **154** (1-3) (1996) 307–310
Mesner, D.M., *see* E.S. Kramer **10** (1974) 123–131
Mesner, D.M., *see* E.S. Kramer **15** (1976) 263–296
Mesner, D.M., *see* E.S. Kramer **36** (1981) 171–189
Metsch, K., *see* A. Beutelspacher **66** (1987) 219–230
Metsch, K., An optimal bound for embedding linear spaces into projective planes **70** (1988) 53–70
Metsch, K., Linear spaces with few lines **110** (1992) 215–222
Metsch, K., Quasi-residual designs, $1\frac{1}{2}$-designs, and strongly regular multigraphs **143** (1-3) (1995) 167–188
Metsch, K., Embedding theorems for locally projective three-dimensional linear spaces **174** (1-3) (1997) 227–245
Meyer, J.C., Nombre chromatique total du joint d'un ensemble stable par un cycle **15** (1976) 41–54
Meyer, J.C., *see* O. Favaron **91** (1991) 311–316
Meyer, R.R., Mixed integer minimization models for piecewise-linear functions of a single variable **16** (1976) 163–171
Meyerowitz, A., *see* B. Manvel **94** (1991) 209–219
Meyniel, H., On the perfect graph conjecture **16** (1976) 339–342
Meyniel, H., *see* P. Duchet **33** (1981) 103–105
Meyniel, H., *see* P. Duchet **43** (1983) 21–27
Meyniel, H., *see* P. Duchet **46** (1983) 319–321
Meyniel, H., *see* M. Maamoun **51** (1984) 213–214
Meyniel, H., *see* W. Bienia **61** (1986) 329–331
Meyniel, H., *see* P. Duchet **62** (1986) 145–154
Meyniel, H., *see* F. Maffray **64** (1987) 39–42
Meyniel, H., *see* P. Duchet **65** (1987) 231–235
Meyniel, H. and J.-P. Roudneff, The vertex picking game and a variation of the game of dots and boxes **70** (1988) 311–313
Meyniel, H., About colorings, stability and paths in directed graphs **74** (1989) 149–150
Meyniel, H., *see* P. Duchet **115** (1993) 273–276
Meyniel, H., *see* H. Jacob **154** (1-3) (1996) 279–280
Miao, Y., Existence of resolvable BIBDs with k=5 and λ=4 **128** (1-3) (1994) 283–303
Miao, Y. and L. Zhu, Perfect Mendelsohn designs with block size six **143** (1-3) (1995) 189–207
Miao, Y. and S. Kageyama, Two classes of q-ary codes based on group divisible association schemes **195** (1-3) (1999) 269–276
Micale, B., *see* R. Gardner **171** (1-3) (1997) 121–139
Micale, B., *see* R. Gardner **175** (1-3) (1997) 143–161
Michael, J., *see* Z. Majcher **164** (1-3) (1997) 225–236
Michael, J., *see* Z. Majcher **164** (1-3) (1997) 237–242
Michalak, D., The binding numbers of some Cartesian products of graphs **131** (1-3) (1994) 363–366
Michalak, D., *see* M. Borowiecki **191** (1-3) (1998) 51–56

Michel, R., G. Taubenfeld and A. Berman, A connection between random variables and latin k-cubes **146** (1-3) (1995) 313–320
Middendorf, M. and F. Pfeiffer, On the complexity of recognizing perfectly orderable graphs (*Communication*) **80** (1990) 327–333
Middendorf, M. and F. Pfeiffer, The max clique problem in classes of string-graphs **108** (1992) 365–372
Middendorf, M. and F. Pfeiffer, Weakly transitive orientations, Hasse diagrams and string graphs **111** (1993) 393–400
Mielants, W. and G. Bruyneel, Minimal balanced sets and finite geometries **37** (1981) 73–77
Migliori, G., *see* A. Maschietti **129** (1-3) (1994) 149–158
Mihók, P., On graphs critical with respect to vertex partition numbers (*Communication*) **37** (1981) 123–126
Mihók, P., *see* S. Jendroľ **71** (1988) 233–241
Mihók, P., On the minimal reducible bound for outerplanar and planar graphs **150** (1-3) (1996) 431–435
Mihók, P., J. Bucko and M. Voigt, On uniquely partitionable planar graphs **191** (1-3) (1998) 149–158
Miklós, D., Great intersecting families of edges in hereditary hypergraphs **48** (1984) 95–99
Miklós, D., M.J. Newman, Á. Seress and D.B. West, The addition game: an abstraction of a communication problem **68** (1988) 265–272
Miklós, D. and A. Telcs, On fully extended self-avoiding polygons **150** (1-3) (1996) 437–440
Miklós, D., On product of association schemes and Shannon capacity **150** (1-3) (1996) 441–447
Milazzo, F., *see* M. Gionfriddo **97** (1991) 191–198
Milazzo, L., The monochromatic block number **165-166** (1-3) (1997) 487–496
Milazzo, L. and Z. Tuza, Upper chromatic number of Steiner triple and quadruple systems **174** (1-3) (1997) 247–259
Milazzo, L. and Zs. Tuza, Strict colourings for classes of steiner triple systems **182** (1-3) (1998) 233–243
Milici, S., *see* M. Gionfriddo **68** (1988) 107–110
Milici, S., *see* G. Quattrocchi **115** (1993) 287–291
Milici, S. and Z. Tuza, The spectrum of λ-times repeated blocks for TS(v, λ) **129** (1-3) (1994) 159–166
Milici, S., G. Quattrocchi and H. Shen, Embeddings of Simple Maximum Packings of triples with λ Even **145** (1-3) (1995) 191–200
Milici, S., *see* M. Gionfriddo **155** (1-3) (1996) 77–79
Miller, D.J., *see* P. Hell **16** (1976) 195–207
Miller, D.J., *see* P. Hell **108** (1992) 297–305
Miller, M., *see* E. Dahlhaus **187** (1-3) (1998) 269–271
Miller, M., *see* M. Sutton **195** (1-3) (1999) 287–293
Miller, M.D. and R.J. Friedlander, On some sequencing problems in finite groups **19** (1977) 77–84
Miller, R.L., Necklaces, symmetries and self-reciprocal polynomials **22** (1978) 25–33
Miller, W.P., Techniques in matroid reconstruction **170** (1-3) (1997) 173–183
Miller, Z., Contractions of graphs: A theorem of ore and an extremal problem **21** (1978) 261–272
Miller, Z., Extremal regular graphs for the achromatic number **40** (1982) 235–253
Miller, Z. and D. Pritikin, The harmonious coloring number of a graph **93** (1991) 211–228
Miller, Z. and D. Pritikin, Applying a result of Frankl and Rödl to the construction of Steiner trees in the hypercube **131** (1-3) (1994) 183–194
Mills, G., A quintessential proof of van der Waerden's theorem on arithmetic progressions (*Note*) **47** (1983) 117–120
Mills, W.H., D.P. Robbins and H. Rumsey Jr., Enumeration of a symmetry class of plane partitions **67** (1987) 43–55
Mills, W.H., *see* D. de Caen **91** (1991) 65–77
Milman, V.D., *see* M.G. Karpovsky **22** (1978) 273–280
Milman, V.D., *see* M.G. Karpovsky **24** (1978) 177–184
Milne, S.C., Classical partition functions and the $U(n+1)$ Rogers–Selberg identity **99** (1992) 199–246
Milne, S.C. and G.M. Lilly, Consequences of the A_l and C_l Bailey transform and Bailey lemma **139** (1-3) (1995) 319–346
Milne, S.C. and G. Bhatnagar, A characterization of inverse relations **193** (1-3) (1998) 235–245
Milner, E.C., *see* D.J. Kleitman **6** (1973) 141–147
Milner, E.C., *see* E. Györi **23** (1978) 235–240

Milner, E.C. and N. Sauer, Remarks on the cofinality of a partially ordered set, and a generalization of König's lemma **35** (1981) 165–171
Milner, E.C. and K. Prikry, A partition relation for triples using a model of Todorčević **95** (1991) 183–191
Milner, E.C., The use of elementary substructures in combinatorics **136** (1-3) (1994) 243–252
Milner, E.C., *see* B. Li **175** (1-3) (1997) 197–209
Milner, E.C., *see* B. Li **176** (1-3) (1997) 185–195
Milner, E.C., *see* B. Li **183** (1-3) (1998) 213–221
Milutinović, U., *see* S. Klavžar **133** (1-3) (1994) 297–300
Min, Z.K., *see* M.S. Zeng **133** (1-3) (1994) 319–324
Minh, H.N., Fonctions de Dirichlet d'ordre n et de paramètre t **180** (1-3) (1998) 221–241
Minoux, M., Bideterminants, arborescences and extension of the Matrix-Tree Theorem to semirings **171** (1-3) (1997) 191–200
Minoux, M., A generalization of the all minors matrix tree theorem to semirings **199** (1-3) (1999) 139–150
Minsker, S., *see* C.S. Klein **114** (1993) 283–295
Mirsky, L., *see* H. Burkill **6** (1973) 15–28
Mirsky, L., *see* H. Burkill **20** (1977) 103–108
Misfeld, J. and C. Zanella, The line geometry of a class of linear spaces **174** (1-3) (1997) 261–269
Mishima, M. and M. Jimbo, A series of identities for the coefficients of inverse matrices on a Hamming scheme **156** (1-3) (1996) 285–290
Mislove, M., *see* J.D. Lawson **63** (1987) 225–230
Misra, B.L. and M.L. Chandak, Construction of symmetric PBIB designs and related results (*Note*) **34** (1981) 85–87
Misra, B.L., On construction of partially balanced n-ary designs **62** (1986) 59–64
Mitas, J., Interval orders based on arbitrary ordered sets **144** (1-3) (1995) 75–95
Mitchell, C., *see* J. Jedwab **125** (1994) 241–254
Mitchell, C.J., An infinite family of symmetric designs **26** (1979) 247–250
Mitchell, S., *see* A. Farley **25** (1979) 189–193
Mitchell, S.L., Another characterization of the centroid of a tree **24** (1978) 277–280
Mitchem, J., *see* H.V. Kronk **5** (1973) 253–260
Mitchem, J., *see* A.M. Hobbs **16** (1976) 233–239
Mitchem, J., An extension of Brooks' theorem to n-degenerate graphs **17** (1977) 291–298
Mitchem, J., A short proof of Catlin's extension of Brooks' Theorem (*Note*) **21** (1978) 213–214
Mitchem, J., On the harmonious chromatic number of a graph **74** (1989) 151–157
Mitchem, J., *see* S.L. Hakimi **149** (1-3) (1996) 93–98
Mitchem, J. and P. Morriss, On the cost-chromatic number of graphs **171** (1-3) (1997) 201–211
Miyakawa, M., *see* V. Lashkia **156** (1-3) (1996) 277–283
Miyamoto, I., Computation of some Cayley diagrams **72** (1988) 291–293
Miyano, H., *see* Y. Kajitani **72** (1988) 187–194
Mizuno, H., *see* K. Ando **65** (1987) 109–114
Mizuno, H. and I. Sato, Ramsey numbers for unions of some cycles **69** (1988) 283–294
Mizuno, H. and I. Sato, Characteristic polynomials of some graph coverings **142** (1-3) (1995) 295–298
Mizuno, H. and I. Sato, Enumeration of finite field labels on graphs **176** (1-3) (1997) 197–202
Mizutani, H., *see* H. Enomoto **104** (1992) 159–166
Moak, D., *see* R. Shelton **61** (1986) 107–114
Moak, D., K. Heuvers, K.P.S.B. Rao and K. Collins, An inversion relation of multinomial type **131** (1-3) (1994) 195–204
Moak, D.S., *see* K.J. Heuvers **88** (1991) 21–32
Moews, D., Optimally pebbling hypercubes and powers **190** (1-3) (1998) 271–276
Mohan, R.N., A note on the construction of certain BIB designs (*Note*) **29** (1980) 209–211
Mohan, R.N., *see* S. Kageyama **45** (1983) 113–121
Mohanty, S.G., *see* B.R. Handa **15** (1976) 137–140
Mohanty, S.G., *see* B.R. Handa **26** (1979) 119–128
Mohanty, S.G., *see* B.R. Handa **50** (1984) 319–322
Mohanty, S.G., *see* T. Watanabe **64** (1987) 281–288
Mohanty, S.G., *see* C. Krattenthaler **126** (1994) 195–208

Mohanty, S.G., *see* C. Krattenthaler **139** (1-3) (1995) 273–285
Mohanty, S.P., Shortest string containing all permutations (*Note*) **31** (1980) 91–95
Mohanty, S.P., *see* B.S. Panda **146** (1-3) (1995) 179–209
Mohar, B., Akempic triangulations with 4 odd vertices **54** (1985) 23–29
Mohar, B., T. Pisanski, M. Škoviera and A. White, The Cartesian product of three triangles can be embedded into a surface of genus 7 (*Communication*) **56** (1985) 87–89
Mohar, B., On the cycle space of graphs (*Communication*) **58** (1986) 79–80
Mohar, B., An obstruction to embedding graphs in surfaces **78** (1989) 135–142
Mohar, B., Some relations between analytic and geometric properties of infinite graphs **95** (1991) 193–219
Mohar, B., Laplace eigenvalues of graphs—a survey **109** (1992) 171–183
Mohar, B., 7-critical graphs of bounded genus (*Note*) **112** (1993) 279–281
Mohar, B., A polynomial time circle packing algorithm (*Communication*) **117** (1993) 257–263
Mohar, B., *see* S. Fisk **134** (1-3) (1994) 49–62
Mohar, B., *see* S. Klavžar **138** (1-3) (1995) 301–314
Mohar, B., N. Robertson and R.P. Vitray, Planar graphs on the projective plane **149** (1-3) (1996) 141–157
Mohar, B., Straight-line representations of maps on the torus and other flat surfaces **155** (1-3) (1996) 173–181
Mohar, B., Apex graphs with embeddings of face-width three **176** (1-3) (1997) 203–210
Mohar, B., *see* D. Marušič **182** (1-3) (1998) 1
Mohar, B., On the orientable genus of graphs with bounded nonorientable genus **182** (1-3) (1998) 245–253
Mohar, B., *see* D. Klabjan **186** (1-3) (1998) 167–175
Mohar, B., *see* M. Juvan **187** (1-3) (1998) 137–149
Möhring, R.H., Almost all comparability graphs are UPO **50** (1984) 63–70
Möhring, R.H., *see* M. Habib **63** (1987) 157–182
Möhring, R.H., *see* M. Habib **88** (1991) 211–229
Molev, A.I., Stirling partitions of the symmetric group and Laplace operators for the orthogonal Lie algebra **180** (1-3) (1998) 281–300
Molina, R., The centroidal branches of a separable graph are edge reconstructible **179** (1-3) (1998) 133–143
Moll, C., *see* W. Hochstättler **153** (1-3) (1996) 165–176
Mollard, M., Une nouvelle famille de 3-codes parfaits sur GF(q) (*Communication*) **49** (1984) 209–212
Mollard, M. and C. Payan, Some progress in the packing of equal circles in a square (*Communication*) **84** (1990) 303–307
Mollard, M., Cycle-regular graphs **89** (1991) 29–41
Mollard, M., Two characterizations of generalized hypercube **93** (1991) 63–74
Mollard, M., Interval-regularity does not lead to interval motonicity (*Communication*) **118** (1993) 233–237
Möller, R.G., Topological groups, automorphisms of infinite graphs and a theorem of Trofimov **178** (1-3) (1998) 271–275
Molloy, M.S.O., *see* D. Achlioptas **179** (1-3) (1998) 1–11
Monjardet, B., Hypergraphs and Sperner's theorem (*Note*) **5** (1973) 287–289
Monjardet, B., Metrics on partially ordered sets—A survey **35** (1981) 173–184
Monjardet, B. and R. Wille, On finite lattices generated by their doubly irreducible elements **73** (1988/89) 163–164
Monjardet, B., *see* C. Chameni Nembua **111** (1993) 105–112
Monjardet, B., On a dependence relation in finite lattices **165-166** (1-3) (1997) 497–505
Monjardet, B., On the comparison of the Spearman and Kendall metrics between linear orders **192** (1-3) (1998) 281–292
Monroe, T.R., *see* W.T. Trotter Jr. **39** (1982) 87–101
Monson, S.D., *see* L.B. Beasley **195** (1-3) (1999) 53–66
Montágh, B., A simple proof and a generalization of an old result of Chung and Feller (*Note*) **87** (1991) 105–108
Montague, P.S., A new construction of lattices from codes over GF(3) **135** (1-3) (1994) 193–223
Montaron, B., On incidence matrices of finite projective planes **56** (1985) 227–237
Monteiro, L.F., M. Abad, S. Savini and J. Sewald, Finite free generating sets **189** (1-3) (1998) 177–189
Montenegro, E. and R. Salazar, A result about the incident edges in the graphs M_k (*Note*) **122** (1993) 377–380
Montpetit, A., Note sur la notion d'equivalence entre deux codes lineaires **65** (1987) 177–185
Montpetit, A., *see* B. Courteau **89** (1991) 7–15
Montpetit, A., *see* B. Courteau **90** (1991) 267–280

Moon, A., An embedding theorem for affine resolvable designs **40** (1982) 255–259
Moon, A., Characterization of the odd graphs O_k by parameters **42** (1982) 91–97
Moon, J.M., Some enumeration problems for similarity relations **26** (1979) 251–260
Moon, J.W., Embedding tournaments in simple tournaments **2** (1972) 389–395
Moon, J.W., *see* A. Meir **46** (1983) 103–105
Moon, J.W., The number of trees with a 1-factor **63** (1987) 27–37
Moon, J.W., Some determinant expansions and the matrix-tree theorem **124** (1994) 163–171
Moon, J.W., *see* A. Meir **138** (1-3) (1995) 319–326
Moon, J.W., *see* S. Tazawa **143** (1-3) (1995) 287–291
Moon, J.W., On the total distance between nodes in tournaments **151** (1-3) (1996) 169–174
Moon, J.W., On the number of induced subgraphs of trees **167-168** (1-3) (1997) 487–496
Moore Jr., J.I., *see* W.T. Trotter Jr. **15** (1976) 79–84
Moore Jr., J.I., *see* W.T. Trotter Jr. **16** (1976) 361–381
Moore Jr., J.I., Interval hypergraphs and D-interval hypergraphs **17** (1977) 173–179
Moorhouse, T.B. and D.G. Corneil, Completeness for intersection classes **190** (1-3) (1998) 277–286
Mor, M. and A.S. Fraenkel, Cayley permutations **48** (1984) 101–112
Mora, M., *see* J.M. Brunat **165-166** (1-3) (1997) 125–137
Mora, M., *see* J.M. Brunat **197-198** (1-3) (1999) 157–167
Moran, G., The bireflections of a permutation **15** (1976) 55–62
Moran, G., The product of two reflection classes of the symmetric group **15** (1976) 63–77
Moran, G., Some coefficients in the center of the group algebra of the symmetric group **21** (1978) 75–81
Moran, G., The r-majority vote action on 0–1 sequences **132** (1-3) (1994) 145–174
Moran, G., Parametrization for stationary patterns of the r-majority operators on 0–1 sequences **132** (1-3) (1994) 175–195
Moran, J.F., The growth rate and balance of homogeneous tilings in the hyperbolic plane **173** (1-3) (1997) 151–186
Moran, S., *see* P. Erdös **64** (1987) 1–11
Morayne, M., Partial-order analogue of the secretary problem The binary tree case **184** (1-3) (1998) 165–181
Moreira, M.L., *see* R. Cordovil **89** (1991) 161–171
Moreira, M.L., *see* R. Cordovil **111** (1993) 131–136
Moreno, O., On primitive elements of trace equal to 1 in GF(2^m) **41** (1982) 53–56
Morgan, I.H., Construction of complete sets of mutually equiorthogonal frequency hypercubes **186** (1-3) (1998) 237–251
Morgana, A., *see* P. Marchioro **50** (1984) 239–251
Morgana, A., *see* P. Marchioro **51** (1984) 47–61
Morgana, A., *see* P. Marchioro **69** (1988) 253–261
Morgana, A., *see* D. Bauer **79** (1989/90) 59–70
Morgana, A., *see* D. Bauer **79** (1989/90) 147–152
Morgana, A., *see* D. Bauer **124** (1994) 13–17
Morillo, P., *see* C. Padró **149** (1-3) (1996) 189–204
Morris, C.A.N., *see* D.H. Griffel **145** (1-3) (1995) 291–293
Morris, I. and C.B. Wensley, Adams operations and λ-operations in β-rings **50** (1984) 253–270
Morris, I. and C.D. Wensley, Cycle indices and subgroup lattices **118** (1993) 173–195
Morris, J., *see* E. Dobson **189** (1-3) (1998) 69–78
Morris, S.B. and R.E. Hartwig, The generalized faro shuffle **15** (1976) 333–346
Morriss, P., *see* J. Mitchem **171** (1-3) (1997) 201–211
Morvan, M., *see* M. Habib **111** (1993) 289–303
Moser, W.O.J., *see* M. Abramson **6** (1973) 1–14
Moser, W.O.J., A generalization of Riordan's formula for $3 \times n$ Latin rectangles (*Note*) **40** (1982) 311–313
Moser, W.O.J., *see* J. Komlós **143** (1-3) (1995) 281–285
Moss, L.S., Distanced graphs **102** (1992) 287–305
Moszkowski, P., *see* G. Kreweras **68** (1988) 71–76
Moszkowski, P., *see* G. Kreweras **87** (1991) 291–296
Moszkowski, P., *see* S. Benchekroun **176** (1-3) (1997) 273–277
Motzkin, T.S., *see* R.L. Graham **2** (1972) 17–29

Moulton, D.P., *see* D.C. Isaksen **175** (1-3) (1997) 265–269
Moulton, V., *see* J. Koolen **192** (1-3) (1998) 205–222
Mouyart, A.-F., Decomposition of the complete hypergraph into hyperclaws **76** (1989) 137–150
Mubarakzianow, R., *see* J. Alpin **175** (1-3) (1997) 1–11
Mudrinski, V., *see* D.M. Acketa **163** (1-3) (1997) 209–210
Muir, A., *see* M.W. Warner **33** (1981) 209–221
Mukerjee, R. and S. Gupta, Geometric construction of balanced block designs with nested rows and columns (*Note*) **91** (1991) 105–108
Mukhopadhyay, A., On the probability that the determinant of an $n \times n$ matrix over a finite field vanishes (*Note*) **51** (1984) 311–315
Mulay, S.B. and C.G. Wagner, Finitary bases and formal generating functions **190** (1-3) (1998) 177–189
Mulazzani, M., Lins–Mandel graphs representing 3-manifolds **140** (1-3) (1995) 107–118
Mulder, H.M. and A. Schrijver, Median graphs and Helly hypergraphs **25** (1979) 41–50
Mulder, H.M., Interval-regular graphs **41** (1982) 253–269
Mulder, H.M., *see* H.-J. Bandelt **50** (1984) 117–134
Mulder, H.M., *see* H.-J. Bandelt **62** (1986) 245–260
Mulder, H.M., *see* H.-J. Bandelt **91** (1991) 221–230
Mulder, H.M., *see* H.-J. Bandelt **94** (1991) 161–180
Mulder, H.M., Julius Petersen's theory of regular graphs **100** (1992) 157–175
Mulder, H.M., *see* H.-J. Bandelt **109** (1992) 13–26
Mulder, H.M., *see* F.R. McMorris **154** (1-3) (1996) 189–201
Mulder, H.M., *see* A.E. Brouwer **169** (1-3) (1997) 153–155
Mulder, H.M., *see* S. Klavžar **187** (1-3) (1998) 255–258
Mulder, M., The structure of median graphs **24** (1978) 197–204
Mulder, M., $(0, \lambda)$-graphs and n-cubes **28** (1979) 179–188
Mull, B.P., D. Kountanis and R. Rashidi, Uniform strong 2-cell imbeddings of bridgeless graphs **143** (1-3) (1995) 209–220
Mulla, F.S., A class of graphs for which the Ulam conjecture holds (*Note*) **22** (1978) 197–198
Mullen, G.L. and R.E. Weber, Latin cubes of order $\leqslant 5$ **32** (1980) 291–297
Mullen, G.L., Polynomial representation of complete sets of mutually orthogonal frequency squares of prime power order **69** (1988) 79–84
Mullen, G.L., *see* L.J. Brant **69** (1988) 115–121
Mullen, G.L., *see* J. Dénes **111** (1993) 157–163
Müller, H., Oriented hypergraphs, stability numbers and chromatic numbers (*Note*) **34** (1981) 319–320
Müller, H., On edge perfectness and classes of bipartite graphs **149** (1-3) (1996) 159–187
Müller, H., *see* D. Kratsch **150** (1-3) (1996) 231–245
Müller, H., HAMILTONian circuits in chordal bipartite graphs **156** (1-3) (1996) 291–298
Müller, H. and J.-X. Rampon, Partial orders and their convex subsets **165-166** (1-3) (1997) 507–517
Müller, V., J. Nešetřil and J. Pelant, Either tournaments or algebras? **11** (1975) 37–66
Müller, V., On colorings of graphs without short cycles **26** (1979) 165–176
Müller, V., *see* A. Fernández **108** (1992) 25–30
Müller, W.B., *see* R. Lidl **92** (1991) 211–220
Mullhaupt, A.P., *see* R.M. Grassl **79** (1989/90) 153–167
Mullin, R.C., P.J. Schellenberg, S.A. Vanstone and W.D. Wallis, On the existence of frames **37** (1981) 79–104
Mullin, R.C., *see* P. Erdös **47** (1983) 49–62
Mullin, R.C., Finite bases for some PBD-closed sets **77** (1989) 217–236
Mullin, R.C. and D.R. Stinson, Pairwise balanced designs with odd block sizes exceeding five **84** (1990) 47–62
Mullin, R.C. and D. Wevrick, Singular points in pair covers and their relation to Hadamard designs **92** (1991) 221–225
Mullin, R.C., *see* D. Jungnickel **97** (1991) 269–277
Mullin, R.C., *see* D.G. Hoffman **146** (1-3) (1995) 97–108
Munuera, C., On MDS elliptic codes (*Note*) **117** (1993) 279–286
Mureddu, M., *see* L. Cerlienco **133** (1-3) (1994) 79–88
Mureddu, M., *see* L. Cerlienco **139** (1-3) (1995) 73–87
Murphy, G. and R. Ding, Grünbaum's gap conjecture **69** (1988) 295–300

Murphy, J.P., *see* M.J. Grannell **167-168** (1-3) (1997) 341–352
Murphy, O., Lower bounds on the stability number of graphs computed in terms of degrees (*Note*) **90** (1991) 207–211
Murphy, O., *see* J. Griggs **152** (1-3) (1996) 157–170
Murty, U.S.R., Extremal critically connected matroids **8** (1974) 49–58
Murty, U.S.R., *see* R.P. Anstee **54** (1985) 113–116
Mushtaq, Q. and F. Shaheen, Factor groups of $G^{6,6,6}$ through coset diagrams for an action on PL(F_q) **126** (1994) 225–238
Mushtaq, Q., On word structure of the modular group over finite and real quadratic fields **178** (1-3) (1998) 155–164
Mushtaq, Q. and M. Aslam, Group generated by two elements of orders two and six acting on $\mathbb{R}$ and $\mathbb{Q}(\sqrt{n})$ **179** (1-3) (1998) 145–154
Muthusamy, A. and P. Paulraja, Path factorizations of complete multipartite graphs **195** (1-3) (1999) 181–201
Mutzel, P., *see* M. Jünger **182** (1-3) (1998) 169–176
Muzychuk, M., On Ádám's conjecture for circulant graphs **167-168** (1-3) (1997) 497–510
Muzychuk, M., On Ádám's conjecture for circulant graphs **176** (1-3) (1997) 285–298
Muzychuk, M. and M. Klin, On graphs with three eigenvalues **189** (1-3) (1998) 191–207
Muzychuk, M., On the isomorphism problem for cyclic combinatorial objects **197-198** (1-3) (1999) 589–606
Mycielski, J., *see* V. Faber **4** (1973) 339–345
Myers, B.R., Regular separable graphs of minimum order with given diameter **33** (1981) 289–311
Myers, G.T., *see* F.R. McMorris **44** (1983) 321–323
Myers Jr., R.W., 1-homogeneous graphs **57** (1985) 67–88
Mykkeltveit, J., *see* T. Helleseth **18** (1977) 179–211
Mykkeltveit, J., *see* E.R. Hauge **148** (1-3) (1996) 65–83
Mykkeltveit, J., *see* E.R. Hauge **189** (1-3) (1998) 133–147
Mynhardt, C.M., *see* I. Broere **26** (1979) 209–212
Mynhardt, C.M., *see* E.J. Cockayne **76** (1989) 117–121
Mynhardt, C.M., *see* B. Bollobás **86** (1990) 89–97
Mynhardt, C.M., Lower Ramsey numbers for graphs **91** (1991) 69–75
Mynhardt, C.M., *see* E.J. Cockayne **122** (1993) 89–102
Mynhardt, C.M., *see* E.J. Cockayne **125** (1994) 137–146
Mynhardt, C.M., *see* E.J. Cockayne **138** (1-3) (1995) 199–205
Mynhardt, C.M., *see* E.J. Cockayne **141** (1-3) (1995) 75–84
Mynhardt, C.M., *see* E.J. Cockayne **159** (1-3) (1996) 57–68
Mynhardt, C.M., *see* A.P. Burger **163** (1-3) (1997) 47–66
Mynhardt, C.M., *see* E.J. Cockayne **167-168** (1-3) (1997) 205–214
Mynhardt, C.M., *see* E.J. Cockayne **188** (1-3) (1998) 253–260
Myrvold, W., The degree sequence is reconstructible from $n-1$ cards **102** (1992) 187–196
Naddef, D., N. Sbihi and M. Tchuente, Independence systems with continuous cardinality of bases (*Communication*) **31** (1980) 107–109
Naddef, D. and W.R. Pulleyblank, Matchings in regular graphs **34** (1981) 283–291
Nagoya, S., *see* Y. Egawa **58** (1986) 93–95
Nagy, A., *see* P. Bugata **158** (1-3) (1996) 37–47
Naik, R.N., *see* V.N. Bhat-Nayak **20** (1977) 93–102
Naik, R.N., *see* V.N. Bhat-Nayak **23** (1978) 17–22
Naik, R.N., *see* V.N. Bhat-Nayak **47** (1983) 169–175
Naiman, D.Q. and H.P. Wynn, A theorem on independence (*Note*) **120** (1993) 287–289
Naiman, D.Q. and H.P. Wynn, Independence number and the complexity of families of sets **154** (1-3) (1996) 203–216
Nair, B.R. and A. Vijayakumar, About triangles in a graph and its complement **131** (1-3) (1994) 205–210
Nair, B.R. and A. Vijayakumar, Strongly edge triangle regular graphs and a conjecture of Kotzig **158** (1-3) (1996) 201–209
Nair, P.S., Construction of self-complementary graphs **175** (1-3) (1997) 283–287
Naitoh, T., *see* K. Ando **148** (1-3) (1996) 299–303
Naji, W., Reconnaissance des graphes de cordes (*Communication*) **54** (1985) 329–337

Nakada, F., *see* J. Akiyama **75** (1989) 7–9
Nakada, H., *see* T. Soneoka **63** (1987) 53–66
Nakamoto, A., Transformations in closed 2-cell embeddings on surfaces preserving specified properties **197-198** (1-3) (1999) 607–615
Nakamura, G., *see* K. Heinrich **92** (1991) 107–125
Nakashima, J., *see* P. Frankl **140** (1-3) (1995) 265–267
Nakatsuka, I., *see* H. Umeo **62** (1986) 319–323
Nam, Y., *see* R.P. Anstee **184** (1-3) (1998) 15–24
Nandakumar, R., *see* K.R. Parthasarathy **46** (1983) 69–74
Nara, C. and S.-i. Tachibana, A note on upper bounds for some Ramsey numbers (*Communication*) **45** (1983) 323–326
Nara, C., *see* B. Bollobás **62** (1986) 271–275
Nara, C., *see* S. Tazawa **143** (1-3) (1995) 287–291
Nara, C. and S. Tazawa, Enumeration of unlabelled graphs with specified degree parities **183** (1-3) (1998) 255–264
Narayana Rao, M.L., K. Satyanarayana and G. Vithal Rao, On a class of translation planes of square order **66** (1987) 175–190
Narendran, P., C. Ó'Dúnlaing and F. Otto, It is undecidable whether a finite special string-rewriting system presents a group (*Note*) **98** (1991) 153–159
Narushima, H., *see* A. Odaka **14** (1976) 269–271
Narushima, H. and H. Era, A variant of inclusion-exclusion on semilattices (*Note*) **21** (1978) 215–217
Narushima, H., Principle of inclusion–exclusion on partially ordered sets **42** (1982) 243–250
Narushima, H., *see* T. Hibi **72** (1988) 167–174
Naserasr, R., *see* E.S. Mahmoodian **167-168** (1-3) (1997) 451–460
Nash-Williams, C.St.J.A., Reconstruction of locally finite connected graphs with two infinite wings **92** (1991) 227–249
Nash-Williams, C.St.J.A., Reconstruction of infinite graphs **95** (1991) 221–229
Nasu, M., Uniformly finite-to-one and onto extensions of homomorphisms between strongly connected graphs **39** (1982) 171–197
Nathanson, M.B., Partial products in finite groups (*Note*) **15** (1976) 201–203
Nathanson, M.B., A extremal problem for least common multiples **64** (1987) 221–228
Nathanson, M.B., Simultaneous systems of representatives and combinatorial number theory **79** (1989/90) 197–205
Nebesky, L., Left-right double trees **1** (1971) 73–81
Nedela, R., *see* M. Škoviera **78** (1989) 179–186
Nedela, R., Covering spaces of locally homogeneous graphs **121** (1993) 177–188
Nedela, R., Covering projections of graphs preserving links of vertices and edges **134** (1-3) (1994) 111–124
Nederpelt, R.P., Bijections between formulae and trees which are compatible with equivalences of the type $((f \circ g) \circ h) \sim ((f \circ h) \circ g)$ **59** (1986) 99–105
Negami, S., Uniqueness and faithfulness of embedding of toroidal graphs **44** (1983) 161–180
Negami, S. and G.-H. Xu, Locally geodesic cycles in 2-self-centered graphs **58** (1986) 263–268
Negami, S., Enumeration of projective-planar embeddings of graphs **62** (1986) 299–306
Negami, S., The spherical genus and virtually planar graphs **70** (1988) 159–168
Negami, S., Diagonal flips in triangulations of surfaces **135** (1-3) (1994) 225–232
Negami, S., *see* S. Lawrencenko **135** (1-3) (1994) 367–369
Negro, A., *see* M.D. Atkinson **80** (1990) 115–122
Nemhauser, G.L., *see* T. King **10** (1974) 117–121
Nemhauser, G.L., *see* W.-L. Hsu **37** (1981) 181–191
Nemhauser, G.L., *see* W.-l. Hsu **38** (1982) 65–71
Nenov, N.D., On the small graphs with chromatic number 5 without 4-cliques (*Letter to the editor*) **188** (1-3) (1998) 297–298
Nešetřil, J., Homomorphisms of derivative graphs **1** (1971) 257–268
Nešetřil, J., *see* V. Müller **11** (1975) 37–66
Nešetřil, J. and A. Pultr, On classes of relations and graphs determined by subobjects and factorobjects **22** (1978) 287–300

Nešetřil, J. and V. Rödl, A simple proof of the Galvin–Ramsey property of the class of all finite graphs and a dimension of a graph **23** (1978) 49–55
Nešetřil, J., *see* S.A. Burr **54** (1985) 1–13
Nešetřil, J. and V. Rödl, Two remarks on Ramsey's theorem (*Communication*) **54** (1985) 339–341
Nešetřil, J. and V. Rödl, The partite construction and Ramsey set systems **75** (1989) 327–334
Nešetřil, J., *see* G. Brightwell **88** (1991) 129–132
Nešetřil, J. and V. Rödl, On Ramsey graphs without bipartite subgraphs **101** (1992) 223–229
Nešetřil, J., *see* W. Imrich **108** (1992) 159–165
Nešetřil, J., *see* P. Hell **109** (1992) 117–126
Nešetřil, J., *see* P. Gvozdjak **154** (1-3) (1996) 77–84
Nešetřil, J., A. Raspaud and E. Sopena, Colorings and girth of oriented planar graphs **165-166** (1-3) (1997) 519–530
Nešetřil, J., *see* O.V. Borodin **188** (1-3) (1998) 73–85
Neufeld, E.T., Orienting cycle elements in orientable rotation systems **182** (1-3) (1998) 255–265
Neufeld, S. and R. Nowakowski, A game of cops and robbers played on products of graphs **186** (1-3) (1998) 253–268
Neumaier, A., Completely regular codes **106/107** (1992) 353–360
Neumann, B.N., *see* A. Chi Kim **92** (1991) 145–158
Neumann-Lara, V., *see* H. Galeana-Sánchez **48** (1984) 67–76
Neumann-Lara, V. and J. Urrutia, Vertex critical r-dichromatic tournaments **49** (1984) 83–87
Neumann-Lara, V., *see* H. Galeana-Sánchez **59** (1986) 257–265
Neumann-Lara, V., N. Santoro and J. Urrutia, Uniquely colourable m-dichromatic oriented graphs **62** (1986) 65–70
Neumann-Lara, V. and J. Urrutia, A combinatorial result on points and circles on the plane **69** (1988) 173–178
Neumann-Lara, V., *see* H. Galeana-Sánchez **87** (1991) 271–280
Neumann-Lara, V., *see* H. Galeana-Sánchez **94** (1991) 181–187
Neumann-Lara, V., The 3 and 4-dichromatic tournaments of minimum order **135** (1-3) (1994) 233–243
Neumann-Lara, V. and E. Rivera-Campo, Euler tours and a game with dominoes **167-168** (1-3) (1997) 511–517
Neumann-Lara, V., The vertex critical 4-dichromatic circulant tournaments **170** (1-3) (1997) 289–291
Neumann-Lara, V., *see* B. Ábrego **194** (1-3) (1999) 1–11
Neumann-Lara, V., *see* F. Larrión **197-198** (1-3) (1999) 491–501
Neumann-Lara, V., The acyclic disconnection of a digraph **197-198** (1-3) (1999) 617–632
Neumann-Lara, V., E. Rivera-Campo and J. Urrutia, A note on covering the edges of a graph with bonds **197-198** (1-3) (1999) 633–636
Nevermann, P., Order varietes generated by $\vee$-semilattices of finite width **53** (1985) 167–171
Newhart, D.W., Information sets in quadratic-residue codes **42** (1982) 251–266
Newman, D.J., *see* A.G. Konheim **4** (1973) 57–63
Newman, I., *see* I.B.-A. Hartman **87** (1991) 41–52
Newman, I., *see* M. Karchmer **114** (1993) 275–282
Newman, M.J., *see* D. Miklós **68** (1988) 265–272
Ng, L.L., Hamiltonian decomposition of complete regular multipartite digraphs **177** (1-3) (1997) 279–285
Nguyen, H.Q., Functors of the category of combinatorial geometries and strong maps **20** (1977) 143–158
Nguyen, H.Q., n-alternation deficiency of geometric rank-functions **21** (1978) 273–283
Nguyen, H.Q., Projections and weak maps in combinatorial geometries **24** (1978) 281–289
Nica, A., Crossings and embracings of set-partitions and q-analogues of the logarithm of the Fourier transform **157** (1-3) (1996) 285–309
Nicholson, G.E., A. Grubb and C.S. Sharma, Regular join endomorphisms on a complemented modular lattice of finite rank **52** (1984) 235–242
Nicholson, V.A., Collapsing unicolored graphs **18** (1977) 55–61
Nicolai, F., *see* H.-J. Bandelt **145** (1-3) (1995) 37–60
Nicolai, F., *see* A. Brandstädt **171** (1-3) (1997) 27–42
Nicolas, J.L., *see* P. Erdős **75** (1989) 155–166
Nicolas, J.-L., *see* M. Deléglise **200** (1-3) (1999) 27–48
Niederhausen, H., Sequences of binomial type with polynomial coefficients **50** (1984) 271–284
Niederhausen, H., Factorials and Stirling numbers in the algebra of formal Laurent series **90** (1991) 53–62

Niederhausen, H., Initial value problems in the logarithmic algebra **94** (1991) 23–37
Niederhausen, H., Fast Langrange inversion, with an application to factorial numbers **104** (1992) 99–110
Niederhausen, H., Factorials and Stirling numbers in the algebra of formal Laurent series II: z^a-z^b=t **132** (1-3) (1994) 197–213
Niedermeyer, F., f-Optimal factors of infinite graphs **95** (1991) 231–254
Niederreiter, H., A combinatorial problem for vector spaces over finite fields **96** (1991) 221–228
Niederreiter, H., Orthogonal arrays and other combinatorial aspects in the theory of uniform point distributions in unit cubes **106/107** (1992) 361–367
Nieminen, J., *see* D. Bauer **47** (1983) 153–161
Nieminen, J., Neutrality and betweenness in modular lattices (*Note*) **55** (1985) 329–332
Nierstrasz, O.M., *see* C.B. Collins **36** (1981) 139–153
Niessen, T. and B. Randerath, Regular factors of simple regular graphs and factor-spectra **185** (1-3) (1998) 89–103
Nijholt, A., A left part theorem for grammatical trees **25** (1979) 51–63
Nilli, A., On the second eigenvalue of a graph (*Note*) **91** (1991) 207–210
Nishii, R., Optimality of experimental designs **116** (1993) 209–225
Nishimura, T., Short cycles in digraphs **72** (1988) 295–298
Nishimura, T., Regular factors of line graphs (*Note*) **85** (1990) 215–219
Nishimura, T. and A. Saito, Two recursive theorems on n-extendibility **162** (1-3) (1996) 319–323
Nishizeki, T., On the relationship between the genus and the cardinality of the maximum matchings of a graph **25** (1979) 149–156
Nishizeki, T. and I. Baybars, Lower bounds on the cardinality of the maximum matchings of planar graphs **28** (1979) 255–267
Nishizeki, T., A 1-tough nonhamiltonian maximal planar graph (*Communication*) **30** (1980) 305–307
Nishizeki, T., On the maximum matchings of regular multigraphs **37** (1981) 105–114
Nivat, M. and A. Podelski, Another variation on the common subexpression problem **114** (1993) 379–401
Nivat, M., *see* A. Del Lungo **157** (1-3) (1996) 65–78
Nobili, P. and A. Sassano, The anti-join composition and polyhedra **119** (1993) 141–166
Noble, S.D., Recognising a partitionable simplicial complex is in NP **152** (1-3) (1996) 303–305
Nojima, S., *see* A. Odaka **14** (1976) 269–271
Nolan, J.M., C.D. Savage and H.S. Wilf, Basis partitions **179** (1-3) (1998) 277–283
Nomura, K., An application of intersection diagrams of high rank **127** (1-3) (1994) 259–264
Nomura, K., A remark on Mulder's conjecture about interval-regular graphs **147** (1-3) (1995) 307–311
Nonay, G.M., *see* J.D. Horton **97** (1991) 251–264
Noonan, J., The number of permutations containing exactly one increasing subsequence of length three **152** (1-3) (1996) 307–313
Norton, S.P., *see* R.P. Lewis **138** (1-3) (1995) 315–318
Novacky Jr., G.A., *see* C.-Y. Chao **41** (1982) 139–143
Nowakowski, R. and I. Rival, The smallest graph variety containing all paths **43** (1983) 223–234
Nowakowski, R. and P. Winkler, Vertex-to-vertex pursuit in a graph **43** (1983) 235–239
Nowakowski, R., *see* R.E. Jamison **51** (1984) 35–39
Nowakowski, R., Cutsets of boolean lattices **63** (1987) 231–240
Nowakowski, R. and I. Rival, Retract rigid Cartesian products of graphs **70** (1988) 169–184
Nowakowski, R., *see* S. Neufeld **186** (1-3) (1998) 253–268
Nowicki, K. and J.C. Wierman, Subgraph counts in random graphs using incomplete U-statistics methods **72** (1988) 299–310
Nowitz, L.A., A non-Cayley-invariant Cayley graph of the elementary Abelian group of order 64 **110** (1992) 223–228
Noy, M., *see* F. Hurtado **149** (1-3) (1996) 319–324
Noy, M., Enumeration of noncrossing trees on a circle **180** (1-3) (1998) 301–313
Nozaki, A., *see* V. Lashkia **156** (1-3) (1996) 277–283
Nudelman, S.P., The modular n-queens problem in higher dimensions **146** (1-3) (1995) 159–167
Numata, M., *see* A.E. Brouwer **124** (1994) 49–54
Nurmela, K.J., *see* R.L. Graham **181** (1-3) (1998) 139–154

Nýdl, V., Finite undirected graphs which are not reconstructible from their large cardinality subgraphs **108** (1992) 373–377
Nypelseer, V., *see* C. Lefevre-Percsy **84** (1990) 161–167
Oates–Williams, S., *see* D. Donovan **92** (1991) 79–83
Oates-Williams, S., *see* D.E. Bryant **138** (1-3) (1995) 161–167
Oates-Williams, S., *see* D.E. Bryant **167-168** (1-3) (1997) 167–174
O'Brien, G.L., A generalized notion of quotient for finite Abelian groups (*Note*) **37** (1981) 119–121
Odaka, A., H. Fujita, S. Nojima and H. Narushima, A new normal form of Boolean functions **14** (1976) 269–271
Odenthal, T., *see* M. Jünger **182** (1-3) (1998) 169–176
Odlyzko, A.M., On covering a product of sets with products of their subsets **5** (1973) 373–380
Odlyzko, A.M., J. Pintz and K.B. Stolarsky, Partitions of planar sets into small triangles **57** (1985) 89–97
Odlyzko, A.M., *see* Z. Füredi **63** (1987) 143–152
Odlyzko, A.M. and W.D. Smith, Nonabelian sets with distinct k-sums **146** (1-3) (1995) 169–177
Odlyzko, A.M., Analytic methods in asymptotic enumeration **153** (1-3) (1996) 229–238
Ó'Dúnlaing, C., *see* P. Narendran **98** (1991) 153–159
Oellermann, O.R., *see* Y. Alavi **62** (1986) 113–118
Oellermann, O.R., The connected cutset connectivity of a graph **69** (1988) 301–308
Oellermann, O.R., *see* D.P. Day **127** (1-3) (1994) 95–104
Oellermann, O.R., *see* W. Goddard **132** (1-3) (1994) 65–73
Oellermann, O.R., *see* M.A. Henning **161** (1-3) (1996) 161–173
Oellermann, O.R., *see* M.A. Henning **161** (1-3) (1996) 175–184
Oellermann, O.R., *see* D.P. Day **197-198** (1-3) (1999) 217–223
Oellrich, H. and K. Steffens, On Dilworth's decomposition theorem **15** (1976) 301–304
Oertel, P., *see* H. Harborth **73** (1988/89) 89–90
Ohmori, H., Classification of weighing matrices of order 13 and weight 9 **116** (1993) 55–78
Okamura, H., Paths containing two adjacent edges in $(2k+1)$-edge-connected graphs **111** (1993) 401–407
O'Keefe, C.M., T. Penttila and C.E. Praeger, Block-transitive, point-imprimitive designs with $\lambda = 1$ **115** (1993) 231–244
O'Keefe, C.M., Ovoids in PG(3,q): a survey **151** (1-3) (1996) 175–188
O'Keefe, C.M. and A.A. Pascasio, Images of conics under derivation **151** (1-3) (1996) 189–199
O'Keefe, C.M., *see* A. Blokhuis **197-198** (1-3) (1999) 137–141
Olariu, S., Weak bipolarizable graphs **74** (1989) 159–171
Olariu, S., Wings and perfect graphs **80** (1990) 281–296
Olariu, S., *see* P. Duchet **90** (1991) 99–101
Olariu, S., *see* C.T. Hoàng **102** (1992) 67–74
Olariu, S., On sources in comparability graphs, with applications (*Note*) **110** (1992) 289–292
Olariu, S., Quasi-brittle graphs, a new class of perfectly orderable graphs **113** (1993) 143–153
Olaru, E., The structure of imperfect critically strongly-imperfect graphs **156** (1-3) (1996) 299–302
Olive, G., *see* R. Scurr **189** (1-3) (1998) 209–219
Olivos, J., *see* E. Goles **30** (1980) 187–189
Ollmann, L.T., *see* B. Alspach **12** (1975) 205–209
Olson, R.C., On the six conics problem **10** (1974) 279–300
Olson, W.H. and V.R.R. Uppuluri, On 'valid sequences' considered by Wigner **5** (1973) 159–169
Omura, J.K., Iterative decoding of linear codes by a modulo-2 linear program **3** (1972) 193–208
O'Neil, P.E., Hyperplane cuts of an n-cube **1** (1971) 193–195
O'Neil, P.E., A constructive decomposition and Fulkerson's characterization of permutation matrices **1** (1971) 197–201
O'Neil, P.E., *see* P. Erdös **4** (1973) 29–35
O'Neil, P.E., Correction to a constructive decomposition and Fulkerson's characterization of permutation matrices (*Note*) **11** (1975) 401–402
O'Neil, P.E., *see* M.D. Beeler **28** (1979) 135–146
Ong, B.G., *see* C.L. Liu **4** (1973) 171–184
Onn, S., *see* P. Kleinschmidt **102** (1992) 75–77
Ono, K., Odd values of the partition function **169** (1-3) (1997) 263–268

Oorschot, P.C.V. and S.A. Vanstone, On splitting sets in block designs and finding roots of polynomials **84** (1990) 71–85
Opatrny, J., *see* J. Chvatalova **61** (1986) 141–150
Opencomb, W.E., On the intricacy of combinatorial construction problems **50** (1984) 71–97
Oporowski, B., A decomposition of locally finite graphs **117** (1993) 161–168
Oporowski, B., *see* G. Ding **149** (1-3) (1996) 45–58
Oporowski, B., Minor-equivalence for infinite graphs **195** (1-3) (1999) 203–227
Oral, H., Self-orthogonal codes with distance four are not rigid **104** (1992) 263–271
Ordaz, O., *see* B. Jackson **57** (1985) 199–201
Ordaz, O., *see* O. Favaron **58** (1986) 243–252
Ordaz, O., *see* P. Fraisse **71** (1988) 143–148
Ordaz, O., *see* B. Jackson **84** (1990) 241–254
Ordaz, O., *see* O. Favaron **121** (1993) 55–63
Ordaz, O., *see* D. Barraez **146** (1-3) (1995) 11–18
Ordaz, O., *see* C. Flores **152** (1-3) (1996) 321–324
Ordaz, O., D. Amar and A. Raspaud, Hamiltonian properties and the bipartite independence number **161** (1-3) (1996) 207–215
Ordaz, O., *see* D. Amar **181** (1-3) (1998) 31–36
Ordman, E.T., *see* P. Erdős **72** (1988) 93–101
Osteen, R.E., *see* A.R. Bednarek **57** (1985) 155–158
Östergård, P.R.J. and M.K. Kaikkonen, New upper bounds for binary covering codes **178** (1-3) (1998) 165–179
Östergård, P.R.J., On the structure of optimal error-correcting codes **179** (1-3) (1998) 285–287
Östergård, P.R.J., *see* R.L. Graham **181** (1-3) (1998) 139–154
Osterweil, L.J., Some classes of uniquely 3-colorable graphs **8** (1974) 59–69
Ostfeld, Z., *see* E. Korach **114** (1993) 305–327
Ostrand, P.A., *see* F. Harary **1** (1971) 7–18
Ostrand, P.A., Graphs with specified radius and diameter **4** (1973) 71–75
Ostrand, P.A., *see* D. Burns **32** (1980) 99–103
Ota, K., Cycles through prescribed vertices with large degree sum **145** (1-3) (1995) 201–210
Ota, K., *see* Y. Egawa **197-198** (1-3) (1999) 225–246
Otto, F., An example of a one-relator group that is not a one-relation monoid (*Note*) **69** (1988) 101–103
Otto, F., *see* P. Narendran **98** (1991) 153–159
Ou, J., *see* S.S. Abhyankar **133** (1-3) (1994) 25–46
Oubiña, L., Des cycles et cocycles en hypergraphes **8** (1974) 71–80
Oubiña, L. and R. Zucchello, A generalization of outerplanar graphs **51** (1984) 243–249
Oubiña, L., *see* M. Gutierrez **142** (1-3) (1995) 77–85
Ouyang, K.Z., *see* X.E. Chen **172** (1-3) (1997) 17–29
Ouyang, K.Z., *see* X.E. Chen **172** (1-3) (1997) 31–38
Overmars, M.H., *see* J.A. La Poutré **114** (1993) 329–359
Owens, P.J., Non-Hamiltonian simple 3-polytopes whose faces are all 5-gons or 7-gons (*Communication*) **36** (1981) 227–230
Owens, P.J., Shortness parameters of families of regular planar graphs with two or threed types of face **39** (1982) 199–209
Owens, P.J., Bipartite cubic graphs and a shortness exponent (*Communication*) **44** (1983) 327–330
Owens, P.J., Bipartite regular graphs and shortness parameters (*Note*) **55** (1985) 101–106
Owens, P.J., Simple 3-polytopal graphs with edges of only two types and shortness coefficients **59** (1986) 107–114
Owens, P.J., Knight's move squares **63** (1987) 39–51
Owens, P.J., *see* S. Jendrol' **137** (1-3) (1995) 251–263
Owens, P.J., *see* J. Harant **147** (1-3) (1995) 301–305
Owens, P.J., *see* J. Harant **150** (1-3) (1996) 143–153
Owens, P.J. and D.A. Preece, Aspects of complete sets of 9×9 pairwise orthogonal latin squares **167-168** (1-3) (1997) 519–525
Oxenham, M.G. and L.R.A. Casse, On a geometric representation of the subgroups of index 6 in S_6 **92** (1991) 251–259

Oxley, J., *see* T. Brylawski **31** (1980) 161–170
Oxley, J. and G. Whittle, Connectivity of submodular functions **105** (1992) 173–184
Oxley, J. and H. Wu, On matroid connectivity **146** (1-3) (1995) 321–324
Oxley, J., On packing 3-connected restrictions into 3-connected matroids **178** (1-3) (1998) 181–198
Oxley, J., *see* M. Lemos **189** (1-3) (1998) 283–289
Oxley, J.G., *see* L.R. Matthews **19** (1977) 61–65
Oxley, J.G., On cographic regular matroids (*Note*) **25** (1979) 89–90
Oxley, J.G., On some extremal connectivity results for graphs and matroids **41** (1982) 181–198
Oxley, J.G., On a matroid identity **44** (1983) 55–60
Oxley, J.G., On minor-minimally-connected matroids **51** (1984) 63–72
Oxley, J.G., On ternary transversal matroids **62** (1986) 71–83
Oxley, J.G., A note on Negami's polynomial invariants for graphs (*Note*) **76** (1989) 279–281
Oxley, J.G., On an excluded-minor class of matroids **82** (1990) 35–52
Oxley, J.G., Ternary paving matroids **91** (1991) 77–86
Oxley, J.G. and D.J.A. Welsh, Tutte polynomials computable in polynomial time **109** (1992) 185–192
Oxley, J.G., *see* S.R. Kingan **160** (1-3) (1996) 265–271
Pabst, G., Quantitative axioms for finite affine planes **16** (1976) 53–56
Pacco, W. and R. Scapellato, Digraphs having the same canonical double covering **173** (1-3) (1997) 291–296
Pach, J., *see* P. Erdös **30** (1980) 103–109
Pach, J., Graphs whose every independent set has a common neighbour **37** (1981) 217–228
Pach, J., *see* K. Böröczky **60** (1986) 101–120
Pach, J. and J.H. Spencer, Note on vertex-partitions of infinite graphs (*Note*) **79** (1989/90) 107–108
Pach, J., *see* P. Komjáth **95** (1991) 255–270
Pach, J., *see* P. Erdős **111** (1993) 189–196
Pach, J., *see* P. Erdős **200** (1-3) (1999) 95–99
Pachner, U., Shellings of simplicial balls and p.l. manifolds with boundary **81** (1990) 37–47
Pachter, L. and P. Kim, Forcing matchings on square grids **190** (1-3) (1998) 287–294
Padberg, M., Lehman's forbidden minor characterization of ideal 0–1 matrices **111** (1993) 409–420
Padberg, M. and T.-Y. Sung, An analytic symmetrization of max flow–min cut **165-166** (1-3) (1997) 531–545
Padberg, M.W., A note on the total unimodularity of matrices **14** (1976) 273–278
Padmanabhan, S., *see* S. Guha **81** (1990) 211–215
Padró, C. and P. Morillo, Diameter vulnerability of iterated line digraphs **149** (1-3) (1996) 189–204
Padró, C., *see* D. Ferrero **197-198** (1-3) (1999) 285–298
Pak, I. and A. Postnikov, A generalization of Sylvester's identity **178** (1-3) (1998) 277–281
Pakulski, J., *see* M. Kubale **164** (1-3) (1997) 197–212
Palásti, I., A distance problem of P. Erdös with some further restrictions (*Note*) **76** (1989) 155–156
Pálfy, P.P., On the chromatic number of certain highly symmetric graphs **54** (1985) 31–38
Pálfy, P.P., *see* P. Erdős **200** (1-3) (1999) 165–179
Palisse, R., A short proof of Fisher's inequality **111** (1993) 421–422
Palisse, R., Subsets of a finite set that almost always intersect each other in λ elements **165-166** (1-3) (1997) 547–553
Palka, Z., *see* P. Erdös **46** (1983) 145–150
Palka, Z., *see* P. Erdös **48** (1984) 331
Palka, Z. and L.V. Quintas, Random subgraphs of the n-cycle **52** (1984) 243–251
Palka, Z., A. Ruciński and J. Spencer, On a method for random graphs **61** (1986) 253–258
Palka, Z., *see* T. Łuczak **72** (1988) 257–265
Pallo, J.M., *see* A. Bonnin **45** (1983) 153–163
Pallo, J.M., *see* A. Bonnin **51** (1984) 111–117
Pallo, J.M., Une bijection entre arbres binaires et certaines matrices de Jacobi (*Note*) **103** (1992) 99–101
Palmer, E.M., On the number of n-plexes **6** (1973) 377–390
Palmer, E.M., *see* F. Harary **11** (1975) 371–389
Pambianco, F., *see* G. Faina **174** (1-3) (1997) 117–123
Panayotopoulos, A., Some considerations on permutation trees **47** (1983) 275–281
Panayotopoulos, A., Generating stable permutations (*Note*) **62** (1986) 219–221
Panda, B.S. and S.P. Mohanty, Intersection graphs of vertex disjoint paths in a tree **146** (1-3) (1995) 179–209

Panda, B.S., The forbidden subgraph characterization of directed vertex graphs **196** (1-3) (1999) 239–256
Pang, K.F., *see* R. Ahlswede **49** (1984) 1–5
Paoli, M., Powers of connected graphs and hamiltonicity **52** (1984) 91–99
Papadimitriou, C.H., *see* W.H. Gates **27** (1979) 47–57
Papadimitriou, C.H., *see* L.M. Kirousis **55** (1985) 181–184
Papini, O., *see* M.C. Gennero **56** (1985) 155–168
Paradis, A.D., Regular subsets in semi-direct products of monoids **17** (1977) 299–307
Parchmann, R., On the cardinalities of finite topologies **11** (1975) 161–172
Pardalos, P.M., *see* C.D. Maranas **142** (1-3) (1995) 287–293
Pareschi, G., *see* R. Chiavacci **82** (1990) 165–180
Park, S., Inverse descents of r-multipermutations **132** (1-3) (1994) 215–229
Park, S.K., The r-complete partitions **183** (1-3) (1998) 293–297
Parker, M., *see* F. Buekenhout **186** (1-3) (1998) 69–94
Parnami, J.C. and K.C. Prasad, Enumeration of alternating sequences (*Note*) **20** (1977) 207–208
Parnami, J.C., The iteration of a bijective transformation of integer k-tuples mod m **87** (1991) 297–307
Parnes, S. and S.B. Ekhad, A WZ-style proof of Jacobi polynomials' generating function (*Communication*) **110** (1992) 263–264
Parsons, T.D., The Ramsey numbers $r(P_m, K_n)$ **6** (1973) 159–162
Parsons, T.D., *see* R.J. Faudree **10** (1974) 269–277
Parsons, T.D., *see* B. Alspach **25** (1979) 97–108
Parsons, T.D., T. Pisanski and B. Jackson, Dual imbeddings and wrapped quasi-coverings of graphs **31** (1980) 43–52
Parsons, T.D., *see* D. Marušič **42** (1982) 227–242
Parsons, T.D., *see* D. Marušič **43** (1983) 91–96
Parsons, T.D. and T. Pisanski, Vector representations of graphs **78** (1989) 143–154
Parthasarathy, K.R., *see* G. Ravindra **20** (1977) 177–186
Parthasarathy, K.R., *see* V. Krishnamoorthy **38** (1982) 197–205
Parthasarathy, K.R. and R. Nandakumar, Unique eccentric point graphs **46** (1983) 69–74
Parthasarathy, K.R. and N. Srinivasan, An extremal problem in geodetic graphs **49** (1984) 151–159
Pascasio, A.A., *see* C.M. O'Keefe **151** (1-3) (1996) 189–199
Pascovici, D., On the forced unilateral orientation number of a graph **187** (1-3) (1998) 171–183
Pascu, A. and G. Păun, On the planarity of bicolored digraph grammar systems (*Note*) **25** (1979) 195–197
Paseka, J., Products in the category of locales: which properties are preserved? **108** (1992) 63–73
Pasini, A., On certain geometries of type C_n and F_4 **58** (1986) 45–61
Pasini, A., Flag-transitive C_3-geometries **117** (1993) 169–182
Pasini, A. and S. Tsaranov, Bounding the size of certain rank 3 geometries with designs as rank 2 residues **155** (1-3) (1996) 183–204
Pasini, A., *see* T. Meixner **174** (1-3) (1997) 207–226
Pasquier, G., Binary images of some self-dual codes over GF(2^m) with respect to trace-orthogonal basis (*Communication*) **37** (1981) 127–129
Paterson, K.G. and M.J.B. Robshaw, Storage efficient decoding for a class of binary be Bruijn sequences **138** (1-3) (1995) 327–341
Paterson, M.S., *see* D.E. Daykin **50** (1984) 221–226
Patrinos, A.N. and S.L. Hakimi, Relations between graphs and integer-pair sequences **15** (1976) 347–358
Patwardhan, G.A., *see* M.K. Gill **61** (1986) 189–196
Paule, P., *see* S.A. Abramov **180** (1-3) (1998) 3–22
Paulraja, P., Counterexample to a conjecture on hamilton cycles (*Note*) **64** (1987) 99
Paulraja, P., *see* R. Balakrishnan **186** (1-3) (1998) 1–13
Paulraja, P., *see* A. Muthusamy **195** (1-3) (1999) 181–201
Păun, G., *see* A. Pascu **25** (1979) 195–197
Pavčević, M.-O. and E. Spence, Some new symmetric designs with λ=10 having an automorphism of order 5 **196** (1-3) (1999) 257–266
Pawale, R.M. and S.S. Sane, A short proof of a conjecture on quasi-symmetric 3-designs (*Note*) **96** (1991) 71–74
Payan, C., Coverings by minimal transversals **23** (1978) 273–277

Payan, C. and N.H. Xuong, Upper embeddability and connectivity of graphs **27** (1979) 71–80
Payan, C., A class of threshold and domishold graphs: Equistable and equidominating graphs **29** (1980) 47–52
Payan, C., *see* E.J. Cockayne **33** (1981) 249–258
Payan, C., *see* P. Erdös **42** (1982) 57–61
Payan, C., Perfectness and Dilworth number (*Communication*) **44** (1983) 229–230
Payan, C., *see* F. Jaeger **46** (1983) 93–94
Payan, C., M. Tchuente and N.H. Xuong, Arbres avec un nombre maximum de sommets pendants **49** (1984) 267–273
Payan, C., *see* M. Mollard **84** (1990) 303–307
Payan, C., *see* S.X. Sun **102** (1992) 79–83
Payan, C., On the chromatic number of cube-like graphs **103** (1992) 271–277
Payan, C., Empilement de cercles égaux dans un triangle équilatéral A propos d'une conjecture d'Erdös–Oler **165-166** (1-3) (1997) 555–565
Payne, S.E., On maximizing $\det(A^{\mathrm{T}}A)$ **10** (1974) 145–158
Pearce, L.H., Random walks on trees **30** (1980) 269–276
Peck, G.W., A new proof of a theorem of Graham and Pollak (*Communication*) **49** (1984) 327–328
Peck, G.W., On 'k-sets' in the plane (*Note*) **56** (1985) 73–74
Peck, G.W. and A. Shastri, Bandwidth of theta graphs with short paths **103** (1992) 177–187
Pecuchet, J.P., Solutions principales et rang d'un système d'équations avec constantes dans le monoïde libre **48** (1984) 253–274
Peele, R., On finite partition representations of lattices **42** (1982) 267–280
Peemöller, J., Necessary conditions for Hamiltonian split graphs **54** (1985) 39–47
Peile, R.E., Inclusion transformations: (n, m)-graphs and their classification **96** (1991) 111–129
Pelant, J., *see* V. Müller **11** (1975) 37–66
Pelant, J. and V. Rödl, On coverings of infinite-dimensional metric spaces **108** (1992) 75–81
Pelant, J., *see* M. Burzio **155** (1-3) (1996) 27–30
Pelc, A., *see* J. Czyzowicz **82** (1990) 233–250
Peled, U.N., Matroidal graphs **20** (1977) 263–286
Peled, U.N., *see* F. Harary **39** (1982) 123–127
Peled, U.N. and M.K. Srinivasan, Poset matching–a distributive analog of independent matching **114** (1993) 403–424
Peled, U.N., *see* P.L. Hammer **119** (1993) 79–96
Peled, U.N., *see* N.V.R. Mahadev **135** (1-3) (1994) 169–176
Peleg, D., A generalized closure and complement phenomenon **50** (1984) 285–293
Peleg, D., On the maximum density of 0–1 matrices with no forbidden rectangles **140** (1-3) (1995) 269–274
Pellerin, A. and R. Laskar, Cubic graphs on twelve vertices and the line graph of a finite affine plane **12** (1975) 27–36
Pellikaan, R., On decoding by error location and dependent sets of error positions **106/107** (1992) 369–381
Penaud, J.-G., *see* S. Dulucq **117** (1993) 89–105
Penaud, J.-G., Une preuve bijective d'une formule de Touchard–Riordan **139** (1-3) (1995) 347–360
Penfold Street, A., *see* M.J. Sharry **77** (1989) 299–305
Penfold Street, A., *see* M.J. Sharry **92** (1991) 341–359
Peng, Y., *see* S. Xu **135** (1-3) (1994) 349–358
Peng, Y.H., On the chromatic uniqueness of certain bipartite graphs **94** (1991) 129–140
Peng, Y.H., *see* C.C. Chen **111** (1993) 113–123
Peng, Y.-H., C.H.C. Little, K.L. Teo and H. Wang, Chromatic equivalence classes of certain generalized polygon trees **172** (1-3) (1997) 103–114
Penn, M., *see* F. Granot **142** (1-3) (1995) 65–75
Pennisi, M., *see* R. Gardner **171** (1-3) (1997) 121–139
Pennisi, M., *see* R. Gardner **175** (1-3) (1997) 143–161
Penttila, T., *see* P.H. Fisher **71** (1988) 19–32
Penttila, T., *see* C.M. O'Keefe **115** (1993) 231–244
Pepper, S., *see* I.P. Goulden **113** (1993) 263–268
Perelli Cippo, C., A geometric interpretation of an equality by Sylvester **174** (1-3) (1997) 271–276
Perfect, H., *see* V. Bryant **18** (1977) 109–124

Perfect, H., Footnote to a paper of Griggs, Yeh and Grinstead on partitioning into 4-chains (*Note*) **90** (1991) 213–214
Pergola, E., *see* E. Barcucci **180** (1-3) (1998) 45–64
Perkins, S. and A.E. Escott, Synchronizing codewords of q-ary Huffman codes **197-198** (1-3) (1999) 637–655
Perkovic, L. and B. Reed, Edge coloring regular graphs of high degree **165-166** (1-3) (1997) 567–578
Perl, Y., *see* M.C. Golumbic **28** (1979) 237–245
Perl, Y. and S. Zaks, Deficient generalized Fibonacci maximum path graphs **34** (1981) 153–164
Perl, Y., *see* J. McHugh **86** (1990) 199–214
Perles, M.A., *see* N. Alon **60** (1986) 75–90
Peroche, B., *see* M. Habib **41** (1982) 219–220
Peroche, B., On several sorts of connectivity **46** (1983) 267–277
Peroche, B., *see* J.C. Bermond **52** (1984) 123–132
Peroche, B. and C. Virlouvet, Minimally 4-edge$^{\#}$-connected graphs **125** (1994) 289–299
Perold, A.F., *see* V. Chvátal **26** (1979) 83–92
Perrin, D., *see* A. de Luca **27** (1979) 297–308
Perrin, D., *see* G. Lallement **36** (1981) 261–271
Pesch, E. and W. Poguntke, A characterization of absolute retracts of n-chromatic graphs **57** (1985) 99–104
Pesch, E., Products of absolute retracts **69** (1988) 179–188
Peter-Orth, C., All solutions of the Soma cube puzzle **57** (1985) 105–121
Peters, K., *see* M.S. Jacobson **86** (1990) 59–69
Peterson, D.L., A note on Hamiltonian cycles in bipartite plane cubic maps having connectivity 2 (*Note*) **36** (1981) 327–332
Petford, A.D. and D.J.A. Welsh, A randomised 3-colouring algorithm **74** (1989) 253–261
Petingi, L., F. Boesch and C. Suffel, On the characterization of graphs with maximum number of spanning trees **179** (1-3) (1998) 155–166
Petkovšek, M., *see* S. Klavžar **66** (1987) 133–137
Petkovšek, M., A generalization of Gosper's algorithm **134** (1-3) (1994) 125–131
Petkovšek, M., *see* S.A. Abramov **180** (1-3) (1998) 3–22
Petrenjuk, A.J., On the constructive enumeration of packings and coverings of index one **77** (1989) 237–254
Petreschi, R., *see* P. Marchioro **51** (1984) 47–61
Petreschi, R., *see* P. Marchioro **69** (1988) 253–261
Petrić, M., *see* S. Cvetković **50** (1984) 37–49
Petrović, M.M., Finite type graphs and some graph operations, II **58** (1986) 269–274
Petrović, M.M., I. Gutman and M. Lepović, Graphs with small numbers of independent edges **126** (1994) 239–244
Petrovic, V. and C. Thomassen, Kings in k-partite tournaments (*Note*) **98** (1991) 237–238
Petrović, V., Decomposition of some planar graphs into trees **150** (1-3) (1996) 449–451
Petrovic, V., Kings in bipartite tournaments **173** (1-3) (1997) 187–196
Petrovich, A., Equations in the theory of Q-distributive lattices **175** (1-3) (1997) 211–219
Peyrat, C., *see* T. Soneoka **63** (1987) 53–66
Peyrat, C., *see* N. Homobono **76** (1989) 37–44
Peyrat, C., *see* J.-C. Bermond **114** (1993) 51–62
Pfaff, O., On the simplicity of $\cdot 2$ and $\cdot 3$ **97** (1991) 319–331
Pfaltz, J.L., Closure lattices **154** (1-3) (1996) 217–236
Pfeiffer, F., *see* M. Middendorf **80** (1990) 327–333
Pfeiffer, F., *see* M. Middendorf **108** (1992) 365–372
Pfeiffer, F., *see* M. Middendorf **111** (1993) 393–400
Phelan, J.S., *see* M.J. Grannell **97** (1991) 199–202
Phelan, J.S., *see* M.J. Grannell **138** (1-3) (1995) 247–253
Phelps, K., D.R. Stinson and S.A. Vanstone, The existence of simple $S_3(3, 4, v)$ **77** (1989) 255–258
Phelps, K.T., Some derived Steiner triple systems **16** (1976) 343–352
Phelps, K.T., *see* C.C. Lindner **24** (1978) 109–112
Phelps, K.T., Automorphism free latin square graphs **31** (1980) 193–200
Phelps, K.T. and A. Rosa, Steiner triple systems with rotational automorphisms **33** (1981) 57–66
Phelps, K.T., A construction of cyclic Steiner triple systems of order p^n (*Note*) **67** (1987) 107–110

Phelps, K.T., *see* C.J. Colbourn **89** (1991) 149–160
Phelps, K.T., *see* D.G. Hoffman **89** (1991) 221–229
Phelps, K.T., A class of 2-chromatic SQS(22) **97** (1991) 333–338
Phelps, K.T., *see* F.E. Bennett **103** (1992) 129–137
Phelps, K.T., *see* F.E. Bennett **103** (1992) 139–151
Phelps, K.T. and M.J. de Resmini, Partitioning twofold triple systems into complete arcs **104** (1992) 273–280
Phelps, K.T. and C.A. Rodger, Nesting partial Steiner triple systems with 2-regular leave graphs **112** (1993) 165–172
Phillips, N.C.K. and D.A. Preece, Tight single-change covering designs with v=12, k=4 **197-198** (1-3) (1999) 657–670
Pianta, S., *see* H. Hotje **129** (1-3) (1994) 139–147
Piazza, B., *see* R. Laskar **122** (1993) 245–253
Piazza, B.L., R.D. Ringeisen and S.K. Stueckle, Subthrackleable graphs and four cycles **127** (1-3) (1994) 265–276
Pica, G., On finite C_n-geometries with thick lines **155** (1-3) (1996) 205–210
Pica, G., *see* A. Del Fra **174** (1-3) (1997) 99–105
Picardello, M.A., M.H. Taibleson and W. Woess, Harmonic measure of the planar Cantor set from the viewpoint of graph theory **109** (1992) 193–202
Piccarreta, S., *see* L. Grasselli **182** (1-3) (1998) 125–137
Pichat, E., The disengagement algorithm or a new generalization of the exclusion algorithm **17** (1977) 95–106
Pickert, G., Differenzmengen und ovale **73** (1988/89) 165–179
Picon, P.A., Sur certaines suites récurrentes cubiques ayant deux ou trois termes nuls **21** (1978) 285–296
Picon, P.A., Un résultat d'intégrité **38** (1982) 227–241
Picon, P.A., Conditions d'integrité de certains coefficients hypergéometriques: généralisation d'un théorème de Landau **135** (1-3) (1994) 245–263
Piff, M.J., *see* F. Harary **2** (1972) 163–171
Pin, J.E., *see* J. Berstel **76** (1989) 89–94
Pinkernell, A., *see* Y. Guo **164** (1-3) (1997) 165–170
Pinter, M.R., Strongly well-covered graphs **132** (1-3) (1994) 231–246
Pintz, J., *see* A.M. Odlyzko **57** (1985) 89–97
Pinzani, R., *see* E. Barcucci **139** (1-3) (1995) 3–18
Pinzani, R., *see* A. Del Lungo **157** (1-3) (1996) 65–78
Pinzani, R., *see* E. Barcucci **170** (1-3) (1997) 211–217
Pinzani, R., *see* E. Barcucci **180** (1-3) (1998) 45–64
Pinzani, R., *see* E. Barcucci **189** (1-3) (1998) 21–42
Piollet, D., Solutions d'une equation quadratique dans le groups libre **59** (1986) 115–123
Piotrowski, W., Chordal characterization of graphic matroids **68** (1988) 273–279
Piotrowski, W.L., The solution of the bipartite analogue of the Oberwolfach problem **97** (1991) 339–356
Piper, F., *see* W.-A. Jackson **98** (1991) 23–28
Piper, F. and P. Wild, Incidence structures applied to cryptography **106/107** (1992) 383–389
Piper, F., *see* J. Jedwab **125** (1994) 241–254
Pippert, R.E., *see* K.S. Bagga **122** (1993) 1–6
Pippert, R.E., *see* K.S. Bagga **124** (1994) 3–12
Piras, F., *see* L. Azzena **79** (1989/90) 123–146
Piret, Ph., *see* Ph. Delsarte **55** (1985) 313–315
Piret, Ph., Word correction by means of convolutional codes **56** (1985) 239–243
Pirillo, G., *see* J. Justin **52** (1984) 299–303
Pirillo, G., On a combinatorial property of Fibonacci semigroup **122** (1993) 263–267
Pirillo, G. and S. Varricchio, Some combinatorial properties of infinite words and applications to semigroup theory **153** (1-3) (1996) 239–251
Pirillo, G., Fibonacci numbers and words **173** (1-3) (1997) 197–207
Pisanski, T., *see* T.D. Parsons **31** (1980) 43–52
Pisanski, T. and J. Shawe-Taylor, Search for minimal trivalent cycle permutation graphs with girth nine (*Communication*) **36** (1981) 113–115
Pisanski, T., *see* V. Batagelj **38** (1982) 311–312

Pisanski, T., *see* B. Mohar **56** (1985) 87–89
Pisanski, T., *see* T.D. Parsons **78** (1989) 143–154
Pisanski, T., Universal commutator graphs **78** (1989) 155–156
Pisanski, T. and T.W. Tucker, The genus of low rank hamiltonian groups **78** (1989) 157–167
Pisanski, T., Orientable quadrilateral embeddings of products of graphs **109** (1992) 203–205
Pisanski, T., *see* T. Dakić **134** (1-3) (1994) 25–39
Pisanski, T., *see* W. Imrich **167-168** (1-3) (1997) 393–403
Pitas, I. and M.G. Strintzis, Special algorithms for convolutions over Galois fields **56** (1985) 245–253
Pittel, B., *see* P. Flajolet **75** (1989) 167–215
Piwakowski, K., *see* M. Kubale **150** (1-3) (1996) 247–256
Piwakowski, K., *see* M. Kubale **164** (1-3) (1997) 197–212
Piwakowski, K., On Ramsey number $R(4,3,3)$ and triangle-free edge-chromatic graphs in three colors **164** (1-3) (1997) 243–249
Plantholt, M.J., The chromatic index of graphs with large maximum degree **47** (1983) 91–96
Plantholt, M.J. and S.K. Tipnis, The chromatic index of multigraphs that are nearly full **82** (1990) 197–207
Plantholt, M.J. and S.K. Tipnis, The chromatic index of multigraphs of order at most 10 **177** (1-3) (1997) 185–193
Plaut, B.C., *see* M.A. Langston **182** (1-3) (1998) 191–196
Plesník, J., One method for proving the impossibility of certain Moore graphs **8** (1974) 363–376
Plesník, J., A note on the complexity of finding regular subgraphs **49** (1984) 161–167
Plesník, J., Equivalence between the minimum covering problem and the maximum matching problem (*Note*) **49** (1984) 315–317
Pless, V., A classification of self-orthogonal codes over GF(2) **3** (1972) 209–246
Pless, V., *see* J.H. Conway **38** (1982) 143–156
Pless, V., Codes and designs—existence and uniqueness **92** (1991) 261–274
Pless, V., More on the uniqueness of the Golay codes **106/107** (1992) 391–398
Pless, V., *see* G.T. Kennedy **142** (1-3) (1995) 155–168
Pless, V.S., *see* R.A. Brualdi **83** (1990) 189–199
Pless, V.S., *see* R.A. Brualdi **102** (1992) 239–247
Ploščica, M. and M. Zelina, Cancellation among finite unary algebras **159** (1-3) (1996) 191–198
Plouffe, S., *see* J.-P. Allouche **139** (1-3) (1995) 455–461
Pluhár, A., *see* Z. Blázsik **115** (1993) 51–55
Plummer, M.D. and N. Robertson, Path traversability in planar graphs **7** (1974) 289–303
Plummer, M.D., On n-extendable graphs **31** (1980) 201–210
Plummer, M.D., Toughness and matching extension in graphs **72** (1988) 311–320
Plummer, M.D., *see* D.A. Holton **96** (1991) 81–99
Plummer, M.D., Matching theory—a sampler: from Dénes König to the present **100** (1992) 177–219
Plummer, M.D., *see* E. Győri **101** (1992) 87–96
Plummer, M.D., Extending matchings in planar graphs IV **109** (1992) 207–219
Plummer, M.D., Extending matchings in claw-free graphs **125** (1994) 301–307
Plummer, M.D., Extending matchings in graphs: A survey **127** (1-3) (1994) 277–292
Plummer, M.D., Extending matchings in planar graphs V **150** (1-3) (1996) 315–324
Plummer, M.D., *see* W. Goddard **167-168** (1-3) (1997) 329–339
Plummer, M.D., *see* R.E.L. Aldred **197-198** (1-3) (1999) 29–40
Pocchiola, M., *see* J. Berstel **153** (1-3) (1996) 29–39
Podelski, A., *see* M. Nivat **114** (1993) 379–401
Pogosyan, G., *see* V. Lashkia **156** (1-3) (1996) 277–283
Poguntke, W., *see* E. Pesch **57** (1985) 99–104
Poguntke, W., *see* B. Ganter **63** (1987) 153–156
Poh, K.S., *see* K.M. Koh **61** (1986) 61–70
Poh, K.S., *see* K.M. Koh **69** (1988) 241–251
Poh, K.S., *see* K.M. Koh **72** (1988) 225–236
Poh, K.S., *see* K.M. Koh **151** (1-3) (1996) 121–130
Poirier, S., Cycle type and descent set in wreath products **180** (1-3) (1998) 315–343
Polat, N., Sous-graphes traçables des graphes infinis **38** (1982) 243–263

Polat, N., A compactness result for perfect matchings **64** (1987) 229–237
Polat, N., On the existence of minimal end-separators (*Communication*) **85** (1990) 97–98
Polat, N. and G. Sabidussi, Asymmetrising sets in trees **95** (1991) 271–289
Polat, N., Asymmetrization of infinite trees **95** (1991) 291–301
Polat, N., A minimax theorem for infinite graphs with ideal points **103** (1992) 57–65
Polat, N., Similarity and asymmetrization of trees **109** (1992) 221–238
Polat, N., Minimax theorems for infinite graphs with the ends as ideal points **130** (1-3) (1994) 89–96
Polat, N. and G. Sabidussi, Fixed elements of infinite trees **130** (1-3) (1994) 97–102
Polat, N., A Helly theorem for geodesic convexity in strongly dismantlable graphs **140** (1-3) (1995) 119–127
Polat, N., Stable graphs for a family of endomorphisms **150** (1-3) (1996) 325–335
Polat, N., Finite invariant sets in infinite graphs **158** (1-3) (1996) 211–221
Polat, N., *see* M. Chastand **160** (1-3) (1996) 93–104
Polat, N., *see* F. Laviolette **194** (1-3) (1999) 151–172
Poli, A., Important algebraic calculations for n-variables polynomial codes **56** (1985) 255–263
Poli, A. and J.A. Thiong-Ly, Automorphisms of principal nilpotent self-dual codes in certain modular algebras **56** (1985) 265–273
Policriti, A., *see* D. Dikranjan **159** (1-3) (1996) 83–94
Polito, P., *see* G. Lunardon **174** (1-3) (1997) 191–198
Politof, T. and A. Satyanarayana, Minors of quasi 4-connected graphs **126** (1994) 245–256
Politof, T. and A. Satyanarayana, The structure of quasi 4-connected graphs **161** (1-3) (1996) 217–228
Poljak, S. and A. Pultr, On the dimension of trees **34** (1981) 165–171
Poljak, S. and V. Rödl, On set systems determined by intersections **34** (1981) 173–184
Poljak, S. and D. Turzik, A note on sticky matroids (*Note*) **42** (1982) 119–123
Poljak, S. and D. Turzík, A polynomial time heuristic for certain subgraph optimization problems with guaranteed worst case bound (*Note*) **58** (1986) 99–104
Poljak, S., *see* M. Loebl **76** (1989) 241–246
Poljak, S., *see* Y. Crama **102** (1992) 143–147
Poljak, S. and D. Turzík, Max-cut in circulant graphs **108** (1992) 379–392
Poljak, S., *see* C. Delorme **111** (1993) 145–156
Poljak, S., On existence theorems **111** (1993) 423–434
Pollack, J., *see* D. Klarner **32** (1980) 45–52
Pollington, A.D., On the density of B_2-bases (*Note*) **58** (1986) 209–211
Pomerance, C., On a tiling problem of R.B. Eggleton **18** (1977) 63–70
Ponomarenko, I., *see* S. Evdokimov **197-198** (1-3) (1999) 247–267
Popescu, D.-R., Une méthode d'énumération des cycles négatifs d'un graphe signé **150** (1-3) (1996) 337–345
Porcu, L., *see* E. Dedò **55** (1985) 1–11
Porta, H., *see* A.S. Fraenkel **135** (1-3) (1994) 93–101
Porter, T.D., *see* C.A. Barefoot **150** (1-3) (1996) 31–48
Porto, O., *see* H. Everett **165-166** (1-3) (1997) 223–242
Porubský, Š., A characterization of finite unions of arithmetic sequences **38** (1982) 73–77
Pósa, L., Hamiltonian circuits in random graphs **14** (1976) 359–364
Post, K., *see* D.A. Klarner **106/107** (1992) 303–309
Postnikov, A., *see* I. Pak **178** (1-3) (1998) 277–281
Pott, A., A note on self-orthogonal codes (*Note*) **76** (1989) 283–284
Pott, A. and M. Shrikhande, t-Designs with few intersection numbers (*Note*) **90** (1991) 215–217
Pott, A., *see* K.T. Arasu **97** (1991) 25–38
Pott, A., *see* K.T. Arasu **97** (1991) 39–45
Pott, A., *see* K.T. Arasu **106/107** (1992) 19–23
Pott, A., *see* K.T. Arasu **147** (1-3) (1995) 1–17
Potter, L.K., *see* A.P. Godbole **190** (1-3) (1998) 79–93
Poucher, W.B., Finite embedding theorems for partial pairwise balanced designs **18** (1977) 291–298
Poupard, C., De nouvelles significations enumeratives des nombres d'Entringer **38** (1982) 265–271
Poupard, Y., Etude et denombrement paralleles des partitions non-croisees d'un cycle et des decoupages d'un polygone convexe **2** (1972) 279–288

Pouzet, M., Sur certains tournois reconstructibles application a leurs groupes d'automorphismes (*Note*) **24** (1978) 225–229
Pouzet, M., *see* R. Assous **25** (1979) 1–5
Pouzet, M., *see* D. Duffus **35** (1981) 39–52
Pouzet, M. and N. Zaguia, Dimension de Krull des ensembles ordonnes **53** (1985) 173–192
Pouzet, M. and I. Rival, Is there a diagram invariant? **73** (1988/89) 181–188
Pouzet, M., *see* J.-M. Brochet **95** (1991) 23–47
Pouzet, M. and I.G. Rosenberg, General metrics and contracting operations **130** (1-3) (1994) 103–169
Pouzet, M., *see* M. Kabil **192** (1-3) (1998) 145–186
Pouzet, M., A projection property and Arrow's impossibility theorem **192** (1-3) (1998) 293–308
Powers, R.G., Some asymptotic *i*th Ramsey numbers **41** (1982) 271–279
Powers, R.G., The *i*th Ramsey number for matchings (*Note*) **61** (1986) 115–118
Prabhu, N., *see* G. Bohus **187** (1-3) (1998) 259–264
Praeger, C.E., *see* J.D. Henstridge **31** (1980) 181–183
Praeger, C.E., Balanced directed cycle designs based on groups **92** (1991) 275–290
Praeger, C.E., *see* C.M. O'Keefe **115** (1993) 231–244
Praeger, C.E., *see* P.J. Cameron **118** (1993) 33–43
Praeger, C.E. and B.P. Raposa, Non-symmetric nearly triply regular designs **151** (1-3) (1996) 201–212
Praeger, C.E., *see* X.G. Fang **182** (1-3) (1998) 85–99
Pragacz, P., *see* A. Lascoux **126** (1994) 209–215
Pranesachar, C.R., On the number of two-line and three-line Latin rectangles—An alternative approach **38** (1982) 79–86
Prasad, K.C., *see* J.C. Parnami **20** (1977) 207–208
Préa, P., Graphs and topologies on discrete sets **103** (1992) 189–197
Préa, P., Distance sequences in infinite regular tessellations **146** (1-3) (1995) 211–233
Préa, P., About weak connectivity **165-166** (1-3) (1997) 579–586
Preece, D.A., Double Youden rectangles — an update with examples of size 5×11 **125** (1994) 309–317
Preece, D.A., P.W. Brading, C.W.H. Lam and M. Côté, Balanced 6×6 designs for 4 equally replicated treatments **125** (1994) 319–327
Preece, D.A., How many 7×7 Latin squares can be partitioned into Youden squares? **138** (1-3) (1995) 343–352
Preece, D.A. and B.J. Vowden, Graeco-Latin squares with embedded balanced superimpositions of Youden squares **138** (1-3) (1995) 353–363
Preece, D.A., *see* P.J. Owens **167-168** (1-3) (1997) 519–525
Preece, D.A., Some 6×11 Youden squares and double Youden rectangles **167-168** (1-3) (1997) 527–541
Preece, D.A., *see* N.C.K. Phillips **197-198** (1-3) (1999) 657–670
Preece, D.A. and B.J. Vowden, Some series of cyclic balanced hyper-Graeco-Latin superimpositions of three Youden squares **197-198** (1-3) (1999) 671–682
Preece, D.A., *see* D.H. Rees **197-198** (1-3) (1999) 691–712
Preissmann, M., Even polyhedral decompositions of cubic graphs (*Communication*) **32** (1980) 331–334
Preissmann, M., Snarks of order 18 (*Communication*) **42** (1982) 125–126
Preissmann, M., A class of strongly perfect graphs (*Note*) **54** (1985) 117–120
Preissmann, M., D. de Werra and N.V.R. Mahadev, A note of superbrittle graphs **61** (1986) 259–267
Preissmann, M., *see* C.T. Hoàng **98** (1991) 161–174
Preissmann, M., *see* C.T. Hoàng **102** (1992) 67–74
Preissmann, M., *see* F. Maffray **162** (1-3) (1996) 313–317
Prellberg, T., *see* H. Harborth **73** (1988/89) 89–90
Pretorius, L.M., *see* C.J. Swanepoel **167-168** (1-3) (1997) 583–592
Pretorius, L.M., *see* W.L. Fouché **197-198** (1-3) (1999) 331–350
Pretzel, O., Another proof of Dilworth's decomposition theorem (*Note*) **25** (1979) 91–92
Pretzel, O., A construction for partially ordered sets **32** (1980) 59–68
Pretzel, O., A non-covering graph of girth six **63** (1987) 241–244
Pretzel, O. and D. Youngs, Balanced graphs and noncovering graphs **88** (1991) 279–287
Priestley, H., *see* J.D. Lawson **63** (1987) 225–230
Priestley, H.A., *see* M.E. Adams **66** (1987) 1–13
Priestley, H.A., *see* B.A. Davey **113** (1993) 41–58

Prikry, K., On a problem of Erdös, Hajnal and Rado **2** (1972) 51–59
Prikry, K., *see* J.E. Baumgartner **14** (1976) 17–21
Prikry, K., *see* E.C. Milner **95** (1991) 183–191
Primrose, E.J.F., A correspondence between two Catalan sets (*Communication*) **65** (1987) 313–315
Prince, A.R., The commutative ring of a symmetric design (*Note*) **80** (1990) 101–103
Prince, A.R., Oval configurations of involutions in symmetric groups **174** (1-3) (1997) 277–282
Prisner, E., A characterization of interval catch digraphs **73** (1989) 285–289
Prisner, E., Convergence of iterated clique graphs **103** (1992) 199–207
Prisner, E., Radius versus diameter in cocomparability and intersection graphs **163** (1-3) (1997) 109–117
Pritikin, D., *see* Z. Miller **93** (1991) 211–228
Pritikin, D., *see* Z. Miller **131** (1-3) (1994) 183–194
Proctor, R.A., M.E. Saks and D.G. Sturtevant, Product partial orders with the Sperner property **30** (1980) 173–180
Proctor, R.A. and D.C. Wilson, Interpretation of a basic hypergeometric identity with Lie characters and Young tableaux **137** (1-3) (1995) 297–302
Prodinger, H., On a generalization of the Dyck-language over a two letter alphabet **28** (1979) 269–276
Prodinger, H. and F.J. Urbanek, Infinite 0–1-sequences without long adjacent identical blocks **28** (1979) 277–289
Prodinger, H., Non-repetitive sequences and Gray code (*Note*) **43** (1983) 113–116
Prodinger, H., A correspondence between ordered trees and noncrossing partitions (*Note*) **46** (1983) 205–206
Prodinger, H., *see* P. Kirschenhofer **52** (1984) 305–306
Prodinger, H., *see* P. Flajolet **65** (1987) 149–156
Prodinger, H., How to select a loser **120** (1993) 149–159
Prodinger, H., Combinatorics of geometrically distributed random variables: Left-to-right maxima **153** (1-3) (1996) 253–270
Prodinger, H., *see* X. Gourdon **169** (1-3) (1997) 227–232
Prodon, A., A note on the separation problem for the matching matroid (*Note*) **52** (1984) 307–311
Prőhle, P., *see* J.D. Berman **112** (1993) 1–20
Prömel, H.J. and B. Voigt, Recent results in partition (Ramsey) theory for finite lattices **35** (1981) 185–198
Prömel, H.J. and B. Voigt, Partition theorems for parameter systems and graphs **36** (1981) 83–96
Prömel, H.J. and B. Voigt, Canonizing Ramsey theorems for finite graphs and hypergraphs **54** (1985) 49–59
Prömel, H.J., Some remarks on natural orders for combinatorial cubes **73** (1988/89) 189–198
Prömel, H.J., W. Thumser and B. Voigt, Fast growing functions based on Ramsey theorems **95** (1991) 341–358
Prömel, H.J. and B. Voigt, From wqo to bqo, via Ellentuck's theorem **108** (1992) 83–106
Prömel, H.J., *see* S. Hougardy **136** (1-3) (1994) 175–223
Prömel, H.J. and A. Steger, Counting H-free graphs **154** (1-3) (1996) 311–315
Proskurowski, A., *see* A. Farley **25** (1979) 189–193
Proskurowski, A., Separating subgraphs in k-trees: Cables and caterpillars **49** (1984) 275–285
Proskurowski, A., *see* S. Arnborg **80** (1990) 1–19
Pruchnewski, A., *see* T. Böhme **191** (1-3) (1998) 31–43
Prüß, V., A characterization of matroidal families of multigraphs **52** (1984) 101–105
Przytycka, T., *see* S. Bellantoni **114** (1993) 41–49
Przytycka, T.M. and J.H. Przytycki, A simple construction of high representativity triangulations **173** (1-3) (1997) 209–228
Przytycki, J.H., *see* T.M. Przytycka **173** (1-3) (1997) 209–228
Pták, V., *see* A. Lešanovský **58** (1986) 35–44
Pták, V., Thickness of families of sets and a minimax lemma **108** (1992) 175–181
Pudlák, P. and V. Rödl, Partition theorems for systems of finite subsets of integers **39** (1982) 67–73
Pudlák, P. and V. Rödl, Some combinatorial-algebraic problems from complexity theory **136** (1-3) (1994) 253–279
Puech, J., *see* O. Favaron **179** (1-3) (1998) 257–265
Puech, J., *see* O. Favaron **197-198** (1-3) (1999) 269–284
Pulapaka, H. and A. Vince, Non-revisiting paths on surfaces with low genus **182** (1-3) (1998) 267–277
Pulé, J.V., *see* N. Macris **154** (1-3) (1996) 301–305
Pulito, C., *see* L. Borzacchini **39** (1982) 255–261

Pulleyblank, W., *see* G. Cornuéjols **29** (1980) 135–159
Pulleyblank, W.R., *see* D. Naddef **34** (1981) 283–291
Pullman, N.J., *see* D.A. Gregory **41** (1982) 97–99
Pullman, N.J., *see* L.B. Beasley **104** (1992) 143–157
Pullman, N.J., *see* L.B. Beasley **195** (1-3) (1999) 53–66
Pultr, A. and J. Vinárek, Productive classes and subdirect irreducibility, in particular for graphs **20** (1977) 159–176
Pultr, A., *see* J. Nešetřil **22** (1978) 287–300
Pultr, A., *see* S. Poljak **34** (1981) 165–171
Pultr, A., Notes on an extension of the structure of frame **108** (1992) 107–114
Pultr, A., On Sabidussi–Fawcett subdirect representation **109** (1992) 239–253
Purdy, G., Some extremal problems in geometry **7** (1974) 305–315
Purdy, G. and T. Strommer, The maximal sizes of faces and vertices in an arrangement (*Note*) **28** (1979) 331–334
Purdy, G., The independent sets of rank k of a matroid **38** (1982) 87–91
Purdy, G., *see* P. Erdös **40** (1982) 45–52
Purdy, G., Two results about points, lines and planes **60** (1986) 215–218
Purdy, G.B., Triangles in arrangements of lines **25** (1979) 157–163
Purdy, G.B. and J.E. Wetzel, Two-coloring inequalities for Euclidean arrangements in general position **31** (1980) 53–58
Putcha, M.S., Paths in graphs and minimal π-sequences in semigroups **11** (1975) 173–185
Pyatkin, A.V., Proof of Melnikov–Vizing conjecture for multigraphs with maximum degree at most 3 **185** (1-3) (1998) 275–278
Pyber, L., An extension of a Frankl–Füredi theorem **52** (1984) 253–268
Pyber, L., On one-factorizations of the complete graph (*Note*) **67** (1987) 209–210
Pyber, L. and Z. Tuza, Menger-type theorems with restrictions on path lengths **120** (1993) 161–174
Pyber, L., *see* P. Erdös **170** (1-3) (1997) 249–251
Qian, J., On the upper bound of the diameter of interchange graphs **195** (1-3) (1999) 277–285
Qiao, L., *see* W. Honghui **61** (1986) 213–219
Qin, J., *see* H.A. Kierstead **144** (1-3) (1995) 47–57
Qing, X., Reversible $(m, n, k, \lambda_1, \lambda_2)$-abelian divisible difference sets with k-λ_1 nonsquare **142** (1-3) (1995) 193–201
Qiu, W., A necessary condition on the existence of abelian difference sets **137** (1-3) (1995) 383–386
Qiu, Y. and X.F. Jia, The maximum size of graphs satisfying a degree condition (*Note*) **104** (1992) 201–204
Quackenbush, R., *see* R. McKenzie **35** (1981) 157–163
Quackenbush, R.W., Near-boolean algebras I: Combinatorial aspects **10** (1974) 301–308
Quackenbush, R.W., Pseudovarieties of finite algebras isomorphic to bounded distributive lattices **28** (1979) 189–192
Quackenbush, R.W., Non-modular varieties of semimodular lattices with a spanning M_3 **53** (1985) 193–205
Quaife, H., *see* E. Engelhardt **78** (1989) 257–266
Quattrocchi, G., On the intersection of two $S(3, 4, 2v)$ having a same derived triple system **82** (1990) 279–286
Quattrocchi, G. and S. Milici, Repeated blocks in maximum packing of triples with index 2 (*Note*) **115** (1993) 287–291
Quattrocchi, G., *see* S. Milici **145** (1-3) (1995) 191–200
Quattrocchi, G., On arcs in path designs of block size four **174** (1-3) (1997) 283–292
Quebbemann, H.-G., On even codes **98** (1991) 29–34
Quest, M. and G. Wegner, Characterization of the graphs with boxicity $\leqslant 2$ **81** (1990) 187–192
Quilliot, A., Circular representation problem on hypergraphs **51** (1984) 251–264
Quilliot, A., Representation theorems for graphs whose the vertex set is partially ordered **53** (1985) 207–219
Quilliot, A., A retraction problem in graph theory **54** (1985) 61–71
Quilliot, A., Une condition pour qu'une famille de triangles soit orientable en un ordre cyclique **91** (1991) 171–182
Quilliot, A., Une extension du problème du point fixe pour des graphes simples **111** (1993) 435–445
Quilliot, A., *see* F. Bendali **130** (1-3) (1994) 19–37

Quilliot, A., On the properties of the subsets of a discrete domain defined by the local optimae of a function endowed with some geometrical properties **192** (1-3) (1998) 309–322
Quinn, J.J., Cycle packings in graphs and digraphs **149** (1-3) (1996) 325–328
Quinn Massey, J.J., *see* R.A. Brualdi **122** (1993) 51–58
Quinodoz, N., *see* P. Hansen **165-166** (1-3) (1997) 393–409
Quintana, J., *see* H.A. Kierstead **178** (1-3) (1998) 81–92
Quintana, J.A., *see* I.J. Dejter **72** (1988) 63–70
Quintas, L.V., *see* Z. Palka **52** (1984) 243–251
Quintas, L.V., *see* K.T. Balińska **114** (1993) 19–22
Quintas, L.V., *see* G.O.H. Katona **121** (1993) 113–116
Quintas, L.V., *see* K.T. Balińska **150** (1-3) (1996) 17–29
Quintero, A., *see* R. Ayala **194** (1-3) (1999) 13–37
Rabinovitch, I. and I. Rival, The rank of a distributive lattice **25** (1979) 275–279
Rabinovitch, I., *see* S.B. Maurer **31** (1980) 297–313
Rabinovitch, I., *see* S.B. Maurer **32** (1980) 167–189
Raczunas, M. and P. Chrząstowski-Wachtel, A Diophantine problem of Frobenius in terms of the least common multiple **150** (1-3) (1996) 347–357
Radcliffe, A.J. and A.D. Scott, Every tree contains a large induced subgraph with all degrees odd **140** (1-3) (1995) 275–279
Radcliffe, A.J., *see* D.M. Berman **175** (1-3) (1997) 35–40
Rado, R., Theorems on intervals of ordered sets **35** (1981) 199–201
Radziszowski, S.P., *see* D. de Caen **91** (1991) 65–77
Raghavarao, D., Boolean sums of sets of certain designs (*Note*) **10** (1974) 401–403
Raghunathan, T.T., M.M. Shikare and B.N. Waphare, Splitting in a binary matroid **184** (1-3) (1998) 267–271
Rahilly, A., On the line structure of designs **92** (1991) 291–303
Raines, M.E. and C.A. Rodger, Embedding partial extended triple systems and totally symmetric quasigroups **176** (1-3) (1997) 211–222
Rajan, D.S., The equations $D^k Y = X^n$ in combinatorial species **118** (1993) 197–206
Rajan, D.S. and A.M. Shende, A characterization of root lattices **161** (1-3) (1996) 309–314
Rajendran, B., *see* R. Aravamudhan **49** (1984) 193–195
Rajendran, B., *see* R. Aravamudhan **58** (1986) 303–305
Rajkundlia, D.P., Some techniques for constructing infinite families of BIBD's **44** (1983) 61–96
Rajlich, J., *see* V. Koubek **57** (1985) 203–208
Rajpal, S., On binary k-paving matroids and Reed–Muller codes **190** (1-3) (1998) 191–200
Raju, B.S.P., *see* D.V.S. Sastry **48** (1984) 113–119
Rall, D.F., Domatically critical and domatically full graphs **86** (1990) 81–87
Rall, D.F., *see* B.L. Hartnell **128** (1-3) (1994) 173–177
Rall, D.F., *see* B.L. Hartnell **197-198** (1-3) (1999) 409–413
Ramachandran, S., A test for legitimate decks **25** (1979) 165–173
Ramachandran, S., N-reconstructibility of non-reconstructible digraphs **46** (1983) 279–294
Ramachandra Rao, A., *see* C. Berge **17** (1977) 23–26
Ramana, M.V., E.R. Scheinerman and D. Ullman, Fractional isomorphism of graphs **132** (1-3) (1994) 247–265
Ramírez-Alfonsín, J.L., The spread of K_n **175** (1-3) (1997) 221–229
Ramírez Alfonsín, J.L., *see* D. Forge **187** (1-3) (1998) 109–122
Rampon, J.-X., *see* M. Habib **111** (1993) 289–303
Rampon, J.-X., *see* D. Kratsch **162** (1-3) (1996) 305–310
Rampon, J.-X., *see* H. Müller **165-166** (1-3) (1997) 507–517
Rampon, J.-X., *see* D. Kratsch **190** (1-3) (1998) 163–175
Ramras, M., A new method of generating Hamiltonian cycles on the n-cube (*Note*) **85** (1990) 329–331
Ramsay, C., *see* G.M. Hamilton **162** (1-3) (1996) 133–150
Ramsay, C., I.T. Roberts and F. Ruskey, Completely separating systems of k-sets **183** (1-3) (1998) 265–275
Randerath, B., *see* T. Niessen **185** (1-3) (1998) 89–103
Randerath, B. and L. Volkmann, Characterization of graphs with equal domination and covering number **191** (1-3) (1998) 159–169
Randrianarivony, A., *see* D. Dumont **132** (1-3) (1994) 37–49

Randrianarivony, A., q,p-Analogue des nombres de Catalan **178** (1-3) (1998) 199–211
Rankin, S., *see* D. Borwein **73** (1989) 291–296
Rao, K.P.S.B., *see* D. Moak **131** (1-3) (1994) 195–204
Rao, M.R., *see* M. Conforti **104** (1992) 23–47
Rao, M.R., *see* M. Conforti **110** (1992) 81–118
Rao, S.B., *see* V.N. Bhat-Nayak **20** (1977) 93–102
Rao, S.B., The number of open chains of length three and the parity of the number of open chains of length k in self-complementary graphs **28** (1979) 291–301
Rao, S.B., *see* P. Das **43** (1983) 9–20
Rao, S.B., On regular and strongly-regular self-complementary graphs **54** (1985) 73–82
Rao Hebbare, S.P., *see* T. Gangopadhyay **32** (1980) 229–244
Rao Hebbare, S.P., *see* T. Gangopadhyay **32** (1980) 245–255
Rao Hebbare, S.P., *see* J.-M. Laborde **39** (1982) 161–166
Rapaport, I., *see* J. Mazoyer **199** (1-3) (1999) 103–122
Raposa, B.P., *see* C.E. Praeger **151** (1-3) (1996) 201–212
Rara, H.M., Reduction procedures for calculating the determinant of the adjacency matrix of some graphs and the singularity of square planar grids **151** (1-3) (1996) 213–219
Rashidi, R., *see* B.P. Mull **143** (1-3) (1995) 209–220
Rasmussen, C.W., *see* J.R. Lundgren **119** (1993) 113–122
Rasmussen, C.W., *see* J.R. Lundgren **119** (1993) 123–139
Rasmussen, D.J. and C.D. Savage, Hamilton-connected derangement graphs on S_n **133** (1-3) (1994) 217–223
Rasmussen, S., *see* B. Bollobás **75** (1989) 55–68
Raspaud, A., *see* D. Amar **87** (1991) 111–118
Raspaud, A., Postman tours and cycle covers **111** (1993) 447–454
Raspaud, A., *see* O. Ordaz **161** (1-3) (1996) 207–215
Raspaud, A., *see* J. Nešetřil **165-166** (1-3) (1997) 519–530
Raspaud, A., *see* O.V. Borodin **188** (1-3) (1998) 73–85
Rathie, P.N., The enumeration of Hamiltonian polygons in rooted planar triangulations **6** (1973) 163–168
Ratier, G., On the stable marriage polytope **148** (1-3) (1996) 141–159
Rautenbach, D. and L. Volkmann, The domatic number of block-cactus graphs **187** (1-3) (1998) 185–193
Rautenbach, D., The influence of special vertices on strong domination **197-198** (1-3) (1999) 683–690
Ravikumar, B., *see* M.J. Chung **81** (1990) 1–9
Ravindra, G. and K.R. Parthasarathy, Perfect product graphs **20** (1977) 177–186
Ravindra, G., Perfectness of normal products of graphs **24** (1978) 291–298
Rawlings, D., Multicolored permutations, sequences, and tableaux **83** (1990) 63–79
Rawlings, D., Limit formulas for q-exponential functions (*Communication*) **126** (1994) 379–383
Rawlings, D., *see* J.-M. Fedou **143** (1-3) (1995) 31–45
Rawsthorne, D.A., Tiling complexity of small n-ominoes ($N < 10$) **70** (1988) 71–75
Ray, N. and C. Wright, Umbral interpolation and the addition/contraction tree for graphs **103** (1992) 67–74
Ray, N. and W. Schmitt, Ultimate chromatic polynomials **125** (1994) 329–341
Ray, N., *see* C. Lenart **167-168** (1-3) (1997) 419–444
Ray, N., *see* C. Lenart **180** (1-3) (1998) 255–280
Ray-Chaudhuri, D.K., *see* H. Hanani **3** (1972) 343–357
Ray-Chaudhuri, D.K., *see* H.-P. Ko **39** (1982) 37–58
Ray-Chaudhuri, D.K. and T. Zhu, A recursive method for construction of designs **106/107** (1992) 399–406
Razborov, A.A., The gap between the chromatic number of a graph and the rank of its adjacency matrix is superlinear **108** (1992) 393–396
Razpet, M., On divisibility of binomial coefficients **135** (1-3) (1994) 377–379
Re, P.M.L., *see* P.D. Vito **129** (1-3) (1994) 43–52
Read, R.C., *see* F. Harary **11** (1975) 371–389
Read, R.C., *see* F. Hering **40** (1982) 203–217
Read, R.C. and R.W. Robinson, Enumeration of labelled multigraphs by degree parities **42** (1982) 99–105
Read, R.C., *see* N. Hegde **47** (1983) 109–112
Read, R.C., A note on the chromatic uniqueness of W_{10} (*Note*) **69** (1988) 317
Read, R.C., Combinatorial problems in the theory of music **167-168** (1-3) (1997) 543–551

Readdy, M., *see* R. Ehrenborg **157** (1-3) (1996) 107–125
Readdy, M.A., Extremal problems for the Möbius function in the face lattice of the n-octahedron **139** (1-3) (1995) 361–380
Reay, J., *see* R. Ding **68** (1988) 171–177
Reay, J.R., Twelve general position points always form three intersecting tetrahedra **28** (1979) 193–199
Recasens, J., On a geometric combinatorial problem **184** (1-3) (1998) 273–279
Recski, A., On random partitions **16** (1976) 173–177
Recski, A., On the sum of matroids, III **36** (1981) 273–287
Recski, A., Bracing cubic grids — A necessary condition **73** (1988/89) 199–206
Recski, A., Applications of combinatorics to statics—a second survey **108** (1992) 183–188
Redelmeier, D.H., Counting polyominoes: Yet another attack **36** (1981) 191–203
Redish, K.A. and W.F. Smyth, Closed form expressions for the iterated floor function (*Note*) **91** (1991) 317–321
Redouane, Y., *see* O. Favaron **165-166** (1-3) (1997) 243–251
Reed, B., A note on the semi-strong perfect graph conjecture (*Communication*) **54** (1985) 111–112
Reed, B., *see* C.T. Hoàng **66** (1987) 103–107
Reed, B., *see* A. Frieze **118** (1993) 69–74
Reed, B., *see* L. Perkovic **165-166** (1-3) (1997) 567–578
Reed, B., *see* C. McDiarmid **199** (1-3) (1999) 123–137
Reed, B.A., A note on even pairs (*Communication*) **65** (1987) 317–318
Reed, B.A., *see* C.T. Hoàng **74** (1989) 173–200
Reed, B.A., *see* H. Everett **165-166** (1-3) (1997) 223–242
Reeds, J.A., *see* P.C. Fishburn **91** (1991) 149–159
Rees, D.H. and D.A. Preece, Perfect Graeco-Latin balanced incomplete block designs (pergolas) **197-198** (1-3) (1999) 691–712
Rees, H.D., *see* L.S. Charlap **82** (1990) 153–163
Rees, R., Minimal clique partitions and pairwise balanced designs **61** (1986) 269–280
Rees, R., Frames and the $g^{(k)}(v)$ problem **71** (1988) 243–256
Rees, R. and D.R. Stinson, On combinatorial designs with subdesigns **77** (1989) 259–279
Rees, R., The existence of restricted resolvable designs I: (1, 2)-factorizations of K_{2n} **81** (1990) 49–80
Rees, R., The existence of restricted resolvable designs II: (1, 2)-factorizations of K_{2n+1} **81** (1990) 263–301
Rees, R., *see* S. McGuinness **83** (1990) 49–62
Rees, R. and D.R. Stinson, On the number of blocks in a perfect convering of v points **83** (1990) 81–93
Rees, R., *see* E. Lamken **92** (1991) 197–209
Rees, R., The spectrum of restricted resolvable designs with $r = 2$ **92** (1991) 305–320
Rees, R. and W.D. Wallis, The spectrum of maximal sets of one-factors **97** (1991) 357–369
Rees, R.S., *see* M.C. Marino **97** (1991) 295–300
Reid, K.B., Equivalence of n-tournaments via k-path reversals **6** (1973) 263–280
Reid, K.B., *see* B. Alspach **12** (1975) 205–209
Reid, K.B., Cycles in the complement of a tree **15** (1976) 163–174
Reid, K.B., Every vertex a king **38** (1982) 93–98
Reid, K.B., Bipartite graphs obtained from adjacency matrices of orientations of graphs **72** (1988) 321–330
Reid, K.B. and W. Gu, Plurality preference digraphs realized by trees, II: On realization numbers **101** (1992) 231–249
Reid, K.B. and W. Gu, Plurality preference digraphs realized by trees—I. Necessary and sufficient conditions **147** (1-3) (1995) 185–196
Reid, M., D.S. Jungreis and D. Witte, Distances forbidden by some two-coloring of $\mathbb{Q}^2$ **82** (1990) 53–56
Reid, T.J., Triangles in 3-connected matroids **90** (1991) 281–296
Reid, T.J., A note on roundedness in 4-connected matroids (*Note*) **91** (1991) 211–214
Reid, T.J., *see* P. Erdős **141** (1-3) (1995) 285–290
Reid, T.J., *see* P. Erdős **158** (1-3) (1996) 283–286
Reid, T.J. and L.I. Virden, On rounded five-element lines of matroids **163** (1-3) (1997) 119–127
Reif, J.H. and P.G. Spirakis, k-connectivity in random undirected graphs **54** (1985) 181–191
Reilly, J.W. and S.M. Tanny, Counting permutations by successions and other figures **32** (1980) 69–76
Reiner, D.L., A q-analog of the Campbell-Baker-Hausdorff formula (*Communication*) **43** (1983) 125–129
Reiner, E., Variation on a theme of Solomon **193** (1-3) (1998) 247–255

Reiner, V., Descents and one-dimensional characters for classical Weyl groups **140** (1-3) (1995) 129–140
Reiner, V., Non-crossing partitions for classical reflection groups **177** (1-3) (1997) 195–222
Reischer, C., *see* L. Martin **22** (1978) 195–196
Reiterman, J., V. Rödl, E. Šiňajová and M. Tůma, Threshold hypergraphs **54** (1985) 193–200
Reiterman, J., V. Rödl and E. Šiňajová, Geometrical embeddings of graphs **74** (1989) 291–319
Reiterman, J., *see* A. Fedeli **108** (1992) 13–23
Rémila, E., *see* C. Kenyon **152** (1-3) (1996) 191–210
Rémila, E., Tiling a simply connected figure with bars of length 2 or 3 **160** (1-3) (1996) 189–198
Remmel, J.B., Permutation statistics and (k,l)-hook Schur functions **67** (1987) 271–298
Remmel, J.B., Formulas for the expansion of the Kronecker products $S_{(m,n)} \otimes S_{(1^{p-r},r)}$ and $S_{(1^k 2^l)} \otimes S_{(1^{p-r},r)}$ **99** (1992) 265–287
Remmel, J.B., *see* D.A. Beck **153** (1-3) (1996) 3–27
Remmel, J.B., *see* L. Carini **193** (1-3) (1998) 147–177
Remmel, J.B. and M. Shimozono, A simple proof of the Littlewood–Richardson rule and applications **193** (1-3) (1998) 257–266
Ren, H., Another cycle structure theorem for hamiltonian graphs **199** (1-3) (1999) 237–243
Ren, S., A sufficient condition for graphs with large neighborhood unions to be traceable **161** (1-3) (1996) 229–234
Rendl, F. and M. Leclerc, A multiply constrained matroid optimization problem **73** (1988/89) 207–212
Rendl, F. and G. Woeginger, Reconstructing sets of orthogonal line segments in the plane **119** (1993) 167–174
Renner, L., *see* D. Borwein **73** (1989) 291–296
Restivo, A., On codes having no finite completions **17** (1977) 309–316
Restivo, A., *see* A. de Luca **27** (1979) 297–308
Reutenauer, C., *see* C. Malvenuto **132** (1-3) (1994) 137–143
Reutenauer, C., *see* C. Malvenuto **193** (1-3) (1998) 225–233
Reuter, K., Matchings for linearly indecomposable modular lattices **63** (1987) 245–247
Reuter, K., Note on the Ahlswede–Daykin inequality (*Note*) **65** (1987) 209–212
Reuter, K., The jump number and the lattice of maximal antichains **88** (1991) 289–307
Reverdy-Vilotitch, F., La reconstruction au sens de Ulam de certaines multirelations binaires (*Note*) **93** (1991) 89–95
Révész, G. and J. Szigeti, Eulerian trace identities (*Note*) **147** (1-3) (1995) 313–319
Reynaud, F., Theorie des ecoulements dans les graphes orientes sans circuit **12** (1975) 37–53
Reynolds, D.F., *see* G. Exoo **71** (1988) 119–127
Reznick, B., P. Tiwari and D.B. West, Decomposition of product graphs into complete bipartite subgraphs (*Communication*) **57** (1985) 189–193
Reznick, B., Lattice point simplices **60** (1986) 219–242
Rho, Y., An extremal problem concerning graphs not containing K_t and $K_{t,n-t}$ **187** (1-3) (1998) 195–209
Rhodes, F., Digital metrics generated by families of paths **135** (1-3) (1994) 265–277
Rhodes, F., Metric subgraphs of the chamfer metrics and the Melter–Tomescu path generated metrics **147** (1-3) (1995) 197–209
Rhodes, F. and R.A. Melter, Geodetic metrizations of graphs **194** (1-3) (1999) 267–279
Rhodes, S.J., *see* A.G. Chetwynd **141** (1-3) (1995) 47–59
Rhodes, S.J., *see* A.G. Chetwynd **177** (1-3) (1997) 17–32
Rice, V. and R.D. Ringeisen, On cohesion stable graphs **126** (1994) 257–272
Richard, D., All arithmetical sets of powers of primes are first-order definable in terms of the successor function and the coprimeness predicate **53** (1985) 221–247
Richard, J., *see* R. Cori **2** (1972) 115–162
Richmond, L.B., *see* E.A. Bender **50** (1984) 1–8
Richmond, L.B., *see* E.A. Bender **50** (1984) 135–141
Richter, R.B., Nonplanar graphs and well-covered cycles (*Note*) **85** (1990) 221–222
Richter, R.B., *see* P.Z. Chinn **87** (1991) 237–248
Richter, R.B., Spanning trees, Euler tours, medial graphs, left-right paths and cycle spaces **89** (1991) 261–268
Richter, R.B., *see* D. McQuillan **104** (1992) 311–320
Richter, R.B., P.D. Seymour and J. Širáň, Circular embeddings of planar graphs in nonspherical surfaces **126** (1994) 273–280

Rieper, R.G., *see* J. Chen **128** (1-3) (1994) 73–94
Rifà, J., *see* J. Borges **111** (1993) 65–69
Rigoni, C., Construction of n variable codes **56** (1985) 275–280
Rigoni, C., *see* M. Ventou **56** (1985) 291–298
Riis, S., Bootstrapping the primitive recursive functions by only 27 colors **169** (1-3) (1997) 269–272
Rincón-Mejía, H.A., *see* H. Galeana-Sánchez **152** (1-3) (1996) 141–145
Rine, D.C., Conditional and Post algebra expressions **10** (1974) 309–323
Ringeisen, R., *see* L. Beineke **31** (1980) 153–159
Ringeisen, R.D., Graphs of given genus and arbitrarily large maximum genus **6** (1973) 169–174
Ringeisen, R.D., *see* C.H.C. Little **21** (1978) 69–74
Ringeisen, R.D. and M.J. Lipman, Cohesion and stability in graphs **46** (1983) 191–198
Ringeisen, R.D., On cycle permutation graphs **51** (1984) 265–275
Ringeisen, R.D., *see* V. Rice **126** (1994) 257–272
Ringeisen, R.D., *see* B.L. Piazza **127** (1-3) (1994) 265–276
Ringel, G., On the genus of the graph $K_n \times K_2$ or the n-prism **20** (1977) 287–294
Ringel, G., *see* B. Jackson **46** (1983) 15–20
Ringel, G., *see* N. Hartsfield **78** (1989) 89–94
Ringel, G., *see* N. Hartsfield **81** (1990) 19–23
Ringel, G., *see* H. Lenz **97** (1991) 3–16
Ringel, G., A.S. Lladó and O. Serra, On the tree number of regular graphs **165-166** (1-3) (1997) 471–479
Ringel, G., A.S. Lladó and O. Serra, On the tree number of regular graphs **165-166** (1-3) (1997) 587–588
Riordan, J., Ballots and rooks **4** (1973) 383–387
Riordan, J. and P.R. Stein, Proof of a conjecture on Genocchi numbers **5** (1973) 381–388
Riordan, O., *see* B. Bollobás **179** (1-3) (1998) 223–230
Riordan, O., *see* B. Bollobás **195** (1-3) (1999) 67–80
Riskin, A., Projective plane embeddings of polyhedral pinched maps **126** (1994) 281–291
Riskin, A. and D.W. Barnette, On the noninterpolation of polyhedral maps **131** (1-3) (1994) 211–219
Riskin, A., The genus 2 crossing number of K_9 **145** (1-3) (1995) 211–227
Rival, I., *see* D. Duffus **19** (1977) 139–158
Rival, I., *see* I. Rabinovitch **25** (1979) 275–279
Rival, I., *see* A. Björner **29** (1980) 245–250
Rival, I., *see* D. Duffus **32** (1980) 1–7
Rival, I., *see* D. Duffus **35** (1981) 39–52
Rival, I., *see* D. Duffus **35** (1981) 53–118
Rival, I. and R. Wille, The smallest order variety containing all chains **35** (1981) 203–212
Rival, I., *see* R. Nowakowski **43** (1983) 223–234
Rival, I. and N. Zaguia, Greedy linear extensions with constraints **63** (1987) 249–260
Rival, I., *see* R. Nowakowski **70** (1988) 169–184
Rival, I., *see* M. Pouzet **73** (1988/89) 181–188
Rival, I., *see* J. Czyzowicz **82** (1990) 233–250
Rival, I., *see* W.P. Liu **87** (1991) 163–174
Rival, I., *see* W.-P. Liu **88** (1991) 239–247
Rival, I., *see* S. Foldes **102** (1992) 13–23
Rival, I. and J. Urrutia, Representing orders by moving figures in space **109** (1992) 255–263
Rival, I. and N. Zaguia, Perpendicular orders **137** (1-3) (1995) 303–313
Rival, I., *see* W.-P. Liu **144** (1-3) (1995) 59–66
Rivera-Campo, E., *see* J. Czyzowicz **137** (1-3) (1995) 147–153
Rivera-Campo, E., *see* V. Neumann-Lara **167-168** (1-3) (1997) 511–517
Rivera-Campo, E., *see* V. Neumann-Lara **197-198** (1-3) (1999) 633–636
Rivest, R.L., *see* D.A. Klarner **8** (1974) 31–40
Rivest, R.L., The game of "N questions" on a tree **17** (1977) 181–186
Riviere, M., Amas dans les graphes planaires **19** (1977) 281–286
Robbins, D.P., *see* W.H. Mills **67** (1987) 43–55
Robbins, D.P., *see* L.S. Charlap **82** (1990) 153–163
Roberts, F.S., T-colorings of graphs: recent results and open problems **93** (1991) 229–245

Roberts, I.T., *see* G.M. Hamilton **162** (1-3) (1996) 133–150
Roberts, I.T., *see* C. Ramsay **183** (1-3) (1998) 265–275
Roberts, J., *see* J.F. Fink **86** (1990) 47–57
Roberts, J.A., *see* S.A. Burr **8** (1974) 245–250
Roberts, J.D., *see* S.Y. Kettoola **40** (1982) 123–124
Robertson, I., T-chromatic polynomials **135** (1-3) (1994) 279–286
Robertson, J., *see* D. Detemple **47** (1983) 211–219
Robertson, J., *see* K. McAvaney **113** (1993) 131–142
Robertson, J.M., *see* D.W. DeTemple **113** (1993) 255–258
Robertson, N., *see* M.D. Plummer **7** (1974) 289–303
Robertson, N., *see* R.P. Gupta **32** (1980) 37–43
Robertson, N., P. Seymour and R. Thomas, Excluding infinite minors **95** (1991) 303–319
Robertson, N., *see* B. Mohar **149** (1-3) (1996) 141–157
Robinson, A.G. and A.J. Goldman, On Ringeisen's Isolation Game **80** (1990) 297–312
Robinson, A.G. and A.J. Goldman, On the set coincidence game **84** (1990) 261–283
Robinson, A.G. and A.J. Goldman, On Ringeisen's isolation game II **90** (1991) 153–167
Robinson, A.G. and A.J. Goldman, The isolation game for regular graphs **112** (1993) 173–184
Robinson, D.F., Extending a function on a graph **6** (1973) 89–99
Robinson, R.W. and A.J. Schwenk, The distribution of degrees in a large random tree **12** (1975) 359–372
Robinson, R.W., *see* R.C. Read **42** (1982) 99–105
Robinson, R.W., *see* L.R. Foulds **72** (1988) 129–139
Robinson, R.W., *see* D.M. Gordon **128** (1-3) (1994) 151–163
Robison, A.D., *see* H. Edelsbrunner **81** (1990) 153–164
Roblet, E. and X.G. Viennot, Théorie combinatoire des T-fractions et approximants de Padé en deux points **153** (1-3) (1996) 271–288
Robshaw, M.J.B., *see* K.G. Paterson **138** (1-3) (1995) 327–341
Roby, T., The connection between the Robinson–Schensted correspondence for skew oscillating tableaux and graded graphs (*Note*) **139** (1-3) (1995) 481–485
Rodger, C.A., Embedding an incomplete latin square in a latin square with a prescribed diagonal **51** (1984) 73–89
Rodger, C.A., *see* A.J.W. Hilton **58** (1986) 63–78
Rodger, C.A., Embedding partial Mendelsohn Triple Systems **65** (1987) 187–196
Rodger, C.A., *see* C.C. Lindner **77** (1989) 191–203
Rodger, C.A., *see* C.C. Lindner **80** (1990) 273–280
Rodger, C.A., *see* C.J. Colbourn **97** (1991) 139–148
Rodger, C.A., *see* F.E. Bennett **103** (1992) 129–137
Rodger, C.A., *see* F.E. Bennett **103** (1992) 139–151
Rodger, C.A., *see* C.C. Lindner **104** (1992) 83–90
Rodger, C.A., *see* K.T. Phelps **112** (1993) 165–172
Rodger, C.A., *see* C.C. Lindner **117** (1993) 151–159
Rodger, C.A., Linear spaces with many small lines **129** (1-3) (1994) 167–180
Rodger, C.A., *see* D.G. Hoffman **160** (1-3) (1996) 177–187
Rodger, C.A., *see* D.E. Bryant **171** (1-3) (1997) 55–75
Rodger, C.A., *see* C.C. Lindner **173** (1-3) (1997) 1–14
Rodger, C.A., *see* M.E. Raines **176** (1-3) (1997) 211–222
Rodger, C.A., *see* H.L. Fu **178** (1-3) (1998) 63–71
Rodger, C.A., *see* M. Daven **199** (1-3) (1999) 207–215
Rodier, F., Estimation asymptotique de la distance minimale du dual des codes BCH et polynômes de Dickson **149** (1-3) (1996) 205–221
Rodionov, V.I., On the number of labeled acyclic digraphs (*Note*) **105** (1992) 319–321
Roditty, Y., *see* Y. Caro **82** (1990) 323–326
Roditty, Y., *see* Y. Caro **125** (1994) 101–106
Roditty, Y., *see* Y. Caro **138** (1-3) (1995) 177–186
Roditty, Y., *see* Y. Caro **164** (1-3) (1997) 47–65
Rödl, V., *see* J. Nešetřil **23** (1978) 49–55

Rödl, V., *see* S. Poljak **34** (1981) 173–184
Rödl, V., *see* P. Pudlák **39** (1982) 67–73
Rödl, V., On a problem in combinatorial geometry (*Note*) **45** (1983) 129–131
Rödl, V., *see* S.A. Burr **54** (1985) 1–13
Rödl, V., *see* J. Reiterman **54** (1985) 193–200
Rödl, V., *see* J. Nešetřil **54** (1985) 339–341
Rödl, V., *see* P. Erdös **59** (1986) 21–34
Rödl, V., On universality of graphs with uniformly distributed edges **59** (1986) 125–134
Rödl, V. and W.T. Trotter, A note of ranking functions (*Note*) **67** (1987) 307–309
Rödl, V., *see* J. Reiterman **74** (1989) 291–319
Rödl, V., *see* J. Nešetřil **75** (1989) 327–334
Rödl, V., *see* C.J. Colbourn **77** (1989) 57–63
Rödl, V., *see* J. Nešetřil **101** (1992) 223–229
Rödl, V., *see* J. Pelant **108** (1992) 75–81
Rödl, V., *see* R.A. Duke **108** (1992) 261–278
Rödl, V., *see* F. Franek **114** (1993) 199–203
Rödl, V., *see* R.J. Gould **118** (1993) 259–262
Rödl, V., *see* P. Pudlák **136** (1-3) (1994) 253–279
Rödl, V., *see* D. Duffus **137** (1-3) (1995) 177–187
Rodl, V., *see* H.A. Kierstead **150** (1-3) (1996) 187–193
Rödl, V., *see* T. Łuczak **181** (1-3) (1998) 289–294
Rodney, P., *see* E. Mendelsohn **133** (1-3) (1994) 207–216
Rodriguez, J. and A. Satyanarayana, A generalized chromatic polynomial, acyclic orientations with prescribed sources and sinks, and network reliability **112** (1993) 185–197
Rodriguez, J. and A. Satyanarayana, Chromatic polynomials with least coefficients **172** (1-3) (1997) 115–119
Rodríguez, J.A. and J.L.A. Yebra, Bounding the diameter and the mean distance a graph from its eigenvalues: Laplacian versus adjacency matrix methods **196** (1-3) (1999) 267–275
Rödseth, Ö.J., Weighted multi-connected loop networks **148** (1-3) (1996) 161–173
Rogers, D.G., Ascending sequences in permutations **22** (1978) 35–40
Rogers, D.G., Pascal triangles, Catalan numbers and renewal arrays **22** (1978) 301–310
Rogers, D.G., *see* K.M. Koh **25** (1979) 141–148
Rogers, D.G., The enumeration of some restricted matrices **27** (1979) 81–91
Rogers, D.G., *see* K.M. Koh **31** (1980) 279–292
Rogers, D.G., Rhyming schemes: Crossings and coverings **33** (1981) 67–77
Rogers, D.G., Eplett's identity for renewal arrays **36** (1981) 97–102
Rogers, D.G., An arithmetic of complete permutations with constraints, I: An exposition of the general theory **70** (1988) 219–240
Rogers, D.G., *see* D.J. Crampin **70** (1988) 241–256
Rogers, D.G., *see* W.E. Clark **80** (1990) 249–265
Rogers, D.G., *see* G.M. Hamilton **102** (1992) 25–45
Rogers, D.G., *see* T. Hayasaka **110** (1992) 135–154
Rogers, D.G., On critical perfect systems of difference sets **135** (1-3) (1994) 287–301
Rogers, D.G., *see* G.M. Hamilton **162** (1-3) (1996) 133–150
Rogers, T.D., The graph of the square mapping on the prime fields **148** (1-3) (1996) 317–324
Roghelia, N.N. and S.S. Sane, Classification of (16, 6, 2)-designs by ovals **51** (1984) 167–177
Roitman, M., An infinite family of integral graphs (*Note*) **52** (1984) 313–315
Roman, S., The maximum number of q-cliques in a graph with no p-clique **14** (1976) 365–371
Roman, S., A problem on multi-colorings of graphs **22** (1978) 41–47
Rong, C., *see* T. Helleseth **195** (1-3) (1999) 139–156
Ronse, C., A generalization of the perfect shuffle **47** (1983) 293–306
Roos, C. and C. de Vroedt, Upper bounds for $A(n, 4)$ and $A(n, 6)$ derived from Delsarte's linear programming bound **40** (1982) 261–276
Roos, C., A note on the existence of perfect constant weight codes (*Note*) **47** (1983) 121–123
Roos, C. and A.J. van Zanten, On the existence of certain generalized Moore geometries, Part I **51** (1984) 179–190

Roos, C. and A.J. van Zanten, On the existence of certain generalized Moore geometries, Part II **51** (1984) 277–282
Roos, C. and A.J. van Zanten, On the existence of certain generalized Moore geometries, Part III **58** (1986) 275–283
Roos, C., A.J. van Zanten and M.J. Coster, On the existence of certain generalized Moore geometries (Part IV) **62** (1986) 139–144
Roos, C., *see* R.M. Damerell **76** (1989) 183–189
Rosa, A., On reverse Steiner triple systems **2** (1972) 61–71
Rosa, A., *see* P. Hell **2** (1972) 229–252
Rosa, A. and C. Huang, Another class of balanced graph designs: Balanced circuit designs **12** (1975) 269–293
Rosa, A., *see* C.C. Lindner **13** (1975) 31–39
Rosa, A., *see* C.C. Lindner **22** (1978) 147–181
Rosa, A., *see* C. Huang **27** (1979) 261–277
Rosa, A., *see* K.T. Phelps **33** (1981) 57–66
Rosa, A., *see* C.J. Colbourn **45** (1983) 165–179
Rosa, A., Repeated blocks in indecomposable twofold triple systems **65** (1987) 261–276
Rosa, A., *see* K. Heinrich **77** (1989) 97–121
Rosa, A., *see* R. Mathon **77** (1989) 205–216
Rosa, A., *see* C.J. Colbourn **89** (1991) 149–160
Rosa, A., *see* C.J. Colbourn **92** (1991) 49–64
Rosa, A., *see* P.K. Das **109** (1992) 59–67
Rosa, A. and Š. Znám, Packing pentagons into complete graphs: how clumsy can you get? **128** (1-3) (1994) 305–316
Rose, D.J., On simple characterizations of k-trees **7** (1974) 317–322
Rosenberg, A.L., An extrinsic characterization of addressable data graphs **9** (1974) 61–70
Rosenberg, I.G., Minimization of pseudo-Boolean functions by binary development **7** (1974) 151–165
Rosenberg, I.G., Aggregation of equations in integer programming **10** (1974) 325–341
Rosenberg, I.G., Characterization of diagrams by 0-1 inequalities **63** (1987) 261–270
Rosenberg, I.G., *see* Z. Füredi **71** (1988) 149–163
Rosenberg, I.G., *see* S. Hazan **130** (1-3) (1994) 77–82
Rosenberg, I.G., *see* M. Pouzet **130** (1-3) (1994) 103–169
Rosenberg, I.G., *see* V. Lashkia **156** (1-3) (1996) 277–283
Rosenberg, S.J., A large index theorem for orthogonal arrays, with bounds **137** (1-3) (1995) 315–318
Rosenberg, W.J., Consecutive zeros in convolutional codewords **3** (1972) 247–264
Rosenfeld, M. and D. Barnette, Hamiltonian circuits in certain prisms **5** (1973) 389–394
Rosenfeld, M., *see* B. Alspach **19** (1977) 103–111
Rosenfeld, M., *see* P.R. Goodey **21** (1978) 229–235
Rosenfeld, M., *see* B. Alspach **34** (1981) 199–202
Rosenfeld, M., The number of cycles in 2-factors of cubic graphs **84** (1990) 285–294
Rosenmüller, J. and H.G. Weidner, Extreme convex set functions with finite carrier: General theory **10** (1974) 343–382
Rosenstiehl, P., Scaffold permutations **75** (1989) 335–342
Rosenstiehl, R., *see* J.L. Fouquet **165-166** (1-3) (1997) 1–2
Rosenthal, A., On finding shortest paths in nonnegative networks **10** (1974) 159–162
Rosický, J., *see* J. Adámek **108** (1992) 133–137
Ross, J.A., *see* R.A. Brualdi **33** (1981) 123–138
Ross, J.A., *see* C.L. Lucchesi **47** (1983) 267–273
Ross, N.J., Remarks on the mobius function of a subposet (*Communication*) **73** (1989) 305–307
Rostom, N.K.A., *see* J.D. Key **69** (1988) 235–239
Rota, G.-C., *see* S.A. Joni **37** (1981) 193–202
Rota, G.-C., *see* W.Y.C. Chen **104** (1992) 7–22
Rota, G.-C., *see* R. Huang **128** (1-3) (1994) 225–236
Rota, G.-C., Report on the present state of combinatorics **153** (1-3) (1996) 289–303
Rota, G.-C., Combinatorics, representation theory and invariant theory: The story of a ménage à trois **193** (1-3) (1998) 5–16

Rota, R., Hyperaffine planes over hyperrings **155** (1-3) (1996) 215–223
Rotem, D., Stack sortable permutations **33** (1981) 185–196
Rotem, D., *see* M.C. Golumbic **43** (1983) 37–46
Roth, A.J. and M. Sobel, A probabilistically attained set of polynomials that generate stirling numbers of the second kind **32** (1980) 77–84
Roth, R., *see* R.J. Gould **66** (1987) 91–102
Roth, R.L., Color symmetry and group theory **38** (1982) 273–296
Roth, R.L., Perfect colorings of multipatterns in the plane **122** (1993) 269–286
Roth, R.M. and A. Lempel, t-Sum generators of finite Abelian groups **103** (1992) 279–292
Rothblum, U.G., On the number of complementary trees in a graph **15** (1976) 359–371
Rothblum, U.G., *see* F.K. Hwang **160** (1-3) (1996) 1–23
Rothschild, B.L., *see* D.J. Kleitman **2** (1972) 173–178
Rothstein, J., *see* S.E. Bammel **11** (1975) 93–95
Rotman, J.J., Finite planes and graphs **64** (1987) 43–79
Rottenberg, R.R., On ordinary planes **5** (1973) 395–401
Roudneff, J.-P., On the number of triangles in simple arrangements of pseudolines in the real projective plane **60** (1986) 243–251
Roudneff, J.-P., *see* H. Meyniel **70** (1988) 311–313
Roudneff, J.-P., Partitions of points into intersecting tetrahedra **81** (1990) 81–86
Roudneff, J.-P., Cells with many facets in arrangements of hyperplanes **98** (1991) 185–191
Rousseau, C., *see* Y. Li **170** (1-3) (1997) 265–267
Rousseau, C.C., *see* R.J. Faudree **6** (1973) 35–52
Rousseau, C.C., *see* S.A. Burr **33** (1981) 227–237
Rousseau, C.C., *see* S.A. Burr **38** (1982) 23–32
Rousseau, C.C., *see* P. Erdös **67** (1987) 227–233
Rousseau, C.C., *see* P. Erdős **72** (1988) 103–112
Rousseau, C.C., *see* R.J. Faudree **72** (1988) 119–127
Rousseau, C.C., *see* P. Erdős **85** (1990) 53–58
Rousseau, C.C., *see* P. Erdős **101** (1992) 23–31
Rousseau, C.C., *see* P. Erdös **113** (1993) 259–262
Rousseau, C.C., *see* P. Erdős **127** (1-3) (1994) 139–152
Rousseau, C.C., *see* P. Erdős **127** (1-3) (1994) 153–161
Rousseau, C.C., *see* Y. Li **170** (1-3) (1997) 269–275
Rousseau, C.C., *see* P. Erdős **200** (1-3) (1999) 55–60
Rousseau, R., Representations of a sublattice of the partition lattice on a lattice **47** (1983) 307–314
Roussel, F., *see* V. Giakoumakis **165-166** (1-3) (1997) 311–332
Rowlinson, P., *see* Y. Yang **125** (1994) 399–406
Royle, G.F., *see* P.H. Fisher **71** (1988) 19–32
Royle, G.F., *see* Y.M. Chee **97** (1991) 93–100
Royle, G.F., *see* A.D. Gardiner **103** (1992) 161–170
Royle, G.F., *see* D.L. Kreher **156** (1-3) (1996) 269–275
Royle, G.F., An orderly algorithm and some applications in finite geometry **185** (1-3) (1998) 105–115
Rozenberg, G., *see* G.T. Herman **6** (1973) 235–247
Rozenberg, G., D0L sequences **7** (1974) 323–347
Rozenberg, G., *see* A. Ehrenfeucht **15** (1976) 223–234
Rozenberg, G., *see* A. Ehrenfeucht **22** (1978) 233–242
Rozenberg, G., *see* A. Ehrenfeucht **128** (1-3) (1994) 113–141
Rozenberg, G., *see* A. Ehrenfeucht **190** (1-3) (1998) 259–264
Ruciński, A., The behaviour of $\binom{n}{k,\ldots,k,n-ik} c^i / i!$ is asymptotically normal **49** (1984) 287–290
Ruciński, A., *see* Z. Palka **61** (1986) 253–258
Ruciński, A., Matching and covering the vertices of a random graph by copies of a given graph **105** (1992) 185–197
Ruciński, A., *see* T. Łuczak **148** (1-3) (1996) 311–316
Ruciński, A. and M. Truszczyński, A note on local colorings of graphs **164** (1-3) (1997) 251–255
Rudeanu, S., *see* C.H. Cunkle **7** (1974) 41–51

Rudeanu, S., Local properties of Boolean functions I: Injectivity **13** (1975) 143–160
Rudeanu, S., Local properties of Boolean functions II: Isotony **13** (1975) 161–183
Rudeanu, S., Linear Boolean equations and generalized minterms **43** (1983) 241–248
Rudeanu, S., Unique solutions of Boolean ring equations (*Note*) **122** (1993) 381–383
Rudolf, R., *see* D. Fortin **189** (1-3) (1998) 105–115
Rueda, O., *see* L. Iturrioz **18** (1977) 35–44
Ruiz, M.-J.P., C_n-factors of group graphs **72** (1988) 331–336
Ruiz, S., Randomly decomposable graphs **57** (1985) 123–128
Ruiz, S., *see* Y. Alavi **72** (1988) 3–13
Rumsey Jr., H., *see* W.H. Mills **67** (1987) 43–55
Runge, B., Codes and Siegel modular forms **148** (1-3) (1996) 175–204
Rusin, D.J., *see* J.A. Gallian **27** (1979) 245–259
Ruskey, F., A simple proof of a formula of Dershowitz and Zaks (*Note*) **43** (1983) 117–118
Ruskey, F., *see* C.W. Ko **71** (1988) 47–56
Ruskey, F., *see* M. Jiang **133** (1-3) (1994) 159–169
Ruskey, F., *see* C. Ramsay **183** (1-3) (1998) 265–275
Russell, A., *see* M. Klugerman **186** (1-3) (1998) 289–293
Russell, D.L., Sums of products of terms from linear recurrence sequences **28** (1979) 65–79
Rusu, I., A new class of perfect Hoàng graphs **145** (1-3) (1995) 279–285
Rusu, I., Properly orderable graphs **158** (1-3) (1996) 223–229
Rusu, I., *see* J.-L. Fouquet **165-166** (1-3) (1997) 291–302
Rusu, I., Building counterexamples **171** (1-3) (1997) 213–227
Ruth, G.R., *see* C.L. Liu **4** (1973) 171–184
Rüttimann, G.T., *see* S.P. Gudder **68** (1988) 221–244
Rüttimann, G.T., *see* S.P. Gudder **68** (1988) 245–255
Ruzsa, I.Z., *see* P. Erdős **111** (1993) 189–196
Ryan, J., *see* D.C. Fisher **103** (1992) 313–320
Ryan, J., *see* D.C. Fisher **110** (1992) 275–278
Ryan, J., *see* M. Sutton **195** (1-3) (1999) 287–293
Ryjáček, Z., N_2-locally disconnected graphs **121** (1993) 189–193
Ryjáček, Z. and I. Schiermeyer, On the independence number in $K_{1,r+1}$-free graphs **138** (1-3) (1995) 365–374
Ryjáček, Z., Hamiltonicity in claw-free graphs through induced bulls **140** (1-3) (1995) 141–147
Ryjáček, Z., *see* R. Faudree **164** (1-3) (1997) 87–147
Ryjáček, Z., Matching extension in $K_{1,r}$-free graphs with independent claw centers **164** (1-3) (1997) 257–263
Ryjáček, Z., *see* H.J. Broersma **167-168** (1-3) (1997) 155–166
Ryjáček, Z. and I. Schiermeyer, 2-factors and hamiltonicity **191** (1-3) (1998) 171–177
Ryjáček, Z., *see* B. Bollobás **195** (1-3) (1999) 67–80
Ryjáček, Z., *see* J. Brousek **196** (1-3) (1999) 29–50
Ryjáček, Z., *see* J. Brousek **197-198** (1-3) (1999) 143–155
Ryser, H.J., *see* J.H. van Lint **3** (1972) 381–396
Ryser, H.J., Matrices and set differences **49** (1984) 169–173
Sabidussi, G., Meshes on 3-connected graphs **1** (1971) 269–276
Sabidussi, G., *see* S. Foldes **30** (1980) 117–120
Sabidussi, G., Color-reversal by local complementation **64** (1987) 81–86
Sabidussi, G., *see* W. Imrich **81** (1990) 237–245
Sabidussi, G., *see* N. Polat **95** (1991) 271–289
Sabidussi, G., *see* J. Lützen **100** (1992) 9–82
Sabidussi, G., *see* M. Christiansen **100** (1992) 83–97
Sabidussi, G., Correspondence between Sylvester, Petersen, Hilbert and Klein on invariants and the factorisation of graphs 1889–1891 **100** (1992) 99–155
Sabidussi, G., Binary invariants and orientations of graphs **101** (1992) 251–277
Sabidussi, G., *see* H. Fleischner **109** (1992) 103–116
Sabidussi, G., *see* N. Polat **130** (1-3) (1994) 97–102
Sachs, H. and M. Stiebitz, On constructive methods in the theory of colour-critical graphs **74** (1989) 201–226

Sachs, H., How to calculate the number of perfect matchings in finite sections of certain infinite plane graphs **101** (1992) 279–284
Sachs, H., *see* T. Wang **104** (1992) 281–292
Sachs, H., Coin graphs, polyhedra, and conformal mapping **134** (1-3) (1994) 133–137
Sachs, H., Graph Theory in Organic Chemistry: Problems and Methods in the Chemistry of Carbon Footballs and Tubes (Fullerenes) **165-166** (1-3) (1997) 597–598
Saclé, J.-F., *see* O. Favaron **111** (1993) 197–220
Saclé, J.-F., Lower bounds for the size in four families of minimum broadcast graphs **150** (1-3) (1996) 359–369
Saclé, J.-F. and M. Woźniak, A note on packing of three forests **164** (1-3) (1997) 265–274
Saclé, J.-F. and M. Woźniak, On graphs which contain each tree of given size **165-166** (1-3) (1997) 589–595
Sagan, B., *see* S.A. Joni **37** (1981) 193–202
Sagan, B.E., A note on Abel polynomials and rooted labeled forests **44** (1983) 293–298
Sagan, B.E., Inductive and injective proofs of log concavity results **68** (1988) 281–292
Sagan, B.E., Inductive proofs of q-log concavity **99** (1992) 289–306
Sagan, B.E., Y.-N. Yeh and G.M. Ziegler, Maximizing Möbius functions on subsets of Boolean algebras **126** (1994) 293–311
Sagan, B.E., *see* S. Dulucq **139** (1-3) (1995) 129–142
Sagan, B.E., *see* J.-P. Allouche **139** (1-3) (1995) 455–461
Saidi, S., Codes for perfectly correcting errors of limited size **118** (1993) 207–223
Sain, M.K., *see* J.L. Massey **3** (1972) 163–175
Saito, A., *see* M. Kano **47** (1983) 113–116
Saito, A., *see* Y. Egawa **68** (1988) 179–189
Saito, A., *see* R.E.L. Aldred **88** (1991) 1–9
Saito, A., One-factors and k-factors (*Note*) **91** (1991) 323–326
Saito, A., Cycles of length 2 modulo 3 in graphs **101** (1992) 285–289
Saito, A., *see* N. Dean **121** (1993) 37–49
Saito, A., *see* T. Nishimura **162** (1-3) (1996) 319–323
Saito, A., *see* B. Bollobás **195** (1-3) (1999) 67–80
Saito, N., *see* T. Asano **38** (1982) 1–6
Saito, S. and T. Hayasaka, The Langford $(4, n)$-sequence: A trigonometric approach **28** (1979) 81–88
Saito, S. and T. Hayasaka, Langford sequences: Some connections with complete and additive permutations **84** (1990) 63–70
Saito, S., *see* T. Hayasaka **110** (1992) 135–154
Šajna, M., Half-transitivity of some metacirculants **185** (1-3) (1998) 117–136
Sakai, D. and C. Wang, No-hole $(r + 1)$-distant colorings **119** (1993) 175–189
Sakaloglu, A. and A. Satyanarayana, Planar graphs with least chromatic coefficients **172** (1-3) (1997) 121–130
Sakamoto, A., *see* M. Kano **82** (1990) 219–222
Sakarovitch, M., *see* J.D. MacAllister **20** (1977) 133–142
Sakarovitch, M., Quelques theoremes de dualite combinatoire **21** (1978) 201–212
Saks, M., Some sequences associated with combinatorial structures **59** (1986) 135–166
Saks, M., *see* J. Kahn **63** (1987) 183–195
Saks, M., *see* L. Lovász **75** (1989) 319–325
Saks, M., *see* M. Karchmer **114** (1993) 275–282
Saks, M., *see* R. Hochberg **138** (1-3) (1995) 261–265
Saks, M.E., *see* R.A. Proctor **30** (1980) 173–180
Salazar, R., *see* E. Montenegro **122** (1993) 377–380
Sali, A., Constructions of ranked posets **70** (1988) 77–83
Sali, A., *see* R.P. Anstee **175** (1-3) (1997) 13–21
Sali, A. and G. Simonyi, Intersecting set systems and graphic matroids **185** (1-3) (1998) 279–285
Sallee, J.F., A triangulation of the n-cube **40** (1982) 81–86
Salomaa, A., Solution of a decision problem concerning unary Lindenmayer systems **9** (1974) 71–77
Salvetti, M., On the homotopy theory of complexes associated to metrical-hemisphere complexes **113** (1993) 155–177
Salvetti, M. and F. Stumbo, Artin groups associated to infinite Coxeter groups **163** (1-3) (1997) 129–138
Salvi, N.Z., *see* D. Marušič **102** (1992) 279–285

Salvi, N.Z., Maximal intersection critical families of finite sets **155** (1-3) (1996) 267–269
Salvy, B., *see* X. Gourdon **153** (1-3) (1996) 145–163
Salzberg, P.M., Random number generation: A combinatorial approach **54** (1985) 313–320
Salzberg, P.M., M.A. López and R.E. Giudici, On the chromatic uniqueness of bipartite graphs **58** (1986) 285–294
Sampathkumar, E. and V.N. Bhave, Partition graphs and coloring numbers of a graph **16** (1976, 57–60
Sampathkumar, E. and C.V. Venkatachalam, Chromatic partitions of a graph **74** (1989) 227–239
Sampathkumar, E., The least point covering and domination numbers of a graph **86** (1990) 137–142
Sampathkumar, E., Generalizations of independence and chromatic numbers of a graph **115** (1993) 245–251
Sampathkumar, E. and G.D. Kamath, A generalization of chromatic index **124** (1994) 173–177
Sampathkumar, E. and L.P. Latha, Strong weak domination and domination balance in a graph **161** (1-3) (1996) 235–242
Sampathkumar, R., *see* R. Balakrishnan **156** (1-3) (1996) 19–28
Sampathkumar, R., *see* R. Balakrishnan **186** (1-3) (1998) 15–24
Sanchez-Anton, J.M., *see* D.J. Wilde **1** (1971) 277–294
Sánchez-Arroyo, A., Determining the total colouring number is NP-hard (*Communication*) **78** (1989) 315–319
Sánchez-Arroyo, A., *see* C.J.H. McDiarmid **111** (1993) 389–392
Sánchez-Arroyo, A., *see* C.J.H. McDiarmid **124** (1994) 155–162
Sánchez-Arroyo, A., A new upper bound for total colourings of graphs **138** (1-3) (1995) 375–377
Sánchez-Flores, A., A counterexample to a generalization of Richardson's theorem (*Note*) **65** (1987) 319–320
Sanchez-Flores, A., An improved upper bound for Ramsey number $N(3,3,3,3;2)$ **140** (1-3) (1995) 281–286
Sanchis, L.A., Maximum number of edges in connected graphs with a given domination number **87** (1991) 65–72
Sanchis, L.A., Some results on characterizing the edges of connected graphs with a given domination number **140** (1-3) (1995) 149–166
Sander, J.W., On maximal antihierarchic sets of integers **113** (1993) 179–189
Sanders, D.P., On circuits through five edges **159** (1-3) (1996) 199–215
Sanders, E.L., *see* A.R. Bednarek **5** (1973) 1–14
Sanders, R.S., Graphs on which a dihedral group acts edge-transitively **118** (1993) 225–232
Sandquist, E.J., *see* A.P. Godbole **190** (1-3) (1998) 79–93
Sands, A.D., On generalized Catalan numbers (*Note*) **21** (1978) 219–221
Sands, B., Generating sets for lattices of dimension two **29** (1980) 287–292
Sands, B., Counting antichains in finite partially ordered sets **35** (1981) 213–228
Sane, S.S., *see* N.N. Roghelia **51** (1984) 167–177
Sane, S.S., *see* N.B. Limaye **64** (1987) 199–207
Sane, S.S., Hussain chains revisited (*Note*) **70** (1988) 211–213
Sane, S.S., *see* R.M. Pawale **96** (1991) 71–74
Sangalli, A.A.L., *see* A. Achache **130** (1-3) (1994) 3–7
Sankaran, P. and K. Varadarajan, A note on the homotopy type of posets **126** (1994) 313–323
Sankaranarayana, R.S. and L.K. Stewart, Recursively decomposable well-covered graphs **161** (1-3) (1996) 243–263
Sankoff, D. and P.H. Sellers, Shortcuts, diversions, and maximal chains in partially ordered sets **4** (1973) 287–293
Santha, M. and U.V. Vazirani, Parallel searching of multidimensional cubes **114** (1993) 425–433
Santmyer, J.M., A Stirling like sequence of rational numbers **171** (1-3) (1997) 229–235
Santoro, N., *see* V. Neumann-Lara **62** (1986) 65–70
Santoro, N., *see* M.D. Atkinson **80** (1990) 115–122
Sanyal, B.K., *see* M.K. Sen **147** (1-3) (1995) 235–245
Sapir, M.V., *see* T.E. Hall **161** (1-3) (1996) 151–160
Saražin, M.L., A simple upper bound for the hamiltonian index of a graph **134** (1-3) (1994) 85–91
Sarkar, A., *see* B. Bollobás **200** (1-3) (1999) 5–19
Sárkőzy, A., *see* P. Erdős **75** (1989) 155–166
Sárközy, A., *see* P. Erdős **102** (1992) 249–264
Sárközy, A., *see* P. Erdős **136** (1-3) (1994) 75–99
Sárközy, A., *see* P. Erdős **200** (1-3) (1999) 149–164

Sarkozy, G.N., *see* A.C. Atkins **195** (1-3) (1999) 235–237
Sarmiento, I., A characterisation of jointless Dowling geometries **197-198** (1-3) (1999) 713–731
Sarti, S.D., Remarks on umbral evaluations of chromatic polynomials (*Note*) **126** (1994) 431–437
Sarvate, D.G. and R.C. Hamm, Row-column directed block designs **92** (1991) 321–328
Sarvate, D.G., *see* J. Hammer **102** (1992) 149–154
Sassano, A., *see* P. Nobili **119** (1993) 141–166
Sastry, D.V.S. and B.S.P. Raju, Graph equations for line graphs, total graphs, middle graphs and quasi-total graphs **48** (1984) 113–119
Sastry, N.S.N., *see* B. Bagchi **57** (1985) 307–310
Sathaye, A., *see* S.S. Abhyankar **133** (1-3) (1994) 25–46
Sato, I., Clique graphs of packed graphs (*Note*) **62** (1986) 107–109
Sato, I., *see* H. Mizuno **69** (1988) 283–294
Sato, I., Enumeration of packed graphs (*Note*) **82** (1990) 331–333
Sato, I., Isomorphisms of some graph coverings **128** (1-3) (1994) 317–326
Sato, I., *see* H. Mizuno **142** (1-3) (1995) 295–298
Sato, I., *see* H. Mizuno **176** (1-3) (1997) 197–202
Sato, M., *see* T.T. Cong **40** (1982) 153–162
Sato, M. and T.T. Cong, The number of minimal lattice paths restricted by two parallel lines **43** (1983) 249–261
Sato, M., Note on the number of minimal lattice paths restricted by two parallel lines (*Note*) **44** (1983) 117–121
Satyanarayana, A. and R. Tindell, Chromatic polynomials and network reliability **67** (1987) 57–79
Satyanarayana, A., *see* J. Rodriguez **112** (1993) 185–197
Satyanarayana, A., *see* T. Politof **126** (1994) 245–256
Satyanarayana, A., *see* T. Politof **161** (1-3) (1996) 217–228
Satyanarayana, A., *see* J. Rodriguez **172** (1-3) (1997) 115–119
Satyanarayana, A., *see* A. Sakaloglu **172** (1-3) (1997) 121–130
Satyanarayana, K., *see* M.L. Narayana Rao **66** (1987) 175–190
Sauer, N., *see* E.C. Milner **35** (1981) 165–171
Sauer, N., *see* A. Hajnal **59** (1986) 61–67
Sauer, N., *see* A. Bialostocki **59** (1986) 221–228
Sauer, N., *see* K. Böröczky **115** (1993) 57–63
Sauer, N., *see* A. Hajnal **117** (1993) 113–125
Sauer, N., *see* D. Duffus **152** (1-3) (1996) 125–139
Sauer, N., Edge partitions of the countable triangle free homogeneous graph **185** (1-3) (1998) 137–181
Sauer, N.W., *see* M. El-Zahar **94** (1991) 1–10
Saunders, B.D. and H. Schneider, Flows on graphs applied to diagonal similarity and diagonal equivalence for matrices **24** (1978) 205–220
Savage, C., Short strings containing all k-element permutations **42** (1982) 281–285
Savage, C.D., *see* D.J. Rasmussen **133** (1-3) (1994) 217–223
Savage, C.D., *see* J.M. Nolan **179** (1-3) (1998) 277–283
Savage, C.D. and C.-Q. Zhang, The connectivity of acyclic orientation graphs **184** (1-3) (1998) 281–287
Savický, P., Random Boolean formulas representing any Boolean function with asymptotically equal probability **83** (1990) 95–103
Savický, P., Bent functions and random boolean formulas **147** (1-3) (1995) 211–234
Savini, S., *see* L.F. Monteiro **189** (1-3) (1998) 177–189
Sbihi, N., Algorithme de recherche d'un stable de cardinalite maximum dans un graphe sans etoile **29** (1980) 53–76
Sbihi, N., *see* D. Naddef **31** (1980) 107–109
Sbihi, N. and J.P. Uhry, A class of h-perfect graphs **51** (1984) 191–205
Scapellato, R., On F-geodetic graphs **80** (1990) 313–325
Scapellato, R., *see* D. Marušič **102** (1992) 279–285
Scapellato, R., *see* D. Marušič **109** (1992) 161–170
Scapellato, R., A characterization of bipartite graphs associated with BIB-designs with $\lambda = 1$ (*Note*) **112** (1993) 283–287
Scapellato, R., *see* D. Marušič **134** (1-3) (1994) 93–98
Scapellato, R., *see* D. Marušič **134** (1-3) (1994) 99–110

Scapellato, R., *see* W. Pacco **173** (1-3) (1997) 291–296
Schaar, G., On 'maximal' Hamiltonian cycles in the square of a block **121** (1993) 195–198
Schaar, G., On the Hamiltonicity exponent of directed cacti **164** (1-3) (1997) 275–284
Schaar, G. and A. Pawel Wojda, An upper bound for the Hamiltonicity exponent of finite digraphs **164** (1-3) (1997) 313–316
Schäfer, D. and K.E. Wolff, Pólya enumeration of expansions of resolvable incidence structures **43** (1983) 263–271
Schäffer, A.A., Shortest prefix strings containing all subset permutations **64** (1987) 239–252
Schäffer, A.A., *see* J. Feigenbaum **109** (1992) 77–102
Schalkwijk, J.P.M., Some aspects of the information theoretic dialogue **106/107** (1992) 407–413
Scharbrodt, M., *see* M. Jünger **182** (1-3) (1998) 169–176
Scharlau, R., *see* A.W.M. Dress **60** (1986) 121–138
Scheim, D.E., The number of edge 3-colorings of a planar cubic graph as a permanent **8** (1974) 377–382
Schein, B.M., Semigroups of tolerance relations **64** (1987) 253–262
Scheinerman, E.R., Characterizing intersection classes of graphs **55** (1985) 185–193
Scheinerman, E.R., Irrepresentability by multiple intersection, or why the interval number is unbounded **55** (1985) 195–211
Scheinerman, E.R., Irredundancy in multiple interval representations (*Note*) **63** (1987) 101–108
Scheinerman, E.R., On the interval number of random graphs (*Note*) **82** (1990) 105–109
Scheinerman, E.R., An evolution of interval graphs **82** (1990) 287–302
Scheinerman, E.R., *see* M.V. Ramana **132** (1-3) (1994) 247–265
Scheinerman, E.R., *see* M. Jacobson **176** (1-3) (1997) 159–175
Scheinerman, E.R., *see* C.M. Fiduccia **181** (1-3) (1998) 113–138
Schellenberg, P.J., *see* R.C. Mullin **37** (1981) 79–104
Schellenberg, P.J., *see* D.G. Hoffman **97** (1991) 243–250
Schelp, R., *see* P. Erdős **141** (1-3) (1995) 285–290
Schelp, R., *see* P. Erdős **158** (1-3) (1996) 283–286
Schelp, R.H., *see* R.J. Faudree **6** (1973) 35–52
Schelp, R.H., *see* R.J. Faudree **8** (1974) 313–329
Schelp, R.H., *see* R.J. Faudree **10** (1974) 269–277
Schelp, R.H., *see* R.J. Faudree **16** (1976) 149–155
Schelp, R.H., *see* R.J. Faudree **32** (1980) 105–123
Schelp, R.H., *see* S.A. Burr **33** (1981) 227–237
Schelp, R.H., *see* S.A. Burr **38** (1982) 23–32
Schelp, R.H., *see* P. Erdös **67** (1987) 227–233
Schelp, R.H., *see* P. Erdős **72** (1988) 103–112
Schelp, R.H., *see* R.J. Faudree **72** (1988) 119–127
Schelp, R.H., *see* R.J. Faudree **76** (1989) 223–240
Schelp, R.H., *see* R.J. Faudree **78** (1989) 83–87
Schelp, R.H., *see* P. Erdős **85** (1990) 53–58
Schelp, R.H., *see* P. Bendrossian **115** (1993) 39–50
Schelp, R.H., *see* R.J. Faudree **126** (1994) 121–135
Schelp, R.H., *see* P. Erdős **127** (1-3) (1994) 153–161
Schelp, R.H., *see* O. Favaron **159** (1-3) (1996) 103–109
Schelp, R.H., *see* G. Chen **170** (1-3) (1997) 231–236
Schelp, R.H., *see* G. Chen **191** (1-3) (1998) 65–82
Schelp, R.H., *see* B. Bollobás **195** (1-3) (1999) 67–80
Schelp, R.H., *see* P. Erdős **200** (1-3) (1999) 55–60
Schelten, A. and U. Schelten, Neighborhood conditions for graphs with induced claws **191** (1-3) (1998) 179–189
Schelten, A. and I. Schiermeyer, Ramsey numbers $r(K_3, G)$ for $G \cong K_7 - 2P_2$ and $G \cong K_7 - 3P_2$ **191** (1-3) (1998) 191–196
Schelten, U., *see* A. Schelten **191** (1-3) (1998) 179–189
Schestag, I., *see* A. Beutelspacher **59** (1986) 207–220
Schiermeyer, I., Computation of the 0-dual closure for hamiltonian graphs **111** (1993) 455–464

Schiermeyer, I., *see* H.J. Broersma **124** (1994) 37–47
Schiermeyer, I., The k-SATISFIABILITY problem remains NP-complete for dense families **125** (1994) 343–346
Schiermeyer, I., *see* Z. Ryjáček **138** (1-3) (1995) 365–374
Schiermeyer, I., *see* H.J. Broersma **167-168** (1-3) (1997) 155–166
Schiermeyer, I., *see* T. Böhme **191** (1-3) (1998) 31–43
Schiermeyer, I., *see* Z. Ryjáček **191** (1-3) (1998) 171–177
Schiermeyer, I., *see* A. Schelten **191** (1-3) (1998) 191–196
Schiermeyer, I., *see* J. Brousek **197-198** (1-3) (1999) 143–155
Schiller, J., Perceptron order for cylindrical, polar, and spherical connectivity **14** (1976) 77–81
Schindler, C., Constructible hypergraphs **91** (1991) 183–191
Schmeichel, E., *see* A.M. Hobbs **42** (1982) 317–320
Schmeichel, E., *see* S.-M. Lee **93** (1991) 201–209
Schmeichel, E., *see* D. Bauer **124** (1994) 13–17
Schmeichel, E., *see* S.L. Hakimi **149** (1-3) (1996) 93–98
Schmeichel, E., *see* D. Bauer **155** (1-3) (1996) 13–18
Schmeichel, E.F., *see* J.B. Collier **18** (1977) 265–271
Schmeichel, E.F., *see* D. Bauer **79** (1989/90) 59–70
Schmeichel, E.F., *see* D. Bauer **79** (1989/90) 147–152
Schmerl, J.H., *see* H.A. Kierstead **45** (1983) 277–285
Schmerl, J.H., *see* H.A. Kierstead **58** (1986) 253–262
Schmerl, J.H. and W.T. Trotter, Critically indecomposable partially ordered sets, graphs, tournaments and other binary relational structures **113** (1993) 191–205
Schmerl, J.H., Tiling space with notched cubes **133** (1-3) (1994) 225–235
Schmid, H.J., A geometrical interpretation of the Hungarian method **21** (1978) 297–308
Schmid, J., On maximal sublattices of finite lattices **199** (1-3) (1999) 151–159
Schmidt, B., Nonexistence of a (783,69,6)-difference set **178** (1-3) (1998) 283–285
Schmidt, F.W., *see* R. Simion **46** (1983) 107–108
Schmidt, G., *see* R. Berghammer **43** (1983) 1–7
Schmidt, G. and T. Ströhlein, Relation algebras: Concept of points and representability **54** (1985) 83–92
Schmidt, J. and E. Shamir, A threshold for perfect matchings in random d-pure hypergraphs **45** (1983) 287–295
Schmidt, J.P., Probabilistic analysis of strong hypergraph coloring algorithms and the strong chromatic number **66** (1987) 259–277
Schmidt, R., On the existence of uncountably many matroidal families **27** (1979) 93–97
Schmidt, W., Greedoids and searches in directed graphs **93** (1991) 75–88
Schmitt, E., *see* I. Diener **55** (1985) 13–19
Schmitt, P., Spreading information by conferences (*Note*) **15** (1976) 305–306
Schmitt, W., *see* N. Ray **125** (1994) 329–341
Schmitt, W.R., *see* V. Domocoş **132** (1-3) (1994) 377–381
Schmutz, E., Partitions whose parts are pairwise relatively prime **81** (1990) 87–89
Schneider, B., *see* J. Aubert **37** (1981) 19–27
Schneider, B., *see* J. Aubert **38** (1982) 7–16
Schneider, H., *see* B.D. Saunders **24** (1978) 205–220
Schneider, M.H., *see* M. Hartmann **137** (1-3) (1995) 223–240
Schneider, R., *see* A. Geroldinger **150** (1-3) (1996) 123–130
Schneider, R., On the chairman assignment problem **159** (1-3) (1996) 217–222
Schoen, T., *see* T. Łuczak **181** (1-3) (1998) 289–294
Schönheim, J., *see* M. Herzog **1** (1972) 329–332
Schönheim, J., Partition of the edges of the directed complete graph into 4-cycles **11** (1975) 67–70
Schönheim, J., *see* J.C. Bermond **19** (1977) 113–120
Schönheim, J., *see* Y. Caro **33** (1981) 319–321
Schönheim, J., *see* I. Krasikov **53** (1985) 137–145
Schönheim, J., *see* J.I. Brown **80** (1990) 123–143
Schonheim, J., *see* I. Krasikov **124** (1994) 133–136
Schönheim, J., *see* Y. Caro **138** (1-3) (1995) 177–186
Schönheim, J., *see* Y. Caro **164** (1-3) (1997) 47–65

Schott, R., *see* P. Feinsilver **180** (1-3) (1998) 157–171
Schrader, R., *see* U. Faigle **58** (1986) 295–301
Schrader, R., *see* O. Goecke **82** (1990) 93–99
Schrag. G., Automorphism groups and the full state spaces of the Petersen graph generalizations of G_{32} **70** (1988) 185–198
Schrag, G. and L. Cammack, On the 2-extendability of the generalized Petersen graphs **78** (1989) 169–177
Schrage, G., Some inequalities for multidimensional (0, 1)-matrices **23** (1978) 169–175
Schreiber, S., Cyclical Steiner Triple Systems orthogonal to their opposites **77** (1989) 281–284
Schreiber, S., Symmetric quasigroups of odd order **77** (1989) 285–297
Schrijver, A., *see* A.E. Brouwer **20** (1977) 1–10
Schrijver, A., *see* H.M. Mulder **25** (1979) 41–50
Schrijver, A. and P.D. Seymour, Solution of two fractional packing problems of Lovász **26** (1979) 177–184
Schrijver, A., A counterexample to a conjecture of Edmonds and Giles (*Communication*) **32** (1980) 213–214
Schrijver, A., On the number of edge-colourings of regular bipartite graphs **38** (1982) 297–301
Schrijver, A., *see* A.E. Brouwer **47** (1983) 177–182
Schrijver, A., *see* C.A.J. Hurkens **73** (1988/89) 99–109
Schrijver, A., Circuits in graphs embedded on the torus **106/107** (1992) 415–433
Schrijver, A., *see* M. de Graaf **110** (1992) 279–282
Schrijver, A., *see* J. Edmonds **165-166** (1-3) (1997) 209–216
Schröder, B.S.W., On CC-comparability invariance of the fixed point property **179** (1-3) (1998) 167–183
Schroeder, M.J., Dependence systems with the operator–image exchange property **133** (1-3) (1994) 237–248
Schroth, A.E., How to draw a hexagon **199** (1-3) (1999) 161–171
Schughart, M., *see* T. Andreae **88** (1991) 11–20
Schulte, E. and J.M. Wills, On Coxeter's regular skew polyhedra **60** (1986) 253–262
Schulte, E., On a class of abstract polytopes constructed from binary codes **84** (1990) 295–301
Schulte, E. and A.I. Weiss, Chirality and projective linear groups **131** (1-3) (1994) 221–261
Schulte, U., Constructing trees in bipartite graphs **154** (1-3) (1996) 317–320
Schultz, M., *see* G. Chartrand **147** (1-3) (1995) 73–86
Schultz, M., *see* G. Chartrand **170** (1-3) (1997) 63–79
Schultz, P., Enumerations of rooted trees with an application to group presentations **41** (1982) 199–214
Schulz, C., An invertable 3-diagram with 8 vertices **28** (1979) 201–205
Schulz, C., Dual pairs of non-polytopal diagrams and spheres **55** (1985) 65–72
Schulz, M., An example of a cubic graph with two orbits and simple eigenvalue $\sqrt{3}$ (*Communication*) **31** (1980) 221–222
Schulz, R.-H., A note on check character systems using Latin squares **97** (1991) 371–375
Schuster, S., *see* G. Chartrand **5** (1973) 313–315
Schützenberger, M.P., Promotion des morphismes D'ensembles ordonnes **2** (1972) 73–94
Schützenberger, M.-P., *see* A. Lascoux **99** (1992) 165–179
Schuur, P.C., *see* J.B.M. Melissen **145** (1-3) (1995) 333–342
Schwahn, C., *see* H. Brandes **125** (1994) 73–86
Schwärzler, W., Being Hamiltonian is not a Tutte invariant (*Communication*) **91** (1991) 87–89
Schwärzler, W. and A. Sebö, A generalized cut-condition for multiflows in matroids **113** (1993) 207–221
Schwärzler, W., *see* A. Bouchet **181** (1-3) (1998) 53–63
Schweigert, D., Congruence relations of multialgebras **53** (1985) 249–253
Schwenk, A., *see* B. Manvel **94** (1991) 209–219
Schwenk, A.J., *see* F. Harary **6** (1973) 359–365
Schwenk, A.J., *see* R.W. Robinson **12** (1975) 359–372
Schwenk, A.J., An asymptotic evalution of the cycle index of a symmetric group **18** (1977) 71–78
Sciriha, I. and S. Fiorini, On the characteristic polynomial of homeomorphic images of a graph **174** (1-3) (1997) 293–308
Sciriha, I., On the construction of graphs of nullity one **181** (1-3) (1998) 193–211
Scott, A.D., *see* A.J. Radcliffe **140** (1-3) (1995) 275–279
Scott, A.D., *see* B. Bollobás **170** (1-3) (1997) 41–49
Scott, A.D., *see* D.M. Berman **175** (1-3) (1997) 35–40
Scott, A.D., Reconstructing sequences **175** (1-3) (1997) 231–238

Scott, A.D., On graph decompositions modulo k **175** (1-3) (1997) 289–291
Scott, D.D., *see* J. Lehel **74** (1989) 341–346
Scott, S.H., *see* A.J.W. Hilton **7** (1974) 111–127
Scoville, R., *see* L. Carlitz **5** (1973) 45–59
Scoville, R., *see* L. Carlitz **14** (1976) 215–239
Scozzafava, R., Graphs and finite transformation semigroups **5** (1973) 87–99
Scurr, R. and G. Olive, Stirling numbers revisited **189** (1-3) (1998) 209–219
Seager, S., *see* M. Katchalski **142** (1-3) (1995) 141–154
Seah, E. and D.R. Stinson, A perfect one-factorization for K_{36} **70** (1988) 199–202
Seberry, J., *see* C. Koukouvinos **88** (1991) 49–58
Seberry, J., *see* C. Koukouvinos **92** (1991) 173–176
Sebö, A., A quick proof of Seymour's theorem on t-joins (*Note*) **64** (1987) 101–103
Sebö, A., *see* W. Schwärzler **113** (1993) 207–221
Seidel, J.J., *see* J.M. Goethals **12** (1975) 143–158
Seidel, J.J., A note on path-zero graphs **106/107** (1992) 435–438
Seidel, J.J., Isometric embeddings and geometric designs **136** (1-3) (1994) 281–293
Seidman, S.B., *see* M.G. Everett **57** (1985) 217–223
Seifert, B.G., On the arithmetic of cycles for the Collatz-Hasse ('Syracuse') conjectures **68** (1988) 293–298
Seifter, N., A note on infinite transitive graphs (*Note*) **58** (1986) 317–321
Seifter, N., *see* W. Imrich **73** (1988/89) 111–117
Seifter, N., Groups acting on graphs with polynomial growth **89** (1991) 268–280
Seifter, N., *see* W. Imrich **95** (1991) 101–117
Seifter, N., On the girth of infinite graphs (*Note*) **118** (1993) 275–283
Seifter, N., *see* A. Lukács **186** (1-3) (1998) 227–236
Selfridge, J.L., *see* P. Erdős **200** (1-3) (1999) 137–147
Selkow, S.M., The independence number of graphs in terms of degrees (*Communication*) **122** (1993) 343–348
Selkow, S.M., A Probabilistic lower bound on the independence number of graphs **132** (1-3) (1994) 363–365
Selkow, S.M., *see* C.A. Christen **149** (1-3) (1996) 279–281
Selkow, S.M., The enumeration of labeled graphs by number of cutpoints **185** (1-3) (1998) 183–191
Selkow, S.M., *see* A.C. Atkins **195** (1-3) (1999) 235–237
Sellers, J., New congruences for generalized Frobenius partitions with two or three colors **131** (1-3) (1994) 367–373
Sellers, J.A., Recurrences for 2-colored and 3-colored F-partitions **156** (1-3) (1996) 303–310
Sellers, J.A., *see* M.D. Hirschhorn **199** (1-3) (1999) 85–101
Sellers, P.H., *see* D. Sankoff **4** (1973) 287–293
Sen, M., *see* S. Das **122** (1993) 113–136
Sen, M.K., B.K. Sanyal and D.B. West, Representing digraphs using intervals or circular arcs **147** (1-3) (1995) 235–245
Senato, D., A. Venezia and J. Yang, Möbius polynomial species **173** (1-3) (1997) 229–256
Sendrier, N., *see* H. Chabanne **112** (1993) 245–248
Senechal, I.J., Chain algebras **37** (1981) 229–244
Sénizergues, G., *see* B. Courcelle **182** (1-3) (1998) 29–51
Seress, Á., Gossiping old ladies **46** (1983) 75–81
Seress, Á., *see* P. Erdös **59** (1986) 21–34
Seress, Á., *see* D. Miklós **68** (1988) 265–272
Seress, Á., On vertex-transitive, non-Cayley graphs of order pqr **182** (1-3) (1998) 279–292
Serfati, M., Une methode de resolution des equations postiennes a partir d'une solution particuliere **17** (1977) 187–189
Serfati, M., Boolean differential equations **146** (1-3) (1995) 235–246
Serfati, M., On postian algebraic equations **152** (1-3) (1996) 269–285
Serfati, M., The lattice theory of r-ordered partitions **194** (1-3) (1999) 205–227
Serra, O., *see* J. Gómez **114** (1993) 219–235
Serra, O., *see* J.M. Brunat **138** (1-3) (1995) 147–159
Serra, O., *see* Y.O. Hamidoune **159** (1-3) (1996) 131–142
Serra, O., *see* F. Hurtado **162** (1-3) (1996) 187–197

Serra, O., *see* G. Ringel **165-166** (1-3) (1997) 471–479
Serra, O., *see* G. Ringel **165-166** (1-3) (1997) 587–588
Serra, O., *see* I.J. Dejter **182** (1-3) (1998) 69–83
Servatius, B., *see* C. Droms **109** (1992) 69–75
Servatius, B. and H. Servatius, Self-dual maps on the sphere **134** (1-3) (1994) 139–150
Servatius, B. and H. Servatius, The 24 symmetry pairings of self-dual maps on the sphere **140** (1-3) (1995) 167–183
Servatius, B. and H. Servatius, Self-dual graphs **149** (1-3) (1996) 223–232
Servatius, H., An Artin relation of length n in the braid group **104** (1992) 185–189
Servatius, H., *see* C. Droms **109** (1992) 69–75
Servatius, H., *see* B. Servatius **134** (1-3) (1994) 139–150
Servatius, H., *see* B. Servatius **140** (1-3) (1995) 167–183
Servatius, H., *see* B. Servatius **149** (1-3) (1996) 223–232
Šešelja, B. and A. Tepavčević, On generation of finite posets by meet-irreducibles **186** (1-3) (1998) 269–275
Sevast'janov, S. and W. Banaszczyk, To the Steinitz lemma in coordinate form **169** (1-3) (1997) 145–152
Sewald, J., *see* L.F. Monteiro **189** (1-3) (1998) 177–189
Sewell, E.C. and L.E. Trotter Jr., Stability critical graphs and ranks facets of the stable set polytope **147** (1-3) (1995) 247–255
Seyffarth, K., Hajós' conjecture and small cycle double covers of planar graphs **101** (1992) 291–306
Seyffarth, K., *see* P. Hell **111** (1993) 313–322
Seyffarth, K., Packings and perfect path double covers of maximal planar graphs **117** (1993) 183–195
Seymour, P., *see* N. Robertson **95** (1991) 303–319
Seymour, P. and R. Thomas, An end-faithful spanning tree counterexample **95** (1991) 321–330
Seymour, P.D., A two-commodity cut theorem **23** (1978) 177–181
Seymour, P.D., Counterexample to a conjecture of Jeurissen (*Note*) **24** (1978) 315
Seymour, P.D., *see* A. Schrijver **26** (1979) 177–184
Seymour, P.D., Disjoint paths in graphs **29** (1980) 293–309
Seymour, P.D., *see* F.R.K. Chung **75** (1989) 113–119
Seymour, P.D., *see* M. de Graaf **110** (1992) 279–282
Seymour, P.D., *see* R.B. Richter **126** (1994) 273–280
Sha, J. and D.J. Kleitman, The number of linear extensions of subset ordering **63** (1987) 271–278
Shader, B.L., *see* R.A. Brualdi **96** (1991) 161–174
Shader, B.L., On biclique partitions of the complete graph **117** (1993) 197–213
Shaheen, F., *see* Q. Mushtaq **126** (1994) 225–238
Shahriari, S., On the structure of maximum 2-part Sperner families **162** (1-3) (1996) 229–238
Shalaby, N., *see* C.J. Colbourn **92** (1991) 49–64
Shalaby, N., *see* E. Mendelsohn **97** (1991) 301–317
Shalaby, N., *see* A.M. Assaf **103** (1992) 121–128
Shalaby, N., The existence of near-Skolem and hooked near-Skolem sequences **135** (1-3) (1994) 303–319
Shamir, E. and E. Upfal, One-factor in random graphs based on vertex choice **41** (1982) 281–286
Shamir, E., *see* J. Schmidt **45** (1983) 287–295
Shamir, E., *see* R. Levy **114** (1993) 361–365
Shamir, R., A fast algorithm for constructing Monge sequences in transportation problems with forbidden arcs **114** (1993) 435–444
Shamula, M., *see* Y. Alavi **72** (1988) 3–13
Shank, H.S., The rational case of a matrix problem of Harrison **28** (1979) 207–212
Shannon, A.G., J.C. Turner and K.T. Atanassov, A generalized tableau associated with colored convolution trees **92** (1991) 329–340
Shao, J., *see* Q. Li **123** (1993) 75–92
Shao, J.-y. and W.-d. Wei, A formula for the number of Latin squares (*Note*) **110** (1992) 293–296
Shapiro, B., M. Shapiro and A. Vainshtein, Topology of intersections of Schubert cells and Hecke algebra **153** (1-3) (1996) 305–318
Shapiro, B., M. Shapiro and A. Vainshtein, Kazhdan–Lusztig polynomials for certain varieties of incomplete flags **180** (1-3) (1998) 345–355
Shapiro, H.D., Generalized Latin squares on the torus **24** (1978) 63–77

Shapiro, L.W., A Catalan triangle **14** (1976) 83–90
Shapiro, L.W., A combinatorial proof of a Chebyshev polynomial identity (*Note*) **34** (1981) 203–206
Shapiro, L.W., Voting blocks, reluctant functions, and a formula of Hurwitz (*Note*) **87** (1991) 319–322
Shapiro, M., *see* B. Shapiro **153** (1-3) (1996) 305–318
Shapiro, M., *see* B. Shapiro **180** (1-3) (1998) 345–355
Sharary, A.H. and N. Zaguia, Minimizing the number of tardy jobs in single machine sequencing **117** (1993) 215–223
Sharir, M. and S.S. Skiena, Tight bounds on a problem of lines and intersections (*Note*) **89** (1991) 313–314
Sharma, A., A note on stability of graphs (*Note*) **49** (1984) 201–203
Sharma, C.S., *see* G.E. Nicholson **52** (1984) 235–242
Sharp Jr., H., Enumeration of vacuously transitive relations **4** (1973) 185–196
Sharp Jr., H., *see* C. Bang **45** (1983) 123–126
Sharry, M.J. and A. Penfold Street, Partitioning sets of quadruples into designs I **77** (1989) 299–305
Sharry, M.J. and A. Penfold Street, Partitioning sets of quadruples into designs III **92** (1991) 341–359
Shastri, A., Lower bounds for bi-colored quaternary Ramsey numbers (*Note*) **84** (1990) 213–216
Shastri, A., *see* G.W. Peck **103** (1992) 177–187
Shaw, R., A property of A_7, and a maximal 3-dimensional linear section of GL(4,2) **197-198** (1-3) (1999) 733–747
Shawe-Taylor, J., *see* T. Pisanski **36** (1981) 113–115
Shawe-Taylor, J., Coverings of complete bipartite graphs and associated structures **134** (1-3) (1994) 151–160
Sheard, M., *see* C.J. Knickerbocker **76** (1989) 277–278
Sheard, M., *see* C.J. Kinckerbocker **88** (1991) 33–48
Sheard, M., *see* G.R.T. Hendry **187** (1-3) (1998) 281–290
Shearer, J., A property of the colored complete graph **25** (1979) 175–178
Shearer, J.B., A simple counterexample to a conjecture of Rota (*Note*) **28** (1979) 327–330
Shearer, J.B., A note on circular dimension (*Note*) **29** (1980) 103
Shearer, J.B., *see* D.J. Kleitman **30** (1980) 151–156
Shearer, J.B., A note on the independence number of triangle-free graphs **46** (1983) 83–87
Shearer, J.B., *see* Z. Füredi **63** (1987) 143–152
Shearer, J.B., *see* M.E. Watkins **66** (1987) 289–298
Shee, S.-C., Some results on λ-valuation of graphs involving complete bipartite graphs **87** (1991) 73–80
Shee, S.C., *see* S.M. Lee **93** (1991) 195–200
Shee, S.C., *see* S.-M. Lee **93** (1991) 201–209
Shee, S.-C. and Y.-S. Ho, The cordiality of one-point union of n copies of a graph **117** (1993) 225–243
Shee, S.-C. and Y.-S. Ho, The cordiality of the path-union of n copies of a graph **151** (1-3) (1996) 221–229
Sheehan, J., Non-bipartite graphs of girth 4 **8** (1974) 383–402
Sheehan, J., *see* R.J. Faudree **32** (1980) 105–123
Sheehan, J., *see* R.J. Faudree **46** (1983) 151–157
Sheehan, J., *see* R.J. Faudree **48** (1984) 197–204
Sheehan, J., Graph decomposition with constraints on the minimum degree **68** (1988) 299–307
Sheehan, J., Balanced graphs with minimum degree constraints **102** (1992) 307–314
Sheehan, J., *see* C.R.J. Clapham **120** (1993) 253–259
Sheehan, J., Graphical decompositions **125** (1994) 347–355
Sheehan, J., *see* B. Jackson **177** (1-3) (1997) 123–144
Sheehan, J., *see* R.J. Faudree **183** (1-3) (1998) 81–101
Shefrin, H.M., On the combinatorial structure of Bayesian learning with imperfect information **37** (1981) 245–254
Shelah, S., *see* M. Kaufmann **54** (1985) 285–293
Shelton, A.P., R.D. Dutton and R.C. Brigham, Extension of a clique cover result to uniform hypergraphs (*Note*) **59** (1986) 199–201
Shelton, R., K.J. Heuvers, D. Moak and K.P.S. Bhaskara Rao, Multinomial matrices (*Communication*) **61** (1986) 107–114
Shelton, R., *see* M. Gilpin **84** (1990) 15–21
Shelton, R.O. and R.P. Soni, Chains and fixing blocks in irreducible binary sequences **54** (1985) 93–99
Shen, B.-Z., *see* G.-Z. Xiao **87** (1991) 181–186

Shen, H., *see* F.E. Bennett **97** (1991) 47–57
Shen, H., *see* S. Milici **145** (1-3) (1995) 191–200
Shen, J., An improvement of the Dulmage–Mendelsohn theorem **158** (1-3) (1996) 295–297
Shen, R. and F. Tian, Neighborhood unions and hamiltonicity of graphs **141** (1-3) (1995) 213–225
Shen, R. and F. Tian, Long dominating cycles in graphs **177** (1-3) (1997) 287–294
Shen, X., Generalized Latin squares II **143** (1-3) (1995) 221–242
Shen, X.-J., *see* H. Edelsbrunner **81** (1990) 153–164
Shende, A.M., *see* D.S. Rajan **161** (1-3) (1996) 309–314
Shephard, G.C., *see* B. Grünbaum **20** (1977) 235–247
Shephard, G.C., *see* F. Hering **40** (1982) 203–217
Shephard, G.C., *see* B. Grünbaum **60** (1986) 155–192
Shepherd, B., *see* E.J. Cockayne **58** (1986) 221–227
Shepherd, F.B., *see* K. Kilakos **181** (1-3) (1998) 179–191
Shepherd, F.B., *see* A.M.H. Gerards **188** (1-3) (1998) 111–125
Shepp, L.A., *see* C.L. Mallows **54** (1985) 301–311
Shepp, L.A., *see* P.C. Fishburn **91** (1991) 149–159
Shepp, L.A., *see* P.C. Fishburn **98** (1991) 105–122
Sheppard, D.A., The factorial representation of balanced labelled graphs **15** (1976) 379–388
Sherman, S., *see* O.J. Heilmann **1** (1971) 19–27
Shi, F. and W. Li, The density of a maximum minimal cut in the subset lattice of a finite set is almost one **123** (1993) 111–115
Shi, M., Y. Li and F. Tian, Tree decompositions for a class of graphs **189** (1-3) (1998) 221–232
Shi, Y., Some theorems of uniquely pancyclic graphs **59** (1986) 167–180
Shi, Y., On maximum cycle-distributed graphs **71** (1988) 57–71
Shi, Y., The number of edges in a maximum cycle-distributed graph (*Note*) **104** (1992) 205–209
Shi, Y., On simple MCD graphs containing a subgraph homeomorphic to K_4 **126** (1994) 325–338
Shi, Y., The number of cycles in a hamilton graph **133** (1-3) (1994) 249–257
Shier, D.R., A decomposition algorithm for optimality problems in tree-structured networks **6** (1973) 175–189
Shikare, M.M., *see* T.T. Raghunathan **184** (1-3) (1998) 267–271
Shiloach, Y., U. Vishkin and S. Zaks, Golden ratios in a pairs covering problem **41** (1982) 57–65
Shimozono, M., *see* J.B. Remmel **193** (1-3) (1998) 257–266
Shimshoni, M., *see* A.S. Fraenkel **2** (1972) 335–345
Shiraishi, S., A remark on maximum matching of line graphs **179** (1-3) (1998) 289–291
Shirakura, T., *see* S. Tazawa **90** (1991) 63–74
Shirakura, T., Fractional factorial designs of two and three levels **116** (1993) 99–135
Shirali, S., *see* R. Chandrasekaran **51** (1984) 137–145
Shiu, W.C., *see* P.C.B. Lam **173** (1-3) (1997) 285–289
Shor, P.W., *see* K.L. Collins **63** (1987) 15–19
Shostak, R., *see* B. Baker **2** (1972) 191–193
Shpectorov, S., Complementary I_1-graphs **192** (1-3) (1998) 323–331
Shreve, W.E., *see* G. Chen **170** (1-3) (1997) 231–236
Shrikhande, M., *see* A. Baartmans **40** (1982) 129–139
Shrikhande, M., *see* A. Pott **90** (1991) 215–217
Shrikhande, M.S., *see* W.G. Bridges **9** (1974) 1–18
Shrikhande, M.S., *see* R.C. Bose **16** (1976) 1–7
Shrikhande, M.S., *see* R.C. Bose **21** (1978) 97–101
Shrikhande, M.S., *see* A. Baartmans **57** (1985) 301–305
Shrikhande, M.S., *see* N.B. Limaye **64** (1987) 199–207
Shrikhande, M.S. and N.M. Singhi, An elementary derivation of the annihilator polynomial for extremal $(2s+1)$-designs **80** (1990) 93–96
Shrikhande, S.S., *see* R.C. Bose **6** (1973) 305–312
Shyr, H.J., S.S. Yu and G. Thierrin, Monogenic e-closed languages and dipolar words **126** (1994) 339–348
Shyr, H.J. and Y.S. Tsai, Free submonoids in the monoid of languages **181** (1-3) (1998) 213–222
Sidorenko, A., A partially ordered set of functionals corresponding to graphs **131** (1-3) (1994) 263–277
Sidorenko, A.F., An infinite permutation without arithmetic progressions (*Communication*) **69** (1988) 211

Sidorenko, A.F., Triangle-free regular graphs (*Note*) **91** (1991) 215–217
Siemes, W., J. Topp and L. Volkmann, On unique independent sets in graphs **131** (1-3) (1994) 279–285
Siemon, H., Infinite families of strictly cyclic Steiner quadruple systems **77** (1989) 307–316
Siemon, H., On the existence of cyclic Steiner Quadruple Systems SQS($2p$) **97** (1991) 377–385
Siemons, I.J., Kernels of modular inclusion maps **174** (1-3) (1997) 309–315
Siemons, J., Permutation groups on unordered sets II; On a theorem of Frucht (*Note*) **118** (1993) 285–288
Silberger, D.M., *see* A. Ehrenfeucht **26** (1979) 101–109
Simeone, B., *see* P. Marchioro **51** (1984) 47–61
Simeone, B., *see* P. Marchioro **69** (1988) 253–261
Simić, S., *see* D. Cvetković **138** (1-3) (1995) 213–227
Simić, S.K., *see* D.M. Cvetković **13** (1975) 315–320
Simion, R. and F.W. Schmidt, On $(+1, -1)$-matrices with vanishing permanent (*Note*) **46** (1983) 107–108
Simion, R., The lattice automorphisms of the dominance ordering **49** (1984) 89–93
Simion, R., Trees with 1-factors and oriented trees **88** (1991) 93–104
Simion, R. and D. Ullman, On the structure of the lattice of noncrossing partitions **98** (1991) 193–206
Simion, R., *see* P.H. Edelman **99** (1992) 63–68
Simion, R., *see* P.H. Edelman **126** (1994) 107–119
Simion, R., *see* A. Denise **137** (1-3) (1995) 155–176
Simmons, G.J., On a problem of Erdös concerning a 3-coloring of the unit sphere **8** (1974) 81–84
Simmons, H., Generalized deviations of posets **98** (1991) 123–139
Simó, E. and J.L.A. Yebra, The vulnerability of the diameter of folded n-cubes **174** (1-3) (1997) 317–322
Simões-Pereira, J.M.C., An algorithm and its role in the study of optimal graph realizations of distance matrices **79** (1989/90) 299–312
Simões-Pereira, J.M.S., On matroids on edge sets of graphs with connected subgraphs as circuits II **12** (1975) 55–78
Simões-Pereira, J.M.S., Subgraphs as circuits and bases of matroids **12** (1975) 79–88
Simões-Pereira, J.M.S., A note of finite topologies and switching functions **18** (1977) 299–310
Simões-Pereira, J.M.S., A note on distance matrices with unicyclic graph realizations **65** (1987) 277–287
Simon, I., *see* J.A. Brzozowski **4** (1973) 243–271
Simon, K., *see* D. Crippa **170** (1-3) (1997) 81–98
Simon, P., *see* B. Balcar **108** (1992) 5–12
Simonis, J., The [18, 9, 6] code is unique **106/107** (1992) 439–448
Simonovits, M., *see* P. Erdös **5** (1973) 323–334
Simonovits, M., Extremal graph problems with symmetrical extremal graphs. Additional chromatic conditions **7** (1974) 349–376
Simonovits, M., *see* D. Duffus **32** (1980) 1–7
Simonovits, M., *see* W.G. Brown **48** (1984) 147–162
Simons, W. and G. Trapp, Separating points by spheres **10** (1974) 163–166
Simonyi, G., *see* R. Ahlswede **128** (1-3) (1994) 389–394
Simonyi, G., *see* A. Sali **185** (1-3) (1998) 279–285
Simpson, J., *see* S.G. Boswell **179** (1-3) (1998) 235–241
Simpson, J.E., *see* M. Behzad **16** (1976) 187–193
Simpson, J.E., Langford sequences: Perfect and hooked **44** (1983) 97–104
Simpson, J.E., A note on perfect systems of difference sets (*Note*) **63** (1987) 109–110
Simpson, R.J., Exact coverings of the integers by arithmetic progressions **59** (1986) 181–190
Simpson, R.J., Disjoint covering systems of rational Beatty sequences **92** (1991) 361–369
Simpson, R.J., *see* R.B. Eggleton **111** (1993) 165–178
Šiňajová, E., *see* J. Reiterman **54** (1985) 193–200
Šiňajová, E., *see* J. Reiterman **74** (1989) 291–319
Šiňajová, E., A note on vector representation of graphs (*Note*) **89** (1991) 315–317
Sinclair, P.A., The construction and reduction of strong snarks **167-168** (1-3) (1997) 553–570
Singh, L.P.S., *see* A.M. Assaf **126** (1994) 1–12
Singhi, N.M., *see* M.S. Shrikhande **80** (1990) 93–96
Sinha, K., Generalized partially balanced incomplete block designs (*Note*) **67** (1987) 315–318
Sinha, K., *see* S. Kageyama **92** (1991) 137–144

Sinha, K., A class of q-ary codes (*Note*) **126** (1994) 439–440
Širáň, J., Infinite families of crossing-critical graphs with a given crossing number (*Note*) **48** (1984) 129–132
Širáň, J. and P. Horák, A construction of thickness-minimal graphs **64** (1987) 263–268
Širáň, J., *see* P. Horák **84** (1990) 23–29
Širáň, J., Characterization of signed graphs which are cellularly embeddable in no more than one surface **94** (1991) 39–44
Širáň, J., Duke's theorem does not extend to signed graph embeddings (*Note*) **94** (1991) 233–238
Širáň, J., End-faithful forests and spanning trees in infinite graphs **95** (1991) 331–340
Širáň, J. and M. Škoviera, Groups with sign structure and their antiautomorphisms **108** (1992) 189–202
Širáň, J., *see* M. Škoviera **109** (1992) 265–276
Širáň, J. and M. Škoviera, Regular maps from Cayley graphs II. Antibalanced Cayley maps **124** (1994) 179–191
Širáň, J., *see* R.B. Richter **126** (1994) 273–280
Širáň, J., M. Škoviera and H.-J. Voss, Sachs triangulations and regular maps **134** (1-3) (1994) 161–175
Siu, M.-K. and P. Tong, Generation of some de Bruijn sequences (*Note*) **31** (1980) 97–100
Siu, M.-K., *see* W.-K. Chan **125** (1994) 107–113
Skau, I., *see* K. Dale **137** (1-3) (1995) 357–360
Skiena, S.S., *see* M. Sharir **89** (1991) 313–314
Skillicorn, D.B., More generalized packing numbers **39** (1982) 75–86
Škoviera, M., *see* B. Mohar **56** (1985) 87–89
Škoviera, M., A contribution to the theory of voltage graphs **61** (1986) 281–292
Škoviera, M. and R. Nedela, The maximum genus of vertex-transitive graphs **78** (1989) 179–186
Škoviera, M., The maximum genus of graphs of diameter two **87** (1991) 175–180
Škoviera, M., *see* J. Širáň **108** (1992) 189–202
Škoviera, M. and J. Širáň, Regular maps from Cayley graphs, Part 1: Balanced Cayley maps **109** (1992) 265–276
Škoviera, M., *see* J. Širáň **124** (1994) 179–191
Škoviera, M., *see* J. Širáň **134** (1-3) (1994) 161–175
Skowrońska, M. and M.M. Sysło, Dominating cycles in Halin graphs **86** (1990) 215–224
Škrekovski, R., *see* M. Juvan **187** (1-3) (1998) 137–149
Škrekovski, R., *see* S. Klavžar **187** (1-3) (1998) 255–258
Škrekovski, R., Choosability of K_5-minor-free graphs **190** (1-3) (1998) 223–226
Skrien, D., Interval line graphs (*Note*) **51** (1984) 317–318
Skrien, D. and J. Gimbel, Homogeneously representable interval graphs **55** (1985) 213–216
Skupień, Z., *see* J. Jamrozik **39** (1982) 229–234
Skupień, Z., *see* R. Kalinowski **82** (1990) 101–104
Skupień, Z., *see* A. Marczyk **96** (1991) 213–220
Slamin, *see* M. Sutton **195** (1-3) (1999) 287–293
Slater, P.J., *see* S. Maurer **20** (1977) 255–262
Slater, P.J., *see* S.B. Maurer **24** (1978) 185–195
Slater, P.J., Path coverings of the vertices of a tree **25** (1979) 65–74
Slater, P.J., On k-sequential and other numbered graphs **34** (1981) 185–193
Slater, P.J., *see* D.W. Bange **44** (1983) 235–241
Slater, P.J., On k-graceful, countably infinite graphs **61** (1986) 293–303
Slater, P.J., *see* D.L. Grinstead **86** (1990) 239–254
Slater, P.J., *see* R.A. Gibbs **93** (1991) 155–165
Slater, P.J., *see* M.A. Henning **158** (1-3) (1996) 87–98
Slater, P.J., *see* D.W. Bange **159** (1-3) (1996) 1–11
Slater, P.J., *see* A.T. Amin **187** (1-3) (1998) 1–17
Sloane, N.J.A., *see* F.J. MacWilliams **3** (1972) 153–162
Sloane, N.J.A., A survey of constructive coding theory, and a table of binary codes of highest known rate **3** (1972) 265–294
Sloane, N.J.A., *see* C.L. Mallows **9** (1974) 391–400
Sloane, N.J.A., *see* P.C. Fishburn **74** (1989) 263–290
Sloane, N.J.A., *see* Y. Cheng **83** (1990) 205–212
Sloane, N.J.A., *see* J.H. Conway **83** (1990) 213–217

Sloane, N.J.A., *see* R.H. Hardin **106/107** (1992) 255–264
Sloane, N.J.A., *see* M. Bernstein **170** (1-3) (1997) 29–39
Smallwood, C.V., Partitions of sets of matrices **13** (1975) 261–275
Smith, C.A.B., *see* R.L. Brooks **100** (1992) 291–301
Smith, D.H., On bipartite tetravalent graphs **10** (1974) 167–172
Smith, D.H., An improved version of Lloyd's theorem **15** (1976) 175–184
Smith, D.H. and S. Hurley, Bounds for the frequency assignment problem **167-168** (1-3) (1997) 571–582
Smith, D.H., *see* S.M. Allen **197-198** (1-3) (1999) 41–52
Smith, J.D.H., Minimal trees of given search number **66** (1987) 191–202
Smith, J.D.H., Quasigroups and quandles **109** (1992) 277–282
Smith, K., *see* B. Manvel **94** (1991) 209–219
Smith, P., A doubly divisible nearly Kirkman system (*Note*) **18** (1977) 93–96
Smith, W.D., *see* A.M. Odlyzko **146** (1-3) (1995) 169–177
Smith, W.D., *see* M.B. Dillencourt **161** (1-3) (1996) 63–77
Smithline, L., Bandwidth of the complete k-ary tree **142** (1-3) (1995) 203–212
Smutný, P. and M. Tkáč, On cubic polyhedral graphs with prescribed adjacency properties of their faces **191** (1-3) (1998) 197–206
Smyth, W.F., *see* K.A. Redish **91** (1991) 317–321
Smyth, W.F., *see* L. Caccetta **102** (1992) 121–141
Smyth, W.F., *see* N. Hartsfield **141** (1-3) (1995) 163–171
Snevily, H.S., The snake-in-the-box problem: A new upper bound **133** (1-3) (1994) 307–314
Snevily, H.S., New families of graphs that have α-labelings **170** (1-3) (1997) 185–194
Snir, M., The covering problem of complete uniform hypergraphs (*Note*) **27** (1979) 103–105
Snover, S.L., *see* J.M. Goethals **3** (1972) 65–88
Snover, S.L., C. Waiveris and J.K. Williams, Rep-tiling for triangles **91** (1991) 193–200
Sobel, M., *see* A.J. Roth **32** (1980) 77–84
Soifer, A., *see* I. Hoffman **150** (1-3) (1996) 427–429
Solé, P., Completely regular codes and completely transitive codes **81** (1990) 193–201
Solé, P., On the parameters of codes for the Lee and modular distance **89** (1991) 185–194
Solé, P., *see* C. Garcia **111** (1993) 257–261
Solé, P. and T. Zaslavsky, Maximality of the cycle code of a graph **128** (1-3) (1994) 401–405
Solé, P., The edge-forwarding index of orbital regular graphs **130** (1-3) (1994) 171–176
Solé, P., Counting lattice points in pyramids **139** (1-3) (1995) 381–392
Solé, P. and J.-P. Tillich, On the dual distance and the gap of a binary code **192** (1-3) (1998) 333–336
Solheid, E.S., *see* R.A. Brualdi **61** (1986) 1–19
Solomon, W., *see* P.J. Lorimer **104** (1992) 91–97
Solow, A.E., *see* D.C. Fisher **82** (1990) 251–258
Soltan, P., *see* H. Martini **195** (1-3) (1999) 167–180
Šoltés, L'., Forbidden induced subgraphs for line graphs **132** (1-3) (1994) 391–394
Šoltés, L'., *see* Y. Li **170** (1-3) (1997) 269–275
Soneoka, T., H. Nakada, M. Imase and C. Peyrat, Sufficient conditions for maximally connected dense graphs **63** (1987) 53–66
Song, E., W. Ye and Y. Liu, New lower bounds for Ramsey number $R(p,q;4)$ **145** (1-3) (1995) 343–346
Song, Z.M., *see* K.M. Zhang **133** (1-3) (1994) 325–328
Song, Z.-X., *see* J.-S. Li **195** (1-3) (1999) 255–262
Soni, R.P., *see* R.O. Shelton **54** (1985) 93–99
Sonnino, A., Linear collineation groups preserving an arc in a Möbius plane **197-198** (1-3) (1999) 749–757
Sopena, E., *see* J. Nešetřil **165-166** (1-3) (1997) 519–530
Sopena, E., *see* O.V. Borodin **188** (1-3) (1998) 73–85
Sørensen, A.B., On the number of rational points on codimension-1 algebraic sets in $\mathbf{P}^n(\mathbf{F}_q)$ **135** (1-3) (1994) 321–334
Soria, M., *see* P. Flajolet **114** (1993) 159–180
Sós, V.T., *see* P. Erdös **2** (1972) 207–228
Sós, V.T., *see* B. Andrásfai **8** (1974) 205–218
Sós, V.T., *see* P. Erdös **47** (1983) 49–62

Sós, V.T., *see* P. Erdős **136** (1-3) (1994) 75–99
Soták, R., *see* M. Horňák **146** (1-3) (1995) 109–121
Soták, R., *see* M. Horňák **176** (1-3) (1997) 139–148
Soták, R., *see* S. Jendroľ **197-198** (1-3) (1999) 453–467
Sotirakoglou, K., *see* S. Kounias **92** (1991) 177–185
Sotteau, D., Decomposition of K_n^* into circuits of odd length **15** (1976) 185–191
Sotteau, D., *see* J.C. Bermond **18** (1977) 235–241
Sotteau, D., *see* G. Hahn **44** (1983) 281–284
Sotteau, D., *see* M.C. Heydemann **52** (1984) 199–207
Sotteau, D. and A.P. Wojda, Digraphs without directed path of length two or three (*Note*) **58** (1986) 105–108
Sotteau, D., *see* M. Kouider **73** (1989) 301–304
Sotteau, D., *see* O. Favaron **91** (1991) 311–316
Sotteau, D., *see* J.-C. König **121** (1993) 123–134
Souad, E.B., *see* P.D. Tao **70** (1988) 85–101
Spartalis, S., On the number of H_V-rings with P-hyperoperations **155** (1-3) (1996) 225–231
Spears, W.T., *see* D.M. Jackson **30** (1980) 133–149
Spence, E., Skew-Hadamard matrices of order $2(q+1)$ **18** (1977) 79–85
Spence, E., Is Taylor's graph geometric? **106/107** (1992) 449–454
Spence, E. and V.D. Tonchev, Extremal self-dual codes from symmetric designs (*Communication*) **110** (1992) 265–268
Spence, E., Classification of Hadamard matrices of order 24 and 28 **140** (1-3) (1995) 185–243
Spence, E., *see* E.R. van Dam **189** (1-3) (1998) 233–257
Spence, E., *see* M.-O. Pavčević **196** (1-3) (1999) 257–266
Spencer, J., Turán's theorem for k-graphs **2** (1972) 183–186
Spencer, J., *see* D.J. Kleitman **6** (1973) 255–262
Spencer, J., Asymptotic lower bounds for Ramsey functions **20** (1977) 69–76
Spencer, J., *see* Z. Palka **61** (1986) 253–258
Spencer, J., Coloring the projective plane **73** (1988/89) 213–220
Spencer, J., From Erdős to algorithms **136** (1-3) (1994) 295–307
Spencer, J.H., *see* J. Pach **79** (1989/90) 107–108
Spera, A.G., (s, k, λ)-Partitions of a vector space (*Note*) **89** (1991) 213–217
Speranza, M.G., *see* P. Dell'Olmo **164** (1-3) (1997) 67–79
Spicer, E.R., *see* D.E. Bryant **171** (1-3) (1997) 55–75
Spirakis, P.G., *see* J.H. Reif **54** (1985) 181–191
Sprague, A.P., Pasch's axiom and projective spaces **33** (1981) 79–87
Springer, C.M., *see* I.P. Goulden **158** (1-3) (1996) 77–85
Sprott, D.A., *see* S.R. Chamberlin **92** (1991) 39–47
Sprugnoli, R., Riordan arrays and combinatorial sums **132** (1-3) (1994) 267–290
Sprugnoli, R., *see* E. Barcucci **139** (1-3) (1995) 3–18
Sprugnoli, R., Riordan arrays and the Abel–Gould identity **142** (1-3) (1995) 213–233
Sprugnoli, R., *see* C. Corsani **180** (1-3) (1998) 107–122
Squier, C.C., *see* R.V. Book **49** (1984) 237–240
Sridharan, M.R., Mixed self-complementary and self-converse digraphs **14** (1976) 373–376
Sridharan, M.R. and O.T. George, On the strong perfect graph conjecture and critical graphs (*Note*) **41** (1982) 101–104
Sridharan, M.R., *see* M. Hegde **45** (1983) 239–243
Sridharan, M.R., *see* N. Hegde **47** (1983) 109–112
Sridharan, M.R. and K. Balaji, Characterisation of self-complementary chordal graphs **188** (1-3) (1998) 279–283
Sridharan, S., Biregular subgraphs of biregular graphs (*Note*) **65** (1987) 213–214
Sridharan, S., On the Berge's strong path partition conjecture (*Note*) **112** (1993) 289–293
Sridharan, S., On the strong path partition conjecture of Berge (*Communication*) **117** (1993) 265–270
Srinivasan, M.K., *see* U.N. Peled **114** (1993) 403–424
Srinivasan, N., *see* K.R. Parthasarathy **49** (1984) 151–159
Srinivasan, R., On some results of Takács in ballot problems **28** (1979) 213–218

Srivastava, H.M., Some generalizations of a combinatorial identity of L. Vietoris (*Note*) **65** (1987) 99–102
Srivastava, J. and S. Arora, An infinite series of resolution III.2 designs for the 2^m factorial experiment **98** (1991) 35–56
Stacey, A., Universal minimal total dominating functions of trees **140** (1-3) (1995) 287–290
Stacho, L., A sufficient condition guaranteeing large cycles in graphs **169** (1-3) (1997) 273–277
Stachowiak, G., On a long cycle in the graph of all linear extensions of a poset consisting of two disjoint chains **131** (1-3) (1994) 375–378
Stachowiak, G., Finding parity difference by involutions **163** (1-3) (1997) 139–151
Stadler, P.F., Random walks and orthogonal functions associated with highly symmetric graphs **145** (1-3) (1995) 229–237
Stahl, S. and A.T. White, Genus embeddings for some complete tripartite graphs **14** (1976) 279–296
Stahl, S., A duality for permutations **71** (1988) 257–271
Stahl, S., Region distributions of graph embeddings and Stirling numbers **82** (1990) 57–78
Stahl, S., Region distributions of some small diameter graphs **89** (1991) 281–299
Stahl, S., Bounds for the average genus of the vertex-amalgamation of graphs **142** (1-3) (1995) 235–245
Stahl, S., *see* C. Mauk **159** (1-3) (1996) 285–290
Stahl, S., The multichromatic numbers of some Kneser graphs **185** (1-3) (1998) 287–291
Stallmann, M.F.M., On counting planar embeddings (*Note*) **122** (1993) 385–392
Stankova, Z.E., Forbidden subsequences **132** (1-3) (1994) 291–316
Stanley, R.P., A Brylawski decomposition for finite ordered sets **4** (1973) 77–82
Stanley, R.P., Acyclic orientations of graphs **5** (1973) 171–178
Stanley, R.P., Factorization of permutations into n-cycles **37** (1981) 255–262
Stanley, R.P., *see* W.Y.C. Chen **115** (1993) 65–75
Stanley, R.P., A combinatorial decomposition of acyclic simplicial complexes **120** (1993) 175–182
Stanley, R.P., Graph colorings and related symmetric functions: ideas ans applications **193** (1-3) (1998) 267–286
Stanton, D., *see* J.T. Joichi **73** (1989) 261–271
Stanton, D. and D. White, Combinatorics of the z^{AB} theorem **83** (1990) 105–114
Stanton, R.G., Minimal pairwise balanced designs **77** (1989) 317–321
Statman, R., Reductions of the graph reconstruction conjecture (*Note*) **36** (1981) 103–107
Staton, W., Induced forests in cubic graphs **49** (1984) 175–178
Staton, W., *see* G. Hopkins **57** (1985) 245–251
Staton, W., *see* P. Erdős **92** (1991) 85–88
Staton, W., *see* P. Erdős **141** (1-3) (1995) 285–290
Staton, W., *see* P. Erdős **158** (1-3) (1996) 283–286
Steele, J.M., Long unimodal subsequences: A problem of F.R.K. Chung (*Note*) **33** (1981) 223–225
Steenbrink, J.H.M., *see* R.H. Jeurissen **132** (1-3) (1994) 83–96
Stefan, J. and P. Charles, Une caracterisation des produits d'arbres et des grilles **163** (1-3) (1997) 201–208
Ştefănescu, G., *see* V.-E. Căzănescu **90** (1991) 233–265
Ştefănescu, G., *see* V.-E. Căzănescu **126** (1994) 47–65
Steffen, E., Counterexamples to a conjecture about bottlenecks in non-Tait-colourable cubic graphs (*Note*) **161** (1-3) (1996) 315
Steffen, E., *see* G. Brinkmann **169** (1-3) (1997) 193–197
Steffen, E., Classifications and characterizations of snarks **188** (1-3) (1998) 183–203
Steffens, K., *see* H. Oellrich **15** (1976) 301–304
Steffens, K., *see* F. Galvin **24** (1978) 161–166
Steger, A. and M.-l. Yu, On induced matchings (*Note*) **120** (1993) 291–295
Steger, A., *see* S. Hougardy **136** (1-3) (1994) 175–223
Steger, A., *see* H.J. Prömel **154** (1-3) (1996) 311–315
Steiger, W., *see* J. Gil **108** (1992) 37–51
Stein, P., On Chvátal's conjecture related to a hereditary system **43** (1983) 97–105
Stein, P., Chvátal's conjecture and point-intersections (*Note*) **43** (1983) 321–323
Stein, P.R., *see* C.J. Everett **1** (1971) 55–72
Stein, P.R., *see* J. Riordan **5** (1973) 381–388
Stein, P.R., *see* C.J. Everett **6** (1973) 29–34

Stein, P.R., *see* C.J. Everett **17** (1977) 27–45
Stein, P.R. and C.J. Everett, On a class of linked diagrams II. Asymptotics **21** (1978) 309–318
Stein, P.R. and M.S. Waterman, On some new sequences generalizing the Catalan and Motzkin numbers **26** (1979) 261–272
Stein, P.R. and C.J. Everett, On the iteration of a bijective transformation of integer k-tuples **63** (1987) 67–79
Stein, S., The notched cube tiles $\mathbb{R}^n$ (*Communication*) **80** (1990) 335–337
Stein, S.K., *see* E.A. Kasimatis **85** (1990) 281–294
Steinberg, L., *see* A. Altshuler **8** (1974) 113–137
Steinberg, L., *see* A. Altshuler **16** (1976) 91–108
Steinberg, L., *see* A. Altshuler **31** (1980) 115–124
Steinberg, R., *see* L.S. Mel'nikov **20** (1977) 203–206
Steiner, G., Minimizing bumps in ordered sets by substitution decomposition (*Note*) **76** (1989) 285–289
Steiner, G., *see* J.S. Deogun **170** (1-3) (1997) 99–106
Steingrímsson, E., *see* C.-W. Ko **163** (1-3) (1997) 293–298
Steingrímsson, E., A chromatic partition polynomial **180** (1-3) (1998) 357–368
Stembridge, J.R., *see* K.L. Collins **63** (1987) 15–19
Stembridge, J.R., Eulerian numbers, tableaux, and the Betti numbers of a toric variety **99** (1992) 307–320
Sterboul, F., Un probleme extremal pour les graphes et les hypergraphes **11** (1975) 71–78
Sterboul, F., A problem on triples **17** (1977) 191–198
Sterboul, F., Sur le nombre transversal des hypergraphes uniformes (*Note*) **22** (1978) 91–96
Sterboul, F., Smallest 3-graphs having a 3-colored edge in every k-coloring **27** (1979) 205–210
Sterboul, F., *see* J.-C. Bermond **30** (1980) 295–298
Sterboul, F., Letter to the editor **66** (1987) 319–320
Stern, M., Semimodularity in lattices of finite length **41** (1982) 287–293
Stern, M., Strongness in semimodular lattices **82** (1990) 79–88
Stern, M., Dually atomistic lattices (*Note*) **93** (1991) 97–100
Stern, M., On the covering graph of balanced lattices **156** (1-3) (1996) 311–316
Stevenson, R.A., Dilworth truncations and k-induced matroids **105** (1992) 199–205
Stewart, D., *see* M.E.H. Ismail **41** (1982) 155–160
Stewart, I.A., Deciding whether a planar graph has a cubic subgraph is NP-complete **126** (1994) 349–357
Stewart, I.A., On locating cubic subgraphs in bounded-degree connected bipartite graphs **163** (1-3) (1997) 319–324
Stewart, L.K., *see* D.G. Corneil **86** (1990) 145–164
Stewart, L.K., *see* C.J. Colbourn **86** (1990) 179–189
Stewart, L.K., *see* R.S. Sankaranarayana **161** (1-3) (1996) 243–263
Stiebitz, M., K_5 is the only double-critical 5-chromatic graph (*Communication*) **64** (1987) 91–93
Stiebitz, M., *see* H. Sachs **74** (1989) 201–226
Stiebitz, M., *see* H. Fleischner **101** (1992) 39–48
Stiebitz, M., On Hadwiger's number—A problem of the Nordhaus–Gaddum type **101** (1992) 307–317
Stiebitz, M., The forest plus stars colouring problem (*Communication*) **126** (1994) 385–389
Stiebitz, M., *see* A.V. Kostochka **162** (1-3) (1996) 299–303
Stiebitz, M., *see* T. Böhme **170** (1-3) (1997) 219–222
Stiebitz, M., *see* A.V. Kostochka **191** (1-3) (1998) 125–137
Stiffler, J.J. and I.F. Blake, An infinite class of generalized room squares **12** (1975) 159–163
Stiffler, J.J., *see* I.F. Blake **21** (1978) 89–93
Stinson, D.B., A general construction for group-divisible designs **33** (1981) 89–94
Stinson, D.R., A skew room square of order 129 (*Communication*) **31** (1980) 333–335
Stinson, D.R., *see* J.H. Dinitz **44** (1983) 145–154
Stinson, D.R., *see* P. Erdös **47** (1983) 49–62
Stinson, D.R. and W.D. Wallis, Two-fold triple systems without repeated blocks (*Note*) **47** (1983) 125–128
Stinson, D.R., *see* J.H. Dinitz **47** (1983) 221–228
Stinson, D.R., *see* C.C. Lindner **52** (1984) 67–74
Stinson, D.R. and L. Zhu, On sets of three mols with holes **54** (1985) 321–328
Stinson, D.R. and S.A. Vanstone, A Kirkman square of order 51 and block size 3 (*Note*) **55** (1985) 107–111
Stinson, D.R., Concerning the spectrum of perpendicular arrays of triple systems **61** (1986) 305–310

Stinson, D.R., Frames for Kirkman triple systems **65** (1987) 289–300
Stinson, D.R., *see* E. Seah **70** (1988) 199–202
Stinson, D.R., *see* C.C. Lindner **77** (1989) 191–203
Stinson, D.R., *see* K. Phelps **77** (1989) 255–258
Stinson, D.R., *see* R. Rees **77** (1989) 259–279
Stinson, D.R., *see* C.C. Lindner **80** (1990) 273–280
Stinson, D.R., *see* R. Rees **83** (1990) 81–93
Stinson, D.R., *see* R.C. Mullin **84** (1990) 47–62
Stinson, D.R., *see* W.L. Kocay **85** (1985) 45–60
Stinson, D.R., A survey of Kirkman triple systems and related designs **92** (1991) 371–393
Stinson, D.R., Designs constructed from maximal arcs **97** (1991) 387–393
Stinson, D.R. and Y.J. Wei, Some results on quadrilaterals in Steiner triple systems **105** (1992) 207–219
Stinson, D.R., *see* D. Chen **110** (1992) 35–42
Stockmeyer, P., *see* B. Manvel **94** (1991) 209–219
Stöhr, E., The pagewidth of trivalent planar graphs **89** (1991) 43–49
Stojaković, Z. and W.A. Dudek, Single identities for varieties equivalent to quadruple systems **183** (1-3) (1998) 277–284
Stolarsky, K.B., *see* A.M. Odlyzko **57** (1985) 89–97
Stolarsky, K.B., *see* A.S. Fraenkel **135** (1-3) (1994) 93–101
Stone, A.H., *see* R.L. Brooks **100** (1992) 291–301
Stone, M.G., A note on "Automorphism groups of partial orders" (*Note*) **22** (1978) 313–314
Stone, M.G. and R.H. Weedmark, On representing M_n's by congruence lattices of finite algebras **44** (1983) 299–308
Stonesifer, J.R., Modularly complemented geometric lattices **32** (1980) 85–88
Stong, R., On Hamiltonian cycles in Cayley graphs of wreath products **65** (1987) 75–80
Stong, R., Hamilton decompositions of cartesian products of graphs **90** (1991) 169–190
Stong, R., Permutations of the positive integers with specified differences **176** (1-3) (1997) 223–231
Stong, R.E., Group actions on finite spaces **49** (1984) 95–100
Storme, L. and J.A. Thas, Complete k-arcs in PG(n, q), q even **106/107** (1992) 455–469
Storme, L. and J.A. Thas, k-Arcs and dual k-arcs **125** (1994) 357–370
Stötzer, F., *see* M. Clausen **45** (1983) 133–135
Strahringer, S., Dimensionality of ordinal structures **144** (1-3) (1995) 97–117
Straight, H.J., *see* L. Beineke **31** (1980) 153–159
Straight, H.J., *see* J.F. Fink **33** (1981) 95–98
Straubing, H., A combinatorial proof of the Cayley-Hamilton theorem **43** (1983) 273–279
Straubing, H., Applications of the theory of automata in enumeration **64** (1987) 269–279
Straus, E.G., *see* P. Erdös **40** (1982) 45–52
Street, D.J., Combinatorial problems in repeated measurements designs **77** (1989) 323–343
Strehl, V., A note of similarity relations (*Note*) **19** (1977) 99–101
Strehl, V., Alternating permutations and modified Ghandi-polynomials **28** (1979) 89–100
Strehl, V., *see* P. Leroux **57** (1985) 167–187
Strehl, V., Combinatorics of Jacobi-configurations III: The Srivastava–Singhal generating function revisited **73** (1988/89) 221–232
Strehl, V., Identities of Rothe–Abel–Schläfli–Hurwitz-type **99** (1992) 321–340
Strehl, V., Binomial identities — combinatorial and algorithmic aspects **136** (1-3) (1994) 309–346
Strintzis, M.G., *see* I. Pitas **56** (1985) 245–253
Ströhlein, T., *see* G. Schmidt **54** (1985) 83–92
Ströhlein, Th. and L. Zagler, Analyzing games by Boolean matrix iteration **19** (1977) 183–193
Strommer, T., *see* G. Purdy **28** (1979) 331–334
Strommer, T.O., The number of lines determined by a polygon **25** (1979) 75–84
Stroppel, M., Stable planes **129** (1-3) (1994) 181–189
Strube, R.F.E., *see* W. Holsztyński **22** (1978) 263–272
Stueckle, S., Chromatic automorphisms and symmetries of some graphs **80** (1990) 175–181
Stueckle, S., *see* R. Laskar **122** (1993) 245–253
Stueckle, S., *see* L. Wang **128** (1-3) (1994) 361–369

Stueckle, S.K., *see* B.L. Piazza **127** (1-3) (1994) 265–276
Stumbo, F., *see* M. Salvetti **163** (1-3) (1997) 129–138
Sturmfels, B., Central and parallel projections of polytopes (*Communication*) **62** (1986) 315–318
Sturtevant, D.G., *see* R.A. Proctor **30** (1980) 173–180
Sturtevant, D.G., *see* A.R. Calderbank **50** (1984) 15–28
Su, J., On locally k-critically n-connected graphs **120** (1993) 183–190
Su, X.-Y., A result on decompositions of regular graphs (*Note*) **105** (1992) 323–326
Su, X.-Y., On complete subgraphs of color-critical graphs **143** (1-3) (1995) 243–249
Su, X.-Y., Some generalizations of Menger's theorem concerning arc-connected digraphs **175** (1-3) (1997) 293–296
Sudakov, B., *see* G. Gutin **191** (1-3) (1998) 101–107
Suen, W.C.S., On the largest strong components in m-out digraphs **94** (1991) 45–52
Suffel, C., *see* L. Petingi **179** (1-3) (1998) 155–166
Suffel, C.L., *see* D. Bauer **47** (1983) 153–161
Sulanke, R.A., A determinant for q-counting n-dimensional lattice paths **81** (1990) 91–96
Sulanke, R.A., *see* C. Krattenthaler **153** (1-3) (1996) 189–198
Sulanke, R.A., Catalan path statistics having the Narayana distribution **180** (1-3) (1998) 369–389
Sumner, D.P., Point determination in graphs **5** (1973) 179–187
Sumner, D.P., Graphs indecomposable with respect to the X-join **6** (1973) 281–298
Sumner, D.P., The nucleus of a point determining graph **14** (1976) 91–97
Sumner, D.P., The connected Ramsey number **22** (1978) 49–55
Sumner, D.P., Critical concepts in domination **86** (1990) 33–46
Sun, H., *see* G. Hahn **44** (1983) 281–284
Sun, L., On a problem of J. Csima (*Note*) **87** (1991) 217–218
Sun, S.R., *see* C.C. Lindner **32** (1980) 271–280
Sun, S.X. and C. Payan, Sur l'immersion gracieuse de K_N dans Q_n (*Communication*) **102** (1992) 79–83
Sun, X.-H., On Rota's problem of the explicit representation for umbral operators (*Note*) **120** (1993) 297–300
Sun, Z., *see* H. Li **183** (1-3) (1998) 223–236
Sun, Z.-H., Congruences for Bernoulli numbers and Bernoulli polynomials **163** (1-3) (1997) 153–163
Sun, Z.-W., On disjoint residue classes (*Note*) **104** (1992) 321–326
Sundaram, R., *see* M. Klugerman **186** (1-3) (1998) 289–293
Sung, T.-Y., *see* M. Padberg **165-166** (1-3) (1997) 531–545
Surányi, L., On a generalization of linecritical graphs **30** (1980) 277–287
Sureau, Y., On structure of cogroups **155** (1-3) (1996) 243–246
Suseela, J.S., *see* S. Arumugam **190** (1-3) (1998) 67–77
Sutinuntopas, S., *see* N. Brand **120** (1993) 25–35
Sutton, M., M. Miller, J. Ryan and . Slamin, Connected graphs which are not mod sum graphs **195** (1-3) (1999) 287–293
Sved, M., The geometry of the binomial array modulo p^2 and p^3 **92** (1991) 395–416
Svrtan, D., *see* S. Feretić **157** (1-3) (1996) 147–168
Swanepoel, C.J. and L.M. Pretorius, Factor-complement partitions of ascending k-parameter words **167-168** (1-3) (1997) 583–592
Swanepoel, C.J., *see* W.L. Fouché **197-198** (1-3) (1999) 331–350
Swanepoel, K.J., Cardinalities of k-distance sets in Minkowski spaces **197-198** (1-3) (1999) 759–767
Swart, H.C., *see* M.A. Henning **120** (1993) 93–105
Swart, H.C., *see* D.P. Day **127** (1-3) (1994) 95–104
Swart, H.C., *see* W. Goddard **132** (1-3) (1994) 65–73
Swart, H.C., *see* W. Goddard **161** (1-3) (1996) 121–132
Swart, H.C., *see* M.A. Henning **161** (1-3) (1996) 161–173
Swart, H.C., *see* M.A. Henning **161** (1-3) (1996) 175–184
Swart, H.C., *see* W. Goddard **167-168** (1-3) (1997) 329–339
Swart, H.C., *see* D.P. Day **197-198** (1-3) (1999) 217–223
Swarup, K., *see* M.J.L. Kirby **5** (1973) 345–365
Swiercz, S., *see* C.W.H. Lam **45** (1983) 319–321
Sysło, M.M., Characterizations of outerplanar graphs **26** (1979) 47–53

Sysło, M.M., The Helly-type property of non-trivial intervals on a tree (*Note*) **37** (1981) 297–298
Sysło, M.M., Triangulated edge intersection graphs of paths in a tree **55** (1985) 217–220
Sysło, M.M., Minimizing the jump number for partially-ordered sets: A graph-theoretic approach, II **63** (1987) 279–295
Sysło, M.M., An algorithm for solving the jump number problem **72** (1988) 337–346
Sysło, M.M., Sequential coloring versus Welsh–Powell bound **74** (1989) 241–243
Sysło, M.M., *see* M. Skowrońska **86** (1990) 215–224
Sysło, M.M., The jump number problem on interval orders: A 3/2 approximation algorithm **144** (1-3) (1995) 119–130
Sysło, M.M., *see* L.T.Q. Hung **189** (1-3) (1998) 163–176
Szabó, P., *see* K. Cechlárová **81** (1990) 123–128
Szabó, S., On the problem of regularity of a type of n-dimensional tilings (*Note*) **45** (1983) 313–317
Szabó, S., A type of factorization of finite abelian groups (*Note*) **54** (1985) 121–124
Szabó, S., *see* K. Corrádi **85** (1990) 319–321
Szabó, T., On nearly regular co-critical graphs **160** (1-3) (1996) 279–281
Szabó, T., *see* B. Bollobás **186** (1-3) (1998) 55–67
Szántó, Á., *see* G. Ivanyos **153** (1-3) (1996) 177–188
Székely, L.A. and N.C. Wormald, Bounds on the measurable chromatic number of $\mathbb{R}^n$ **75** (1989) 343–372
Székely, L.A., L.H. Clark and R.C. Entringer, An inequality for degree sequences **103** (1992) 293–300
Székely, L.A., *see* C.A. Barefoot **125** (1994) 15–30
Székely, L.A., *see* C.A. Barefoot **150** (1-3) (1996) 31–48
Szekeres, E., *see* P. Erdős **200** (1-3) (1999) 137–147
Szelecka, A., *see* M. Kwaśnik **164** (1-3) (1997) 213–220
Szemerédi, E., *see* B. Bollobás **13** (1975) 97–107
Szemeredi, E., *see* A. Gyárfás **30** (1980) 235–244
Szemerédi, E., *see* J. Komlós **43** (1983) 55–63
Szendrei, Á., *see* J.D. Berman **112** (1993) 1–20
Szentmiklóssy, Z., *see* J. Gerlits **108** (1992) 31–35
Szigeti, J., *see* G. Révész **147** (1-3) (1995) 313–319
Sziklai, P., Nuclei of pointsets in PG(n,q) **174** (1-3) (1997) 323–327
Szönyi, T., Note on the order of magnitude of k for complete k-arcs in PG(2, q) **66** (1987) 279–282
Szönyi, T., *see* J.W.P. Hirschfeld **97** (1991) 229–242
Szönyi, T., *see* A. Blokhuis **106/107** (1992) 61–65
Szőnyi, T., *see* A. Blokhuis **131** (1-3) (1994) 339–343
Szüsz, P., On a theorem of Fraenkel, Levitt and Shimshoni (*Note*) **56** (1985) 75–77
Szwarcfiter, J.L., On edge transitivity of directed graphs **141** (1-3) (1995) 227–235
Szwarcfiter, J.L., *see* C.L. Lucchesi **183** (1-3) (1998) 247–254
Szymczak, T., *see* A. Brandstädt **177** (1-3) (1997) 9–16
Tabourier, Y., All shortest distances in a graph. An improvement to Dantzig's inductive algorithm **4** (1973) 83–87
Tachibana, S.-i., *see* C. Nara **45** (1983) 323–326
Tachibana, S.-i., *see* B. Bollobás **62** (1986) 271–275
Taft, E.J., Hadamard invertibility of linearly recursive sequences in several variables **139** (1-3) (1995) 393–397
Taibleson, M.H., *see* M.A. Picardello **109** (1992) 193–202
Tainiter, M., Statistical theory of conjectivity I: Basic definitions and properties **13** (1975) 391–398
Takács, L., On the "problème des ménages" **36** (1981) 289–297
Takács, L., Counting forests (*Note*) **84** (1990) 323–326
Takahashi, A., S. Ueno and Y. Kajitani, Minimal acyclic forbidden minors for the family of graphs with bounded path-width **127** (1-3) (1994) 293–304
Tallini, G., Asymptotic questions in Galois geometries **129** (1-3) (1994) 191–203
Tamari, F., On linear codes which attain the Solomon–Stiffler bound **49** (1984) 179–191
Tamari, F., A construction of some $[n, k, d; q]$-codes meeting the Griesmer bound **116** (1993) 269–287
Tamura, S., *see* S. Tazawa **90** (1991) 63–74
Tan, B.P., *see* K.M. Koh **147** (1-3) (1995) 171–183
Tan, B.P., *see* K.M. Koh **149** (1-3) (1996) 131–139

Tan, B.P., *see* K.M. Koh **154** (1-3) (1996) 281–287
Tan, B.P., *see* K.M. Koh **167-168** (1-3) (1997) 411–418
Tan, B.P., *see* K.M. Koh **173** (1-3) (1997) 297–298
Tan, E.L., Some notes on cycles graphs **105** (1992) 221–226
Tan, L., Signs in the Laplace expansions and the parity of the distinguished representatives **131** (1-3) (1994) 287–299
Tan, N.D., On the isomorphism problem for a family of cubic metacirculant graphs **151** (1-3) (1996) 231–242
Tan, N.D., Cubic (m,n)-metacirculant graphs which are not Cayley graphs **154** (1-3) (1996) 237–244
Tan, S.-t., *see* A. Baartmans **30** (1980) 69–81
Tan, S.T., *see* L.A. Carmony **34** (1981) 17–24
Tan, T., *see* K.M. Koh **25** (1979) 141–148
Tan, T., *see* K.M. Koh **31** (1980) 279–292
Ţăndăreanu, N., On generalized Boolean functions I **34** (1981) 293–299
Ţăndăreanu, N., On generalized Boolean functions II **40** (1982) 277–284
Ţăndăreanu, N., On generalized Boolean functions III. The case $A = 0, 1$ **52** (1984) 269–277
Tang, X. and A. Ben-Israel, Two consequences of Minkowski's 2^n theorem **169** (1-3) (1997) 279–282
Tanny, S.M. and M. Zuker, On a unimodal sequence of binomial coefficients **9** (1974) 79–89
Tanny, S.M., Generating functions and generalized alternating subsets **13** (1975) 55–65
Tanny, S.M. and M. Zuker, Analytic methods applied to a sequence of binomial coefficients **24** (1978) 299–310
Tanny, S.M., *see* J.W. Reilly **32** (1980) 69–76
Tanny, S.M., A well-behaved cousin of the Hofstadter sequence **105** (1992) 227–239
Tao, P.D. and E.B. Souad, Iterative behaviour, fixed point of a class of monotone operators. Application to non-symmetric threshold function **70** (1988) 85–101
Tappe, J., *see* A. Kerber **15** (1976) 151–161
Tardif, C., Prefibers and the cartesian product of metric spaces **109** (1992) 283–288
Tardif, C., A fixed box theorem for the cartesian product of graphs and metric spaces **171** (1-3) (1997) 237–248
Tardif, C., Graph products and the chromatic difference sequence of vertex-transitive graphs **185** (1-3) (1998) 193–200
Tardos, É., *see* C.A.J. Hurkens **73** (1988/89) 99–109
Tarjan, R.E., *see* G. Markowsky **16** (1976) 329–337
Tarjan, R.E., Decomposition by clique separators **55** (1985) 221–232
Tarnanen, H., On character sums and codes **57** (1985) 285–295
Tarsi, M., Decomposition of complete multigraphs into stars **26** (1979) 273–278
Tarsi, M., On the decomposition of a graph into stars **36** (1981) 299–304
Tarski, A., An interpolation theorem for irredundant bases of closure structures **12** (1975) 185–192
Taubenfeld, G., *see* R. Michel **146** (1-3) (1995) 313–320
Tay, E.G., *see* K.M. Koh **190** (1-3) (1998) 115–136
Taylor, H., A distinct distance set of 9 nodes in a tree of diameter 36 **93** (1991) 167–168
Taylor, H., Florentine rows or left-right shifted permutation matrices with cross-correlation values $\leqslant 1$ **93** (1991) 247–260
Taylor, R., Reconstructing degree sequences from k-vertex-deleted subgraphs **79** (1989/90) 207–213
Taylor, W., On the coloration of cubes **2** (1972) 187–190
Taylor, W., *see* G. McNulty **12** (1975) 193–200
Tazawa, S., T. Shirakura and S. Tamura, Enumeration of digraphs with given number of vertices of odd out-degree and vertices of odd in-degree **90** (1991) 63–74
Tazawa, S., C. Nara and J.W. Moon, The number of 4-cycles in triangle-free oriented graphs **143** (1-3) (1995) 287–291
Tazawa, S., *see* C. Nara **183** (1-3) (1998) 255–264
Tchuente, M., *see* D. Naddef **31** (1980) 107–109
Tchuente, M., Parallel realization of permutations over trees **39** (1982) 211–214
Tchuente, M., *see* C. Payan **49** (1984) 267–273
Teh, H.H. and M.F. Foo, Large scale network analysis with applications to transportation, communication and inference networks **72** (1988) 347–353
Teirlinck, L., On the maximum number of disjoint Steiner triple systems (*Note*) **6** (1973) 299–300
Teirlinck, L., The existence of reverse Steiner triple systems (*Note*) **6** (1973) 301–302

Teirlinck, L., A simplification of the proof of the existence of reverse Steiner triple systems of order congruent to 1 modulo 24 (*Note*) **13** (1975) 297–298
Teirlinck, L., Non-trivial t-designs without repeated blocks exist for all t **65** (1987) 301–311
Teirlinck, L., Locally trivial t-designs and t-designs without repeated blocks **77** (1989) 345–356
Telcs, A., *see* D. Miklós **150** (1-3) (1996) 437–440
Tenenbaum, G., *see* P. Erdős **200** (1-3) (1999) 181–203
Teng, A. and A. Tucker, An O(qn) algorithm to q-color a proper family of circular arcs **55** (1985) 233–243
Ten Pas, P., *see* A. Ehrenfeucht **190** (1-3) (1998) 259–264
Teo, C.P., *see* K.M. Koh **96** (1991) 65–69
Teo, C.P. and K.M. Koh, On chromatic uniqueness of uniform subdivisions of graphs **128** (1-3) (1994) 327–335
Teo, C.P., *see* K.M. Koh **154** (1-3) (1996) 289–295
Teo, K., *see* H. Wang **160** (1-3) (1996) 283–289
Teo, K.L., *see* K.M. Koh **127** (1-3) (1994) 243–258
Teo, K.L., *see* C.C. Chen **172** (1-3) (1997) 1
Teo, K.L., *see* K.M. Koh **172** (1-3) (1997) 59–78
Teo, K.L., *see* Y.-H. Peng **172** (1-3) (1997) 103–114
Tepavčević, A., *see* B. Šešelja **186** (1-3) (1998) 269–275
Terai, N. and T. Hibi, Some results on Betti numbers of Stanley–Reisner rings **157** (1-3) (1996) 311–320
Termini, S., *see* A. de Luca **27** (1979) 297–308
Terwilliger, P., Eigenvalue multiplicities of highly symmetric graphs **41** (1982) 295–302
Terwilliger, P., The Johnson graph $J(d, r)$ is unique if $(d, r) \neq (2, 8)$ **58** (1986) 175–189
Terwilliger, P., A new feasibility condition for distance-regular graphs **61** (1986) 311–315
Terwilliger, P., A new inequality for distance-regular graphs **137** (1-3) (1995) 319–332
Terwilliger, P., *see* K. Ding **149** (1-3) (1996) 59–68
Teschner, U., A counterexample to a conjecture on the bondage number of a graph (*Note*) **122** (1993) 393–395
Teschner, U., New results about the bondage number of a graph **171** (1-3) (1997) 249–259
Tewes, M. and L. Volkmann, Vertex deletion and cycles in multipartite tournaments **197-198** (1-3) (1999) 769–779
Thas, J.A., Partial three-spaces in finite projective spaces **32** (1980) 299–322
Thas, J.A., I. Debroey and F. De Clerck, The embedding of $(0, \alpha)$-geometries in PG(n, q): Part II **51** (1984) 283–292
Thas, J.A., *see* L. Storme **106/107** (1992) 455–469
Thas, J.A., *see* L. Storme **125** (1994) 357–370
Thas, J.A., Symplectic spreads in PG(3,q), inversive planes and projective planes **174** (1-3) (1997) 329–336
Thatte, B.D., Some results and approaches for reconstruction conjectures **124** (1994) 193–216
Thatte, B.D., On a reconstruction problem **137** (1-3) (1995) 387–388
Thatte, B.D., A reconstruction problem related to balance equations **176** (1-3) (1997) 279–284
Thatte, B.D., A reconstruction problem related to balance equations II: The general case **194** (1-3) (1999) 281–284
Thayse, A., Difference operators and extended truth vectors for discrete functions **14** (1976) 171–202
Theron, W.F.D. and G. Geldenhuys, Domination by queens on a square beehive **178** (1-3) (1998) 213–220
Thibon, J.Y., *see* G. Duchamp **76** (1989) 123–129
Thibon, J.-Y., *see* B. Leclerc **180** (1-3) (1998) 1
Thiel, L., *see* C.W.H. Lam **45** (1983) 319–321
Thiel, L., *see* C.W.H. Lam **92** (1991) 187–195
Thierrin, G., *see* H.J. Shyr **126** (1994) 339–348
Thimonier, L., *see* P. Dumas **139** (1-3) (1995) 143–154
Thiong-Ly, J.A., *see* A. Poli **56** (1985) 265–273
Thomas, G.P., On a construction of Schützenberger **17** (1977) 107–118
Thomas, R., *see* I. Kříž **81** (1990) 177–185
Thomas, R., *see* I. Kříž **95** (1991) 135–167
Thomas, R., *see* N. Robertson **95** (1991) 303–319
Thomas, R., *see* P. Seymour **95** (1991) 321–330
Thomas, R., *see* J. Matoušek **108** (1992) 343–364
Thomason, A., *see* B. Bollobás **25** (1979) 21–26

Thomason, A., Critically partitionable graphs II **41** (1982) 67–77
Thomason, A., *see* J. Haviland **75** (1989) 255–278
Thomason, A., A simple linear expected time algorithm for finding a hamilton path **75** (1989) 373–379
Thomason, A., Dense expanders and pseudo-random bipartite graphs **75** (1989) 381–386
Thomason, A., *see* J. Haviland **103** (1992) 321–327
Thomason, A.G., *see* E.J. Cockayne **33** (1981) 249–258
Thomassen, C., Hypohamiltonian and hypotraceable graphs **9** (1974) 91–96
Thomassen, C., On hypohamiltonian graphs **10** (1974) 383–390
Thomassen, C., Planar and infinite hypohamiltonian and hypotraceable graphs **14** (1976) 377–389
Thomassen, C., An Ore-type condition implying a digraph to be pancyclic **19** (1977) 85–92
Thomassen, C., *see* J.A. Bondy **19** (1977) 195–197
Thomassen, C., Counterexamples to the edge reconstruction conjecture for infinite graphs (*Note*) **19** (1977) 293–295
Thomassen, C., On separating cycles in graphs **22** (1978) 57–73
Thomassen, C., Reconstructibility versus edge reconstructibility of infinite graphs (*Note*) **24** (1978) 231–233
Thomassen, C., On the number of Hamiltonian cycles in tournaments **31** (1980) 315–323
Thomassen, C., *see* R. Häggkvist **41** (1982) 29–34
Thomassen, C., The 2-linkage problem for acyclic digraphs **55** (1985) 73–87
Thomassen, C., *see* G. Hahn **62** (1986) 29–33
Thomassen, C., Arc reversals in tournaments **71** (1988) 73–86
Thomassen, C., *see* V. Petrovic **98** (1991) 237–238
Thomassen, C., Embeddings of graphs **124** (1994) 217–228
Thompson, J.G., *see* F.J. MacWilliams **3** (1972) 153–162
Thornton, M.C., Regular elements in sandwich semigroups of binary relations **41** (1982) 303–307
Thuillier, H., *see* J.-L. Fouquet **80** (1990) 41–57
Thuillier, H., *see* J.L. Fouquet **114** (1993) 181–198
Thuillier, H., *see* J.-L. Fzouquet **146** (1-3) (1995) 33–44
Thuillier, H., *see* J.-L. Fouquet **165-166** (1-3) (1997) 291–302
Thuillier, H., *see* V. Giakoumakis **165-166** (1-3) (1997) 311–332
Thumser, W., *see* H.J. Prömel **95** (1991) 341–358
Thurber, E.G., Addition chains and solutions of $l(2n) = l(n)$ and $l(2^n - 1) = n + l(n) - 1$ **16** (1976) 279–289
Thurber, E.G., Addition chains — an erratic sequence **122** (1993) 287–305
Tian, F., *see* Y.-j. Zhu **87** (1991) 197–214
Tian, F. and W. Zang, The maximum number of diagonals of a cycle in a block and its extremal graphs **89** (1991) 51–63
Tian, F., *see* R. Shen **141** (1-3) (1995) 213–225
Tian, F., *see* J. Li **161** (1-3) (1996) 185–196
Tian, F., *see* H. Lia **165-166** (1-3) (1997) 459–469
Tian, F., *see* H. Broersma **171** (1-3) (1997) 43–54
Tian, F., *see* R. Shen **177** (1-3) (1997) 287–294
Tian, F., *see* M. Shi **189** (1-3) (1998) 221–232
Tichy, R.F., *see* P.J. Grabner **154** (1-3) (1996) 53–62
Tiersma, H.J., A note on Hamming spheres (*Communication*) **54** (1985) 225–228
Tietäväinen, A., Nonexistence of nontrivial perfect codes in case $q = p_1^f p_2^s$, $e \geqslant 3^*$ **17** (1977) 199–205
Tietäväinen, A., On the cardinality of sets of sequences with given maximum correlation **106/107** (1992) 471–477
Tijdeman, R., The chairman assignment problem **32** (1980) 323–330
Tijdeman, R., *see* A.E. Brouwer **34** (1981) 241–260
Tijssen, G., *see* R. van Dal **159** (1-3) (1996) 69–81
Tillich, J.P., *see* C. Delorme **165-166** (1-3) (1997) 161–184
Tillich, J.-P., *see* P. Solé **192** (1-3) (1998) 333–336
Tindell, R., *see* D. Bauer **41** (1982) 1–6
Tindell, R., *see* A. Satyanarayana **67** (1987) 57–79
Ting, S.-T. and S.-Y. Zhoa, The general Steiner problem in Boolean space and application **90** (1991) 75–84
Ting, S.-T. and S.-Y. Zhao, The general Steiner problem in rectangular crisscross space **123** (1993) 117–120

Ting, S.-T. and S.-y. Zhao, The geometry of Boolean space and its elementary figures I **132** (1-3) (1994) 317–332
Tipnis, S.K. and L.E. Trotter Jr., A generalization of Robacker's theorem **74** (1989) 245–252
Tipnis, S.K., *see* M.J. Plantholt **82** (1990) 197–207
Tipnis, S.K., *see* M.J. Plantholt **177** (1-3) (1997) 185–193
Tiwari, P., *see* B. Reznick **57** (1985) 189–193
Tkáč, M., *see* S. Jendroľ **48** (1984) 229–241
Tkáč, M., *see* S. Jendroľ **84** (1990) 143–160
Tkáč, M., Shortness coefficients of simple 3-polytopal graphs with edges of only two types (*Note*) **103** (1992) 103–110
Tkáč, M., On shortness coefficients of simple 3-polytopal graphs with only one type of faces besides triangles **128** (1-3) (1994) 407–413
Tkáč, M., *see* S. Jendroľ **145** (1-3) (1995) 301–305
Tkáč, M., *see* J. Harant **150** (1-3) (1996) 143–153
Tkáč, M., *see* S. Jendroľ **150** (1-3) (1996) 179–186
Tkáč, M., On the shortness exponent of 1-tough, maximal planar graphs **154** (1-3) (1996) 321–328
Tkáč, M., *see* P. Smutný **191** (1-3) (1998) 197–206
Toader, Gh., On Chebyshev's inequality for sequences **161** (1-3) (1996) 317–322
Todd, M.J., Characterizing binary simplicial matroids **16** (1976) 61–70
Todorcevic, S., Countable chain condition in partition calculus **188** (1-3) (1998) 205–223
Toft, B., On critical subgraphs of colour-critical graphs **7** (1974) 377–392
Toft, B., *see* J. Lützen **100** (1992) 9–82
Toft, B., *see* M. Christiansen **100** (1992) 83–97
Toft, B., *see* J. Bang-Jensen **101** (1992) 351–360
Togni, O., Irregularity strength of the toroidal grid **165-166** (1-3) (1997) 599–610
Togni, O., *see* D. Amar **190** (1-3) (1998) 15–38
Tokunaga, S., *see* J. Akiyama **75** (1989) 7–9
Tokunaga, S.-i., On a straight-line embedding problem of graphs **150** (1-3) (1996) 371–379
Tokushige, N., *see* H. Enomoto **104** (1992) 159–166
Tolhuizen, L.M.G.M. and C.P.M.J. Baggen, On the weight enumerator of product codes **106/107** (1992) 483–488
Tolle, J.W., *see* F.J. Gould **7** (1974) 225–271
Tomasta, P., "Dart calculus" of induced subsets **34** (1981) 195–198
Tomescu, I., Le nombre maximal de 3-colorations d'un graphe connexe **1** (1972) 351–356
Tomescu, I., La reduction minimale d'un graphe a une reunion de cliques **10** (1974) 173–179
Tomescu, I., Le nombre maximal de colorations d'un graphe hamiltonien **16** (1976) 353–359
Tomescu, I., Le nombre minimal de colorations d'un hypergraphe k-chromatique **25** (1979) 179–188
Tomescu, I., *see* F. Harary **39** (1982) 123–127
Tomescu, I., Graphical Eulerian numbers and chromatic generating functions (*Note*) **66** (1987) 315–318
Tomescu, I., Almost all dugraphs have a kernel **84** (1990) 181–192
Tomescu, I., Ordered h-hypertrees **105** (1992) 241–248
Tomescu, I., On the number of irreducible coverings by edges of complete bipartite graphs **150** (1-3) (1996) 453–456
Tomescu, I., An asymptotic formula for the number of graphs having small diameter **156** (1-3) (1996) 219–228
Tomescu, I., On the number of trees having k edges in common with a graph of bounded degrees **169** (1-3) (1997) 283–286
Tomescu, I., Maximum chromatic polynomial of 3-chromatic blocks **172** (1-3) (1997) 131–139
Tomescu, J., Le nombre maximum de cliques et de recouvrements par cliques des hypergraphes chromatiques complets **37** (1981) 263–277
Tonchev, V.D., The isomorphism of the Cohen, Haemers–van Lint and De Clerck–Dye–Thas partial geometries (*Communication*) **49** (1984) 213–217
Tonchev, V.D., Transitive Steiner triple systems of order 25 (*Note*) **67** (1987) 211–214
Tonchev, V.D., *see* F.C. Bussemaker **76** (1989) 45–49
Tonchev, V.D., *see* I. Landgev **77** (1989) 177–189
Tonchev, V.D., *see* F.C. Bussemaker **82** (1990) 317–321

Tonchev, V.D., *see* S.N. Kapralov **83** (1990) 285–289
Tonchev, V.D., *see* Z. Janko **97** (1991) 265–268
Tonchev, V.D., Some small non-embeddable designs **106/107** (1992) 489–492
Tonchev, V.D. and S.A. Vanstone, On Kirkman triple systems of order 33 **106/107** (1992) 493–496
Tonchev, V.D., *see* E. Spence **110** (1992) 265–268
Tonchev, V.D., The uniformly packed binary [27,21,3] and [35,29,3] codes **149** (1-3) (1996) 283–287
Tong, P., *see* M.-K. Siu **31** (1980) 97–100
Tönges, U., *see* J. Koolen **192** (1-3) (1998) 205–222
Topp, J. and L. Volkmann, On graphs with equal domination and independent domination numbers (*Note*) **96** (1991) 75–80
Topp, J. and L. Volkmann, On packing and covering numbers of graphs **96** (1991) 229–238
Topp, J. and L. Volkmann, Some upper bounds for the product of the domination number and the chromatic number of a graph (*Note*) **118** (1993) 289–292
Topp, J., Graphs with unique minimum edge dominating sets and graphs with unique maximum independent sets of vertices **121** (1993) 199–210
Topp, J., *see* W. Siemes **131** (1-3) (1994) 279–285
Topp, J. and P.D. Vestergaard, On numbers of vertices of maximum degree in the spanning trees of a graph **155** (1-3) (1996) 247–258
Topp, J. and P.D. Vestergaard, Totally equimatchable graphs **164** (1-3) (1997) 285–290
Topp, J. and P. Dahl Vestergaard, Interpolation theorems for domination numbers of a graph **191** (1-3) (1998) 207–221
Torgašev, A., On graphs with a fixed number of negative eigenvalues (*Note*) **57** (1985) 311–317
Torriani, H.H., Constructive implicit function theorems **76** (1989) 247–269
Tort, J.R., Un probleme de partition de l'ensemble des parties a trois elements d'un ensemble fini **44** (1983) 181–185
Tošić, R., Two counterfeit coins **46** (1983) 295–298
Tóth, G., *see* M. Bóna **150** (1-3) (1996) 61–67
Tóth, L.F., Packing of ellipses with continuously distributed area **60** (1986) 263–267
Totten, J., Basic properties of restricted linear spaces **13** (1975) 67–74
Totten, J., On the degree of points and lines in a restricted linear space **14** (1976) 391–394
Totten, J., Parallelism in a restricted linear space **14** (1976) 395–398
Tozzi, A., *see* A. Fedeli **108** (1992) 13–23
Traldi, L., *see* G. Gordon **85** (1990) 167–176
Traldi, L., Generalized activities and K-terminal reliability **96** (1991) 131–149
Traldi, L., Generalized activities and K-terminal reliability. II **135** (1-3) (1994) 381–385
Trapp, G., *see* W. Simons **10** (1974) 163–166
Trehel, M., Graphes des complements et classes de branches dans un ensemble ordonne fini resultant d'un produit contracte **3** (1972) 373–379
Treml, M., Some partitions of positive integers **199** (1-3) (1999) 267–271
Trenk, A., *see* C.M. Fiduccia **181** (1-3) (1998) 113–138
Trenk, A.N., *see* K.P. Bogart **132** (1-3) (1994) 11–22
Trenk, A.N., *see* K.P. Bogart **145** (1-3) (1995) 347
Trenk, A.N., On k-weak orders: Recognition and a tolerance result **181** (1-3) (1998) 223–237
Treybig, B., *see* I. Borosh **58** (1986) 215–220
Triesch, E., *see* I. Althöfer **115** (1993) 1–9
Triesch, E., A probabilistic upper bound for the edge identification complexity of graphs **125** (1994) 371–376
Triesch, E., *see* M. Aigner **136** (1-3) (1994) 3–20
Triesch, E., *see* M. Aigner **144** (1-3) (1995) 3–10
Trnková, V., Endomorphisms of undirected modifications of directed graphs **108** (1992) 203–209
Trommel, H., *see* H.J. Broersma **185** (1-3) (1998) 231–238
Trommel, H., H.J. Veldman and A. Verschut, Pancyclicity of claw-free hamiltonian graphs **197-198** (1-3) (1999) 781–789
Trotter, W.T., *see* H.A. Kierstead **63** (1987) 217–223
Trotter, W.T., *see* V. Rödl **67** (1987) 307–309
Trotter, W.T., *see* L. Lovász **75** (1989) 319–325

Trotter, W.T., *see* F.R.K. Chung **81** (1990) 129–135
Trotter, W.T., *see* H.A. Kierstead **101** (1992) 165–169
Trotter, W.T., *see* P.C. Fishburn **103** (1992) 25–40
Trotter, W.T., *see* J.H. Schmerl **113** (1993) 191–205
Trotter, W.T., *see* S. Felsner **136** (1-3) (1994) 101–117
Trotter, W.T., *see* S. Felsner **144** (1-3) (1995) 23–31
Trotter, W.T., *see* P.C. Fishburn **195** (1-3) (1999) 111–126
Trotter Jr., L.E., A class of facet producing graphs for vertex packing polyhedra **12** (1975) 373–388
Trotter Jr., L.E., *see* R.G. Bland **27** (1979) 11–22
Trotter Jr., L.E., *see* S.K. Tipnis **74** (1989) 245–252
Trotter Jr., L.E., *see* E.C. Sewell **147** (1-3) (1995) 247–255
Trotter Jr., W.T., *see* K.P. Bogart **5** (1973) 33–43
Trotter Jr., W.T., Dimension of the crown S_n^k **8** (1974) 85–103
Trotter Jr., W.T., Embedding finite posets in cubes **12** (1975) 165–172
Trotter Jr., W.T. and J.I. Moore Jr., Some theorems on graphs and posets **15** (1976) 79–84
Trotter Jr., W.T. and K.P. Bogart, Maximal dimensional partially ordered sets III: A characterization of Hiraguchi's inequality for interval dimension **15** (1976) 389–400
Trotter Jr., W.T. and K.P. Bogart, On the complexity of posets **16** (1976) 71–82
Trotter Jr., W.T. and J.I. Moore Jr., Characterization problems for graphs, partially ordered sets, lattices, and families of sets **16** (1976) 361–381
Trotter Jr., W.T., A characterization of Roberts' inequality for boxicity **28** (1979) 303–313
Trotter Jr., W.T., *see* S.B. Maurer **31** (1980) 297–313
Trotter Jr., W.T., *see* S.B. Maurer **32** (1980) 167–189
Trotter Jr., W.T., Stacks and splits of partially ordered sets **35** (1981) 229–256
Trotter Jr., W.T. and T.R. Monroe, A combinatorial problem involving graphs and matrices **39** (1982) 87–101
Trotter Jr., W.T., The dimension of the cartesian product of partial orders **53** (1985) 255–263
Trotter Jr., W.T. and D.B. West, Poset boxicity of graphs (*Note*) **64** (1987) 105–107
Troyon, M.F., *see* K.W. Hoke **131** (1-3) (1994) 105–113
Truszczyński, M., Note on the decompositions of $\lambda K_{m,n}(\lambda K_{m,n}^*)$ **55** (1985) 89–96
Truszczynski, M., *see* P.Z. Chinn **87** (1991) 237–248
Truszczynski, M. and Z. Tuza, Asymptotic results on saturated graphs **87** (1991) 309–314
Truszczyński, M., *see* M.S. Jacobson **89** (1991) 17–27
Truszczyński, M., Decompositions of graphs into forests with bounded maximum degree **98** (1991) 207–222
Truszczynski, M. and Z. Tuza, Rado's Selection Principle: applications to binary relations, graph and hypergraph colorings and partially ordered sets **103** (1992) 301–312
Truszczyński, M., *see* A. Ruciński **164** (1-3) (1997) 251–255
Tsai, Y.S., *see* H.J. Shyr **181** (1-3) (1998) 213–222
Tsaranov, S., *see* A. Pasini **155** (1-3) (1996) 183–204
Tsay, Y.-J., *see* G.J. Chang **148** (1-3) (1996) 9–14
Tsay, Y.-J. and G.J. Chang, The exact gossiping problem **163** (1-3) (1997) 165–172
Tseng, S. and M.-C. Horng, Partitions of a finite three-complete poset **148** (1-3) (1996) 205–216
Tsikopoulos, N., Cycles through $k+2$ vertices in k-connected graphs (*Communication*) **50** (1984) 113–114
Tsuchiya, M., On determination of graph G whose bond lattice $\mathcal{L}(G)$ is modular (*Note*) **56** (1985) 79–81
Tsuchiya, M., *see* T. Hibi **72** (1988) 167–174
Tsuchiya, M., On antichain intersection numbers, total clique covers and regular graphs **127** (1-3) (1994) 305–318
Tsuchiya, M., *see* H. Era **179** (1-3) (1998) 103–109
Tsukui, Y., Transformations of edge-coloured cubic graphs **184** (1-3) (1998) 183–194
Tu, G.-Z., A combinatorial formula relating to Hirota's bilinear equations **123** (1993) 121–129
Tucker, A., Structure theorems for some circular-arc graphs **7** (1974) 167–195
Tucker, A., Uniquely colorable perfect graphs **44** (1983) 187–194
Tucker, A., *see* A. Teng **55** (1985) 233–243
Tucker, A., Balanced matrices with row sum 3 **132** (1-3) (1994) 395–398
Tucker, T.W., *see* J.L. Gross **18** (1977) 273–283

Tucker, T.W., *see* T. Pisanski **78** (1989) 157–167
Tucker, T.W., *see* J.L. Gross **143** (1-3) (1995) 71–85
Tůma, J., Note on binary simplicial matroids (*Note*) **49** (1984) 105–107
Tůma, M., *see* J. Reiterman **54** (1985) 193–200
Turán, G., On the definability of properties of finite graphs **49** (1984) 291–302
Turán, Gy., *see* U. Faigle **63** (1987) 131–141
Turán, P., *see* P. Erdös **2** (1972) 207–228
Turgeon, J., *see* A. Kotzig **16** (1976) 263–270
Turgeon, J., *see* A. Kotzig **20** (1977) 249–254
Turgeon, J.M., *see* P.J. Laufer **47** (1983) 255–266
Turksen, I.B., The set of solutions for Boolean equations **5** (1973) 261–282
Turksen, I.B., Extensions on solutions of Boolean equations via its conjunctions **8** (1974) 187–200
Turner, B. and K. Warner, The structure and geometry of 4×4 pandiagonal matrices **34** (1981) 301–310
Turner, E.C., *see* R.Z. Goldstein **80** (1990) 267–272
Turner, J.C., *see* A.G. Shannon **92** (1991) 329–340
Turzik, D., *see* S. Poljak **42** (1982) 119–123
Turzík, D., *see* S. Poljak **58** (1986) 99–104
Turzík, D., *see* S. Poljak **108** (1992) 379–392
Tusnády, G., *see* M. Bolla **128** (1-3) (1994) 1–20
Tusserkani, R., *see* H. Hajiabolhassan **199** (1-3) (1999) 233–236
Tutte, W.T., On the 2-factors of bicubic graphs **1** (1971) 203–208
Tutte, W.T., Spanning subgraphs with specified valencies **9** (1974) 97–108
Tutte, W.T., Separation of vertices by a circuit **12** (1975) 173–184
Tutte, W.T., On the Birkhoff—Lewis equations **92** (1991) 417–425
Tutte, W.T., *see* R.L. Brooks **100** (1992) 291–301
Tuza, Z., *see* A. Gyárfás **66** (1987) 309–310
Tuza, Z., Isomorphism of two infinite-chromatic triangle-free graphs (*Communication*) **69** (1988) 95
Tuza, Z., *see* F.R.K. Chung **81** (1990) 129–135
Tuza, Z., Covering all cliques of a graph **86** (1990) 117–126
Tuza, Z., *see* M. Truszczynski **87** (1991) 309–314
Tuza, Z., *see* T. Andreae **88** (1991) 11–20
Tuza, Z., *see* M.S. Jacobson **89** (1991) 17–27
Tuza, Z., *see* P. Erdős **98** (1991) 95–104
Tuza, Z., *see* M. Truszczynski **103** (1992) 301–312
Tuza, Z., *see* P. Erdős **108** (1992) 279–289
Tuza, Z., Asymptotic growth of sparse saturated structures is locally determined **108** (1992) 397–402
Tuza, Z., *see* G. Bacsó **111** (1993) 37–40
Tuza, Z., *see* Y. Caro **111** (1993) 87–93
Tuza, Z., Multipartite Turán problem for connected graphs and hypergraphs **112** (1993) 199–206
Tuza, Z., *see* Z. Blázsik **115** (1993) 51–55
Tuza, Z., *see* L. Pyber **120** (1993) 161–174
Tuza, Z., *see* P. Horák **122** (1993) 205–217
Tuza, Z., *see* M. Gionfriddo **124** (1994) 79–86
Tuza, Z., Monochromatic coverings and tree Ramsey numbers **125** (1994) 377–384
Tuza, Z., Largest size and union of Helly families **127** (1-3) (1994) 319–327
Tuza, Z., *see* S. Milici **129** (1-3) (1994) 159–166
Tuza, Z., Characterization of $(m, 1)$-transitive and (3,2)-transitive semi-complete directed graphs **135** (1-3) (1994) 335–347
Tuza, Z., *see* N. Van Ngoc **138** (1-3) (1995) 387–392
Tuza, Z., *see* M. Aigner **144** (1-3) (1995) 3–10
Tuza, Z., *see* C.A. Barefoot **150** (1-3) (1996) 31–48
Tuza, Z., *see* P. Erdős **150** (1-3) (1996) 89–101
Tuza, Z., *see* S. Jendroľ **150** (1-3) (1996) 179–186
Tuza, Z., *see* R. van Dal **159** (1-3) (1996) 69–81
Tuza, Z., *see* M. Gionfriddo **174** (1-3) (1997) 125–130

Tuza, Z., *see* L. Milazzo **174** (1-3) (1997) 247–259
Tuza, Z., *see* S. Bylka **194** (1-3) (1999) 39–58
Tuza, Z., *see* S. Jendrol' **197-198** (1-3) (1999) 453–467
Tuza, Zs., *see* A. Gyárfás **30** (1980) 235–244
Tuza, Zs., *see* J. Lehel **30** (1980) 245–248
Tuza, Zs., *see* J. Lehel **39** (1982) 59–65
Tuza, Zs., *see* A. Gyárfás **52** (1984) 177–198
Tuza, Zs., *see* Z. Füredi **55** (1985) 317–321
Tuza, Zs., *see* J. Lehel **61** (1986) 93–101
Tuza, Zs., *see* A. Gyárfás **71** (1988) 33–46
Tuza, Zs., *see* R.J. Faudree **78** (1989) 83–87
Tuza, Zs., *see* M. Biró **100** (1992) 267–279
Tuza, Zs., *see* P. Dell'Olmo **164** (1-3) (1997) 67–79
Tuza, Zs., *see* N. Alon **165-166** (1-3) (1997) 31–38
Tuza, Zs., *see* L. Milazzo **182** (1-3) (1998) 233–243
Tuza, Zs., *see* J. Kratochvíl **191** (1-3) (1998) 139–148
Tverberg, H., On a coin tossing problem by G. Bennett (*Note*) **115** (1993) 293–294
Tyshkevich, R.I., Once more on matrogenic graphs **51** (1984) 91–100
Tyshkevich, R.I., *see* A.A. Chernyak **64** (1987) 111–128
Tyshkevich, R.I. and V.E. Zverovich, Line hypergraphs **161** (1-3) (1996) 265–283
Tzeng, K.K. and G.L. Feng, Further results about the cyclicity of generalized Goppa codes **56** (1985) 281–290
Ueberberg, J., Symbolic incidence geometry and finite linear spaces **129** (1-3) (1994) 205–217
Ueberberg, J., Projective planes and dihedral groups **174** (1-3) (1997) 337–345
Ueda, T., The fixing groups for the 2-asummable Boolean functions **20** (1977) 77–82
Ueda, T., On the fixing group for a totally pre-ordered Boolean function (*Note*) **26** (1979) 293–295
Ueda, T., Circular nonsingular threshold transformations **105** (1992) 249–258
Ueda, T., Graphs of nonsingular threshold transformations **128** (1-3) (1994) 349–359
Ueno, S., *see* Y. Kajitani **72** (1988) 187–194
Ueno, S., Y. Kajitani and S. Gotoh, On the nonseparating independent set problem and feedback set problem for graphs with no vertex degree exceeding three **72** (1988) 355–360
Ueno, S., *see* A. Takahashi **127** (1-3) (1994) 293–304
Ughi, E., *see* L. Guerra **42** (1982) 197–208
Uhrin, B., The set of neighbours of a set in a point-lattice **133** (1-3) (1994) 259–266
Uhry, J.-P., *see* M. Boulala **27** (1979) 225–243
Uhry, J.P., *see* N. Sbihi **51** (1984) 191–205
Uhry, J.P., *see* J. Fonlupt **105** (1992) 73–91
Ulatowski, W., Cycle interpolation properties of graphs **143** (1-3) (1995) 251–257
Ullman, D., *see* R. Simion **98** (1991) 193–206
Ullman, D., *see* M.V. Ramana **132** (1-3) (1994) 247–265
Umar, A., Enumeration of certain finite semigroups of transformations **189** (1-3) (1998) 291–297
Umeo, H. and I. Nakatsuka, A pipeline-interval-optimum systolic queue (*Communication*) **62** (1986) 319–323
Underground, P., On graphs with hamiltonian squares (*Note*) **21** (1978) 323
Ungerer, E., *see* J.H. Hattingh **171** (1-3) (1997) 141–151
Ungerer, E., *see* J.H. Hattingh **183** (1-3) (1998) 141–152
Upfal, E., *see* E. Shamir **41** (1982) 281–286
Uppuluri, V.R.R., *see* W.H. Olson **5** (1973) 159–169
Urabe, M., *see* Y. Egawa **58** (1986) 93–95
Urabe, M., *see* J. Akiyama **116** (1993) 291–298
Urabe, M., *see* J. Akiyama **151** (1-3) (1996) 15–18
Urabe, M., *see* K. Hosono **151** (1-3) (1996) 99–104
Urbanek, F.J., *see* H. Prodinger **28** (1979) 277–289
Urrutia, J., *see* M.C. Golumbic **43** (1983) 37–46
Urrutia, J., *see* V. Neumann-Lara **49** (1984) 83–87
Urrutia, J., *see* V. Neumann-Lara **62** (1986) 65–70
Urrutia, J., *see* V. Neumann-Lara **69** (1988) 173–178

Urrutia, J., *see* J. Akiyama **83** (1990) 123–126
Urrutia, J., *see* J. Akiyama **84** (1990) 101–103
Urrutia, J., *see* S. Foldes **102** (1992) 13–23
Urrutia, J., *see* I. Rival **109** (1992) 255–263
Urrutia, J., *see* J. Czyzowicz **137** (1-3) (1995) 147–153
Urrutia, J., *see* J. Akiyama **151** (1-3) (1996) 15–18
Urrutia, J., *see* F. Hurtado **162** (1-3) (1996) 187–197
Urrutia, J., *see* V. Neumann-Lara **197-198** (1-3) (1999) 633–636
Usami, Y., Minimum number of edges in graphs that are both P_2- and P_l-connected **44** (1983) 195–199
Usami, Y., *see* K. Ando **66** (1987) 15–20
Ushio, K., On balanced claw designs of complete multi-partite graphs (*Note*) **38** (1982) 117–119
Ushio, K., P_3-factorization of complete bipartite graphs **72** (1988) 361–366
Ushio, K., G-designs and related designs **116** (1993) 299–311
Ushio, K., Star-factorization of symmetric complete bipartite digraphs **167-168** (1-3) (1997) 593–596
Ushio, K., $\frac{S}{k}$-factorization of symmetric complete tripartite digraphs **197-198** (1-3) (1999) 791–797
Ushio, K., Cycle-factorization of symmetric complete multipartite digraphs **199** (1-3) (1999) 273–278
Ustimenko, V.A., *see* F. Lazebnik **157** (1-3) (1996) 271–283
Ustimenko, V.A., *see* F. Lazebnik **197-198** (1-3) (1999) 503–513
Vacirca, V., *see* M. Gionfriddo **97** (1991) 191–198
Vaderlind, P., *see* A.P. Wojda **164** (1-3) (1997) 303–311
Vaessens, R.J.M., *see* J.M. van den Akker **81** (1990) 103–109
Vainshtein, A., *see* B. Shapiro **153** (1-3) (1996) 305–318
Vainshtein, A., *see* A. Kreinin **161** (1-3) (1996) 301–308
Vainshtein, A., *see* B. Shapiro **180** (1-3) (1998) 345–355
Vakil, R., *see* T. Kubo **152** (1-3) (1996) 225–252
Valdés, L., On the divisibility of the cycle number by 7 (*Note*) **120** (1993) 301–305
Valette, A., An application of Ramanujan graphs to C^*-algebra tensor products **167-168** (1-3) (1997) 597–603
Valette, G., A better packing of ten equal circles in a square (*Communication*) **76** (1989) 57–59
Valiev, M.K., Universal group with twenty-one defining relations **17** (1977) 207–213
Vallejo, E., Reductions of additive sets, sets of uniqueness and pyramids **173** (1-3) (1997) 257–267
Valtr, P., Sets in $\mathbb{R}^d$ with no large empty convex subsets **108** (1992) 115–124
Valtr, P., *see* R. Adamec **108** (1992) 219–229
Van Bang Le, Gallai graphs and anti-Gallai graphs **159** (1-3) (1996) 179–189
Van Bang Le, *see* A. Brandstädt **177** (1-3) (1997) 9–16
Van Blanken, E., J. van den Heuvel and H.J. Veldman, Pancyclicity of hamiltonian line graphs **138** (1-3) (1995) 379–385
Van Buggenhaut, J., On the existence of 2-designs $S_2(2, 3, v)$ without repeated blocks **8** (1974) 105–109
Van Dal, R., G. Tijssen, Z. Tuza, J.A.A. van der Veen, C. Zamfirescu and T. Zamfirescu, Hamiltonian properties of Toeplitz graphs **159** (1-3) (1996) 69–81
Van Dam, E.R. and W.H. Haemers, Graphs with constant μ and $\bar{\mu}$ **182** (1-3) (1998) 293–307
Van Dam, E.R. and E. Spence, Small regular graphs with four eigenvalues **189** (1-3) (1998) 233–257
Van den Akker, J.M., J.H. Koolen and R.J.M. Vaessens, Perfect codes with distinct protective radii (*Communication*) **81** (1990) 103–109
Vanden Cruyce, P., A characterization of the n-cube by convex subgraphs (*Communication*) **41** (1982) 109–110
Vanden Cruyce, P., A convex characterization of the graphs of the dodecahedron and icosahedron **50** (1984) 99–105
Vanden Cruyce, P., A finite graph which is locally a dodecahedron (*Communication*) **54** (1985) 343–346
Vanden Eynden, C., On a paper of Lake about infinite graphs (*Note*) **18** (1977) 97
Vanden Eynden, C., Countable sequenceable groups (*Note*) **23** (1978) 317–318
Van den Heuvel, J., *see* H.J. Broersma **121** (1993) 25–35
Van den Heuvel, J., *see* H.J. Broersma **122** (1993) 37–49
Van den Heuvel, J., Long cycles in graphs containing a 2-factor with many odd components **137** (1-3) (1995) 389–393
Van den Heuvel, J., *see* E. van Blanken **138** (1-3) (1995) 379–385
Van den Heuvel, J., *see* D. Bauer **141** (1-3) (1995) 1–10

Van der Geer, G. and M. van der Vlugt, Weight distributions for a certain class of codes and maximal curves **106/107** (1992) 209–218
Vanderjagt, D.W., Graphs with prescribed local connectivities **10** (1974) 391–395
Vanderkam, J.M., Path-sequential labellings of cycles **162** (1-3) (1996) 239–249
Van der Veen, J.A.A., *see* R. van Dal **159** (1-3) (1996) 69–81
Van der Vlugt, M., *see* G. van der Geer **106/107** (1992) 209–218
Van de Vel, M., *see* H.-J. Bandelt **67** (1987) 129–137
Van Diest, V., *see* J. Doyen **13** (1975) 225–236
Van Laarhoven, P.J.M., *see* E.H.L. Aarts **106/107** (1992) 11–18
Van Leeuwen, J., *see* G.T. Herman **6** (1973) 235–247
Van Leeuwen, J., Effective constructions in well-partially-ordered free monoids **21** (1978) 237–252
Van Leeuwen, J., *see* J.A. La Poutré **114** (1993) 329–359
Van Leeuwen, M.A.A., Tableau algorithms defined naturally for pictures **157** (1-3) (1996) 321–362
Van Lint, J.H. and H.J. Ryser, Block designs with repeated blocks **3** (1972) 381–396
Van Lint, J.H., A theorem on equidistant codes **6** (1973) 353–358
Van Lint, J.H., *see* J.I. Hall **17** (1977) 71–83
Van Ngoc, N. and Z. Tuza, 4-chromatic graphs with large odd girth **138** (1-3) (1995) 387–392
Van Nuffelen, C. and M. van Wouwe, A bound for the Dilworth number **81** (1990) 203–210
Van Os, C.H., *see* R.H. Jeurissen **132** (1-3) (1994) 83–96
Van Rees, G.H.J., *see* A.E. Brouwer **39** (1982) 263–281
Van Rees, G.H.J., A new family of BIBDs and non-embeddable (16, 24, 9, 6, 3)-designs **77** (1989) 357–365
Van Rees, G.H.J., *see* W. Kocay **92** (1991) 159–172
Van Rees, G.H.J., *see* D.A. Drake **194** (1-3) (1999) 87–94
Van Stone, D., *see* C.M. Grinstead **86** (1990) 21–26
Vanstone, S., *see* D. Jungnickel **92** (1991) 131–135
Vanstone, S., *see* E. Lamken **92** (1991) 197–209
Vanstone, S.A., *see* D. McCarthy **19** (1977) 67–76
Vanstone, S.A., Extremal (r, λ)-designs **23** (1978) 57–66
Vanstone, S.A., *see* D. McCarthy **25** (1979) 237–244
Vanstone, S.A., Doubly resolvable designs **29** (1980) 77–86
Vanstone, S.A., *see* R. Mathon **30** (1980) 157–172
Vanstone, S.A., *see* R.C. Mullin **37** (1981) 79–104
Vanstone, S.A., *see* R. Fuji-Hara **41** (1982) 17–28
Vanstone, S.A., *see* D.R. Stinson **55** (1985) 107–111
Vanstone, S.A., *see* E.R. Lamken **62** (1986) 197–210
Vanstone, S.A., *see* D.J. Curran **73** (1988/89) 49–63
Vanstone, S.A., *see* E.R. Lamken **77** (1989) 159–176
Vanstone, S.A., *see* K. Phelps **77** (1989) 255–258
Vanstone, S.A., *see* E.R. Lamken **83** (1990) 37–47
Vanstone, S.A., *see* P.C.V. Oorschot **84** (1990) 71–85
Vanstone, S.A., *see* W.L. Kocay **85** (1985) 45–60
Vanstone, S.A., *see* D. Jungnickel **97** (1991) 269–277
Vanstone, S.A., *see* V.D. Tonchev **106/107** (1992) 493–496
Vanstone, S.A., *see* E.R. Lamken **120** (1993) 135–148
Van Tilborg, H., A lower bound for v in a $t-(v, k, \lambda)$ design **14** (1976) 399–402
Van Tilborg, H., On the existence of a cyclic code with rate R (*Note*) **22** (1978) 97–98
Van Tilborg, H., *see* P. Heijnen **184** (1-3) (1998) 111–120
Van Tilborg, H.C.A., The smallest length of binary 7-dimensional linear codes with prescribed minimum distance **33** (1981) 197–207
Van Tilborg, H.C.A., Fire codes revisited **106/107** (1992) 479–482
Van Trung, T., *see* Z. Janko **55** (1985) 327–328
Van Trung, T., *see* E.S. Kramer **96** (1991) 101–110
Van Trung, T., Some existence theorems for t-designs **128** (1-3) (1994) 337–348
Van Wee, G.J.M., On the non-existence of certain perfect mixed codes (*Note*) **87** (1991) 323–326
Van Wouwe, M., *see* C. van Nuffelen **81** (1990) 203–210

Van Zanten, A.J., *see* C. Roos **51** (1984) 179–190
Van Zanten, A.J., *see* C. Roos **51** (1984) 277–282
Van Zanten, A.J., *see* C. Roos **58** (1986) 275–283
Van Zanten, A.J., *see* C. Roos **62** (1986) 139–144
Van Zanten, A.J., The degree of the eigenvalues of generalized moore geometries **67** (1987) 89–96
Van Zanten, A.J., *see* R.M. Damerell **76** (1989) 183–189
Van Zanten, A.J., A short proof of a theorem of Bannai and Ito (*Note*) **78** (1989) 321–325
Varadarajan, K., *see* J.W. Breckenridge **120** (1993) 37–50
Varadarajan, K., *see* P. Sankaran **126** (1994) 313–323
Varecza, Á., Are two given elements neighbouring? **42** (1982) 107–117
Varga, L.E., Geometric matrices and an inequality for (0, 1)-matrices **82** (1990) 303–315
Varlet, J., Relative de Morgan lattices (*Note*) **46** (1983) 207–209
Varlet, J., Fixed points in finite de Morgan algebras **53** (1985) 265–280
Varlet, J., *see* T. Blyth **81** (1990) 323–329
Varone, S.C., Trees related to realizations of distance matrices **192** (1-3) (1998) 337–346
Varricchio, S., *see* G. Pirillo **153** (1-3) (1996) 239–251
Vaughan, T., *see* L. Carlitz **8** (1974) 147–167
Vaughan, T., *see* L. Carlitz **14** (1976) 215–239
Vaxès, Y., *see* J.-F. Maurras **165-166** (1-3) (1997) 481–486
Vazirani, U.V., *see* M. Santha **114** (1993) 425–433
Veinott Jr., A.F., *see* Y. Balcer **4** (1973) 295–303
Veldman, H.J., *see* C. Hoede **34** (1981) 61–67
Veldman, H.J., Existence of dominating cycles and paths **43** (1983) 281–296
Veldman, H.J., Non-κ-critical vertices in graphs **44** (1983) 105–110
Veldman, H.J., Existence of D_λ-cycles and D_λ-paths **44** (1983) 309–316
Veldman, H.J., *see* H.J. Krol **52** (1984) 225–234
Veldman, H.J., *see* D. Bauer **79** (1989/90) 59–70
Veldman, H.J., *see* F. Göbel **87** (1991) 29–40
Veldman, H.J., *see* D. Bauer **96** (1991) 33–49
Veldman, H.J., Cycles containing many vertices of large degree **101** (1992) 319–325
Veldman, H.J., *see* H.J. Broersma **121** (1993) 25–35
Veldman, H.J., *see* H.J. Broersma **122** (1993) 37–49
Veldman, H.J., On dominating and spanning circuits in graphs **124** (1994) 229–239
Veldman, H.J., *see* E. van Blanken **138** (1-3) (1995) 379–385
Veldman, H.J., *see* D. Bauer **141** (1-3) (1995) 1–10
Veldman, H.J., *see* D. Bauer **155** (1-3) (1996) 13–18
Veldman, H.J., *see* H. Broersma **171** (1-3) (1997) 43–54
Veldman, H.J., *see* H. Trommel **197-198** (1-3) (1999) 781–789
Venezia, A., *see* D. Senato **173** (1-3) (1997) 229–256
Venkatachalam, C.V., *see* E. Sampathkumar **74** (1989) 227–239
Venkatesan, S.M., On cleaving a planar graph **81** (1990) 97–102
Ventou, M. and C. Rigoni, Self-dual doubly circulant codes **56** (1985) 291–298
Vergnas, M.L., Acyclic and totally cyclic orientations of combinatorial geometries **20** (1977) 51–61
Vergnas, M.L., An extension of Tutte's 1-Factor Theorem **23** (1978) 241–255
Vergnas, M.L., *see* R. Cordovil **160** (1-3) (1996) 105–113
Vergnas, M.L., *see* Y.O. Hamidoune **165-166** (1-3) (1997) 385–392
Vergnas, M.L., *see* G. Etienne **179** (1-3) (1998) 111–119
Verrall, H., Hamilton decompositions of complete 3-uniform hypergraphs **132** (1-3) (1994) 333–348
Verri, M.C., *see* E. Barcucci **102** (1992) 229–237
Verschut, A., *see* H. Trommel **197-198** (1-3) (1999) 781–789
Versmissen, K., Monohedral periodic tilings of the plane with any number of aspects (*Note*) **93** (1991) 101–108
Vesel, A. and J. Žerovnik, The independence number of the strong product of odd cycles **182** (1-3) (1998) 333–336
Vestergaard, P.D., Graphs with one isomorphism class of spanning unicyclic graphs **70** (1988) 103–108
Vestergaard, P.D., *see* Y. Egawa **110** (1992) 269–274

Vestergaard, P.D., Two-cacti with minimum number of spanning trees **124** (1994) 241–250
Vestergaard, P.D., *see* L.D. Andersen **155** (1-3) (1996) 3–12
Vestergaard, P.D., *see* J. Topp **155** (1-3) (1996) 247–258
Vestergaard, P.D., *see* J. Topp **164** (1-3) (1997) 285–290
Vesztergombi, K., On the distribution of distances in finite sets in the plane **57** (1985) 129–145
Vesztergombi, K., On large distances in planar sets **67** (1987) 191–198
Vesztergombi, K., The two largest distances in finite planar sets **150** (1-3) (1996) 381–386
Vidyasankar, K., Covering the edge set of a directed graph with trees **24** (1978) 79–85
Viennot, G., Permutations ayant une forme donnee **26** (1979) 279–284
Viennot, G., *see* J. Françon **28** (1979) 21–35
Viennot, G.X., *see* P. Leroux **72** (1988) 237–250
Viennot, X.G., *see* E. Roblet **153** (1-3) (1996) 271–288
Vijayakumar, A., *see* B.R. Nair **131** (1-3) (1994) 205–210
Vijayakumar, A., *see* B.R. Nair **158** (1-3) (1996) 201–209
Vijayan, K., *see* L. Caccetta **97** (1991) 69–81
Vijayan, K., *see* L. Caccetta **98** (1991) 1–7
Vilarem, M.-C., *see* P. Jégou **111** (1993) 333–344
Villeneuve, D., *see* O. du Merle **194** (1-3) (1999) 229–237
Vinárek, J., *see* A. Pultr **20** (1977) 159–176
Vinárek, J., Simultaneous representations of groups **108** (1992) 211–216
Vince, A., An algebraic theory of graph factorization (*Note*) **46** (1983) 211–213
Vince, A., n-graphs **72** (1988) 367–380
Vince, A., *see* H. Pulapaka **182** (1-3) (1998) 267–277
Vincent, M., Quelques proprietes des ensembles de fermetures sur un ensemble ordonne **13** (1975) 75–84
Vincke, P., Quasi-kernels of minimum weakness in a graph **20** (1977) 187–192
Virden, L.I., *see* T.J. Reid **163** (1-3) (1997) 119–127
Virlouvet, C., *see* B. Peroche **125** (1994) 289–299
Virlouvet, C., *see* J. Gimbel **165-166** (1-3) (1997) 333–341
Vishkin, U., *see* Y. Shiloach **41** (1982) 57–65
Vitányi, P.M.B., On a problem in the collective behavior of automata (*Note*) **14** (1976) 99–101
Vitányi, P.M.B., How well can a graph be n-colored? **34** (1981) 69–80
Vithal Rao, G., *see* M.L. Narayana Rao **66** (1987) 175–190
Vito, P.D. and P.M.L. Re, On some classes of linear spaces embedded in a Pappian plane **129** (1-3) (1994) 43–52
Vitray, R.P., *see* B. Mohar **149** (1-3) (1996) 141–157
Voigt, B., *see* H.J. Prömel **35** (1981) 185–198
Voigt, B., *see* H.J. Prömel **36** (1981) 83–96
Voigt, B., Combinatorial properties of regressive mappings **47** (1983) 97–108
Voigt, B., *see* H. Lefmann **52** (1984) 285–286
Voigt, B., *see* H.J. Prömel **54** (1985) 49–59
Voigt, B., *see* A. Benzait **73** (1988/89) 27–35
Voigt, B., *see* H.J. Prömel **95** (1991) 341–358
Voigt, B., *see* H.J. Prömel **108** (1992) 83–106
Voigt, M. and H. Walther, On the chromatic number of special distance graphs **97** (1991) 395–397
Voigt, M., List colourings of planar graphs (*Communication*) **120** (1993) 215–219
Voigt, M., A not 3-choosable planar graph without 3-cycles **146** (1-3) (1995) 325–328
Voigt, M., Choosability of planar graphs **150** (1-3) (1996) 457–460
Voigt, M., *see* N. Alon **165-166** (1-3) (1997) 31–38
Voigt, M., *see* J. Kratochvíl **191** (1-3) (1998) 139–148
Voigt, M., *see* P. Mihók **191** (1-3) (1998) 149–158
Vojtáš, P., Cardinalities of noncentered systems of subsets of ω **108** (1992) 125–129
Volkmann, L., *see* P. Flach **80** (1990) 145–151
Volkmann, L., *see* J. Topp **96** (1991) 75–80
Volkmann, L., *see* J. Topp **96** (1991) 229–238
Volkmann, L., *see* J. Topp **118** (1993) 289–292

Volkmann, L., *see* W. Siemes **131** (1-3) (1994) 279–285
Volkmann, L., *see* Y. Guo **135** (1-3) (1994) 121–127
Volkmann, L., *see* P. Maschlanka **154** (1-3) (1996) 167–178
Volkmann, L., *see* Y. Guo **164** (1-3) (1997) 165–170
Volkmann, L., *see* J. Bang-Jensen **167-168** (1-3) (1997) 101–114
Volkmann, L., The ratio of the irredundance and domination number of a graph **178** (1-3) (1998) 221–228
Volkmann, L., *see* D. Rautenbach **187** (1-3) (1998) 185–193
Volkmann, L., *see* B. Randerath **191** (1-3) (1998) 159–169
Volkmann, L., *see* M. Tewes **197-198** (1-3) (1999) 769–779
Volkmann, L., Longest paths in semicomplete multipartite digraphs **199** (1-3) (1999) 279–284
Von Below, J., On a theorem of L. Mirsky on even doubly-stochastic matrices (*Note*) **55** (1985) 311–312
Von Rimscha, M., Reconstructibility and perfect graphs **47** (1983) 283–291
Voss, H.-J., *see* J. Širáň **134** (1-3) (1994) 161–175
Voss, H.-J., Sachs triangulations and infinite sequences of regular maps on given type **191** (1-3) (1998) 223–240
Vougiouklis, T., H_v-groups defined on the same set **155** (1-3) (1996) 259–265
Vougiouklis, T., Convolutions on WASS hyperstructures **174** (1-3) (1997) 347–355
Vowden, B., Infinite series of double Youden rectangles **125** (1994) 385–391
Vowden, B.J., *see* D.A. Preece **138** (1-3) (1995) 353–363
Vowden, B.J., *see* D.A. Preece **197-198** (1-3) (1999) 671–682
Voxman, B., *see* A. Bialostocki **91** (1991) 231–238
Vušković, K., *see* M. Conforti **199** (1-3) (1999) 27–33
Wachs, M.L., Minimum cost partitions of a rectangle **36** (1981) 305–324
Wachs, M.L., The major index polynomial for conjugacy classes of permutations **91** (1991) 283–293
Wachs, M.L., An involution for signed Eulerian numbers **99** (1992) 59–62
Wachs, M.L., *see* K. Liang **99** (1992) 181–197
Wachs, M.L., On the (co)homology of the partition lattice and the free Lie algebra **193** (1-3) (1998) 287–319
Wagner, B., *see* M. Klemm **28** (1979) 173–177
Wagner, C., *see* T. Hearne **5** (1973) 247–251
Wagner, C., *see* R. Davis **128** (1-3) (1994) 95–111
Wagner, C.G., Minimal multiplicative covers of an integer **24** (1978) 87–94
Wagner, C.G., Generalized Stirling and Lah numbers **160** (1-3) (1996) 199–218
Wagner, C.G., *see* S.B. Mulay **190** (1-3) (1998) 177–189
Wagner, D., Decomposition of k-ary relations **81** (1990) 303–322
Wagner, D.G., On the perfect one-factorization conjecture (*Note*) **104** (1992) 211–215
Wagner, D.G., Zeros of rank-generating functions of Cohen–Macaulay complexes **139** (1-3) (1995) 399–411
Wagner, D.K., On theorems of Whitney and Tutte **57** (1985) 147–154
Wagneur, E., Moduloïds and pseudomodules 1. Dimension theory **98** (1991) 57–73
Wagon, S., Infinite triangulated graphs **22** (1978) 183–189
Wagowski, M., Coordinatization of B-matroids **111** (1993) 465–479
Waiveris, C., *see* S.L. Snover **91** (1991) 193–200
Wajnryb, B., *see* R. Aharoni **79** (1989/90) 221–228
Wakabayashi, Y., *see* M. Grötschel **34** (1981) 43–59
Wakabayashi, Y., *see* M.A.C.M. Gurgel **175** (1-3) (1997) 163–172
Wales, D.B., *see* R. Calderbank **51** (1984) 125–136
Walker, E., *see* M. Gehrke **148** (1-3) (1996) 49–63
Walker, J.W., Isotone relations and the fixed point property for posets **48** (1984) 275–288
Walker, W.J., Algebraic and combinatorial results for ranking competitors in a sequence of races **14** (1976) 297–304
Walker, W.J., Ranking functions and axioms for linear orders **67** (1987) 299–306
Walkup, D.W., How many ways can a permutation be factored into two n-cycles? **28** (1979) 315–319
Walkup, D.W., Matchings in random regular bipartite digraphs **31** (1980) 59–64
Waller, A.O., Some results on list T-colourings **174** (1-3) (1997) 357–363
Wallis, W., *see* D.A. Gregory **59** (1986) 267–273
Wallis, W., *see* A. Baartmans **102** (1992) 177–186
Wallis, W.D., A doubling construction for Room squares **3** (1972) 397–399

Wallis, W.D., *see* R.C. Mullin **37** (1981) 79–104
Wallis, W.D., *see* D.R. Stinson **47** (1983) 125–128
Wallis, W.D., *see* J.H. Dinitz **47** (1983) 221–228
Wallis, W.D., *see* A.H. Baartmans **78** (1989) 37–43
Wallis, W.D. and J. Wu, On clique partitions of split graphs **92** (1991) 427–429
Wallis, W.D., *see* R. Rees **97** (1991) 357–369
Wallis, W.D. and G.-H. Zhang, On the partition and coloring of a graph by cliques **120** (1993) 191–203
Wallis, W.D., *see* D.L. Kreher **156** (1-3) (1996) 269–275
Wallis, W.D., *see* A. Černý **167-168** (1-3) (1997) 189–196
Wallis, W.D., *see* D.A. Drake **194** (1-3) (1999) 87–94
Walter, M., Construction of matroidal families by partly closed sets **41** (1982) 309–315
Walther, G., *see* R. Bodendiek **134** (1-3) (1994) 9–16
Walther, H., Remark on a paper of J. Zaks (*Communication*) **26** (1979) 297–301
Walther, H., Note on two problems of J. Zaks concerning Hamiltonian 3-polytopes (*Communication*) **33** (1981) 107–109
Walther, H., *see* M. Voigt **97** (1991) 395–397
Walther, H., *see* J. Harant **150** (1-3) (1996) 143–153
Walther, H., A nonhamiltonian five-regular multitriangular polyhedral graph **150** (1-3) (1996) 387–392
Walton, P.N. and D.J.A. Welsh, Tangential 1-blocks over GF(3) (*Note*) **40** (1982) 319–320
Wan, H., On nearly self-conjugate partitions of a finite set **175** (1-3) (1997) 239–247
Wan, P.-J. and D.-Z. Du, A $(\log_2 3 + \frac{1}{2})$-competitive algorithm for the counterfeit coin problem **163** (1-3) (1997) 173–200
Wan, P.-J., D.-Z. Du and R.L. Graham, The Steiner ratio for the dual normed plane **171** (1-3) (1997) 261–275
Wan, Z., *see* Z. Dai **123** (1993) 17–34
Wan, Z. and X. Wu, The weight hierarchies and generalized weight spectra of the projective codes from degenerate quadrics **177** (1-3) (1997) 223–243
Wan, Z.-x., R.-h. Xiong and M.-a. Yu, On the number of cycles of short length in the de Bruijn–Good graph G_n **62** (1986) 85–98
Wan, Z.-x. and R.-h. Xiong, Existence of self-reverse-dual M-sequences **66** (1987) 283–288
Wan, Z.-x., Anzahl theorems in finite singular symplectic, unitary and orthogonal geometries **123** (1993) 131–150
Wan, Z.-x., Geometry of classical groups over finite fields and its applications **174** (1-3) (1997) 365–381
Wang, B.-Y. and F. Zhang, On the precise number of (0,1)-matrices in $\mathfrak{A}(R,S)$ **187** (1-3) (1998) 211–220
Wang, C., On the sum of two parameters concerning independence and irredundance in a graph (*Note*) **69** (1988) 199–202
Wang, C., *see* D. Sakai **119** (1993) 175–189
Wang, C., On the R-sequenceability of dicyclic groups **125** (1994) 393–398
Wang, C., Boolean minors **141** (1-3) (1995) 237–258
Wang, C., *see* A.E. Kézdy **194** (1-3) (1999) 261–265
Wang, C.C., *see* R. Alter **18** (1977) 217–226
Wang, C.-D., On the harmoniousness of dicyclic groups (*Communication*) **120** (1993) 221–225
Wang, C.-D., A short proof of the existence of 2-sequencings in dihedral groups **145** (1-3) (1995) 287–289
Wang, D.L., *see* D.J. Kleitman **6** (1973) 79–88
Wang, D.-L. and P. Wang, Some results about the Chvátal conjecture **24** (1978) 95–101
Wang, D.-W., *see* X. Lu **184** (1-3) (1998) 259–265
Wang, H., Partition of a bipartite graph into cycles (*Note*) **117** (1993) 287–291
Wang, H., P_{2p}-factorization of a complete bipartite graph (*Note*) **120** (1993) 307–308
Wang, H., On $K_{1,k}$-factorizations of a complete bipartite graph **126** (1994) 359–364
Wang, H., C. Little and K. Teo, Partition of a directed bipartite graph into two directed cycles **160** (1-3) (1996) 283–289
Wang, H., *see* Y.-H. Peng **172** (1-3) (1997) 103–114
Wang, H., *see* D.M. Berman **175** (1-3) (1997) 35–40
Wang, H., Vertex-disjoint hexagons with chords in a bipartite graph **187** (1-3) (1998) 221–231
Wang, H., Triangles in claw-free graphs **187** (1-3) (1998) 233–244
Wang, J., On point-linear arboricity of planar graphs **72** (1988) 381–384

Wang, J., *see* Y. Alavi **100** (1992) 229–233
Wang, J., *see* Y. Alavi **111** (1993) 3–10
Wang, J., *see* C. Chen **112** (1993) 29–40
Wang, J., Long cycles in bipartite tournaments **148** (1-3) (1996) 217–225
Wang, J., T.E. Lindquester, B. Yao and D.B. West, Maximum bandwidth of a graph and its complement **179** (1-3) (1998) 293–298
Wang, L. and S. Stueckle, Symmetries of drawings of sets of cycles and chromatic automorphisms **128** (1-3) (1994) 361–369
Wang, P., *see* D.-L. Wang **24** (1978) 95–101
Wang, P., *see* D. Hanson **101** (1992) 109–114
Wang, P.C.C., Characterizations of the Poisson distribution based on random splitting and random expanding **13** (1975) 85–93
Wang, S.-Z. and B.-Y. Li, On the minimal cofinal subsets of a directed quasi-ordered set **48** (1984) 289–306
Wang, T. and H. Sachs, A contribution to the theory of Tutte's V- and W-function **104** (1992) 281–292
Wang, T., Factors of trees **131** (1-3) (1994) 301–310
Wang, W., On the colorings of outerplanar graphs **147** (1-3) (1995) 257–269
Wang, Y.-L., On the bondage number of a graph **159** (1-3) (1996) 291–294
Wang, Z., *see* M. Guan **48** (1984) 77–81
Wanka, A., *see* A. Bachem **70** (1988) 303–310
Waphare, B.N., *see* T.T. Raghunathan **184** (1-3) (1998) 267–271
Ward, H.N., Combinatorial polarization **26** (1979) 185–197
Ward, H.N., Weight polarization and divisibility **83** (1990) 315–326
Ward, H.N., Divisors of codes of Reed–Muller type **131** (1-3) (1994) 311–323
Wargo, L., *see* D.M. Berman **175** (1-3) (1997) 35–40
Warner, K., *see* B. Turner **34** (1981) 301–310
Warner, M.W. and A. Muir, Homology theories and tolerance automata **33** (1981) 209–221
Warnke, I., *see* R. Labahn **126** (1994) 421–424
Warnke, I., *see* G. Burosch **152** (1-3) (1996) 69–91
Wassermann, A., *see* A. Betten **197-198** (1-3) (1999) 83–109
Wassermann, A., *see* A. Betten **197-198** (1-3) (1999) 111–121
Watanabe, K.-i., *see* T. Hibi **72** (1988) 167–174
Watanabe, M., Arrow relations on families of finite sets **94** (1991) 53–64
Watanabe, M., *see* K. Hosono **151** (1-3) (1996) 99–104
Watanabe, T. and S.G. Mohanty, On an inclusion–exclusion formula based on the reflection principle **64** (1987) 281–288
Watanabe, T., On the Littlewood–Richardson rule in terms of lattice path combinatorics **72** (1988) 385–390
Waterhouse, W.C., How often do determinants over finite fields vanish? (*Note*) **65** (1987) 103–104
Waterman, M.S., *see* P.R. Stein **26** (1979) 261–272
Watkins, J.J., *see* F. Loupekine **72** (1988) 251–256
Watkins, M.E., *see* H.A. Jung **18** (1977) 45–53
Watkins, M.E. and J.B. Shearer, Counterexamples to two conjectures about distance sequences **66** (1987) 289–298
Watkins, M.E., Edge-transitive strips **95** (1991) 359–372
Watkins, M.E., Some conditions for 1-transitivity **109** (1992) 289–296
Watkins, M.E., Sur les graphes infinis possedant un groupe d'automorphismes primitif **130** (1-3) (1994) 177–182
Watkins, M.E., *see* C.P. Bonnington **145** (1-3) (1995) 61–72
Watson, S., *see* J.I. Brown **113** (1993) 27–39
Watson, S., *see* J.I. Brown **154** (1-3) (1996) 27–39
Weakley, W.D., *see* L.W. Beineke **160** (1-3) (1996) 41–47
Weaver, M.L., *see* L.T.Q. Hung **189** (1-3) (1998) 163–176
Webb, B.S., *see* R.J. Chapman **138** (1-3) (1995) 187–191
Webb, B.S., Orbits of infinite block designs **169** (1-3) (1997) 287–292
Weber, R.E., *see* G.L. Mullen **32** (1980) 291–297
Weedmark, R.H., *see* M.G. Stone **44** (1983) 299–308

Wegener, I., On separating systems whose elements are sets of at most k elements **28** (1979) 219–222
Wegener, I., Efficient data structures for Boolean functions **136** (1-3) (1994) 347–372
Wegner, G., *see* M. Quest **81** (1990) 187–192
Wehrhahn, K.H., *see* J.W. Breckenridge **120** (1993) 37–50
Wei, B., Hamiltonian paths and hamiltonian connectivity in graphs **121** (1993) 223–228
Wei, B., *see* H. Lia **165-166** (1-3) (1997) 459–469
Wei, B., *see* X. Liu **169** (1-3) (1997) 249–255
Wei, B., Longest cycles in 3-connected graphs **170** (1-3) (1997) 195–201
Wei, R., *see* F.E. Bennett **170** (1-3) (1997) 15–28
Wei, R., *see* A.M. Assaf **195** (1-3) (1999) 15–25
Wei, V.K., *see* F.K. Hwang **46** (1983) 323–326
Wei, V.K., *see* J. Körner **51** (1984) 147–165
Wei, V.K., *see* J. Körner **62** (1986) 105–106
Wei, W., *see* S. Gao **112** (1993) 93–102
Wei, W.-D., The class $\mathfrak{U}(R, S)$ of (0, 1)-matrices **39** (1982) 301–305
Wei, W.-d., *see* J.-y. Shao **110** (1992) 293–296
Wei, W.-D., S. Gao and B. Yang, Cyclic near difference sets of type 1 **123** (1993) 151–177
Wei, W.-D. and J.-Y. Xu, Cycle index of direct product of permutation groups and number of equivalence classes of subsets of Z_v **123** (1993) 179–188
Wei, Y.J., *see* D.R. Stinson **105** (1992) 207–219
Weichsel, P.M., Distance regular subgraphs of a cube **109** (1992) 297–306
Weidner, H.G., *see* J. Rosenmüller **10** (1974) 343–382
Weinberg, L., *see* T. Inukai **22** (1978) 311–312
Weiss, A.I., *see* C.J. Colbourn **50** (1984) 29–36
Weiss, A.I., *see* E. Schulte **131** (1-3) (1994) 221–261
Wells, J.G., *see* C.-Y. Chao **46** (1983) 311–315
Welsh, D.J.A., *see* F. Harary **2** (1972) 163–171
Welsh, D.J.A., *see* P.N. Walton **40** (1982) 319–320
Welsh, D.J.A., *see* A.D. Petford **74** (1989) 253–261
Welsh, D.J.A., *see* J.G. Oxley **109** (1992) 185–192
Welsh, D.J.A., The computational complexity of knot and matroid polynomials **124** (1994) 251–269
Welsh, D.J.A., The random cluster process **136** (1-3) (1994) 373–390
Wendell, R.E., A preview of a tolerance approach to sensitivity analysis in linear programming (*Communication*) **38** (1982) 121–124
Wene, G., *see* V. Jha **155** (1-3) (1996) 127–134
Weng, G., *see* H.-J. Lai **143** (1-3) (1995) 141–151
Weng, J.F., *see* F.K. Hwang **45** (1983) 107–112
Weng, J.F., *see* F.K. Hwang **62** (1986) 49–57
Weng, J.F., Variational approach and Steiner minimal trees on four points **132** (1-3) (1994) 349–362
Weng, J.F. and R.S. Booth, Steiner minimal trees on regular polygons with centre **141** (1-3) (1995) 259–274
Wenger, E., *see* H. Fleischner **109** (1992) 103–116
Wenocur, R.S. and R.M. Dudley, Some special Vapnik–Chervonenkis classes **33** (1981) 313–318
Wensley, C.B., *see* I. Morris **50** (1984) 253–270
Wensley, C.D., *see* I. Morris **118** (1993) 173–195
Wenzel, W., Pfaffian forms and Δ-matroids **115** (1993) 253–266
Wenzel, W., Pfaffian forms and Δ-matroids with coefficients **148** (1-3) (1996) 227–252
Werman, M. and D. Zeilberger, A bijective proof of Cassini's Fibonacci identity (*Note*) **58** (1986) 109
Wessel, W., A short solution of Heawood's empire problem in the plane **191** (1-3) (1998) 241–245
West, D.B. and D.J. Kleitman, Skew chain orders and sets of rectangles **27** (1979) 99–102
West, D.B., A class of solutions to the gossip problem, Part I **39** (1982) 307–326
West, D.B., A class of solutions to the gossip problem, Part II **40** (1982) 87–113
West, D.B., A class of solutions to the gossip problem, Part III **40** (1982) 285–310
West, D.B., *see* P. Erdös **55** (1985) 129–133
West, D.B., *see* B. Reznick **57** (1985) 189–193
West, D.B., Unichain coverings in partial orders with the nested saturation property **63** (1987) 297–303

West, D.B., *see* W.T. Trotter Jr. **64** (1987) 105–107
West, D.B., *see* D. Miklós **68** (1988) 265–272
West, D.B., A short proof of the degree bound for interval number (*Note*) **73** (1989) 309–310
West, D.B., *see* T. Madej **88** (1991) 259–277
West, D.B., *see* T.M. Kratzke **118** (1993) 145–156
West, D.B., Acyclic orientations of complete bipartite graphs **138** (1-3) (1995) 393–396
West, D.B., *see* T. Madej **144** (1-3) (1995) 67–74
West, D.B., *see* M.K. Sen **147** (1-3) (1995) 235–245
West, D.B., *see* M.S. Chung **150** (1-3) (1996) 69–79
West, D.B., Short proofs for interval digraphs **178** (1-3) (1998) 287–292
West, D.B., *see* J. Wang **179** (1-3) (1998) 293–298
West, D.B., *see* X. Liu **188** (1-3) (1998) 269–277
West, D.B., *see* L.T.Q. Hung **189** (1-3) (1998) 163–176
West, J., Generating trees and the Catalan and Schröder numbers **146** (1-3) (1995) 247–262
West, J., *see* S. Dulucq **153** (1-3) (1996) 85–103
West, J., Generating trees and forbidden subsequences **157** (1-3) (1996) 363–374
Wetzel, J.E., *see* G.B. Purdy **31** (1980) 53–58
Wetzel, J.E., *see* G.L. Alexanderson **34** (1981) 219–240
Wetzel, J.E., *see* G.L. Alexanderson **60** (1986) 67–73
Wetzel, J.E., *see* G.L. Alexanderson **62** (1986) 325–328
Wetzel, J.E., Regular dissections of an infinite strip **146** (1-3) (1995) 263–269
Wevrick, D., *see* R.C. Mullin **92** (1991) 221–225
Whaley, T., *see* W.M. Dymàček **141** (1-3) (1995) 95–107
Whaley, T., *see* G.J. Chang **199** (1-3) (1999) 11–25
Whinston, A., *see* A. Majthay **9** (1974) 35–59
Whitaker, R.M., *see* D. Bedford **197-198** (1-3) (1999) 77–81
White, A., *see* B. Mohar **56** (1985) 87–89
White, A.T., *see* S. Stahl **14** (1976) 279–296
White, A.T., *see* D.L. Goldsmith **23** (1978) 31–36
White, A.T., Treble dodging minor methods: ringing the cosets, on six bells **122** (1993) 307–323
White, A.T., *see* S. Lawrencenko **135** (1-3) (1994) 367–369
White, D., *see* D. Stanton **83** (1990) 105–114
White, D., *see* P.H. Edelman **99** (1992) 63–68
White, D., *see* J. Galovich **157** (1-3) (1996) 169–191
White, D.E., Classifying patterns by automorphism group: An operator theoretic approach **13** (1975) 277–295
White, D.E., Construction of vector lists and isomorph rejection **15** (1976) 85–105
White, D.E., *see* J.T. Joichi **31** (1980) 29–41
White, D.E., Hybrid tableaux and the Littlewood–Richardson rule **80** (1990) 183–206
White, N., *see* A.V. Borovik **179** (1-3) (1998) 59–72
Whitehead, C., *see* A. Finbow **125** (1994) 153–167
Whitehead Jr., E.G., Algebraic structure of chromatic graphs associated with the ramsey number $N(3,3,3;2)$ (*Note*) **1** (1971) 113–114
Whitehead Jr., E.G., The Ramsey number $N(3,3,3,3;2)$ **4** (1973) 389–396
Whitehead Jr., E.G., Difference sets and sum-free sets in groups of order 16 **13** (1975) 399–407
Whitehead Jr., E.G., *see* C.-Y. Chao **27** (1979) 171–177
Whitehead Jr., E.G., Chromatic polynomials of generalized trees **72** (1988) 391–393
Whitehead Jr., E.G., *see* N.-Z. Li **104** (1992) 197–199
Whitehead Jr., E.G., *see* N.-Z. Li **122** (1993) 365–372
Whitehead Jr., E.G., *see* Z.-Y. Guo **172** (1-3) (1997) 53–58
Whitehead, T., *see* D.A. Beck **153** (1-3) (1996) 3–27
Whiteman, A.L., Skew Hadamard matrices of Goethals-Seidel type **2** (1972) 397–405
Whitesides, S., *see* S. Bellantoni **114** (1993) 41–49
Whitesides, S.H., *see* V. Chvátal **26** (1979) 83–92
Whitesides, S.H., A classification of certain graphs with minimal imperfection properties **38** (1982) 303–310
Whitesides, S.H., Edge-colored complete graphs with alternating cycles **46** (1983) 299–304

Whittle, G., *see* J. Oxley **105** (1992) 173–184
Whittle, G., Inequivalent representations of ternary matroids **149** (1-3) (1996) 233–238
Whittle, G.P., An elementary proof that every matroid is an intersection of principal transversal matroids (*Note*) **54** (1985) 239
Whittlesey, M.A., *see* J.P. Georges **135** (1-3) (1994) 103–111
Wiedemann, D., *see* M. Buck **48** (1984) 163–171
Wierman, J.C., *see* K. Nowicki **72** (1988) 299–310
Wigderson, A., *see* J. Gil **108** (1992) 37–51
Wigderson, A., *see* M. Karchmer **114** (1993) 275–282
Wilbrink, H., *see* A. Blokhuis **97** (1991) 63–68
Wilbrink, H.A., *see* A. Blokhuis **74** (1989) 335–339
Wilbrink, H.A., *see* A.E. Brouwer **106/107** (1992) 83–92
Wild, M., Cover preserving embedding of modular lattices into partition lattices **112** (1993) 207–244
Wild, M., Base exchange properties of graphic matroids **148** (1-3) (1996) 253–264
Wild, P., Incidence graphs and subdesigns of semisymmetric designs **44** (1983) 201–216
Wild, P., Difference basis systems **63** (1987) 81–90
Wild, P., *see* W.-A. Jackson **98** (1991) 23–28
Wild, P., *see* F. Piper **106/107** (1992) 383–389
Wild, P., *see* J. Jedwab **125** (1994) 241–254
Wild, P., Some families of semibiplanes **138** (1-3) (1995) 397–403
Wilde, D.J. and J.M. Sanchez-Anton, Multivariable monotonic optimization over multivalued logics and rectangular design lattices **1** (1971) 277–294
Wilf, H.S., *see* J.M. Nolan **179** (1-3) (1998) 277–283
Wilkeit, E., *see* H.-J. Bandelt **67** (1987) 1–14
Wilkeit, E., The retracts of Hamming graphs **102** (1992) 197–218
Willard, R., Essential arities of term operations in finite algebras **149** (1-3) (1996) 239–259
Wille, D., On the enumeration of self-complementary m-placed relations (*Note*) **10** (1974) 189–192
Wille, R., *see* I. Rival **35** (1981) 203–212
Wille, R., Subdirect product construction of concept lattices **63** (1987) 305–313
Wille, R., *see* B. Monjardet **73** (1988/89) 163–164
Wille, R., The skeletons of free distributive lattices **88** (1991) 309–320
Willems, M.L.H., Semi Laguerre i-structures **48** (1984) 307–314
Willems, M.L.H., Semi Minkowski i-structures **54** (1985) 101–106
Williams, G.D., *see* B. Corbas **185** (1-3) (1998) 51–61
Williams, H.C., Some formulas concerning the fundamental unit of a real quadratic field **92** (1991) 431–440
Williams, J.K., *see* S.L. Snover **91** (1991) 193–200
Williams, K., *see* J. Liu **143** (1-3) (1995) 159–166
Williamson, S.G., The combinatorial analysis of patterns and the principle of inclusion–exclusion **1** (1972) 357–388
Wills, J.M., Finite platonic graphs **49** (1984) 303–308
Wills, J.M., *see* E. Schulte **60** (1986) 253–262
Wills, J.M., A combinatorially regular dodecahedron of genus 3 **67** (1987) 199–204
Willson, S.J., On convergence of configurations **23** (1978) 279–300
Wilson, B.J., Minimax arcs **92** (1991) 441–450
Wilson, B.J., *see* B.E. Brunton **155** (1-3) (1996) 19–26
Wilson, B.J., *see* T.S. Griggs **174** (1-3) (1997) 131–135
Wilson, D.C., *see* R.A. Proctor **137** (1-3) (1995) 297–302
Wilson, R.J., *see* L.W. Beineke **5** (1973) 15–20
Wilson, R.J., *see* G. Chartrand **100** (1992) 303–311
Wilson, R.M., *see* H. Hanani **3** (1972) 343–357
Wilson, R.M., *see* J. Doyen **5** (1973) 229–239
Wilson, R.M., Concerning the number of mutually orthogonal Latin squares **9** (1974) 181–198
Wingate, W.J.G., *see* F.C. Holroyd **55** (1985) 267–282
Winkler, P., Average height in a partially ordered set (*Communication*) **39** (1982) 337–341
Winkler, P., *see* R. Nowakowski **43** (1983) 235–239

Winkler, P., *see* C. Bang **45** (1983) 123–126
Winkler, P.M., On connectivity of triangulations of manifolds (*Note*) **32** (1980) 93–94
Winston, K.J., *see* D.J. Kleitman **41** (1982) 167–172
Winters, S.J., Connected graphs with prescribed median and periphery **159** (1-3) (1996) 223–236
Wirsching, G., *see* H. Kellerer **85** (1990) 191–206
Wirsching, G., On the combinatorial structure of $3N+1$ predecessor sets **148** (1-3) (1996) 265–286
Wirth, B., *see* A.V. Kostochka **162** (1-3) (1996) 299–303
Wiseman, J.A., On the intersection rank of a graph **104** (1992) 293–305
Witsenhausen, H.S., On intersections of interval graphs **31** (1980) 211–216
Witte, D., G. Letzter and J.A. Gallian, On hamiltonian circuits in cartesian products of Cayley digraphs **43** (1983) 297–307
Witte, D. and J.A. Gallian, A survey: Hamiltonian cycles in Cayley graphs **51** (1984) 293–304
Witte, D., *see* S.C. Locke **78** (1989) 105–114
Witte, D., *see* M. Reid **82** (1990) 53–56
Witte, D., *see* B. Alspach **82** (1990) 113–126
Witte, D., Hamilton-decomposable graphs and digraphs of infinite valence **84** (1990) 87–100
Witte, D., *see* D. Dunham **143** (1-3) (1995) 1–30
Witte, D., *see* E. Dobson **189** (1-3) (1998) 69–78
Witte, D.S., On hamiltonian circuits in Cayley diagrams **38** (1982) 99–108
Włoch, A. and I. Włoch, On (k,l)-kernels in generalized products **164** (1-3) (1997) 295–301
Włoch, I., *see* A. Włoch **164** (1-3) (1997) 295–301
Woeginger, G., *see* F. Rendl **119** (1993) 167–174
Woeginger, G.J., *see* Q.F. Yang **176** (1-3) (1997) 233–254
Woeginger, G.J., The toughness of split graphs **190** (1-3) (1998) 295–297
Woess, W., Context-free languages and random walks on groups **67** (1987) 81–87
Woess, W., Topological groups and infinite graphs **95** (1991) 373–384
Woess, W., *see* M.A. Picardello **109** (1992) 193–202
Wohlgemuth, A., *see* G. Haggard **14** (1976) 139–156
Wohlgemuth, A., Labeled reaction matrices, a histocompatibility model **26** (1979) 285–292
Woirgard, F., *see* I. Charon **165-166** (1-3) (1997) 139–153
Wojciechowski, J., *see* Y. Kohayakawa **104** (1992) 245–261
Wojciechowski, J., On constructing snakes in powers of complete graphs **181** (1-3) (1998) 239–254
Wojciechowski, J., *see* S.Y. Alsardary **188** (1-3) (1998) 13–25
Wójcik, P., Density of union-closed families **105** (1992) 259–267
Wójcik, P., Union-closed families of sets **199** (1-3) (1999) 173–182
Wojda, A.P., *see* D. Sotteau **58** (1986) 105–108
Wojda, A.P., *see* A. Benhocine **118** (1993) 11–21
Wojda, A.P., *see* J.-L. Fouquet **121** (1993) 85–92
Wojda, A.P. and P. Vaderlind, Packing bipartite graphs **164** (1-3) (1997) 303–311
Wojda, A.P., *see* G. Schaar **164** (1-3) (1997) 313–316
Wojda, A.P. and I.A. Ziolo, Embedding digraphs of small size **165-166** (1-3) (1997) 621–638
Wojtas, M., On seven mutually orthogonal Latin squares **20** (1977) 193–201
Wojtas, M., New Wilson-type constructions of mutually orthogonal Latin squares **32** (1980) 191–199
Wojtas, M., Some new matrices-minus-diagonal and MOLS (*Note*) **76** (1989) 291–292
Wojtas, M., Five mutually orthogonal Latin squares of orders 24 and 40 **140** (1-3) (1995) 291–294
Woldar, A., *see* G. Ebert **93** (1991) 131–142
Woldar, A.J., *see* F. Lazebnik **157** (1-3) (1996) 271–283
Woldar, A.J., *see* F. Lazebnik **197-198** (1-3) (1999) 503–513
Wolf, J.K., Efficient circuits for multiplying in GF(2^m) for certain values of m **106/107** (1992) 497–502
Wolff, K.E., *see* D. Schäfer **43** (1983) 263–271
Wolfmann, J., Codes projectifs a deux ou trois poids associes aux hyperquadriques d'une geometrie finie **13** (1975) 185–211
Wolfmann, J., A new construction of the binary Golay code (24, 12, 8) using a group algebra over a finite field (*Communication*) **31** (1980) 337–338
Wolfmann, J., *see* B. Courteau **50** (1984) 179–191

Wolfmann, J., A class of doubly even self dual binary codes **56** (1985) 299–303
Wolfmann, J., A group algebra construction of binary even self dual codes **65** (1987) 81–89
Wolfmann, J., The weights of the dual code of the MELAS code over GF(3) (*Communication*) **74** (1989) 327–329
Wolfskill, J., *see* J.P. Brennan **67** (1987) 311–313
Wolsey, L.A., A number theoretic reformulation and decomposition method for integer programming **7** (1974) 393–403
Wong, C.K. and P.C. Yue, A majorization theorem for the number of distinct outcomes in N independent trials **6** (1973) 391–398
Wong, C.K., *see* F. Luccio **64** (1987) 209–219
Wong, C.K., *see* X. Lu **184** (1-3) (1998) 259–265
Wong, C.S. and J.C. Masaro, A-optimal design matrices **50** (1984) 295–318
Wong, C.S., *see* G.-Z. Xiao **87** (1991) 181–186
Wong, P.K., On the smallest graphs of girth 10 and valency 3 (*Note*) **43** (1983) 119–124
Wong, S.A., Extending fixed vertex-colourings to total colourings **177** (1-3) (1997) 295–297
Wongseelashote, A., Semirings and path spaces **26** (1979) 55–78
Wood, J.H., Is every compact code Huffman? (*Note*) **110** (1992) 297–299
Woodall, D., Preface **167-168** (1-3) (1997) 1–2
Woodall, D.R., A note on rank functions and integer programming **17** (1977) 215–218
Woodall, D.R., An impossibility theorem for electoral systems (*Note*) **66** (1987) 209–211
Woodall, D.R., Forbidden graphs for degree and neighbourhood conditions **75** (1989) 387–404
Woodall, D.R., A proof of McKee's Eulerian-bipartite characterization (*Note*) **84** (1990) 217–220
Woodall, D.R., An inequality for chromatic polynomials **101** (1992) 327–331
Woodall, D.R., A zero-free interval for chromatic polynomials **101** (1992) 333–341
Woodall, D.R., Local and global proportionality **102** (1992) 315–328
Woodall, D.R., Cycle lengths and circuit matroids of graphs **105** (1992) 269–273
Woodall, D.R., An identity involving 3-regular graphs **152** (1-3) (1996) 287–293
Woodall, D.R., The largest real zero of the chromatic polynomial **172** (1-3) (1997) 141–153
Woodall, D.R., *see* O.V. Borodin **191** (1-3) (1998) 45–49
Woodburn, R.L., A 4-color theorem for the Klein bottle **76** (1989) 271–276
Woodrow, R.E., *see* J.I. Brown **80** (1990) 123–143
Wormald, N. and E.M. Wright, The exponential generating function of labelled blocks (*Note*) **25** (1979) 93–96
Wormald, N.C., Counting unrooted planar maps **36** (1981) 205–225
Wormald, N.C., *see* E.A. Bender **54** (1985) 235–237
Wormald, N.C., *see* E.R. Canfield **63** (1987) 117–129
Wormald, N.C., *see* L.A. Székely **75** (1989) 343–372
Wormald, N.C., *see* B. Jackson **162** (1-3) (1996) 293–297
Wormald, N.C., *see* T. Lindquester **186** (1-3) (1998) 217–226
Woźniak, M., A note on minimal order of a bipartite graph with exactly q quadrilaterals **121** (1993) 229–233
Woźniak, M., Packing three trees **150** (1-3) (1996) 393–402
Woźniak, M., *see* J.-F. Saclé **164** (1-3) (1997) 265–274
Woźniak, M., *see* J.-F. Saclé **165-166** (1-3) (1997) 589–595
Wrathall, C., The lattices of prefixes and overlaps of traces **158** (1-3) (1996) 231–248
Wright, C., *see* N. Ray **103** (1992) 67–74
Wright, E.M., Two problems in the enumeration of unlabelled graphs **9** (1974) 289–292
Wright, E.M., *see* N. Wormald **25** (1979) 93–96
Wright, P.E., *see* M. Bernstein **170** (1-3) (1997) 29–39
Wu, C.-K., *see* G.-Z. Xiao **87** (1991) 181–186
Wu, H., *see* J. Oxley **146** (1-3) (1995) 321–324
Wu, H., On contractible and vertically contractible elements in 3-connected matroids and graphs **179** (1-3) (1998) 185–203
Wu, J., *see* W.D. Wallis **92** (1991) 427–429
Wu, J., *see* L. Zhang **160** (1-3) (1996) 291–297
Wu, L., *see* F.E. Bennett **84** (1990) 1–14
Wu, L., *see* K. Heinrich **87** (1991) 281–290

Wu, M., *see* J.R. Griggs **104** (1992) 167–183
Wu, P.-L., *see* K.-W. Lih **151** (1-3) (1996) 155–160
Wu, Q.-R., *see* E.S. Kramer **96** (1991) 101–110
Wu, S., *see* J. Yin **113** (1993) 281–284
Wu, W., *see* F. Cao **183** (1-3) (1998) 27–38
Wu, X., *see* Z. Wan **177** (1-3) (1997) 223–243
Wynn, H.P., *see* D.Q. Naiman **120** (1993) 287–289
Wynn, H.P., *see* D.Q. Naiman **154** (1-3) (1996) 203–216
Wyss, W., Quasi-multiplication and polynomial sequences **27** (1979) 317–330
Xiao, G.-Z., B.-Z. Shen, C.-K. Wu and C.S. Wong, Some spectral techniques in coding theory **87** (1991) 181–186
Xie, L., G. Liu and B. Xu, On endo-homology of complexes of graphs **188** (1-3) (1998) 285–291
Xing, K. and B. Hu, On Kotzig's conjecture for graphs with a regular path-connectedness **135** (1-3) (1994) 387–393
Xiong, L., Edge degree conditions for subpancyclicity in line graphs **188** (1-3) (1998) 225–232
Xiong, R.-h., *see* Z.-x. Wan **62** (1986) 85–98
Xiong, R.-h., *see* Z.-x. Wan **66** (1987) 283–288
Xu, B. and H. Fan, On the fixed edge of planar graphs with minimum degree five **152** (1-3) (1996) 325–328
Xu, B., *see* L. Xie **188** (1-3) (1998) 285–291
Xu, B., On integral sum graphs **194** (1-3) (1999) 285–294
Xu, B., *see* Z. Zhang **195** (1-3) (1999) 295–298
Xu, C., A necessary and sufficient condition for a graph G with diameter 5 to be 2-diameter-stable (*Note*) **89** (1991) 319–324
Xu, G.-H., *see* S. Negami **58** (1986) 263–268
Xu, J.-M., A sufficient condition for equality of arc-connectivity and minimum degree of a digraph **133** (1-3) (1994) 315–318
Xu, J.-Y., *see* W.-D. Wei **123** (1993) 179–188
Xu, M., *see* J. Meng **187** (1-3) (1998) 161–169
Xu, M.-Y., Vertex-primitive digraphs of prime-power order are hamiltonian **128** (1-3) (1994) 415–417
Xu, M.-Y., Automorphism groups and isomorphisms of Cayley digraphs **182** (1-3) (1998) 309–319
Xu, R., Some Ore-type conditions for the existence of connected $[2,k]$-factors in graphs **194** (1-3) (1999) 295–298
Xu, S., Relations between parameters of a graph **89** (1991) 65–88
Xu, S., The chromatic uniqueness of complete bipartite graphs (*Note*) **94** (1991) 153–159
Xu, S., Chromaticity of a family of K_4-homeomorphs (*Note*) **117** (1993) 293–297
Xu, S., Classes of chromatically equivalent graphs and polygon trees **133** (1-3) (1994) 267–278
Xu, S., J. Liu and Y. Peng, The chromaticity of s-bridge graphs and related graphs **135** (1-3) (1994) 349–358
Xu, S.-J. and N.-Z. Li, The chromaticity of wheels **51** (1984) 207–212
Xu, S.-j., Some parameters of graph and its complement **65** (1987) 197–207
Xu, S.-J., On σ-polynomials **69** (1988) 189–194
Xu, Y.H., *see* F.K. Hwang **66** (1987) 109–118
Xuong, N.H., *see* C. Payan **27** (1979) 71–80
Xuong, N.H., *see* C. Payan **49** (1984) 267–273
Yamada, M., Hadamard matrices of generalized quaternion type **87** (1991) 187–196
Yamada, M., Supplementary difference sets and Jacobi sums **103** (1992) 75–90
Yamasaki, Y., Shannon-like games are difficult **111** (1993) 481–483
Yamasaki, Y., The arithmetic of reversed positional games **165-166** (1-3) (1997) 639–641
Yan, C.H., Distributive laws for commuting equivalence relations **181** (1-3) (1998) 295–298
Yan, C.H., Commuting quasi-order relations **183** (1-3) (1998) 285–292
Yan, L., A Family of special outerplanar graphs with only one triangle satisfying the cycle basis interpolation property **143** (1-3) (1995) 293–297
Yan, M., *see* B. Chen **183** (1-3) (1998) 39–46
Yang, B., *see* W.-D. Wei **123** (1993) 151–177
Yang, J., *see* D. Senato **173** (1-3) (1997) 229–256
Yang, J.S., The plethystic inverse of a formal power series **139** (1-3) (1995) 413–442

Yang, K., *see* T. Helleseth **195** (1-3) (1999) 139–156
Yang, K.-W., Matrix q-hypergeometric series **146** (1-3) (1995) 271–284
Yang, M., An algorithm for computing plethysm coefficients **180** (1-3) (1998) 391–402
Yang, Q.F., R.E. Burkard, E. Çela and G.J. Woeginger, Hamiltonian cycles in circulant digraphs with two stripes **176** (1-3) (1997) 233–254
Yang, S., The isomorphic factorization of complete tripartite graphs $K(m, n, s)$ — A proof of F. Harary, R.W. Robinson and N.C. Wormald's conjecture **145** (1-3) (1995) 239–257
Yang, T.Y., *see* H.H. Glover **160** (1-3) (1996) 149–163
Yang, W., Bell numbers and k-trees **156** (1-3) (1996) 247–252
Yang, X. and J.L. Massey, The condition for a cyclic code to have a complementary dual (*Communication*) **126** (1994) 391–393
Yang, Y., On a conjecture about monochromatic flats (*Note*) **80** (1990) 213–216
Yang, Y. and P. Rowlinson, The third Ramsey numbers for graphs with at most four edges **125** (1994) 399–406
Yang, Y., *see* X. Lin **175** (1-3) (1997) 277–282
Yang, Z., On F-Hamiltonian graphs **196** (1-3) (1999) 281–286
Yao, A.C.-C., On a problem of Katona on minimal separating systems **15** (1976) 193–199
Yao, A.C.-C., *see* R.L. Graham **23** (1978) 115–119
Yao, B., *see* J. Wang **179** (1-3) (1998) 293–298
Yao, F.-F., *see* R.L. Graham **23** (1978) 115–119
Yao, Y.-C., *see* F.K. Hwang **160** (1-3) (1996) 1–23
Yap, H.P., Some remarks on E-minimal graphs **18** (1977) 87–92
Yap, H.P., On graphs whose maximal subgraphs have at most two orbits **37** (1981) 279–287
Yap, H.P., On graphs critical with respect to edge-colourings **37** (1981) 289–296
Yap, H.P., *see* A.G. Chetwynd **47** (1983) 23–33
Yap, H.P., Packing of graphs—A survey **72** (1988) 395–404
Yap, H.P., Generalization of two results of Hilton on total-colourings of a graph **140** (1-3) (1995) 245–252
Ycart, B., *see* F. Forbes **186** (1-3) (1998) 105–116
Ye, C. and X. Bao, New families of adjointly unique graphs **172** (1-3) (1997) 155–162
Ye, W., *see* E. Song **145** (1-3) (1995) 343–346
Yebra, J.L.A., *see* M.A. Fiol **167-168** (1-3) (1997) 297–307
Yebra, J.L.A., *see* E. Simó **174** (1-3) (1997) 317–322
Yebra, J.L.A., *see* M.A. Fiol **182** (1-3) (1998) 101–111
Yebra, J.L.A., *see* J.A. Rodríguez **196** (1-3) (1999) 267–275
Yegnanarayanan, V., *see* R. Balakrishnan **186** (1-3) (1998) 15–24
Yeh, Y.N., *see* J. Labelle **79** (1989/90) 77–93
Yeh, Y.-N., *see* J. Labelle **82** (1990) 1–6
Yeh, Y.-N., *see* A.V. Ivashchenko **126** (1994) 171–178
Yeh, Y.-N., *see* B.E. Sagan **126** (1994) 293–311
Yeh, Y.-N., The generating polynomial and Euler characteristic of intersection graphs **131** (1-3) (1994) 325–333
Yeh, Y.-N. and I. Gutman, On the sum of all distances in composite graphs **135** (1-3) (1994) 359–365
Yehudai, Z., *see* A. Hartman **104** (1992) 227–244
Yeo, A., *see* J. Bang-Jensen **162** (1-3) (1996) 1–11
Yeo, A., *see* G. Gutin **191** (1-3) (1998) 101–107
Yie, I., *see* S.S. Abhyankar **133** (1-3) (1994) 1–23
Yin, J., *see* F.E. Bennett **103** (1992) 129–137
Yin, J., *see* F.E. Bennett **113** (1993) 7–25
Yin, J. and S. Wu, Four new BIBDs with block size seven (*Note*) **113** (1993) 281–284
Yin, J., *see* F.E. Bennett **162** (1-3) (1996) 23–29
Yin, J., Some combinatorial constructions for optical orthogonal codes **185** (1-3) (1998) 201–219
Yokomura, K., A degree sum condition on hamiltonian cycles in balanced 3-partite graphs **178** (1-3) (1998) 293–297
Yong, X., *see* A. Kelmans **199** (1-3) (1999) 251–258
Yong, X.-r. and T. Acenjian, The numbers of spanning trees of the cubic cycle C_N^3 and the quadruple cycle C_N^4 **169** (1-3) (1997) 293–298
Yorgov, V., The extremal codes of length 42 with automorphism of order 7 **190** (1-3) (1998) 201–213

Yoshimura, I., *see* T. Hamada **14** (1976) 247–255
Yoshizawa, M., Remarks on distance-regular graphs (*Communication*) **34** (1981) 93–94
Younger, D.H., *see* G.B. Faulkner **7** (1974) 67–74
Youngs, D., *see* O. Pretzel **88** (1991) 279–287
Youngs, D.A., Gallai's problem on Dirac's construction **101** (1992) 343–350
Ytrehus, Ø., *see* N. Hamada **115** (1993) 175–185
Yu, M.-a., *see* Z.-x. Wan **62** (1986) 85–98
Yu, M.-l., *see* A. Steger **120** (1993) 291–295
Yu, M.-l., On path factorizations of complete multipartite graphs **122** (1993) 325–333
Yu, Q., Classifying 2-extendable generalized Petersen graphs **103** (1992) 209–220
Yu, Q., *see* O. Chan **146** (1-3) (1995) 19–32
Yu, S.S., *see* H.J. Shyr **126** (1994) 339–348
Yu, S.S., A characterization of local regular languages **184** (1-3) (1998) 195–203
Yu, X., On neighbourhood line graphs **91** (1991) 295–309
Yu, X., *see* R.L. Hemminger **101** (1992) 115–133
Yu, X., On several symmetry conditions for graphs **102** (1992) 51–59
Yu, X., *see* M.R. Hart **102** (1992) 107–108
Yu, X., Ends in spanning trees (*Note*) **104** (1992) 327–328
Yu, X., Cyclomatic numbers of connected induced subgraphs **105** (1992) 275–284
Yu, X., *see* P. Hell **127** (1-3) (1994) 213–220
Yu, X., *see* Z. Gao **182** (1-3) (1998) 113–124
Yu, Z., *see* X. Lin **175** (1-3) (1997) 277–282
Yuan, J., A local reductive elimination for the fill-in of graphs **147** (1-3) (1995) 321–327
Yuan, J., *see* S. Zhou **181** (1-3) (1998) 255–266
Yucas, J., *see* A. Baartmans **102** (1992) 177–186
Yue, B.Q., *see* G. Chartrand **197-198** (1-3) (1999) 179–183
Yue, P.C., *see* C.K. Wong **6** (1973) 391–398
Yung-ching, C., Some results on Hu's conjecture concerning binary trees **29** (1980) 251–255
Yuster, R., On packing trees into complete bipartite graphs **163** (1-3) (1997) 325–327
Yuster, R., Independent transversals in r-partite graphs **176** (1-3) (1997) 255–261
Yuster, R., Linear coloring of graphs **185** (1-3) (1998) 293–297
Zádori, L., *see* B. Larose **163** (1-3) (1997) 89–99
Zagler, L., *see* Th. Ströhlein **19** (1977) 183–193
Zaguia, N., *see* M. Pouzet **53** (1985) 173–192
Zaguia, N., *see* I. Rival **63** (1987) 249–260
Zaguia, N., *see* A.H. Sharary **117** (1993) 215–223
Zaguia, N., *see* I. Rival **137** (1-3) (1995) 303–313
Zaguia, N., *see* W.-P. Liu **144** (1-3) (1995) 59–66
Zaker, M., *see* E.S. Mahmoodian **167-168** (1-3) (1997) 451–460
Zaker, M., *see* H. Hajiabolhassan **199** (1-3) (1999) 233–236
Zaks, J., *see* B. Grünbaum **10** (1974) 93–115
Zaks, J., Non-Hamiltonian non-Grinbergian graphs **17** (1977) 317–321
Zaks, J., Non-Hamiltonian simple 3-polytopes having just two types of faces **29** (1980) 87–101
Zaks, J., Extending two theorems of A. Kotzig **43** (1983) 309–315
Zaks, J., *see* M. Katchalski **54** (1985) 271–284
Zaks, J., Parsons graphs of matrices **78** (1989) 187–193
Zaks, J., Uniform distances in rational unit-distance graphs **109** (1992) 307–311
Zaks, J., *see* J. Czyzowicz **137** (1-3) (1995) 147–153
Zaks, J., Monohedrally knotted tilings of the 3-space **174** (1-3) (1997) 383–386
Zaks, S., *see* N. Dershowitz **31** (1980) 9–28
Zaks, S., *see* Y. Perl **34** (1981) 153–164
Zaks, S., *see* Y. Shiloach **41** (1982) 57–65
Zaks, S., *see* N. Dershowitz **62** (1986) 215–218
Zamfirescu, C., *see* R. van Dal **159** (1-3) (1996) 69–81
Zamfirescu, C., Cyclic and cliquewise connectedness of line graphs **170** (1-3) (1997) 293–297

Zamfirescu, C.M., *see* L.W. Beineke **39** (1982) 237–254
Zamfirescu, T., *see* R. van Dal **159** (1-3) (1996) 69–81
Zanella, C., *see* J. Misfeld **174** (1-3) (1997) 261–269
Zang, W., *see* F. Tian **89** (1991) 51–63
Zang, W., Generalizations of Grillet's theorem on maximal stable sets and maximal cliques in graphs **143** (1-3) (1995) 259–268
Zang, W., Coloring graphs with no odd-K_4 **184** (1-3) (1998) 205–212
Zang, W., Acyclic digraphs with the Gallai–Milgram–Linial property for clique-covers **199** (1-3) (1999) 183–192
Zaremba, S.K., Computing the isotropic discrepancy of point sets in two dimensions **11** (1975) 79–92
Zaslavsky, T., Signed graph coloring **39** (1982) 215–228
Zaslavsky, T., Chromatic invariants of signed graphs **42** (1982) 287–312
Zaslavsky, T., How colorful the signed graph? **52** (1984) 279–284
Zaslavsky, T., The projective-planar signed graphs **113** (1993) 223–247
Zaslavsky, T., *see* P. Solé **128** (1-3) (1994) 401–405
Zaslavsky, T., Signed analogs of bipartite graphs **179** (1-3) (1998) 205–216
Zassenhaus, H.J., *see* M.H. Dauenhauer **64** (1987) 129–146
Zehavi, A., *see* A. Itai **51** (1984) 25–34
Zeilberger, D., Partial difference equations in $m_1 \geqslant m_2 \geqslant \cdots \geqslant m_n \geqslant 0$ and their applications to combinatorics **31** (1980) 65–77
Zeilberger, D., Enumeration of words by their number of mistakes (*Note*) **34** (1981) 89–91
Zeilberger, D., *see* D.M. Bressoud **38** (1982) 313–315
Zeilberger, D., A combinatorial proof of Dyson's conjecture **41** (1982) 317–321
Zeilberger, D., Andre's reflection proof generalized to the many-candidate ballot problem (*Note*) **44** (1983) 325–326
Zeilberger, D., A combinatorial proof of Newton's identities (*Note*) **49** (1984) 319
Zeilberger, D., A Short hook-lengths bijection inspired by the Greene–Nijenhuis–Wilf proof **51** (1984) 101–108
Zeilberger, D., Garsia and Milne's bijective proof of the inclusion—exclusion principle (*Note*) **51** (1984) 109–110
Zeilberger, D. and D.M. Bressoud, A proof of Andrews' q-Dyson conjecture **54** (1985) 201–224
Zeilberger, D., A combinatorial approach to matrix algebra **56** (1985) 61–72
Zeilberger, D., *see* M. Werman **58** (1986) 109
Zeilberger, D., Enumerating totally clean words (*Note*) **64** (1987) 313–315
Zeilberger, D., A Stembridge–Stanton style elementary proof of the Habsieger–Kadell q-Morris identity **79** (1989/90) 313–322
Zeilberger, D., A fast algorithm for proving terminating hypergeometric identities (*Communication*) **80** (1990) 207–211
Zeilberger, D., A bijection from ordered trees to binary trees that sends the Pruning order to the Strahler number (*Communication*) **82** (1990) 89–92
Zeilberger, D., A proof of Julian West's conjecture that the number of two-stack-sortable permutations of length n is $2(3n)!/((n+1)!(2n+1)!)$ (*Communication*) **102** (1992) 85–93
Zeitler, H., Modifications of the "central-method" to construct Steiner Triple Systems **77** (1989) 367–384
Zeitler, H., About special classes of Steiner systems $S(2, 4, v)$ **97** (1991) 399–407
Zelina, M., *see* M. Ploščica **159** (1-3) (1996) 191–198
Zelinka, B., Regular totally domatically full graphs **86** (1990) 71–79
Zelinka, B., Some remarks on domination in cubic graphs **158** (1-3) (1996) 249–255
Zemanian, A.H., Connectedness in transfinite graphs and the existence and uniqueness of node voltages **142** (1-3) (1995) 247–269
Zemirline, A., *see* J. Fonlupt **45** (1983) 217–228
Zemor, G., *see* G.D. Cohen **114** (1993) 105–113
Zemor, G., A generalisation to noncommutative groups of a theorem of Mann **126** (1994) 365–372
Zeng, J., Un modèle symétrique pour l'identité de Al-Salam–Fields **85** (1990) 207–213
Zeng, J., Sur quelques propriétés de symétrie des nombres de Genocchi **153** (1-3) (1996) 319–333
Zeng, J., Multinomial convolution polynomials **160** (1-3) (1996) 219–228
Zeng, M.S. and Z.K. Min, Neighborhood unions and Hamiltonian properties **133** (1-3) (1994) 319–324

Žerovnik, J., A randomized algorithm for k-colorability **131** (1-3) (1994) 379–393
Žerovnik, J., *see* W. Imrich **150** (1-3) (1996) 167–178
Žerovnik, J., *see* W. Imrich **167-168** (1-3) (1997) 393–403
Žerovnik, J., *see* A. Vesel **182** (1-3) (1998) 333–336
Zgrablić, B., On adjacency-transitive graphs **182** (1-3) (1998) 321–332
Zha, X., The closed 2-cell embeddings of 2-connected doubly toroidal graphs **145** (1-3) (1995) 259–271
Zha, X., On minimum-genus embeddings **149** (1-3) (1996) 261–278
Zha, X., Closed 2-cell embeddings of 4 cross-cap embeddable graphs **162** (1-3) (1996) 251–266
Zhan, S., On hamiltonian line graphs and connectivity **89** (1991) 89–95
Zhang, C., *see* X. Lin **175** (1-3) (1997) 277–282
Zhang, C.-Q., Arc-disjoint circuits in digraphs **41** (1982) 79–96
Zhang, C.-Q., Bridges of longest cycles **78** (1989) 195–211
Zhang, C.-Q., Cycles of given length in some $K_{1,3}$-free graphs **78** (1989) 307–313
Zhang, C.-Q. and Y.-J. Zhu, Long path connectivity of regular graphs **96** (1991) 151–160
Zhang, C.-Q., *see* H.-J. Lai **110** (1992) 179–183
Zhang, C.-Q., *see* B. Alspach **111** (1993) 11–17
Zhang, C.-Q., Nowhere-zero 4-flows and cycle double covers **154** (1-3) (1996) 245–253
Zhang, C.-Q., *see* M. Darrah **173** (1-3) (1997) 23–33
Zhang, C.-Q., *see* C.D. Savage **184** (1-3) (1998) 281–287
Zhang, F., *see* X. Li **94** (1991) 189–197
Zhang, F. and X. Guo, Reducible chains in several types of 2-connected graphs **105** (1992) 285–291
Zhang, F., *see* X. Li **132** (1-3) (1994) 127–135
Zhang, F., *see* X. Guo **135** (1-3) (1994) 113–120
Zhang, F. and X. Li, Hexagonal systems with forcing edges **140** (1-3) (1995) 253–263
Zhang, F., *see* P. Hansen **176** (1-3) (1997) 131–138
Zhang, F. and G. Lin, When a digraph and its line digraph are connected and cospectral **184** (1-3) (1998) 289–295
Zhang, F., *see* B.-Y. Wang **187** (1-3) (1998) 211–220
Zhang, F.-j. and X.-f. Guo, Hamilton cycles in directed Euler tour graphs **64** (1987) 289–298
Zhang, F.-j., *see* Z.-b. Chen **68** (1988) 9–13
Zhang, F.-j., X.-f. Guo and R.-s. Chen, Z-transformation graphs of perfect matchings of hexagonal systems **72** (1988) 405–415
Zhang, G.-H., *see* W.D. Wallis **120** (1993) 191–203
Zhang, G.-H., Pseudo-one-factorizations of regular graphs of odd order – II. Products of graphs **128** (1-3) (1994) 371–384
Zhang, H., *see* X. Li **154** (1-3) (1996) 297–300
Zhang, H., The connectivity of Z-transformation graphs of perfect matchings of polyominoes **158** (1-3) (1996) 257–272
Zhang, H., Characterization of self-complementary symmetric digraphs **161** (1-3) (1996) 323–327
Zhang, H., The Clar covering polynomial of hexagonal systems with an application to chromatic polynomials **172** (1-3) (1997) 163–173
Zhang, H., *see* R.J.R. Abel **181** (1-3) (1998) 1–17
Zhang, K.M., Y. Manoussakis and Z.M. Song, Complementary cycles containing a fixed arc in diregular bipartite tournaments **133** (1-3) (1994) 325–328
Zhang, L., L. Li and J. Wu, On the descriptive power of special Thue systems **160** (1-3) (1996) 291–297
Zhang, P., The characteristic polynomials of subarrangements of Coxeter arrangements **177** (1-3) (1997) 245–248
Zhang, X., *see* L. Zhu **97** (1991) 409–417
Zhang, X., Construction for indecomposable simple (v,k,λ)-BIBDs **156** (1-3) (1996) 317–322
Zhang, X.-D., On the spiral property of the q-derangement numbers **159** (1-3) (1996) 295–298
Zhang, Z., *see* R. Ahlswede **85** (1990) 225–245
Zhang, Z., *see* Y. Alavi **100** (1992) 229–233
Zhang, Z., *see* C. Lin **141** (1-3) (1995) 291–297
Zhang, Z., Parsons graphs of matrices on $\mathcal{Z}_{p^n}$ (*Note*) **148** (1-3) (1996) 325–327
Zhang, Z., *see* R. Ahlswede **188** (1-3) (1998) 1–11

Zhang, Z., B. Xu, Y. Li and L. Liu, A note on the lower bounds of signed domination number of a graph **195** (1-3) (1999) 295–298
Zhang, Z., A kind of binomial identity **196** (1-3) (1999) 291–298
Zhao, C., *see* J. Liu **148** (1-3) (1996) 119–131
Zhao, L., The kissing number of the regular polygon **188** (1-3) (1998) 293–296
Zhao, L.-C., *see* C.-Y. Chao **45** (1983) 127–128
Zhao, L.-C., *see* R.-Y. Liu **171** (1-3) (1997) 169–177
Zhao, S.-Y., *see* S.-T. Ting **123** (1993) 117–120
Zhao, S.-y., *see* S.-T. Ting **132** (1-3) (1994) 317–332
Zhao, Y., On the edge-reconstruction of 3-connected planar graphs with minimum valency 4 **137** (1-3) (1995) 333–344
Zhao, Y., *see* H. Hind **190** (1-3) (1998) 107–114
Zheng, M. and X. Lu, On the maximum induced forests of a connected cubic graph without triangles **85** (1990) 89–96
Zheng, M., *see* P. Hansen **122** (1993) 179–196
Zheng, M., *see* P. Hansen **176** (1-3) (1997) 131–138
Zhizheng, Z., A binomial identity related to Calkin's **196** (1-3) (1999) 287–289
Zhoa, S.-Y., *see* S.-T. Ting **90** (1991) 75–84
Zhongfu, Z., *see* X. Baogen **199** (1-3) (1999) 285–289
Zhou, B., The maximum number of cycles in the complement of a tree **69** (1988) 85–94
Zhou, B., *see* H.L. Abbott **100** (1992) 223–228
Zhou, B., *see* H.L. Abbott **132** (1-3) (1994) 367–371
Zhou, B., *see* H.L. Abbott **182** (1-3) (1998) 3–11
Zhou, H., The chromatic difference sequence of the Cartesian product of graphs **90** (1991) 297–311
Zhou, H., Inequalities with respect to graph homomorphism (*Note*) **112** (1993) 295–298
Zhou, H., Chromatic difference sequences and homomorphisms (*Note*) **113** (1993) 285–292
Zhou, H., *see* P. Hell **127** (1-3) (1994) 213–220
Zhou, H., *see* J. Liu **132** (1-3) (1994) 387–390
Zhou, H., *see* J. Liu **135** (1-3) (1994) 163–168
Zhou, H., *see* L. Haddad **146** (1-3) (1995) 45–58
Zhou, H., On the ultimate normalized chromatic difference sequence of a graph **148** (1-3) (1996) 287–297
Zhou, H., *see* J. Liua **170** (1-3) (1997) 277–281
Zhou, H., Multiplicativity of acyclic digraphs **176** (1-3) (1997) 263–271
Zhou, S., Matroid tree graphs and interpolation theorems **137** (1-3) (1995) 395–397
Zhou, S. and J. Yuan, Harper-type lower bounds and the bandwidths of the compositions of graphs **181** (1-3) (1998) 255–266
Zhou, S., Interpolation theorems for graphs, hypergraphs and matroids **185** (1-3) (1998) 221–229
Zhou, S., *see* B. Chen **185** (1-3) (1998) 239–243
Zhou, S., *see* B. Chen **195** (1-3) (1999) 81–91
Zhou, S., A sequential coloring algorithm for finite sets **199** (1-3) (1999) 291–297
Zhu, C., Some results on intersecting families of subsets **184** (1-3) (1998) 213–224
Zhu, L., A pair of orthogonal Steiner systems $S(3, 5, 17)$ (*Communication*) **31** (1980) 111–113
Zhu, L., Affinely totally variant subsets of $V_3(\mathrm{GF}(3))$ (*Communication*) **34** (1981) 95–99
Zhu, L., Orthogonal latin squares with subsquares **48** (1984) 315–321
Zhu, L., *see* D.R. Stinson **54** (1985) 321–328
Zhu, L., *see* K. Heinrich **59** (1986) 69–78
Zhu, L., *see* F.E. Bennett **65** (1987) 5–21
Zhu, L., *see* F.E. Bennett **84** (1990) 1–14
Zhu, L., *see* F.E. Bennett **84** (1990) 221–239
Zhu, L., *see* K. Heinrich **87** (1991) 281–290
Zhu, L., B. Du and X. Zhang, A few more RBIBDs with $k = 5$ and $\lambda = 1$ **97** (1991) 409–417
Zhu, L., *see* F.E. Bennett **103** (1992) 129–137
Zhu, L., *see* F.E. Bennett **103** (1992) 139–151
Zhu, L., *see* F.E. Bennett **113** (1993) 7–25
Zhu, L., Some recent developments on BIBDs and related designs **123** (1993) 189–214

Zhu, L., *see* Y. Miao **143** (1-3) (1995) 189–207
Zhu, L., *see* F.E. Bennett **158** (1-3) (1996) 11–25
Zhu, L., *see* F.E. Bennett **160** (1-3) (1996) 49–65
Zhu, M., *see* X. Lin **175** (1-3) (1997) 277–282
Zhu, Q., The largest transversal numbers of uniform hypergraphs **147** (1-3) (1995) 271–282
Zhu, Q., *see* D. Lou **148** (1-3) (1996) 133–140
Zhu, T., *see* D.K. Ray-Chaudhuri **106/107** (1992) 399–406
Zhu, X., *see* K. Böröczky **115** (1993) 57–63
Zhu, X., *see* P. Hell **132** (1-3) (1994) 107–113
Zhu, X., *see* G. Gao **152** (1-3) (1996) 147–156
Zhu, X., On the bounds for the ultimate independence ratio of a graph **156** (1-3) (1996) 229–236
Zhu, X., *see* W.A. Deuber **165-166** (1-3) (1997) 191–200
Zhu, X., Chromatic Ramsey numbers **190** (1-3) (1998) 215–222
Zhu, X., *see* T. Dinski **196** (1-3) (1999) 109–115
Zhu, Y. and C. Chen, An extreme problem concerning k-arc-cyclic property for a class of tournaments **85** (1990) 301–311
Zhu, Y., *see* B. Jackson **102** (1992) 163–176
Zhu, Y. and H. Li, Hamilton cycles in regular 3-connected graphs **110** (1992) 229–249
Zhu, Y.-j., F. Tian and X.-t. Deng, More powerful closure operations on graphs **87** (1991) 197–214
Zhu, Y.-J., *see* C.-Q. Zhang **96** (1991) 151–160
Ziegler, G.M., The face lattice of hyperplane arrangements **73** (1988/89) 233–238
Ziegler, G.M., *see* B.E. Sagan **126** (1994) 293–311
Zijlstra, R., *see* R. Gardner **171** (1-3) (1997) 121–139
Zijlstra, R., *see* R. Gardner **175** (1-3) (1997) 143–161
Zimmermann, P., Function composition and automatic average case analysis **139** (1-3) (1995) 443–453
Zimmermann, U.T., *see* P.J. Grabner **154** (1-3) (1996) 53–62
Zimmermann, Y., *see* N. Darcel **38** (1982) 53–64
Zinoviev, V., *see* T. Ericson **106/107** (1992) 199–207
Zinoviev, V.A., Letter to the editor **28** (1979) 107
Zioło, I.A., *see* A.P. Wojda **165-166** (1-3) (1997) 621–638
Zito, J., *see* N. Dean **126** (1994) 67–80
Zito, J.S., *see* C.M. Fiduccia **181** (1-3) (1998) 113–138
Ziv, R., *see* I.B.-A. Hartman **87** (1991) 41–52
Zizioli, E., Embedding of incidence structures in projective spaces **174** (1-3) (1997) 387–395
Zmazek, B., *see* S. Klavžar **156** (1-3) (1996) 243–246
Znám, Š., A simple characterization of disjoint covering systems **12** (1975) 89–91
Znám, Š., On existence and regularity of graphs with certain properties **16** (1976) 83–90
Znám, Š., *see* A. Rosa **128** (1-3) (1994) 305–316
Zolnowsky, J., A direct combinatorial proof of the Jacobi identity **9** (1974) 293–298
Zörnig, P., On the line graphs of the complete r-partite graphs **171** (1-3) (1997) 277–282
Zucchello, R., *see* L. Oubiña **51** (1984) 243–249
Zuker, M., *see* S.M. Tanny **9** (1974) 79–89
Zuker, M., *see* S.M. Tanny **24** (1978) 299–310
Žunić, J., Limit shape of convex lattice polygons having the minimal L_∞ diameter w.r.t. the number of their vertices **187** (1-3) (1998) 245–254
Žunić, J.D., *see* S. Matić-Kekić **150** (1-3) (1996) 303–313
Żurawiecki, J., Universal circuit matrix for adjacency graphs of feedback functions (*Note*) **126** (1994) 441–445
Zuther, J., Ends in digraphs **184** (1-3) (1998) 225–244
Zverovich, I.E. and V.E. Zverovich, Contributions to the theory of graphic sequences **105** (1992) 293–303
Zverovich, I.E., Proof of a conjecture in domination theory **184** (1-3) (1998) 297–298
Zverovich, V.E., *see* I.E. Zverovich **105** (1992) 293–303
Zverovich, V.E., *see* R.I. Tyshkevich **161** (1-3) (1996) 265–283
Zverovich, V.E., *see* G. Gutin **190** (1-3) (1998) 95–105
Zvonkin, A., *see* J. Bétréma **153** (1-3) (1996) 47–58
Zvonkin, A., How to draw a group? **180** (1-3) (1998) 403–413

Scope of the Journal

The aim of this journal is to bring together research papers in different areas of discrete mathematics. Contributions presented to the journal can be research papers, short notes, surveys, and possibly research problems. The 'Communications' section will be devoted to the fastest possible publication of the brief outlines of recent research results, the detailed presentation of which might be submitted for possible publication in DISC or elsewhere. The journal will also publish a limited number of book announcements, as well as proceedings of conferences. The journal will publish papers in combinatorial mathematics and related areas. In particular, graph and hypergraph theory, network theory, coding theory, block designs, lattice theory, the theory of partially ordered sets, combinatorial geometries, matroid theory, extremal set theory, logic and automata, matrices, polyhedra, discrete probability theory, etc. shall be among the fields covered by the journal.

Instructions to contributors

All contributions should be written in English or French, should have an abstract in English (as well as one in French if the paper is written in French), and—with the exception of Communications—should be sent in triplicate to Nelly Segal, Editorial Manager, RUTCOR, Rutgers, the State University of New Jersey, 640 Bartholomew Road, Piscataway, NJ 08854-8003, USA. The authors are requested to put their mailing address on the manuscript.

Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the Publisher. This transfer will ensure the widest possible dissemination of information.

Manuscripts submitted for the Communications section, having at most 5 typewritten pages, should be sent to a member of the editorial board in triplicate. Detailed proofs do not have to be included, but results must be accompanied at least by rough outlines of their proofs. Subsequent publication in this journal or elsewhere of the full text of a research report, the outline of which has been published in the Communications section of our journal, is not excluded. Every effort shall be made for the fastest possible publication of Communications.

Please make sure that the paper is submitted in its final form. Corrections in the proofstage, other than of printer's errors, should be avoided; costs arising from such extra corrections will be charged to the authors.

The manuscript should be prepared for publication in accordance with instructions given in the 'Instructions to Authors' (available from the Publisher) details of which are condensed below:

- The manuscript must be typed on one side of the paper in double spacing with wide margins. A duplicate copy should be retained by the author.
- Special care should be given to the preparation of the drawings for figures and diagrams. Except for a reduction in size, they will appear in the final printing in exactly the same form as they were submitted by the author; normally they will not be redrawn by the printer. In order to make a photographic reproduction possible, all drawings should be on separate sheets, with wide margins, drawn large size, in Indian ink, and carefully lettered. Exceptions are diagrams only containing formulae and a small number of single straight lines (or arrows); these can be typeset by the printer.
- References should be listed alphabetically, in the same way as the following examples:
  For a book: W.K. Chen, Applied Graph Theory (North-Holland, Amsterdam, 1971).
  For a paper in a journal: P. Erdős, Some recent problems and results in graph theory, Discrete Math. 164 (1997) 81–85.
  For a paper in a contributed volume: M.O. Rabin, Weakly definable relations and special automata, in: Y. Bar-Hillel, ed., Mathematical Logic and Foundations of Set Theory (North-Holland, Amsterdam, 1970) 1–23.
  For an unpublished paper: R. Schrauwen, Series of singularities and their topology, Ph.D. Thesis, Utrecht University, Utrecht, 1991.
- LaTeX: If your manuscript has been prepared with (La)TeX, then your files may be of use to us for producing galley proofs and for printing. We only wish to receive the files once a paper has been accepted. Kindly send an MSDOS-formatted floppy disc with the final version. The contents of the files on the floppy should be exactly the same as the hard copy that we receive from you. If the file is suitable, proofs will be produced without rekeying the text. The article should be encoded in Elsevier-LaTeX, standard LaTeX, or AMS-LaTeX (in document style 'article'). *No changes from the accepted version are permissble, without the explicit approval by the Editor. The Publisher reserves the right to decide whether to use the author's file or not.* If the file is sent by e-mail, the name of the journal *Discrete Mathematics*, should be mentioned in the "subject field" of the message to identify the paper. Authors should include an ASCII table (available from the Publisher) in their files to enable the detection of transmission errors. The files should be mailed to: Michael D. Griffin, Elsevier Science B.V., P.O. Box 103, 1000 AC Amsterdam, Netherlands, Fax: (31-20) 4852616. E-mail: m.griffin@elsevier.nl.

The Elsevier LaTeX package (including detailed instructions for LaTeX preparation) can be obtained from the Comprehensive TeX Archive Network (CTAN). Search for Elsevier on the CTAN Search page (http://www.ucc.ie/cgi-bin/ctan), or the CTAN-Web page (http://tug2.cs.umb.edu/ctan/), or use direct access via FTP at ftp.dante.de (Germany), ftp.tex.ac.uk (UK), or tug2.cs.umb.edu (Massachusetts, USA) and go to the directory /tex-archive/macros/latex/contrib/supported/elsevier. The Elsevier package consists of the files: ascii.tab (ASCII table), elsart.cls (use this file if you are using LaTeX2e, the current version of LaTeX), elsart.sty and elsart12.sty (use these two files if you are using LaTeX2.09, the previous version of LaTeX), instraut.dvi and/or instraut.ps (instruction booklet), readme. CTAN is a mirrored network of ftp.tex.ac.uk, ftp.dante.de and tug2.cs.umb.edu, which are widely mirrored (see http://tug2.cs.umb.edu/ctan/ctansite.txt) and hold up-to-date copies of all the public-domain versions of TeX, LaTeX, Metafont and ancillary programs.

Author's benefits

1. 30% discount on all book publications of North-Holland.
2. 50 reprints are provided free of charge to the principal author of each paper published.

USA mailing notice: Discrete Mathematics (ISSN 0012-365X) is published (total 16 issues) by Elsevier Science B.V. (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US$3959.00 (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.
USA POSTMASTER: Send address changes to Discrete Mathematics. Publications Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.
AIRFREIGHT AND MAILING in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.